



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	80	30	3490.02	DFT	16QAM	Outer_Full	23.37
n78	80	30	3490.02	DFT	64QAM	Inner_Full	22.85
n78	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.65
n78	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.08
n78	80	30	3490.02	DFT	64QAM	Outer_Full	22.74
n78	80	30	3490.02	DFT	256QAM	Inner_Full	20.94
n78	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	20.91
n78	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	20.33
n78	80	30	3490.02	DFT	256QAM	Outer_Full	20.78
n78	80	30	3490.02	CP	QPSK	Inner_Full	23.88
n78	80	30	3490.02	CP	QPSK	Edge_1RB_Left	22.20
n78	80	30	3490.02	CP	QPSK	Edge_1RB_Right	21.46
n78	80	30	3490.02	CP	QPSK	Outer_Full	22.43
n78	80	30	3490.02	CP	16QAM	Inner_Full	23.32
n78	80	30	3490.02	CP	16QAM	Edge_1RB_Left	21.89
n78	80	30	3490.02	CP	16QAM	Edge_1RB_Right	21.40
n78	80	30	3490.02	CP	16QAM	Outer_Full	22.37
n78	80	30	3490.02	CP	64QAM	Inner_Full	21.84
n78	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.81
n78	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.29
n78	80	30	3490.02	CP	64QAM	Outer_Full	21.91
n78	80	30	3490.02	CP	256QAM	Inner_Full	18.80
n78	80	30	3490.02	CP	256QAM	Edge_1RB_Left	18.88
n78	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.28
n78	80	30	3490.02	CP	256QAM	Outer_Full	18.70
n78	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.39
n78	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n78	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.43
n78	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.78
n78	80	30	3500.01	DFT	QPSK	Inner_Full	25.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.88
n78	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.42
n78	80	30	3500.01	DFT	QPSK	Outer_Full	24.42
n78	80	30	3500.01	DFT	16QAM	Inner_Full	24.52
n78	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.88
n78	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.38
n78	80	30	3500.01	DFT	16QAM	Outer_Full	23.38
n78	80	30	3500.01	DFT	64QAM	Inner_Full	22.81
n78	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.63
n78	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.08
n78	80	30	3500.01	DFT	64QAM	Outer_Full	22.79
n78	80	30	3500.01	DFT	256QAM	Inner_Full	20.84
n78	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.86
n78	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.43
n78	80	30	3500.01	DFT	256QAM	Outer_Full	20.79
n78	80	30	3500.01	CP	QPSK	Inner_Full	23.93
n78	80	30	3500.01	CP	QPSK	Edge_1RB_Left	22.11
n78	80	30	3500.01	CP	QPSK	Edge_1RB_Right	21.56
n78	80	30	3500.01	CP	QPSK	Outer_Full	22.46
n78	80	30	3500.01	CP	16QAM	Inner_Full	23.42
n78	80	30	3500.01	CP	16QAM	Edge_1RB_Left	21.89
n78	80	30	3500.01	CP	16QAM	Edge_1RB_Right	21.45
n78	80	30	3500.01	CP	16QAM	Outer_Full	22.31
n78	80	30	3500.01	CP	64QAM	Inner_Full	21.88
n78	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.80
n78	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.30
n78	80	30	3500.01	CP	64QAM	Outer_Full	21.90
n78	80	30	3500.01	CP	256QAM	Inner_Full	18.77
n78	80	30	3500.01	CP	256QAM	Edge_1RB_Left	19.06
n78	80	30	3500.01	CP	256QAM	Edge_1RB_Right	18.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	80	30	3500.01	CP	256QAM	Outer_Full	18.97
n78	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.40
n78	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n78	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	21.44
n78	80	30	3510	DFT	pi/2 BPSK	Outer_Full	24.78
n78	80	30	3510	DFT	QPSK	Inner_Full	25.36
n78	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.97
n78	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.43
n78	80	30	3510	DFT	QPSK	Outer_Full	24.33
n78	80	30	3510	DFT	16QAM	Inner_Full	24.39
n78	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.99
n78	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.43
n78	80	30	3510	DFT	16QAM	Outer_Full	23.32
n78	80	30	3510	DFT	64QAM	Inner_Full	22.70
n78	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.54
n78	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.11
n78	80	30	3510	DFT	64QAM	Outer_Full	22.74
n78	80	30	3510	DFT	256QAM	Inner_Full	21.04
n78	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.72
n78	80	30	3510	DFT	256QAM	Edge_1RB_Right	20.36
n78	80	30	3510	DFT	256QAM	Outer_Full	20.78
n78	80	30	3510	CP	QPSK	Inner_Full	23.86
n78	80	30	3510	CP	QPSK	Edge_1RB_Left	21.99
n78	80	30	3510	CP	QPSK	Edge_1RB_Right	21.42
n78	80	30	3510	CP	QPSK	Outer_Full	22.34
n78	80	30	3510	CP	16QAM	Inner_Full	23.27
n78	80	30	3510	CP	16QAM	Edge_1RB_Left	21.91
n78	80	30	3510	CP	16QAM	Edge_1RB_Right	21.39
n78	80	30	3510	CP	16QAM	Outer_Full	22.29
n78	80	30	3510	CP	64QAM	Inner_Full	21.87



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	80	30	3510	CP	64QAM	Edge_1RB_Left	21.73
n78	80	30	3510	CP	64QAM	Edge_1RB_Right	21.07
n78	80	30	3510	CP	64QAM	Outer_Full	21.74
n78	80	30	3510	CP	256QAM	Inner_Full	18.80
n78	80	30	3510	CP	256QAM	Edge_1RB_Left	18.97
n78	80	30	3510	CP	256QAM	Edge_1RB_Right	18.37
n78	80	30	3510	CP	256QAM	Outer_Full	18.84
n78	90	30	3495	DFT	pi/2 BPSK	Inner_Full	25.42
n78	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n78	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	21.42
n78	90	30	3495	DFT	pi/2 BPSK	Outer_Full	24.74
n78	90	30	3495	DFT	QPSK	Inner_Full	25.33
n78	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.87
n78	90	30	3495	DFT	QPSK	Edge_1RB_Right	21.39
n78	90	30	3495	DFT	QPSK	Outer_Full	24.25
n78	90	30	3495	DFT	16QAM	Inner_Full	24.39
n78	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.85
n78	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.33
n78	90	30	3495	DFT	16QAM	Outer_Full	23.37
n78	90	30	3495	DFT	64QAM	Inner_Full	23.01
n78	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.62
n78	90	30	3495	DFT	64QAM	Edge_1RB_Right	21.04
n78	90	30	3495	DFT	64QAM	Outer_Full	22.82
n78	90	30	3495	DFT	256QAM	Inner_Full	20.97
n78	90	30	3495	DFT	256QAM	Edge_1RB_Left	20.76
n78	90	30	3495	DFT	256QAM	Edge_1RB_Right	20.35
n78	90	30	3495	DFT	256QAM	Outer_Full	20.75
n78	90	30	3495	CP	QPSK	Inner_Full	23.96
n78	90	30	3495	CP	QPSK	Edge_1RB_Left	22.04
n78	90	30	3495	CP	QPSK	Edge_1RB_Right	21.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	90	30	3495	CP	QPSK	Outer_Full	22.32
n78	90	30	3495	CP	16QAM	Inner_Full	23.30
n78	90	30	3495	CP	16QAM	Edge_1RB_Left	22.02
n78	90	30	3495	CP	16QAM	Edge_1RB_Right	21.54
n78	90	30	3495	CP	16QAM	Outer_Full	22.32
n78	90	30	3495	CP	64QAM	Inner_Full	21.85
n78	90	30	3495	CP	64QAM	Edge_1RB_Left	21.82
n78	90	30	3495	CP	64QAM	Edge_1RB_Right	21.27
n78	90	30	3495	CP	64QAM	Outer_Full	21.92
n78	90	30	3495	CP	256QAM	Inner_Full	18.84
n78	90	30	3495	CP	256QAM	Edge_1RB_Left	18.85
n78	90	30	3495	CP	256QAM	Edge_1RB_Right	18.43
n78	90	30	3495	CP	256QAM	Outer_Full	18.78
n78	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.44
n78	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n78	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
n78	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.97
n78	90	30	3500.01	DFT	QPSK	Inner_Full	25.35
n78	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.04
n78	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.50
n78	90	30	3500.01	DFT	QPSK	Outer_Full	24.28
n78	90	30	3500.01	DFT	16QAM	Inner_Full	24.41
n78	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.88
n78	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.34
n78	90	30	3500.01	DFT	16QAM	Outer_Full	23.38
n78	90	30	3500.01	DFT	64QAM	Inner_Full	22.93
n78	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.67
n78	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.20
n78	90	30	3500.01	DFT	64QAM	Outer_Full	22.87
n78	90	30	3500.01	DFT	256QAM	Inner_Full	21.03



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.68
n78	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.43
n78	90	30	3500.01	DFT	256QAM	Outer_Full	20.93
n78	90	30	3500.01	CP	QPSK	Inner_Full	23.97
n78	90	30	3500.01	CP	QPSK	Edge_1RB_Left	22.04
n78	90	30	3500.01	CP	QPSK	Edge_1RB_Right	21.62
n78	90	30	3500.01	CP	QPSK	Outer_Full	22.29
n78	90	30	3500.01	CP	16QAM	Inner_Full	23.36
n78	90	30	3500.01	CP	16QAM	Edge_1RB_Left	21.92
n78	90	30	3500.01	CP	16QAM	Edge_1RB_Right	21.50
n78	90	30	3500.01	CP	16QAM	Outer_Full	22.35
n78	90	30	3500.01	CP	64QAM	Inner_Full	21.85
n78	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.91
n78	90	30	3500.01	CP	64QAM	Edge_1RB_Right	21.24
n78	90	30	3500.01	CP	64QAM	Outer_Full	21.81
n78	90	30	3500.01	CP	256QAM	Inner_Full	18.84
n78	90	30	3500.01	CP	256QAM	Edge_1RB_Left	18.93
n78	90	30	3500.01	CP	256QAM	Edge_1RB_Right	18.47
n78	90	30	3500.01	CP	256QAM	Outer_Full	18.81
n78	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.43
n78	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.95
n78	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
n78	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	24.83
n78	90	30	3504.99	DFT	QPSK	Inner_Full	25.35
n78	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.95
n78	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.40
n78	90	30	3504.99	DFT	QPSK	Outer_Full	24.28
n78	90	30	3504.99	DFT	16QAM	Inner_Full	24.41
n78	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.85
n78	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.40



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	90	30	3504.99	DFT	16QAM	Outer_Full	23.26
n78	90	30	3504.99	DFT	64QAM	Inner_Full	22.88
n78	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.62
n78	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	21.15
n78	90	30	3504.99	DFT	64QAM	Outer_Full	22.82
n78	90	30	3504.99	DFT	256QAM	Inner_Full	21.07
n78	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	20.67
n78	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	20.42
n78	90	30	3504.99	DFT	256QAM	Outer_Full	20.90
n78	90	30	3504.99	CP	QPSK	Inner_Full	23.96
n78	90	30	3504.99	CP	QPSK	Edge_1RB_Left	22.13
n78	90	30	3504.99	CP	QPSK	Edge_1RB_Right	21.45
n78	90	30	3504.99	CP	QPSK	Outer_Full	22.33
n78	90	30	3504.99	CP	16QAM	Inner_Full	23.27
n78	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.99
n78	90	30	3504.99	CP	16QAM	Edge_1RB_Right	21.44
n78	90	30	3504.99	CP	16QAM	Outer_Full	22.32
n78	90	30	3504.99	CP	64QAM	Inner_Full	21.88
n78	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.80
n78	90	30	3504.99	CP	64QAM	Edge_1RB_Right	21.28
n78	90	30	3504.99	CP	64QAM	Outer_Full	21.83
n78	90	30	3504.99	CP	256QAM	Inner_Full	18.79
n78	90	30	3504.99	CP	256QAM	Edge_1RB_Left	18.94
n78	90	30	3504.99	CP	256QAM	Edge_1RB_Right	18.46
n78	90	30	3504.99	CP	256QAM	Outer_Full	18.84
n78	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.49
n78	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.14
n78	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.43
n78	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.97
n78	100	30	3500.01	DFT	QPSK	Inner_Full	25.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.03
n78	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.50
n78	100	30	3500.01	DFT	QPSK	Outer_Full	24.28
n78	100	30	3500.01	DFT	16QAM	Inner_Full	24.41
n78	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.98
n78	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.22
n78	100	30	3500.01	DFT	16QAM	Outer_Full	23.40
n78	100	30	3500.01	DFT	64QAM	Inner_Full	23.01
n78	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.75
n78	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.02
n78	100	30	3500.01	DFT	64QAM	Outer_Full	22.88
n78	100	30	3500.01	DFT	256QAM	Inner_Full	20.92
n78	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.79
n78	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.43
n78	100	30	3500.01	DFT	256QAM	Outer_Full	20.94
n78	100	30	3500.01	CP	QPSK	Inner_Full	23.93
n78	100	30	3500.01	CP	QPSK	Edge_1RB_Left	22.04
n78	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.59
n78	100	30	3500.01	CP	QPSK	Outer_Full	22.34
n78	100	30	3500.01	CP	16QAM	Inner_Full	23.35
n78	100	30	3500.01	CP	16QAM	Edge_1RB_Left	22.02
n78	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.43
n78	100	30	3500.01	CP	16QAM	Outer_Full	22.36
n78	100	30	3500.01	CP	64QAM	Inner_Full	21.91
n78	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.83
n78	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.14
n78	100	30	3500.01	CP	64QAM	Outer_Full	21.84
n78	100	30	3500.01	CP	256QAM	Inner_Full	18.88
n78	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.85
n78	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.43



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	100	30	3500.01	CP	256QAM	Outer_Full	18.81
n78	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.49
n78	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.14
n78	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.55
n78	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.90
n78	100	30	3500.01	DFT	QPSK	Inner_Full	25.42
n78	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.05
n78	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.49
n78	100	30	3500.01	DFT	QPSK	Outer_Full	24.40
n78	100	30	3500.01	DFT	16QAM	Inner_Full	24.40
n78	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.05
n78	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.33
n78	100	30	3500.01	DFT	16QAM	Outer_Full	23.33
n78	100	30	3500.01	DFT	64QAM	Inner_Full	22.86
n78	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.58
n78	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.16
n78	100	30	3500.01	DFT	64QAM	Outer_Full	22.95
n78	100	30	3500.01	DFT	256QAM	Inner_Full	21.03
n78	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.08
n78	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.30
n78	100	30	3500.01	DFT	256QAM	Outer_Full	20.89
n78	100	30	3500.01	CP	QPSK	Inner_Full	23.89
n78	100	30	3500.01	CP	QPSK	Edge_1RB_Left	22.15
n78	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.48
n78	100	30	3500.01	CP	QPSK	Outer_Full	22.44
n78	100	30	3500.01	CP	16QAM	Inner_Full	23.36
n78	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.94
n78	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.35
n78	100	30	3500.01	CP	16QAM	Outer_Full	22.33
n78	100	30	3500.01	CP	64QAM	Inner_Full	21.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.99
n78	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.24
n78	100	30	3500.01	CP	64QAM	Outer_Full	21.80
n78	100	30	3500.01	CP	256QAM	Inner_Full	18.93
n78	100	30	3500.01	CP	256QAM	Edge_1RB_Left	19.04
n78	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.36
n78	100	30	3500.01	CP	256QAM	Outer_Full	18.81
n78	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	25.40
n78	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.10
n78	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.46
n78	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	24.79
n78	100	30	3499.98	DFT	QPSK	Inner_Full	25.38
n78	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	22.02
n78	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	21.47
n78	100	30	3499.98	DFT	QPSK	Outer_Full	24.36
n78	100	30	3499.98	DFT	16QAM	Inner_Full	24.31
n78	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.89
n78	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	21.22
n78	100	30	3499.98	DFT	16QAM	Outer_Full	23.36
n78	100	30	3499.98	DFT	64QAM	Inner_Full	22.91
n78	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	21.71
n78	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	21.12
n78	100	30	3499.98	DFT	64QAM	Outer_Full	22.84
n78	100	30	3499.98	DFT	256QAM	Inner_Full	20.87
n78	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	20.77
n78	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	20.42
n78	100	30	3499.98	DFT	256QAM	Outer_Full	20.90
n78	100	30	3499.98	CP	QPSK	Inner_Full	23.88
n78	100	30	3499.98	CP	QPSK	Edge_1RB_Left	22.06
n78	100	30	3499.98	CP	QPSK	Edge_1RB_Right	21.38



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	100	30	3499.98	CP	QPSK	Outer_Full	22.28
n78	100	30	3499.98	CP	16QAM	Inner_Full	23.33
n78	100	30	3499.98	CP	16QAM	Edge_1RB_Left	21.89
n78	100	30	3499.98	CP	16QAM	Edge_1RB_Right	21.27
n78	100	30	3499.98	CP	16QAM	Outer_Full	22.27
n78	100	30	3499.98	CP	64QAM	Inner_Full	21.89
n78	100	30	3499.98	CP	64QAM	Edge_1RB_Left	21.93
n78	100	30	3499.98	CP	64QAM	Edge_1RB_Right	21.19
n78	100	30	3499.98	CP	64QAM	Outer_Full	21.79
n78	100	30	3499.98	CP	256QAM	Inner_Full	18.94
n78	100	30	3499.98	CP	256QAM	Edge_1RB_Left	18.95
n78	100	30	3499.98	CP	256QAM	Edge_1RB_Right	18.49
n78	100	30	3499.98	CP	256QAM	Outer_Full	18.76



A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

Rule Part 27.50(h)(2) specifies “Mobile stations are limited to 2.0 watts EIRP.”.

Rule Part 27.50(k) specifies “Mobile devices are limited to 1Watt (30 dBm) EIRP.”

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$ERP \text{ or } EIRP = P_{Mea} + GT$$

Where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as P_{Mea}, e.g., dBm or dBW)

P_{Mea} measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

A.1.3.3 Measurement result

n7-EIRP

Limits: ≤33dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	22.66	24.26
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.21	23.81
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.98	23.58
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	22.14	23.74
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.58	24.18
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.63	23.23
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.49	23.09
n7	5	15	2502.5	DFT	QPSK	Outer_Full	21.54	23.14
n7	5	15	2502.5	DFT	16QAM	Inner_Full	21.75	23.35
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	21.30	22.90
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	20.74	22.34
n7	5	15	2502.5	DFT	16QAM	Outer_Full	20.68	22.28
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.15	21.75
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	20.04	21.64
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	19.81	21.41
n7	5	15	2502.5	DFT	64QAM	Outer_Full	19.89	21.49



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	5	15	2502.5	DFT	256QAM	Inner_Full	18.19	19.79
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	18.03	19.63
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	17.75	19.35
n7	5	15	2502.5	DFT	256QAM	Outer_Full	18.05	19.65
n7	5	15	2502.5	CP	QPSK	Inner_Full	21.30	22.90
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	19.70	21.30
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	19.42	21.02
n7	5	15	2502.5	CP	QPSK	Outer_Full	19.50	21.10
n7	5	15	2502.5	CP	16QAM	Inner_Full	20.80	22.40
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.16	21.76
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	19.86	21.46
n7	5	15	2502.5	CP	16QAM	Outer_Full	19.54	21.14
n7	5	15	2502.5	CP	64QAM	Inner_Full	19.14	20.74
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	19.08	20.68
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	18.71	20.31
n7	5	15	2502.5	CP	64QAM	Outer_Full	19.13	20.73
n7	5	15	2502.5	CP	256QAM	Inner_Full	16.27	17.87
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	16.01	17.61
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	15.76	17.36
n7	5	15	2502.5	CP	256QAM	Outer_Full	16.13	17.73
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	22.56	24.16
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.89	23.49
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.95	23.55
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.03	23.63
n7	5	15	2535	DFT	QPSK	Inner_Full	22.59	24.19
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.49	23.09
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.48	23.08
n7	5	15	2535	DFT	QPSK	Outer_Full	21.46	23.06
n7	5	15	2535	DFT	16QAM	Inner_Full	21.56	23.16
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	20.77	22.37
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	20.58	22.18
n7	5	15	2535	DFT	16QAM	Outer_Full	20.54	22.14
n7	5	15	2535	DFT	64QAM	Inner_Full	20.15	21.75



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	19.82	21.42
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	19.78	21.38
n7	5	15	2535	DFT	64QAM	Outer_Full	20.10	21.70
n7	5	15	2535	DFT	256QAM	Inner_Full	18.03	19.63
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	17.68	19.28
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	17.64	19.24
n7	5	15	2535	DFT	256QAM	Outer_Full	17.97	19.57
n7	5	15	2535	CP	QPSK	Inner_Full	21.08	22.68
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	19.37	20.97
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	19.46	21.06
n7	5	15	2535	CP	QPSK	Outer_Full	19.53	21.13
n7	5	15	2535	CP	16QAM	Inner_Full	20.62	22.22
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	19.90	21.50
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	19.92	21.52
n7	5	15	2535	CP	16QAM	Outer_Full	19.44	21.04
n7	5	15	2535	CP	64QAM	Inner_Full	18.89	20.49
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	18.71	20.31
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	18.74	20.34
n7	5	15	2535	CP	64QAM	Outer_Full	19.09	20.69
n7	5	15	2535	CP	256QAM	Inner_Full	16.12	17.72
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	15.76	17.36
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	15.75	17.35
n7	5	15	2535	CP	256QAM	Outer_Full	16.01	17.61
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	22.44	24.04
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.95	23.55
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.91	23.51
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	21.94	23.54
n7	5	15	2567.5	DFT	QPSK	Inner_Full	22.46	24.06
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.49	23.09
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	21.46	23.06
n7	5	15	2567.5	DFT	QPSK	Outer_Full	21.51	23.11
n7	5	15	2567.5	DFT	16QAM	Inner_Full	21.50	23.10
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.71	22.31



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.75	22.35
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.54	22.14
n7	5	15	2567.5	DFT	64QAM	Inner_Full	20.05	21.65
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.82	21.42
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.76	21.36
n7	5	15	2567.5	DFT	64QAM	Outer_Full	20.08	21.68
n7	5	15	2567.5	DFT	256QAM	Inner_Full	17.96	19.56
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	17.71	19.31
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	17.71	19.31
n7	5	15	2567.5	DFT	256QAM	Outer_Full	17.95	19.55
n7	5	15	2567.5	CP	QPSK	Inner_Full	21.04	22.64
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	19.45	21.05
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	19.39	20.99
n7	5	15	2567.5	CP	QPSK	Outer_Full	19.45	21.05
n7	5	15	2567.5	CP	16QAM	Inner_Full	20.68	22.28
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	19.91	21.51
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	19.95	21.55
n7	5	15	2567.5	CP	16QAM	Outer_Full	19.48	21.08
n7	5	15	2567.5	CP	64QAM	Inner_Full	18.90	20.50
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	18.73	20.33
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	18.74	20.34
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.03	20.63
n7	5	15	2567.5	CP	256QAM	Inner_Full	16.11	17.71
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	15.77	17.37
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	15.77	17.37
n7	5	15	2567.5	CP	256QAM	Outer_Full	16.00	17.60
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.62	24.22
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	23.85
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	23.39
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	21.95	23.55
n7	10	15	2505	DFT	QPSK	Inner_Full	22.56	24.16
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	21.71	23.31
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.36	22.96



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	10	15	2505	DFT	QPSK	Outer_Full	21.52	23.12
n7	10	15	2505	DFT	16QAM	Inner_Full	21.56	23.16
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	21.30	22.90
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	20.78	22.38
n7	10	15	2505	DFT	16QAM	Outer_Full	20.46	22.06
n7	10	15	2505	DFT	64QAM	Inner_Full	20.15	21.75
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.09	21.69
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	19.70	21.30
n7	10	15	2505	DFT	64QAM	Outer_Full	20.00	21.60
n7	10	15	2505	DFT	256QAM	Inner_Full	18.01	19.61
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	17.89	19.49
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	17.92	19.52
n7	10	15	2505	DFT	256QAM	Outer_Full	17.92	19.52
n7	10	15	2505	CP	QPSK	Inner_Full	21.12	22.72
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	19.67	21.27
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	19.30	20.90
n7	10	15	2505	CP	QPSK	Outer_Full	19.43	21.03
n7	10	15	2505	CP	16QAM	Inner_Full	20.61	22.21
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.12	21.72
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	19.78	21.38
n7	10	15	2505	CP	16QAM	Outer_Full	19.48	21.08
n7	10	15	2505	CP	64QAM	Inner_Full	19.08	20.68
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.08	20.68
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	18.64	20.24
n7	10	15	2505	CP	64QAM	Outer_Full	19.02	20.62
n7	10	15	2505	CP	256QAM	Inner_Full	16.06	17.66
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	16.00	17.60
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	15.68	17.28
n7	10	15	2505	CP	256QAM	Outer_Full	16.00	17.60
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	22.52	24.12
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.90	23.50
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.97	23.57
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.01	23.61



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	10	15	2535	DFT	QPSK	Inner_Full	22.55	24.15
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	21.37	22.97
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.56	23.16
n7	10	15	2535	DFT	QPSK	Outer_Full	21.53	23.13
n7	10	15	2535	DFT	16QAM	Inner_Full	21.52	23.12
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	20.61	22.21
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	20.69	22.29
n7	10	15	2535	DFT	16QAM	Outer_Full	20.49	22.09
n7	10	15	2535	DFT	64QAM	Inner_Full	20.13	21.73
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	19.79	21.39
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	19.89	21.49
n7	10	15	2535	DFT	64QAM	Outer_Full	20.18	21.78
n7	10	15	2535	DFT	256QAM	Inner_Full	18.00	19.60
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	17.43	19.03
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	17.56	19.16
n7	10	15	2535	DFT	256QAM	Outer_Full	17.84	19.44
n7	10	15	2535	CP	QPSK	Inner_Full	21.10	22.70
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	19.40	21.00
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	19.52	21.12
n7	10	15	2535	CP	QPSK	Outer_Full	19.45	21.05
n7	10	15	2535	CP	16QAM	Inner_Full	20.52	22.12
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	19.84	21.44
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	19.96	21.56
n7	10	15	2535	CP	16QAM	Outer_Full	19.47	21.07
n7	10	15	2535	CP	64QAM	Inner_Full	19.06	20.66
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	18.65	20.25
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	18.76	20.36
n7	10	15	2535	CP	64QAM	Outer_Full	18.97	20.57
n7	10	15	2535	CP	256QAM	Inner_Full	15.98	17.58
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	15.67	17.27
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	15.75	17.35
n7	10	15	2535	CP	256QAM	Outer_Full	15.96	17.56
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	22.48	24.08



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.94	23.54
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.92	23.52
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	21.99	23.59
n7	10	15	2565	DFT	QPSK	Inner_Full	22.55	24.15
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.51	23.11
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	21.46	23.06
n7	10	15	2565	DFT	QPSK	Outer_Full	21.55	23.15
n7	10	15	2565	DFT	16QAM	Inner_Full	21.56	23.16
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	20.62	22.22
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.65	22.25
n7	10	15	2565	DFT	16QAM	Outer_Full	20.47	22.07
n7	10	15	2565	DFT	64QAM	Inner_Full	20.12	21.72
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	19.82	21.42
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	19.81	21.41
n7	10	15	2565	DFT	64QAM	Outer_Full	20.01	21.61
n7	10	15	2565	DFT	256QAM	Inner_Full	17.94	19.54
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	17.68	19.28
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	17.97	19.57
n7	10	15	2565	DFT	256QAM	Outer_Full	18.00	19.60
n7	10	15	2565	CP	QPSK	Inner_Full	21.08	22.68
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	19.45	21.05
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	19.44	21.04
n7	10	15	2565	CP	QPSK	Outer_Full	19.46	21.06
n7	10	15	2565	CP	16QAM	Inner_Full	20.64	22.24
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	19.91	21.51
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.89	21.49
n7	10	15	2565	CP	16QAM	Outer_Full	19.45	21.05
n7	10	15	2565	CP	64QAM	Inner_Full	19.00	20.60
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	18.73	20.33
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	18.72	20.32
n7	10	15	2565	CP	64QAM	Outer_Full	19.00	20.60
n7	10	15	2565	CP	256QAM	Inner_Full	15.97	17.57
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	15.71	17.31



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	15.76	17.36
n7	10	15	2565	CP	256QAM	Outer_Full	16.01	17.61
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.44	24.04
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.14	23.74
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.64	23.24
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.97	23.57
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.46	24.06
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.59	23.19
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.20	22.80
n7	15	15	2507.5	DFT	QPSK	Outer_Full	21.53	23.13
n7	15	15	2507.5	DFT	16QAM	Inner_Full	21.37	22.97
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	21.15	22.75
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.47	22.07
n7	15	15	2507.5	DFT	16QAM	Outer_Full	20.50	22.10
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.01	21.61
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.07	21.67
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	19.59	21.19
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.06	21.66
n7	15	15	2507.5	DFT	256QAM	Inner_Full	18.01	19.61
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	17.97	19.57
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	17.98	19.58
n7	15	15	2507.5	DFT	256QAM	Outer_Full	17.95	19.55
n7	15	15	2507.5	CP	QPSK	Inner_Full	20.91	22.51
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	19.64	21.24
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	19.17	20.77
n7	15	15	2507.5	CP	QPSK	Outer_Full	19.47	21.07
n7	15	15	2507.5	CP	16QAM	Inner_Full	20.48	22.08
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	20.11	21.71
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	19.59	21.19
n7	15	15	2507.5	CP	16QAM	Outer_Full	19.47	21.07
n7	15	15	2507.5	CP	64QAM	Inner_Full	18.93	20.53
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	18.94	20.54
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	18.47	20.07



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	15	15	2507.5	CP	64QAM	Outer_Full	18.95	20.55
n7	15	15	2507.5	CP	256QAM	Inner_Full	16.01	17.61
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	16.00	17.60
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	15.58	17.18
n7	15	15	2507.5	CP	256QAM	Outer_Full	15.98	17.58
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	22.43	24.03
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.68	23.28
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.94	23.54
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	21.99	23.59
n7	15	15	2535	DFT	QPSK	Inner_Full	22.53	24.13
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.33	22.93
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	21.50	23.10
n7	15	15	2535	DFT	QPSK	Outer_Full	21.41	23.01
n7	15	15	2535	DFT	16QAM	Inner_Full	21.51	23.11
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	20.54	22.14
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	20.60	22.20
n7	15	15	2535	DFT	16QAM	Outer_Full	20.49	22.09
n7	15	15	2535	DFT	64QAM	Inner_Full	20.00	21.60
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	19.71	21.31
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	19.79	21.39
n7	15	15	2535	DFT	64QAM	Outer_Full	20.27	21.87
n7	15	15	2535	DFT	256QAM	Inner_Full	17.97	19.57
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	17.50	19.10
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	17.56	19.16
n7	15	15	2535	DFT	256QAM	Outer_Full	17.91	19.51
n7	15	15	2535	CP	QPSK	Inner_Full	21.01	22.61
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	19.27	20.87
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	19.49	21.09
n7	15	15	2535	CP	QPSK	Outer_Full	19.51	21.11
n7	15	15	2535	CP	16QAM	Inner_Full	20.47	22.07
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	19.69	21.29
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	19.76	21.36
n7	15	15	2535	CP	16QAM	Outer_Full	19.44	21.04



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	15	15	2535	CP	64QAM	Inner_Full	18.93	20.53
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	18.47	20.07
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	18.72	20.32
n7	15	15	2535	CP	64QAM	Outer_Full	19.00	20.60
n7	15	15	2535	CP	256QAM	Inner_Full	15.96	17.56
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	15.63	17.23
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	15.90	17.50
n7	15	15	2535	CP	256QAM	Outer_Full	15.94	17.54
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.37	23.97
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.82	23.42
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	23.42
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.94	23.54
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.48	24.08
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.20	22.80
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.29	22.89
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.34	22.94
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.39	22.99
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.54	22.14
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.63	22.23
n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.45	22.05
n7	15	15	2562.5	DFT	64QAM	Inner_Full	19.94	21.54
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.74	21.34
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.64	21.24
n7	15	15	2562.5	DFT	64QAM	Outer_Full	19.90	21.50
n7	15	15	2562.5	DFT	256QAM	Inner_Full	17.87	19.47
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	17.68	19.28
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	17.73	19.33
n7	15	15	2562.5	DFT	256QAM	Outer_Full	17.92	19.52
n7	15	15	2562.5	CP	QPSK	Inner_Full	20.87	22.47
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	19.35	20.95
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	19.33	20.93
n7	15	15	2562.5	CP	QPSK	Outer_Full	19.41	21.01
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.41	22.01



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	19.65	21.25
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.66	21.26
n7	15	15	2562.5	CP	16QAM	Outer_Full	19.41	21.01
n7	15	15	2562.5	CP	64QAM	Inner_Full	18.92	20.52
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	18.55	20.15
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	18.68	20.28
n7	15	15	2562.5	CP	64QAM	Outer_Full	18.92	20.52
n7	15	15	2562.5	CP	256QAM	Inner_Full	15.93	17.53
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	15.71	17.31
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	15.76	17.36
n7	15	15	2562.5	CP	256QAM	Outer_Full	15.89	17.49
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	22.39	23.99
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	22.12	23.72
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.65	23.25
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	21.91	23.51
n7	20	15	2510	DFT	QPSK	Inner_Full	22.46	24.06
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.68	23.28
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.07	22.67
n7	20	15	2510	DFT	QPSK	Outer_Full	21.48	23.08
n7	20	15	2510	DFT	16QAM	Inner_Full	21.27	22.87
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	20.91	22.51
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	20.47	22.07
n7	20	15	2510	DFT	16QAM	Outer_Full	20.43	22.03
n7	20	15	2510	DFT	64QAM	Inner_Full	19.93	21.53
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	19.95	21.55
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	19.55	21.15
n7	20	15	2510	DFT	64QAM	Outer_Full	19.98	21.58
n7	20	15	2510	DFT	256QAM	Inner_Full	17.88	19.48
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.01	19.61
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	17.78	19.38
n7	20	15	2510	DFT	256QAM	Outer_Full	17.95	19.55
n7	20	15	2510	CP	QPSK	Inner_Full	20.96	22.56
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	19.66	21.26



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	19.15	20.75
n7	20	15	2510	CP	QPSK	Outer_Full	19.44	21.04
n7	20	15	2510	CP	16QAM	Inner_Full	20.38	21.98
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	20.02	21.62
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	19.58	21.18
n7	20	15	2510	CP	16QAM	Outer_Full	19.41	21.01
n7	20	15	2510	CP	64QAM	Inner_Full	18.91	20.51
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	18.88	20.48
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	18.43	20.03
n7	20	15	2510	CP	64QAM	Outer_Full	18.91	20.51
n7	20	15	2510	CP	256QAM	Inner_Full	15.88	17.48
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	15.99	17.59
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	15.62	17.22
n7	20	15	2510	CP	256QAM	Outer_Full	15.94	17.54
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	22.46	24.06
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.68	23.28
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.89	23.49
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.05	23.65
n7	20	15	2535	DFT	QPSK	Inner_Full	22.56	24.16
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.27	22.87
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	21.44	23.04
n7	20	15	2535	DFT	QPSK	Outer_Full	21.55	23.15
n7	20	15	2535	DFT	16QAM	Inner_Full	21.31	22.91
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	20.35	21.95
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	20.55	22.15
n7	20	15	2535	DFT	16QAM	Outer_Full	20.42	22.02
n7	20	15	2535	DFT	64QAM	Inner_Full	20.16	21.76
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	19.66	21.26
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	19.87	21.47
n7	20	15	2535	DFT	64QAM	Outer_Full	20.05	21.65
n7	20	15	2535	DFT	256QAM	Inner_Full	17.92	19.52
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	17.50	19.10
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	17.97	19.57



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	20	15	2535	DFT	256QAM	Outer_Full	17.99	19.59
n7	20	15	2535	CP	QPSK	Inner_Full	21.05	22.65
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	19.25	20.85
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	19.36	20.96
n7	20	15	2535	CP	QPSK	Outer_Full	19.51	21.11
n7	20	15	2535	CP	16QAM	Inner_Full	20.47	22.07
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	19.69	21.29
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	19.89	21.49
n7	20	15	2535	CP	16QAM	Outer_Full	19.40	21.00
n7	20	15	2535	CP	64QAM	Inner_Full	18.93	20.53
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	18.47	20.07
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	18.78	20.38
n7	20	15	2535	CP	64QAM	Outer_Full	19.00	20.60
n7	20	15	2535	CP	256QAM	Inner_Full	15.92	17.52
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	15.58	17.18
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	15.84	17.44
n7	20	15	2535	CP	256QAM	Outer_Full	15.98	17.58
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.43	24.03
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.85	23.45
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.77	23.37
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	21.93	23.53
n7	20	15	2560	DFT	QPSK	Inner_Full	22.42	24.02
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.50	23.10
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	21.51	23.11
n7	20	15	2560	DFT	QPSK	Outer_Full	21.48	23.08
n7	20	15	2560	DFT	16QAM	Inner_Full	21.34	22.94
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	20.65	22.25
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.58	22.18
n7	20	15	2560	DFT	16QAM	Outer_Full	20.46	22.06
n7	20	15	2560	DFT	64QAM	Inner_Full	19.91	21.51
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	19.74	21.34
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	19.66	21.26
n7	20	15	2560	DFT	64QAM	Outer_Full	19.96	21.56



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n7	20	15	2560	DFT	256QAM	Inner_Full	17.91	19.51
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	17.66	19.26
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	17.53	19.13
n7	20	15	2560	DFT	256QAM	Outer_Full	17.88	19.48
n7	20	15	2560	CP	QPSK	Inner_Full	20.97	22.57
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	19.38	20.98
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	19.31	20.91
n7	20	15	2560	CP	QPSK	Outer_Full	19.42	21.02
n7	20	15	2560	CP	16QAM	Inner_Full	20.44	22.04
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	19.89	21.49
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.58	21.18
n7	20	15	2560	CP	16QAM	Outer_Full	19.48	21.08
n7	20	15	2560	CP	64QAM	Inner_Full	19.02	20.62
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	18.62	20.22
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	18.65	20.25
n7	20	15	2560	CP	64QAM	Outer_Full	18.89	20.49
n7	20	15	2560	CP	256QAM	Inner_Full	15.79	17.39
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	15.75	17.35
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	15.85	17.45
n7	20	15	2560	CP	256QAM	Outer_Full	15.89	17.49

n38-EIRP

Limits: ≤33dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	23.15	24.65
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	22.47	23.97
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	22.74	24.24
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	22.45	23.95
n38	20	30	2580	DFT	QPSK	Inner_Full	22.99	24.49
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	21.97	23.47
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	22.07	23.57
n38	20	30	2580	DFT	QPSK	Outer_Full	22.00	23.50
n38	20	30	2580	DFT	16QAM	Inner_Full	22.02	23.52
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	21.00	22.50
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	20.85	22.35
n38	20	30	2580	DFT	16QAM	Outer_Full	21.01	22.51



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n38	20	30	2580	DFT	64QAM	Inner_Full	20.43	21.93
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	20.15	21.65
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	20.28	21.78
n38	20	30	2580	DFT	64QAM	Outer_Full	20.49	21.99
n38	20	30	2580	DFT	256QAM	Inner_Full	18.47	19.97
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	18.30	19.80
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	18.43	19.93
n38	20	30	2580	DFT	256QAM	Outer_Full	18.52	20.02
n38	20	30	2580	CP	QPSK	Inner_Full	21.50	23.00
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	20.08	21.58
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	20.08	21.58
n38	20	30	2580	CP	QPSK	Outer_Full	20.00	21.50
n38	20	30	2580	CP	16QAM	Inner_Full	21.06	22.56
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	19.98	21.48
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	20.16	21.66
n38	20	30	2580	CP	16QAM	Outer_Full	20.07	21.57
n38	20	30	2580	CP	64QAM	Inner_Full	19.42	20.92
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	19.15	20.65
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	19.28	20.78
n38	20	30	2580	CP	64QAM	Outer_Full	19.50	21.00
n38	20	30	2580	CP	256QAM	Inner_Full	16.51	18.01
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	16.34	17.84
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	16.48	17.98
n38	20	30	2580	CP	256QAM	Outer_Full	16.50	18.00
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	23.26	24.76
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	23.95
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.01	24.51
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	22.72	24.22
n38	20	30	2595	DFT	QPSK	Inner_Full	23.29	24.79
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	21.95	23.45
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	22.59	24.09
n38	20	30	2595	DFT	QPSK	Outer_Full	22.28	23.78
n38	20	30	2595	DFT	16QAM	Inner_Full	22.32	23.82
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	20.85	22.35
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	21.27	22.77
n38	20	30	2595	DFT	16QAM	Outer_Full	21.21	22.71
n38	20	30	2595	DFT	64QAM	Inner_Full	20.79	22.29
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	20.10	21.60
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	20.73	22.23
n38	20	30	2595	DFT	64QAM	Outer_Full	20.72	22.22
n38	20	30	2595	DFT	256QAM	Inner_Full	18.69	20.19



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	18.37	19.87
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	18.94	20.44
n38	20	30	2595	DFT	256QAM	Outer_Full	18.72	20.22
n38	20	30	2595	CP	QPSK	Inner_Full	21.63	23.13
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	19.99	21.49
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	20.58	22.08
n38	20	30	2595	CP	QPSK	Outer_Full	20.25	21.75
n38	20	30	2595	CP	16QAM	Inner_Full	21.24	22.74
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	19.87	21.37
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	20.49	21.99
n38	20	30	2595	CP	16QAM	Outer_Full	20.26	21.76
n38	20	30	2595	CP	64QAM	Inner_Full	19.80	21.30
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	19.16	20.66
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	19.78	21.28
n38	20	30	2595	CP	64QAM	Outer_Full	19.77	21.27
n38	20	30	2595	CP	256QAM	Inner_Full	16.75	18.25
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	16.40	17.90
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	16.97	18.47
n38	20	30	2595	CP	256QAM	Outer_Full	16.83	18.33
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	23.68	25.18
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	24.26
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	23.37	24.87
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	23.10	24.60
n38	20	30	2610	DFT	QPSK	Inner_Full	23.73	25.23
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	22.22	23.72
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	22.89	24.39
n38	20	30	2610	DFT	QPSK	Outer_Full	22.63	24.13
n38	20	30	2610	DFT	16QAM	Inner_Full	22.83	24.33
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	21.04	22.54
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	21.81	23.31
n38	20	30	2610	DFT	16QAM	Outer_Full	21.62	23.12
n38	20	30	2610	DFT	64QAM	Inner_Full	21.30	22.80
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	20.53	22.03
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	21.05	22.55
n38	20	30	2610	DFT	64QAM	Outer_Full	21.32	22.82
n38	20	30	2610	DFT	256QAM	Inner_Full	19.17	20.67
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	18.73	20.23
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	19.27	20.77
n38	20	30	2610	DFT	256QAM	Outer_Full	19.14	20.64
n38	20	30	2610	CP	QPSK	Inner_Full	22.09	23.59
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	20.28	21.78



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	20.98	22.48
n38	20	30	2610	CP	QPSK	Outer_Full	20.67	22.17
n38	20	30	2610	CP	16QAM	Inner_Full	21.73	23.23
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	20.32	21.82
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	20.92	22.42
n38	20	30	2610	CP	16QAM	Outer_Full	20.72	22.22
n38	20	30	2610	CP	64QAM	Inner_Full	20.24	21.74
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	19.42	20.92
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	20.14	21.64
n38	20	30	2610	CP	64QAM	Outer_Full	20.16	21.66
n38	20	30	2610	CP	256QAM	Inner_Full	17.10	18.60
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	16.59	18.09
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	17.16	18.66
n38	20	30	2610	CP	256QAM	Outer_Full	17.13	18.63

n41-EIRP

Limits: ≤33dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.43	26.93
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.04	23.54
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.71	23.21
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	24.93	26.43
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.42	26.92
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.03	23.53
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	21.7	23.2
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.54	26.04
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.53	26.03
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.77	23.27
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	21.67	23.17
n41	20	30	2506.02	DFT	16QAM	Outer_Full	23.43	24.93
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.95	24.45
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	21.68	23.18
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	21.4	22.9
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.98	24.48
n41	20	30	2506.02	DFT	256QAM	Inner_Full	20.92	22.42
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	20.91	22.41
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	20.7	22.2
n41	20	30	2506.02	DFT	256QAM	Outer_Full	20.89	22.39
n41	20	30	2506.02	CP	QPSK	Inner_Full	23.98	25.48
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	22.02	23.52
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	21.85	23.35



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	20	30	2506.02	CP	QPSK	Outer_Full	22.45	23.95
n41	20	30	2506.02	CP	16QAM	Inner_Full	23.49	24.99
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	21.91	23.41
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	21.66	23.16
n41	20	30	2506.02	CP	16QAM	Outer_Full	22.54	24.04
n41	20	30	2506.02	CP	64QAM	Inner_Full	22.01	23.51
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	21.82	23.32
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	21.46	22.96
n41	20	30	2506.02	CP	64QAM	Outer_Full	22.01	23.51
n41	20	30	2506.02	CP	256QAM	Inner_Full	18.94	20.44
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	18.91	20.41
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	18.61	20.11
n41	20	30	2506.02	CP	256QAM	Outer_Full	18.99	20.49
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.62	26.12
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.1	22.6
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.58	23.08
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.1	25.6
n41	20	30	2592.99	DFT	QPSK	Inner_Full	24.78	26.28
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.97	22.47
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.45	22.95
n41	20	30	2592.99	DFT	QPSK	Outer_Full	23.68	25.18
n41	20	30	2592.99	DFT	16QAM	Inner_Full	23.61	25.11
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.73	22.23
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.25	22.75
n41	20	30	2592.99	DFT	16QAM	Outer_Full	22.78	24.28
n41	20	30	2592.99	DFT	64QAM	Inner_Full	22.18	23.68
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.57	22.07
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.13	22.63
n41	20	30	2592.99	DFT	64QAM	Outer_Full	22.26	23.76
n41	20	30	2592.99	DFT	256QAM	Inner_Full	20.13	21.63
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.98	21.48
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.29	21.79
n41	20	30	2592.99	DFT	256QAM	Outer_Full	20.12	21.62
n41	20	30	2592.99	CP	QPSK	Inner_Full	23.19	24.69
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	21.06	22.56
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	21.51	23.01
n41	20	30	2592.99	CP	QPSK	Outer_Full	21.82	23.32
n41	20	30	2592.99	CP	16QAM	Inner_Full	22.75	24.25
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	20.91	22.41
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	21.47	22.97
n41	20	30	2592.99	CP	16QAM	Outer_Full	21.78	23.28



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	20	30	2592.99	CP	64QAM	Inner_Full	21.14	22.64
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	20.68	22.18
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	21.16	22.66
n41	20	30	2592.99	CP	64QAM	Outer_Full	21.15	22.65
n41	20	30	2592.99	CP	256QAM	Inner_Full	18.19	19.69
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	17.88	19.38
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	18.33	19.83
n41	20	30	2592.99	CP	256QAM	Outer_Full	18.19	19.69
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	24.99	26.49
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	23.21
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.37	22.87
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	24.5	26
n41	20	30	2679.99	DFT	QPSK	Inner_Full	24.92	26.42
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	21.67	23.17
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	21.18	22.68
n41	20	30	2679.99	DFT	QPSK	Outer_Full	24.11	25.61
n41	20	30	2679.99	DFT	16QAM	Inner_Full	24	25.5
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	21.57	23.07
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	21.25	22.75
n41	20	30	2679.99	DFT	16QAM	Outer_Full	23.07	24.57
n41	20	30	2679.99	DFT	64QAM	Inner_Full	22.66	24.16
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	21.37	22.87
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	20.87	22.37
n41	20	30	2679.99	DFT	64QAM	Outer_Full	22.42	23.92
n41	20	30	2679.99	DFT	256QAM	Inner_Full	20.59	22.09
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	20.62	22.12
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	20.15	21.65
n41	20	30	2679.99	DFT	256QAM	Outer_Full	20.63	22.13
n41	20	30	2679.99	CP	QPSK	Inner_Full	23.64	25.14
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	21.71	23.21
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	21.36	22.86
n41	20	30	2679.99	CP	QPSK	Outer_Full	22.08	23.58
n41	20	30	2679.99	CP	16QAM	Inner_Full	23.09	24.59
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	21.69	23.19
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	21.18	22.68
n41	20	30	2679.99	CP	16QAM	Outer_Full	22.02	23.52
n41	20	30	2679.99	CP	64QAM	Inner_Full	21.6	23.1
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	21.39	22.89
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	20.95	22.45
n41	20	30	2679.99	CP	64QAM	Outer_Full	21.48	22.98
n41	20	30	2679.99	CP	256QAM	Inner_Full	18.49	19.99



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	18.67	20.17
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	18.17	19.67
n41	20	30	2679.99	CP	256QAM	Outer_Full	18.53	20.03
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.26	26.76
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.21	23.71
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.86	23.36
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	24.93	26.43
n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.29	26.79
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	22.1	23.6
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.6	23.1
n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.47	25.97
n41	40	30	2516.01	DFT	16QAM	Inner_Full	24.34	25.84
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.84	23.34
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.63	23.13
n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.35	24.85
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.8	24.3
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.7	23.2
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	21.32	22.82
n41	40	30	2516.01	DFT	64QAM	Outer_Full	22.88	24.38
n41	40	30	2516.01	DFT	256QAM	Inner_Full	20.89	22.39
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	21.05	22.55
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	20.66	22.16
n41	40	30	2516.01	DFT	256QAM	Outer_Full	20.94	22.44
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.78	25.28
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	22.17	23.67
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	21.69	23.19
n41	40	30	2516.01	CP	QPSK	Outer_Full	22.37	23.87
n41	40	30	2516.01	CP	16QAM	Inner_Full	23.43	24.93
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	21.96	23.46
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	21.66	23.16
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.72	24.22
n41	40	30	2516.01	CP	64QAM	Inner_Full	21.95	23.45
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.96	23.46
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	21.49	22.99
n41	40	30	2516.01	CP	64QAM	Outer_Full	21.94	23.44
n41	40	30	2516.01	CP	256QAM	Inner_Full	18.9	20.4
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	19.05	20.55
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	18.6	20.1
n41	40	30	2516.01	CP	256QAM	Outer_Full	18.87	20.37
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.67	26.17
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.15	22.65



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.03	23.53
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.37	25.87
n41	40	30	2592.99	DFT	QPSK	Inner_Full	24.67	26.17
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.11	22.61
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.02	23.52
n41	40	30	2592.99	DFT	QPSK	Outer_Full	23.9	25.4
n41	40	30	2592.99	DFT	16QAM	Inner_Full	23.74	25.24
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.96	22.46
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.79	23.29
n41	40	30	2592.99	DFT	16QAM	Outer_Full	22.74	24.24
n41	40	30	2592.99	DFT	64QAM	Inner_Full	22.13	23.63
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.83	22.33
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.53	23.03
n41	40	30	2592.99	DFT	64QAM	Outer_Full	22.39	23.89
n41	40	30	2592.99	DFT	256QAM	Inner_Full	20.27	21.77
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.14	21.64
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.86	22.36
n41	40	30	2592.99	DFT	256QAM	Outer_Full	20.27	21.77
n41	40	30	2592.99	CP	QPSK	Inner_Full	23.34	24.84
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.19	22.69
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.9	23.4
n41	40	30	2592.99	CP	QPSK	Outer_Full	21.9	23.4
n41	40	30	2592.99	CP	16QAM	Inner_Full	22.68	24.18
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.01	22.51
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	21.82	23.32
n41	40	30	2592.99	CP	16QAM	Outer_Full	21.91	23.41
n41	40	30	2592.99	CP	64QAM	Inner_Full	21.31	22.81
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	20.75	22.25
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	21.67	23.17
n41	40	30	2592.99	CP	64QAM	Outer_Full	21.32	22.82
n41	40	30	2592.99	CP	256QAM	Inner_Full	18.24	19.74
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	17.95	19.45
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	18.84	20.34
n41	40	30	2592.99	CP	256QAM	Outer_Full	18.34	19.84
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	25.3	26.8
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	23.52
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	23.02
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	24.84	26.34
n41	40	30	2670	DFT	QPSK	Inner_Full	25.48	26.98
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	21.92	23.42
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	21.59	23.09



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	40	30	2670	DFT	QPSK	Outer_Full	24.53	26.03
n41	40	30	2670	DFT	16QAM	Inner_Full	24.45	25.95
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.04	23.54
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	21.3	22.8
n41	40	30	2670	DFT	16QAM	Outer_Full	23.26	24.76
n41	40	30	2670	DFT	64QAM	Inner_Full	22.93	24.43
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	21.68	23.18
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.14	22.64
n41	40	30	2670	DFT	64QAM	Outer_Full	22.97	24.47
n41	40	30	2670	DFT	256QAM	Inner_Full	21.02	22.52
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	20.88	22.38
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	20.45	21.95
n41	40	30	2670	DFT	256QAM	Outer_Full	21.08	22.58
n41	40	30	2670	CP	QPSK	Inner_Full	23.96	25.46
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	22.19	23.69
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	21.49	22.99
n41	40	30	2670	CP	QPSK	Outer_Full	22.4	23.9
n41	40	30	2670	CP	16QAM	Inner_Full	23.46	24.96
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	21.89	23.39
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	21.36	22.86
n41	40	30	2670	CP	16QAM	Outer_Full	22.32	23.82
n41	40	30	2670	CP	64QAM	Inner_Full	21.92	23.42
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	21.82	23.32
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	21.29	22.79
n41	40	30	2670	CP	64QAM	Outer_Full	21.79	23.29
n41	40	30	2670	CP	256QAM	Inner_Full	18.9	20.4
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	19.03	20.53
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	18.39	19.89
n41	40	30	2670	CP	256QAM	Outer_Full	18.9	20.4
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.38	26.88
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	23.47
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.68	23.18
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	24.69	26.19
n41	50	30	2521.02	DFT	QPSK	Inner_Full	25.25	26.75
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22	23.5
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	21.66	23.16
n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.25	25.75
n41	50	30	2521.02	DFT	16QAM	Inner_Full	24.24	25.74
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21.78	23.28
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	21.53	23.03
n41	50	30	2521.02	DFT	16QAM	Outer_Full	23.2	24.7



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	50	30	2521.02	DFT	64QAM	Inner_Full	22.74	24.24
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	21.59	23.09
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.23	22.73
n41	50	30	2521.02	DFT	64QAM	Outer_Full	22.8	24.3
n41	50	30	2521.02	DFT	256QAM	Inner_Full	20.73	22.23
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	20.87	22.37
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	20.39	21.89
n41	50	30	2521.02	DFT	256QAM	Outer_Full	20.74	22.24
n41	50	30	2521.02	CP	QPSK	Inner_Full	23.68	25.18
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	22.05	23.55
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	21.71	23.21
n41	50	30	2521.02	CP	QPSK	Outer_Full	22.21	23.71
n41	50	30	2521.02	CP	16QAM	Inner_Full	23.14	24.64
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.02	23.52
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	21.65	23.15
n41	50	30	2521.02	CP	16QAM	Outer_Full	22.22	23.72
n41	50	30	2521.02	CP	64QAM	Inner_Full	21.74	23.24
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	21.64	23.14
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	21.33	22.83
n41	50	30	2521.02	CP	64QAM	Outer_Full	21.84	23.34
n41	50	30	2521.02	CP	256QAM	Inner_Full	18.68	20.18
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	18.9	20.4
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	18.53	20.03
n41	50	30	2521.02	CP	256QAM	Outer_Full	18.76	20.26
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.85	26.35
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21	22.5
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22	23.5
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.23	25.73
n41	50	30	2592.99	DFT	QPSK	Inner_Full	24.75	26.25
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	21	22.5
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.92	23.42
n41	50	30	2592.99	DFT	QPSK	Outer_Full	23.49	24.99
n41	50	30	2592.99	DFT	16QAM	Inner_Full	23.74	25.24
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.81	22.31
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.71	23.21
n41	50	30	2592.99	DFT	16QAM	Outer_Full	22.88	24.38
n41	50	30	2592.99	DFT	64QAM	Inner_Full	22.32	23.82
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.58	22.08
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.49	22.99
n41	50	30	2592.99	DFT	64QAM	Outer_Full	22.19	23.69
n41	50	30	2592.99	DFT	256QAM	Inner_Full	20.15	21.65



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.8	21.3
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.82	22.32
n41	50	30	2592.99	DFT	256QAM	Outer_Full	20.32	21.82
n41	50	30	2592.99	CP	QPSK	Inner_Full	23.3	24.8
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	21	22.5
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	21.95	23.45
n41	50	30	2592.99	CP	QPSK	Outer_Full	21.8	23.3
n41	50	30	2592.99	CP	16QAM	Inner_Full	22.75	24.25
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.1	22.6
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.81	23.31
n41	50	30	2592.99	CP	16QAM	Outer_Full	21.7	23.2
n41	50	30	2592.99	CP	64QAM	Inner_Full	21.21	22.71
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	20.8	22.3
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	21.58	23.08
n41	50	30	2592.99	CP	64QAM	Outer_Full	21.49	22.99
n41	50	30	2592.99	CP	256QAM	Inner_Full	18.32	19.82
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	17.84	19.34
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	18.85	20.35
n41	50	30	2592.99	CP	256QAM	Outer_Full	18.28	19.78
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	25.44	26.94
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.92	23.42
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	23.02
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	24.73	26.23
n41	50	30	2664.99	DFT	QPSK	Inner_Full	25.39	26.89
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	21.68	23.18
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	21.4	22.9
n41	50	30	2664.99	DFT	QPSK	Outer_Full	24.4	25.9
n41	50	30	2664.99	DFT	16QAM	Inner_Full	24.45	25.95
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	21.57	23.07
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	21.32	22.82
n41	50	30	2664.99	DFT	16QAM	Outer_Full	23.29	24.79
n41	50	30	2664.99	DFT	64QAM	Inner_Full	22.92	24.42
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	21.4	22.9
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	20.91	22.41
n41	50	30	2664.99	DFT	64QAM	Outer_Full	22.75	24.25
n41	50	30	2664.99	DFT	256QAM	Inner_Full	20.81	22.31
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	20.58	22.08
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	20.43	21.93
n41	50	30	2664.99	DFT	256QAM	Outer_Full	20.71	22.21
n41	50	30	2664.99	CP	QPSK	Inner_Full	23.88	25.38
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	21.77	23.27



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	21.56	23.06
n41	50	30	2664.99	CP	QPSK	Outer_Full	22.04	23.54
n41	50	30	2664.99	CP	16QAM	Inner_Full	23.35	24.85
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	21.72	23.22
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	21.27	22.77
n41	50	30	2664.99	CP	16QAM	Outer_Full	22.26	23.76
n41	50	30	2664.99	CP	64QAM	Inner_Full	21.98	23.48
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	21.47	22.97
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	21.18	22.68
n41	50	30	2664.99	CP	64QAM	Outer_Full	21.75	23.25
n41	50	30	2664.99	CP	256QAM	Inner_Full	18.95	20.45
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	18.58	20.08
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	18.16	19.66
n41	50	30	2664.99	CP	256QAM	Outer_Full	18.73	20.23
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.12	26.62
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	21.91	23.41
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	21.41	22.91
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	24.66	26.16
n41	60	30	2526	DFT	QPSK	Inner_Full	25.19	26.69
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.92	23.42
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	21.39	22.89
n41	60	30	2526	DFT	QPSK	Outer_Full	24.09	25.59
n41	60	30	2526	DFT	16QAM	Inner_Full	24.22	25.72
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.85	23.35
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.21	22.71
n41	60	30	2526	DFT	16QAM	Outer_Full	23.07	24.57
n41	60	30	2526	DFT	64QAM	Inner_Full	22.67	24.17
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.56	23.06
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.07	22.57
n41	60	30	2526	DFT	64QAM	Outer_Full	22.71	24.21
n41	60	30	2526	DFT	256QAM	Inner_Full	20.56	22.06
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	20.84	22.34
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	20.2	21.7
n41	60	30	2526	DFT	256QAM	Outer_Full	20.69	22.19
n41	60	30	2526	CP	QPSK	Inner_Full	23.68	25.18
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	21.94	23.44
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	21.42	22.92
n41	60	30	2526	CP	QPSK	Outer_Full	22.21	23.71
n41	60	30	2526	CP	16QAM	Inner_Full	23.12	24.62
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	21.82	23.32
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.26	22.76



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	60	30	2526	CP	16QAM	Outer_Full	22.18	23.68
n41	60	30	2526	CP	64QAM	Inner_Full	21.64	23.14
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.57	23.07
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	21.12	22.62
n41	60	30	2526	CP	64QAM	Outer_Full	21.66	23.16
n41	60	30	2526	CP	256QAM	Inner_Full	18.66	20.16
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	18.85	20.35
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	18.25	19.75
n41	60	30	2526	CP	256QAM	Outer_Full	18.67	20.17
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.74	26.24
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.03	22.53
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22	23.5
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.4	25.9
n41	60	30	2592.99	DFT	QPSK	Inner_Full	24.62	26.12
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.05	22.55
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.94	23.44
n41	60	30	2592.99	DFT	QPSK	Outer_Full	23.87	25.37
n41	60	30	2592.99	DFT	16QAM	Inner_Full	23.72	25.22
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.82	22.32
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.9	23.4
n41	60	30	2592.99	DFT	16QAM	Outer_Full	22.95	24.45
n41	60	30	2592.99	DFT	64QAM	Inner_Full	22.26	23.76
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.67	22.17
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.6	23.1
n41	60	30	2592.99	DFT	64QAM	Outer_Full	22.36	23.86
n41	60	30	2592.99	DFT	256QAM	Inner_Full	20.31	21.81
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.04	21.54
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.93	22.43
n41	60	30	2592.99	DFT	256QAM	Outer_Full	20.4	21.9
n41	60	30	2592.99	CP	QPSK	Inner_Full	23.2	24.7
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	21.14	22.64
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	21.95	23.45
n41	60	30	2592.99	CP	QPSK	Outer_Full	21.76	23.26
n41	60	30	2592.99	CP	16QAM	Inner_Full	22.74	24.24
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	21.07	22.57
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	21.87	23.37
n41	60	30	2592.99	CP	16QAM	Outer_Full	21.8	23.3
n41	60	30	2592.99	CP	64QAM	Inner_Full	21.12	22.62
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	20.74	22.24
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	21.69	23.19
n41	60	30	2592.99	CP	64QAM	Outer_Full	21.32	22.82



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	60	30	2592.99	CP	256QAM	Inner_Full	18.22	19.72
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	17.9	19.4
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	18.81	20.31
n41	60	30	2592.99	CP	256QAM	Outer_Full	18.41	19.91
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	25.49	26.99
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	23.19
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.29	22.79
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	24.8	26.3
n41	60	30	2659.98	DFT	QPSK	Inner_Full	25.37	26.87
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.69	23.19
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	21.3	22.8
n41	60	30	2659.98	DFT	QPSK	Outer_Full	24.3	25.8
n41	60	30	2659.98	DFT	16QAM	Inner_Full	24.33	25.83
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	21.67	23.17
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	21.33	22.83
n41	60	30	2659.98	DFT	16QAM	Outer_Full	23.24	24.74
n41	60	30	2659.98	DFT	64QAM	Inner_Full	22.86	24.36
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	21.32	22.82
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	20.88	22.38
n41	60	30	2659.98	DFT	64QAM	Outer_Full	22.83	24.33
n41	60	30	2659.98	DFT	256QAM	Inner_Full	21.03	22.53
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	20.51	22.01
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	20.28	21.78
n41	60	30	2659.98	DFT	256QAM	Outer_Full	20.85	22.35
n41	60	30	2659.98	CP	QPSK	Inner_Full	23.99	25.49
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	21.74	23.24
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	21.42	22.92
n41	60	30	2659.98	CP	QPSK	Outer_Full	22.27	23.77
n41	60	30	2659.98	CP	16QAM	Inner_Full	23.39	24.89
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	21.56	23.06
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	21.3	22.8
n41	60	30	2659.98	CP	16QAM	Outer_Full	22.28	23.78
n41	60	30	2659.98	CP	64QAM	Inner_Full	21.97	23.47
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	21.41	22.91
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	21.07	22.57
n41	60	30	2659.98	CP	64QAM	Outer_Full	21.8	23.3
n41	60	30	2659.98	CP	256QAM	Inner_Full	18.9	20.4
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	18.52	20.02
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	18.27	19.77
n41	60	30	2659.98	CP	256QAM	Outer_Full	18.8	20.3
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	24.84	26.34



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	23.26
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	20.78	22.28
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	24.42	25.92
n41	80	30	2536.02	DFT	QPSK	Inner_Full	24.88	26.38
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.77	23.27
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	20.79	22.29
n41	80	30	2536.02	DFT	QPSK	Outer_Full	23.74	25.24
n41	80	30	2536.02	DFT	16QAM	Inner_Full	23.93	25.43
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	21.67	23.17
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	20.65	22.15
n41	80	30	2536.02	DFT	16QAM	Outer_Full	22.94	24.44
n41	80	30	2536.02	DFT	64QAM	Inner_Full	22.4	23.9
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	21.39	22.89
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	20.47	21.97
n41	80	30	2536.02	DFT	64QAM	Outer_Full	22.43	23.93
n41	80	30	2536.02	DFT	256QAM	Inner_Full	20.34	21.84
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	20.69	22.19
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	19.68	21.18
n41	80	30	2536.02	DFT	256QAM	Outer_Full	20.29	21.79
n41	80	30	2536.02	CP	QPSK	Inner_Full	23.35	24.85
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	21.78	23.28
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	20.87	22.37
n41	80	30	2536.02	CP	QPSK	Outer_Full	21.84	23.34
n41	80	30	2536.02	CP	16QAM	Inner_Full	22.85	24.35
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	21.67	23.17
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	20.72	22.22
n41	80	30	2536.02	CP	16QAM	Outer_Full	21.84	23.34
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.42	22.92
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.46	22.96
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	20.53	22.03
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.28	22.78
n41	80	30	2536.02	CP	256QAM	Inner_Full	18.36	19.86
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	18.61	20.11
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	17.79	19.29
n41	80	30	2536.02	CP	256QAM	Outer_Full	18.32	19.82
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.64	26.14
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.11	22.61
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.8	23.3
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.26	25.76
n41	80	30	2592.99	DFT	QPSK	Inner_Full	24.48	25.98
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.04	22.54



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.93	23.43
n41	80	30	2592.99	DFT	QPSK	Outer_Full	23.72	25.22
n41	80	30	2592.99	DFT	16QAM	Inner_Full	23.84	25.34
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.03	22.53
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.67	23.17
n41	80	30	2592.99	DFT	16QAM	Outer_Full	22.7	24.2
n41	80	30	2592.99	DFT	64QAM	Inner_Full	22.09	23.59
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.71	22.21
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.35	22.85
n41	80	30	2592.99	DFT	64QAM	Outer_Full	22.21	23.71
n41	80	30	2592.99	DFT	256QAM	Inner_Full	20.04	21.54
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	20	21.5
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.78	22.28
n41	80	30	2592.99	DFT	256QAM	Outer_Full	20.31	21.81
n41	80	30	2592.99	CP	QPSK	Inner_Full	23.11	24.61
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	21.1	22.6
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.89	23.39
n41	80	30	2592.99	CP	QPSK	Outer_Full	21.75	23.25
n41	80	30	2592.99	CP	16QAM	Inner_Full	22.59	24.09
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	21.14	22.64
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	21.82	23.32
n41	80	30	2592.99	CP	16QAM	Outer_Full	21.72	23.22
n41	80	30	2592.99	CP	64QAM	Inner_Full	21.14	22.64
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	20.87	22.37
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	21.57	23.07
n41	80	30	2592.99	CP	64QAM	Outer_Full	21.29	22.79
n41	80	30	2592.99	CP	256QAM	Inner_Full	18.2	19.7
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	17.94	19.44
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	18.76	20.26
n41	80	30	2592.99	CP	256QAM	Outer_Full	18.2	19.7
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	25.24	26.74
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.24	22.74
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.35	22.85
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	24.75	26.25
n41	80	30	2649.99	DFT	QPSK	Inner_Full	25.29	26.79
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	21.23	22.73
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.14	22.64
n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.13	25.63
n41	80	30	2649.99	DFT	16QAM	Inner_Full	24.36	25.86
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	21.1	22.6
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	20.9	22.4



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	80	30	2649.99	DFT	16QAM	Outer_Full	23.15	24.65
n41	80	30	2649.99	DFT	64QAM	Inner_Full	22.78	24.28
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	20.91	22.41
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	20.91	22.41
n41	80	30	2649.99	DFT	64QAM	Outer_Full	22.58	24.08
n41	80	30	2649.99	DFT	256QAM	Inner_Full	20.82	22.32
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	20.05	21.55
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	20.16	21.66
n41	80	30	2649.99	DFT	256QAM	Outer_Full	20.76	22.26
n41	80	30	2649.99	CP	QPSK	Inner_Full	23.71	25.21
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	21.2	22.7
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	21.37	22.87
n41	80	30	2649.99	CP	QPSK	Outer_Full	22.13	23.63
n41	80	30	2649.99	CP	16QAM	Inner_Full	23.25	24.75
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	21.05	22.55
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	21.13	22.63
n41	80	30	2649.99	CP	16QAM	Outer_Full	22.09	23.59
n41	80	30	2649.99	CP	64QAM	Inner_Full	21.79	23.29
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	20.9	22.4
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	21.04	22.54
n41	80	30	2649.99	CP	64QAM	Outer_Full	21.7	23.2
n41	80	30	2649.99	CP	256QAM	Inner_Full	18.73	20.23
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	18.04	19.54
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	18.12	19.62
n41	80	30	2649.99	CP	256QAM	Outer_Full	18.67	20.17
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	24.86	26.36
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	21.75	23.25
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	20.91	22.41
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	24.25	25.75
n41	90	30	2541	DFT	QPSK	Inner_Full	24.9	26.4
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.8	23.3
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	20.86	22.36
n41	90	30	2541	DFT	QPSK	Outer_Full	23.81	25.31
n41	90	30	2541	DFT	16QAM	Inner_Full	23.8	25.3
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	21.47	22.97
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	20.78	22.28
n41	90	30	2541	DFT	16QAM	Outer_Full	22.89	24.39
n41	90	30	2541	DFT	64QAM	Inner_Full	22.46	23.96
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	21.38	22.88
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	20.64	22.14
n41	90	30	2541	DFT	64QAM	Outer_Full	22.28	23.78



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	90	30	2541	DFT	256QAM	Inner_Full	20.47	21.97
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	20.62	22.12
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	19.77	21.27
n41	90	30	2541	DFT	256QAM	Outer_Full	20.29	21.79
n41	90	30	2541	CP	QPSK	Inner_Full	23.36	24.86
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.8	23.3
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	20.88	22.38
n41	90	30	2541	CP	QPSK	Outer_Full	21.85	23.35
n41	90	30	2541	CP	16QAM	Inner_Full	22.81	24.31
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.71	23.21
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	20.89	22.39
n41	90	30	2541	CP	16QAM	Outer_Full	21.86	23.36
n41	90	30	2541	CP	64QAM	Inner_Full	21.27	22.77
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.44	22.94
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	20.74	22.24
n41	90	30	2541	CP	64QAM	Outer_Full	21.39	22.89
n41	90	30	2541	CP	256QAM	Inner_Full	18.27	19.77
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	18.63	20.13
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	17.8	19.3
n41	90	30	2541	CP	256QAM	Outer_Full	18.28	19.78
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.58	26.08
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.13	22.63
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.03	23.53
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.22	25.72
n41	90	30	2592.99	DFT	QPSK	Inner_Full	24.5	26
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.19	22.69
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.93	23.43
n41	90	30	2592.99	DFT	QPSK	Outer_Full	23.83	25.33
n41	90	30	2592.99	DFT	16QAM	Inner_Full	23.6	25.1
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.08	22.58
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.82	23.32
n41	90	30	2592.99	DFT	16QAM	Outer_Full	22.94	24.44
n41	90	30	2592.99	DFT	64QAM	Inner_Full	22.12	23.62
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.87	22.37
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.58	23.08
n41	90	30	2592.99	DFT	64QAM	Outer_Full	22.34	23.84
n41	90	30	2592.99	DFT	256QAM	Inner_Full	20.08	21.58
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.02	21.52
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.81	22.31
n41	90	30	2592.99	DFT	256QAM	Outer_Full	20.35	21.85
n41	90	30	2592.99	CP	QPSK	Inner_Full	23.25	24.75



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.23	22.73
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.99	23.49
n41	90	30	2592.99	CP	QPSK	Outer_Full	21.76	23.26
n41	90	30	2592.99	CP	16QAM	Inner_Full	22.61	24.11
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.01	22.51
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.79	23.29
n41	90	30	2592.99	CP	16QAM	Outer_Full	21.86	23.36
n41	90	30	2592.99	CP	64QAM	Inner_Full	21.03	22.53
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	20.76	22.26
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	21.75	23.25
n41	90	30	2592.99	CP	64QAM	Outer_Full	21.35	22.85
n41	90	30	2592.99	CP	256QAM	Inner_Full	18.24	19.74
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	18.07	19.57
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	18.75	20.25
n41	90	30	2592.99	CP	256QAM	Outer_Full	18.28	19.78
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	25.26	26.76
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.96	22.46
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.36	22.86
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	24.59	26.09
n41	90	30	2644.98	DFT	QPSK	Inner_Full	25.2	26.7
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	20.83	22.33
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.26	22.76
n41	90	30	2644.98	DFT	QPSK	Outer_Full	23.99	25.49
n41	90	30	2644.98	DFT	16QAM	Inner_Full	24.14	25.64
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	20.6	22.1
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	21.27	22.77
n41	90	30	2644.98	DFT	16QAM	Outer_Full	23	24.5
n41	90	30	2644.98	DFT	64QAM	Inner_Full	22.79	24.29
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	20.49	21.99
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	20.89	22.39
n41	90	30	2644.98	DFT	64QAM	Outer_Full	22.63	24.13
n41	90	30	2644.98	DFT	256QAM	Inner_Full	20.85	22.35
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	19.96	21.46
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	20.18	21.68
n41	90	30	2644.98	DFT	256QAM	Outer_Full	20.65	22.15
n41	90	30	2644.98	CP	QPSK	Inner_Full	23.73	25.23
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	20.88	22.38
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	21.23	22.73
n41	90	30	2644.98	CP	QPSK	Outer_Full	21.99	23.49
n41	90	30	2644.98	CP	16QAM	Inner_Full	23.13	24.63
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	20.88	22.38



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	21.2	22.7
n41	90	30	2644.98	CP	16QAM	Outer_Full	22.01	23.51
n41	90	30	2644.98	CP	64QAM	Inner_Full	21.69	23.19
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	20.64	22.14
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	21.05	22.55
n41	90	30	2644.98	CP	64QAM	Outer_Full	21.55	23.05
n41	90	30	2644.98	CP	256QAM	Inner_Full	18.67	20.17
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	17.77	19.27
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	18.06	19.56
n41	90	30	2644.98	CP	256QAM	Outer_Full	18.56	20.06
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	24.77	26.27
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	23.27
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.07	22.57
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	24.3	25.8
n41	100	30	2546.01	DFT	QPSK	Inner_Full	24.86	26.36
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.78	23.28
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	21.05	22.55
n41	100	30	2546.01	DFT	QPSK	Outer_Full	23.81	25.31
n41	100	30	2546.01	DFT	16QAM	Inner_Full	23.9	25.4
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.74	23.24
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	21.03	22.53
n41	100	30	2546.01	DFT	16QAM	Outer_Full	22.81	24.31
n41	100	30	2546.01	DFT	64QAM	Inner_Full	22.31	23.81
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	21.51	23.01
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	20.8	22.3
n41	100	30	2546.01	DFT	64QAM	Outer_Full	22.18	23.68
n41	100	30	2546.01	DFT	256QAM	Inner_Full	20.37	21.87
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	20.64	22.14
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	20	21.5
n41	100	30	2546.01	DFT	256QAM	Outer_Full	20.24	21.74
n41	100	30	2546.01	CP	QPSK	Inner_Full	23.31	24.81
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.83	23.33
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	21.19	22.69
n41	100	30	2546.01	CP	QPSK	Outer_Full	21.74	23.24
n41	100	30	2546.01	CP	16QAM	Inner_Full	22.76	24.26
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.85	23.35
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.14	22.64
n41	100	30	2546.01	CP	16QAM	Outer_Full	21.76	23.26
n41	100	30	2546.01	CP	64QAM	Inner_Full	21.37	22.87
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.54	23.04
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	21.02	22.52



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	100	30	2546.01	CP	64QAM	Outer_Full	21.29	22.79
n41	100	30	2546.01	CP	256QAM	Inner_Full	18.32	19.82
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	18.73	20.23
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	18.15	19.65
n41	100	30	2546.01	CP	256QAM	Outer_Full	18.27	19.77
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.59	26.09
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.31	22.81
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.08	23.58
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.36	25.86
n41	100	30	2592.99	DFT	QPSK	Inner_Full	24.75	26.25
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.18	22.68
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.87	23.37
n41	100	30	2592.99	DFT	QPSK	Outer_Full	23.88	25.38
n41	100	30	2592.99	DFT	16QAM	Inner_Full	23.67	25.17
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.96	22.46
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.1	23.6
n41	100	30	2592.99	DFT	16QAM	Outer_Full	22.84	24.34
n41	100	30	2592.99	DFT	64QAM	Inner_Full	22.25	23.75
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.86	22.36
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.58	23.08
n41	100	30	2592.99	DFT	64QAM	Outer_Full	22.3	23.8
n41	100	30	2592.99	DFT	256QAM	Inner_Full	20.21	21.71
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.22	21.72
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.89	22.39
n41	100	30	2592.99	DFT	256QAM	Outer_Full	20.36	21.86
n41	100	30	2592.99	CP	QPSK	Inner_Full	23.13	24.63
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	21.28	22.78
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	22.14	23.64
n41	100	30	2592.99	CP	QPSK	Outer_Full	21.79	23.29
n41	100	30	2592.99	CP	16QAM	Inner_Full	22.78	24.28
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.14	22.64
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	21.92	23.42
n41	100	30	2592.99	CP	16QAM	Outer_Full	21.94	23.44
n41	100	30	2592.99	CP	64QAM	Inner_Full	21.07	22.57
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	20.92	22.42
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	21.73	23.23
n41	100	30	2592.99	CP	64QAM	Outer_Full	21.37	22.87
n41	100	30	2592.99	CP	256QAM	Inner_Full	18.26	19.76
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	18.2	19.7
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	18.98	20.48
n41	100	30	2592.99	CP	256QAM	Outer_Full	18.39	19.89



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.28	26.78
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	20.64	22.14
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.34	22.84
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	24.54	26.04
n41	100	30	2640	DFT	QPSK	Inner_Full	25.32	26.82
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	20.6	22.1
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.27	22.77
n41	100	30	2640	DFT	QPSK	Outer_Full	23.97	25.47
n41	100	30	2640	DFT	16QAM	Inner_Full	24.33	25.83
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	20.44	21.94
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	21.28	22.78
n41	100	30	2640	DFT	16QAM	Outer_Full	23.13	24.63
n41	100	30	2640	DFT	64QAM	Inner_Full	22.77	24.27
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	20.25	21.75
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	20.96	22.46
n41	100	30	2640	DFT	64QAM	Outer_Full	22.53	24.03
n41	100	30	2640	DFT	256QAM	Inner_Full	20.75	22.25
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	19.62	21.12
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	20.18	21.68
n41	100	30	2640	DFT	256QAM	Outer_Full	20.52	22.02
n41	100	30	2640	CP	QPSK	Inner_Full	23.84	25.34
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	20.73	22.23
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.54	23.04
n41	100	30	2640	CP	QPSK	Outer_Full	22.14	23.64
n41	100	30	2640	CP	16QAM	Inner_Full	23.4	24.9
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	20.82	22.32
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	21.39	22.89
n41	100	30	2640	CP	16QAM	Outer_Full	22.1	23.6
n41	100	30	2640	CP	64QAM	Inner_Full	21.76	23.26
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	20.46	21.96
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	21	22.5
n41	100	30	2640	CP	64QAM	Outer_Full	21.62	23.12
n41	100	30	2640	CP	256QAM	Inner_Full	18.83	20.33
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	17.65	19.15
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	18.24	19.74
n41	100	30	2640	CP	256QAM	Outer_Full	18.46	19.96



n78-EIRP

Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	25.65	24.05
n78	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	20.59
n78	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.15	20.55
n78	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	25.13	23.53
n78	20	30	3460.02	DFT	QPSK	Inner_Full	25.64	24.04
n78	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.28	20.68
n78	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.19	20.59
n78	20	30	3460.02	DFT	QPSK	Outer_Full	24.65	23.05
n78	20	30	3460.02	DFT	16QAM	Inner_Full	24.78	23.18
n78	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	22.05	20.45
n78	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.85	20.25
n78	20	30	3460.02	DFT	16QAM	Outer_Full	23.61	22.01
n78	20	30	3460.02	DFT	64QAM	Inner_Full	23.08	21.48
n78	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	21.84	20.24
n78	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	21.77	20.17
n78	20	30	3460.02	DFT	64QAM	Outer_Full	23.15	21.55
n78	20	30	3460.02	DFT	256QAM	Inner_Full	21.13	19.53
n78	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	21.08	19.48
n78	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	21.11	19.51
n78	20	30	3460.02	DFT	256QAM	Outer_Full	21.24	19.64
n78	20	30	3460.02	CP	QPSK	Inner_Full	24.21	22.61
n78	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.22	20.62
n78	20	30	3460.02	CP	QPSK	Edge_1RB_Right	22.18	20.58
n78	20	30	3460.02	CP	QPSK	Outer_Full	22.68	21.08
n78	20	30	3460.02	CP	16QAM	Inner_Full	23.78	22.18
n78	20	30	3460.02	CP	16QAM	Edge_1RB_Left	22.11	20.51
n78	20	30	3460.02	CP	16QAM	Edge_1RB_Right	22.03	20.43
n78	20	30	3460.02	CP	16QAM	Outer_Full	22.75	21.15
n78	20	30	3460.02	CP	64QAM	Inner_Full	22.34	20.74
n78	20	30	3460.02	CP	64QAM	Edge_1RB_Left	22.09	20.49
n78	20	30	3460.02	CP	64QAM	Edge_1RB_Right	21.85	20.25
n78	20	30	3460.02	CP	64QAM	Outer_Full	22.20	20.60
n78	20	30	3460.02	CP	256QAM	Inner_Full	19.20	17.60
n78	20	30	3460.02	CP	256QAM	Edge_1RB_Left	19.02	17.42
n78	20	30	3460.02	CP	256QAM	Edge_1RB_Right	19.00	17.40
n78	20	30	3460.02	CP	256QAM	Outer_Full	19.27	17.67
n78	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.58	23.98
n78	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	20.57



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.04	20.44
n78	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.12	23.52
n78	20	30	3500.01	DFT	QPSK	Inner_Full	25.60	24.00
n78	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.14	20.54
n78	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.03	20.43
n78	20	30	3500.01	DFT	QPSK	Outer_Full	24.64	23.04
n78	20	30	3500.01	DFT	16QAM	Inner_Full	24.66	23.06
n78	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.08	20.48
n78	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.92	20.32
n78	20	30	3500.01	DFT	16QAM	Outer_Full	23.53	21.93
n78	20	30	3500.01	DFT	64QAM	Inner_Full	23.14	21.54
n78	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.81	20.21
n78	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.59	19.99
n78	20	30	3500.01	DFT	64QAM	Outer_Full	23.00	21.40
n78	20	30	3500.01	DFT	256QAM	Inner_Full	21.02	19.42
n78	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.09	19.49
n78	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.05	19.45
n78	20	30	3500.01	DFT	256QAM	Outer_Full	21.17	19.57
n78	20	30	3500.01	CP	QPSK	Inner_Full	24.09	22.49
n78	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.08	20.48
n78	20	30	3500.01	CP	QPSK	Edge_1RB_Right	22.08	20.48
n78	20	30	3500.01	CP	QPSK	Outer_Full	22.58	20.98
n78	20	30	3500.01	CP	16QAM	Inner_Full	23.67	22.07
n78	20	30	3500.01	CP	16QAM	Edge_1RB_Left	22.05	20.45
n78	20	30	3500.01	CP	16QAM	Edge_1RB_Right	21.95	20.35
n78	20	30	3500.01	CP	16QAM	Outer_Full	22.60	21.00
n78	20	30	3500.01	CP	64QAM	Inner_Full	22.13	20.53
n78	20	30	3500.01	CP	64QAM	Edge_1RB_Left	21.90	20.30
n78	20	30	3500.01	CP	64QAM	Edge_1RB_Right	21.79	20.19
n78	20	30	3500.01	CP	64QAM	Outer_Full	22.10	20.50
n78	20	30	3500.01	CP	256QAM	Inner_Full	19.04	17.44
n78	20	30	3500.01	CP	256QAM	Edge_1RB_Left	19.12	17.52
n78	20	30	3500.01	CP	256QAM	Edge_1RB_Right	18.96	17.36
n78	20	30	3500.01	CP	256QAM	Outer_Full	19.08	17.48
n78	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.56	23.96
n78	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	20.55
n78	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.92	20.32
n78	20	30	3540	DFT	pi/2 BPSK	Outer_Full	25.06	23.46
n78	20	30	3540	DFT	QPSK	Inner_Full	25.53	23.93
n78	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.06	20.46
n78	20	30	3540	DFT	QPSK	Edge_1RB_Right	22.00	20.40



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	20	30	3540	DFT	QPSK	Outer_Full	24.54	22.94
n78	20	30	3540	DFT	16QAM	Inner_Full	24.64	23.04
n78	20	30	3540	DFT	16QAM	Edge_1RB_Left	21.97	20.37
n78	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.80	20.20
n78	20	30	3540	DFT	16QAM	Outer_Full	23.48	21.88
n78	20	30	3540	DFT	64QAM	Inner_Full	23.08	21.48
n78	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.70	20.10
n78	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.27	19.67
n78	20	30	3540	DFT	64QAM	Outer_Full	23.07	21.47
n78	20	30	3540	DFT	256QAM	Inner_Full	20.98	19.38
n78	20	30	3540	DFT	256QAM	Edge_1RB_Left	20.91	19.31
n78	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.78	19.18
n78	20	30	3540	DFT	256QAM	Outer_Full	21.08	19.48
n78	20	30	3540	CP	QPSK	Inner_Full	23.98	22.38
n78	20	30	3540	CP	QPSK	Edge_1RB_Left	21.99	20.39
n78	20	30	3540	CP	QPSK	Edge_1RB_Right	21.95	20.35
n78	20	30	3540	CP	QPSK	Outer_Full	22.50	20.90
n78	20	30	3540	CP	16QAM	Inner_Full	23.54	21.94
n78	20	30	3540	CP	16QAM	Edge_1RB_Left	22.02	20.42
n78	20	30	3540	CP	16QAM	Edge_1RB_Right	21.81	20.21
n78	20	30	3540	CP	16QAM	Outer_Full	22.51	20.91
n78	20	30	3540	CP	64QAM	Inner_Full	22.10	20.50
n78	20	30	3540	CP	64QAM	Edge_1RB_Left	21.82	20.22
n78	20	30	3540	CP	64QAM	Edge_1RB_Right	21.79	20.19
n78	20	30	3540	CP	64QAM	Outer_Full	21.96	20.36
n78	20	30	3540	CP	256QAM	Inner_Full	19.04	17.44
n78	20	30	3540	CP	256QAM	Edge_1RB_Left	19.03	17.43
n78	20	30	3540	CP	256QAM	Edge_1RB_Right	18.90	17.30
n78	20	30	3540	CP	256QAM	Outer_Full	18.91	17.31
n78	30	30	3465	DFT	pi/2 BPSK	Inner_Full	25.72	24.12
n78	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	20.67
n78	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.30	20.70
n78	30	30	3465	DFT	pi/2 BPSK	Outer_Full	25.36	23.76
n78	30	30	3465	DFT	QPSK	Inner_Full	25.68	24.08
n78	30	30	3465	DFT	QPSK	Edge_1RB_Left	22.40	20.80
n78	30	30	3465	DFT	QPSK	Edge_1RB_Right	21.99	20.39
n78	30	30	3465	DFT	QPSK	Outer_Full	24.86	23.26
n78	30	30	3465	DFT	16QAM	Inner_Full	24.60	23.00
n78	30	30	3465	DFT	16QAM	Edge_1RB_Left	22.08	20.48
n78	30	30	3465	DFT	16QAM	Edge_1RB_Right	21.79	20.19
n78	30	30	3465	DFT	16QAM	Outer_Full	23.64	22.04



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	30	30	3465	DFT	64QAM	Inner_Full	23.16	21.56
n78	30	30	3465	DFT	64QAM	Edge_1RB_Left	21.85	20.25
n78	30	30	3465	DFT	64QAM	Edge_1RB_Right	21.62	20.02
n78	30	30	3465	DFT	64QAM	Outer_Full	23.19	21.59
n78	30	30	3465	DFT	256QAM	Inner_Full	21.51	19.91
n78	30	30	3465	DFT	256QAM	Edge_1RB_Left	21.02	19.42
n78	30	30	3465	DFT	256QAM	Edge_1RB_Right	21.20	19.60
n78	30	30	3465	DFT	256QAM	Outer_Full	21.23	19.63
n78	30	30	3465	CP	QPSK	Inner_Full	24.16	22.56
n78	30	30	3465	CP	QPSK	Edge_1RB_Left	22.32	20.72
n78	30	30	3465	CP	QPSK	Edge_1RB_Right	22.01	20.41
n78	30	30	3465	CP	QPSK	Outer_Full	22.66	21.06
n78	30	30	3465	CP	16QAM	Inner_Full	23.65	22.05
n78	30	30	3465	CP	16QAM	Edge_1RB_Left	22.22	20.62
n78	30	30	3465	CP	16QAM	Edge_1RB_Right	21.98	20.38
n78	30	30	3465	CP	16QAM	Outer_Full	22.65	21.05
n78	30	30	3465	CP	64QAM	Inner_Full	22.12	20.52
n78	30	30	3465	CP	64QAM	Edge_1RB_Left	22.00	20.40
n78	30	30	3465	CP	64QAM	Edge_1RB_Right	21.76	20.16
n78	30	30	3465	CP	64QAM	Outer_Full	22.17	20.57
n78	30	30	3465	CP	256QAM	Inner_Full	19.29	17.69
n78	30	30	3465	CP	256QAM	Edge_1RB_Left	19.22	17.62
n78	30	30	3465	CP	256QAM	Edge_1RB_Right	19.08	17.48
n78	30	30	3465	CP	256QAM	Outer_Full	19.12	17.52
n78	30	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.63	24.03
n78	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	20.84
n78	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.92	20.32
n78	30	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.11	23.51
n78	30	30	3500.01	DFT	QPSK	Inner_Full	25.71	24.11
n78	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.20	20.60
n78	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.92	20.32
n78	30	30	3500.01	DFT	QPSK	Outer_Full	24.57	22.97
n78	30	30	3500.01	DFT	16QAM	Inner_Full	24.52	22.92
n78	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.95	20.35
n78	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.76	20.16
n78	30	30	3500.01	DFT	16QAM	Outer_Full	23.59	21.99
n78	30	30	3500.01	DFT	64QAM	Inner_Full	23.20	21.60
n78	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.87	20.27
n78	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.63	20.03
n78	30	30	3500.01	DFT	64QAM	Outer_Full	23.15	21.55
n78	30	30	3500.01	DFT	256QAM	Inner_Full	21.24	19.64



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.80	19.20
n78	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.01	19.41
n78	30	30	3500.01	DFT	256QAM	Outer_Full	20.99	19.39
n78	30	30	3500.01	CP	QPSK	Inner_Full	24.13	22.53
n78	30	30	3500.01	CP	QPSK	Edge_1RB_Left	22.21	20.61
n78	30	30	3500.01	CP	QPSK	Edge_1RB_Right	22.13	20.53
n78	30	30	3500.01	CP	QPSK	Outer_Full	22.62	21.02
n78	30	30	3500.01	CP	16QAM	Inner_Full	23.64	22.04
n78	30	30	3500.01	CP	16QAM	Edge_1RB_Left	22.19	20.59
n78	30	30	3500.01	CP	16QAM	Edge_1RB_Right	21.92	20.32
n78	30	30	3500.01	CP	16QAM	Outer_Full	22.69	21.09
n78	30	30	3500.01	CP	64QAM	Inner_Full	22.15	20.55
n78	30	30	3500.01	CP	64QAM	Edge_1RB_Left	22.05	20.45
n78	30	30	3500.01	CP	64QAM	Edge_1RB_Right	21.90	20.30
n78	30	30	3500.01	CP	64QAM	Outer_Full	22.17	20.57
n78	30	30	3500.01	CP	256QAM	Inner_Full	19.06	17.46
n78	30	30	3500.01	CP	256QAM	Edge_1RB_Left	19.03	17.43
n78	30	30	3500.01	CP	256QAM	Edge_1RB_Right	18.76	17.16
n78	30	30	3500.01	CP	256QAM	Outer_Full	19.26	17.66
n78	30	30	3534.99	DFT	pi/2 BPSK	Inner_Full	25.50	23.90
n78	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	20.67
n78	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.86	20.26
n78	30	30	3534.99	DFT	pi/2 BPSK	Outer_Full	25.13	23.53
n78	30	30	3534.99	DFT	QPSK	Inner_Full	25.52	23.92
n78	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	22.03	20.43
n78	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	21.95	20.35
n78	30	30	3534.99	DFT	QPSK	Outer_Full	24.57	22.97
n78	30	30	3534.99	DFT	16QAM	Inner_Full	24.49	22.89
n78	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	21.88	20.28
n78	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	21.76	20.16
n78	30	30	3534.99	DFT	16QAM	Outer_Full	23.53	21.93
n78	30	30	3534.99	DFT	64QAM	Inner_Full	22.90	21.30
n78	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	21.73	20.13
n78	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	21.67	20.07
n78	30	30	3534.99	DFT	64QAM	Outer_Full	23.23	21.63
n78	30	30	3534.99	DFT	256QAM	Inner_Full	20.99	19.39
n78	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	20.90	19.30
n78	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	20.70	19.10
n78	30	30	3534.99	DFT	256QAM	Outer_Full	21.23	19.63
n78	30	30	3534.99	CP	QPSK	Inner_Full	24.15	22.55
n78	30	30	3534.99	CP	QPSK	Edge_1RB_Left	22.15	20.55



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	30	30	3534.99	CP	QPSK	Edge_1RB_Right	22.07	20.47
n78	30	30	3534.99	CP	QPSK	Outer_Full	22.56	20.96
n78	30	30	3534.99	CP	16QAM	Inner_Full	23.62	22.02
n78	30	30	3534.99	CP	16QAM	Edge_1RB_Left	22.16	20.56
n78	30	30	3534.99	CP	16QAM	Edge_1RB_Right	21.85	20.25
n78	30	30	3534.99	CP	16QAM	Outer_Full	22.55	20.95
n78	30	30	3534.99	CP	64QAM	Inner_Full	22.09	20.49
n78	30	30	3534.99	CP	64QAM	Edge_1RB_Left	21.88	20.28
n78	30	30	3534.99	CP	64QAM	Edge_1RB_Right	21.70	20.10
n78	30	30	3534.99	CP	64QAM	Outer_Full	22.03	20.43
n78	30	30	3534.99	CP	256QAM	Inner_Full	19.04	17.44
n78	30	30	3534.99	CP	256QAM	Edge_1RB_Left	18.90	17.30
n78	30	30	3534.99	CP	256QAM	Edge_1RB_Right	18.75	17.15
n78	30	30	3534.99	CP	256QAM	Outer_Full	19.21	17.61
n78	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.71	24.11
n78	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	20.89
n78	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.10	20.50
n78	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.26	23.66
n78	40	30	3470.01	DFT	QPSK	Inner_Full	25.80	24.20
n78	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	22.40	20.80
n78	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.15	20.55
n78	40	30	3470.01	DFT	QPSK	Outer_Full	24.75	23.15
n78	40	30	3470.01	DFT	16QAM	Inner_Full	24.79	23.19
n78	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	22.26	20.66
n78	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.94	20.34
n78	40	30	3470.01	DFT	16QAM	Outer_Full	23.75	22.15
n78	40	30	3470.01	DFT	64QAM	Inner_Full	23.21	21.61
n78	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	22.00	20.40
n78	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.72	20.12
n78	40	30	3470.01	DFT	64QAM	Outer_Full	23.25	21.65
n78	40	30	3470.01	DFT	256QAM	Inner_Full	21.02	19.42
n78	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	21.33	19.73
n78	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	20.98	19.38
n78	40	30	3470.01	DFT	256QAM	Outer_Full	21.27	19.67
n78	40	30	3470.01	CP	QPSK	Inner_Full	24.33	22.73
n78	40	30	3470.01	CP	QPSK	Edge_1RB_Left	22.49	20.89
n78	40	30	3470.01	CP	QPSK	Edge_1RB_Right	22.15	20.55
n78	40	30	3470.01	CP	QPSK	Outer_Full	22.73	21.13
n78	40	30	3470.01	CP	16QAM	Inner_Full	23.68	22.08
n78	40	30	3470.01	CP	16QAM	Edge_1RB_Left	22.34	20.74
n78	40	30	3470.01	CP	16QAM	Edge_1RB_Right	22.09	20.49



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	40	30	3470.01	CP	16QAM	Outer_Full	22.72	21.12
n78	40	30	3470.01	CP	64QAM	Inner_Full	22.36	20.76
n78	40	30	3470.01	CP	64QAM	Edge_1RB_Left	22.20	20.60
n78	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.80	20.20
n78	40	30	3470.01	CP	64QAM	Outer_Full	22.31	20.71
n78	40	30	3470.01	CP	256QAM	Inner_Full	19.16	17.56
n78	40	30	3470.01	CP	256QAM	Edge_1RB_Left	19.36	17.76
n78	40	30	3470.01	CP	256QAM	Edge_1RB_Right	19.02	17.42
n78	40	30	3470.01	CP	256QAM	Outer_Full	19.26	17.66
n78	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.76	24.16
n78	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	20.89
n78	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.07	20.47
n78	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.32	23.72
n78	40	30	3500.01	DFT	QPSK	Inner_Full	25.74	24.14
n78	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.25	20.65
n78	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.07	20.47
n78	40	30	3500.01	DFT	QPSK	Outer_Full	24.78	23.18
n78	40	30	3500.01	DFT	16QAM	Inner_Full	24.76	23.16
n78	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.25	20.65
n78	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.00	20.40
n78	40	30	3500.01	DFT	16QAM	Outer_Full	23.75	22.15
n78	40	30	3500.01	DFT	64QAM	Inner_Full	23.15	21.55
n78	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.88	20.28
n78	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.72	20.12
n78	40	30	3500.01	DFT	64QAM	Outer_Full	23.14	21.54
n78	40	30	3500.01	DFT	256QAM	Inner_Full	21.15	19.55
n78	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.26	19.66
n78	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.94	19.34
n78	40	30	3500.01	DFT	256QAM	Outer_Full	21.13	19.53
n78	40	30	3500.01	CP	QPSK	Inner_Full	24.27	22.67
n78	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.48	20.88
n78	40	30	3500.01	CP	QPSK	Edge_1RB_Right	22.13	20.53
n78	40	30	3500.01	CP	QPSK	Outer_Full	22.69	21.09
n78	40	30	3500.01	CP	16QAM	Inner_Full	23.70	22.10
n78	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.37	20.77
n78	40	30	3500.01	CP	16QAM	Edge_1RB_Right	22.11	20.51
n78	40	30	3500.01	CP	16QAM	Outer_Full	22.63	21.03
n78	40	30	3500.01	CP	64QAM	Inner_Full	22.27	20.67
n78	40	30	3500.01	CP	64QAM	Edge_1RB_Left	22.10	20.50
n78	40	30	3500.01	CP	64QAM	Edge_1RB_Right	21.86	20.26
n78	40	30	3500.01	CP	64QAM	Outer_Full	22.23	20.63



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	40	30	3500.01	CP	256QAM	Inner_Full	19.08	17.48
n78	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.29	17.69
n78	40	30	3500.01	CP	256QAM	Edge_1RB_Right	18.93	17.33
n78	40	30	3500.01	CP	256QAM	Outer_Full	19.09	17.49
n78	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.70	24.10
n78	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	20.68
n78	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.03	20.43
n78	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.16	23.56
n78	40	30	3529.98	DFT	QPSK	Inner_Full	25.67	24.07
n78	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.31	20.71
n78	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	21.90	20.30
n78	40	30	3529.98	DFT	QPSK	Outer_Full	24.65	23.05
n78	40	30	3529.98	DFT	16QAM	Inner_Full	24.73	23.13
n78	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	22.34	20.74
n78	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.95	20.35
n78	40	30	3529.98	DFT	16QAM	Outer_Full	23.67	22.07
n78	40	30	3529.98	DFT	64QAM	Inner_Full	23.17	21.57
n78	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.93	20.33
n78	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.59	19.99
n78	40	30	3529.98	DFT	64QAM	Outer_Full	23.21	21.61
n78	40	30	3529.98	DFT	256QAM	Inner_Full	21.26	19.66
n78	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	21.15	19.55
n78	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	20.94	19.34
n78	40	30	3529.98	DFT	256QAM	Outer_Full	21.16	19.56
n78	40	30	3529.98	CP	QPSK	Inner_Full	24.19	22.59
n78	40	30	3529.98	CP	QPSK	Edge_1RB_Left	22.42	20.82
n78	40	30	3529.98	CP	QPSK	Edge_1RB_Right	22.05	20.45
n78	40	30	3529.98	CP	QPSK	Outer_Full	22.64	21.04
n78	40	30	3529.98	CP	16QAM	Inner_Full	23.63	22.03
n78	40	30	3529.98	CP	16QAM	Edge_1RB_Left	22.15	20.55
n78	40	30	3529.98	CP	16QAM	Edge_1RB_Right	21.88	20.28
n78	40	30	3529.98	CP	16QAM	Outer_Full	22.58	20.98
n78	40	30	3529.98	CP	64QAM	Inner_Full	22.25	20.65
n78	40	30	3529.98	CP	64QAM	Edge_1RB_Left	21.95	20.35
n78	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.74	20.14
n78	40	30	3529.98	CP	64QAM	Outer_Full	22.06	20.46
n78	40	30	3529.98	CP	256QAM	Inner_Full	19.10	17.50
n78	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.25	17.65
n78	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.86	17.26
n78	40	30	3529.98	CP	256QAM	Outer_Full	19.09	17.49
n78	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.61	24.01



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	20.68
n78	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.86	20.26
n78	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	25.10	23.50
n78	50	30	3475.02	DFT	QPSK	Inner_Full	25.59	23.99
n78	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	22.12	20.52
n78	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.77	20.17
n78	50	30	3475.02	DFT	QPSK	Outer_Full	24.57	22.97
n78	50	30	3475.02	DFT	16QAM	Inner_Full	24.59	22.99
n78	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	22.03	20.43
n78	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.65	20.05
n78	50	30	3475.02	DFT	16QAM	Outer_Full	23.62	22.02
n78	50	30	3475.02	DFT	64QAM	Inner_Full	23.01	21.41
n78	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	21.81	20.21
n78	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.40	19.80
n78	50	30	3475.02	DFT	64QAM	Outer_Full	23.08	21.48
n78	50	30	3475.02	DFT	256QAM	Inner_Full	21.06	19.46
n78	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	20.88	19.28
n78	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	20.62	19.02
n78	50	30	3475.02	DFT	256QAM	Outer_Full	21.05	19.45
n78	50	30	3475.02	CP	QPSK	Inner_Full	24.09	22.49
n78	50	30	3475.02	CP	QPSK	Edge_1RB_Left	22.14	20.54
n78	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.87	20.27
n78	50	30	3475.02	CP	QPSK	Outer_Full	22.63	21.03
n78	50	30	3475.02	CP	16QAM	Inner_Full	23.65	22.05
n78	50	30	3475.02	CP	16QAM	Edge_1RB_Left	22.10	20.50
n78	50	30	3475.02	CP	16QAM	Edge_1RB_Right	21.67	20.07
n78	50	30	3475.02	CP	16QAM	Outer_Full	22.56	20.96
n78	50	30	3475.02	CP	64QAM	Inner_Full	22.11	20.51
n78	50	30	3475.02	CP	64QAM	Edge_1RB_Left	21.80	20.20
n78	50	30	3475.02	CP	64QAM	Edge_1RB_Right	21.53	19.93
n78	50	30	3475.02	CP	64QAM	Outer_Full	22.08	20.48
n78	50	30	3475.02	CP	256QAM	Inner_Full	19.13	17.53
n78	50	30	3475.02	CP	256QAM	Edge_1RB_Left	19.05	17.45
n78	50	30	3475.02	CP	256QAM	Edge_1RB_Right	18.66	17.06
n78	50	30	3475.02	CP	256QAM	Outer_Full	18.96	17.36
n78	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.57	23.97
n78	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.01	20.41
n78	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	20.30
n78	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.02	23.42
n78	50	30	3500.01	DFT	QPSK	Inner_Full	25.52	23.92
n78	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.03	20.43



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.73	20.13
n78	50	30	3500.01	DFT	QPSK	Outer_Full	24.58	22.98
n78	50	30	3500.01	DFT	16QAM	Inner_Full	24.60	23.00
n78	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.94	20.34
n78	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.62	20.02
n78	50	30	3500.01	DFT	16QAM	Outer_Full	23.54	21.94
n78	50	30	3500.01	DFT	64QAM	Inner_Full	22.96	21.36
n78	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.69	20.09
n78	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.39	19.79
n78	50	30	3500.01	DFT	64QAM	Outer_Full	23.03	21.43
n78	50	30	3500.01	DFT	256QAM	Inner_Full	20.88	19.28
n78	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.03	19.43
n78	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.60	19.00
n78	50	30	3500.01	DFT	256QAM	Outer_Full	20.86	19.26
n78	50	30	3500.01	CP	QPSK	Inner_Full	24.04	22.44
n78	50	30	3500.01	CP	QPSK	Edge_1RB_Left	22.15	20.55
n78	50	30	3500.01	CP	QPSK	Edge_1RB_Right	21.80	20.20
n78	50	30	3500.01	CP	QPSK	Outer_Full	22.55	20.95
n78	50	30	3500.01	CP	16QAM	Inner_Full	23.43	21.83
n78	50	30	3500.01	CP	16QAM	Edge_1RB_Left	21.96	20.36
n78	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.58	19.98
n78	50	30	3500.01	CP	16QAM	Outer_Full	22.46	20.86
n78	50	30	3500.01	CP	64QAM	Inner_Full	22.10	20.50
n78	50	30	3500.01	CP	64QAM	Edge_1RB_Left	21.79	20.19
n78	50	30	3500.01	CP	64QAM	Edge_1RB_Right	21.38	19.78
n78	50	30	3500.01	CP	64QAM	Outer_Full	22.04	20.44
n78	50	30	3500.01	CP	256QAM	Inner_Full	18.96	17.36
n78	50	30	3500.01	CP	256QAM	Edge_1RB_Left	18.80	17.20
n78	50	30	3500.01	CP	256QAM	Edge_1RB_Right	18.63	17.03
n78	50	30	3500.01	CP	256QAM	Outer_Full	19.05	17.45
n78	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.54	23.94
n78	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	22.01	20.41
n78	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.66	20.06
n78	50	30	3525	DFT	pi/2 BPSK	Outer_Full	25.05	23.45
n78	50	30	3525	DFT	QPSK	Inner_Full	25.43	23.83
n78	50	30	3525	DFT	QPSK	Edge_1RB_Left	21.91	20.31
n78	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.65	20.05
n78	50	30	3525	DFT	QPSK	Outer_Full	24.45	22.85
n78	50	30	3525	DFT	16QAM	Inner_Full	24.53	22.93
n78	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.78	20.18
n78	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.53	19.93



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	50	30	3525	DFT	16QAM	Outer_Full	23.36	21.76
n78	50	30	3525	DFT	64QAM	Inner_Full	22.96	21.36
n78	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.57	19.97
n78	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.27	19.67
n78	50	30	3525	DFT	64QAM	Outer_Full	22.77	21.17
n78	50	30	3525	DFT	256QAM	Inner_Full	20.87	19.27
n78	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.87	19.27
n78	50	30	3525	DFT	256QAM	Edge_1RB_Right	20.60	19.00
n78	50	30	3525	DFT	256QAM	Outer_Full	20.76	19.16
n78	50	30	3525	CP	QPSK	Inner_Full	23.86	22.26
n78	50	30	3525	CP	QPSK	Edge_1RB_Left	21.99	20.39
n78	50	30	3525	CP	QPSK	Edge_1RB_Right	21.67	20.07
n78	50	30	3525	CP	QPSK	Outer_Full	22.34	20.74
n78	50	30	3525	CP	16QAM	Inner_Full	23.39	21.79
n78	50	30	3525	CP	16QAM	Edge_1RB_Left	21.94	20.34
n78	50	30	3525	CP	16QAM	Edge_1RB_Right	21.49	19.89
n78	50	30	3525	CP	16QAM	Outer_Full	22.36	20.76
n78	50	30	3525	CP	64QAM	Inner_Full	21.96	20.36
n78	50	30	3525	CP	64QAM	Edge_1RB_Left	21.79	20.19
n78	50	30	3525	CP	64QAM	Edge_1RB_Right	21.32	19.72
n78	50	30	3525	CP	64QAM	Outer_Full	21.93	20.33
n78	50	30	3525	CP	256QAM	Inner_Full	18.89	17.29
n78	50	30	3525	CP	256QAM	Edge_1RB_Left	18.87	17.27
n78	50	30	3525	CP	256QAM	Edge_1RB_Right	18.55	16.95
n78	50	30	3525	CP	256QAM	Outer_Full	18.94	17.34
n78	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.59	23.99
n78	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.33	20.73
n78	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.78	20.18
n78	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.00	23.40
n78	60	30	3480	DFT	QPSK	Inner_Full	25.61	24.01
n78	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.10	20.50
n78	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.78	20.18
n78	60	30	3480	DFT	QPSK	Outer_Full	24.47	22.87
n78	60	30	3480	DFT	16QAM	Inner_Full	24.59	22.99
n78	60	30	3480	DFT	16QAM	Edge_1RB_Left	22.07	20.47
n78	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.62	20.02
n78	60	30	3480	DFT	16QAM	Outer_Full	23.55	21.95
n78	60	30	3480	DFT	64QAM	Inner_Full	23.08	21.48
n78	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.80	20.20
n78	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.40	19.80
n78	60	30	3480	DFT	64QAM	Outer_Full	23.02	21.42



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	60	30	3480	DFT	256QAM	Inner_Full	20.86	19.26
n78	60	30	3480	DFT	256QAM	Edge_1RB_Left	20.87	19.27
n78	60	30	3480	DFT	256QAM	Edge_1RB_Right	20.61	19.01
n78	60	30	3480	DFT	256QAM	Outer_Full	21.05	19.45
n78	60	30	3480	CP	QPSK	Inner_Full	24.11	22.51
n78	60	30	3480	CP	QPSK	Edge_1RB_Left	22.26	20.66
n78	60	30	3480	CP	QPSK	Edge_1RB_Right	21.81	20.21
n78	60	30	3480	CP	QPSK	Outer_Full	22.60	21.00
n78	60	30	3480	CP	16QAM	Inner_Full	23.44	21.84
n78	60	30	3480	CP	16QAM	Edge_1RB_Left	21.98	20.38
n78	60	30	3480	CP	16QAM	Edge_1RB_Right	21.56	19.96
n78	60	30	3480	CP	16QAM	Outer_Full	22.46	20.86
n78	60	30	3480	CP	64QAM	Inner_Full	22.13	20.53
n78	60	30	3480	CP	64QAM	Edge_1RB_Left	21.96	20.36
n78	60	30	3480	CP	64QAM	Edge_1RB_Right	21.47	19.87
n78	60	30	3480	CP	64QAM	Outer_Full	22.06	20.46
n78	60	30	3480	CP	256QAM	Inner_Full	19.01	17.41
n78	60	30	3480	CP	256QAM	Edge_1RB_Left	19.12	17.52
n78	60	30	3480	CP	256QAM	Edge_1RB_Right	18.59	16.99
n78	60	30	3480	CP	256QAM	Outer_Full	19.07	17.47
n78	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.61	24.01
n78	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.24	20.64
n78	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.67	20.07
n78	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.07	23.47
n78	60	30	3500.01	DFT	QPSK	Inner_Full	25.46	23.86
n78	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.14	20.54
n78	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.69	20.09
n78	60	30	3500.01	DFT	QPSK	Outer_Full	24.58	22.98
n78	60	30	3500.01	DFT	16QAM	Inner_Full	24.49	22.89
n78	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.03	20.43
n78	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.53	19.93
n78	60	30	3500.01	DFT	16QAM	Outer_Full	23.52	21.92
n78	60	30	3500.01	DFT	64QAM	Inner_Full	22.99	21.39
n78	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.84	20.24
n78	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.26	19.66
n78	60	30	3500.01	DFT	64QAM	Outer_Full	23.10	21.50
n78	60	30	3500.01	DFT	256QAM	Inner_Full	21.11	19.51
n78	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.08	19.48
n78	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.59	18.99
n78	60	30	3500.01	DFT	256QAM	Outer_Full	21.05	19.45
n78	60	30	3500.01	CP	QPSK	Inner_Full	24.06	22.46



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.25	20.65
n78	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.64	20.04
n78	60	30	3500.01	CP	QPSK	Outer_Full	22.58	20.98
n78	60	30	3500.01	CP	16QAM	Inner_Full	23.44	21.84
n78	60	30	3500.01	CP	16QAM	Edge_1RB_Left	21.93	20.33
n78	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.58	19.98
n78	60	30	3500.01	CP	16QAM	Outer_Full	22.48	20.88
n78	60	30	3500.01	CP	64QAM	Inner_Full	22.03	20.43
n78	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.93	20.33
n78	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.48	19.88
n78	60	30	3500.01	CP	64QAM	Outer_Full	21.95	20.35
n78	60	30	3500.01	CP	256QAM	Inner_Full	19.05	17.45
n78	60	30	3500.01	CP	256QAM	Edge_1RB_Left	19.04	17.44
n78	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.53	16.93
n78	60	30	3500.01	CP	256QAM	Outer_Full	18.98	17.38
n78	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.49	23.89
n78	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	20.39
n78	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.59	19.99
n78	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	24.88	23.28
n78	60	30	3519.99	DFT	QPSK	Inner_Full	25.34	23.74
n78	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	21.97	20.37
n78	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.64	20.04
n78	60	30	3519.99	DFT	QPSK	Outer_Full	24.41	22.81
n78	60	30	3519.99	DFT	16QAM	Inner_Full	24.52	22.92
n78	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.87	20.27
n78	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.33	19.73
n78	60	30	3519.99	DFT	16QAM	Outer_Full	23.36	21.76
n78	60	30	3519.99	DFT	64QAM	Inner_Full	22.90	21.30
n78	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.60	20.00
n78	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.23	19.63
n78	60	30	3519.99	DFT	64QAM	Outer_Full	22.85	21.25
n78	60	30	3519.99	DFT	256QAM	Inner_Full	20.83	19.23
n78	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	20.84	19.24
n78	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	20.61	19.01
n78	60	30	3519.99	DFT	256QAM	Outer_Full	20.76	19.16
n78	60	30	3519.99	CP	QPSK	Inner_Full	23.94	22.34
n78	60	30	3519.99	CP	QPSK	Edge_1RB_Left	22.10	20.50
n78	60	30	3519.99	CP	QPSK	Edge_1RB_Right	21.72	20.12
n78	60	30	3519.99	CP	QPSK	Outer_Full	22.35	20.75
n78	60	30	3519.99	CP	16QAM	Inner_Full	23.36	21.76
n78	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.02	20.42



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.50	19.90
n78	60	30	3519.99	CP	16QAM	Outer_Full	22.41	20.81
n78	60	30	3519.99	CP	64QAM	Inner_Full	21.94	20.34
n78	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.70	20.10
n78	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.35	19.75
n78	60	30	3519.99	CP	64QAM	Outer_Full	21.82	20.22
n78	60	30	3519.99	CP	256QAM	Inner_Full	18.88	17.28
n78	60	30	3519.99	CP	256QAM	Edge_1RB_Left	18.95	17.35
n78	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.44	16.84
n78	60	30	3519.99	CP	256QAM	Outer_Full	18.85	17.25
n78	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	25.32	23.72
n78	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	20.48
n78	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.49	19.89
n78	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	24.90	23.30
n78	70	30	3485.01	DFT	QPSK	Inner_Full	25.27	23.67
n78	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	21.87	20.27
n78	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	21.35	19.75
n78	70	30	3485.01	DFT	QPSK	Outer_Full	24.29	22.69
n78	70	30	3485.01	DFT	16QAM	Inner_Full	24.20	22.60
n78	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	21.91	20.31
n78	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.19	19.59
n78	70	30	3485.01	DFT	16QAM	Outer_Full	23.19	21.59
n78	70	30	3485.01	DFT	64QAM	Inner_Full	22.73	21.13
n78	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	21.77	20.17
n78	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	21.29	19.69
n78	70	30	3485.01	DFT	64QAM	Outer_Full	22.84	21.24
n78	70	30	3485.01	DFT	256QAM	Inner_Full	20.57	18.97
n78	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	21.13	19.53
n78	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	20.27	18.67
n78	70	30	3485.01	DFT	256QAM	Outer_Full	20.53	18.93
n78	70	30	3485.01	CP	QPSK	Inner_Full	23.92	22.32
n78	70	30	3485.01	CP	QPSK	Edge_1RB_Left	21.96	20.36
n78	70	30	3485.01	CP	QPSK	Edge_1RB_Right	21.39	19.79
n78	70	30	3485.01	CP	QPSK	Outer_Full	22.40	20.80
n78	70	30	3485.01	CP	16QAM	Inner_Full	23.36	21.76
n78	70	30	3485.01	CP	16QAM	Edge_1RB_Left	22.02	20.42
n78	70	30	3485.01	CP	16QAM	Edge_1RB_Right	21.70	20.10
n78	70	30	3485.01	CP	16QAM	Outer_Full	22.28	20.68
n78	70	30	3485.01	CP	64QAM	Inner_Full	21.92	20.32
n78	70	30	3485.01	CP	64QAM	Edge_1RB_Left	21.70	20.10
n78	70	30	3485.01	CP	64QAM	Edge_1RB_Right	21.14	19.54



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	70	30	3485.01	CP	64QAM	Outer_Full	21.91	20.31
n78	70	30	3485.01	CP	256QAM	Inner_Full	18.70	17.10
n78	70	30	3485.01	CP	256QAM	Edge_1RB_Left	18.92	17.32
n78	70	30	3485.01	CP	256QAM	Edge_1RB_Right	18.36	16.76
n78	70	30	3485.01	CP	256QAM	Outer_Full	18.92	17.32
n78	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.23	23.63
n78	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.92	20.32
n78	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.50	19.90
n78	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.73	23.13
n78	70	30	3500.01	DFT	QPSK	Inner_Full	25.40	23.80
n78	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.01	20.41
n78	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.44	19.84
n78	70	30	3500.01	DFT	QPSK	Outer_Full	24.28	22.68
n78	70	30	3500.01	DFT	16QAM	Inner_Full	24.21	22.61
n78	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.72	20.12
n78	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.47	19.87
n78	70	30	3500.01	DFT	16QAM	Outer_Full	23.32	21.72
n78	70	30	3500.01	DFT	64QAM	Inner_Full	22.93	21.33
n78	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.71	20.11
n78	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.00	19.40
n78	70	30	3500.01	DFT	64QAM	Outer_Full	22.87	21.27
n78	70	30	3500.01	DFT	256QAM	Inner_Full	20.67	19.07
n78	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.86	19.26
n78	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.47	18.87
n78	70	30	3500.01	DFT	256QAM	Outer_Full	20.85	19.25
n78	70	30	3500.01	CP	QPSK	Inner_Full	23.72	22.12
n78	70	30	3500.01	CP	QPSK	Edge_1RB_Left	22.15	20.55
n78	70	30	3500.01	CP	QPSK	Edge_1RB_Right	21.53	19.93
n78	70	30	3500.01	CP	QPSK	Outer_Full	22.33	20.73
n78	70	30	3500.01	CP	16QAM	Inner_Full	23.24	21.64
n78	70	30	3500.01	CP	16QAM	Edge_1RB_Left	21.96	20.36
n78	70	30	3500.01	CP	16QAM	Edge_1RB_Right	21.44	19.84
n78	70	30	3500.01	CP	16QAM	Outer_Full	22.21	20.61
n78	70	30	3500.01	CP	64QAM	Inner_Full	21.67	20.07
n78	70	30	3500.01	CP	64QAM	Edge_1RB_Left	21.70	20.10
n78	70	30	3500.01	CP	64QAM	Edge_1RB_Right	21.40	19.80
n78	70	30	3500.01	CP	64QAM	Outer_Full	21.76	20.16
n78	70	30	3500.01	CP	256QAM	Inner_Full	18.68	17.08
n78	70	30	3500.01	CP	256QAM	Edge_1RB_Left	18.64	17.04
n78	70	30	3500.01	CP	256QAM	Edge_1RB_Right	18.13	16.53
n78	70	30	3500.01	CP	256QAM	Outer_Full	18.66	17.06



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	25.33	23.73
n78	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	20.38
n78	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.30	19.70
n78	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	24.73	23.13
n78	70	30	3514.98	DFT	QPSK	Inner_Full	25.28	23.68
n78	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	22.07	20.47
n78	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	21.31	19.71
n78	70	30	3514.98	DFT	QPSK	Outer_Full	24.36	22.76
n78	70	30	3514.98	DFT	16QAM	Inner_Full	24.35	22.75
n78	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.76	20.16
n78	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.26	19.66
n78	70	30	3514.98	DFT	16QAM	Outer_Full	23.19	21.59
n78	70	30	3514.98	DFT	64QAM	Inner_Full	22.88	21.28
n78	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	21.66	20.06
n78	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	21.02	19.42
n78	70	30	3514.98	DFT	64QAM	Outer_Full	22.72	21.12
n78	70	30	3514.98	DFT	256QAM	Inner_Full	20.49	18.89
n78	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	20.49	18.89
n78	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	20.15	18.55
n78	70	30	3514.98	DFT	256QAM	Outer_Full	21.00	19.40
n78	70	30	3514.98	CP	QPSK	Inner_Full	23.79	22.19
n78	70	30	3514.98	CP	QPSK	Edge_1RB_Left	22.01	20.41
n78	70	30	3514.98	CP	QPSK	Edge_1RB_Right	21.29	19.69
n78	70	30	3514.98	CP	QPSK	Outer_Full	22.20	20.60
n78	70	30	3514.98	CP	16QAM	Inner_Full	23.31	21.71
n78	70	30	3514.98	CP	16QAM	Edge_1RB_Left	22.00	20.40
n78	70	30	3514.98	CP	16QAM	Edge_1RB_Right	21.60	20.00
n78	70	30	3514.98	CP	16QAM	Outer_Full	22.20	20.60
n78	70	30	3514.98	CP	64QAM	Inner_Full	21.67	20.07
n78	70	30	3514.98	CP	64QAM	Edge_1RB_Left	21.72	20.12
n78	70	30	3514.98	CP	64QAM	Edge_1RB_Right	21.00	19.40
n78	70	30	3514.98	CP	64QAM	Outer_Full	21.86	20.26
n78	70	30	3514.98	CP	256QAM	Inner_Full	18.61	17.01
n78	70	30	3514.98	CP	256QAM	Edge_1RB_Left	18.91	17.31
n78	70	30	3514.98	CP	256QAM	Edge_1RB_Right	18.34	16.74
n78	70	30	3514.98	CP	256QAM	Outer_Full	18.61	17.01
n78	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.40	23.80
n78	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.04	20.44
n78	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.46	19.86
n78	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	24.92	23.32
n78	80	30	3490.02	DFT	QPSK	Inner_Full	25.32	23.72



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.97	20.37
n78	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	21.44	19.84
n78	80	30	3490.02	DFT	QPSK	Outer_Full	24.33	22.73
n78	80	30	3490.02	DFT	16QAM	Inner_Full	24.35	22.75
n78	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.95	20.35
n78	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.46	19.86
n78	80	30	3490.02	DFT	16QAM	Outer_Full	23.37	21.77
n78	80	30	3490.02	DFT	64QAM	Inner_Full	22.85	21.25
n78	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.65	20.05
n78	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.08	19.48
n78	80	30	3490.02	DFT	64QAM	Outer_Full	22.74	21.14
n78	80	30	3490.02	DFT	256QAM	Inner_Full	20.94	19.34
n78	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	20.91	19.31
n78	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	20.33	18.73
n78	80	30	3490.02	DFT	256QAM	Outer_Full	20.78	19.18
n78	80	30	3490.02	CP	QPSK	Inner_Full	23.88	22.28
n78	80	30	3490.02	CP	QPSK	Edge_1RB_Left	22.20	20.60
n78	80	30	3490.02	CP	QPSK	Edge_1RB_Right	21.46	19.86
n78	80	30	3490.02	CP	QPSK	Outer_Full	22.43	20.83
n78	80	30	3490.02	CP	16QAM	Inner_Full	23.32	21.72
n78	80	30	3490.02	CP	16QAM	Edge_1RB_Left	21.89	20.29
n78	80	30	3490.02	CP	16QAM	Edge_1RB_Right	21.40	19.80
n78	80	30	3490.02	CP	16QAM	Outer_Full	22.37	20.77
n78	80	30	3490.02	CP	64QAM	Inner_Full	21.84	20.24
n78	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.81	20.21
n78	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.29	19.69
n78	80	30	3490.02	CP	64QAM	Outer_Full	21.91	20.31
n78	80	30	3490.02	CP	256QAM	Inner_Full	18.80	17.20
n78	80	30	3490.02	CP	256QAM	Edge_1RB_Left	18.88	17.28
n78	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.28	16.68
n78	80	30	3490.02	CP	256QAM	Outer_Full	18.70	17.10
n78	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.39	23.79
n78	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	20.49
n78	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.43	19.83
n78	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.78	23.18
n78	80	30	3500.01	DFT	QPSK	Inner_Full	25.29	23.69
n78	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.88	20.28
n78	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.42	19.82
n78	80	30	3500.01	DFT	QPSK	Outer_Full	24.42	22.82
n78	80	30	3500.01	DFT	16QAM	Inner_Full	24.52	22.92
n78	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.88	20.28



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.38	19.78
n78	80	30	3500.01	DFT	16QAM	Outer_Full	23.38	21.78
n78	80	30	3500.01	DFT	64QAM	Inner_Full	22.81	21.21
n78	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.63	20.03
n78	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.08	19.48
n78	80	30	3500.01	DFT	64QAM	Outer_Full	22.79	21.19
n78	80	30	3500.01	DFT	256QAM	Inner_Full	20.84	19.24
n78	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.86	19.26
n78	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.43	18.83
n78	80	30	3500.01	DFT	256QAM	Outer_Full	20.79	19.19
n78	80	30	3500.01	CP	QPSK	Inner_Full	23.93	22.33
n78	80	30	3500.01	CP	QPSK	Edge_1RB_Left	22.11	20.51
n78	80	30	3500.01	CP	QPSK	Edge_1RB_Right	21.56	19.96
n78	80	30	3500.01	CP	QPSK	Outer_Full	22.46	20.86
n78	80	30	3500.01	CP	16QAM	Inner_Full	23.42	21.82
n78	80	30	3500.01	CP	16QAM	Edge_1RB_Left	21.89	20.29
n78	80	30	3500.01	CP	16QAM	Edge_1RB_Right	21.45	19.85
n78	80	30	3500.01	CP	16QAM	Outer_Full	22.31	20.71
n78	80	30	3500.01	CP	64QAM	Inner_Full	21.88	20.28
n78	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.80	20.20
n78	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.30	19.70
n78	80	30	3500.01	CP	64QAM	Outer_Full	21.90	20.30
n78	80	30	3500.01	CP	256QAM	Inner_Full	18.77	17.17
n78	80	30	3500.01	CP	256QAM	Edge_1RB_Left	19.06	17.46
n78	80	30	3500.01	CP	256QAM	Edge_1RB_Right	18.45	16.85
n78	80	30	3500.01	CP	256QAM	Outer_Full	18.97	17.37
n78	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.40	23.80
n78	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	20.37
n78	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	21.44	19.84
n78	80	30	3510	DFT	pi/2 BPSK	Outer_Full	24.78	23.18
n78	80	30	3510	DFT	QPSK	Inner_Full	25.36	23.76
n78	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.97	20.37
n78	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.43	19.83
n78	80	30	3510	DFT	QPSK	Outer_Full	24.33	22.73
n78	80	30	3510	DFT	16QAM	Inner_Full	24.39	22.79
n78	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.99	20.39
n78	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.43	19.83
n78	80	30	3510	DFT	16QAM	Outer_Full	23.32	21.72
n78	80	30	3510	DFT	64QAM	Inner_Full	22.70	21.10
n78	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.54	19.94
n78	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.11	19.51



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	80	30	3510	DFT	64QAM	Outer_Full	22.74	21.14
n78	80	30	3510	DFT	256QAM	Inner_Full	21.04	19.44
n78	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.72	19.12
n78	80	30	3510	DFT	256QAM	Edge_1RB_Right	20.36	18.76
n78	80	30	3510	DFT	256QAM	Outer_Full	20.78	19.18
n78	80	30	3510	CP	QPSK	Inner_Full	23.86	22.26
n78	80	30	3510	CP	QPSK	Edge_1RB_Left	21.99	20.39
n78	80	30	3510	CP	QPSK	Edge_1RB_Right	21.42	19.82
n78	80	30	3510	CP	QPSK	Outer_Full	22.34	20.74
n78	80	30	3510	CP	16QAM	Inner_Full	23.27	21.67
n78	80	30	3510	CP	16QAM	Edge_1RB_Left	21.91	20.31
n78	80	30	3510	CP	16QAM	Edge_1RB_Right	21.39	19.79
n78	80	30	3510	CP	16QAM	Outer_Full	22.29	20.69
n78	80	30	3510	CP	64QAM	Inner_Full	21.87	20.27
n78	80	30	3510	CP	64QAM	Edge_1RB_Left	21.73	20.13
n78	80	30	3510	CP	64QAM	Edge_1RB_Right	21.07	19.47
n78	80	30	3510	CP	64QAM	Outer_Full	21.74	20.14
n78	80	30	3510	CP	256QAM	Inner_Full	18.80	17.20
n78	80	30	3510	CP	256QAM	Edge_1RB_Left	18.97	17.37
n78	80	30	3510	CP	256QAM	Edge_1RB_Right	18.37	16.77
n78	80	30	3510	CP	256QAM	Outer_Full	18.84	17.24
n78	90	30	3495	DFT	pi/2 BPSK	Inner_Full	25.42	23.82
n78	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	20.49
n78	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	21.42	19.82
n78	90	30	3495	DFT	pi/2 BPSK	Outer_Full	24.74	23.14
n78	90	30	3495	DFT	QPSK	Inner_Full	25.33	23.73
n78	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.87	20.27
n78	90	30	3495	DFT	QPSK	Edge_1RB_Right	21.39	19.79
n78	90	30	3495	DFT	QPSK	Outer_Full	24.25	22.65
n78	90	30	3495	DFT	16QAM	Inner_Full	24.39	22.79
n78	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.85	20.25
n78	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.33	19.73
n78	90	30	3495	DFT	16QAM	Outer_Full	23.37	21.77
n78	90	30	3495	DFT	64QAM	Inner_Full	23.01	21.41
n78	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.62	20.02
n78	90	30	3495	DFT	64QAM	Edge_1RB_Right	21.04	19.44
n78	90	30	3495	DFT	64QAM	Outer_Full	22.82	21.22
n78	90	30	3495	DFT	256QAM	Inner_Full	20.97	19.37
n78	90	30	3495	DFT	256QAM	Edge_1RB_Left	20.76	19.16
n78	90	30	3495	DFT	256QAM	Edge_1RB_Right	20.35	18.75
n78	90	30	3495	DFT	256QAM	Outer_Full	20.75	19.15



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	90	30	3495	CP	QPSK	Inner_Full	23.96	22.36
n78	90	30	3495	CP	QPSK	Edge_1RB_Left	22.04	20.44
n78	90	30	3495	CP	QPSK	Edge_1RB_Right	21.52	19.92
n78	90	30	3495	CP	QPSK	Outer_Full	22.32	20.72
n78	90	30	3495	CP	16QAM	Inner_Full	23.30	21.70
n78	90	30	3495	CP	16QAM	Edge_1RB_Left	22.02	20.42
n78	90	30	3495	CP	16QAM	Edge_1RB_Right	21.54	19.94
n78	90	30	3495	CP	16QAM	Outer_Full	22.32	20.72
n78	90	30	3495	CP	64QAM	Inner_Full	21.85	20.25
n78	90	30	3495	CP	64QAM	Edge_1RB_Left	21.82	20.22
n78	90	30	3495	CP	64QAM	Edge_1RB_Right	21.27	19.67
n78	90	30	3495	CP	64QAM	Outer_Full	21.92	20.32
n78	90	30	3495	CP	256QAM	Inner_Full	18.84	17.24
n78	90	30	3495	CP	256QAM	Edge_1RB_Left	18.85	17.25
n78	90	30	3495	CP	256QAM	Edge_1RB_Right	18.43	16.83
n78	90	30	3495	CP	256QAM	Outer_Full	18.78	17.18
n78	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.44	23.84
n78	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	20.39
n78	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.50	19.90
n78	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.97	23.37
n78	90	30	3500.01	DFT	QPSK	Inner_Full	25.35	23.75
n78	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.04	20.44
n78	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.50	19.90
n78	90	30	3500.01	DFT	QPSK	Outer_Full	24.28	22.68
n78	90	30	3500.01	DFT	16QAM	Inner_Full	24.41	22.81
n78	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.88	20.28
n78	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.34	19.74
n78	90	30	3500.01	DFT	16QAM	Outer_Full	23.38	21.78
n78	90	30	3500.01	DFT	64QAM	Inner_Full	22.93	21.33
n78	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.67	20.07
n78	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.20	19.60
n78	90	30	3500.01	DFT	64QAM	Outer_Full	22.87	21.27
n78	90	30	3500.01	DFT	256QAM	Inner_Full	21.03	19.43
n78	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.68	19.08
n78	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.43	18.83
n78	90	30	3500.01	DFT	256QAM	Outer_Full	20.93	19.33
n78	90	30	3500.01	CP	QPSK	Inner_Full	23.97	22.37
n78	90	30	3500.01	CP	QPSK	Edge_1RB_Left	22.04	20.44
n78	90	30	3500.01	CP	QPSK	Edge_1RB_Right	21.62	20.02
n78	90	30	3500.01	CP	QPSK	Outer_Full	22.29	20.69
n78	90	30	3500.01	CP	16QAM	Inner_Full	23.36	21.76



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	90	30	3500.01	CP	16QAM	Edge_1RB_Left	21.92	20.32
n78	90	30	3500.01	CP	16QAM	Edge_1RB_Right	21.50	19.90
n78	90	30	3500.01	CP	16QAM	Outer_Full	22.35	20.75
n78	90	30	3500.01	CP	64QAM	Inner_Full	21.85	20.25
n78	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.91	20.31
n78	90	30	3500.01	CP	64QAM	Edge_1RB_Right	21.24	19.64
n78	90	30	3500.01	CP	64QAM	Outer_Full	21.81	20.21
n78	90	30	3500.01	CP	256QAM	Inner_Full	18.84	17.24
n78	90	30	3500.01	CP	256QAM	Edge_1RB_Left	18.93	17.33
n78	90	30	3500.01	CP	256QAM	Edge_1RB_Right	18.47	16.87
n78	90	30	3500.01	CP	256QAM	Outer_Full	18.81	17.21
n78	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.43	23.83
n78	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.95	20.35
n78	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.50	19.90
n78	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	24.83	23.23
n78	90	30	3504.99	DFT	QPSK	Inner_Full	25.35	23.75
n78	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.95	20.35
n78	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.40	19.80
n78	90	30	3504.99	DFT	QPSK	Outer_Full	24.28	22.68
n78	90	30	3504.99	DFT	16QAM	Inner_Full	24.41	22.81
n78	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.85	20.25
n78	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.40	19.80
n78	90	30	3504.99	DFT	16QAM	Outer_Full	23.26	21.66
n78	90	30	3504.99	DFT	64QAM	Inner_Full	22.88	21.28
n78	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.62	20.02
n78	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	21.15	19.55
n78	90	30	3504.99	DFT	64QAM	Outer_Full	22.82	21.22
n78	90	30	3504.99	DFT	256QAM	Inner_Full	21.07	19.47
n78	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	20.67	19.07
n78	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	20.42	18.82
n78	90	30	3504.99	DFT	256QAM	Outer_Full	20.90	19.30
n78	90	30	3504.99	CP	QPSK	Inner_Full	23.96	22.36
n78	90	30	3504.99	CP	QPSK	Edge_1RB_Left	22.13	20.53
n78	90	30	3504.99	CP	QPSK	Edge_1RB_Right	21.45	19.85
n78	90	30	3504.99	CP	QPSK	Outer_Full	22.33	20.73
n78	90	30	3504.99	CP	16QAM	Inner_Full	23.27	21.67
n78	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.99	20.39
n78	90	30	3504.99	CP	16QAM	Edge_1RB_Right	21.44	19.84
n78	90	30	3504.99	CP	16QAM	Outer_Full	22.32	20.72
n78	90	30	3504.99	CP	64QAM	Inner_Full	21.88	20.28
n78	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.80	20.20



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	90	30	3504.99	CP	64QAM	Edge_1RB_Right	21.28	19.68
n78	90	30	3504.99	CP	64QAM	Outer_Full	21.83	20.23
n78	90	30	3504.99	CP	256QAM	Inner_Full	18.79	17.19
n78	90	30	3504.99	CP	256QAM	Edge_1RB_Left	18.94	17.34
n78	90	30	3504.99	CP	256QAM	Edge_1RB_Right	18.46	16.86
n78	90	30	3504.99	CP	256QAM	Outer_Full	18.84	17.24
n78	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.49	23.89
n78	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.14	20.54
n78	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.43	19.83
n78	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.97	23.37
n78	100	30	3500.01	DFT	QPSK	Inner_Full	25.50	23.90
n78	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.03	20.43
n78	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.50	19.90
n78	100	30	3500.01	DFT	QPSK	Outer_Full	24.28	22.68
n78	100	30	3500.01	DFT	16QAM	Inner_Full	24.41	22.81
n78	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.98	20.38
n78	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.22	19.62
n78	100	30	3500.01	DFT	16QAM	Outer_Full	23.40	21.80
n78	100	30	3500.01	DFT	64QAM	Inner_Full	23.01	21.41
n78	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.75	20.15
n78	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.02	19.42
n78	100	30	3500.01	DFT	64QAM	Outer_Full	22.88	21.28
n78	100	30	3500.01	DFT	256QAM	Inner_Full	20.92	19.32
n78	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.79	19.19
n78	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.43	18.83
n78	100	30	3500.01	DFT	256QAM	Outer_Full	20.94	19.34
n78	100	30	3500.01	CP	QPSK	Inner_Full	23.93	22.33
n78	100	30	3500.01	CP	QPSK	Edge_1RB_Left	22.04	20.44
n78	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.59	19.99
n78	100	30	3500.01	CP	QPSK	Outer_Full	22.34	20.74
n78	100	30	3500.01	CP	16QAM	Inner_Full	23.35	21.75
n78	100	30	3500.01	CP	16QAM	Edge_1RB_Left	22.02	20.42
n78	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.43	19.83
n78	100	30	3500.01	CP	16QAM	Outer_Full	22.36	20.76
n78	100	30	3500.01	CP	64QAM	Inner_Full	21.91	20.31
n78	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.83	20.23
n78	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.14	19.54
n78	100	30	3500.01	CP	64QAM	Outer_Full	21.84	20.24
n78	100	30	3500.01	CP	256QAM	Inner_Full	18.88	17.28
n78	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.85	17.25
n78	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.43	16.83



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	100	30	3500.01	CP	256QAM	Outer_Full	18.81	17.21
n78	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.49	23.89
n78	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.14	20.54
n78	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.55	19.95
n78	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.90	23.30
n78	100	30	3500.01	DFT	QPSK	Inner_Full	25.42	23.82
n78	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.05	20.45
n78	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.49	19.89
n78	100	30	3500.01	DFT	QPSK	Outer_Full	24.40	22.80
n78	100	30	3500.01	DFT	16QAM	Inner_Full	24.40	22.80
n78	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.05	20.45
n78	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.33	19.73
n78	100	30	3500.01	DFT	16QAM	Outer_Full	23.33	21.73
n78	100	30	3500.01	DFT	64QAM	Inner_Full	22.86	21.26
n78	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.58	19.98
n78	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.16	19.56
n78	100	30	3500.01	DFT	64QAM	Outer_Full	22.95	21.35
n78	100	30	3500.01	DFT	256QAM	Inner_Full	21.03	19.43
n78	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.08	19.48
n78	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.30	18.70
n78	100	30	3500.01	DFT	256QAM	Outer_Full	20.89	19.29
n78	100	30	3500.01	CP	QPSK	Inner_Full	23.89	22.29
n78	100	30	3500.01	CP	QPSK	Edge_1RB_Left	22.15	20.55
n78	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.48	19.88
n78	100	30	3500.01	CP	QPSK	Outer_Full	22.44	20.84
n78	100	30	3500.01	CP	16QAM	Inner_Full	23.36	21.76
n78	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.94	20.34
n78	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.35	19.75
n78	100	30	3500.01	CP	16QAM	Outer_Full	22.33	20.73
n78	100	30	3500.01	CP	64QAM	Inner_Full	21.97	20.37
n78	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.99	20.39
n78	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.24	19.64
n78	100	30	3500.01	CP	64QAM	Outer_Full	21.80	20.20
n78	100	30	3500.01	CP	256QAM	Inner_Full	18.93	17.33
n78	100	30	3500.01	CP	256QAM	Edge_1RB_Left	19.04	17.44
n78	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.36	16.76
n78	100	30	3500.01	CP	256QAM	Outer_Full	18.81	17.21
n78	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	25.40	23.80
n78	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.10	20.50
n78	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.46	19.86
n78	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	24.79	23.19



No.I22N02501-RF NR

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78	100	30	3499.98	DFT	QPSK	Inner_Full	25.38	23.78
n78	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	22.02	20.42
n78	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	21.47	19.87
n78	100	30	3499.98	DFT	QPSK	Outer_Full	24.36	22.76
n78	100	30	3499.98	DFT	16QAM	Inner_Full	24.31	22.71
n78	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.89	20.29
n78	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	21.22	19.62
n78	100	30	3499.98	DFT	16QAM	Outer_Full	23.36	21.76
n78	100	30	3499.98	DFT	64QAM	Inner_Full	22.91	21.31
n78	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	21.71	20.11
n78	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	21.12	19.52
n78	100	30	3499.98	DFT	64QAM	Outer_Full	22.84	21.24
n78	100	30	3499.98	DFT	256QAM	Inner_Full	20.87	19.27
n78	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	20.77	19.17
n78	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	20.42	18.82
n78	100	30	3499.98	DFT	256QAM	Outer_Full	20.90	19.30
n78	100	30	3499.98	CP	QPSK	Inner_Full	23.88	22.28
n78	100	30	3499.98	CP	QPSK	Edge_1RB_Left	22.06	20.46
n78	100	30	3499.98	CP	QPSK	Edge_1RB_Right	21.38	19.78
n78	100	30	3499.98	CP	QPSK	Outer_Full	22.28	20.68
n78	100	30	3499.98	CP	16QAM	Inner_Full	23.33	21.73
n78	100	30	3499.98	CP	16QAM	Edge_1RB_Left	21.89	20.29
n78	100	30	3499.98	CP	16QAM	Edge_1RB_Right	21.27	19.67
n78	100	30	3499.98	CP	16QAM	Outer_Full	22.27	20.67
n78	100	30	3499.98	CP	64QAM	Inner_Full	21.89	20.29
n78	100	30	3499.98	CP	64QAM	Edge_1RB_Left	21.93	20.33
n78	100	30	3499.98	CP	64QAM	Edge_1RB_Right	21.19	19.59
n78	100	30	3499.98	CP	64QAM	Outer_Full	21.79	20.19
n78	100	30	3499.98	CP	256QAM	Inner_Full	18.94	17.34
n78	100	30	3499.98	CP	256QAM	Edge_1RB_Left	18.95	17.35
n78	100	30	3499.98	CP	256QAM	Edge_1RB_Right	18.49	16.89
n78	100	30	3499.98	CP	256QAM	Outer_Full	18.76	17.16

Note: Expanded measurement uncertainty is U = 0.90dB, k = 1.96



A.2 FREQUENCY STABILITY

Reference

FCC: CFR Part 2.1055, 27.54.

A.2.1 Method of Measurement

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of E7515B DIGITAL RADIO COMMUNICATION TESTER.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -10°C.
3. With the EUT, powered via nominal voltage, connected to the E7515B and in a simulated call on middle channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -10°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the E7515B and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from +50°C to -10°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5 °C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.



A.2.2 Measurement results

n7

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	2500.272	2568.640		
50				-6.10	0.0024
40				-11.10	0.0044
30				-4.30	0.0017
10				-3.40	0.0013
0				0.90	0.0004
-10				7.00	0.0028

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	2500.272	2568.640	-0.60	0.0002
4.45				-4.50	0.0018

Expanded measurement uncertainty is 10Hz, $k = 2$

n38

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	2570.688	2618.896		
50				13.70	0.0053
40				3.00	0.0012
30				33.20	0.0128
10				20.00	0.0077
0				16.60	0.0064
-10				18.10	0.0070

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	2570.688	2618.896	9.60	0.0037
4.45				13.00	0.0050

Expanded measurement uncertainty is 10Hz, $k = 2$



n41

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	2496.752	2688.096	19.50	0.0075
50					
40					
30					
10					
0					
-10					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	2496.752	2688.096	39.40	0.0152
4.45				47.40	0.0183

Expanded measurement uncertainty is 10Hz, $k = 2$

n78

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	3450.784	3548.080	2.20	0.0006
50					
40					
30					
10					
0					
-10					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	3450.784	3548.080	-15.80	0.0045
4.45				9.70	0.0028

Expanded measurement uncertainty is 10Hz, $k = 2$



A.3 OCCUPIED BANDWIDTH&26dB Emission Bandwidth

Reference

FCC: CFR Part 2.1049, 27.53.

A.3.1 Occupied Bandwidth Results

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the extreme and mid frequencies of the US Cellular/PCS frequency bands. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts (i.e., two to five times the OBW).
- b) The nominal IF filter bandwidth (3 dB RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
- c) Set the reference level of the instrument as required to keep the signal from exceeding the maximum input mixer level for linear operation. In general, the peak of the spectral envelope must be at least $10\log(\text{OBW} / \text{RBW})$ below the reference level.
- d) Set the detection mode to peak, and the trace mode to max hold.
- e) Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

A.3.2 Emission Bandwidth Results

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.




n7


n7,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	4.505	4.519

n7,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,5MHz Bandwidth,DFT-s-QPSK (99% BW)







n7,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	9.001	9.022

n7,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,10MHz Bandwidth,DFT-s-QPSK (99% BW)







n7,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	13.480	13.476

n7,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,15MHz Bandwidth,DFT-s-QPSK (99% BW)







n7,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	18.045	18.034

n7,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,20MHz Bandwidth,DFT-s-QPSK (99% BW)






n38


n38,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2595	18.047	18.102

n38,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n38,20MHz Bandwidth,DFT-s-QPSK (99% BW)






n41

n41,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	18.076	18.111

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,20MHz Bandwidth,DFT-s-QPSK (99% BW)

