


Annex A.6 Band Edge

WCDMA

1. WCDMA_Band2


1.2. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-28.21	-13	Pass	41
1849	1850	0.051	RMS	1849.837	-28.03	-13	Pass	601
1850	1855	0.1	RMS	1851.533	7.72	35	Pass	601



1.3. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.725	7.63	35	Pass	601
1910	1911	0.051	RMS	1910	-28.8	-13	Pass	601
1911	1915	1	RMS	1911	-27.9	-13	Pass	41



2. WCDMA_Band4


2.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-26.78	-13	Pass	41
1709	1710	0.051	RMS	1710	-26.94	-13	Pass	601
1710	1715	0.1	RMS	1711.525	7.67	35	Pass	601



2.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.55	7.41	35	Pass	601
1755	1756	0.051	RMS	1755	-27.51	-13	Pass	601
1756	1760	1	RMS	1756	-26.66	-13	Pass	41



3. WCDMA_Band5


3.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.84	-35.76	-13	Pass	601
823	824	0.051	RMS	824	-27.07	-13	Pass	601
824	829	0.1	RMS	826.392	8.1	35	Pass	601



3.2. WCDMA Band Edge(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.767	8.25	35	Pass	601
849	850	0.051	RMS	849	-27.09	-13	Pass	601
850	855	0.1	RMS	850.158	-36.79	-13	Pass	601




LTE

4. LTE_Band2


4.1. LTE Band Edge(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.987	-40.34	-13	Pass	601
1848	1849	1	RMS	1849	-35.03	-13	Pass	2
1849	1850	0.02	RMS	1850	-31.19	-13	Pass	601
1850	1852	0.1	RMS	1850.253	20.08	30	Pass	601




4.2. LTE Band Edge(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.51	-13	Pass	601
1848	1849	1	RMS	1849	-26.38	-13	Pass	2
1849	1850	0.02	RMS	1849.987	-35.15	-13	Pass	601
1850	1852	0.1	RMS	1850.29	11.52	30	Pass	601




4.3. LTE Band Edge(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.15	-13	Pass	601
1848	1849	1	RMS	1849	-36.17	-13	Pass	2
1849	1850	0.02	RMS	1849.997	-32.07	-13	Pass	601
1850	1852	0.1	RMS	1850.25	19.04	30	Pass	601




4.4. LTE Band Edge(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.64	-13	Pass	601
1848	1849	1	RMS	1849	-25.95	-13	Pass	2
1849	1850	0.02	RMS	1849.987	-35.75	-13	Pass	601
1850	1852	0.1	RMS	1851.103	10.65	30	Pass	601




4.5. LTE Band Edge(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.747	20.23	30	Pass	601
1910	1911	0.02	RMS	1910.003	-29.09	-13	Pass	601
1911	1912	1	RMS	1911	-34.55	-13	Pass	2
1912	1920	1	RMS	1912.013	-40.3	-13	Pass	601




4.6. LTE Band Edge(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.45	11.72	30	Pass	601
1910	1911	0.02	RMS	1910.068	-34.05	-13	Pass	601
1911	1912	1	RMS	1911	-23.55	-13	Pass	2
1912	1920	1	RMS	1912	-29.43	-13	Pass	601




4.7. LTE Band Edge(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.753	19.19	30	Pass	601
1910	1911	0.02	RMS	1910	-29.76	-13	Pass	601
1911	1912	1	RMS	1911	-35.79	-13	Pass	2
1912	1920	1	RMS	1912	-41.09	-13	Pass	601




4.8. LTE Band Edge(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.343	10.81	30	Pass	601
1910	1911	0.02	RMS	1910.025	-33.36	-13	Pass	601
1911	1912	1	RMS	1911	-23.83	-13	Pass	2
1912	1920	1	RMS	1912	-30.45	-13	Pass	601




4.9. LTE Band Edge(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.65	-13	Pass	601
1848	1849	1	RMS	1849	-35.36	-13	Pass	2
1849	1850	0.03	RMS	1850	-20.07	-13	Pass	601
1850	1853	0.1	RMS	1850.24	20.13	30	Pass	601




4.10. LTE Band Edge(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.32	-13	Pass	601
1848	1849	1	RMS	1849	-28.05	-13	Pass	2
1849	1850	0.03	RMS	1850	-27.06	-13	Pass	601
1850	1853	0.1	RMS	1851.445	7.83	30	Pass	601




4.11. LTE Band Edge(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-39.75	-13	Pass	601
1848	1849	1	RMS	1849	-35.95	-13	Pass	2
1849	1850	0.03	RMS	1849.998	-22.5	-13	Pass	601
1850	1853	0.1	RMS	1850.24	19.25	30	Pass	601




4.12. LTE Band Edge(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.987	-29.22	-13	Pass	601
1848	1849	1	RMS	1849	-26.74	-13	Pass	2
1849	1850	0.03	RMS	1849.998	-29.8	-13	Pass	601
1850	1853	0.1	RMS	1852.43	6.95	30	Pass	601




4.13. LTE Band Edge(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	20.33	30	Pass	601
1910	1911	0.03	RMS	1910.002	-19.55	-13	Pass	601
1911	1912	1	RMS	1911	-34.45	-13	Pass	2
1912	1920	1	RMS	1912.187	-38.36	-13	Pass	601




4.14. LTE Band Edge(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.055	8.11	30	Pass	601
1910	1911	0.03	RMS	1910	-27.4	-13	Pass	601
1911	1912	1	RMS	1911	-25.19	-13	Pass	2
1912	1920	1	RMS	1912	-26.06	-13	Pass	601




4.15. LTE Band Edge(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.77	19.34	30	Pass	601
1910	1911	0.03	RMS	1910	-21.97	-13	Pass	601
1911	1912	1	RMS	1911	-35.08	-13	Pass	2
1912	1920	1	RMS	1912.12	-39.16	-13	Pass	601




4.16. LTE Band Edge(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.495	7.08	30	Pass	601
1910	1911	0.03	RMS	1910	-28.95	-13	Pass	601
1911	1912	1	RMS	1911	-23.51	-13	Pass	2
1912	1920	1	RMS	1912.013	-26.11	-13	Pass	601




4.17. LTE Band Edge(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.99	-13	Pass	601
1848	1849	1	RMS	1849	-37.46	-13	Pass	2
1849	1850	0.051	RMS	1850	-23.74	-13	Pass	601
1850	1855	0.1	RMS	1850.325	19.93	30	Pass	601




4.18. LTE Band Edge(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.18	-13	Pass	601
1848	1849	1	RMS	1849	-29.96	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-30.44	-13	Pass	601
1850	1855	0.1	RMS	1851.65	5.77	30	Pass	601




4.19. LTE Band Edge(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.07	-13	Pass	601
1848	1849	1	RMS	1849	-38.9	-13	Pass	2
1849	1850	0.051	RMS	1850	-25.09	-13	Pass	601
1850	1855	0.1	RMS	1850.342	19.23	30	Pass	601




4.20. LTE Band Edge(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.85	-13	Pass	601
1848	1849	1	RMS	1849	-28.63	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-32.33	-13	Pass	601
1850	1855	0.1	RMS	1851.667	4.83	30	Pass	601




4.21. LTE Band Edge(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.667	20.24	30	Pass	601
1910	1911	0.051	RMS	1910	-23.72	-13	Pass	601
1911	1912	1	RMS	1911	-36.99	-13	Pass	2
1912	1920	1	RMS	1912	-37.85	-13	Pass	601




4.22. LTE Band Edge(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.85	5.88	30	Pass	601
1910	1911	0.051	RMS	1910	-29.58	-13	Pass	601
1911	1912	1	RMS	1911	-26.74	-13	Pass	2
1912	1920	1	RMS	1912.6	-27.24	-13	Pass	601




4.23. LTE Band Edge(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.667	19.39	30	Pass	601
1910	1911	0.051	RMS	1910.002	-24.2	-13	Pass	601
1911	1912	1	RMS	1911	-38.24	-13	Pass	2
1912	1920	1	RMS	1912.013	-39.01	-13	Pass	601




4.24. LTE Band Edge(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.258	4.93	30	Pass	601
1910	1911	0.051	RMS	1910.005	-31.78	-13	Pass	601
1911	1912	1	RMS	1911	-25.2	-13	Pass	2
1912	1920	1	RMS	1912.027	-25.89	-13	Pass	601




4.25. LTE Band Edge(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.227	-42.34	-13	Pass	601
1848	1849	1	RMS	1849	-39.71	-13	Pass	2
1849	1850	0.1	RMS	1849.997	-33.03	-13	Pass	601
1850	1860	0.1	RMS	1850.583	20.14	30	Pass	601




4.26. LTE Band Edge(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.973	-33.46	-13	Pass	601
1848	1849	1	RMS	1849	-32.08	-13	Pass	2
1849	1850	0.1	RMS	1850	-32.18	-13	Pass	601
1850	1860	0.1	RMS	1854.25	2.73	30	Pass	601




4.27. LTE Band Edge(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.253	-41.78	-13	Pass	601
1848	1849	1	RMS	1849	-40.28	-13	Pass	2
1849	1850	0.1	RMS	1850	-34.4	-13	Pass	601
1850	1860	0.1	RMS	1850.6	19.33	30	Pass	601




4.28. LTE Band Edge(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.973	-31.75	-13	Pass	601
1848	1849	1	RMS	1849	-31.35	-13	Pass	2
1849	1850	0.1	RMS	1850	-36.27	-13	Pass	601
1850	1860	0.1	RMS	1854.2	1.73	30	Pass	601




4.29. LTE Band Edge(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.417	20.26	30	Pass	601
1910	1911	0.1	RMS	1910	-32.63	-13	Pass	601
1911	1912	1	RMS	1911	-39.25	-13	Pass	2
1912	1920	1	RMS	1913.84	-38.63	-13	Pass	601




4.30. LTE Band Edge(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1903.417	3.02	30	Pass	601
1910	1911	0.1	RMS	1910.002	-31.94	-13	Pass	601
1911	1912	1	RMS	1911	-29.19	-13	Pass	2
1912	1920	1	RMS	1912	-30.16	-13	Pass	601




4.31. LTE Band Edge(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	19.26	30	Pass	601
1910	1911	0.1	RMS	1910	-34.07	-13	Pass	601
1911	1912	1	RMS	1911	-40.33	-13	Pass	2
1912	1920	1	RMS	1913.813	-38.48	-13	Pass	601




4.32. LTE Band Edge(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1902.55	2.12	30	Pass	601
1910	1911	0.1	RMS	1910	-34.7	-13	Pass	601
1911	1912	1	RMS	1911	-27.79	-13	Pass	2
1912	1920	1	RMS	1912	-28.16	-13	Pass	601




4.33. LTE Band Edge(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.75	-13	Pass	601
1848	1849	1	RMS	1849	-40.62	-13	Pass	2
1849	1850	0.15	RMS	1850	-31.5	-13	Pass	601
1850	1865	0.1	RMS	1850.825	20.23	30	Pass	601




4.34. LTE Band Edge(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.93	-13	Pass	601
1848	1849	1	RMS	1849	-32.01	-13	Pass	2
1849	1850	0.15	RMS	1850	-31.53	-13	Pass	601
1850	1865	0.1	RMS	1856.375	0.88	30	Pass	601




4.35. LTE Band Edge(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.16	-43.14	-13	Pass	601
1848	1849	1	RMS	1849	-40.89	-13	Pass	2
1849	1850	0.15	RMS	1850	-31.84	-13	Pass	601
1850	1865	0.1	RMS	1850.85	19.36	30	Pass	601




4.36. LTE Band Edge(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.987	-32.28	-13	Pass	601
1848	1849	1	RMS	1848	-32.36	-13	Pass	2
1849	1850	0.15	RMS	1850	-36.79	-13	Pass	601
1850	1865	0.1	RMS	1856.45	0.08	30	Pass	601




4.37. LTE Band Edge(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.32	30	Pass	601
1910	1911	0.15	RMS	1910	-31.15	-13	Pass	601
1911	1912	1	RMS	1911	-40.25	-13	Pass	2
1912	1920	1	RMS	1915.8	-38.47	-13	Pass	601




4.38. LTE Band Edge(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1901.775	1.49	30	Pass	601
1910	1911	0.15	RMS	1910	-30.56	-13	Pass	601
1911	1912	1	RMS	1911	-30.81	-13	Pass	2
1912	1920	1	RMS	1912.773	-30.35	-13	Pass	601




4.39. LTE Band Edge(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.26	30	Pass	601
1910	1911	0.15	RMS	1910	-31.84	-13	Pass	601
1911	1912	1	RMS	1911	-40.71	-13	Pass	2
1912	1920	1	RMS	1915.827	-38.49	-13	Pass	601




4.40. LTE Band Edge(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1900.425	0.45	30	Pass	601
1910	1911	0.15	RMS	1910.003	-34.84	-13	Pass	601
1911	1912	1	RMS	1911	-29.2	-13	Pass	2
1912	1920	1	RMS	1912.84	-28.69	-13	Pass	601




4.41. LTE Band Edge(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.987	-43.1	-13	Pass	601
1848	1849	1	RMS	1849	-41.37	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-32.68	-13	Pass	601
1850	1870	0.1	RMS	1851.1	20.09	30	Pass	601




4.42. LTE Band Edge(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.99	-13	Pass	601
1848	1849	1	RMS	1849	-33.73	-13	Pass	2
1849	1850	0.2	RMS	1850	-33.8	-13	Pass	601
1850	1870	0.1	RMS	1857.867	-0.33	30	Pass	601




4.43. LTE Band Edge(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1842.24	-43.17	-13	Pass	601
1848	1849	1	RMS	1849	-41.79	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.32	-13	Pass	601
1850	1870	0.1	RMS	1851.1	19.35	30	Pass	601




4.44. LTE Band Edge(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.02	-13	Pass	601
1848	1849	1	RMS	1849	-33.75	-13	Pass	2
1849	1850	0.2	RMS	1850	-37.61	-13	Pass	601
1850	1870	0.1	RMS	1857.6	-1.19	30	Pass	601




4.45. LTE Band Edge(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.22	30	Pass	601
1910	1911	0.2	RMS	1910	-31.97	-13	Pass	601
1911	1912	1	RMS	1911	-40.35	-13	Pass	2
1912	1920	1	RMS	1917.747	-38.68	-13	Pass	601




4.46. LTE Band Edge(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1901.567	0.13	30	Pass	601
1910	1911	0.2	RMS	1910.005	-32.59	-13	Pass	601
1911	1912	1	RMS	1911	-31.87	-13	Pass	2
1912	1920	1	RMS	1912.227	-32.01	-13	Pass	601




4.47. LTE Band Edge(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.18	30	Pass	601
1910	1911	0.2	RMS	1910.003	-32.53	-13	Pass	601
1911	1912	1	RMS	1911	-41.12	-13	Pass	2
1912	1920	1	RMS	1917.853	-38.44	-13	Pass	601



4.48. LTE Band Edge(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1902.867	-0.77	30	Pass	601
1910	1911	0.2	RMS	1910.003	-35.19	-13	Pass	601
1911	1912	1	RMS	1911	-30.2	-13	Pass	2
1912	1920	1	RMS	1912.053	-30.38	-13	Pass	601



5. LTE_Band4


5.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.27	-13	Pass	601
1708	1709	1	RMS	1709	-33.67	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-29.33	-13	Pass	601
1710	1712	0.1	RMS	1710.243	20.25	30	Pass	601




5.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.05	-13	Pass	601
1708	1709	1	RMS	1709	-23.14	-13	Pass	2
1709	1710	0.02	RMS	1709.933	-34.88	-13	Pass	601
1710	1712	0.1	RMS	1710.287	11.66	30	Pass	601




5.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.1	-13	Pass	601
1708	1709	1	RMS	1709	-34.75	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-29.62	-13	Pass	601
1710	1712	0.1	RMS	1710.247	19.09	30	Pass	601




5.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.75	-13	Pass	601
1708	1709	1	RMS	1709	-23.43	-13	Pass	2
1709	1710	0.02	RMS	1709.925	-34.05	-13	Pass	601
1710	1712	0.1	RMS	1711.117	10.77	30	Pass	601




5.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.757	20.05	30	Pass	601
1755	1756	0.02	RMS	1755.005	-29.6	-13	Pass	601
1756	1757	1	RMS	1756	-36.35	-13	Pass	2
1757	1765	1	RMS	1757	-40.32	-13	Pass	601




5.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.437	11.6	30	Pass	601
1755	1756	0.02	RMS	1755.797	-36.33	-13	Pass	601
1756	1757	1	RMS	1756	-22.7	-13	Pass	2
1757	1765	1	RMS	1757	-28.48	-13	Pass	601




5.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.757	19.14	30	Pass	601
1755	1756	0.02	RMS	1755.003	-30.62	-13	Pass	601
1756	1757	1	RMS	1756	-37.12	-13	Pass	2
1757	1765	1	RMS	1757.013	-41.14	-13	Pass	601




5.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.333	10.7	30	Pass	601
1755	1756	0.02	RMS	1755.07	-35.1	-13	Pass	601
1756	1757	1	RMS	1756	-23.01	-13	Pass	2
1757	1765	1	RMS	1757	-29.92	-13	Pass	601




5.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.707	-36.47	-13	Pass	601
1708	1709	1	RMS	1709	-36.24	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.43	-13	Pass	601
1710	1713	0.1	RMS	1710.245	20.32	30	Pass	601




5.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-25.65	-13	Pass	601
1708	1709	1	RMS	1709	-24.84	-13	Pass	2
1709	1710	0.03	RMS	1710	-25.85	-13	Pass	601
1710	1713	0.1	RMS	1710.65	7.96	30	Pass	601




5.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.76	-37.29	-13	Pass	601
1708	1709	1	RMS	1709	-36.86	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-21.03	-13	Pass	601
1710	1713	0.1	RMS	1710.245	19.38	30	Pass	601




5.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.81	-13	Pass	601
1708	1709	1	RMS	1709	-23.49	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-29.08	-13	Pass	601
1710	1713	0.1	RMS	1712.405	6.92	30	Pass	601




5.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	20.18	30	Pass	601
1755	1756	0.03	RMS	1755.002	-20.75	-13	Pass	601
1756	1757	1	RMS	1756	-36.17	-13	Pass	2
1757	1765	1	RMS	1757.027	-40.02	-13	Pass	601




5.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.07	7.88	30	Pass	601
1755	1756	0.03	RMS	1755	-28.12	-13	Pass	601
1756	1757	1	RMS	1757	-25.06	-13	Pass	2
1757	1765	1	RMS	1757.013	-25.2	-13	Pass	601




5.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	19.16	30	Pass	601
1755	1756	0.03	RMS	1755	-22.4	-13	Pass	601
1756	1757	1	RMS	1756	-36.57	-13	Pass	2
1757	1765	1	RMS	1757	-40.37	-13	Pass	601




5.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.61	6.75	30	Pass	601
1755	1756	0.03	RMS	1755	-29.14	-13	Pass	601
1756	1757	1	RMS	1756	-23.93	-13	Pass	2
1757	1765	1	RMS	1757.013	-25.45	-13	Pass	601




5.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.973	-38.14	-13	Pass	601
1708	1709	1	RMS	1709	-37.64	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-22.61	-13	Pass	601
1710	1715	0.1	RMS	1710.325	20.16	30	Pass	601




5.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.987	-26.76	-13	Pass	601
1708	1709	1	RMS	1709	-26.55	-13	Pass	2
1709	1710	0.051	RMS	1710	-28.92	-13	Pass	601
1710	1715	0.1	RMS	1711.633	5.87	30	Pass	601




5.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.987	-38.6	-13	Pass	601
1708	1709	1	RMS	1708	-38.46	-13	Pass	2
1709	1710	0.051	RMS	1710	-24.72	-13	Pass	601
1710	1715	0.1	RMS	1710.333	19.54	30	Pass	601




5.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-25.67	-13	Pass	601
1708	1709	1	RMS	1709	-25.06	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.64	-13	Pass	601
1710	1715	0.1	RMS	1712.2	4.9	30	Pass	601



5.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.658	19.93	30	Pass	601
1755	1756	0.051	RMS	1755	-23.13	-13	Pass	601
1756	1757	1	RMS	1757	-37.42	-13	Pass	2
1757	1765	1	RMS	1757.013	-37.57	-13	Pass	601




5.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.65	5.77	30	Pass	601
1755	1756	0.051	RMS	1755	-29.78	-13	Pass	601
1756	1757	1	RMS	1756	-27.9	-13	Pass	2
1757	1765	1	RMS	1758.413	-26.67	-13	Pass	601




5.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.658	19.28	30	Pass	601
1755	1756	0.051	RMS	1755	-24.49	-13	Pass	601
1756	1757	1	RMS	1757	-37.31	-13	Pass	2
1757	1765	1	RMS	1757	-37.6	-13	Pass	601




5.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.7	4.79	30	Pass	601
1755	1756	0.051	RMS	1755.002	-32.18	-13	Pass	601
1756	1757	1	RMS	1756	-25.46	-13	Pass	2
1757	1765	1	RMS	1757	-25.89	-13	Pass	601




5.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.227	-40.57	-13	Pass	601
1708	1709	1	RMS	1709	-39.28	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.32	-13	Pass	601
1710	1720	0.1	RMS	1710.583	20.28	30	Pass	601




5.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.973	-30	-13	Pass	601
1708	1709	1	RMS	1709	-29.39	-13	Pass	2
1709	1710	0.1	RMS	1710	-29.94	-13	Pass	601
1710	1720	0.1	RMS	1711.933	2.96	30	Pass	601




5.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.213	-40.2	-13	Pass	601
1708	1709	1	RMS	1709	-40.09	-13	Pass	2
1709	1710	0.1	RMS	1710	-33.65	-13	Pass	601
1710	1720	0.1	RMS	1710.6	19.41	30	Pass	601




5.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.14	-13	Pass	601
1708	1709	1	RMS	1709	-27.95	-13	Pass	2
1709	1710	0.1	RMS	1710	-34.11	-13	Pass	601
1710	1720	0.1	RMS	1711.333	1.97	30	Pass	601




5.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.417	20.12	30	Pass	601
1755	1756	0.1	RMS	1755	-32.47	-13	Pass	601
1756	1757	1	RMS	1756	-39.68	-13	Pass	2
1757	1765	1	RMS	1758.867	-38.39	-13	Pass	601




5.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1748.85	2.65	30	Pass	601
1755	1756	0.1	RMS	1755.003	-31.93	-13	Pass	601
1756	1757	1	RMS	1756	-29.82	-13	Pass	2
1757	1765	1	RMS	1761.813	-28.99	-13	Pass	601




5.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.417	19.15	30	Pass	601
1755	1756	0.1	RMS	1755	-33.9	-13	Pass	601
1756	1757	1	RMS	1756	-40.66	-13	Pass	2
1757	1765	1	RMS	1758.827	-38.06	-13	Pass	601




5.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.25	1.76	30	Pass	601
1755	1756	0.1	RMS	1755.003	-34.63	-13	Pass	601
1756	1757	1	RMS	1756	-27.67	-13	Pass	2
1757	1765	1	RMS	1757.013	-27.89	-13	Pass	601




5.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.37	-13	Pass	601
1708	1709	1	RMS	1709	-39.26	-13	Pass	2
1709	1710	0.15	RMS	1710	-30.49	-13	Pass	601
1710	1725	0.1	RMS	1710.825	20.28	30	Pass	601




5.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.06	-13	Pass	601
1708	1709	1	RMS	1709	-29.38	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-29	-13	Pass	601
1710	1725	0.1	RMS	1713.55	1.07	30	Pass	601




5.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.11	-13	Pass	601
1708	1709	1	RMS	1709	-39.63	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-31.25	-13	Pass	601
1710	1725	0.1	RMS	1710.85	19.42	30	Pass	601




5.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.893	-28.98	-13	Pass	601
1708	1709	1	RMS	1709	-28.19	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-34.07	-13	Pass	601
1710	1725	0.1	RMS	1711.975	0.28	30	Pass	601




5.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.15	20.11	30	Pass	601
1755	1756	0.15	RMS	1755	-31.39	-13	Pass	601
1756	1757	1	RMS	1756	-39.8	-13	Pass	2
1757	1765	1	RMS	1760.827	-39.49	-13	Pass	601




5.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1740.875	1.25	30	Pass	601
1755	1756	0.15	RMS	1755	-30.18	-13	Pass	601
1756	1757	1	RMS	1756	-30.27	-13	Pass	2
1757	1765	1	RMS	1764.893	-29.88	-13	Pass	601




5.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.18	30	Pass	601
1755	1756	0.15	RMS	1755.002	-31.86	-13	Pass	601
1756	1757	1	RMS	1756	-40.14	-13	Pass	2
1757	1765	1	RMS	1760.827	-39.14	-13	Pass	601




5.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1743.85	0.32	30	Pass	601
1755	1756	0.15	RMS	1755.002	-34.55	-13	Pass	601
1756	1757	1	RMS	1756	-28.39	-13	Pass	2
1757	1765	1	RMS	1757.773	-28.29	-13	Pass	601




5.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.68	-13	Pass	601
1708	1709	1	RMS	1709	-39.71	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-31.64	-13	Pass	601
1710	1730	0.1	RMS	1711.1	20.32	30	Pass	601




5.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.667	-32.21	-13	Pass	601
1708	1709	1	RMS	1709	-32.67	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-31.47	-13	Pass	601
1710	1730	0.1	RMS	1727.567	-0.06	30	Pass	601




5.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.3	-13	Pass	601
1708	1709	1	RMS	1709	-40.3	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-31.49	-13	Pass	601
1710	1730	0.1	RMS	1711.1	19.55	30	Pass	601




5.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-30.77	-13	Pass	601
1708	1709	1	RMS	1709	-30.58	-13	Pass	2
1709	1710	0.2	RMS	1709.99	-35.05	-13	Pass	601
1710	1730	0.1	RMS	1722.9	-1.03	30	Pass	601




5.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20	30	Pass	601
1755	1756	0.2	RMS	1755.002	-32.24	-13	Pass	601
1756	1757	1	RMS	1756	-39.65	-13	Pass	2
1757	1765	1	RMS	1762.813	-39.07	-13	Pass	601




5.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1741.2	0.12	30	Pass	601
1755	1756	0.2	RMS	1755	-31.79	-13	Pass	601
1756	1757	1	RMS	1756	-31.83	-13	Pass	2
1757	1765	1	RMS	1757.24	-31.88	-13	Pass	601




5.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.02	30	Pass	601
1755	1756	0.2	RMS	1755	-32.62	-13	Pass	601
1756	1757	1	RMS	1756	-40.52	-13	Pass	2
1757	1765	1	RMS	1762.787	-38.75	-13	Pass	601



5.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1739.7	-0.84	30	Pass	601
1755	1756	0.2	RMS	1755.005	-34.59	-13	Pass	601
1756	1757	1	RMS	1756	-29.61	-13	Pass	2
1757	1765	1	RMS	1757.027	-29.94	-13	Pass	601



6. LTE_Band5


6.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-46.37	-13	Pass	601
823	824	0.02	RMS	824	-31.26	-13	Pass	601
824	826	0.1	RMS	824.25	20.67	30	Pass	601




6.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.87	-13	Pass	601
823	824	0.02	RMS	824	-34.07	-13	Pass	601
824	826	0.1	RMS	824.28	12.14	30	Pass	601




6.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.947	-47.99	-13	Pass	601
823	824	0.02	RMS	823.998	-33.51	-13	Pass	601
824	826	0.1	RMS	824.25	19.57	30	Pass	601




6.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-41.15	-13	Pass	601
823	824	0.02	RMS	823.972	-35.39	-13	Pass	601
824	826	0.1	RMS	825.113	11.25	30	Pass	601




6.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.757	20.5	30	Pass	601
849	850	0.02	RMS	849.002	-33.79	-13	Pass	601
850	860	0.1	RMS	850.133	-48.04	-13	Pass	601




6.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.97	12.18	30	Pass	601
849	850	0.02	RMS	849.08	-33.28	-13	Pass	601
850	860	0.1	RMS	850	-41.99	-13	Pass	601




6.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.747	19.57	30	Pass	601
849	850	0.02	RMS	849	-33.71	-13	Pass	601
850	860	0.1	RMS	850	-49.11	-13	Pass	601




6.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.967	11.28	30	Pass	601
849	850	0.02	RMS	849.027	-34.09	-13	Pass	601
850	860	0.1	RMS	850.017	-41.48	-13	Pass	601




6.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.987	-47.81	-13	Pass	601
823	824	0.03	RMS	824	-20.1	-13	Pass	601
824	827	0.1	RMS	824.23	20.73	30	Pass	601




6.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.92	-13	Pass	601
823	824	0.03	RMS	824	-26	-13	Pass	601
824	827	0.1	RMS	825.425	8.43	30	Pass	601




6.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.987	-46.98	-13	Pass	601
823	824	0.03	RMS	824	-22.21	-13	Pass	601
824	827	0.1	RMS	824.24	19.91	30	Pass	601




6.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.987	-33.22	-13	Pass	601
823	824	0.03	RMS	824	-28.67	-13	Pass	601
824	827	0.1	RMS	826.415	7.55	30	Pass	601




6.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.77	20.6	30	Pass	601
849	850	0.03	RMS	849.002	-20.02	-13	Pass	601
850	860	0.1	RMS	850.033	-47.07	-13	Pass	601




6.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.06	8.62	30	Pass	601
849	850	0.03	RMS	849	-27.28	-13	Pass	601
850	860	0.1	RMS	850.117	-34.25	-13	Pass	601




6.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.64	30	Pass	601
849	850	0.03	RMS	849	-22.24	-13	Pass	601
850	860	0.1	RMS	850	-46.59	-13	Pass	601




6.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.455	7.64	30	Pass	601
849	850	0.03	RMS	849	-29.02	-13	Pass	601
850	860	0.1	RMS	850	-35.05	-13	Pass	601




6.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.2	-49.04	-13	Pass	601
823	824	0.051	RMS	824	-23.49	-13	Pass	601
824	829	0.1	RMS	824.333	20.56	30	Pass	601




6.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-34.74	-13	Pass	601
823	824	0.051	RMS	823.998	-28.81	-13	Pass	601
824	829	0.1	RMS	825.658	6.32	30	Pass	601




6.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.213	-48.04	-13	Pass	601
823	824	0.051	RMS	824	-24.96	-13	Pass	601
824	829	0.1	RMS	824.333	19.86	30	Pass	601




6.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.933	-35.16	-13	Pass	601
823	824	0.051	RMS	824	-31.2	-13	Pass	601
824	829	0.1	RMS	825.683	5.38	30	Pass	601




6.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.57	30	Pass	601
849	850	0.051	RMS	849.002	-24.18	-13	Pass	601
850	860	0.1	RMS	850.833	-48.02	-13	Pass	601




6.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.075	6.35	30	Pass	601
849	850	0.051	RMS	849.003	-29.7	-13	Pass	601
850	860	0.1	RMS	850.4	-36.3	-13	Pass	601




6.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.667	19.72	30	Pass	601
849	850	0.051	RMS	849	-25.02	-13	Pass	601
850	860	0.1	RMS	850.817	-47.79	-13	Pass	601




6.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.642	5.43	30	Pass	601
849	850	0.051	RMS	849	-32.29	-13	Pass	601
850	860	0.1	RMS	850.317	-36.8	-13	Pass	601




6.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-49.62	-13	Pass	601
823	824	0.1	RMS	823.997	-34.03	-13	Pass	601
824	834	0.1	RMS	824.583	20.7	30	Pass	601




6.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.787	-37.04	-13	Pass	601
823	824	0.1	RMS	824	-29.3	-13	Pass	601
824	834	0.1	RMS	828.267	3.36	30	Pass	601




6.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-48.9	-13	Pass	601
823	824	0.1	RMS	823.998	-35.44	-13	Pass	601
824	834	0.1	RMS	824.583	19.96	30	Pass	601




6.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.933	-37.8	-13	Pass	601
823	824	0.1	RMS	824	-33.48	-13	Pass	601
824	834	0.1	RMS	828.017	2.35	30	Pass	601




6.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.52	30	Pass	601
849	850	0.1	RMS	849	-33.94	-13	Pass	601
850	860	0.1	RMS	852.85	-50.71	-13	Pass	601




6.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	842.867	3.43	30	Pass	601
849	850	0.1	RMS	849	-33.04	-13	Pass	601
850	860	0.1	RMS	850.167	-40.26	-13	Pass	601




6.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.417	19.55	30	Pass	601
849	850	0.1	RMS	849	-35.52	-13	Pass	601
850	860	0.1	RMS	852.817	-51.05	-13	Pass	601



6.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	840.217	2.35	30	Pass	601
849	850	0.1	RMS	849	-36.72	-13	Pass	601
850	860	0.1	RMS	850.067	-41.03	-13	Pass	601



7. LTE_Band12


7.1. LTE Band Edge(NTLV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.14	-13	Pass	601
698.9	699	0.03	RMS	698.998	-26.3	-13	Pass	601
699	701	0.1	RMS	699.243	20.53	30	Pass	601




7.2. LTE Band Edge(NLV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.87	-13	Pass	601
698.9	699	0.03	RMS	699	-32.63	-13	Pass	601
699	701	0.1	RMS	699.497	11.87	30	Pass	601




7.3. LTE Band Edge(NLV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.69	-13	Pass	601
698.9	699	0.03	RMS	698.999	-28.02	-13	Pass	601
699	701	0.1	RMS	699.26	19.34	30	Pass	601




7.4. LTE Band Edge(NLV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.885	-28.36	-13	Pass	601
698.9	699	0.03	RMS	698.922	-32.72	-13	Pass	601
699	701	0.1	RMS	700.12	11.09	30	Pass	601




7.5. LTE Band Edge(NTLV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.75	20.71	30	Pass	601
716	716.1	0.03	RMS	716.001	-27.06	-13	Pass	601
716.1	725	0.1	RMS	716.1	-29.75	-13	Pass	601




7.6. LTE Band Edge(NTLV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.977	12.21	30	Pass	601
716	716.1	0.03	RMS	716.025	-30.65	-13	Pass	601
716.1	725	0.1	RMS	716.1	-26.17	-13	Pass	601




7.7. LTE Band Edge(NTLV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.753	19.68	30	Pass	601
716	716.1	0.03	RMS	716	-28.15	-13	Pass	601
716.1	725	0.1	RMS	716.1	-30.09	-13	Pass	601




7.8. LTE Band Edge(NTLV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.947	11.35	30	Pass	601
716	716.1	0.03	RMS	716.031	-31.18	-13	Pass	601
716.1	725	0.1	RMS	716.1	-26.54	-13	Pass	601




7.9. LTE Band Edge(NLV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.39	-13	Pass	601
698.9	699	0.03	RMS	699	-19.28	-13	Pass	601
699	702	0.1	RMS	699.25	20.57	30	Pass	601




7.10. LTE Band Edge(NTLV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.57	-13	Pass	601
698.9	699	0.03	RMS	699	-26.32	-13	Pass	601
699	702	0.1	RMS	700.43	8.31	30	Pass	601




7.11. LTE Band Edge(NTLV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.61	-13	Pass	601
698.9	699	0.03	RMS	699	-21.47	-13	Pass	601
699	702	0.1	RMS	699.23	19.67	30	Pass	601




7.12. LTE Band Edge(NTLV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.23	-13	Pass	601
698.9	699	0.03	RMS	699	-28.87	-13	Pass	601
699	702	0.1	RMS	701.415	7.37	30	Pass	601




7.13. LTE Band Edge(NTLV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.755	20.82	30	Pass	601
716	716.1	0.03	RMS	716	-18.88	-13	Pass	601
716.1	725	0.1	RMS	716.1	-23.98	-13	Pass	601




7.14. LTE Band Edge(NTLV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.065	8.49	30	Pass	601
716	716.1	0.03	RMS	716.002	-27.22	-13	Pass	601
716.1	725	0.1	RMS	716.1	-27.07	-13	Pass	601




7.15. LTE Band Edge(NTLV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.755	19.71	30	Pass	601
716	716.1	0.03	RMS	716	-21.63	-13	Pass	601
716.1	725	0.1	RMS	716.1	-26.94	-13	Pass	601




7.16. LTE Band Edge(NTLV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.475	7.57	30	Pass	601
716	716.1	0.03	RMS	716.001	-28.74	-13	Pass	601
716.1	725	0.1	RMS	716.1	-28.76	-13	Pass	601




7.17. LTE Band Edge(NTLV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.95	-13	Pass	601
698.9	699	0.03	RMS	699	-26.38	-13	Pass	601
699	704	0.1	RMS	699.333	20.34	30	Pass	601




7.18. LTE Band Edge(NTLV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.3	-13	Pass	601
698.9	699	0.03	RMS	699	-31.56	-13	Pass	601
699	704	0.1	RMS	700.658	6.47	30	Pass	601




7.19. LTE Band Edge(NTLV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.99	-13	Pass	601
698.9	699	0.03	RMS	698.999	-27.76	-13	Pass	601
699	704	0.1	RMS	699.35	19.59	30	Pass	601




7.20. LTE Band Edge(NTLV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.43	-13	Pass	601
698.9	699	0.03	RMS	699	-33.45	-13	Pass	601
699	704	0.1	RMS	700.667	5.49	30	Pass	601




7.21. LTE Band Edge(NTLV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.71	30	Pass	601
716	716.1	0.03	RMS	716	-26.47	-13	Pass	601
716.1	725	0.1	RMS	716.1	-31.24	-13	Pass	601




7.22. LTE Band Edge(NTLV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.1	6.47	30	Pass	601
716	716.1	0.03	RMS	716	-31.73	-13	Pass	601
716.1	725	0.1	RMS	716.1	-30.35	-13	Pass	601




7.23. LTE Band Edge(NTLV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.658	19.89	30	Pass	601
716	716.1	0.03	RMS	716	-27.24	-13	Pass	601
716.1	725	0.1	RMS	716.1	-32.54	-13	Pass	601




7.24. LTE Band Edge(NTLV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.583	5.56	30	Pass	601
716	716.1	0.03	RMS	716.001	-33.67	-13	Pass	601
716.1	725	0.1	RMS	716.1	-32.12	-13	Pass	601




7.25. LTE Band Edge(NTLV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-40.06	-13	Pass	601
698.9	699	0.03	RMS	698.999	-41.21	-13	Pass	601
699	709	0.1	RMS	699.583	20.51	30	Pass	601




7.26. LTE Band Edge(NTLV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.92	-13	Pass	601
698.9	699	0.03	RMS	699	-35.06	-13	Pass	601
699	709	0.1	RMS	700.917	3.43	30	Pass	601




7.27. LTE Band Edge(NTLV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-41.46	-13	Pass	601
698.9	699	0.03	RMS	698.999	-42.27	-13	Pass	601
699	709	0.1	RMS	699.583	19.66	30	Pass	601




7.28. LTE Band Edge(NTLV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.64	-13	Pass	601
698.9	699	0.03	RMS	699	-37.94	-13	Pass	601
699	709	0.1	RMS	700.35	2.46	30	Pass	601




7.29. LTE Band Edge(NTLV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.417	20.67	30	Pass	601
716	716.1	0.03	RMS	716.001	-41.6	-13	Pass	601
716.1	725	0.1	RMS	716.1	-40.58	-13	Pass	601




7.30. LTE Band Edge(NTLV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	709.867	3.54	30	Pass	601
716	716.1	0.03	RMS	716.013	-37.91	-13	Pass	601
716.1	725	0.1	RMS	716.1	-34.5	-13	Pass	601




7.31. LTE Band Edge(NTLV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.417	19.71	30	Pass	601
716	716.1	0.03	RMS	716	-42.6	-13	Pass	601
716.1	725	0.1	RMS	716.1	-42.77	-13	Pass	601



7.32. LTE Band Edge(NTLV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	710.35	2.53	30	Pass	601
716	716.1	0.03	RMS	716.004	-39.67	-13	Pass	601
716.1	725	0.1	RMS	716.1	-35.81	-13	Pass	601



8. LTE_Band66


8.1. LTE Band Edge(NTLV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.18	-13	Pass	601
1708	1709	1	RMS	1709	-33.36	-13	Pass	2
1709	1710	0.02	RMS	1709.997	-29.23	-13	Pass	601
1710	1712	0.1	RMS	1710.25	20.35	30	Pass	601




8.2. LTE Band Edge(NTLV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.97	-13	Pass	601
1708	1709	1	RMS	1709	-22.72	-13	Pass	2
1709	1710	0.02	RMS	1709.928	-33.25	-13	Pass	601
1710	1712	0.1	RMS	1710.48	11.78	30	Pass	601




8.3. LTE Band Edge(NTLV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.95	-13	Pass	601
1708	1709	1	RMS	1709	-34.66	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-29.72	-13	Pass	601
1710	1712	0.1	RMS	1710.25	19.14	30	Pass	601




8.4. LTE Band Edge(NTLV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.85	-13	Pass	601
1708	1709	1	RMS	1709	-23.34	-13	Pass	2
1709	1710	0.02	RMS	1709.928	-33.04	-13	Pass	601
1710	1712	0.1	RMS	1711.123	10.87	30	Pass	601




8.5. LTE Band Edge(NLV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.747	20.15	30	Pass	601
1780	1781	0.02	RMS	1780	-29.72	-13	Pass	601
1781	1782	1	RMS	1781	-35.22	-13	Pass	2
1782	1790	1	RMS	1782	-40.17	-13	Pass	601




8.6. LTE Band Edge(NTLV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.44	11.68	30	Pass	601
1780	1781	0.02	RMS	1780.065	-35.09	-13	Pass	601
1781	1782	1	RMS	1781	-22.53	-13	Pass	2
1782	1790	1	RMS	1782	-28.37	-13	Pass	601




8.7. LTE Band Edge(NTLV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.743	19.18	30	Pass	601
1780	1781	0.02	RMS	1780	-30.28	-13	Pass	601
1781	1782	1	RMS	1781	-36.24	-13	Pass	2
1782	1790	1	RMS	1782	-41.12	-13	Pass	601




8.8. LTE Band Edge(NTLV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.953	10.83	30	Pass	601
1780	1781	0.02	RMS	1780.063	-33.69	-13	Pass	601
1781	1782	1	RMS	1781	-22.88	-13	Pass	2
1782	1790	1	RMS	1782	-29.72	-13	Pass	601




8.9. LTE Band Edge(NTLV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.72	-36.39	-13	Pass	601
1708	1709	1	RMS	1709	-35.4	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.35	-13	Pass	601
1710	1713	0.1	RMS	1710.235	20.41	30	Pass	601




8.10. LTE Band Edge(NTLV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.15	-13	Pass	601
1708	1709	1	RMS	1709	-23.95	-13	Pass	2
1709	1710	0.03	RMS	1710	-25.7	-13	Pass	601
1710	1713	0.1	RMS	1711.435	8.04	30	Pass	601




8.11. LTE Band Edge(NTLV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.84	-37.39	-13	Pass	601
1708	1709	1	RMS	1709	-35.99	-13	Pass	2
1709	1710	0.03	RMS	1710	-20.86	-13	Pass	601
1710	1713	0.1	RMS	1710.24	19.43	30	Pass	601




8.12. LTE Band Edge(NTLV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.46	-13	Pass	601
1708	1709	1	RMS	1709	-22.95	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-28.96	-13	Pass	601
1710	1713	0.1	RMS	1712.395	7.1	30	Pass	601




8.13. LTE Band Edge(NTLV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.755	20.26	30	Pass	601
1780	1781	0.03	RMS	1780	-19.91	-13	Pass	601
1781	1782	1	RMS	1781	-34.73	-13	Pass	2
1782	1790	1	RMS	1782.067	-38.78	-13	Pass	601




8.14. LTE Band Edge(NTLV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.055	7.96	30	Pass	601
1780	1781	0.03	RMS	1780.002	-27.77	-13	Pass	601
1781	1782	1	RMS	1782	-24.87	-13	Pass	2
1782	1790	1	RMS	1782.013	-24.95	-13	Pass	601




8.15. LTE Band Edge(NTLV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	19.32	30	Pass	601
1780	1781	0.03	RMS	1780.002	-22	-13	Pass	601
1781	1782	1	RMS	1781	-35.2	-13	Pass	2
1782	1790	1	RMS	1782	-39.34	-13	Pass	601




8.16. LTE Band Edge(NTLV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.515	6.89	30	Pass	601
1780	1781	0.03	RMS	1780	-28.92	-13	Pass	601
1781	1782	1	RMS	1781	-23.18	-13	Pass	2
1782	1790	1	RMS	1782	-25.28	-13	Pass	601




8.17. LTE Band Edge(NTLV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.56	-13	Pass	601
1708	1709	1	RMS	1708	-37.5	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-23.18	-13	Pass	601
1710	1715	0.1	RMS	1710.325	20.2	30	Pass	601




8.18. LTE Band Edge(NTLV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-26.21	-13	Pass	601
1708	1709	1	RMS	1709	-25.93	-13	Pass	2
1709	1710	0.051	RMS	1710	-28.69	-13	Pass	601
1710	1715	0.1	RMS	1711.667	6.05	30	Pass	601




8.19. LTE Band Edge(NTLV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.83	-13	Pass	601
1708	1709	1	RMS	1708	-37.68	-13	Pass	2
1709	1710	0.051	RMS	1710	-24.18	-13	Pass	601
1710	1715	0.1	RMS	1710.35	19.46	30	Pass	601




8.20. LTE Band Edge(NTLV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-25.43	-13	Pass	601
1708	1709	1	RMS	1709	-24.76	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.27	-13	Pass	601
1710	1715	0.1	RMS	1711.675	5.04	30	Pass	601




8.21. LTE Band Edge(NTLV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.658	20.17	30	Pass	601
1780	1781	0.051	RMS	1780.002	-23.76	-13	Pass	601
1781	1782	1	RMS	1782	-36.99	-13	Pass	2
1782	1790	1	RMS	1782	-37.13	-13	Pass	601




8.22. LTE Band Edge(NTLV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.842	5.82	30	Pass	601
1780	1781	0.051	RMS	1780.002	-29.65	-13	Pass	601
1781	1782	1	RMS	1781	-26.51	-13	Pass	2
1782	1790	1	RMS	1783.013	-26.6	-13	Pass	601




8.23. LTE Band Edge(NTLV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.642	19.31	30	Pass	601
1780	1781	0.051	RMS	1780	-23.9	-13	Pass	601
1781	1782	1	RMS	1782	-36.96	-13	Pass	2
1782	1790	1	RMS	1782	-37.29	-13	Pass	601




8.24. LTE Band Edge(NTLV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.25	4.83	30	Pass	601
1780	1781	0.051	RMS	1780	-31.65	-13	Pass	601
1781	1782	1	RMS	1781	-24.64	-13	Pass	2
1782	1790	1	RMS	1782	-25.37	-13	Pass	601




8.25. LTE Band Edge(NTLV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-39.26	-13	Pass	601
1708	1709	1	RMS	1709	-39.19	-13	Pass	2
1709	1710	0.1	RMS	1710	-31.92	-13	Pass	601
1710	1720	0.1	RMS	1710.6	20.34	30	Pass	601




8.26. LTE Band Edge(NTLV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.987	-29.81	-13	Pass	601
1708	1709	1	RMS	1709	-29.15	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-29.96	-13	Pass	601
1710	1720	0.1	RMS	1711.95	2.99	30	Pass	601




8.27. LTE Band Edge(NTLV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.173	-39.46	-13	Pass	601
1708	1709	1	RMS	1709	-39.99	-13	Pass	2
1709	1710	0.1	RMS	1709.997	-33.48	-13	Pass	601
1710	1720	0.1	RMS	1710.583	19.46	30	Pass	601




8.28. LTE Band Edge(NTLV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.98	-13	Pass	601
1708	1709	1	RMS	1709	-27.72	-13	Pass	2
1709	1710	0.1	RMS	1710	-34	-13	Pass	601
1710	1720	0.1	RMS	1711.383	2.11	30	Pass	601




8.29. LTE Band Edge(NTLV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.12	30	Pass	601
1780	1781	0.1	RMS	1780	-32.13	-13	Pass	601
1781	1782	1	RMS	1781	-39.04	-13	Pass	2
1782	1790	1	RMS	1783.773	-38.09	-13	Pass	601




8.30. LTE Band Edge(NTLV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1773.833	2.91	30	Pass	601
1780	1781	0.1	RMS	1780.007	-31.56	-13	Pass	601
1781	1782	1	RMS	1781	-28.61	-13	Pass	2
1782	1790	1	RMS	1782	-29.58	-13	Pass	601




8.31. LTE Band Edge(NTLV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.2	30	Pass	601
1780	1781	0.1	RMS	1780.002	-33.62	-13	Pass	601
1781	1782	1	RMS	1781	-40.04	-13	Pass	2
1782	1790	1	RMS	1783.747	-38.22	-13	Pass	601




8.32. LTE Band Edge(NTLV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1771.233	1.85	30	Pass	601
1780	1781	0.1	RMS	1780.002	-34.19	-13	Pass	601
1781	1782	1	RMS	1781	-26.97	-13	Pass	2
1782	1790	1	RMS	1782	-27.42	-13	Pass	601




8.33. LTE Band Edge(NTLV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.16	-40.31	-13	Pass	601
1708	1709	1	RMS	1709	-39.15	-13	Pass	2
1709	1710	0.15	RMS	1709.997	-30.59	-13	Pass	601
1710	1725	0.1	RMS	1710.85	20.35	30	Pass	601




8.34. LTE Band Edge(NTLV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.45	-13	Pass	601
1708	1709	1	RMS	1709	-29.71	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.21	-13	Pass	601
1710	1725	0.1	RMS	1713.575	1.13	30	Pass	601




8.35. LTE Band Edge(NTLV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.16	-39.83	-13	Pass	601
1708	1709	1	RMS	1709	-39.44	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-31.17	-13	Pass	601
1710	1725	0.1	RMS	1710.825	19.52	30	Pass	601




8.36. LTE Band Edge(NTLV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.027	-29.31	-13	Pass	601
1708	1709	1	RMS	1709	-28.34	-13	Pass	2
1709	1710	0.15	RMS	1709.997	-34.35	-13	Pass	601
1710	1725	0.1	RMS	1712.025	0.31	30	Pass	601




8.37. LTE Band Edge(NTLV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.15	20.21	30	Pass	601
1780	1781	0.15	RMS	1780	-31.22	-13	Pass	601
1781	1782	1	RMS	1781	-39.4	-13	Pass	2
1782	1790	1	RMS	1785.8	-38.62	-13	Pass	601




8.38. LTE Band Edge(NTLV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1770.3	1.21	30	Pass	601
1780	1781	0.15	RMS	1780.002	-30.43	-13	Pass	601
1781	1782	1	RMS	1781	-29.89	-13	Pass	2
1782	1790	1	RMS	1782.027	-29.92	-13	Pass	601




8.39. LTE Band Edge(NTLV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.15	19.19	30	Pass	601
1780	1781	0.15	RMS	1780	-31.82	-13	Pass	601
1781	1782	1	RMS	1781	-39.83	-13	Pass	2
1782	1790	1	RMS	1785.773	-38.23	-13	Pass	601




8.40. LTE Band Edge(NTLV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1768.8	0.32	30	Pass	601
1780	1781	0.15	RMS	1780.002	-34.51	-13	Pass	601
1781	1782	1	RMS	1781	-28.05	-13	Pass	2
1782	1790	1	RMS	1782.653	-28.28	-13	Pass	601




8.41. LTE Band Edge(NTLV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.6	-13	Pass	601
1708	1709	1	RMS	1709	-39.66	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-31.35	-13	Pass	601
1710	1730	0.1	RMS	1711.1	20.47	30	Pass	601




8.42. LTE Band Edge(NTLV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.693	-32.53	-13	Pass	601
1708	1709	1	RMS	1709	-32.91	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-31.59	-13	Pass	601
1710	1730	0.1	RMS	1727.6	-0.15	30	Pass	601




8.43. LTE Band Edge(NTLV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.17	-13	Pass	601
1708	1709	1	RMS	1709	-40.18	-13	Pass	2
1709	1710	0.2	RMS	1710	-31.19	-13	Pass	601
1710	1730	0.1	RMS	1711.1	19.55	30	Pass	601




8.44. LTE Band Edge(NTLV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.987	-30.93	-13	Pass	601
1708	1709	1	RMS	1709	-30.62	-13	Pass	2
1709	1710	0.2	RMS	1709.997	-35.11	-13	Pass	601
1710	1730	0.1	RMS	1722.967	-1.09	30	Pass	601




8.45. LTE Band Edge(NTLV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.04	30	Pass	601
1780	1781	0.2	RMS	1780	-32.02	-13	Pass	601
1781	1782	1	RMS	1781	-39.51	-13	Pass	2
1782	1790	1	RMS	1787.76	-40.65	-13	Pass	601




8.46. LTE Band Edge(NTLV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766.3	0.15	30	Pass	601
1780	1781	0.2	RMS	1780.008	-31.79	-13	Pass	601
1781	1782	1	RMS	1781	-31.81	-13	Pass	2
1782	1790	1	RMS	1782.293	-31.86	-13	Pass	601




8.47. LTE Band Edge(NTLV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.05	30	Pass	601
1780	1781	0.2	RMS	1780.003	-32.42	-13	Pass	601
1781	1782	1	RMS	1781	-40.28	-13	Pass	2
1782	1790	1	RMS	1787.8	-41.21	-13	Pass	601



8.48. LTE Band Edge(NTLV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766.933	-0.82	30	Pass	601
1780	1781	0.2	RMS	1780	-34.65	-13	Pass	601
1781	1782	1	RMS	1781	-29.68	-13	Pass	2
1782	1790	1	RMS	1782.027	-30.04	-13	Pass	601



END