


Annex A.6 Band Edge

1. WCDMA_Band2


1.1. WCDMA Band Edge(NTLV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-29.98	-13	Pass	41
1849	1850	0.051	RMS	1850	-28.55	-13	Pass	401
1850	1855	0.1	RMS	1851.538	7.4	35	Pass	401



1.2. WCDMA Band Edge(NTLV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1908.013	7.53	35	Pass	401
1910	1911	0.051	RMS	1910	-25.33	-13	Pass	401
1911	1915	1	RMS	1911	-29.64	-13	Pass	41



2. WCDMA_Band4


2.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-24.89	-13	Pass	41
1709	1710	0.051	RMS	1710	-24.28	-13	Pass	401
1710	1715	0.1	RMS	1711.463	8	35	Pass	401



2.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.763	7.72	35	Pass	401
1755	1756	0.051	RMS	1755	-25.38	-13	Pass	401
1756	1760	1	RMS	1756	-30.22	-13	Pass	41



3. WCDMA_Band5


3.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.843	-39.3	-13	Pass	401
823	824	0.051	RMS	824	-26.96	-13	Pass	401
824	829	0.1	RMS	827.3	7.75	35	Pass	401



3.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.675	8.05	35	Pass	401
849	850	0.051	RMS	849	-27.32	-13	Pass	401
850	855	0.1	RMS	850.213	-39.2	-13	Pass	401



4. LTE_Band2


4.1. LTE Band Edge(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.93	-13	Pass	401
1848	1849	1	RMS	1849	-39.17	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-30.52	-13	Pass	401
1850	1852	0.1	RMS	1850.255	20.32	30	Pass	401




4.2. LTE Band Edge(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.96	-13	Pass	401
1848	1849	1	RMS	1849	-27.94	-13	Pass	2
1849	1850	0.02	RMS	1850	-31.29	-13	Pass	401
1850	1852	0.1	RMS	1850.28	11.75	30	Pass	401




4.3. LTE Band Edge(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.7	-13	Pass	401
1848	1849	1	RMS	1849	-40.38	-13	Pass	2
1849	1850	0.02	RMS	1850	-32.66	-13	Pass	401
1850	1852	0.1	RMS	1850.25	19.25	30	Pass	401




4.4. LTE Band Edge(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.58	-13	Pass	401
1848	1849	1	RMS	1849	-29.6	-13	Pass	2
1849	1850	0.02	RMS	1849.965	-32.94	-13	Pass	401
1850	1852	0.1	RMS	1851.11	10.85	30	Pass	401



4.5. LTE Band Edge(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	20.26	30	Pass	401
1910	1911	0.02	RMS	1910.005	-30	-13	Pass	401
1911	1912	1	RMS	1911	-39.68	-13	Pass	2
1912	1920	1	RMS	1912	-44.62	-13	Pass	401




4.6. LTE Band Edge(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.455	11.77	30	Pass	401
1910	1911	0.02	RMS	1910.005	-34.93	-13	Pass	401
1911	1912	1	RMS	1911	-29.23	-13	Pass	2
1912	1920	1	RMS	1912	-36.43	-13	Pass	401




4.7. LTE Band Edge(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.75	19.4	30	Pass	401
1910	1911	0.02	RMS	1910.005	-31.21	-13	Pass	401
1911	1912	1	RMS	1911	-40.62	-13	Pass	2
1912	1920	1	RMS	1912	-45.21	-13	Pass	401




4.8. LTE Band Edge(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.96	10.86	30	Pass	401
1910	1911	0.02	RMS	1910	-36.35	-13	Pass	401
1911	1912	1	RMS	1911	-30.06	-13	Pass	2
1912	1920	1	RMS	1912	-38.14	-13	Pass	401




4.9. LTE Band Edge(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.73	-13	Pass	401
1848	1849	1	RMS	1849	-39.23	-13	Pass	2
1849	1850	0.03	RMS	1850	-22.1	-13	Pass	401
1850	1853	0.1	RMS	1850.233	20.38	30	Pass	401




4.10. LTE Band Edge(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.16	-13	Pass	401
1848	1849	1	RMS	1849	-23.39	-13	Pass	2
1849	1850	0.03	RMS	1850	-27.27	-13	Pass	401
1850	1853	0.1	RMS	1852.693	8.15	30	Pass	401




4.11. LTE Band Edge(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.43	-13	Pass	401
1848	1849	1	RMS	1849	-39.97	-13	Pass	2
1849	1850	0.03	RMS	1850	-23.01	-13	Pass	401
1850	1853	0.1	RMS	1850.248	19.55	30	Pass	401




4.12. LTE Band Edge(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.11	-13	Pass	401
1848	1849	1	RMS	1849	-23.98	-13	Pass	2
1849	1850	0.03	RMS	1849.998	-28.95	-13	Pass	401
1850	1853	0.1	RMS	1852.43	7.25	30	Pass	401



4.13. LTE Band Edge(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	20.39	30	Pass	401
1910	1911	0.03	RMS	1910	-19.91	-13	Pass	401
1911	1912	1	RMS	1911	-38.94	-13	Pass	2
1912	1920	1	RMS	1912.68	-44.92	-13	Pass	401




4.14. LTE Band Edge(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.058	8.07	30	Pass	401
1910	1911	0.03	RMS	1910	-27.84	-13	Pass	401
1911	1912	1	RMS	1911	-25.54	-13	Pass	2
1912	1920	1	RMS	1912	-29.95	-13	Pass	401



4.15. LTE Band Edge(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	19.4	30	Pass	401
1910	1911	0.03	RMS	1910	-20.67	-13	Pass	401
1911	1912	1	RMS	1911	-39.92	-13	Pass	2
1912	1920	1	RMS	1912	-45.74	-13	Pass	401




4.16. LTE Band Edge(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.723	7.01	30	Pass	401
1910	1911	0.03	RMS	1910	-27.99	-13	Pass	401
1911	1912	1	RMS	1911	-26.46	-13	Pass	2
1912	1920	1	RMS	1912	-30.78	-13	Pass	401




4.17. LTE Band Edge(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-41.9	-13	Pass	401
1848	1849	1	RMS	1849	-41.88	-13	Pass	2
1849	1850	0.051	RMS	1850	-24.34	-13	Pass	401
1850	1855	0.1	RMS	1850.338	20.21	30	Pass	401




4.18. LTE Band Edge(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.46	-13	Pass	401
1848	1849	1	RMS	1849	-24.58	-13	Pass	2
1849	1850	0.051	RMS	1850	-30.17	-13	Pass	401
1850	1855	0.1	RMS	1851.663	5.89	30	Pass	401




4.19. LTE Band Edge(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.9	-13	Pass	401
1848	1849	1	RMS	1849	-42.79	-13	Pass	2
1849	1850	0.051	RMS	1850	-25	-13	Pass	401
1850	1855	0.1	RMS	1850.35	19.52	30	Pass	401




4.20. LTE Band Edge(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.12	-13	Pass	401
1848	1849	1	RMS	1849	-25.22	-13	Pass	2
1849	1850	0.051	RMS	1850	-31.38	-13	Pass	401
1850	1855	0.1	RMS	1851.713	4.91	30	Pass	401



4.21. LTE Band Edge(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	20.33	30	Pass	401
1910	1911	0.051	RMS	1910	-22.87	-13	Pass	401
1911	1912	1	RMS	1911	-41.92	-13	Pass	2
1912	1920	1	RMS	1912	-42.23	-13	Pass	401




4.22. LTE Band Edge(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	6.09	30	Pass	401
1910	1911	0.051	RMS	1910.003	-30.07	-13	Pass	401
1911	1912	1	RMS	1911	-25.84	-13	Pass	2
1912	1920	1	RMS	1912	-28.32	-13	Pass	401




4.23. LTE Band Edge(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.675	19.44	30	Pass	401
1910	1911	0.051	RMS	1910	-23.77	-13	Pass	401
1911	1912	1	RMS	1911	-42.39	-13	Pass	2
1912	1920	1	RMS	1912	-43.13	-13	Pass	401




4.24. LTE Band Edge(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.25	5.03	30	Pass	401
1910	1911	0.051	RMS	1910	-31.17	-13	Pass	401
1911	1912	1	RMS	1911	-27.07	-13	Pass	2
1912	1920	1	RMS	1912	-28.8	-13	Pass	401




4.25. LTE Band Edge(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.22	-43.57	-13	Pass	401
1848	1849	1	RMS	1849	-43.96	-13	Pass	2
1849	1850	0.1	RMS	1850	-35.35	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.45	30	Pass	401




4.26. LTE Band Edge(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.35	-13	Pass	401
1848	1849	1	RMS	1849	-28.15	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-34.07	-13	Pass	401
1850	1860	0.1	RMS	1859.375	3.16	30	Pass	401




4.27. LTE Band Edge(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.18	-44.35	-13	Pass	401
1848	1849	1	RMS	1849	-44.45	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-35.51	-13	Pass	401
1850	1860	0.1	RMS	1850.6	19.76	30	Pass	401




4.28. LTE Band Edge(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.58	-13	Pass	401
1848	1849	1	RMS	1849	-28.8	-13	Pass	2
1849	1850	0.1	RMS	1850	-35.24	-13	Pass	401
1850	1860	0.1	RMS	1858.375	2.09	30	Pass	401




4.29. LTE Band Edge(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	20.41	30	Pass	401
1910	1911	0.1	RMS	1910	-33.73	-13	Pass	401
1911	1912	1	RMS	1911	-43.5	-13	Pass	2
1912	1920	1	RMS	1913.78	-43.88	-13	Pass	401




4.30. LTE Band Edge(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1902.425	3.11	30	Pass	401
1910	1911	0.1	RMS	1910	-35.04	-13	Pass	401
1911	1912	1	RMS	1911	-29.02	-13	Pass	2
1912	1920	1	RMS	1912	-29.89	-13	Pass	401




4.31. LTE Band Edge(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	19.43	30	Pass	401
1910	1911	0.1	RMS	1910	-34.59	-13	Pass	401
1911	1912	1	RMS	1911	-44.18	-13	Pass	2
1912	1920	1	RMS	1913.78	-44.75	-13	Pass	401




4.32. LTE Band Edge(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1901.225	2.3	30	Pass	401
1910	1911	0.1	RMS	1910	-36.3	-13	Pass	401
1911	1912	1	RMS	1911	-30.27	-13	Pass	2
1912	1920	1	RMS	1912	-30.86	-13	Pass	401




4.33. LTE Band Edge(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.14	-43.97	-13	Pass	401
1848	1849	1	RMS	1849	-44.86	-13	Pass	2
1849	1850	0.15	RMS	1850	-32.86	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.39	30	Pass	401




4.34. LTE Band Edge(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.96	-13	Pass	401
1848	1849	1	RMS	1849	-31.29	-13	Pass	2
1849	1850	0.15	RMS	1850	-37.02	-13	Pass	401
1850	1865	0.1	RMS	1863.163	1.77	30	Pass	401




4.35. LTE Band Edge(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.14	-44.73	-13	Pass	401
1848	1849	1	RMS	1849	-45.22	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-33.24	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.47	30	Pass	401




4.36. LTE Band Edge(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-32.17	-13	Pass	401
1848	1849	1	RMS	1849	-31.38	-13	Pass	2
1849	1850	0.15	RMS	1850	-37.73	-13	Pass	401
1850	1865	0.1	RMS	1864.1	0.83	30	Pass	401




4.37. LTE Band Edge(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.39	30	Pass	401
1910	1911	0.15	RMS	1910	-31.85	-13	Pass	401
1911	1912	1	RMS	1911	-44.29	-13	Pass	2
1912	1920	1	RMS	1912.06	-44.45	-13	Pass	401




4.38. LTE Band Edge(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.863	1.79	30	Pass	401
1910	1911	0.15	RMS	1910	-36.47	-13	Pass	401
1911	1912	1	RMS	1911	-29	-13	Pass	2
1912	1920	1	RMS	1912.84	-29.94	-13	Pass	401




4.39. LTE Band Edge(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.4	30	Pass	401
1910	1911	0.15	RMS	1910	-32.43	-13	Pass	401
1911	1912	1	RMS	1911	-44.85	-13	Pass	2
1912	1920	1	RMS	1915.82	-45.96	-13	Pass	401




4.40. LTE Band Edge(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1897.25	0.7	30	Pass	401
1910	1911	0.15	RMS	1910	-37.26	-13	Pass	401
1911	1912	1	RMS	1911	-30.46	-13	Pass	2
1912	1920	1	RMS	1912.76	-31.35	-13	Pass	401




4.41. LTE Band Edge(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1842.28	-43.78	-13	Pass	401
1848	1849	1	RMS	1849	-43.63	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-33.71	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.37	30	Pass	401




4.42. LTE Band Edge(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.66	-13	Pass	401
1848	1849	1	RMS	1849	-33.68	-13	Pass	2
1849	1850	0.2	RMS	1849.985	-38.24	-13	Pass	401
1850	1870	0.1	RMS	1866.6	0.51	30	Pass	401




4.43. LTE Band Edge(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1842.26	-44.61	-13	Pass	401
1848	1849	1	RMS	1849	-44.21	-13	Pass	2
1849	1850	0.2	RMS	1849.995	-33.38	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.62	30	Pass	401




4.44. LTE Band Edge(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.57	-13	Pass	401
1848	1849	1	RMS	1849	-34.02	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-38.7	-13	Pass	401
1850	1870	0.1	RMS	1862.95	-0.4	30	Pass	401




4.45. LTE Band Edge(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.3	30	Pass	401
1910	1911	0.2	RMS	1910.005	-32.86	-13	Pass	401
1911	1912	1	RMS	1911	-43.89	-13	Pass	2
1912	1920	1	RMS	1912	-44.82	-13	Pass	401




4.46. LTE Band Edge(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1896.3	0.68	30	Pass	401
1910	1911	0.2	RMS	1910.005	-37.5	-13	Pass	401
1911	1912	1	RMS	1911	-32.52	-13	Pass	2
1912	1920	1	RMS	1912.02	-33.1	-13	Pass	401




4.47. LTE Band Edge(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.22	30	Pass	401
1910	1911	0.2	RMS	1910	-32.81	-13	Pass	401
1911	1912	1	RMS	1911	-44.59	-13	Pass	2
1912	1920	1	RMS	1912	-45.74	-13	Pass	401



4.48. LTE Band Edge(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1896.95	-0.29	30	Pass	401
1910	1911	0.2	RMS	1910	-38.91	-13	Pass	401
1911	1912	1	RMS	1911	-33.8	-13	Pass	2
1912	1920	1	RMS	1912	-34.03	-13	Pass	401



5. LTE_Band4


5.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.91	-13	Pass	401
1708	1709	1	RMS	1709	-39.11	-13	Pass	2
1709	1710	0.02	RMS	1710	-26.37	-13	Pass	401
1710	1712	0.1	RMS	1710.25	20.36	30	Pass	401




5.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.94	-13	Pass	401
1708	1709	1	RMS	1709	-25.24	-13	Pass	2
1709	1710	0.02	RMS	1709.985	-33.89	-13	Pass	401
1710	1712	0.1	RMS	1710.295	11.94	30	Pass	401




5.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.85	-13	Pass	401
1708	1709	1	RMS	1709	-40.6	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-29.02	-13	Pass	401
1710	1712	0.1	RMS	1710.255	19.18	30	Pass	401




5.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.4	-13	Pass	401
1708	1709	1	RMS	1709	-27.69	-13	Pass	2
1709	1710	0.02	RMS	1709.99	-35.27	-13	Pass	401
1710	1712	0.1	RMS	1710.915	10.83	30	Pass	401




5.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	20.08	30	Pass	401
1755	1756	0.02	RMS	1755.005	-31.64	-13	Pass	401
1756	1757	1	RMS	1756	-40.9	-13	Pass	2
1757	1765	1	RMS	1757.02	-44.67	-13	Pass	401




5.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.945	11.62	30	Pass	401
1755	1756	0.02	RMS	1755.04	-34.51	-13	Pass	401
1756	1757	1	RMS	1756	-31.12	-13	Pass	2
1757	1765	1	RMS	1757	-37.1	-13	Pass	401




5.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.76	19.11	30	Pass	401
1755	1756	0.02	RMS	1755.003	-32.81	-13	Pass	401
1756	1757	1	RMS	1756	-41.9	-13	Pass	2
1757	1765	1	RMS	1757	-45.51	-13	Pass	401




5.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.965	10.7	30	Pass	401
1755	1756	0.02	RMS	1755.025	-35.7	-13	Pass	401
1756	1757	1	RMS	1756	-31.14	-13	Pass	2
1757	1765	1	RMS	1757	-38.35	-13	Pass	401




5.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.06	-13	Pass	401
1708	1709	1	RMS	1709	-39.32	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.06	-13	Pass	401
1710	1713	0.1	RMS	1710.24	20.39	30	Pass	401




5.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-26.17	-13	Pass	401
1708	1709	1	RMS	1709	-23.76	-13	Pass	2
1709	1710	0.03	RMS	1710	-25.91	-13	Pass	401
1710	1713	0.1	RMS	1710.285	8.35	30	Pass	401




5.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.82	-43.93	-13	Pass	401
1708	1709	1	RMS	1709	-40.06	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.85	-13	Pass	401
1710	1713	0.1	RMS	1710.24	19.49	30	Pass	401




5.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.32	-13	Pass	401
1708	1709	1	RMS	1709	-25.52	-13	Pass	2
1709	1710	0.03	RMS	1710	-27.7	-13	Pass	401
1710	1713	0.1	RMS	1710.383	7.24	30	Pass	401




5.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	20.14	30	Pass	401
1755	1756	0.03	RMS	1755	-21.02	-13	Pass	401
1756	1757	1	RMS	1756	-40.37	-13	Pass	2
1757	1765	1	RMS	1757.68	-44.78	-13	Pass	401




5.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.255	8.06	30	Pass	401
1755	1756	0.03	RMS	1755	-28.49	-13	Pass	401
1756	1757	1	RMS	1756	-26.96	-13	Pass	2
1757	1765	1	RMS	1757	-32.46	-13	Pass	401



5.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	19.16	30	Pass	401
1755	1756	0.03	RMS	1755	-21.52	-13	Pass	401
1756	1757	1	RMS	1756	-41.37	-13	Pass	2
1757	1765	1	RMS	1757.14	-46.03	-13	Pass	401




5.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.458	7.08	30	Pass	401
1755	1756	0.03	RMS	1755	-29.02	-13	Pass	401
1756	1757	1	RMS	1756	-27.52	-13	Pass	2
1757	1765	1	RMS	1757	-32.69	-13	Pass	401




5.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.66	-13	Pass	401
1708	1709	1	RMS	1709	-41.88	-13	Pass	2
1709	1710	0.051	RMS	1710	-22.28	-13	Pass	401
1710	1715	0.1	RMS	1710.325	20.17	30	Pass	401




5.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.84	-13	Pass	401
1708	1709	1	RMS	1709	-25.09	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.64	-13	Pass	401
1710	1715	0.1	RMS	1710.375	6.35	30	Pass	401




5.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.86	-13	Pass	401
1708	1709	1	RMS	1709	-43.11	-13	Pass	2
1709	1710	0.051	RMS	1710	-23.34	-13	Pass	401
1710	1715	0.1	RMS	1710.338	19.46	30	Pass	401




5.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-27.4	-13	Pass	401
1708	1709	1	RMS	1709	-26.61	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.66	-13	Pass	401
1710	1715	0.1	RMS	1710.363	5.51	30	Pass	401




5.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	20.12	30	Pass	401
1755	1756	0.051	RMS	1755	-23.41	-13	Pass	401
1756	1757	1	RMS	1756	-43.03	-13	Pass	2
1757	1765	1	RMS	1757.02	-43.24	-13	Pass	401




5.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1750.363	6.05	30	Pass	401
1755	1756	0.051	RMS	1755.003	-32.31	-13	Pass	401
1756	1757	1	RMS	1756	-36.8	-13	Pass	2
1757	1765	1	RMS	1757	-38.16	-13	Pass	401




5.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	19.26	30	Pass	401
1755	1756	0.051	RMS	1755	-24.17	-13	Pass	401
1756	1757	1	RMS	1756	-43.76	-13	Pass	2
1757	1765	1	RMS	1757.02	-44.13	-13	Pass	401




5.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1750.6	5.2	30	Pass	401
1755	1756	0.051	RMS	1755	-33.2	-13	Pass	401
1756	1757	1	RMS	1756	-36.71	-13	Pass	2
1757	1765	1	RMS	1757	-38	-13	Pass	401




5.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.28	-44.13	-13	Pass	401
1708	1709	1	RMS	1709	-44.05	-13	Pass	2
1709	1710	0.1	RMS	1710	-33.86	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.35	30	Pass	401




5.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-24.13	-13	Pass	401
1708	1709	1	RMS	1709	-23.31	-13	Pass	2
1709	1710	0.1	RMS	1710	-30.75	-13	Pass	401
1710	1720	0.1	RMS	1710.875	3.89	30	Pass	401




5.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.12	-44.74	-13	Pass	401
1708	1709	1	RMS	1709	-44.3	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-34.14	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.54	30	Pass	401




5.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-24.75	-13	Pass	401
1708	1709	1	RMS	1709	-24.3	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-32.01	-13	Pass	401
1710	1720	0.1	RMS	1710.75	2.84	30	Pass	401



5.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.03	30	Pass	401
1755	1756	0.1	RMS	1755	-34.78	-13	Pass	401
1756	1757	1	RMS	1756	-44.73	-13	Pass	2
1757	1765	1	RMS	1758.86	-44.37	-13	Pass	401




5.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1745.8	3.38	30	Pass	401
1755	1756	0.1	RMS	1755	-39.43	-13	Pass	401
1756	1757	1	RMS	1756	-38.24	-13	Pass	2
1757	1765	1	RMS	1757.04	-39.11	-13	Pass	401



5.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	19.03	30	Pass	401
1755	1756	0.1	RMS	1755	-35.58	-13	Pass	401
1756	1757	1	RMS	1756	-45.53	-13	Pass	2
1757	1765	1	RMS	1758.84	-45.58	-13	Pass	401




5.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.225	2.55	30	Pass	401
1755	1756	0.1	RMS	1755	-40.33	-13	Pass	401
1756	1757	1	RMS	1756	-38.96	-13	Pass	2
1757	1765	1	RMS	1757.02	-39.46	-13	Pass	401




5.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-44.65	-13	Pass	401
1708	1709	1	RMS	1709	-44.47	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.04	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.15	30	Pass	401




5.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-23.45	-13	Pass	401
1708	1709	1	RMS	1708	-23.55	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-31.05	-13	Pass	401
1710	1725	0.1	RMS	1710.938	2.31	30	Pass	401




5.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.12	-13	Pass	401
1708	1709	1	RMS	1709	-44.62	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-32.45	-13	Pass	401
1710	1725	0.1	RMS	1710.863	19.36	30	Pass	401




5.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.61	-13	Pass	401
1708	1709	1	RMS	1708	-24.78	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-32.19	-13	Pass	401
1710	1725	0.1	RMS	1711.163	1.3	30	Pass	401




5.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.08	30	Pass	401
1755	1756	0.15	RMS	1755	-32.58	-13	Pass	401
1756	1757	1	RMS	1756	-45.44	-13	Pass	2
1757	1765	1	RMS	1757.12	-44.55	-13	Pass	401




5.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1743.938	1.8	30	Pass	401
1755	1756	0.15	RMS	1755	-39.8	-13	Pass	401
1756	1757	1	RMS	1756	-37.02	-13	Pass	2
1757	1765	1	RMS	1757	-37.46	-13	Pass	401




5.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.11	30	Pass	401
1755	1756	0.15	RMS	1755.005	-32.91	-13	Pass	401
1756	1757	1	RMS	1756	-45.92	-13	Pass	2
1757	1765	1	RMS	1760.72	-46.09	-13	Pass	401




5.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1745.063	0.84	30	Pass	401
1755	1756	0.15	RMS	1755	-41.62	-13	Pass	401
1756	1757	1	RMS	1756	-38.79	-13	Pass	2
1757	1765	1	RMS	1757.06	-39.65	-13	Pass	401




5.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.5	-13	Pass	401
1708	1709	1	RMS	1709	-44.29	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.1	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.12	30	Pass	401




5.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.09	-13	Pass	401
1708	1709	1	RMS	1709	-27.65	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-33.08	-13	Pass	401
1710	1730	0.1	RMS	1711.25	1.14	30	Pass	401




5.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-45.16	-13	Pass	401
1708	1709	1	RMS	1709	-44.68	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.54	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.44	30	Pass	401




5.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.4	-13	Pass	401
1708	1709	1	RMS	1709	-28.27	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-33.89	-13	Pass	401
1710	1730	0.1	RMS	1711.6	0.27	30	Pass	401




5.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.04	30	Pass	401
1755	1756	0.2	RMS	1755.003	-33.4	-13	Pass	401
1756	1757	1	RMS	1756	-45.32	-13	Pass	2
1757	1765	1	RMS	1762.62	-44.45	-13	Pass	401




5.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1743.05	0.6	30	Pass	401
1755	1756	0.2	RMS	1755.005	-41.72	-13	Pass	401
1756	1757	1	RMS	1756	-39.14	-13	Pass	2
1757	1765	1	RMS	1757.08	-40.12	-13	Pass	401




5.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.08	30	Pass	401
1755	1756	0.2	RMS	1755	-33.5	-13	Pass	401
1756	1757	1	RMS	1756	-46.02	-13	Pass	2
1757	1765	1	RMS	1762.62	-45.37	-13	Pass	401



5.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1742.7	-0.32	30	Pass	401
1755	1756	0.2	RMS	1755.003	-42.78	-13	Pass	401
1756	1757	1	RMS	1756	-39.92	-13	Pass	2
1757	1765	1	RMS	1757.02	-40.57	-13	Pass	401



6. LTE_Band5


6.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.46	-53.97	-13	Pass	401
823	824	0.02	RMS	824	-31.77	-13	Pass	401
824	826	0.1	RMS	824.245	20.57	30	Pass	401




6.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.21	-13	Pass	401
823	824	0.02	RMS	824	-38.46	-13	Pass	401
824	826	0.1	RMS	825.11	12.06	30	Pass	401




6.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.46	-54.81	-13	Pass	401
823	824	0.02	RMS	824	-33.96	-13	Pass	401
824	826	0.1	RMS	824.255	19.5	30	Pass	401




6.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-40.13	-13	Pass	401
823	824	0.02	RMS	824	-38.83	-13	Pass	401
824	826	0.1	RMS	825.135	11.19	30	Pass	401




6.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	20.62	30	Pass	401
849	850	0.02	RMS	849.01	-32.11	-13	Pass	401
850	860	0.1	RMS	854.35	-53.21	-13	Pass	401




6.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.905	12.18	30	Pass	401
849	850	0.02	RMS	849.04	-41.29	-13	Pass	401
850	860	0.1	RMS	850	-39.87	-13	Pass	401




6.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	19.57	30	Pass	401
849	850	0.02	RMS	849	-34.4	-13	Pass	401
850	860	0.1	RMS	854.35	-54.14	-13	Pass	401




**6.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4,
Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.97	11.24	30	Pass	401
849	850	0.02	RMS	849.065	-41.16	-13	Pass	401
850	860	0.1	RMS	850	-40.97	-13	Pass	401




6.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.58	-13	Pass	401
823	824	0.03	RMS	824	-21.92	-13	Pass	401
824	827	0.1	RMS	824.233	20.66	30	Pass	401




6.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-39.25	-13	Pass	401
823	824	0.03	RMS	824	-28.02	-13	Pass	401
824	827	0.1	RMS	826.708	8.45	30	Pass	401




6.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-51.52	-13	Pass	401
823	824	0.03	RMS	824	-22.67	-13	Pass	401
824	827	0.1	RMS	824.248	19.76	30	Pass	401




6.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-38.69	-13	Pass	401
823	824	0.03	RMS	824	-29.59	-13	Pass	401
824	827	0.1	RMS	826.415	7.53	30	Pass	401




6.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.56	30	Pass	401
849	850	0.03	RMS	849	-22.12	-13	Pass	401
850	860	0.1	RMS	850	-48.88	-13	Pass	401




6.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.065	8.51	30	Pass	401
849	850	0.03	RMS	849	-30.01	-13	Pass	401
850	860	0.1	RMS	850.075	-41.38	-13	Pass	401




6.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.59	30	Pass	401
849	850	0.03	RMS	849	-22.91	-13	Pass	401
850	860	0.1	RMS	850	-49.84	-13	Pass	401




6.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.638	7.48	30	Pass	401
849	850	0.03	RMS	849	-30.21	-13	Pass	401
850	860	0.1	RMS	850.2	-41.16	-13	Pass	401




6.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-52.88	-13	Pass	401
823	824	0.051	RMS	824	-24.54	-13	Pass	401
824	829	0.1	RMS	824.338	20.31	30	Pass	401




6.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-40.38	-13	Pass	401
823	824	0.051	RMS	823.998	-32.06	-13	Pass	401
824	829	0.1	RMS	828.563	6.09	30	Pass	401




6.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.16	-54.04	-13	Pass	401
823	824	0.051	RMS	824	-25.02	-13	Pass	401
824	829	0.1	RMS	824.338	19.48	30	Pass	401




6.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-40.16	-13	Pass	401
823	824	0.051	RMS	824	-32.85	-13	Pass	401
824	829	0.1	RMS	827.325	5.05	30	Pass	401




6.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.48	30	Pass	401
849	850	0.051	RMS	849	-24.72	-13	Pass	401
850	860	0.1	RMS	850.825	-51.56	-13	Pass	401




6.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.7	6.08	30	Pass	401
849	850	0.051	RMS	849.003	-32.73	-13	Pass	401
850	860	0.1	RMS	850.025	-41.95	-13	Pass	401




6.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.61	30	Pass	401
849	850	0.051	RMS	849	-25.35	-13	Pass	401
850	860	0.1	RMS	850.825	-52.42	-13	Pass	401




6.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.263	5.1	30	Pass	401
849	850	0.051	RMS	849	-33.35	-13	Pass	401
850	860	0.1	RMS	850.05	-41.89	-13	Pass	401




6.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.8	-53.45	-13	Pass	401
823	824	0.1	RMS	824	-35.25	-13	Pass	401
824	834	0.1	RMS	824.575	20.43	30	Pass	401




6.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.74	-42.97	-13	Pass	401
823	824	0.1	RMS	823.995	-35.94	-13	Pass	401
824	834	0.1	RMS	828.275	3.27	30	Pass	401




6.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.82	-54.2	-13	Pass	401
823	824	0.1	RMS	823.998	-36.16	-13	Pass	401
824	834	0.1	RMS	824.6	19.59	30	Pass	401




6.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-42.76	-13	Pass	401
823	824	0.1	RMS	823.998	-37.25	-13	Pass	401
824	834	0.1	RMS	830.6	2.31	30	Pass	401



6.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.46	30	Pass	401
849	850	0.1	RMS	849	-35.63	-13	Pass	401
850	860	0.1	RMS	852.825	-51.86	-13	Pass	401




6.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	845.375	3.2	30	Pass	401
849	850	0.1	RMS	849.003	-37.85	-13	Pass	401
850	860	0.1	RMS	850.025	-43.1	-13	Pass	401



6.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.42	30	Pass	401
849	850	0.1	RMS	849	-36.5	-13	Pass	401
850	860	0.1	RMS	852.825	-53.23	-13	Pass	401



6.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	845.575	2.2	30	Pass	401
849	850	0.1	RMS	849.003	-38.4	-13	Pass	401
850	860	0.1	RMS	850.075	-43.01	-13	Pass	401



7. LTE_Band40(2305-2315)


7.1. LTE Band Edge(NTNV)(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2207.26	-47.13	-40	Pass	401
2288	2292	1	RMS	2288.93	-46.92	-37	Pass	401
2292	2296	1	RMS	2294.73	-46.97	-31	Pass	401
2296	2300	1	RMS	2299.85	-46.54	-25	Pass	401
2300	2304	1	RMS	2304	-44.5	-13	Pass	5
2304	2305	0.01	RMS	2305	-40.54	-13	Pass	401
2305	2315	0.1	RMS	2305.35	10.56	60	Pass	401
2315	2316	0.01	RMS	2315.48	-66.47	-13	Pass	401
2316	2320	1	RMS	2319.05	-46.63	-13	Pass	401
2320	2324	1	RMS	2321.89	-46.45	-25	Pass	401
2324	2328	1	RMS	2324.58	-46.84	-31	Pass	401
2328	2337	1	RMS	2329.868	-47.23	-37	Pass	401
2337	2341	1	RMS	2338.06	-47.12	-31	Pass	401
2341	2345	1	RMS	2341.6	-47.12	-25	Pass	401
2345	2360	1	RMS	2359.325	-47.35	-13	Pass	401
2360	2365	1	RMS	2364.063	-47.35	-13	Pass	401
2365	2395	1	RMS	2388.775	-47.24	-40	Pass	401




7.2. LTE Band Edge(NTNV)(Subtest:2, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2203.08	-47.13	-40	Pass	401
2288	2292	1	RMS	2291.84	-47.06	-37	Pass	401
2292	2296	1	RMS	2295.97	-47.03	-31	Pass	401
2296	2300	1	RMS	2300	-46.48	-25	Pass	401
2300	2304	1	RMS	2304	-39.89	-13	Pass	5
2304	2305	0.1	RMS	2304.998	-38.13	-13	Pass	401
2305	2315	0.1	RMS	2309.25	-3.45	60	Pass	401
2315	2316	0.1	RMS	2315.023	-56.49	-13	Pass	401
2316	2320	1	RMS	2316.19	-46.59	-13	Pass	401
2320	2324	1	RMS	2323	-47.59	-25	Pass	5
2324	2328	1	RMS	2325.63	-46.93	-31	Pass	401
2328	2337	1	RMS	2328.225	-47.2	-37	Pass	401
2337	2341	1	RMS	2338.25	-47.12	-31	Pass	401
2341	2345	1	RMS	2343.18	-47.11	-25	Pass	401
2345	2360	1	RMS	2346.95	-47.35	-13	Pass	401
2360	2365	1	RMS	2360.4	-47.36	-13	Pass	401
2365	2395	1	RMS	2394.55	-47.24	-40	Pass	401




7.3. LTE Band Edge(NTNV)(Subtest:3, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2201.1	-47.09	-40	Pass	401
2288	2292	1	RMS	2288.64	-46.92	-37	Pass	401
2292	2296	1	RMS	2294.61	-46.99	-31	Pass	401
2296	2300	1	RMS	2299.93	-46.57	-25	Pass	401
2300	2304	1	RMS	2304	-44.09	-13	Pass	5
2304	2305	0.01	RMS	2305	-42.67	-13	Pass	401
2305	2315	0.1	RMS	2305.325	9.75	60	Pass	401
2315	2316	0.01	RMS	2315.893	-66.59	-13	Pass	401
2316	2320	1	RMS	2319.13	-46.67	-13	Pass	401
2320	2324	1	RMS	2321.88	-46.58	-25	Pass	401
2324	2328	1	RMS	2324.71	-46.85	-31	Pass	401
2328	2337	1	RMS	2328.113	-47.19	-37	Pass	401
2337	2341	1	RMS	2337.11	-47.1	-31	Pass	401
2341	2345	1	RMS	2341.37	-47.08	-25	Pass	401
2345	2360	1	RMS	2350.1	-47.34	-13	Pass	401
2360	2365	1	RMS	2360.038	-47.34	-13	Pass	401
2365	2395	1	RMS	2390.125	-47.21	-40	Pass	401




7.4. LTE Band Edge(NTNV)(Subtest:4, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2207.7	-47.1	-40	Pass	401
2288	2292	1	RMS	2291.94	-47.06	-37	Pass	401
2292	2296	1	RMS	2295.57	-47.02	-31	Pass	401
2296	2300	1	RMS	2299.99	-46.56	-25	Pass	401
2300	2304	1	RMS	2304	-40.6	-13	Pass	5
2304	2305	0.1	RMS	2305	-40.76	-13	Pass	401
2305	2315	0.1	RMS	2309.25	-4.67	60	Pass	401
2315	2316	0.1	RMS	2315.088	-56.57	-13	Pass	401
2316	2320	1	RMS	2316.06	-46.68	-13	Pass	401
2320	2324	1	RMS	2320	-47.64	-25	Pass	5
2324	2328	1	RMS	2325.49	-46.98	-31	Pass	401
2328	2337	1	RMS	2328.023	-47.18	-37	Pass	401
2337	2341	1	RMS	2337.33	-47.12	-31	Pass	401
2341	2345	1	RMS	2342.6	-47.11	-25	Pass	401
2345	2360	1	RMS	2347.588	-47.35	-13	Pass	401
2360	2365	1	RMS	2362.388	-47.34	-13	Pass	401
2365	2395	1	RMS	2392.9	-47.21	-40	Pass	401




7.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2201.98	-47.07	-40	Pass	401
2288	2292	1	RMS	2291.94	-47.1	-37	Pass	401
2292	2296	1	RMS	2295.36	-46.98	-31	Pass	401
2296	2300	1	RMS	2298.12	-46.76	-25	Pass	401
2300	2304	1	RMS	2300.82	-46.83	-13	Pass	401
2304	2305	0.01	RMS	2304.013	-64.78	-13	Pass	401
2305	2315	0.1	RMS	2314.675	10.2	60	Pass	401
2315	2316	0.01	RMS	2315	-39.89	-13	Pass	401
2316.5	2320	1	RMS	2316.5	-36.9	-13	Pass	401
2320	2324	1	RMS	2320	-47.09	-25	Pass	5
2324	2328	1	RMS	2325.65	-46.88	-31	Pass	401
2328	2337	1	RMS	2331.398	-46.73	-37	Pass	401
2337	2341	1	RMS	2337.21	-47.05	-31	Pass	401
2341	2345	1	RMS	2344.78	-47.11	-25	Pass	401
2345	2360	1	RMS	2359.25	-47.34	-13	Pass	401
2360	2365	1	RMS	2361.238	-47.33	-13	Pass	401
2365	2395	1	RMS	2394.025	-47.24	-40	Pass	401




7.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-47.09	-40	Pass	401
2288	2292	1	RMS	2290.53	-47.11	-37	Pass	401
2292	2296	1	RMS	2295.94	-47.03	-31	Pass	401
2296	2300	1	RMS	2297.07	-46.96	-25	Pass	401
2300	2304	1	RMS	2304	-47.4	-13	Pass	5
2304	2305	0.1	RMS	2304.978	-56.73	-13	Pass	401
2305	2315	0.1	RMS	2311.275	-3.26	60	Pass	401
2315	2316	0.1	RMS	2315.003	-37.37	-13	Pass	401
2316.5	2320	1	RMS	2316.5	-41.13	-13	Pass	5
2320	2324	1	RMS	2320	-47.2	-25	Pass	5
2324	2328	1	RMS	2326.62	-46.94	-31	Pass	401
2328	2337	1	RMS	2328.45	-47.1	-37	Pass	401
2337	2341	1	RMS	2338.63	-47.08	-31	Pass	401
2341	2345	1	RMS	2342.82	-47.12	-25	Pass	401
2345	2360	1	RMS	2355.763	-47.34	-13	Pass	401
2360	2365	1	RMS	2364.85	-47.36	-13	Pass	401
2365	2395	1	RMS	2392.15	-47.22	-40	Pass	401




7.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2203.3	-47.13	-40	Pass	401
2288	2292	1	RMS	2290.57	-47.1	-37	Pass	401
2292	2296	1	RMS	2295.26	-47	-31	Pass	401
2296	2300	1	RMS	2298.16	-46.85	-25	Pass	401
2300	2304	1	RMS	2303.74	-46.88	-13	Pass	401
2304	2305	0.01	RMS	2304.013	-65.25	-13	Pass	401
2305	2315	0.1	RMS	2314.675	9.67	60	Pass	401
2315	2316	0.01	RMS	2315	-40.8	-13	Pass	401
2316.5	2320	1	RMS	2316.5	-37.81	-13	Pass	401
2320	2324	1	RMS	2320	-47.15	-25	Pass	5
2324	2328	1	RMS	2325.59	-46.85	-31	Pass	401
2328	2337	1	RMS	2331.285	-46.81	-37	Pass	401
2337	2341	1	RMS	2337.39	-47.06	-31	Pass	401
2341	2345	1	RMS	2341.14	-47.12	-25	Pass	401
2345	2360	1	RMS	2354.188	-47.32	-13	Pass	401
2360	2365	1	RMS	2360.625	-47.36	-13	Pass	401
2365	2395	1	RMS	2391.475	-47.25	-40	Pass	401




7.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-47.12	-40	Pass	401
2288	2292	1	RMS	2290.93	-47.12	-37	Pass	401
2292	2296	1	RMS	2295.43	-47.07	-31	Pass	401
2296	2300	1	RMS	2298.27	-47.03	-25	Pass	401
2300	2304	1	RMS	2304	-47.55	-13	Pass	5
2304	2305	0.1	RMS	2304.408	-56.93	-13	Pass	401
2305	2315	0.1	RMS	2313.65	-4.48	60	Pass	401
2315	2316	0.1	RMS	2315.003	-39.21	-13	Pass	401
2316	2320	1	RMS	2316	-41.26	-13	Pass	5
2320	2324	1	RMS	2320	-47.22	-25	Pass	5
2324	2328	1	RMS	2327.34	-46.98	-31	Pass	401
2328	2337	1	RMS	2328.068	-47.16	-37	Pass	401
2337	2341	1	RMS	2338.67	-47.11	-31	Pass	401
2341	2345	1	RMS	2341.25	-47.12	-25	Pass	401
2345	2360	1	RMS	2356.288	-47.36	-13	Pass	401
2360	2365	1	RMS	2360.275	-47.37	-13	Pass	401
2365	2395	1	RMS	2392.6	-47.22	-40	Pass	401




7.9. LTE Band Edge(NTNV)(Subtest:9, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2203.74	-47.12	-40	Pass	401
2288	2292	1	RMS	2288.83	-46.86	-37	Pass	401
2292	2296	1	RMS	2292	-46.91	-31	Pass	401
2296	2300	1	RMS	2299.98	-46.49	-25	Pass	401
2300	2304	1	RMS	2304	-45.77	-13	Pass	5
2304	2305	0.01	RMS	2305	-52.09	-13	Pass	401
2305	2315	0.1	RMS	2305.575	10.47	60	Pass	401
2315	2316	0.01	RMS	2315.095	-66.4	-13	Pass	401
2316	2320	1	RMS	2318.92	-46.04	-13	Pass	401
2320	2324	1	RMS	2323.28	-45.5	-25	Pass	401
2324	2328	1	RMS	2324.03	-46.72	-31	Pass	401
2328	2337	1	RMS	2328.18	-47.18	-37	Pass	401
2337	2341	1	RMS	2338.35	-47.11	-31	Pass	401
2341	2345	1	RMS	2343.29	-47.11	-25	Pass	401
2345	2360	1	RMS	2349.8	-47.35	-13	Pass	401
2360	2365	1	RMS	2362.588	-47.33	-13	Pass	401
2365	2395	1	RMS	2392.6	-47.23	-40	Pass	401




7.10. LTE Band Edge(NTNV)(Subtest:10, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2204.18	-47.08	-40	Pass	401
2288	2292	1	RMS	2291.88	-47.05	-37	Pass	401
2292	2296	1	RMS	2296	-47.58	-31	Pass	5
2296	2300	1	RMS	2299.97	-44.05	-25	Pass	401
2300	2304	1	RMS	2304	-42.07	-13	Pass	5
2304	2305	0.1	RMS	2304.998	-45.44	-13	Pass	401
2305	2315	0.1	RMS	2314.325	-6.13	60	Pass	401
2315	2316	0.1	RMS	2315.003	-45.38	-13	Pass	401
2316	2320	1	RMS	2316	-37.21	-13	Pass	401
2320	2324	1	RMS	2320	-43.84	-25	Pass	5
2324.5	2328	1	RMS	2324.5	-47.46	-31	Pass	5
2328.5	2337	1	RMS	2330.389	-47.62	-37	Pass	10
2337	2341	1	RMS	2338.07	-47.09	-31	Pass	401
2341	2345	1	RMS	2342.03	-47.13	-25	Pass	401
2345	2360	1	RMS	2357.375	-47.33	-13	Pass	401
2360	2365	1	RMS	2360.288	-47.34	-13	Pass	401
2365	2395	1	RMS	2392.675	-47.22	-40	Pass	401




7.11. LTE Band Edge(NTNV)(Subtest:11, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2207.04	-47.11	-40	Pass	401
2288	2292	1	RMS	2289.08	-46.89	-37	Pass	401
2292	2296	1	RMS	2292.03	-46.99	-31	Pass	401
2296	2300	1	RMS	2299.99	-46.65	-25	Pass	401
2300	2304	1	RMS	2304	-46.05	-13	Pass	5
2304	2305	0.01	RMS	2304.995	-53.5	-13	Pass	401
2305	2315	0.1	RMS	2305.6	10.27	60	Pass	401
2315	2316	0.01	RMS	2315.378	-66.52	-13	Pass	401
2316	2320	1	RMS	2318.86	-45.56	-13	Pass	401
2320	2324	1	RMS	2323.19	-46.09	-25	Pass	401
2324	2328	1	RMS	2324.77	-46.86	-31	Pass	401
2328	2337	1	RMS	2328.023	-47.2	-37	Pass	401
2337	2341	1	RMS	2337.08	-47.1	-31	Pass	401
2341	2345	1	RMS	2342.63	-47.09	-25	Pass	401
2345	2360	1	RMS	2352.5	-47.32	-13	Pass	401
2360	2365	1	RMS	2360.513	-47.35	-13	Pass	401
2365	2395	1	RMS	2394.775	-47.23	-40	Pass	401




7.12. LTE Band Edge(NTNV)(Subtest:12, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2201.54	-47.13	-40	Pass	401
2288	2292	1	RMS	2291.92	-47.07	-37	Pass	401
2292	2296	1	RMS	2295.96	-46.94	-31	Pass	401
2296	2300	1	RMS	2299.97	-44.8	-25	Pass	401
2300	2304	1	RMS	2304	-42.76	-13	Pass	5
2304	2305	0.1	RMS	2304.998	-46.76	-13	Pass	401
2305	2315	0.1	RMS	2308.325	-7.18	60	Pass	401
2315	2316	0.1	RMS	2315.008	-46.29	-13	Pass	401
2316	2320	1	RMS	2316.01	-38.17	-13	Pass	401
2320	2324	1	RMS	2320	-44.63	-25	Pass	5
2324	2328	1	RMS	2324.11	-46.74	-31	Pass	401
2328	2337	1	RMS	2328.383	-47.06	-37	Pass	401
2337	2341	1	RMS	2340.78	-47.11	-31	Pass	401
2341	2345	1	RMS	2342.85	-47.12	-25	Pass	401
2345	2360	1	RMS	2358.763	-47.35	-13	Pass	401
2360	2365	1	RMS	2361.1	-47.35	-13	Pass	401
2365	2395	1	RMS	2391.7	-47.2	-40	Pass	401




7.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2207.04	-47.12	-40	Pass	401
2288	2292	1	RMS	2291.82	-47.07	-37	Pass	401
2292	2296	1	RMS	2295.99	-46.45	-31	Pass	401
2296	2300	1	RMS	2296.79	-44.52	-25	Pass	401
2300	2304	1	RMS	2301.18	-45.45	-13	Pass	401
2304	2305	0.01	RMS	2304.013	-65.64	-13	Pass	401
2305	2315	0.1	RMS	2314.425	10.84	60	Pass	401
2315	2316	0.01	RMS	2315.005	-51.23	-13	Pass	401
2316.5	2320	1	RMS	2319.125	-46.84	-13	Pass	5
2320	2324	1	RMS	2323	-47.11	-25	Pass	5
2324	2328	1	RMS	2327.98	-46.79	-31	Pass	401
2328	2337	1	RMS	2330.948	-46.65	-37	Pass	401
2337	2341	1	RMS	2339.07	-47.1	-31	Pass	401
2341	2345	1	RMS	2341.28	-47.1	-25	Pass	401
2345	2360	1	RMS	2352.388	-47.34	-13	Pass	401
2360	2365	1	RMS	2363.25	-47.35	-13	Pass	401
2365	2395	1	RMS	2391.55	-47.21	-40	Pass	401




7.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2204.18	-47.24	-40	Pass	401
2288	2292	1	RMS	2291.81	-47.16	-37	Pass	401
2292	2296	1	RMS	2296	-47.67	-31	Pass	5
2296	2300	1	RMS	2299.95	-44.31	-25	Pass	401
2300	2304	1	RMS	2304	-42.24	-13	Pass	5
2304	2305	0.1	RMS	2304.998	-46.3	-13	Pass	401
2305	2315	0.1	RMS	2311.65	-6.27	60	Pass	401
2315	2316	0.1	RMS	2315.01	-45.08	-13	Pass	401
2316	2320	1	RMS	2316.01	-37.46	-13	Pass	401
2320	2324	1	RMS	2320	-44.01	-25	Pass	5
2324.5	2328	1	RMS	2324.5	-47.59	-31	Pass	5
2328.5	2337	1	RMS	2329.444	-47.69	-37	Pass	10
2337	2341	1	RMS	2341	-47.25	-31	Pass	401
2341	2345	1	RMS	2341.58	-47.25	-25	Pass	401
2345	2360	1	RMS	2359.1	-47.45	-13	Pass	401
2360	2365	1	RMS	2361.975	-47.46	-13	Pass	401
2365	2395	1	RMS	2391.925	-47.36	-40	Pass	401




7.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2201.98	-47.12	-40	Pass	401
2288	2292	1	RMS	2290.81	-47.09	-37	Pass	401
2292	2296	1	RMS	2296	-46.66	-31	Pass	401
2296	2300	1	RMS	2296.85	-45.01	-25	Pass	401
2300	2304	1	RMS	2301.18	-45.69	-13	Pass	401
2304	2305	0.01	RMS	2304.013	-65.56	-13	Pass	401
2305	2315	0.1	RMS	2314.425	10.03	60	Pass	401
2315	2316	0.01	RMS	2315.008	-53.04	-13	Pass	401
2316.5	2320	1	RMS	2316.5	-45.91	-13	Pass	401
2320	2324	1	RMS	2323	-47.25	-25	Pass	5
2324	2328	1	RMS	2327.97	-46.89	-31	Pass	401
2328	2337	1	RMS	2330.948	-46.8	-37	Pass	401
2337	2341	1	RMS	2337.52	-47.09	-31	Pass	401
2341	2345	1	RMS	2343.39	-47.13	-25	Pass	401
2345	2360	1	RMS	2345.825	-47.33	-13	Pass	401
2360	2365	1	RMS	2360	-47.36	-13	Pass	401
2365	2395	1	RMS	2389.675	-47.24	-40	Pass	401



7.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2207.04	-47.25	-40	Pass	401
2288	2292	1	RMS	2291.63	-47.21	-37	Pass	401
2292	2296	1	RMS	2295.95	-47.05	-31	Pass	401
2296	2300	1	RMS	2299.99	-44.66	-25	Pass	401
2300	2304	1	RMS	2304	-42.88	-13	Pass	5
2304	2305	0.1	RMS	2305	-47.26	-13	Pass	401
2305	2315	0.1	RMS	2311.55	-7.49	60	Pass	401
2315	2316	0.1	RMS	2315.005	-46.49	-13	Pass	401
2316	2320	1	RMS	2316	-38.83	-13	Pass	401
2320	2324	1	RMS	2320	-44.7	-25	Pass	5
2324	2328	1	RMS	2324	-47.53	-31	Pass	5
2328	2337	1	RMS	2328.113	-47.25	-37	Pass	401
2337	2341	1	RMS	2339.84	-47.22	-31	Pass	401
2341	2345	1	RMS	2341.08	-47.25	-25	Pass	401
2345	2360	1	RMS	2348.6	-47.46	-13	Pass	401
2360	2365	1	RMS	2360.738	-47.46	-13	Pass	401
2365	2395	1	RMS	2394.7	-47.36	-40	Pass	401



8. LTE_Band40(2350-2360)


8.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2200.88	-47.14	-40	Pass	401
2288	2292	1	RMS	2291.21	-47.18	-37	Pass	401
2292	2296	1	RMS	2294.1	-47.16	-31	Pass	401
2296	2300	1	RMS	2297.06	-47.1	-25	Pass	401
2300	2305	1	RMS	2302	-47.8	-13	Pass	6
2305	2320	1	RMS	2319.963	-47.24	-13	Pass	401
2320	2324	1	RMS	2321.19	-47.1	-25	Pass	401
2324	2328	1	RMS	2325.01	-47.09	-31	Pass	401
2328	2337	1	RMS	2333.693	-46.93	-37	Pass	401
2337	2341	1	RMS	2340.98	-46.77	-31	Pass	401
2341	2345	1	RMS	2345	-46.48	-25	Pass	5
2345	2349	1	RMS	2349	-40.08	-13	Pass	5
2349	2350	0.01	RMS	2349.998	-40.73	-13	Pass	401
2350	2360	0.1	RMS	2350.35	10.46	60	Pass	401
2360	2361	0.01	RMS	2360.565	-66.08	-13	Pass	401
2361	2365	1	RMS	2363.98	-46.67	-13	Pass	401
2365	2395	1	RMS	2366.875	-46.88	-40	Pass	401




8.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2201.1	-47.15	-40	Pass	401
2288	2292	1	RMS	2291.42	-47.14	-37	Pass	401
2292	2296	1	RMS	2293.63	-47.13	-31	Pass	401
2296	2300	1	RMS	2297.47	-47.1	-25	Pass	401
2300	2305	1	RMS	2301	-47.77	-13	Pass	6
2305	2320	1	RMS	2317.45	-47.22	-13	Pass	401
2320	2324	1	RMS	2321	-47.72	-25	Pass	5
2324	2328	1	RMS	2325.74	-47	-31	Pass	401
2328	2337	1	RMS	2336.528	-47.04	-37	Pass	401
2337	2341	1	RMS	2340.42	-46.69	-31	Pass	401
2341	2345	1	RMS	2345	-46.4	-25	Pass	5
2345	2348.5	1	RMS	2348.474	-39.27	-13	Pass	401
2349	2350	0.1	RMS	2349.998	-37.58	-13	Pass	401
2350	2360	0.1	RMS	2353.9	-3.77	60	Pass	401
2360	2361	0.1	RMS	2360.153	-55.67	-13	Pass	401
2361	2365	1	RMS	2361	-46.72	-13	Pass	5
2365	2395	1	RMS	2366	-47.31	-40	Pass	31




8.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2200.66	-47.15	-40	Pass	401
2288	2292	1	RMS	2289.93	-47.12	-37	Pass	401
2292	2296	1	RMS	2295.15	-47.1	-31	Pass	401
2296	2300	1	RMS	2298.83	-47.09	-25	Pass	401
2300	2305	1	RMS	2300	-47.77	-13	Pass	6
2305	2320	1	RMS	2319.063	-47.2	-13	Pass	401
2320	2324	1	RMS	2321.41	-47.04	-25	Pass	401
2324	2328	1	RMS	2324.86	-47.03	-31	Pass	401
2328	2337	1	RMS	2333.693	-46.95	-37	Pass	401
2337	2341	1	RMS	2340.34	-46.71	-31	Pass	401
2341	2345	1	RMS	2345	-46.31	-25	Pass	5
2345	2349	1	RMS	2349	-39.25	-13	Pass	5
2349	2350	0.01	RMS	2350	-40.53	-13	Pass	401
2350	2360	0.1	RMS	2350.325	9.97	60	Pass	401
2360	2361	0.01	RMS	2360.913	-66.23	-13	Pass	401
2361	2365	1	RMS	2361.35	-46.62	-13	Pass	401
2365	2395	1	RMS	2367.025	-46.84	-40	Pass	401




8.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2201.98	-47.11	-40	Pass	401
2288	2292	1	RMS	2290.58	-47.11	-37	Pass	401
2292	2296	1	RMS	2293.71	-47.1	-31	Pass	401
2296	2300	1	RMS	2296.12	-47.07	-25	Pass	401
2300	2305	1	RMS	2301	-47.73	-13	Pass	6
2305	2320	1	RMS	2312.35	-47.18	-13	Pass	401
2320	2324	1	RMS	2321	-47.69	-25	Pass	5
2324	2328	1	RMS	2325.94	-47.07	-31	Pass	401
2328	2337	1	RMS	2334.323	-47.18	-37	Pass	401
2337	2341	1	RMS	2340.9	-46.96	-31	Pass	401
2341	2345	1	RMS	2345	-47.22	-25	Pass	5
2345	2349	1	RMS	2349	-40.94	-13	Pass	5
2349	2350	0.1	RMS	2350	-38.55	-13	Pass	401
2350	2360	0.1	RMS	2353.65	-4.25	60	Pass	401
2360	2361	0.1	RMS	2360.165	-56.42	-13	Pass	401
2361	2365	1	RMS	2361	-47.22	-13	Pass	5
2365	2395	1	RMS	2367.925	-47.14	-40	Pass	401




8.5. LTE Band Edge(NTNV)(Subtest:5, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2200.44	-47.12	-40	Pass	401
2288	2292	1	RMS	2290.09	-47.11	-37	Pass	401
2292	2296	1	RMS	2294.11	-47.06	-31	Pass	401
2296	2300	1	RMS	2299.12	-47.04	-25	Pass	401
2300	2305	1	RMS	2304.075	-47.18	-13	Pass	401
2305	2320	1	RMS	2319.813	-47.19	-13	Pass	401
2320	2324	1	RMS	2324	-47.72	-25	Pass	5
2324	2328	1	RMS	2324.4	-47.05	-31	Pass	401
2328	2337	1	RMS	2330.273	-47.2	-37	Pass	401
2337	2341	1	RMS	2340.28	-46.91	-31	Pass	401
2341	2345	1	RMS	2342.92	-46.75	-25	Pass	401
2345	2349	1	RMS	2348.61	-46.64	-13	Pass	401
2349	2350	0.01	RMS	2349.148	-66.32	-13	Pass	401
2350	2360	0.1	RMS	2359.675	11.14	60	Pass	401
2360	2361	0.01	RMS	2360	-40.25	-13	Pass	401
2361	2365	1	RMS	2361	-38.77	-13	Pass	5
2365	2395	1	RMS	2365	-46.08	-40	Pass	31




8.6. LTE Band Edge(NTNV)(Subtest:6, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2201.54	-47.19	-40	Pass	401
2288	2292	1	RMS	2291.08	-47.23	-37	Pass	401
2292	2296	1	RMS	2295.31	-47.21	-31	Pass	401
2296	2300	1	RMS	2298.18	-47.16	-25	Pass	401
2300	2305	1	RMS	2301	-47.84	-13	Pass	6
2305	2320	1	RMS	2319.55	-47.23	-13	Pass	401
2320	2324	1	RMS	2321	-47.81	-25	Pass	5
2324	2328	1	RMS	2326.28	-47.17	-31	Pass	401
2328	2337	1	RMS	2330.34	-47.32	-37	Pass	401
2337	2341	1	RMS	2340.52	-47.1	-31	Pass	401
2341	2345	1	RMS	2342	-47.75	-25	Pass	5
2345	2349	1	RMS	2348.81	-46.62	-13	Pass	401
2349	2350	0.1	RMS	2349.97	-56.46	-13	Pass	401
2350	2360	0.1	RMS	2359.25	-3.33	60	Pass	401
2360	2361	0.1	RMS	2360.005	-37.17	-13	Pass	401
2361	2365	1	RMS	2361	-39.48	-13	Pass	5
2365	2395	1	RMS	2365	-46.72	-40	Pass	31




8.7. LTE Band Edge(NTNV)(Subtest:7, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2207.7	-47.22	-40	Pass	401
2288	2292	1	RMS	2288.17	-47.24	-37	Pass	401
2292	2296	1	RMS	2294.7	-47.21	-31	Pass	401
2296	2300	1	RMS	2298.35	-47.18	-25	Pass	401
2300	2305	1	RMS	2304.213	-47.29	-13	Pass	401
2305	2320	1	RMS	2317.075	-47.3	-13	Pass	401
2320	2324	1	RMS	2324	-47.85	-25	Pass	5
2324	2328	1	RMS	2324.86	-47.17	-31	Pass	401
2328	2337	1	RMS	2332.05	-47.33	-37	Pass	401
2337	2341	1	RMS	2339.97	-47.08	-31	Pass	401
2341	2345	1	RMS	2343.31	-46.94	-25	Pass	401
2345	2349	1	RMS	2348.71	-46.79	-13	Pass	401
2349	2350	0.01	RMS	2349.105	-66.5	-13	Pass	401
2350	2360	0.1	RMS	2359.65	10.38	60	Pass	401
2360	2361	0.01	RMS	2360	-39.98	-13	Pass	401
2361	2365	1	RMS	2361	-39.13	-13	Pass	5
2365	2395	1	RMS	2365	-46.31	-40	Pass	31




8.8. LTE Band Edge(NTNV)(Subtest:8, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2200.22	-47.21	-40	Pass	401
2288	2292	1	RMS	2291.58	-47.22	-37	Pass	401
2292	2296	1	RMS	2295.8	-47.18	-31	Pass	401
2296	2300	1	RMS	2299.07	-47.18	-25	Pass	401
2300	2305	1	RMS	2300	-47.88	-13	Pass	6
2305	2320	1	RMS	2305.113	-47.3	-13	Pass	401
2320	2324	1	RMS	2321	-47.86	-25	Pass	5
2324	2328	1	RMS	2325.56	-47.15	-31	Pass	401
2328	2337	1	RMS	2328.743	-47.33	-37	Pass	401
2337	2341	1	RMS	2340.01	-47.11	-31	Pass	401
2341	2345	1	RMS	2344	-47.73	-25	Pass	5
2345	2349	1	RMS	2348.78	-46.72	-13	Pass	401
2349	2350	0.1	RMS	2350	-56.57	-13	Pass	401
2350	2360	0.1	RMS	2359.25	-4.83	60	Pass	401
2360	2361	0.1	RMS	2360.003	-37.67	-13	Pass	401
2361	2365	1	RMS	2361	-40.75	-13	Pass	5
2365	2395	1	RMS	2365	-47.12	-40	Pass	31




8.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2203.08	-47.22	-40	Pass	401
2288	2292	1	RMS	2291.39	-47.21	-37	Pass	401
2292	2296	1	RMS	2293.49	-47.21	-31	Pass	401
2296	2300	1	RMS	2299.54	-47.19	-25	Pass	401
2300	2305	1	RMS	2305	-47.83	-13	Pass	6
2305	2320	1	RMS	2317.338	-47.3	-13	Pass	401
2320	2324	1	RMS	2322.61	-47.18	-25	Pass	401
2324	2328	1	RMS	2325.29	-47.16	-31	Pass	401
2328	2337	1	RMS	2334.075	-47.08	-37	Pass	401
2337	2341	1	RMS	2337.05	-47	-31	Pass	401
2341	2345	1	RMS	2345	-47.27	-25	Pass	5
2345	2348.5	1	RMS	2348.491	-46.05	-13	Pass	401
2349	2350	0.01	RMS	2349.995	-51.14	-13	Pass	401
2350	2360	0.1	RMS	2350.575	10.6	60	Pass	401
2360	2361	0.01	RMS	2360.468	-66.49	-13	Pass	401
2361	2365	1	RMS	2363.87	-46.48	-13	Pass	401
2365	2395	1	RMS	2368.225	-46.67	-40	Pass	401




8.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2200.66	-47.22	-40	Pass	401
2288	2292	1	RMS	2290.12	-47.26	-37	Pass	401
2292	2296	1	RMS	2293.35	-47.22	-31	Pass	401
2296	2300	1	RMS	2299.54	-47.17	-25	Pass	401
2300	2305	1	RMS	2303	-47.88	-13	Pass	6
2305	2320	1	RMS	2312.913	-47.32	-13	Pass	401
2320	2324	1	RMS	2324	-47.85	-25	Pass	5
2324	2328	1	RMS	2325.73	-47.18	-31	Pass	401
2328	2337	1	RMS	2328.068	-47.33	-37	Pass	401
2337	2341	1	RMS	2340.83	-46.97	-31	Pass	401
2341	2345	1	RMS	2345	-44.96	-25	Pass	5
2345	2349	1	RMS	2349	-37.82	-13	Pass	401
2349	2350	0.1	RMS	2350	-45.06	-13	Pass	401
2350	2360	0.1	RMS	2354.25	-6.53	60	Pass	401
2360	2361	0.1	RMS	2360	-45.44	-13	Pass	401
2361	2365	1	RMS	2361	-42.01	-13	Pass	5
2365	2395	1	RMS	2365.075	-43.6	-40	Pass	401




8.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2204.84	-47.22	-40	Pass	401
2288	2292	1	RMS	2291.6	-47.24	-37	Pass	401
2292	2296	1	RMS	2295.21	-47.19	-31	Pass	401
2296	2300	1	RMS	2297.31	-47.21	-25	Pass	401
2300	2305	1	RMS	2304	-47.84	-13	Pass	6
2305	2320	1	RMS	2315.388	-47.32	-13	Pass	401
2320	2324	1	RMS	2320.73	-47.18	-25	Pass	401
2324	2328	1	RMS	2326.89	-47.18	-31	Pass	401
2328	2337	1	RMS	2334.143	-47.15	-37	Pass	401
2337	2341	1	RMS	2337.01	-47.04	-31	Pass	401
2341	2345	1	RMS	2345	-47.4	-25	Pass	5
2345	2348.5	1	RMS	2348.491	-46.16	-13	Pass	401
2349	2350	0.01	RMS	2350	-53.15	-13	Pass	401
2350	2360	0.1	RMS	2350.6	10.22	60	Pass	401
2360	2361	0.01	RMS	2360.653	-66.75	-13	Pass	401
2361	2365	1	RMS	2363.9	-46.51	-13	Pass	401
2365	2395	1	RMS	2368.075	-46.87	-40	Pass	401




8.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2200.88	-47.17	-40	Pass	401
2288	2292	1	RMS	2290.27	-47.22	-37	Pass	401
2292	2296	1	RMS	2295.37	-47.21	-31	Pass	401
2296	2300	1	RMS	2299.87	-47.18	-25	Pass	401
2300	2305	1	RMS	2304	-47.81	-13	Pass	6
2305	2320	1	RMS	2318.088	-47.32	-13	Pass	401
2320	2324	1	RMS	2320	-47.81	-25	Pass	5
2324	2328	1	RMS	2325.24	-47.17	-31	Pass	401
2328	2337	1	RMS	2336.843	-47.32	-37	Pass	401
2337	2341	1	RMS	2340.54	-47.04	-31	Pass	401
2341	2345	1	RMS	2345	-45.51	-25	Pass	5
2345	2349	1	RMS	2349	-38.5	-13	Pass	401
2349	2350	0.1	RMS	2350	-46.58	-13	Pass	401
2350	2360	0.1	RMS	2358.2	-7.6	60	Pass	401
2360	2361	0.1	RMS	2360.003	-46.9	-13	Pass	401
2361	2365	1	RMS	2361	-42.77	-13	Pass	5
2365	2395	1	RMS	2365	-44.93	-40	Pass	31




8.13. LTE Band Edge(NTNV)(Subtest:13, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2200.66	-47.11	-40	Pass	401
2288	2292	1	RMS	2289.48	-47.11	-37	Pass	401
2292	2296	1	RMS	2295.16	-47.08	-31	Pass	401
2296	2300	1	RMS	2298.86	-47.08	-25	Pass	401
2300	2305	1	RMS	2301.138	-47.18	-13	Pass	401
2305	2320	1	RMS	2319.438	-47.17	-13	Pass	401
2320	2324	1	RMS	2323	-47.68	-25	Pass	5
2324	2328	1	RMS	2326.39	-47.04	-31	Pass	401
2328	2337	1	RMS	2332.253	-47.23	-37	Pass	401
2337	2341	1	RMS	2340.99	-46.81	-31	Pass	401
2341	2345	1	RMS	2341.81	-45.49	-25	Pass	401
2345	2349	1	RMS	2346.19	-45.57	-13	Pass	401
2349	2350	0.01	RMS	2349.605	-66.49	-13	Pass	401
2350	2360	0.1	RMS	2359.425	10.63	60	Pass	401
2360	2361	0.01	RMS	2360.008	-51.73	-13	Pass	401
2361	2365	1	RMS	2361	-45.59	-13	Pass	5
2365	2395	1	RMS	2365.075	-46.82	-40	Pass	401




8.14. LTE Band Edge(NTNV)(Subtest:14, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2202.86	-47.22	-40	Pass	401
2288	2292	1	RMS	2290.66	-47.24	-37	Pass	401
2292	2296	1	RMS	2294.55	-47.22	-31	Pass	401
2296	2300	1	RMS	2298.94	-47.19	-25	Pass	401
2300	2305	1	RMS	2304	-47.8	-13	Pass	6
2305	2320	1	RMS	2318.163	-47.31	-13	Pass	401
2320	2324	1	RMS	2320	-47.85	-25	Pass	5
2324	2328	1	RMS	2327.64	-47.16	-31	Pass	401
2328	2337	1	RMS	2336.91	-47.29	-37	Pass	401
2337	2341	1	RMS	2340.93	-47.02	-31	Pass	401
2341	2345	1	RMS	2345	-44.99	-25	Pass	5
2345	2349	1	RMS	2349	-37.4	-13	Pass	401
2349	2350	0.1	RMS	2350	-44.99	-13	Pass	401
2350	2360	0.1	RMS	2358	-6.41	60	Pass	401
2360	2361	0.1	RMS	2360.005	-45.87	-13	Pass	401
2361	2365	1	RMS	2361	-37.68	-13	Pass	401
2365	2395	1	RMS	2365	-44.19	-40	Pass	31




8.15. LTE Band Edge(NTNV)(Subtest:15, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2203.74	-47.1	-40	Pass	401
2288	2292	1	RMS	2291.1	-47.12	-37	Pass	401
2292	2296	1	RMS	2292.62	-47.1	-31	Pass	401
2296	2300	1	RMS	2299.2	-47.08	-25	Pass	401
2300	2305	1	RMS	2303.563	-47.18	-13	Pass	401
2305	2320	1	RMS	2305.638	-47.18	-13	Pass	401
2320	2324	1	RMS	2322	-47.75	-25	Pass	5
2324	2328	1	RMS	2325.6	-47.06	-31	Pass	401
2328	2337	1	RMS	2329.013	-47.21	-37	Pass	401
2337	2341	1	RMS	2340.98	-46.87	-31	Pass	401
2341	2345	1	RMS	2341.74	-45.83	-25	Pass	401
2345	2349	1	RMS	2346.08	-45.74	-13	Pass	401
2349	2350	0.01	RMS	2349.998	-66.55	-13	Pass	401
2350	2360	0.1	RMS	2359.375	10.06	60	Pass	401
2360	2361	0.01	RMS	2360.003	-52.93	-13	Pass	401
2361	2365	1	RMS	2361	-45.94	-13	Pass	5
2365	2395	1	RMS	2365	-46.96	-40	Pass	401



8.16. LTE Band Edge(NTNV)(Subtest:16, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2201.32	-47.19	-40	Pass	401
2288	2292	1	RMS	2291.57	-47.22	-37	Pass	401
2292	2296	1	RMS	2295.38	-47.2	-31	Pass	401
2296	2300	1	RMS	2299.56	-47.2	-25	Pass	401
2300	2305	1	RMS	2301	-47.88	-13	Pass	6
2305	2320	1	RMS	2319.325	-47.29	-13	Pass	401
2320	2324	1	RMS	2322	-47.84	-25	Pass	5
2324	2328	1	RMS	2324.16	-47.18	-31	Pass	401
2328	2337	1	RMS	2336.19	-47.33	-37	Pass	401
2337	2341	1	RMS	2340.13	-47.06	-31	Pass	401
2341	2345	1	RMS	2345	-45.55	-25	Pass	5
2345	2349	1	RMS	2349	-38.26	-13	Pass	401
2349	2350	0.1	RMS	2350	-46.67	-13	Pass	401
2350	2360	0.1	RMS	2356.575	-7.34	60	Pass	401
2360	2361	0.1	RMS	2360.005	-46.22	-13	Pass	401
2361	2365	1	RMS	2361	-42.72	-13	Pass	5
2365	2395	1	RMS	2365	-44.99	-40	Pass	31



9. LTE_Band42 3450-3550


9.1. LTE Band Edge(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-41.01	-13	Pass	401
3445	3449	0.51	RMS	3449	-32.8	-13	Pass	401
3449	3450	0.01	RMS	3449.428	-34.32	-13	Pass	401
3450	3455	0.1	RMS	3450.338	11.35	30	Pass	401




9.2. LTE Band Edge(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3433.16	-41.49	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-38.5	-13	Pass	401
3449	3450	0.1	RMS	3450	-35.96	-13	Pass	401
3450	3455	0.1	RMS	3454.388	-3.39	30	Pass	401




9.3. LTE Band Edge(NTNV)(Subtest:3, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-41.03	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-32.9	-13	Pass	401
3449	3450	0.01	RMS	3449.41	-35.52	-13	Pass	401
3450	3455	0.1	RMS	3450.35	9.57	30	Pass	401




9.4. LTE Band Edge(NTNV)(Subtest:4, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3429.36	-41.41	-13	Pass	401
3445	3449	0.51	RMS	3449	-39.14	-13	Pass	401
3449	3450	0.1	RMS	3450	-37.01	-13	Pass	401
3450	3455	0.1	RMS	3453.975	-4.8	30	Pass	401



9.5. LTE Band Edge(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.65	11.05	30	Pass	401
3550	3551	0.01	RMS	3550.51	-32.74	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-30.57	-13	Pass	401
3555	3571	1	RMS	3555.04	-41.96	-13	Pass	401




9.6. LTE Band Edge(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.25	-2.35	30	Pass	401
3550	3551	0.1	RMS	3550	-33.57	-13	Pass	401
3551	3555	0.51	RMS	3551	-37.33	-13	Pass	401
3555	3571	1	RMS	3555.32	-42.2	-13	Pass	401



9.7. LTE Band Edge(NTNV)(Subtest:7, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.675	10.85	30	Pass	401
3550	3551	0.01	RMS	3550.568	-33.81	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-31.07	-13	Pass	401
3555	3571	1	RMS	3555.04	-41.93	-13	Pass	401




9.8. LTE Band Edge(NTNV)(Subtest:8, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.238	-4.11	30	Pass	401
3550	3551	0.1	RMS	3550.003	-34.61	-13	Pass	401
3551	3555	0.51	RMS	3551	-38.35	-13	Pass	401
3555	3571	1	RMS	3555	-42.57	-13	Pass	401




9.9. LTE Band Edge(NTNV)(Subtest:1, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3431.84	-41.26	-13	Pass	401
3445	3449	0.51	RMS	3449	-41.98	-13	Pass	401
3449	3450	0.01	RMS	3449.685	-35.58	-13	Pass	401
3450	3460	0.1	RMS	3450.575	10.1	30	Pass	401




9.10. LTE Band Edge(NTNV)(Subtest:2, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.8	-39.14	-13	Pass	401
3445	3449	0.51	RMS	3449	-39.8	-13	Pass	401
3449	3450	0.1	RMS	3450	-40.95	-13	Pass	401
3450	3460	0.1	RMS	3453.325	-7.12	30	Pass	401




9.11. LTE Band Edge(NTNV)(Subtest:3, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3441.8	-41.27	-13	Pass	401
3445	3449	0.51	RMS	3449	-42.28	-13	Pass	401
3449	3450	0.01	RMS	3449.668	-35.45	-13	Pass	401
3450	3460	0.1	RMS	3450.575	9.3	30	Pass	401




9.12. LTE Band Edge(NTNV)(Subtest:4, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-40.15	-13	Pass	401
3445	3449	0.51	RMS	3448.98	-40.82	-13	Pass	401
3449	3450	0.1	RMS	3449.998	-42.85	-13	Pass	401
3450	3460	0.1	RMS	3453.35	-8.98	30	Pass	401




9.13. LTE Band Edge(NTNV)(Subtest:5, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.4	11.33	30	Pass	401
3550	3551	0.01	RMS	3550.328	-33.03	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-42.43	-13	Pass	401
3555	3571	1	RMS	3558.28	-43.07	-13	Pass	401




9.14. LTE Band Edge(NTNV)(Subtest:6, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3547.55	-5.71	30	Pass	401
3550	3551	0.1	RMS	3550	-39.36	-13	Pass	401
3551	3555	0.51	RMS	3551	-39.78	-13	Pass	401
3555	3571	1	RMS	3555	-39.84	-13	Pass	401




9.15. LTE Band Edge(NTNV)(Subtest:7, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.425	9.65	30	Pass	401
3550	3551	0.01	RMS	3550.33	-34.18	-13	Pass	401
3551	3555	0.51	RMS	3551	-42.86	-13	Pass	401
3555	3571	1	RMS	3557.12	-43.12	-13	Pass	401




9.16. LTE Band Edge(NTNV)(Subtest:8, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3546.6	-6.83	30	Pass	401
3550	3551	0.1	RMS	3550.008	-41.04	-13	Pass	401
3551	3555	0.51	RMS	3551.06	-41.49	-13	Pass	401
3555	3571	1	RMS	3555	-40.97	-13	Pass	401




9.17. LTE Band Edge(NTNV)(Subtest:1, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3437.44	-41.22	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-44.62	-13	Pass	401
3449	3450	0.01	RMS	3449.988	-35.74	-13	Pass	401
3450	3465	0.1	RMS	3450.825	9.39	30	Pass	401




9.18. LTE Band Edge(NTNV)(Subtest:2, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.28	-38.88	-13	Pass	401
3445	3449	0.51	RMS	3449	-39.38	-13	Pass	401
3449	3450	0.2	RMS	3450	-39.8	-13	Pass	401
3450	3465	0.1	RMS	3456.413	-9.44	30	Pass	401




9.19. LTE Band Edge(NTNV)(Subtest:3, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3437.56	-41.32	-13	Pass	401
3445	3449	0.51	RMS	3449	-44.88	-13	Pass	401
3449	3450	0.01	RMS	3449.925	-36.09	-13	Pass	401
3450	3465	0.1	RMS	3450.825	8.88	30	Pass	401




9.20. LTE Band Edge(NTNV)(Subtest:4, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3443.96	-39.65	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-40.57	-13	Pass	401
3449	3450	0.2	RMS	3449.988	-41.13	-13	Pass	401
3450	3465	0.1	RMS	3454.95	-11.03	30	Pass	401




9.21. LTE Band Edge(NTNV)(Subtest:5, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.175	11.32	30	Pass	401
3550	3551	0.01	RMS	3550.085	-34.02	-13	Pass	401
3551	3555	0.51	RMS	3551.04	-44.92	-13	Pass	401
3555	3571	1	RMS	3555.64	-42.85	-13	Pass	401




9.22. LTE Band Edge(NTNV)(Subtest:6, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3548.725	-7.75	30	Pass	401
3550	3551	0.2	RMS	3550.023	-39.32	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-40.58	-13	Pass	401
3555	3571	1	RMS	3556	-39.92	-13	Pass	401




9.23. LTE Band Edge(NTNV)(Subtest:7, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.138	10.04	30	Pass	401
3550	3551	0.01	RMS	3550.035	-34.72	-13	Pass	401
3551	3555	0.51	RMS	3551.42	-44.21	-13	Pass	401
3555	3571	1	RMS	3555.56	-42.97	-13	Pass	401




9.24. LTE Band Edge(NTNV)(Subtest:8, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3540.4	-9.04	30	Pass	401
3550	3551	0.2	RMS	3550	-39.9	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-42.3	-13	Pass	401
3555	3571	1	RMS	3555.04	-40.63	-13	Pass	401




9.25. LTE Band Edge(NTNV)(Subtest:1, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3433.16	-40.96	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-45.02	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-52.8	-13	Pass	401
3450	3470	0.1	RMS	3451.1	9.59	30	Pass	401




9.26. LTE Band Edge(NTNV)(Subtest:2, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.84	-39.75	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-40.74	-13	Pass	401
3449	3450	0.2	RMS	3449.99	-43.39	-13	Pass	401
3450	3470	0.1	RMS	3459	-11.26	30	Pass	401




9.27. LTE Band Edge(NTNV)(Subtest:3, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3433.16	-41.2	-13	Pass	401
3445	3449	0.51	RMS	3449	-45.19	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-52.46	-13	Pass	401
3450	3470	0.1	RMS	3451.05	8.29	30	Pass	401




9.28. LTE Band Edge(NTNV)(Subtest:4, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.68	-40.15	-13	Pass	401
3445	3449	0.51	RMS	3449	-41.55	-13	Pass	401
3449	3450	0.2	RMS	3450	-45.25	-13	Pass	401
3450	3470	0.1	RMS	3459.25	-11.65	30	Pass	401



9.29. LTE Band Edge(NTNV)(Subtest:5, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.9	10.65	30	Pass	401
3550	3551	0.01	RMS	3550.018	-53.64	-13	Pass	401
3551	3555	0.51	RMS	3551.05	-46.3	-13	Pass	401
3555	3571	1	RMS	3557.84	-42.86	-13	Pass	401




9.30. LTE Band Edge(NTNV)(Subtest:6, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3536.3	-9.55	30	Pass	401
3550	3551	0.2	RMS	3550.003	-43.64	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-42.1	-13	Pass	401
3555	3571	1	RMS	3555.04	-40.37	-13	Pass	401




9.31. LTE Band Edge(NTNV)(Subtest:7, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.95	9.88	30	Pass	401
3550	3551	0.01	RMS	3550.008	-53.33	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-46.33	-13	Pass	401
3555	3571	1	RMS	3557.8	-43	-13	Pass	401



9.32. LTE Band Edge(NTNV)(Subtest:8, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3542.9	-10.1	30	Pass	401
3550	3551	0.2	RMS	3550	-44.83	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-43.12	-13	Pass	401
3555	3571	1	RMS	3555	-41.01	-13	Pass	401



10. LTE_Band43 3700-3800


10.1. LTE Band Edge(NTNV)(Subtest:1, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3694.52	-42.46	-13	Pass	401
3695	3699	0.51	RMS	3698.95	-40.24	-13	Pass	401
3699	3700	0.01	RMS	3700	-40.21	-13	Pass	401
3700	3705	0.1	RMS	3700.35	10.33	30	Pass	401




10.2. LTE Band Edge(NTNV)(Subtest:2, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3694.08	-42.94	-13	Pass	401
3695	3699	0.51	RMS	3698.98	-37.38	-13	Pass	401
3699	3700	0.1	RMS	3699.998	-38.07	-13	Pass	401
3700	3705	0.1	RMS	3704.363	-4.14	30	Pass	401




10.3. LTE Band Edge(NTNV)(Subtest:3, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3694.8	-42.31	-13	Pass	401
3695	3699	0.51	RMS	3698.98	-40.03	-13	Pass	401
3699	3700	0.01	RMS	3700	-40.03	-13	Pass	401
3700	3705	0.1	RMS	3700.325	9.9	30	Pass	401




10.4. LTE Band Edge(NTNV)(Subtest:4, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3694.72	-42.93	-13	Pass	401
3695	3699	0.51	RMS	3698.94	-38.77	-13	Pass	401
3699	3700	0.1	RMS	3699.998	-38.12	-13	Pass	401
3700	3705	0.1	RMS	3704.438	-5.21	30	Pass	401




10.5. LTE Band Edge(NTNV)(Subtest:5, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3795	3800	0.1	RMS	3799.638	10.53	30	Pass	401
3800	3801	0.01	RMS	3800.003	-39.44	-13	Pass	401
3801	3805	0.51	RMS	3801	-40.26	-13	Pass	401
3805	3821	1	RMS	3805.08	-42.21	-13	Pass	401




10.6. LTE Band Edge(NTNV)(Subtest:6, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3795	3800	0.1	RMS	3799.25	-4.01	30	Pass	401
3800	3801	0.1	RMS	3800.003	-35.79	-13	Pass	401
3801	3805	0.51	RMS	3801	-36.34	-13	Pass	401
3805	3821	1	RMS	3805.4	-42.47	-13	Pass	401




10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3795	3800	0.1	RMS	3799.675	9.38	30	Pass	401
3800	3801	0.01	RMS	3800	-38.91	-13	Pass	401
3801	3805	0.51	RMS	3801.05	-40.96	-13	Pass	401
3805	3821	1	RMS	3805.04	-42.16	-13	Pass	401




10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3795	3800	0.1	RMS	3799.225	-5.23	30	Pass	401
3800	3801	0.1	RMS	3800.003	-36.56	-13	Pass	401
3801	3805	0.51	RMS	3801	-37.99	-13	Pass	401
3805	3821	1	RMS	3809.32	-42.62	-13	Pass	401




10.9. LTE Band Edge(NTNV)(Subtest:1, Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3691.72	-42.72	-13	Pass	401
3695	3699	0.51	RMS	3698.99	-44.52	-13	Pass	401
3699	3700	0.01	RMS	3699.993	-49.23	-13	Pass	401
3700	3710	0.1	RMS	3700.575	9.81	30	Pass	401




10.10. LTE Band Edge(NTNV)(Subtest:2, Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3694.96	-38.83	-13	Pass	401
3695	3699	0.51	RMS	3698.88	-39.13	-13	Pass	401
3699	3700	0.1	RMS	3699.995	-42.85	-13	Pass	401
3700	3710	0.1	RMS	3702.475	-6.75	30	Pass	401




10.11. LTE Band Edge(NTNV)(Subtest:3, Channel:44640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3691.28	-42.77	-13	Pass	401
3695	3699	0.51	RMS	3698.96	-45.01	-13	Pass	401
3699	3700	0.01	RMS	3699.998	-51.46	-13	Pass	401
3700	3710	0.1	RMS	3700.575	9.39	30	Pass	401




10.12. LTE Band Edge(NTNV)(Subtest:4, Channel:44640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3695	-39.64	-13	Pass	401
3695	3699	0.51	RMS	3698.97	-40.37	-13	Pass	401
3699	3700	0.1	RMS	3699.993	-44.52	-13	Pass	401
3700	3710	0.1	RMS	3703.325	-8.46	30	Pass	401




10.13. LTE Band Edge(NTNV)(Subtest:5, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3790	3800	0.1	RMS	3799.425	10.16	30	Pass	401
3800	3801	0.01	RMS	3800	-50.66	-13	Pass	401
3801	3805	0.51	RMS	3801.05	-45.23	-13	Pass	401
3805	3821	1	RMS	3808.04	-42.72	-13	Pass	401




10.14. LTE Band Edge(NTNV)(Subtest:6, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3790	3800	0.1	RMS	3797.55	-7.45	30	Pass	401
3800	3801	0.1	RMS	3800	-42.96	-13	Pass	401
3801	3805	0.51	RMS	3801	-38.68	-13	Pass	401
3805	3821	1	RMS	3805	-38.76	-13	Pass	401




10.15. LTE Band Edge(NTNV)(Subtest:7, Channel:45540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3790	3800	0.1	RMS	3799.4	9.55	30	Pass	401
3800	3801	0.01	RMS	3800.008	-52.51	-13	Pass	401
3801	3805	0.51	RMS	3803.85	-45.4	-13	Pass	401
3805	3821	1	RMS	3808.28	-42.8	-13	Pass	401




10.16. LTE Band Edge(NTNV)(Subtest:8, Channel:45540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3790	3800	0.1	RMS	3793.225	-7.82	30	Pass	401
3800	3801	0.1	RMS	3800.008	-44.65	-13	Pass	401
3801	3805	0.51	RMS	3801.06	-39.83	-13	Pass	401
3805	3821	1	RMS	3805	-39.84	-13	Pass	401




10.17. LTE Band Edge(NTNV)(Subtest:1, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3687.4	-42.44	-13	Pass	401
3695	3699	0.51	RMS	3698.98	-45.56	-13	Pass	401
3699	3700	0.01	RMS	3699.993	-52.23	-13	Pass	401
3700	3715	0.1	RMS	3700.863	10.39	30	Pass	401




10.18. LTE Band Edge(NTNV)(Subtest:2, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3694.12	-37.79	-13	Pass	401
3695	3699	0.51	RMS	3699	-38.63	-13	Pass	401
3699	3700	0.2	RMS	3699.993	-40.87	-13	Pass	401
3700	3715	0.1	RMS	3706.413	-9.06	30	Pass	401




10.19. LTE Band Edge(NTNV)(Subtest:3, Channel:44665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3687.68	-42.63	-13	Pass	401
3695	3699	0.51	RMS	3699	-45.84	-13	Pass	401
3699	3700	0.01	RMS	3699.988	-53.68	-13	Pass	401
3700	3715	0.1	RMS	3700.825	8.95	30	Pass	401




10.20. LTE Band Edge(NTNV)(Subtest:4, Channel:44665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3694.44	-39.23	-13	Pass	401
3695	3699	0.51	RMS	3697.03	-40.65	-13	Pass	401
3699	3700	0.2	RMS	3699.998	-43.24	-13	Pass	401
3700	3715	0.1	RMS	3704.988	-9.45	30	Pass	401




10.21. LTE Band Edge(NTNV)(Subtest:5, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3785	3800	0.1	RMS	3799.175	10.03	30	Pass	401
3800	3801	0.01	RMS	3800.003	-50.5	-13	Pass	401
3801	3805	0.51	RMS	3801.11	-42.24	-13	Pass	401
3805	3821	1	RMS	3805.8	-42.24	-13	Pass	401




10.22. LTE Band Edge(NTNV)(Subtest:6, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3785	3800	0.1	RMS	3794.075	-8.62	30	Pass	401
3800	3801	0.2	RMS	3800.008	-40.96	-13	Pass	401
3801	3805	0.51	RMS	3801.03	-38.94	-13	Pass	401
3805	3821	1	RMS	3806.04	-37.88	-13	Pass	401




10.23. LTE Band Edge(NTNV)(Subtest:7, Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3785	3800	0.1	RMS	3799.138	8.86	30	Pass	401
3800	3801	0.01	RMS	3800.003	-53.34	-13	Pass	401
3801	3805	0.51	RMS	3801.1	-44.87	-13	Pass	401
3805	3821	1	RMS	3805.8	-42.65	-13	Pass	401




10.24. LTE Band Edge(NTNV)(Subtest:8, Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3785	3800	0.1	RMS	3790.4	-9.86	30	Pass	401
3800	3801	0.2	RMS	3800.045	-42.83	-13	Pass	401
3801	3805	0.51	RMS	3801.02	-40.52	-13	Pass	401
3805	3821	1	RMS	3805.08	-39.48	-13	Pass	401




10.25. LTE Band Edge(NTNV)(Subtest:1, Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3683.16	-41.83	-13	Pass	401
3695	3699	0.51	RMS	3698.98	-45.8	-13	Pass	401
3699	3700	0.01	RMS	3699.998	-53.86	-13	Pass	401
3700	3720	0.1	RMS	3701.05	10.18	30	Pass	401




10.26. LTE Band Edge(NTNV)(Subtest:2, Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3694.68	-38.59	-13	Pass	401
3695	3699	0.51	RMS	3698.93	-40.25	-13	Pass	401
3699	3700	0.2	RMS	3699.985	-43.21	-13	Pass	401
3700	3720	0.1	RMS	3707.55	-9.6	30	Pass	401




10.27. LTE Band Edge(NTNV)(Subtest:3, Channel:44690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3683.24	-41.93	-13	Pass	401
3695	3699	0.51	RMS	3695.02	-45.47	-13	Pass	401
3699	3700	0.01	RMS	3699.983	-54.06	-13	Pass	401
3700	3720	0.1	RMS	3701.1	8.79	30	Pass	401




10.28. LTE Band Edge(NTNV)(Subtest:4, Channel:44690, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3679	3695	1	RMS	3695	-39.47	-13	Pass	401
3695	3699	0.51	RMS	3698.9	-41.83	-13	Pass	401
3699	3700	0.2	RMS	3699.998	-44.54	-13	Pass	401
3700	3720	0.1	RMS	3708.75	-10.75	30	Pass	401




10.29. LTE Band Edge(NTNV)(Subtest:5, Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3780	3800	0.1	RMS	3798.95	10.14	30	Pass	401
3800	3801	0.01	RMS	3800.003	-55.36	-13	Pass	401
3801	3805	0.51	RMS	3803.81	-45.48	-13	Pass	401
3805	3821	1	RMS	3807.72	-42.58	-13	Pass	401




10.30. LTE Band Edge(NTNV)(Subtest:6, Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3780	3800	0.1	RMS	3786.3	-9.64	30	Pass	401
3800	3801	0.2	RMS	3800.003	-43.58	-13	Pass	401
3801	3805	0.51	RMS	3801.06	-40.63	-13	Pass	401
3805	3821	1	RMS	3805.08	-39.36	-13	Pass	401




10.31. LTE Band Edge(NTNV)(Subtest:7, Channel:45490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3780	3800	0.1	RMS	3798.9	9.28	30	Pass	401
3800	3801	0.01	RMS	3800.008	-55.15	-13	Pass	401
3801	3805	0.51	RMS	3802.49	-45.88	-13	Pass	401
3805	3821	1	RMS	3807.88	-42.58	-13	Pass	401



10.32. LTE Band Edge(NTNV)(Subtest:8, Channel:45490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3780	3800	0.1	RMS	3792.85	-11.03	30	Pass	401
3800	3801	0.2	RMS	3800.003	-44.57	-13	Pass	401
3801	3805	0.51	RMS	3801.1	-42.25	-13	Pass	401
3805	3821	1	RMS	3805	-39.94	-13	Pass	401



11. LTE_Band48


11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3509.525	-45.29	-40	Pass	401
3530	3540	1	RMS	3539.675	-45.09	-25	Pass	401
3540	3545	1	RMS	3544.95	-44.03	-13	Pass	401
3545	3549	1	RMS	3549	-38.45	-13	Pass	5
3549	3550	0.01	RMS	3550	-39.53	-13	Pass	401
3550	3555	0.1	RMS	3550.325	11.34	30	Pass	401




11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3509.375	-45.29	-40	Pass	401
3530	3540	1	RMS	3539.25	-45.24	-25	Pass	401
3540	3545	1	RMS	3544.888	-44.73	-13	Pass	401
3545	3549	1	RMS	3549	-36.03	-13	Pass	5
3549	3550	0.051	RMS	3550	-41.17	-13	Pass	401
3550	3555	0.1	RMS	3554.35	-3.67	30	Pass	401




11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3506.75	-45.31	-40	Pass	401
3530	3540	1	RMS	3539.775	-45.03	-25	Pass	401
3540	3545	1	RMS	3544.963	-43.8	-13	Pass	401
3545	3549	1	RMS	3549	-37.8	-13	Pass	5
3549	3550	0.01	RMS	3549.995	-40.1	-13	Pass	401
3550	3555	0.1	RMS	3550.313	10.35	30	Pass	401




11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3508.4	-45.32	-40	Pass	401
3530	3540	1	RMS	3539.475	-45.3	-25	Pass	401
3540	3545	1	RMS	3544.825	-44.84	-13	Pass	401
3545	3549	1	RMS	3549	-37.58	-13	Pass	5
3549	3550	0.051	RMS	3550	-41.73	-13	Pass	401
3550	3555	0.1	RMS	3554.45	-4.41	30	Pass	401




11.5. LTE Band Edge(NTNV)(Subtest:1, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3695	3700	1	RMS	3699.613	13.57	30	Pass	401
3700	3701	0.01	RMS	3700	-38.69	-13	Pass	401
3701	3705	1	RMS	3701	-38.33	-13	Pass	5
3705	3710	1	RMS	3705.163	-43.38	-13	Pass	401
3710	3720	1	RMS	3710.725	-44.22	-25	Pass	401
3720	3750	1	RMS	3737.1	-44.37	-40	Pass	401




11.6. LTE Band Edge(NTNV)(Subtest:2, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3695	3700	1	RMS	3698.675	5.97	30	Pass	401
3700	3701	0.051	RMS	3700.003	-39.15	-13	Pass	401
3701	3705	1	RMS	3701	-37.59	-13	Pass	5
3705	3710	1	RMS	3705.138	-43.7	-13	Pass	401
3710	3720	1	RMS	3710.275	-44.29	-25	Pass	401
3720	3750	1	RMS	3737.475	-44.39	-40	Pass	401




11.7. LTE Band Edge(NTNV)(Subtest:3, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3695	3700	1	RMS	3699.625	12.58	30	Pass	401
3700	3701	0.01	RMS	3700	-38.61	-13	Pass	401
3701	3705	1	RMS	3701	-38.73	-13	Pass	5
3705	3710	1	RMS	3705.013	-43.4	-13	Pass	401
3710	3720	1	RMS	3710.4	-44.24	-25	Pass	401
3720	3750	1	RMS	3733.425	-44.4	-40	Pass	401




11.8. LTE Band Edge(NTNV)(Subtest:4, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3695	3700	1	RMS	3696.363	5.24	30	Pass	401
3700	3701	0.051	RMS	3700.003	-40.57	-13	Pass	401
3701	3705	1	RMS	3701	-26.61	-13	Pass	401
3705	3710	1	RMS	3705.1	-44.12	-13	Pass	401
3710	3720	1	RMS	3711.725	-44.32	-25	Pass	401
3720	3750	1	RMS	3739.35	-44.43	-40	Pass	401




11.9. LTE Band Edge(NTNV)(Subtest:1, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3506.15	-45.32	-40	Pass	401
3530	3540	1	RMS	3537.175	-45.41	-25	Pass	401
3540	3549	1	RMS	3549	-43.33	-13	Pass	10
3549	3550	0.01	RMS	3549.985	-49.21	-13	Pass	401
3550	3560	0.1	RMS	3550.6	11.24	30	Pass	401




11.10. LTE Band Edge(NTNV)(Subtest:2, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3508.625	-45.31	-40	Pass	401
3530	3540	1	RMS	3539.95	-45.47	-25	Pass	401
3540	3549	1	RMS	3549	-35.48	-13	Pass	401
3549	3550	0.1	RMS	3549.995	-43.42	-13	Pass	401
3550	3560	0.1	RMS	3559.325	-6.33	30	Pass	401




11.11. LTE Band Edge(NTNV)(Subtest:3, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3505.175	-45.36	-40	Pass	401
3530	3540	1	RMS	3537.6	-45.45	-25	Pass	401
3540	3549	1	RMS	3549	-43.93	-13	Pass	10
3549	3550	0.01	RMS	3549.995	-50.96	-13	Pass	401
3550	3560	0.1	RMS	3550.6	9.94	30	Pass	401




11.12. LTE Band Edge(NTNV)(Subtest:4, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3509.375	-45.36	-40	Pass	401
3530	3540	1	RMS	3531.6	-45.49	-25	Pass	401
3540	3549	1	RMS	3549	-36.12	-13	Pass	401
3549	3550	0.1	RMS	3549.995	-45.31	-13	Pass	401
3550	3560	0.1	RMS	3553.825	-7.26	30	Pass	401




11.13. LTE Band Edge(NTNV)(Subtest:1, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3699.375	13.13	30	Pass	401
3700	3701	0.01	RMS	3700.008	-51.04	-13	Pass	401
3701	3710	1	RMS	3701	-43.68	-13	Pass	10
3710	3720	1	RMS	3711.75	-44.4	-25	Pass	401
3720	3750	1	RMS	3730.95	-44.42	-40	Pass	401




11.14. LTE Band Edge(NTNV)(Subtest:2, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3695.4	3.67	30	Pass	401
3700	3701	0.1	RMS	3700.005	-45.34	-13	Pass	401
3701	3710	1	RMS	3701.023	-38.05	-13	Pass	401
3710	3720	1	RMS	3712.325	-44.41	-25	Pass	401
3720	3750	1	RMS	3736.875	-44.42	-40	Pass	401




11.15. LTE Band Edge(NTNV)(Subtest:3, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3699.375	12.75	30	Pass	401
3700	3701	0.01	RMS	3700.008	-52.41	-13	Pass	401
3701	3710	1	RMS	3701	-44.03	-13	Pass	10
3710	3720	1	RMS	3710.925	-44.39	-25	Pass	401
3720	3750	1	RMS	3740.55	-44.41	-40	Pass	401




11.16. LTE Band Edge(NTNV)(Subtest:4, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3693.675	2.03	30	Pass	401
3700	3701	0.1	RMS	3700	-46.6	-13	Pass	401
3701	3710	1	RMS	3701.023	-39.44	-13	Pass	401
3710	3720	1	RMS	3711.075	-44.43	-25	Pass	401
3720	3750	1	RMS	3734.475	-44.43	-40	Pass	401




11.17. LTE Band Edge(NTNV)(Subtest:1, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3508.55	-45.38	-40	Pass	401
3530	3540	1	RMS	3537.45	-44.18	-25	Pass	401
3540	3549	1	RMS	3549	-36.06	-13	Pass	401
3549	3550	0.01	RMS	3549.995	-51.44	-13	Pass	401
3550	3565	0.1	RMS	3550.825	11.07	30	Pass	401




11.18. LTE Band Edge(NTNV)(Subtest:2, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3513	-45.89	-40	Pass	31
3530	3540	1	RMS	3539.975	-43.43	-25	Pass	401
3540	3549	1	RMS	3549	-37.02	-13	Pass	401
3549	3550	0.15	RMS	3549.985	-43.25	-13	Pass	401
3550	3565	0.1	RMS	3556.375	-8.54	30	Pass	401




11.19. LTE Band Edge(NTNV)(Subtest:3, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3509.75	-45.36	-40	Pass	401
3530	3540	1	RMS	3537.55	-44.51	-25	Pass	401
3540	3549	1	RMS	3549	-35.97	-13	Pass	401
3549	3550	0.01	RMS	3550	-53.25	-13	Pass	401
3550	3565	0.1	RMS	3550.825	9.79	30	Pass	401




11.20. LTE Band Edge(NTNV)(Subtest:4, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3511.925	-45.37	-40	Pass	401
3530	3540	1	RMS	3540	-44.32	-25	Pass	401
3540	3549	1	RMS	3548.978	-38.78	-13	Pass	401
3549	3550	0.15	RMS	3550	-45.51	-13	Pass	401
3550	3565	0.1	RMS	3563.238	-8.88	30	Pass	401




11.21. LTE Band Edge(NTNV)(Subtest:1, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	1	RMS	3699.1	13.38	30	Pass	401
3700	3701	0.01	RMS	3700.005	-52.22	-13	Pass	401
3701	3710	1	RMS	3701	-37.81	-13	Pass	401
3710	3720	1	RMS	3712.45	-44.22	-25	Pass	401
3720	3750	1	RMS	3743.025	-44.45	-40	Pass	401




11.22. LTE Band Edge(NTNV)(Subtest:2, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	1	RMS	3694	1.25	30	Pass	401
3700	3701	0.15	RMS	3700	-45.66	-13	Pass	401
3701	3710	1	RMS	3701.09	-41.15	-13	Pass	401
3710	3720	1	RMS	3710	-43.97	-25	Pass	401
3720	3750	1	RMS	3734.7	-44.43	-40	Pass	401




11.23. LTE Band Edge(NTNV)(Subtest:3, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	1	RMS	3699.138	12.02	30	Pass	401
3700	3701	0.01	RMS	3700	-54.18	-13	Pass	401
3701	3710	1	RMS	3701.023	-38.74	-13	Pass	401
3710	3720	1	RMS	3712.4	-44.33	-25	Pass	401
3720	3750	1	RMS	3738.075	-44.44	-40	Pass	401




11.24. LTE Band Edge(NTNV)(Subtest:4, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3700	1	RMS	3690.438	0.26	30	Pass	401
3700	3701	0.15	RMS	3700.005	-46.99	-13	Pass	401
3701	3710	1	RMS	3701	-41.8	-13	Pass	401
3710	3720	1	RMS	3710	-44.18	-25	Pass	401
3720	3750	1	RMS	3739.2	-44.42	-40	Pass	401




11.25. LTE Band Edge(NTNV)(Subtest:1, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3510.875	-45.36	-40	Pass	401
3530	3540	1	RMS	3533.225	-43.61	-25	Pass	401
3540	3549	1	RMS	3548.978	-42.67	-13	Pass	401
3549	3550	0.01	RMS	3549.993	-53.44	-13	Pass	401
3550	3570	0.1	RMS	3551.05	10.23	30	Pass	401




11.26. LTE Band Edge(NTNV)(Subtest:2, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3511.55	-45.37	-40	Pass	401
3530	3540	1	RMS	3539.875	-42.17	-25	Pass	401
3540	3549	1	RMS	3548.955	-38.69	-13	Pass	401
3549	3550	0.2	RMS	3549.995	-44.19	-13	Pass	401
3550	3570	0.1	RMS	3558.95	-9.33	30	Pass	401




11.27. LTE Band Edge(NTNV)(Subtest:3, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3511.85	-45.37	-40	Pass	401
3530	3540	1	RMS	3533.3	-43.97	-25	Pass	401
3540	3549	1	RMS	3549	-42.57	-13	Pass	401
3549	3550	0.01	RMS	3549.995	-54.43	-13	Pass	401
3550	3570	0.1	RMS	3551.1	9.68	30	Pass	401




11.28. LTE Band Edge(NTNV)(Subtest:4, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3508.175	-45.37	-40	Pass	401
3530	3540	1	RMS	3540	-43.4	-25	Pass	401
3540	3549	1	RMS	3548.978	-40.39	-13	Pass	401
3549	3550	0.2	RMS	3550	-46.35	-13	Pass	401
3550	3570	0.1	RMS	3563.5	-10.48	30	Pass	401




11.29. LTE Band Edge(NTNV)(Subtest:1, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3698.85	13.04	30	Pass	401
3700	3701	0.01	RMS	3700	-55.78	-13	Pass	401
3701	3710	1	RMS	3701.023	-43.23	-13	Pass	401
3710	3720	1	RMS	3716.65	-44.36	-25	Pass	401
3720	3750	1	RMS	3735.975	-44.39	-40	Pass	401




11.30. LTE Band Edge(NTNV)(Subtest:2, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3692.85	0.51	30	Pass	401
3700	3701	0.2	RMS	3700	-46.57	-13	Pass	401
3701	3710	1	RMS	3701.023	-42.15	-13	Pass	401
3710	3720	1	RMS	3710	-43.51	-25	Pass	401
3720	3750	1	RMS	3735.975	-44.41	-40	Pass	401




11.31. LTE Band Edge(NTNV)(Subtest:3, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3698.9	12.87	30	Pass	401
3700	3701	0.01	RMS	3700.003	-55.38	-13	Pass	401
3701	3710	1	RMS	3701.023	-43.29	-13	Pass	401
3710	3720	1	RMS	3716.85	-44.39	-25	Pass	401
3720	3750	1	RMS	3736.65	-44.42	-40	Pass	401



11.32. LTE Band Edge(NTNV)(Subtest:4, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3692.75	-0.45	30	Pass	401
3700	3701	0.2	RMS	3700.015	-47.24	-13	Pass	401
3701	3710	1	RMS	3701	-42.2	-13	Pass	401
3710	3720	1	RMS	3710.15	-43.67	-25	Pass	401
3720	3750	1	RMS	3736.5	-44.42	-40	Pass	401



12. CA_5B


12.1. CA Band Edge(NTNV)(Subtest:1, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.04	-58.69	-13	Pass	401
823	824	0.1	RMS	824	-47.16	-13	Pass	401
824	839	0.1	RMS	824.6	8.54	30	Pass	401




12.2. CA Band Edge(NTNV)(Subtest:2, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.8	-61.22	-13	Pass	401
823	824	0.1	RMS	824	-47.34	-13	Pass	401
824	839	0.1	RMS	838.363	8.57	30	Pass	401




12.3. CA Band Edge(NTNV)(Subtest:3, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-39.7	-13	Pass	401
823	824	0.1	RMS	823.998	-36.94	-13	Pass	401
824	839	0.1	RMS	834.05	3.43	30	Pass	401




12.4. CA Band Edge(NTNV)(Subtest:4, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.04	-59.05	-13	Pass	401
823	824	0.1	RMS	823.998	-47.47	-13	Pass	401
824	839	0.1	RMS	834.05	8.69	30	Pass	401




12.5. CA Band Edge(NTNV)(Subtest:5, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.8	-61.2	-13	Pass	401
823	824	0.1	RMS	823.998	-47.28	-13	Pass	401
824	839	0.1	RMS	838.363	8.61	30	Pass	401




12.6. CA Band Edge(NTNV)(Subtest:6, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-40.88	-13	Pass	401
823	824	0.1	RMS	823.993	-38.16	-13	Pass	401
824	839	0.1	RMS	834.275	2.62	30	Pass	401




12.7. CA Band Edge(NTNV)(Subtest:7, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	843.413	8.66	30	Pass	401
849	850	0.1	RMS	849	-56.89	-13	Pass	11
850	874	0.1	RMS	853.3	-36.75	-13	Pass	401




12.8. CA Band Edge(NTNV)(Subtest:8, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.6	8.69	30	Pass	401
849	850	0.1	RMS	849	-57.59	-13	Pass	11
850	874	0.1	RMS	862.12	-48.41	-13	Pass	401




12.9. CA Band Edge(NTNV)(Subtest:9, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	845.925	3.13	30	Pass	401
849	850	0.1	RMS	849.3	-39.98	-13	Pass	11
850	874	0.1	RMS	852.4	-39.54	-13	Pass	401




12.10. CA Band Edge(NTNV)(Subtest:10, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	843.413	8.62	30	Pass	401
849	850	0.1	RMS	849	-57.58	-13	Pass	11
850	874	0.1	RMS	853.3	-38.09	-13	Pass	401




12.11. CA Band Edge(NTNV)(Subtest:11, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.6	8.58	30	Pass	401
849	850	0.1	RMS	849	-58.67	-13	Pass	11
850	874	0.1	RMS	862.12	-49.55	-13	Pass	401




12.12. CA Band Edge(NTNV)(Subtest:12, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	845.213	2.15	30	Pass	401
849	850	0.1	RMS	849.3	-40.47	-13	Pass	11
850	874	0.1	RMS	850.18	-40.28	-13	Pass	401




12.13. CA Band Edge(NTNV)(Subtest:1, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.86	-61.06	-13	Pass	401
823	824	0.1	RMS	824	-47.45	-13	Pass	401
824	844	0.1	RMS	824.6	8.06	30	Pass	401




12.14. CA Band Edge(NTNV)(Subtest:2, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.8	-60.83	-13	Pass	401
823	824	0.1	RMS	824	-47.71	-13	Pass	401
824	844	0.1	RMS	824.6	8.12	30	Pass	401




12.15. CA Band Edge(NTNV)(Subtest:3, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.64	-39.55	-13	Pass	401
823	824	0.1	RMS	824	-37.41	-13	Pass	401
824	844	0.1	RMS	835.25	0.57	30	Pass	401




12.16. CA Band Edge(NTNV)(Subtest:4, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.8	-60.98	-13	Pass	401
823	824	0.1	RMS	823.998	-47.56	-13	Pass	401
824	844	0.1	RMS	834.5	8.08	30	Pass	401




12.17. CA Band Edge(NTNV)(Subtest:5, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.8	-61.21	-13	Pass	401
823	824	0.1	RMS	824	-47.73	-13	Pass	401
824	844	0.1	RMS	843.3	8.12	30	Pass	401




12.18. CA Band Edge(NTNV)(Subtest:6, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-40.76	-13	Pass	401
823	824	0.1	RMS	823.998	-38.27	-13	Pass	401
824	844	0.1	RMS	834.55	-0.4	30	Pass	401




12.19. CA Band Edge(NTNV)(Subtest:7, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.4	8	30	Pass	401
849	850	0.1	RMS	849	-48.86	-13	Pass	11
850	874	0.1	RMS	858.28	-42.42	-13	Pass	401




12.20. CA Band Edge(NTNV)(Subtest:8, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	829.7	8.11	30	Pass	401
849	850	0.1	RMS	849	-49.49	-13	Pass	11
850	874	0.1	RMS	851.2	-61.61	-13	Pass	401




12.21. CA Band Edge(NTNV)(Subtest:9, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	831	0.4	30	Pass	401
849	850	0.1	RMS	849	-39.3	-13	Pass	11
850	874	0.1	RMS	850.12	-41.66	-13	Pass	401




12.22. CA Band Edge(NTNV)(Subtest:10, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	838.5	8.26	30	Pass	401
849	850	0.1	RMS	849	-48.94	-13	Pass	11
850	874	0.1	RMS	858.28	-42.74	-13	Pass	401




12.23. CA Band Edge(NTNV)(Subtest:11, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	829.7	8.15	30	Pass	401
849	850	0.1	RMS	849	-49.46	-13	Pass	11
850	874	0.1	RMS	861.04	-60.66	-13	Pass	401



12.24. CA Band Edge(NTNV)(Subtest:12, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	830.45	-0.6	30	Pass	401
849	850	0.1	RMS	849	-40.32	-13	Pass	11
850	874	0.1	RMS	850	-42.75	-13	Pass	401



13. CA_42C 3450-3550


13.1. CA Band Edge(NTNV)(Subtest:1, Channel:42190|42307, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3432.4	-41.55	-13	Pass	401
3445	3449	0.5	RMS	3449	-47.44	-13	Pass	9
3449	3450	0.01	RMS	3449.998	-61.68	-13	Pass	401
3450	3475	0.1	RMS	3469.563	-0.49	30	Pass	401




13.2. CA Band Edge(NTNV)(Subtest:2, Channel:42190|42307, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3428.3	-41.42	-13	Pass	401
3445	3449	0.5	RMS	3449	-47.49	-13	Pass	9
3449	3450	0.01	RMS	3449.993	-60.99	-13	Pass	401
3450	3475	0.1	RMS	3473.875	0.11	30	Pass	401




13.3. CA Band Edge(NTNV)(Subtest:3, Channel:42190|42307, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3444.8	-41.51	-13	Pass	401
3445	3449	0.5	RMS	3449	-44.21	-13	Pass	9
3449	3450	0.51	RMS	3450	-41.92	-13	Pass	401
3450	3475	0.1	RMS	3473.125	-6.66	30	Pass	401




13.4. CA Band Edge(NTNV)(Subtest:4, Channel:42190|42307, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3433	-36.02	-13	Pass	41
3445	3449	0.5	RMS	3448.5	-47.4	-13	Pass	9
3449	3450	0.01	RMS	3449.99	-59.24	-13	Pass	401
3450	3475	0.1	RMS	3469.5	4.63	30	Pass	401




13.5. CA Band Edge(NTNV)(Subtest:5, Channel:42190|42307, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3428.1	-41.05	-13	Pass	401
3445	3449	0.5	RMS	3449	-47.6	-13	Pass	9
3449	3450	0.01	RMS	3450	-61.11	-13	Pass	401
3450	3475	0.1	RMS	3451.063	-0.39	30	Pass	401




13.6. CA Band Edge(NTNV)(Subtest:6, Channel:42190|42307, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3445	-42	-13	Pass	401
3445	3449	0.5	RMS	3449	-45.22	-13	Pass	9
3449	3450	0.51	RMS	3449.993	-43.2	-13	Pass	401
3450	3475	0.1	RMS	3472.875	-7.54	30	Pass	401




13.7. CA Band Edge(NTNV)(Subtest:7, Channel:42948|43065, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3525	3550	0.1	RMS	3544.688	1.5	30	Pass	401
3550	3551	0.01	RMS	3550	-47.81	-13	Pass	401
3551	3555	0.5	RMS	3554.5	-40.94	-13	Pass	9
3555	3595	1	RMS	3555	-40.27	-13	Pass	401




13.8. CA Band Edge(NTNV)(Subtest:8, Channel:42948|43065, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3525	3550	0.1	RMS	3526.875	-1.09	30	Pass	401
3550	3551	0.01	RMS	3550	-51.55	-13	Pass	401
3551	3555	0.5	RMS	3551	-47.84	-13	Pass	9
3555	3595	1	RMS	3572.3	-42.08	-13	Pass	401




13.9. CA Band Edge(NTNV)(Subtest:9, Channel:42948|43065, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3525	3550	0.1	RMS	3548.563	-8.14	30	Pass	401
3550	3551	0.5	RMS	3550	-24.59	-13	Pass	3
3551	3555	0.5	RMS	3552.5	-44.81	-13	Pass	9
3555	3595	3	RMS	3556.7	-36.53	-13	Pass	401




13.10. CA Band Edge(NTNV)(Subtest:10, Channel:42948|43065, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3525	3550	0.1	RMS	3549.625	2.12	30	Pass	401
3550	3551	0.01	RMS	3550	-46.46	-13	Pass	401
3551	3555	0.5	RMS	3554.5	-41.01	-13	Pass	9
3555	3595	3	RMS	3555	-37.62	-13	Pass	401




13.11. CA Band Edge(NTNV)(Subtest:11, Channel:42948|43065, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3525	3550	0.1	RMS	3526.875	-1.59	30	Pass	401
3550	3551	0.01	RMS	3550.003	-52.1	-13	Pass	401
3551	3555	0.5	RMS	3551	-47.77	-13	Pass	9
3555	3595	1	RMS	3572.3	-41.58	-13	Pass	401




13.12. CA Band Edge(NTNV)(Subtest:12, Channel:42948|43065, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3525	3550	0.1	RMS	3548.125	-9.54	30	Pass	401
3550	3551	0.5	RMS	3550	-25.35	-13	Pass	3
3551	3555	0.5	RMS	3551	-45.56	-13	Pass	9
3555	3595	3	RMS	3555.3	-37.72	-13	Pass	401




13.13. CA Band Edge(NTNV)(Subtest:1, Channel:42190|42388, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3431.3	-37.23	-13	Pass	401
3445	3449	0.5	RMS	3449	-47.39	-13	Pass	9
3449	3450	0.01	RMS	3449.995	-60.05	-13	Pass	401
3450	3490	0.1	RMS	3451.1	4.01	30	Pass	401




13.14. CA Band Edge(NTNV)(Subtest:2, Channel:42190|42388, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3413.4	-41.91	-13	Pass	401
3445	3449	0.5	RMS	3448	-47.43	-13	Pass	9
3449	3450	0.01	RMS	3449.985	-62.09	-13	Pass	401
3450	3490	0.1	RMS	3488.7	-0.04	30	Pass	401




13.15. CA Band Edge(NTNV)(Subtest:3, Channel:42190|42388, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3443.9	-40.71	-13	Pass	401
3445	3449	0.5	RMS	3448	-43.98	-13	Pass	9
3449	3450	0.51	RMS	3449.993	-42.38	-13	Pass	401
3450	3490	0.1	RMS	3488.4	-12.62	30	Pass	401




13.16. CA Band Edge(NTNV)(Subtest:4, Channel:42190|42388, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3431.2	-37.89	-13	Pass	401
3445	3449	0.5	RMS	3449	-47.38	-13	Pass	9
3449	3450	0.01	RMS	3449.998	-60.01	-13	Pass	401
3450	3490	0.1	RMS	3451.1	3.84	30	Pass	401




13.17. CA Band Edge(NTNV)(Subtest:5, Channel:42190|42388, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3413.3	-42.27	-13	Pass	401
3445	3449	0.5	RMS	3447.5	-47.44	-13	Pass	9
3449	3450	0.01	RMS	3449.998	-61.89	-13	Pass	401
3450	3490	0.1	RMS	3488.7	0.03	30	Pass	401




13.18. CA Band Edge(NTNV)(Subtest:6, Channel:42190|42388, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3405	3445	1	RMS	3444.6	-41.48	-13	Pass	401
3445	3449	0.5	RMS	3448.5	-45.04	-13	Pass	9
3449	3450	0.51	RMS	3449.998	-43.13	-13	Pass	401
3450	3490	0.1	RMS	3486.6	-13.26	30	Pass	401




13.19. CA Band Edge(NTNV)(Subtest:7, Channel:42792|42990, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3550	0.1	RMS	3529.1	2.66	30	Pass	401
3550	3551	0.01	RMS	3550.013	-60.33	-13	Pass	401
3551	3555	0.5	RMS	3553	-47.65	-13	Pass	9
3555	3595	3	RMS	3568.6	-36.79	-13	Pass	401




13.20. CA Band Edge(NTNV)(Subtest:8, Channel:42792|42990, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3550	0.1	RMS	3511.3	-0.22	30	Pass	401
3550	3551	0.01	RMS	3550.003	-62.31	-13	Pass	401
3551	3555	0.5	RMS	3552	-47.65	-13	Pass	9
3555	3595	3	RMS	3586.6	-39.24	-13	Pass	401




13.21. CA Band Edge(NTNV)(Subtest:9, Channel:42792|42990, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3550	0.1	RMS	3543.4	-12.82	30	Pass	401
3550	3551	0.51	RMS	3550.008	-43.38	-13	Pass	401
3551	3555	0.5	RMS	3551	-45.1	-13	Pass	9
3555	3595	3	RMS	3555	-37.31	-13	Pass	401




13.22. CA Band Edge(NTNV)(Subtest:10, Channel:42792|42990, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3550	0.1	RMS	3548.9	3.56	30	Pass	401
3550	3551	0.01	RMS	3550	-60.14	-13	Pass	401
3551	3555	0.5	RMS	3551	-47.61	-13	Pass	9
3555	3595	3	RMS	3569.1	-36.76	-13	Pass	401




13.23. CA Band Edge(NTNV)(Subtest:11, Channel:42792|42990, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3550	0.1	RMS	3511.3	-1.31	30	Pass	401
3550	3551	0.01	RMS	3550.015	-62.21	-13	Pass	401
3551	3555	0.5	RMS	3553	-47.83	-13	Pass	9
3555	3595	3	RMS	3586.5	-39.22	-13	Pass	401



13.24. CA Band Edge(NTNV)(Subtest:12, Channel:42792|42990, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3510	3550	0.1	RMS	3528.9	-14.43	30	Pass	401
3550	3551	0.51	RMS	3550.003	-44.14	-13	Pass	401
3551	3555	0.5	RMS	3553	-46.09	-13	Pass	9
3555	3595	3	RMS	3555.1	-38.25	-13	Pass	401



--BLANK BELOW--