



SAR TEST REPORT

Product Name: 5G Smart phone

Model Name: TANK 3s, SHARK

FCC ID: 2BAVY-TANK3PRO

Issued For : Shenzhen OBLUE Communication Technology Co.,Ltd.

Room 702, Hepingdayou industrial and trade industrial park,
No. 41, Yonghe Road, Heping Community, Fuhai Street,
Baoan District, Shenzhen City, China

Issued By : Shenzhen LGT Test Service Co., Ltd.

Room 205, Building 13, Zone B, Zhenxiong Industrial Park,
No.177, Renmin West Road, Jinsha, Kengzi Street,
Pingshan District, Shenzhen, Guangdong, China

Report Number: LGT24E036HA01

Sample Received Date: May 09, 2024

Date of Test: May 09, 2024 ~ Jun. 03, 2024

Date of Issue: Jun. 12, 2024

Head: 1.144 W/kg

Max. SAR (1g):
Body: 0.946 W/kg

The test report is effective only with both signature and specialized stamp. This report shall not be reproduced except in full without the written approval of the Laboratory. The results in this report only apply to the tested sample.



Table of Contents

1. General Information	5
1.1 EUT Description	5
1.2 Test Environment	8
1.3 Test Factory	8
2. Test Standards and Limits	9
3. SAR Measurement System	10
3.1 Definition of Specific Absorption Rate (SAR)	10
3.2 SAR System	10
4. Tissue Simulating Liquids	13
4.1 Simulating Liquids Parameter Check	13
5. SAR System Validation	16
5.1 Validation System	16
5.2 Validation Result	17
6. SAR Evaluation Procedures	18
7. EUT Antenna Location Sketch	19
7.1 SAR test exclusion consider table	20
8. EUT Test Position	29
8.1 Define Two Imaginary Lines on the Handset	29
8.2 Hotspot mode exposure position condition	30
9. Uncertainty	31
9.1 Measurement Uncertainty	31
10. Conducted Power Measurement	32
10.1 Test Result	32
11. EUT and Test Setup Photo	268
11.1 EUT Photos	268
11.2 Setup Photos	271
12. SAR Result Summary	277
12.1 Head SAR	277
12.2 Body-worn and Hotspot SAR	285
12.3 Repeated SAR	296
12.4 Repeated SAR measurement	296
12.5 Simultaneous Multi-band Transmission Evaluation:	297
13. Equipment List	301
Appendix A. System Validation Plots	302
Appendix B. SAR Test Plots	350



Appendix C. Probe Calibration and Dipole Calibration Report

444

Revision History

Rev.	Issue Date	Contents
00	Jun. 12, 2024	Initial Issue



TEST REPORT CERTIFICATION

Applicant Shenzhen OBLUE Communication Technology Co.,Ltd.
Room 702, Hepingdayou industrial and trade industrial park, No.
Address 41, Yonghe Road, Heping Community, Fuhai Street, Baoan
District, Shenzhen City,China

Manufacture Shenzhen OBLUE Communication Technology Co.,Ltd.
Room 702, Hepingdayou industrial and trade industrial park, No.
Address 41, Yonghe Road, Heping Community, Fuhai Street, Baoan
District, Shenzhen City,China

Product Name 5G Smart phone

Trademark 8849, Unihertz, iHunt

Model Name TANK 3s, SHARK

Sample number LGT2405034-2

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
ANSI/IEEE Std. C95.1-1992 FCC 47 CFR Part 2 (2.1093) IEEE 1528: 2013	PASS

Prepared by:

Della He

Della He
Engineer

Approved by:

Vita Li

Vita Li
Manager





1. General Information

Environmental evaluation measurements of specific absorption rate (SAR) distributions in emulated human head and body tissues exposed to radio frequency (RF) radiation from wireless portable devices for compliance with the rules and regulations of the U.S. Federal Communications Commission (FCC).

1.1 EUT Description

Product Name	5G Smart phone
Trademark	8849,Unihertz,iHunt
Model Name	TANK 3s
Series Model	SHARK
Model Difference	Models correspond to different trademarks
Device Category	Portable
Product stage	Production unit
RF Exposure Environment	General Population / Uncontrolled
Hardware Version	G91_V3.3
Software Version	TANK3 PRO_20240216
Battery	Model: PBA97155B Capacity: 7750mAh Rated Voltage: 7.7V Model: PBA97155C Capacity: 7500mAh Rated Voltage: 7.74V
Description test modes	SIM 1 and SIM 2 is a chipset unit and tested as single chipset, SIM 1 is used to tested
Modulation Type:	GSM: GSM Voice WCDMA: RMC, HSDPA, HSUPA Release 6 LTE: QPSK, 16QAM 5G NR: DFT-s-OFDM, CP-OFDM ($\pi/2$ shift BPSK, QPSK, 16QAM, 64QAM, 256QAM) 2.4G WLAN: 802.11b(DSSS): CCK, DQPSK, DBPSK 802.11n/g(OFDM): BPSK, QPSK, 16-QAM, 64-QAM 5G WLAN: 802.11a/n(OFDM): BPSK, QPSK, 16-QAM, 64-QAM 802.11ac (OFDM): BPSK, QPSK, 16-QAM, 64-QAM, 256-QAM Bluetooth: GFSK + $\pi/4$ DQPSK + 8DPSK BLE: GFSK NFC: FSK
Antenna Specification	GSM/WCDMA/CDMA/LTE/NR: FPC Antenna Bluetooth: FPC Antenna WLAN: FPC Antenna NFC: Coil Antenna
Operating Mode	Maximum continuous output
SIM Card	Support dual-SIM, dual standby, the multiple SIM card with two lines cannot trans mitting at the same time
Hotspot Mode	Support
DTM Mode	Not Support



Frequency Range	GSM 850: 824 ~ 849 MHz		
	PCS 1900: 1850 ~ 1910 MHz		
	WCDMA Band II: 1850 ~ 1910 MHz		
	WCDMA Band IV:1710 ~ 1755 MHz		
	WCDMA Band V: 824 ~ 849 MHz		
	CDMA&EVDO:		
	BC0: 824.70 MHz~ 848.31 MHz		
	BC1: 1851.25 MHz~ 1908.75 MHz		
	LTE Band 2:1850 ~1910MHz		
	LTE Band 4:1710 ~1755MHz		
	LTE Band 5:824 ~ 849MHz		
	LTE Band 7:2500 ~ 2570MHz		
	LTE Band 12:699~716MHz		
	LTE Band 13:777~787MHz		
	LTE Band 17:704 ~ 716MHz		
	LTE Band 25:1850~1915MHz		
	LTE Band 26:814~824MHz/824-849MHz		
	LTE Band 38:2570~2620MHz		
	LTE Band 40:2305~2315MHz/2350-2360MHz		
	LTE Band 41:2496~2690MHz		
	LTE Band 66:1710~1780MHz		
	NR N2:1850 MHz ~ 1910 MHz		
	NR N5:824 MHz ~ 849 MHz		
	NR N7:2500 MHz ~2570 MHz		
	NR N25:1850 MHz ~1915 MHz		
	NR N38:2570 MHz ~2620 MHz		
	NR N41:2496 MHz ~ 2690 MHz		
	NR N77:3450 MHz ~ 3550 MHz, 3700 MHz ~ 3980 MHz		
	NSA: B5+N41		
	WLAN 802.11b/g/n20: 2412 MHz ~ 2462 MHz		
	WLAN 802.11n40: 2422 MHz ~ 2452 MHz		
	WLAN 802.11a/n20/n40/ac20/ac40/ac80: 5150 ~ 5250 MHz		
	WLAN 802.11a/n20/n40/ac20/ac40/ac80: 5250 ~ 5350 MHz		
	WLAN 802.11a/n20/n40/ac20/ac40/ac80: 5470 ~ 5725 MHz		
	WLAN 802.11a/n20/n40/ac20/ac40/ac80: 5725 ~ 5850 MHz		
	Bluetooth: 2402 ~ 2480 MHz		
NFC:13.56MHz			
Max. Reported SAR(1g): (Limit:1.6W/kg) Test distance: Head:0mm Body:10mm	Mode	Head (W/ kg)	Body Worn and Hotspot (W/ kg)
	GSM 850	0.201	0.321
	PCS 1900	0.101	0.347
	WCDMA Band II	0.087	0.408
	WCDMA Band IV	0.109	0.742
	WCDMA Band V	0.146	0.251
	CDMA BC0	0.066	0.075
	CDMA BC1	0.091	0.176
	LTE Band 2	0.105	0.674
	LTE Band 4	0.134	0.822
	LTE Band 5	0.210	0.220
	LTE Band 7	0.221	0.286
	LTE Band 12	0.164	0.168
	LTE Band 13	0.149	0.214
	LTE Band 17	0.156	0.173
	LTE Band 25	0.105	0.587
	LTE Band 26	0.199	0.202
	LTE Band 38	0.158	0.201
	LTE Band 40	0.166	0.352



	LTE Band 41	0.127	0.181
	LTE Band 66	0.139	0.946
	2.4G WLAN ANT 1	0.114	0.113
	2.4G WLAN ANT 2	0.506	0.234
	2.4G WLAN MIMO	1.144	0.64
	5.2G WLAN ANT 1	0.179	0.392
	5.2G WLAN ANT 2	0.289	0.242
	5.2G WLAN MIMO	0.991	0.688
	5.3G WLAN ANT 1	0.217	0.449
	5.3G WLAN ANT 2	0.191	0.156
	5.3G WLAN MIMO	0.993	0.531
	5.6G WLAN ANT 1	0.230	0.786
	5.6G WLAN ANT 2	0.341	0.355
	5.6G WLAN MIMO	0.555	0.669
	5.8G WLAN ANT 1	0.393	0.414
	5.8G WLAN ANT 2	0.564	0.402
	5.8G WLAN MIMO	0.884	0.497
	Bluetooth ^{NOTE4}	0.059	0.059
	NFC ^{NOTE4}	0.00000005	0.00000005
	NR SA N2	0.067	0.558
	NR SA N5	0.168	0.268
	NR SA N7	0.100	0.321
	NR SA N25	0.045	0.490
	NR SA N38	0.084	0.247
	NR SA N41	0.144	0.322
	NR SA N77	0.240	0.412
	NSA N41+B5	0.354	0.484
1-g Sum SAR		1.384	1.528

Note:

1. The dual SIM card mobile has 2 SIM slots and supports dual SIM dual standby. The WWAN radio transmission will be enabled by either one SIM at a time (Single active)
2. After pre-scan two SIM cards power, we found test result of the SIM1 was the worse, so we chose SIM1 card to perform all tests.
3. The EUT battery must be fully charged and checked periodically during the test to ascertain uniform power
4. The BT and NFC value was Estimated.

EN-DC SAR test summary:

Band	Mode	Head Max SAR	Head Test sum	Body Max SAR	Body Test sum
		(W/Kg)		(W/Kg)	
NSA N41+B5	SA N41	0.144	0.354	0.284	0.484
	LTE B5	0.210		0.200	



1.2 Test Environment

Ambient conditions in the SAR laboratory:

Items	Required
Temperature (°C)	18-25
Humidity (%RH)	30-70

1.3 Test Factory

Company Name:	Shenzhen LGT Test Service Co., Ltd.
Address:	Room 205, Building 13, Zone B, Zhenxiong Industrial Park, No.177, Renmin West Road, Jinsha, Kengzi Street, Pingshan District, Shenzhen, Guangdong, China
Accreditation Certificate	FCC Registration No.: 746540
	A2LA Certificate No.: 6727.01
	IC Registration No.: CN0136



2. Test Standards and Limits

No.	Identity	Document Title
1	47 CFR Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	ANSI/IEEE Std. C95.1-1992	IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz
3	IEEE Std. 1528-2013	Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques
4	FCC KDB 447498 D01 v06	Mobile and Portable Device RF Exposure Procedures and Equipment Authorization Policies
5	FCC KDB 865664 D01 v01r04	SAR Measurement 100 MHz to 6 GHz
6	FCC KDB 865664 D02 v01r02	RF Exposure Reporting
7	FCC KDB 941225 D01 v03r01	SAR Measurement Procedures for 3G Devices
8	FCC KDB 941225 D05 v02r05	SAR for LTE Devices
9	FCC KDB 941225 D06 v02r01	Hotspot Mode SAR
10	FCC KDB 648474 D04 v01r03	SAR Evaluation Considerations for Wireless Handsets
11	FCC KDB 248227 D01 Wi-Fi SAR v02r02	SAR Considerations for 802.11 Devices

(A). Limits for Occupational/Controlled Exposure (W/kg)

Whole-Body Partial-Body Hands, Wrists, Feet and Ankles

0.4 8.0 20.0

(B). Limits for General Population/Uncontrolled Exposure (W/kg)

Whole-Body Partial-Body Hands, Wrists, Feet and Ankles

0.08 1.6 4.0

NOTE: Whole-Body SAR is averaged over the entire body, partial-body SAR is averaged over any 1 gram of tissue defined as a tissue volume in the shape of a cube. SAR for hands, wrists, feet and ankles is averaged over any 10 grams of tissue defined as a tissue volume in the shape of a cube.

Population/Uncontrolled Environments:

Are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure.

Occupational/Controlled Environments:

Are defined as locations where there is exposure that may be incurred by people who are aware of the potential for exposure, (i.e. as a result of employment or occupation).

NOTE
GENERAL POPULATION/UNCONTROLLED EXPOSURE
PARTIAL BODY LIMIT
1.6 W/kg

3. SAR Measurement System

3.1 Definition of Specific Absorption Rate (SAR)

SAR is related to the rate at which energy is absorbed per unit mass in an object exposed to a radio field. The SAR distribution in a biological body is complicated and is usually carried out by experimental techniques or numerical modeling. The standard recommends limits for two tiers of groups, occupational/controlled and general population/uncontrolled, based on a person's awareness and ability to exercise control over his or her exposure. In general, occupational/controlled exposure limits are higher than the limits for general population/uncontrolled.

The SAR definition is the time derivative (rate) of the incremental energy (dW) absorbed by (dissipated in) an incremental mass (dm) contained in a volume element (dv) of a given density (ρ). The equation description is as below:

$$SAR = \frac{d}{dt} \left(\frac{dW}{dm} \right) = \frac{d}{dt} \left(\frac{dW}{\rho dv} \right)$$

SAR is expressed in units of Watts per kilogram (W/kg) SAR measurement can be related to the electrical field in the tissue by


$$SAR = \frac{\sigma E^2}{\rho}$$

Where: σ is the conductivity of the tissue;

ρ is the mass density of the tissue and E is the RMS electrical field strength.

3.2 SAR System

MVG SAR System Diagram:



COMOSAR is a system that is able to determine the SAR distribution inside a phantom of human being according to different standards. The COMOSAR system consists of the following items:

- Main computer to control all the system
- 6 axis robot
- Data acquisition system
- Miniature E-field probe
- Phone holder
- Head simulating tissue

The following figure shows the system.



The EUT under test operating at the maximum power level is placed in the phone holder, under the phantom, which is filled with head simulating liquid. The E-Field probe measures the electric field inside the phantom. The OpenSAR software computes the results to give a SAR value in a 1g or 1g mass.

3.2.1 Probe

For the measurements the Specific Dosimetric E-Field Probe SN 04/22 EPGO364 with following specifications is used

- Probe Length: 330 mm
- Length of Individual Dipoles: 2mm
- Maximum external diameter: 8 mm
- Probe Tip External Diameter: 2.5 mm
- Distance between dipole/probe extremity: 1 mm
- Dynamic range: 0.01-100 W/kg
- Probe linearity: 3%
- Axial Isotropy: < 0.10 dB
- Spherical Isotropy: < 0.10 dB
- Calibration range: 600 MHz to 6 GHz for head & body simulating liquid.
- Angle between probe axis (evaluation axis) and surface normal line: less than 30°



Figure 1-MVG COMOSAR Dosimetric E field Probe



3.2.2 Phantom

For the measurements the Specific Anthropomorphic Mannequin (SAM) defined by the IEEE SCC-34/SC2 group is used. The phantom is a polyurethane shell integrated in a wooden table. The thickness of the phantom amounts to 2mm +/- 0.2mm. It enables the dosimetric evaluation of left and right phone usage and includes an additional flat phantom part for the simplified performance check. The phantom set-up includes a cover, which prevents the evaporation of the liquid.




Figure-SN 06/22 SAM 148



Figure-SN 06/22 ELLI 51

3.2.3 Device Holder



The SAR in the phantom is approximately inversely proportional to the square of the distance between the source and the liquid surface. For a source at 5 mm distance, a positioning uncertainty of ± 0.5 mm would produce a SAR uncertainty of ± 20 %. Accurate device positioning is therefore crucial for accurate and repeatable measurements. The positions in which the devices must be measured are defined by the standards.



4. Tissue Simulating Liquids

4.1 Simulating Liquids Parameter Check

The simulating liquids should be checked at the beginning of a series of SAR measurements to determine if the dielectric parameters are within the tolerances of the specified target values

The uncertainty due to the liquid conductivity and permittivity arises from two different sources. The first source of error is the deviation of the liquid conductivity from its target value (max _ 5 %) and the second source of error arises from the measurement procedures used to assess conductivity. The uncertainty shall be assessed using a rectangular probability For 1 g averaging, the maximum weighting coefficient for SAR is 0,5.

IEEE SCC-34/SC-2 RECOMMENDED TISSUE DIELECTRIC PARAMETERS

The head and body tissue dielectric parameters recommended by the IEEE SCC-34/SC-2 have been incorporated in the following table.

Frequency	ϵ_r	σ 10g S/m
300	45.3	0.87
450	43.5	0.87
750	41.9	0.89
835	41.5	0.90
900	41.5	0.97
1450	40.5	1.20
1800 to 2000	40.0	1.40
2100	39.8	1.49
2450	39.2	1.80
2600	39.0	1.96
3000	38.5	2.40
3500	37.9	2.91
4000	37.4	3.43
4500	36.8	3.94
5000	36.2	4.45
5200	36.0	4.66
5400	35.8	4.86
5600	35.5	5.07
5800	35.3	5.27



LIQUID MEASUREMENT RESULTS

Date	Ambient		Simulating Liquid		Parameters	Target	Measured	Deviation %	Limited %
	Temp. [°C]	Humidity %	Frequency (MHz)	Temp. [°C]					
2024-05-09	21.1	48	750	20.8	Permittivity	41.90	42.20	0.72	±5
					Conductivity	0.89	0.87	-2.25	±5
2024-05-16	22.5	55	750	22.2	Permittivity	41.90	42.69	1.89	±5
					Conductivity	0.89	0.92	3.37	±5
2024-06-01	21.5	46	835	21.2	Permittivity	41.50	41.87	0.89	±5
					Conductivity	0.90	0.91	1.11	±5
2024-05-13	21.8	54	835	21.5	Permittivity	41.50	42.59	2.63	±5
					Conductivity	0.90	0.88	-2.22	±5
2024-06-02	23.1	53	1800	22.8	Permittivity	40.00	40.82	2.05	±5
					Conductivity	1.40	1.38	-1.43	±5
2024-05-17	21.4	57	1800	21.1	Permittivity	40.00	40.93	2.33	±5
					Conductivity	1.40	1.45	3.57	±5
2024-05-20	20.9	45	1900	20.6	Permittivity	40.00	40.93	2.33	±5
					Conductivity	1.40	1.46	4.29	±5
2024-05-10	20.9	59	1900	20.7	Permittivity	40.00	40.22	0.55	±5
					Conductivity	1.40	1.42	1.43	±5
2024-05-14	22.2	49	1900	21.9	Permittivity	40.00	40.34	0.85	±5
					Conductivity	1.40	1.42	1.43	±5
2024-05-19	22.8	59	2300	22.4	Permittivity	39.47	40.32	2.16	±5
					Conductivity	1.67	1.65	-1.00	±5
2024-05-15	24	55	2450	23.6	Permittivity	39.20	39.60	1.02	±5
					Conductivity	1.80	1.83	1.67	±5
2024-05-12	21.6	50	2600	21.2	Permittivity	39.00	39.36	0.92	±5
					Conductivity	1.96	2.00	2.04	±5
2024-06-03	20.6	48	2600	20.2	Permittivity	39.00	39.11	0.28	±5
					Conductivity	1.96	2.01	2.55	±5
2024-05-11	20.4	43	2600	20.2	Permittivity	39.00	39.72	1.85	±5
					Conductivity	1.96	1.94	-1.02	±5
2024-05-18	22	51	3700	21.7	Permittivity	37.67	38.19	1.37	±5
					Conductivity	3.12	3.08	-1.13	±5
2024-05-22	23.8	47	3900	23.5	Permittivity	37.45	38.38	2.49	±5
					Conductivity	3.32	3.40	2.39	±5
2024-05-23	21	54	5200	20.7	Permittivity	36.00	36.47	1.31	±5
					Conductivity	4.66	4.67	0.21	±5
2024-05-24	23.2	42	5200	22.9	Permittivity	36.00	36.96	2.67	±5
					Conductivity	4.66	4.63	-0.64	±5
2024-05-25	23.2	59	5400	22.9	Permittivity	35.80	36.66	2.40	±5
					Conductivity	4.86	4.92	1.23	±5
2024-05-26	21.7	40	5400	21.4	Permittivity	35.80	37.03	3.44	±5
					Conductivity	4.86	4.88	0.41	±5



2024-05-27	21.4	58	5600	21.1	Permittivity	35.55	35.94	1.10	±5
					Conductivity	5.07	5.06	-0.10	±5
2024-05-28	23.9	42	5600	23.6	Permittivity	35.55	36.32	2.17	±5
					Conductivity	5.07	5.05	-0.30	±5
2024-05-29	21.2	60	5800	20.9	Permittivity	35.30	36.31	2.86	±5
					Conductivity	5.27	5.31	0.76	±5
2024-05-30	21.8	44	5800	21.5	Permittivity	35.30	35.91	1.73	±5
					Conductivity	5.27	5.25	-0.38	±5




5. SAR System Validation

5.1 Validation System

Each MVG system is equipped with one or more system validation kits. These units, together with the predefined measurement procedures within the MVG software, enable the user to conduct the system performance check and system validation. System kit includes a dipole, and dipole device holder.

The system check verifies that the system operates within its specifications. It's performed daily or before every SAR measurement. The system check uses normal SAR measurement in the flat section of the phantom with a matched dipole at a specified distance. The system validation setup is shown as below.





5.2 Validation Result

Comparing to the original SAR value provided by MVG, the validation data should be within its specification of $\pm 10\%$.

Date	Freq.	Power	Tested Value	Normalized SAR	Target SAR	Tolerance	Limit
	(MHz)	(mW)	(W/Kg)	(W/kg)	1g(W/kg)	(%)	(%)
2024-05-09	750	100	0.843	8.43	8.27	1.93	10
2024-05-16	750	100	0.866	8.66	8.27	4.72	10
2024-06-01	835	100	0.980	9.80	9.75	0.51	10
2024-05-13	835	100	1.020	10.20	9.75	4.62	10
2024-06-02	1800	100	3.935	39.35	39.06	0.74	10
2024-05-17	1800	100	3.928	39.28	39.06	0.56	10
2024-05-20	1900	100	4.091	40.91	40.85	0.15	10
2024-05-10	1900	100	4.125	41.25	40.85	0.98	10
2024-05-14	1900	100	4.094	40.94	40.85	0.22	10
2024-05-19	2300	100	5.053	50.53	50.94	-0.80	10
2024-05-15	2450	100	5.465	54.65	54.28	0.68	10
2024-05-12	2600	100	5.629	56.29	56.58	-0.51	10
2024-06-03	2600	100	5.624	56.24	56.58	-0.60	10
2024-05-11	2600	100	5.644	56.44	56.58	-0.25	10
2024-05-18	3700	100	7.023	70.23	69.81	0.60	10
2024-05-22	3900	100	7.031	70.31	69.92	0.56	10
2024-05-23	5200	100	7.789	77.89	77.64	0.32	10
2024-05-24	5200	100	7.737	77.37	77.64	-0.35	10
2024-05-25	5300	100	7.999	79.99	80.27	-0.35	10
2024-05-26	5300	100	8.061	80.61	80.27	0.42	10
2024-05-27	5600	100	7.808	78.08	78.35	-0.34	10
2024-05-28	5600	100	7.798	77.98	78.35	-0.47	10
2024-05-29	5800	100	7.507	75.07	74.92	0.20	10
2024-05-30	5800	100	7.490	74.90	74.92	-0.03	10

Note:

1. The tolerance limit of System validation $\pm 10\%$.
2. The dipole input power (forward power) was 100 mW.
3. The results are normalized to 1 W input power.



6. SAR Evaluation Procedures

The procedure for assessing the average SAR value consists of the following steps:

The following steps are used for each test position

- Establish a call with the maximum output power with a base station simulator. The connection between the mobile and the base station simulator is established via air interface
- Measurement of the local E-field value at a fixed location. This value serves as a reference value for calculating a possible power drift.
- Measurement of the SAR distribution with a grid of 8 to 16mm * 8 to 16 mm and a constant distance to the inner surface of the phantom. Since the sensors cannot directly measure at the inner phantom surface, the values between the sensors and the inner phantom surface are extrapolated. With these values the area of the maximum SAR is calculated by an interpolation scheme.
- Around this point, a cube of 30 * 30 * 30 mm or 32 * 32 * 32 mm is assessed by measuring 5 or 8 * 5 or 8*4 or 5 mm. With these data, the peak spatial-average SAR value can be calculated.


➤ Area Scan & Zoom Scan

First Area Scan is used to locate the approximate location(s) of the local peak SAR value(s). The measurement grid within an Area Scan is defined by the grid extent, grid step size and grid offset. Next, in order to determine the EM field distribution in a three-dimensional spatial extension, Zoom Scan is required. The Zoom Scan is performed around the highest E-field value to determine the averaged SAR-distribution over 10 g. Area scan and zoom scan resolution setting follows KDB 865664 D01 quoted below.

When the 1-g SAR of the highest peak is within 2 dB of the SAR limit, additional zoom scans are required for other peaks within 2 dB of the highest peak that have not been included in any zoom scan to ensure there is no increase in SAR.

7. EUT Antenna Location Sketch

It is a 5G Smart phone, support GSM/WCDMA/LTE/NR/WLAN/BT mode.



Note 1: The antenna information refer the manufacturer provide report, applicable only to the tested sample identified in the report.

ANT	Transmitting antenna located(mm)					
	Back Side	Front Side	Left Side	Right Side	Top Side	Bottom Side
GSM/WCDMA/CDMA/LTE /SA Antenna	5	5	10	5	160	5
BT/WLAN Antenna 1	5	5	5	70	5	162
WLAN Antenna 2	5	5	68	5	5	162
5G N77 Antenna	5	5	23	5	40	130
LTE B7 B38 B40 B41 SA N7 N38 N40 N41	5	5	25	22	5	168



7.1 SAR test exclusion consider table

The WWAN/WLAN/BT SAR evaluation of Maximum power (dBm) summing tolerance.

Exposure Position	Wireless Interface	GSM850	PCS1900	WCDMA II	WCDMA V	WCDMA IV
	Calculated Frequency (MHz)	836.6	1909.8	1880	846.6	1752.4
	Maximum Turn-up power (dBm)	34.5	30.5	24	24	24
	Maximum rated power(mW)	2818.38	1122.02	251.19	251.19	251.19
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.40	10.85	10.94	16.30	11.33
	Testing required?	YES	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.40	10.85	10.94	16.30	11.33
	Testing required?	YES	YES	YES	YES	YES
Left Edge	Separation distance (mm)	10	10	10	10	10
	exclusion threshold(mW)	32.80	21.71	21.88	32.60	22.66
	Testing required?	YES	YES	YES	YES	YES
Right Edge	Separation distance (mm)	20	20	20	20	20
	exclusion threshold(mW)	65.60	43.42	43.76	65.21	45.32
	Testing required?	YES	YES	YES	YES	YES
Top Edge	Separation distance (mm)	160	160	160	160	160
	exclusion threshold(mW)	777.50	1208.54	1209.40	783.86	1213.31
	Testing required?	YES	NO	NO	NO	NO
Bottom Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.40	10.85	10.94	16.30	11.33
	Testing required?	YES	YES	YES	YES	YES



Exposure Position	Wireless Interface	CDMA BC0	CDMA BC1	LTE Band 2	LTE Band 4	LTE Band 5
	Calculated Frequency (MHz)	848.31	1880	1900	1732.5	844
	Maximum Turn-up power (dBm)	22.5	23	25	24.5	25
	Maximum rated power(mW)	177.83	199.53	316.23	281.84	316.23
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.29	10.94	10.88	11.40	16.33
	Testing required?	YES	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.29	10.94	10.88	11.40	16.33
	Testing required?	YES	YES	YES	YES	YES
Left Edge	Separation distance (mm)	10	10	10	10	10
	exclusion threshold(mW)	32.57	21.88	21.76	22.79	32.66
	Testing required?	YES	YES	YES	YES	YES
Right Edge	Separation distance (mm)	20	20	20	20	20
	exclusion threshold(mW)	65.14	43.76	43.53	45.58	65.31
	Testing required?	YES	YES	YES	YES	YES
Top Edge	Separation distance (mm)	160	160	160	160	160
	exclusion threshold(mW)	784.95	1209.40	1208.82	1213.96	782.21
	Testing required?	NO	NO	NO	NO	NO
Bottom Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.29	10.94	10.88	11.40	16.33
	Testing required?	YES	YES	YES	YES	YES



Exposure Position	Wireless Interface	LTE Band 7	LTE Band 12	LTE Band 13	LTE Band 17	LTE Band 25
	Calculated Frequency (MHz)	2535	704	782	709	1905
	Maximum Turn-up power (dBm)	25.5	25	25	25	24.5
	Maximum rated power(mW)	354.81	316.23	316.23	316.23	281.84
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.42	17.88	16.96	17.81	10.87
	Testing required?	YES	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.42	17.88	16.96	17.81	10.87
	Testing required?	YES	YES	YES	YES	YES
Left Edge	Separation distance (mm)	25	10	10	10	10
	exclusion threshold(mW)	47.11	35.75	33.92	35.63	21.74
	Testing required?	YES	YES	YES	YES	YES
Right Edge	Separation distance (mm)	22	20	20	20	20
	exclusion threshold(mW)	41.45	71.51	67.85	71.26	43.47
	Testing required?	YES	YES	YES	YES	YES
Top Edge	Separation distance (mm)	5	160	160	160	160
	exclusion threshold(mW)	9.42	695.04	743.09	698.08	1208.68
	Testing required?	YES	NO	NO	NO	NO
Bottom Edge	Separation distance (mm)	168	5	5	5	5
	exclusion threshold(mW)	2088.41	17.88	16.96	17.81	10.87
	Testing required?	NO	YES	YES	YES	YES



Exposure Position	Wireless Interface	LTE Band 26	LTE Band 38	LTE Band 40	LTE Band 41	LTE Band 66
	Calculated Frequency (MHz)	841.5	2580	2310	2506	1720
	Maximum Turn-up power (dBm)	25	25.5	12	25.5	24.5
	Maximum rated power(mW)	316.23	354.81	15.85	354.81	281.84
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.35	9.34	9.87	9.48	11.44
	Testing required?	YES	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.35	9.34	9.87	9.48	11.44
	Testing required?	YES	YES	YES	YES	YES
Left Edge	Separation distance (mm)	10	25	25	25	10
	exclusion threshold(mW)	32.70	46.69	49.35	47.38	22.87
	Testing required?	YES	YES	NO	YES	YES
Right Edge	Separation distance (mm)	20	22	22	22	20
	exclusion threshold(mW)	65.41	41.09	43.42	41.69	45.75
	Testing required?	YES	YES	NO	YES	YES
Top Edge	Separation distance (mm)	160	5	5	5	160
	exclusion threshold(mW)	780.62	9.34	9.87	9.48	1214.37
	Testing required?	NO	YES	YES	YES	NO
Bottom Edge	Separation distance (mm)	5	168	168	168	5
	exclusion threshold(mW)	16.35	1273.39	1278.69	1274.75	11.44
	Testing required?	YES	NO	NO	NO	YES



Exposure Position	Wireless Interface	BT	2.4G WLAN ANT 1	2.4G WLAN ANT 2	5.2G WLAN ANT 1	5.2G WLAN ANT 2
	Calculated Frequency (MHz)	2441	2412	2462	5180	5825
	Maximum Turn-up power (dBm)	1.5	12	15.5	7	8.5
	Maximum rated power(mW)	1.41	15.85	35.48	5.01	7.08
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.60	9.66	9.56	6.59	6.22
	Testing required?	NO	YES	YES	NO	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.60	9.66	9.56	6.59	6.22
	Testing required?	NO	YES	YES	NO	YES
Left Edge	Separation distance (mm)	5	5	68	5	68
	exclusion threshold(mW)	9.60	9.66	275.60	6.59	242.15
	Testing required?	NO	YES	NO	NO	NO
Right Edge	Separation distance (mm)	5	5	68	5	68
	exclusion threshold(mW)	9.60	9.66	275.60	6.59	242.15
	Testing required?	NO	YES	NO	NO	NO
Top Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.60	9.66	9.56	6.59	6.22
	Testing required?	NO	YES	YES	NO	YES
Bottom Edge	Separation distance (mm)	162	162	162	162	162
	exclusion threshold(mW)	1216.01	1216.58	1215.60	1185.91	1182.15
	Testing required?	NO	NO	NO	NO	NO



Exposure Position	Wireless Interface	5.3G WLAN ANT 1	5.3G WLAN ANT 2	5.6G WLAN ANT 1	5.6G WLAN ANT 2	5.8G WLAN ANT 1	5.8G WLAN ANT 2
	Calculated Frequency (MHz)	5270	5320	5700	5580	5795	5755
	Maximum Turn-up power (dBm)	8	9	7.5	9.5	7.5	9.5
	Maximum rated power(mW)	6.31	7.94	5.62	8.91	5.62	8.91
Back Side	Separation distance (mm)	5	5	5	5	5	5
	exclusion threshold(mW)	6.53	6.50	6.28	6.35	6.23	6.25
	Testing required?	NO	YES	NO	YES	NO	YES
Front Side	Separation distance (mm)	5	5	5	5	5	5
	exclusion threshold(mW)	6.53	6.50	6.28	6.35	6.23	6.25
	Testing required?	NO	YES	NO	YES	NO	YES
Left Edge	Separation distance (mm)	5	68	5	68	5	68
	exclusion threshold(mW)	6.53	245.03	6.28	243.50	6.23	242.53
	Testing required?	NO	NO	NO	NO	NO	NO
Right Edge	Separation distance (mm)	5	68	5	68	5	68
	exclusion threshold(mW)	6.53	245.03	6.28	243.50	6.23	242.53
	Testing required?	NO	NO	NO	NO	NO	NO
Top Edge	Separation distance (mm)	5	5	5	5	5	5
	exclusion threshold(mW)	6.53	6.50	6.28	6.35	6.23	6.25
	Testing required?	NO	YES	NO	YES	NO	YES
Bottom Edge	Separation distance (mm)	162	162	162	162	162	162
	exclusion threshold(mW)	1185.34	1185.03	1182.83	1183.50	1182.31	1182.53
	Testing required?	NO	NO	NO	NO	NO	NO



Exposure Position	Wireless Interface	SA N2	SA N5	SA N7	SA N25
	Calculated Frequency (MHz)	1900	839	2560	1860
	Maximum Turn-up power (dBm)	21.5	21.5	20.5	21.5
	Maximum rated power(mW)	141.25	141.25	112.20	141.25
Back Side	Separation distance (mm)	5	5	5	5
	exclusion threshold(mW)	10.88	16.38	9.38	11.00
	Testing required?	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5
	exclusion threshold(mW)	10.88	16.38	9.38	11.00
	Testing required?	YES	YES	YES	YES
Left Edge	Separation distance (mm)	10	10	10	10
	exclusion threshold(mW)	21.76	32.75	18.75	22.00
	Testing required?	YES	YES	YES	YES
Right Edge	Separation distance (mm)	10	10	25	10
	exclusion threshold(mW)	21.76	32.75	46.88	22.00
	Testing required?	YES	YES	YES	YES
Top Edge	Separation distance (mm)	160	160	5	160
	exclusion threshold(mW)	1208.82	779.03	9.38	1209.99
	Testing required?	NO	NO	YES	NO
Bottom Edge	Separation distance (mm)	5	5	168	5
	exclusion threshold(mW)	10.88	16.38	1273.75	11.00
	Testing required?	YES	YES	NO	YES



Exposure Position	Wireless Interface	SA N38	SA N41	SA N77
	Calculated Frequency (MHz)	2600	2640	3750
	Maximum Turn-up power (dBm)	20.5	23	21.5
	Maximum rated power(mW)	112.20	199.53	141.25
Back Side	Separation distance (mm)	5	5	5
	exclusion threshold(mW)	9.30	9.23	7.75
	Testing required?	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5
	exclusion threshold(mW)	9.30	9.23	7.75
	Testing required?	YES	YES	YES
Left Edge	Separation distance (mm)	10	10	55
	exclusion threshold(mW)	18.61	18.46	127.46
	Testing required?	YES	YES	YES
Right Edge	Separation distance (mm)	25	25	23
	exclusion threshold(mW)	46.51	46.16	35.63
	Testing required?	YES	YES	YES
Top Edge	Separation distance (mm)	5	5	40
	exclusion threshold(mW)	9.30	9.23	61.97
	Testing required?	YES	YES	YES
Bottom Edge	Separation distance (mm)	168	168	130
	exclusion threshold(mW)	1273.03	1272.32	877.46
	Testing required?	NO	NO	NO

Note:

1. maximum power is the source-based time-average power and represents the maximum RF output power among production units.
2. per KDB 447498 D01, for larger devices, the test separation distance of adjacent edge configuration is determined by the closest separation between the antenna and the user.
3. per KDB 447498 D01, standalone SAR test exclusion threshold is applied; if the distance of the antenna to the user is <25mm, 25mm is user to determine SAR exclusion threshold
4. per KDB 447498 D01, the 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distance $\leq 50\text{mm}$ are determined by:

$$\frac{[(\text{max.power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance,}]}{}$$



mm)]*[$\sqrt{f(\text{GHz})}$] ≤ 3.0 for 1-g SAR and ≤ 7.5 for 10-g extremity SAR ,f(GHz) is the RF channel transmit frequency in GHz. Power and distance are rounded to the nearest mW and mm before calculation.

The result is rounded to one decimal place for comparison

For <50mm distance, we just calculate mW of the exclusion threshold value(3.0)to do compare


5. per KDB 447498 D01, at 100 MHz to 6GHz and for test separation distances >50mm, the SAR test exclusion threshold is determined according to the following
 - a)[threshold at 50mm in step 1]+(test separation distance -50mm)*(f (MHz)/150)]mW, at 100 MHz to 1500 MHz
 - b) [threshold at 50mm in step1]+(test separation distance -50mm) *10]mW at > 1500MHz and $\leq 6\text{GHz}$
6. Per KDB 248227 D01, choose the highest output power channel to test SAR and determine further SAR exclusion 8.for each frequency band ,testing at higher data rates and higher order modulations is not required when the maximum average output power for each of each of these configurations is less than 1/4db higher than those measured at the lower data rate than 11b mode ,thus the SAR can be excluded.

8. EUT Test Position

This EUT was tested in Right Cheek, Right Titled, Left Cheek, Left Titled, Front Face and Rear Face.


8.1 Define Two Imaginary Lines on the Handset

- (1) The vertical centerline passes through two points on the front side of the handset the midpoint of the width w_t of the handset at the level of the acoustic output, and the midpoint of the width w_b of the handset.
- (2) The horizontal line is perpendicular to the vertical centerline and passes through the center of the acoustic output. The horizontal line is also tangential to the face of the handset at point A.
- (3) The two lines intersect at point A. Note that for many handsets, point A coincides with the center of the acoustic output; however, the acoustic output may be located elsewhere on the horizontal line. Also note that the vertical centerline is not necessarily to the front face of the handset, especially for clamshell handsets, handsets with flip covers, and other irregularly shaped handsets.



Cheek Position

- 1) To position the device with the vertical center line of the body of the device and the horizontal line crossing the center piece in a plane parallel to the sagittal plane of the phantom. While maintaining the device in this plane, align the vertical center line with the reference plane containing the ear and mouth reference point (M: Mouth, RE: Right Ear, and LE: Left Ear) and align the center of the ear piece with the line RE-LE.
- 2) To move the device towards the phantom with the ear piece aligned with the line LE-RE until the phone touched the ear. While maintaining the device in the reference plane and maintaining the phone contact with ear, move the bottom of the phone until any point on the front side is in contact with the cheek of the phantom or until contact with the ear is lost






Title Position

- (1) To position the device in the “cheek” position described above.
- (2) While maintaining the device in the reference plane described above and pivoting against the ear, moves it outward away from the mouth by an angle of 15 degrees or until with the ear is lost.




Body-worn Position Conditions:

Body-worn accessory exposure is typically related to voice mode operations when handsets are carried in body-worn accessories. The body-worn accessory procedures in KDB Publication 447498 D01 should be used to test for body-worn accessory SAR compliance, without a headset connected to it. When the same wireless transmission configuration is used for testing body-worn accessory and hotspot mode SAR, respectively, in voice and data mode, SAR results for the most conservative *test separation distance* configuration may be used to support both SAR conditions. When the *reported* SAR for a body-worn accessory, measured without a headset connected to the handset, is $> 1.2 \text{ W/kg}$, the highest *reported* SAR configuration for that wireless mode and frequency band should be repeated for the body-worn accessory with a headset attached to the handset.



8.2 Hotspot mode exposure position condition

For handsets that support hotspot mode operations, with wireless router capabilities and various web browsing function, the relevant hand and body exposure condition are tested according to the hotspot SAR procedures in KDB 941225. A test separation distance of 10 mm is required between the phantom and all surface and edges with a transmitting antenna located within 25 mm from that surface or edge. When form factor of a handset is smaller than 9cm x 5cm, a test separation distance of 5mm (instead of 10mm) is required for testing hotspot mode. When the separate distance required for body-worn accessory testing is larger than or equal to that tested for hotspot mode, in the same wireless mode and for the same surface of the phone, the hotspot mode SAR data may be used to support body-worn accessory SAR compliance for that particular configuration (surface).





9. Uncertainty

9.1 Measurement Uncertainty

The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in IEEE 1528: 2013. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

Symbol	Uncertainty Component	Prob. Dist.	Unc. $a(x_i)$	Div. q_i	$u(x_i) = a(x_i)/q_i$	C_i	$u(y) = C_i * u(x_i)$	v_i
Measurement system errors								
CF	Probe calibration	N ($k = 2$)	5.8	2	2.90	1	2.90	∞
CF _{drift}	Probe calibration drift	R	0.12	$\sqrt{3}$	0.07	1	0.07	∞
LIN	Probe linearity and detection limit	R	1.91	$\sqrt{3}$	1.10	1	1.10	∞
BBS	Broadband signal	R	0.15	$\sqrt{3}$	0.09	1	0.09	∞
ISO	Probe isotropy	R	0.18	$\sqrt{3}$	0.10	1	0.10	∞
DAE	Other probe and data acquisition errors	N	2.7	1	2.70	1	2.70	∞
AMB	RF ambient and noise	N	1.73	1	1.73	1	1.73	∞
Δ_{xyz}	Probe positioning errors	N	0.81	1	0.81	$2/\delta$	0.81	
DAT	Data processing errors	N	2.5	1	2.50	1	2.50	∞
Phantom and device (DUT or validation antenna) errors								
LIQ(σ)	Measurement of phantom conductivity(σ)	N	4.4	1	4.4	$c\epsilon, c\sigma$	4.40	∞
LIQ(T_c)	Temperature effects (medium)	R	2.9	$\sqrt{3}$	1.67	$c\epsilon, c\sigma$	1.67	∞
EPS	Shell permittivity	R	3.4	$\sqrt{3}$	1.96	See 8.4.2.3	0.49	∞
DIS	Distance between the radiating element of the DUT and the phantom medium	N	0.8	1	0.8	2	1.60	∞
D _{xyz}	Repeatability of positioning the DUT or source against the phantom	N	1.5	1	1.5	1	1.50	5
H	Device holder effects	N	3	1	3	1	3.00	
MOD	Effect of operating mode on probe sensitivity	R	3.59	$\sqrt{3}$	2.07	1	2.07	∞
TAS	Time-average SAR	R	1.73	$\sqrt{3}$	1.00	1	1.00	∞
RF _{drift}	Variation in SAR due to drift in output of DUT	N	2.89	1	2.89	1	2.89	
VAL	Validation antenna uncertainty (validation measurement only)	N	1.45	1	1.45	1	1.45	
P _{in}	Uncertainty in accepted power (validation measurement only)	N	2.5	1	2.5	1	2.50	
Corrections to the SAR result (if applied)								
C(ϵ', σ)	Phantom deviation from target (ϵ', σ)	N	2.31	1	2.31	1	2.31	
C(R)	SAR scaling	R	1.15	$\sqrt{3}$	0.66	1	0.66	
u(Δ SAR)	Combined uncertainty						9.53	
U	Expanded uncertainty and effective degrees of freedom					U =	19.06	



10. Conducted Power Measurement

10.1 Test Result

Burst Average Power (dBm)						
Band	GSM 850			PCS 1900		
Channel	128	190	251	512	661	810
Frequency (MHz)	824.2	836.6	848.8	1850.2	1880.0	1909.8
GSM (GMSK, 1-Slot)	33.64	33.94	33.93	30.16	30.26	30.30
Remark: Multi-Slot Class 8, Support Max 4 downlink, 1 uplink, 5 working link Multi-Slot Class 10, Support Max 4 downlink, 2 uplink, 5 working link Multi-Slot Class 12, Support Max 4 downlink, 4 uplink, 5 working link						

Frame- Average Power(dBm)						
Band	GSM 850			PCS 1900		
Channel	128	190	251	512	661	810
Frequency (MHz)	824.2	836.6	848.8	1850.2	1880.0	1909.8
GSM (GMSK, 1-Slot)	24.61	24.91	24.90	21.13	21.23	21.27
Remark: 1. SAR testing was performed on the maximum frame-averaged power mode. 2. The frame-averaged power is linearly proportion to the slot number configured and it is linearly scaled the maximum Burst - averaged power based on time slots. The calculated method is shown as below: Frame-averaged power = Burst averaged power (1 TX Slot) – 9.03 dB Frame-averaged power = Burst averaged power (2 TX Slots) – 6.02 dB Frame-averaged power = Burst averaged power (3 TX Slots) - 4.26 dB Frame-averaged power = Burst averaged power (4 TX Slots) – 3.01 dB						



WCDMA

Band	WCDMA Band 2			WCDMA Band 4			WCDMA Band 5		
Channel	9262	9400	9538	1312	1450	1513	4132	4182	4233
Frequency (MHz)	1852.4	1880	1907.6	1712.6	1740	1752.4	826.4	836.4	846.6
RMC 12.2Kbps	23.68	23.73	23.72	23.6	23.45	23.63	23.53	23.43	23.69
HSDPA Subtest-1	22.69	22.74	22.73	22.64	22.48	22.67	22.52	22.42	22.67
HSDPA Subtest-2	22.48	22.46	22.34	22.29	21.92	22.38	22.06	21.99	22.23
HSDPA Subtest-3	21	21.12	21.21	20.6	20.88	21.13	20.89	20.98	21.35
HSDPA Subtest-4	21.3	21.27	20.89	20.66	21.06	20.93	20.65	20.85	21.55
HSUPA Subtest-1	22.19	22.57	22.59	21.54	22.25	22.44	21.88	22.26	22.46
HSUPA Subtest-2	22.6	22.57	22.65	22.48	22.46	22.62	22.53	22.42	22.46
HSUPA Subtest-3	21.15	21.42	21.69	20.73	21.27	21.3	20.56	21.34	21.36
HSUPA Subtest-4	22.67	22.72	22.73	22.62	22.47	22.6	22.55	22.44	22.68
HSUPA Subtest-5	21	22.15	22.07	21.32	21.92	21.99	20.84	21.39	22.03

According to 3GPP 25.101 sub-clause 6.2.2, the maximum output power is allowed to be reduced by following the table.

Table 6.1A: UE maximum output power with HS-DPCCH and E-DCH

UE Transmit Channel Configuration	CM (db)	MPR (db)
For all combinations of ,DPDCH,DPCCH HS-DPDCH,E-DPDCH and E-DPCCH	$0 \leq CM \leq 3.5$	$MAX(CM-1,0)$
Note: $CM=1$ for $\beta_c/\beta_d=12/15$, $\beta_{hs}/\beta_c=24/15$. For all other combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.		

The device supports MPR to solve linearity issues (ACLR or SEM) due to the higher peak-to average ratios (PAR) of the HSUPA signal. This prevents saturating the full range of the TX DAC inside of device and provides a reduced power output to the RF transceiver chip according to the Cubic Metric (a function of the combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH).

When E-DPDCH channels are present the beta gains on those channels are reduced firsts to try to get the power under the allowed limit. If the beta gains are lowered as far as possible, then a hard limiting is applied at the maximum allowed level.

The SW currently recalculates the cubic metric every time the beta gains on the E-DPDCH are reduced. The cubic metric will likely get lower each time this is done .However, there is no reported reduction of maximum output power in the HSUPA mode since the device also provides a compensation for the power back-off by increasing the gain of TX_AGC in the transceiver (PA) device.

The end effect is that the DUT output power is identical to the case where there is no MPR in the device.



CDMA

CDMA BC0		
Mode	Frequency (MHz)	AVG Power
CDMA BC0	824.70	22.31
	836.52	22.29
	848.31	22.33
EVDO BC0	824.70	22.21
	836.52	22.20
	848.31	22.24

CDMA BC1		
Mode	Frequency (MHz)	AVG Power
CDMA BC1	1851.25	22.45
	1880.00	22.51
	1908.75	22.48
EVDO BC1	1851.25	22.34
	1880.00	22.36
	1908.75	22.38

2.4G WLAN

2.4G WIFI					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11b	1	2412	11.85	11.65	N/A
	7	2437	11.47	12.53	N/A
	11	2462	11.40	15.17	N/A
802.11g	1	2412	11.55	11.57	N/A
	7	2437	11.39	12.53	N/A
	11	2462	11.97	13.79	N/A
802.11n-HT20	1	2412	10.07	12.00	14.15
	7	2437	10.73	11.83	14.20
	11	2462	9.88	11.53	13.79
802.11n-HT40	3	2422	9.85	12.33	14.27
	6	2437	9.94	11.99	14.10
	9	2452	9.67	12.04	14.01
802.11ax-HET20	1	2412	13.14	9.85	14.81
	7	2437	10.31	10.41	13.37
	11	2462	9.64	10.48	13.09
802.11ac-VHT40	3	2422	8.87	11.23	13.05
	6	2437	9.81	10.71	13.29
	9	2452	8.19	10.79	12.69



Bluetooth

BT				
Mode	Channel Number	Frequency (MHz)	Average Power (dBm)	Output Power (mW)
GFSK(1Mbps)	0	2402	-0.05	0.99
	39	2441	1.06	1.28
	78	2480	-1.13	0.77
$\pi/4$ -QPSK(2Mbps)	0	2402	-0.48	0.90
	39	2441	0.33	1.08
	78	2480	-1.81	0.66
8DPSK(3Mbps)	0	2402	-0.22	0.95
	39	2441	0.77	1.19
	78	2480	-1.29	0.74

BLE

BLE				
Mode	Channel Number	Frequency (MHz)	Average Power (dBm)	Output Power (mW)
GFSK(1Mbps)	0	2402	-0.02	1.00
	19	2440	0.98	1.25
	39	2480	-1.17	0.76
GFSK(2Mbps)	0	2402	-0.11	0.97
	19	2440	0.87	1.22
	39	2480	-1.14	0.77



WLAN (5.2Gband)

5.2G WLAN					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11a20	36	5180	6.12	6.44	N/A
	40	5200	5.37	6.32	N/A
	48	5240	5.04	6.34	N/A
802.11n-HT20	36	5180	6.00	6.5	7.33
	40	5200	5.61	6.14	7.79
	48	5240	5.72	6.39	8.35
802.11n-HT40	38	5190	5.75	6.56	7.47
	46	5230	5.49	6.13	6.72
802.11ac-VHT20	36	5180	6.88	7.45	7.03
	40	5200	6.86	6.95	7.75
	48	5240	6.40	7.72	8.41
802.11ac-VHT40	38	5190	6.22	7.17	7.50
	46	5230	6.78	7.27	8.55
802.11ac-VHT80	42	5210	6.13	7.11	7.52
802.11ax-HE20	36	5180	5.90	7.17	7.34
	40	5200	5.77	7.76	8.02
	48	5240	5.74	7.95	8.51
802.11ax-HE40	38	5190	5.96	7.13	7.56
	46	5230	6.16	6.99	8.51
802.11ax-HE80	42	5210	6.39	7.26	7.84



WLAN (5.3G band)

5.3G WLAN					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11a20	52	5260	6.77	8.11	N/A
	60	5300	6.56	8.34	N/A
	64	5320	6.59	8.28	N/A
802.11n-HT20	52	5260	6.26	7.11	8.10
	60	5300	5.98	7.33	8.79
	64	5320	5.92	7.63	9.03
802.11n-HT40	54	5270	6.18	6.96	7.51
	62	5310	5.95	7.13	8.68
802.11ac-VHT20	52	5260	7.15	8.44	7.87
	60	5300	6.79	8.20	8.40
	64	5320	6.99	8.72	8.82
802.11ac-VHT40	54	5270	7.24	8.08	7.79
	62	5310	6.53	8.32	8.73
802.11ac-VHT80	58	5290	6.85	8.17	8.22
802.11ax-HE20	52	5260	6.89	8.67	8.19
	60	5300	6.53	8.83	8.57
	64	5320	6.43	8.87	9.32
802.11ax-HE40	54	5270	7.56	8.69	8.13
	62	5310	6.11	8.80	9.00
802.11ax-HE80	54	5290	6.95	8.44	8.40



WLAN (5.6G band)

5.6G WLAN					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11a20	100	5500	6.22	8.90	N/A
	116	5580	6.89	8.80	N/A
	140	5700	7.00	8.92	N/A
802.11n-HT20	100	5500	5.60	7.94	8.08
	116	5580	5.99	7.69	6.99
	140	5700	6.18	7.66	7.74
802.11n-HT40	102	5510	6.24	8.54	8.61
	110	5550	6.72	8.95	8.52
	134	5670	6.98	8.90	8.40
802.11ac-VHT20	100	5500	6.70	9.05	8.87
	116	5580	6.97	9.23	8.63
	140	5700	7.27	8.74	8.94
802.11ac-VHT40	102	5510	6.27	8.97	8.92
	110	5550	6.77	9.18	8.68
	134	5670	6.89	9.15	8.47
802.11ac-VHT80	106	5530	6.45	8.46	8.71
	122	5610	6.45	8.16	8.60
802.11ax-HE20	100	5500	6.12	9.12	9.06
	116	5580	6.81	8.85	8.59
	140	5700	6.71	7.89	8.02
802.11ax-HE40	102	5510	5.33	8.64	9.23
	110	5550	5.59	8.93	9.12
	134	5670	6.07	8.83	9.01
802.11ax-HE80	106	5530	6.59	8.75	9.03
	122	5610	6.68	8.60	8.70



WLAN (5.8G band)

5.8G WLAN					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11a20	149	5745	4.61	6.89	N/A
	157	5785	4.86	6.73	N/A
	165	5825	4.28	6.26	N/A
802.11n-HT20	149	5745	5.89	6.97	6.90
	157	5785	5.02	6.99	6.48
	165	5825	4.43	6.23	6.74
802.11n-HT40	151	5755	4.62	6.64	8.23
	159	5795	5.02	6.87	8.36
802.11ac-VHT20	149	5745	5.74	8.05	8.95
	157	5785	5.99	7.59	8.54
	165	5825	5.37	7.19	8.17
802.11ac-VHT40	151	5755	6.66	8.94	8.38
	159	5795	6.95	8.57	8.60
802.11ac-VHT80	155	5775	6.59	7.77	8.07
802.11ax-HE20	149	5745	6.44	8.33	7.91
	157	5785	6.70	8.18	7.60
	165	5825	6.00	7.49	7.67
802.11ax-HE40	151	5755	5.91	8.33	8.35
	159	5795	6.35	8.08	8.75
802.11ax-HE80	155	5775	6.74	7.69	8.35

NFC

Field strength(dBuV/m)	ERP(dBm)
45.64	-49.56

Note. The power of this EUT NFC is -49.56dBm (0.00001mW), this power is less than the defined low power exclusion level (Pmax: 39 mW_y), so NFC is exemption.



LTE Conducted Power

General Note:

1. Anritsu CMW500 base station simulator was used to setup the connection with EUT; the frequency band, channel bandwidth, RB allocation configuration, modulation type are set in the base station simulator to configure EUT transmitting at maximum power and at different configurations which are requested to be reported to FCC, for conducted power measurement and SAR testing.
2. Per KDB 941225 D05, when a properly configured base station simulator is used for the SAR and power measurements, spectrum plots for each RB allocation and offset configuration is not required.
3. Per KDB 941225 D05, start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
4. Per KDB 941225 D05, 50% RB allocation for QPSK SAR testing follows 1RB QPSK allocation procedure.
5. Per KDB 941225 D05, For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
6. Per KDB 941225 D05, 16QAM output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in QPSK and the reported SAR for the QPSK configuration is ≤ 1.45 W/kg; Per KDB 941225 D05, 16QAM SAR testing is not required.
7. Per KDB 941225 D05, Smaller bandwidth output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg; Per KDB 941225 D05, smaller bandwidth SAR testing is not required.



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.19	24.28	24.40
1.4	1	2		24.22	24.34	24.43
1.4	1	5		24.19	24.26	24.40
1.4	3	0		24.21	24.37	24.41
1.4	3	1		24.23	24.36	24.42
1.4	3	2		24.23	24.36	24.43
1.4	6	0		23.27	23.30	23.47
1.4	1	0	16-QAM	23.46	23.59	23.35
1.4	1	2		23.47	23.60	23.41
1.4	1	5		23.45	23.60	23.38
1.4	3	0		23.45	23.51	23.58
1.4	3	1		23.44	23.53	23.58
1.4	3	2		23.44	23.53	23.60
1.4	6	0		22.40	22.49	22.61
3	1	0	QPSK	24.28	24.47	24.29
3	1	7		24.33	24.46	24.34
3	1	14		24.32	24.43	24.32
3	8	0		23.26	23.29	23.39
3	8	4		23.27	23.30	23.36
3	8	7		23.23	23.31	23.37
3	15	0		23.27	23.31	23.42
3	1	0	16-QAM	23.21	23.78	23.59
3	1	7		23.20	23.77	23.64
3	1	14		23.22	23.75	23.62
3	8	0		22.28	22.35	22.47
3	8	4		22.25	22.35	22.45
3	8	7		22.25	22.36	22.42
3	15	0		22.33	22.40	22.38



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.29	24.38	24.12
5	1	12		24.36	24.43	24.22
5	1	24		24.42	24.31	24.29
5	12	0		23.32	23.26	23.35
5	12	6		23.29	23.39	23.41
5	12	11		23.35	23.35	23.43
5	25	0		23.32	23.32	23.44
5	1	0	16-QAM	23.68	23.55	23.54
5	1	12		23.77	23.59	23.66
5	1	24		23.83	23.50	23.73
5	12	0		22.38	22.23	22.40
5	12	6		22.36	22.34	22.45
5	12	11		22.38	22.32	22.45
5	25	0		22.32	22.28	22.41
10	1	0	QPSK	24.17	24.36	24.37
10	1	24		24.21	24.46	24.48
10	1	49		24.21	24.39	24.53
10	25	0		23.30	23.30	23.39
10	25	12		23.25	23.39	23.41
10	25	24		23.24	23.37	23.40
10	50	0		23.27	23.34	23.36
10	1	0	16-QAM	23.40	23.25	23.72
10	1	24		23.44	23.30	23.78
10	1	49		23.44	23.27	23.83
10	25	0		22.30	22.32	22.38
10	25	12		22.29	22.36	22.43
10	25	24		22.27	22.35	22.40
10	50	0		22.30	22.29	22.36



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.33	24.35	24.15
15	1	37		24.37	24.46	24.26
15	1	74		24.36	24.36	24.29
15	36	0		23.23	23.24	23.30
15	36	18		23.28	23.30	23.37
15	36	39		23.27	23.28	23.33
15	75	0		23.26	23.27	23.35
15	1	0	16-QAM	23.40	23.71	23.42
15	1	38		23.48	23.77	23.54
15	1	75		23.42	23.70	23.59
15	36	0		22.24	22.29	22.31
15	36	18		22.22	22.38	22.44
15	36	39		22.25	22.35	22.46
15	75	0		22.30	22.29	22.32
20	1	0	QPSK	24.29	24.51	24.51
20	1	49		24.32	24.52	24.56
20	1	99		24.26	24.50	24.63
20	50	0		23.29	23.38	23.42
20	50	24		23.28	23.36	23.42
20	50	49		23.23	23.38	23.35
20	100	0		23.25	23.39	23.43
20	1	0	16-QAM	23.60	23.85	23.93
20	1	49		23.63	23.81	23.93
20	1	99		23.60	23.81	24.00
20	50	0		22.35	22.35	22.37
20	50	24		22.31	22.32	22.36
20	50	49		22.24	22.33	22.29
20	100	0		22.27	22.38	22.45



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.24	23.97	24.3
1.4	1	2		24.25	24.02	24.36
1.4	1	5		24.2	23.97	24.32
1.4	3	0		24.24	23.99	24.3
1.4	3	1		24.27	23.99	24.32
1.4	3	2		24.25	23.98	24.31
1.4	6	0		23.3	23	23.36
1.4	1	0	16-QAM	23.46	23.27	23.24
1.4	1	2		23.51	23.26	23.28
1.4	1	5		23.47	23.29	23.22
1.4	3	0		23.48	23.19	23.49
1.4	3	1		23.5	23.18	23.49
1.4	3	2		23.46	23.2	23.5
1.4	6	0		22.44	22.17	22.49
3	1	0	QPSK	24.18	24.02	24.36
3	1	7		24.2	24.08	24.37
3	1	14		24.2	24.1	24.33
3	8	0		23.22	22.96	23.32
3	8	4		23.21	22.95	23.3
3	8	7		23.21	22.97	23.27
3	15	0		23.24	23.01	23.31
3	1	0	16-QAM	23.45	23.01	23.72
3	1	7		23.51	23.01	23.75
3	1	14		23.5	22.96	23.68
3	8	0		22.28	22.03	22.34
3	8	4		22.27	22.01	22.37
3	8	7		22.26	21.99	22.33
3	15	0		22.2	22.07	22.37



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.2	23.88	24.08
5	1	12		24.21	23.97	24.39
5	1	24		24.11	24.01	24.41
5	12	0		23.23	23.06	23.11
5	12	6		23.21	23.05	23.25
5	12	11		23.18	23.08	23.38
5	25	0		23.18	23.07	23.26
5	1	0	16-QAM	23.43	23.29	23.46
5	1	12		23.39	23.35	23.76
5	1	24		23.27	23.39	23.77
5	12	0		22.19	22.07	22.14
5	12	6		22.14	22.07	22.32
5	12	11		22.15	22.11	22.39
5	25	0		22.16	22.04	22.21
10	1	0	QPSK	24.21	24.12	24.32
10	1	24		24.31	24.11	24.38
10	1	49		24.15	24.1	24.39
10	25	0		23.27	23.01	23.26
10	25	12		23.3	23.04	23.31
10	25	24		23.27	23.01	23.4
10	50	0		23.35	23.01	23.35
10	1	0	16-QAM	23.43	22.98	23.66
10	1	24		23.49	22.98	23.73
10	1	49		23.37	22.99	23.7
10	25	0		22.28	22.04	22.32
10	25	12		22.29	22.05	22.32
10	25	24		22.3	22.03	22.42
10	50	0		22.37	21.99	22.34



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.11	24.15	24.12
15	1	37		24.21	24.14	24.29
15	1	74		24.03	24.13	24.34
15	36	0		23.26	22.96	23.2
15	36	18		23.19	22.98	23.28
15	36	39		23.21	23.06	23.28
15	75	0		23.25	23.03	23.29
15	1	0	16-QAM	23.42	23.19	23.51
15	1	38		23.5	23.22	23.68
15	1	75		23.27	23.2	23.71
15	36	0		22.33	21.97	22.24
15	36	18		22.28	21.96	22.31
15	36	39		22.24	22.03	22.37
15	75	0		22.19	22.05	22.28
20	1	0	QPSK	24.34	24.08	24.29
20	1	49		24.42	24.18	24.33
20	1	99		24.4	24.19	24.33
20	50	0		23.3	23.01	23.3
20	50	24		23.27	23	23.33
20	50	49		23.26	23	23.29
20	100	0		23.29	23	23.33
20	1	0	16-QAM	23.69	23.49	23.61
20	1	49		23.74	23.55	23.67
20	1	99		23.72	23.58	23.66
20	50	0		22.26	21.93	22.33
20	50	24		22.24	21.96	22.39
20	50	49		22.26	21.91	22.33
20	100	0		22.23	22.06	22.33



LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.21	24.25	24.41
1.4	1	2		24.27	24.32	24.48
1.4	1	5		24.24	24.27	24.44
1.4	3	0		24.26	24.18	24.48
1.4	3	1		24.25	24.2	24.45
1.4	3	2		24.22	24.22	24.46
1.4	6	0		23.23	23.21	23.45
1.4	1	0	16-QAM	23.15	23.42	23.67
1.4	1	2		23.16	23.5	23.71
1.4	1	5		23.13	23.46	23.73
1.4	3	0		23.38	23.41	23.67
1.4	3	1		23.37	23.43	23.68
1.4	3	2		23.39	23.42	23.68
1.4	6	0		22.41	22.37	22.63
3	1	0	QPSK	24.25	24.23	24.42
3	1	7		24.26	24.29	24.43
3	1	14		24.18	24.25	24.41
3	8	0		23.15	23.16	23.37
3	8	4		23.12	23.15	23.47
3	8	7		23.13	23.26	23.42
3	15	0		23.18	23.17	23.46
3	1	0	16-QAM	23.14	23.64	23.66
3	1	7		23.14	23.71	23.71
3	1	14		23.06	23.65	23.7
3	8	0		22.2	22.21	22.42
3	8	4		22.16	22.18	22.5
3	8	7		22.15	22.27	22.49
3	15	0		22.22	22.27	22.44



LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.2	24.14	24.29
5	1	12		24.19	24.31	24.37
5	1	24		24.21	24.37	24.47
5	12	0		23.21	23.01	23.32
5	12	6		23.11	23.27	23.43
5	12	11		23.3	23.32	23.43
5	25	0		23.27	23.18	23.47
5	1	0	16-QAM	23.08	23.52	23.45
5	1	12		23.05	23.69	23.57
5	1	24		23.09	23.8	23.69
5	12	0		22.19	22.06	22.37
5	12	6		22.13	22.26	22.39
5	12	11		22.27	22.34	22.43
5	25	0		22.25	22.14	22.44
10	1	0	QPSK	24.22	24.22	24.46
10	1	24		24.2	24.36	24.53
10	1	49		24.13	24.34	24.59
10	25	0		23.23	23.17	23.45
10	25	12		23.18	23.22	23.46
10	25	24		23.07	23.26	23.45
10	50	0		23.2	23.21	23.44
10	1	0	16-QAM	23.55	23.65	23.86
10	1	24		23.54	23.78	23.9
10	1	49		23.55	23.83	23.97
10	25	0		22.24	22.15	22.33
10	25	12		22.18	22.22	22.37
10	25	24		22.12	22.25	22.38
10	50	0		22.19	22.22	22.48



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.71	24.6	24.74
5	1	12		24.84	24.74	24.91
5	1	24		24.75	24.65	24.92
5	12	0		23.86	23.86	23.83
5	12	6		23.8	23.91	23.91
5	12	11		23.86	23.82	23.73
5	25	0		23.81	23.8	23.76
5	1	0	16-QAM	23.93	24.02	24.15
5	1	12		24.03	24.16	24.3
5	1	24		23.97	24.06	24.3
5	12	0		22.8	22.82	22.87
5	12	6		22.77	22.93	22.93
5	12	11		22.8	22.85	22.77
5	25	0		22.81	22.79	22.78
10	1	0	QPSK	24.88	24.74	24.8
10	1	24		24.88	24.79	24.88
10	1	49		24.87	24.78	24.85
10	25	0		23.81	23.82	23.91
10	25	12		23.86	23.81	23.85
10	25	24		23.82	23.82	23.8
10	50	0		23.82	23.87	23.83
10	1	0	16-QAM	24.21	23.94	23.68
10	1	24		24.23	24	23.77
10	1	49		24.21	23.95	23.73
10	25	0		22.84	22.87	22.9
10	25	12		22.87	22.88	22.88
10	25	24		22.83	22.87	22.81
10	50	0		22.81	22.9	22.85



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.66	24.84	24.79
15	1	37		24.74	24.92	24.93
15	1	74		24.64	24.86	24.92
15	36	0		23.78	23.8	23.79
15	36	18		23.73	23.81	23.83
15	36	39		23.81	23.82	23.76
15	75	0		23.8	23.79	23.82
15	1	0	16-QAM	23.93	23.91	24.1
15	1	38		23.99	24.01	24.22
15	1	75		23.93	23.95	24.15
15	36	0		22.84	22.77	22.81
15	36	18		22.85	22.78	22.89
15	36	39		22.86	22.78	22.8
15	75	0		22.79	22.84	22.77
20	1	0	QPSK	24.91	24.92	24.81
20	1	49		24.93	24.96	24.89
20	1	99		24.9	24.98	24.87
20	50	0		23.89	23.81	23.96
20	50	24		23.81	23.8	23.91
20	50	49		23.81	23.78	23.85
20	100	0		23.81	23.8	23.9
20	1	0	16-QAM	24.26	24.29	24.12
20	1	49		24.25	24.33	24.17
20	1	99		24.22	24.33	24.13
20	50	0		22.85	22.78	22.98
20	50	24		22.81	22.8	22.93
20	50	49		22.8	22.73	22.84
20	100	0		22.8	22.83	22.89



LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.15	24.12	24.1
1.4	1	2		24.24	24.18	24.12
1.4	1	5		24.2	24.12	24.03
1.4	3	0		24.19	24.2	24.13
1.4	3	1		24.18	24.18	24.11
1.4	3	2		24.2	24.17	24.1
1.4	6	0		23.23	23.19	23.16
1.4	1	0	16-QAM	23.42	23.45	23.03
1.4	1	2		23.47	23.4	23.05
1.4	1	5		23.45	23.44	22.98
1.4	3	0		23.41	23.4	23.3
1.4	3	1		23.43	23.39	23.29
1.4	3	2		23.4	23.39	23.29
1.4	6	0		22.35	22.37	22.3
3	1	0	QPSK	24.13	24.22	24.17
3	1	7		24.18	24.26	24.26
3	1	14		24.2	24.18	24.17
3	8	0		23.19	23.17	23.1
3	8	4		23.21	23.21	23.06
3	8	7		23.17	23.15	23.08
3	15	0		23.2	23.19	23.09
3	1	0	16-QAM	23.4	23.18	23.51
3	1	7		23.45	23.15	23.58
3	1	14		23.47	23.08	23.43
3	8	0		22.25	22.22	22.11
3	8	4		22.23	22.21	22.09
3	8	7		22.24	22.16	22.09
3	15	0		22.18	22.24	22.11



LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.21	24.24	24.26
5	1	12		24.19	24.29	24.22
5	1	24		24.19	24.23	24.26
5	12	0		23.21	23.16	23.21
5	12	6		23.24	23.18	23.17
5	12	11		23.28	23.18	23.09
5	25	0		23.29	23.21	23.18
5	1	0	16-QAM	23.39	23.09	23.63
5	1	12		23.39	23.14	23.57
5	1	24		23.39	23.08	23.5
5	12	0		22.24	22.19	22.26
5	12	6		22.25	22.2	22.2
5	12	11		22.29	22.16	22.11
5	25	0		22.26	22.16	22.18
10	1	0	QPSK	24.35	24.29	24.12
10	1	24		24.37	24.32	24.11
10	1	49		24.4	24.29	24.12
10	25	0		23.25	23.2	23.18
10	25	12		23.27	23.23	23.12
10	25	24		23.25	23.16	23.03
10	50	0		23.28	23.19	23.13
10	1	0	16-QAM	23.68	23.69	23.45
10	1	24		23.72	23.7	23.45
10	1	49		23.74	23.66	23.43
10	25	0		22.21	22.15	22.2
10	25	12		22.24	22.17	22.15
10	25	24		22.25	22.11	22.04
10	50	0		22.24	22.21	22.09



LTE Band 13 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.58	24.64	24.47
5	1	12		24.54	24.56	24.42
5	1	24		24.43	24.51	24.39
5	12	0		23.42	23.46	23.5
5	12	6		23.48	23.49	23.43
5	12	11		23.42	23.41	23.34
5	25	0		23.43	23.5	23.46
5	1	0	16-QAM	23.94	24.02	23.81
5	1	12		23.92	23.95	23.79
5	1	24		23.84	23.89	23.79
5	12	0		22.4	22.4	22.46
5	12	6		22.47	22.42	22.42
5	12	11		22.46	22.33	22.37
5	25	0		22.43	22.49	22.43
10	1	0	QPSK	/	24.65	/
10	1	24		/	24.67	/
10	1	49		/	24.61	/
10	25	0		/	23.5	/
10	25	12		/	23.56	/
10	25	24		/	23.58	/
10	50	0		/	23.54	/
10	1	0	16-QAM	/	24.04	/
10	1	24		/	24.06	/
10	1	49		/	24.05	/
10	25	0		/	22.45	/
10	25	12		/	22.52	/
10	25	24		/	22.57	/
10	50	0		/	22.5	/



LTE Band 17 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.57	24.5	24.58
5	1	12		24.62	24.53	24.59
5	1	24		24.56	24.44	24.52
5	12	0		23.56	23.55	23.56
5	12	6		23.53	23.53	23.52
5	12	11		23.52	23.49	23.46
5	25	0		23.55	23.54	23.51
5	1	0	16-QAM	23.93	23.72	23.45
5	1	12		23.98	23.74	23.46
5	1	24		23.92	23.63	23.4
5	12	0		22.58	22.55	22.56
5	12	6		22.54	22.56	22.54
5	12	11		22.55	22.47	22.46
5	25	0		22.54	22.56	22.51
10	1	0	QPSK	24.66	24.59	24.49
10	1	24		24.7	24.67	24.5
10	1	49		24.75	24.62	24.44
10	25	0		23.56	23.59	23.5
10	25	12		23.56	23.51	23.49
10	25	24		23.5	23.45	23.4
10	50	0		23.55	23.55	23.47
10	1	0	16-QAM	24.03	23.98	23.82
10	1	24		24.04	24.03	23.84
10	1	49		24.09	23.97	23.75
10	25	0		22.51	22.51	22.54
10	25	12		22.55	22.47	22.54
10	25	24		22.5	22.41	22.39
10	50	0		22.52	22.54	22.45



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	23.86	23.93	24.02
1.4	1	2		23.91	23.98	24.03
1.4	1	5		23.86	23.93	19.63
1.4	3	0		23.92	24.06	20.11
1.4	3	1		23.92	24.05	19.86
1.4	3	2		23.93	24.06	19.44
1.4	6	0		22.96	23	19.77
1.4	1	0	16-QAM	23.15	23.27	20.07
1.4	1	2		23.17	23.26	19.97
1.4	1	5		23.14	23.27	19.62
1.4	3	0		23.15	23.22	20.08
1.4	3	1		23.15	23.23	19.87
1.4	3	2		23.13	23.21	19.46
1.4	6	0		22.13	22.18	19.83
3	1	0	QPSK	24.04	23.95	24.04
3	1	7		24.05	23.95	24.08
3	1	14		24.02	23.92	19.6
3	8	0		22.93	22.98	21.32
3	8	4		22.93	23.01	20.73
3	8	7		22.95	22.99	20.03
3	15	0		22.95	23.03	20.91
3	1	0	16-QAM	23.36	23.22	23.02
3	1	7		23.37	23.25	22.98
3	1	14		23.34	23.24	22.92
3	8	0		21.96	22.08	22.09
3	8	4		21.97	22.07	22.09
3	8	7		21.95	22.06	22.07
3	15	0		22.01	22.01	22.13



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	23.76	24.14	23.94
5	1	12		23.84	24.21	24.09
5	1	24		23.89	24.07	24.05
5	12	0		23.03	23.08	23
5	12	6		22.99	23.12	23.06
5	12	11		23.02	22.98	22.91
5	25	0		23.02	23	22.97
5	1	0	16-QAM	23.19	23.52	23.09
5	1	12		23.27	23.58	23.22
5	1	24		23.29	23.45	23.23
5	12	0		22.04	22.09	21.96
5	12	6		22.02	22.17	21.99
5	12	11		22	22.01	21.91
5	25	0		21.99	21.98	21.95
10	1	0	QPSK	23.88	24.09	24.12
10	1	24		23.89	24.1	24.13
10	1	49		23.87	24.06	24.03
10	25	0		22.98	23.11	23.17
10	25	12		22.96	23.04	23.11
10	25	24		22.91	23.07	23.06
10	50	0		23.01	23.11	23.11
10	1	0	16-QAM	23.13	22.97	23.38
10	1	24		23.12	22.99	23.42
10	1	49		23.13	22.95	23.4
10	25	0		22.01	22.11	22.14
10	25	12		21.97	22.06	22.12
10	25	24		21.93	22.05	22.04
10	50	0		22	22.04	22.1



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.05	24.1	23.83
15	1	37		24.07	24.15	23.95
15	1	74		24.03	24.01	23.96
15	36	0		22.92	22.98	23
15	36	18		22.91	22.98	23.06
15	36	39		22.94	22.93	23
15	75	0		22.98	22.96	22.99
15	1	0	16-QAM	23.09	23.44	23.13
15	1	38		23.14	23.44	23.22
15	1	75		23.06	23.39	23.23
15	36	0		21.94	22.03	22.08
15	36	18		21.9	22.05	22.15
15	36	39		21.87	21.99	22.1
15	75	0		21.97	21.99	21.99
20	1	0	QPSK	24.1	24.06	24.18
20	1	49		24.14	24.07	24.23
20	1	99		24.12	24.05	19.62
20	50	0		23	23.1	23.16
20	50	24		22.95	23.08	23.07
20	50	49		22.89	23.04	23.05
20	100	0		22.94	23.02	23.1
20	1	0	16-QAM	23.51	23.36	23.49
20	1	49		23.53	23.36	23.49
20	1	99		23.47	23.35	23.46
20	50	0		21.92	22.13	22.14
20	50	24		21.9	22.12	22.07
20	50	49		21.81	22.05	22
20	100	0		21.97	22.04	22.1



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.5	24.38	24.34
1.4	1	2		24.54	24.4	24.38
1.4	1	5		24.5	24.34	24.32
1.4	3	0		24.46	24.4	24.33
1.4	3	1		24.45	24.4	24.33
1.4	3	2		24.51	24.38	24.33
1.4	6	0		23.49	23.36	23.33
1.4	1	0	16-QAM	23.69	23.63	23.24
1.4	1	2		23.71	23.62	23.26
1.4	1	5		23.72	23.6	23.24
1.4	3	0		23.67	23.63	23.48
1.4	3	1		23.67	23.61	23.47
1.4	3	2		23.68	23.61	23.46
1.4	6	0		22.66	22.52	22.5
3	1	0	QPSK	24.46	24.42	24.35
3	1	7		24.48	24.43	24.36
3	1	14		24.44	24.43	24.27
3	8	0		23.44	23.36	23.32
3	8	4		23.46	23.37	23.29
3	8	7		23.46	23.34	23.29
3	15	0		23.48	23.37	23.3
3	1	0	16-QAM	23.68	23.32	23.79
3	1	7		23.72	23.33	23.79
3	1	14		23.71	23.29	23.76
3	8	0		22.47	22.37	22.36
3	8	4		22.47	22.35	22.31
3	8	7		22.47	22.36	22.32
3	15	0		22.45	22.42	22.33



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.45	24.45	24.43
5	1	12		24.41	24.39	24.43
5	1	24		24.37	24.36	24.4
5	12	0		23.31	23.35	23.38
5	12	6		23.38	23.35	23.35
5	12	11		23.35	23.35	23.28
5	25	0		23.33	23.42	23.31
5	1	0	16-QAM	23.61	23.81	23.9
5	1	12		23.57	23.76	23.92
5	1	24		23.54	23.74	23.9
5	12	0		22.31	22.35	22.34
5	12	6		22.41	22.36	22.35
5	12	11		22.34	22.39	22.24
5	25	0		22.34	22.31	22.31
10	1	0	QPSK	/	24.51	/
10	1	24		/	24.61	/
10	1	49		/	24.52	/
10	25	0		/	23.49	/
10	25	12		/	23.53	/
10	25	24		/	23.47	/
10	50	0		/	23.51	/
10	1	0	16-QAM	/	23.92	/
10	1	24		/	23.94	/
10	1	49		/	23.84	/
10	25	0		/	22.37	/
10	25	12		/	22.44	/
10	25	24		/	22.42	/
10	50	0		/	22.49	/



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.31	24.25	24.38
1.4	1	2		24.32	24.27	24.48
1.4	1	5		24.26	24.24	24.45
1.4	3	0		24.31	24.16	24.47
1.4	3	1		24.3	24.19	24.49
1.4	3	2		24.27	24.24	24.46
1.4	6	0		23.29	23.22	23.48
1.4	1	0	16-QAM	23.19	23.42	23.67
1.4	1	2		23.21	23.43	23.72
1.4	1	5		23.16	23.43	23.73
1.4	3	0		23.45	23.39	23.7
1.4	3	1		23.47	23.4	23.7
1.4	3	2		23.45	23.42	23.7
1.4	6	0		22.44	22.37	22.65
3	1	0	QPSK	24.25	24.14	24.45
3	1	7		24.28	24.18	24.52
3	1	14		24.25	24.23	24.51
3	8	0		23.28	23.15	23.43
3	8	4		23.24	23.19	23.45
3	8	7		23.21	23.19	23.43
3	15	0		23.24	23.23	23.44
3	1	0	16-QAM	23.7	23.38	23.35
3	1	7		23.73	23.4	23.38
3	1	14		23.65	23.46	23.38
3	8	0		22.27	22.19	22.47
3	8	4		22.25	22.21	22.45
3	8	7		22.22	22.23	22.45
3	15	0		22.26	22.18	22.51



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.23	24.15	24.11
5	1	12		24.3	24.22	24.34
5	1	24		24.35	24.38	24.47
5	12	0		23.19	23.01	23.22
5	12	6		23.22	23.21	23.35
5	12	11		23.32	23.26	23.39
5	25	0		23.28	23.19	23.36
5	1	0	16-QAM	23.33	23.54	23.31
5	1	12		23.4	23.68	23.53
5	1	24		23.42	23.79	23.71
5	12	0		22.17	22.06	22.33
5	12	6		22.17	22.25	22.46
5	12	11		22.31	22.32	22.51
5	25	0		22.3	22.18	22.28
10	1	0	QPSK	24.27	24.17	24.32
10	1	24		24.21	24.28	24.45
10	1	49		24.2	24.44	24.54
10	25	0		23.28	23.04	23.34
10	25	12		23.17	23.23	23.46
10	25	24		23.3	23.26	23.42
10	50	0		23.34	23.2	23.4
10	1	0	16-QAM	23.45	23.07	23.74
10	1	24		23.38	23.13	23.85
10	1	49		23.4	23.28	23.95
10	25	0		22.3	22.05	22.35
10	25	12		22.21	22.22	22.46
10	25	24		22.35	22.27	22.44
10	50	0		22.35	22.16	22.37



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.28	24.26	24.46
15	1	37		24.25	24.29	24.51
15	1	74		24.23	24.39	24.61
15	36	0		23.31	23.19	23.43
15	36	18		23.26	23.18	23.46
15	36	39		23.2	23.21	23.43
15	75	0		23.28	23.18	23.41
15	1	0	16-QAM	23.63	23.65	23.86
15	1	38		23.58	23.72	23.9
15	1	75		23.61	23.85	23.99
15	36	0		22.32	22.17	22.38
15	36	18		22.27	22.2	22.38
15	36	39		22.2	22.25	22.36
15	75	0		22.26	22.16	22.43



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.42	24.52	24.34
5	1	12		24.58	24.64	24.44
5	1	24		24.5	24.54	24.41
5	12	0		23.59	23.6	23.53
5	12	6		23.64	23.58	23.56
5	12	11		23.67	23.63	23.56
5	25	0		23.66	23.58	23.5
5	1	0	16-QAM	23.73	23.58	23.69
5	1	12		23.89	23.68	23.82
5	1	24		23.77	23.58	23.76
5	12	0		22.67	22.56	22.51
5	12	6		22.7	22.56	22.59
5	12	11		22.65	22.57	22.53
5	25	0		22.61	22.56	22.5
10	1	0	QPSK	24.57	24.55	24.58
10	1	24		24.62	24.54	24.66
10	1	49		24.63	24.48	24.62
10	25	0		23.62	23.58	23.55
10	25	12		23.61	23.59	23.58
10	25	24		23.66	23.55	23.61
10	50	0		23.67	23.57	23.54
10	1	0	16-QAM	23.73	23.62	24.03
10	1	24		23.75	23.62	24.09
10	1	49		23.8	23.55	24.08
10	25	0		22.63	22.61	22.53
10	25	12		22.62	22.58	22.55
10	25	24		22.69	22.57	22.59
10	50	0		22.71	22.56	22.55



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.62	24.52	24.69
15	1	37		24.69	24.5	24.75
15	1	74		24.63	24.42	24.73
15	36	0		23.55	23.58	23.47
15	36	18		23.61	23.55	23.5
15	36	39		23.58	23.55	23.53
15	75	0		23.62	23.54	23.51
15	1	0	16-QAM	24.09	23.74	23.65
15	1	38		24.19	23.73	23.73
15	1	75		24.1	23.66	23.7
15	36	0		22.67	22.63	22.49
15	36	18		22.65	22.66	22.51
15	36	39		22.65	22.64	22.54
15	75	0		22.63	22.55	22.55
20	1	0	QPSK	24.88	24.56	24.48
20	1	49		24.98	24.57	24.51
20	1	99		24.92	24.55	24.5
20	50	0		23.7	23.62	23.57
20	50	24		23.66	23.6	23.55
20	50	49		23.65	23.58	23.56
20	100	0		23.65	23.57	23.58
20	1	0	16-QAM	24.19	23.79	23.75
20	1	49		24.27	23.8	23.79
20	1	99		24.22	23.78	23.78
20	50	0		22.65	22.59	22.58
20	50	24		22.63	22.54	22.58
20	50	49		22.63	22.54	22.55
20	100	0		22.62	22.62	22.55



LTE Band 40 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	11.67	11.64	11.67
5	1	12		11.71	11.74	11.69
5	1	24		11.64	11.69	11.64
5	12	0		10.74	10.72	10.67
5	12	6		10.73	10.7	10.73
5	12	11		10.74	10.68	10.72
5	25	0		10.73	10.69	10.71
5	1	0	16-QAM	11.25	10.99	11.1
5	1	12		11.28	11.05	11.1
5	1	24		11.2	11.04	11.1
5	12	0		9.74	9.59	9.66
5	12	6		9.73	9.6	9.69
5	12	11		9.75	9.61	9.7
5	25	0		9.75	9.75	9.7
10	1	0	QPSK	/	11.66	/
10	1	24		/	11.74	/
10	1	49		/	11.75	/
10	25	0		/	10.72	/
10	25	12		/	10.74	/
10	25	24		/	10.69	/
10	50	0		/	10.72	/
10	1	0	16-QAM	/	11.39	/
10	1	24		/	11.38	/
10	1	49		/	11.44	/
10	25	0		/	9.71	/
10	25	12		/	9.73	/
10	25	24		/	9.65	/
10	50	0		/	9.73	/



LTE Band 40 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	11.52	11.48	11.56
5	1	12		11.57	11.52	11.61
5	1	24		11.59	11.55	11.61
5	12	0		10.61	10.55	10.56
5	12	6		10.62	10.52	10.52
5	12	11		10.54	10.52	10.54
5	25	0		10.57	10.57	10.57
5	1	0	16-QAM	11.06	10.97	11.26
5	1	12		11.09	10.98	11.28
5	1	24		11.11	11	11.31
5	12	0		9.61	9.57	9.57
5	12	6		9.62	9.54	9.52
5	12	11		9.57	9.53	9.5
5	25	0		9.57	9.53	9.54
10	1	0	QPSK	/	11.57	/
10	1	24		/	11.65	/
10	1	49		/	11.65	/
10	25	0		/	10.58	/
10	25	12		/	10.53	/
10	25	24		/	10.56	/
10	50	0		/	10.63	/
10	1	0	16-QAM	/	10.92	/
10	1	24		/	10.97	/
10	1	49		/	11	/
10	25	0		/	9.49	/
10	25	12		/	9.52	/
10	25	24		/	9.54	/
10	50	0		/	9.59	/



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.42	24.3	24.36
5	1	12		24.42	24.28	24.43
5	1	24		24.41	24.26	24.43
5	12	0		24.47	24.33	24.13
5	12	6		24.45	24.32	24.13
5	12	11		24.44	24.3	24.14
5	25	0		24.47	24.33	24.12
5	1	0	16-QAM	24.58	24.55	24.61
5	1	12		24.6	24.6	24.63
5	1	24		24.6	24.55	24.64
5	12	0		24.42	24.37	24.12
5	12	6		24.39	24.35	24.13
5	12	11		24.4	24.32	24.12
5	25	0		24.49	24.3	24.11
10	1	0	QPSK	24.21	24.3	24.04
10	1	24		24.32	24.41	24.05
10	1	49		24.24	24.28	24.05
10	25	0		24.4	24.31	24.22
10	25	12		24.44	24.35	24.21
10	25	24		24.41	24.37	24.19
10	50	0		24.41	24.3	24.19
10	1	0	16-QAM	24.43	24.3	24.36
10	1	24		24.56	24.41	24.46
10	1	49		24.49	24.26	24.39
10	25	0		24.45	24.33	24.21
10	25	12		24.51	24.34	24.22
10	25	24		24.51	24.39	24.19
10	50	0		24.41	24.34	24.26



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.39	24.24	24.33
15	1	37		24.45	24.3	24.35
15	1	74		24.41	24.2	24.36
15	36	0		24.38	24.29	24.13
15	36	18		24.38	24.28	24.16
15	36	39		24.37	24.32	24.14
15	75	0		24.36	24.32	24.16
15	1	0	16-QAM	24.85	24.42	24.26
15	1	38		24.89	24.48	24.29
15	1	75		24.83	24.37	24.28
15	36	0		24.46	24.42	24.18
15	36	18		24.47	24.39	24.19
15	36	39		24.46	24.42	24.19
15	75	0		24.39	24.29	24.2
20	1	0	QPSK	24.47	24.3	24.03
20	1	49		24.49	24.32	24.07
20	1	99		24.43	24.27	24.05
20	50	0		24.44	24.27	24.11
20	50	24		24.44	24.3	24.13
20	50	49		24.44	24.32	24.15
20	100	0		24.42	24.34	24.12
20	1	0	16-QAM	24.9	24.42	24.11
20	1	49		24.93	24.48	24.16
20	1	99		24.88	24.43	24.13
20	50	0		24.47	24.35	24.14
20	50	24		24.48	24.39	24.16
20	50	49		24.44	24.36	24.16
20	100	0		24.48	24.39	24.16



LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	23.89	23.76	23.72
1.4	1	2		23.89	23.84	23.76
1.4	1	5		23.86	23.77	23.72
1.4	3	0		23.91	23.8	23.73
1.4	3	1		23.92	23.81	23.74
1.4	3	2		23.92	23.82	23.74
1.4	6	0		22.93	22.81	22.79
1.4	1	0	16-QAM	23.13	23.1	22.68
1.4	1	2		23.14	23.08	22.7
1.4	1	5		23.14	23.11	22.73
1.4	3	0		23.15	22.99	22.9
1.4	3	1		23.16	22.99	22.91
1.4	3	2		23.15	23.01	22.93
1.4	6	0		22.08	21.96	21.9
3	1	0	QPSK	23.92	23.89	23.63
3	1	7		23.99	23.91	23.67
3	1	14		23.92	23.91	23.66
3	8	0		22.94	22.79	22.69
3	8	4		22.94	22.81	22.7
3	8	7		22.86	22.8	22.68
3	15	0		22.92	22.8	22.73
3	1	0	16-QAM	22.89	23.23	22.92
3	1	7		22.85	23.27	22.97
3	1	14		22.82	23.27	22.97
3	8	0		21.95	21.82	21.75
3	8	4		21.94	21.83	21.75
3	8	7		21.9	21.83	21.75
3	15	0		21.96	21.82	21.7



LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	23.85	23.46	23.84
5	1	12		23.89	23.78	23.77
5	1	24		23.66	23.8	23.84
5	12	0		22.87	22.76	22.78
5	12	6		22.8	22.87	22.74
5	12	11		22.79	22.97	22.68
5	25	0		22.78	22.86	22.76
5	1	0	16-QAM	23.03	22.84	23.24
5	1	12		23.06	23.19	23.16
5	1	24		22.89	23.2	23.21
5	12	0		21.8	21.72	21.84
5	12	6		21.81	21.91	21.76
5	12	11		21.72	21.99	21.73
5	25	0		21.78	21.84	21.74
10	1	0	QPSK	23.99	23.69	23.68
10	1	24		23.99	23.84	23.72
10	1	49		23.92	23.86	23.78
10	25	0		22.95	22.74	22.7
10	25	12		22.92	22.83	22.7
10	25	24		22.94	22.9	22.74
10	50	0		22.96	22.86	22.75
10	1	0	16-QAM	23.33	22.88	22.6
10	1	24		23.32	23.05	22.64
10	1	49		23.28	23.09	22.7
10	25	0		21.96	21.74	21.72
10	25	12		21.93	21.84	21.72
10	25	24		21.96	21.93	21.72
10	50	0		21.94	21.89	21.71



LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	23.93	23.6	23.76
15	1	37		23.93	23.8	23.77
15	1	74		23.78	23.81	23.83
15	36	0		22.87	22.74	22.64
15	36	18		22.81	22.81	22.65
15	36	39		22.77	22.86	22.68
15	75	0		22.84	22.79	22.67
15	1	0	16-QAM	23.28	22.84	22.84
15	1	38		23.3	23.1	22.88
15	1	75		23.14	23.09	22.9
15	36	0		21.91	21.81	21.64
15	36	18		21.88	21.91	21.65
15	36	39		21.85	21.98	21.67
15	75	0		21.86	21.77	21.74
20	1	0	QPSK	24.07	23.83	23.79
20	1	49		24.05	23.89	23.86
20	1	99		24.06	23.88	23.91
20	50	0		22.93	22.85	22.81
20	50	24		22.88	22.82	22.76
20	50	49		22.84	22.84	22.72
20	100	0		22.9	22.83	22.78
20	1	0	16-QAM	23.44	23.18	23.11
20	1	49		23.44	23.22	23.17
20	1	99		23.4	23.23	23.21
20	50	0		21.9	21.86	21.73
20	50	24		21.84	21.86	21.72
20	50	49		21.83	21.86	21.68
20	100	0		21.93	21.83	21.72



SA

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n2	15	5	370500	25@0	DFT_BPSK	20.01	PASS
n2	15	5	370500	12@6	DFT_BPSK	20.59	PASS
n2	15	5	370500	1@1	DFT_BPSK	20.49	PASS
n2	15	5	370500	1@23	DFT_BPSK	20.45	PASS
n2	15	5	370500	25@0	DFT_QPSK	19.56	PASS
n2	15	5	370500	12@6	DFT_QPSK	20.57	PASS
n2	15	5	370500	1@1	DFT_QPSK	20.42	PASS
n2	15	5	370500	1@23	DFT_QPSK	20.46	PASS
n2	15	5	370500	25@0	DFT_16QAM	19.01	PASS
n2	15	5	370500	12@6	DFT_16QAM	19.59	PASS
n2	15	5	370500	1@1	DFT_16QAM	19.71	PASS
n2	15	5	370500	1@23	DFT_16QAM	19.7	PASS
n2	15	5	370500	25@0	DFT_64QAM	18.11	PASS
n2	15	5	370500	12@6	DFT_64QAM	18.03	PASS
n2	15	5	370500	1@1	DFT_64QAM	18.55	PASS
n2	15	5	370500	1@23	DFT_64QAM	18.08	PASS
n2	15	5	370500	25@0	DFT_256QAM	15.69	PASS
n2	15	5	370500	12@6	DFT_256QAM	16.23	PASS
n2	15	5	370500	1@1	DFT_256QAM	16.18	PASS
n2	15	5	370500	1@23	DFT_256QAM	16.22	PASS
n2	15	5	370500	25@0	CP_QPSK	18.57	PASS
n2	15	5	370500	13@6	CP_QPSK	19.03	PASS
n2	15	5	370500	1@1	CP_QPSK	19.06	PASS
n2	15	5	370500	1@23	CP_QPSK	19	PASS
n2	15	5	370500	25@0	CP_16QAM	16.36	PASS
n2	15	5	370500	13@6	CP_16QAM	17.33	PASS
n2	15	5	370500	1@1	CP_16QAM	17.25	PASS
n2	15	5	370500	1@23	CP_16QAM	17.24	PASS
n2	15	5	370500	25@0	CP_64QAM	16.99	PASS



n2	15	5	370500	13@6	CP_64QAM	16.56	PASS
n2	15	5	370500	1@1	CP_64QAM	17.38	PASS
n2	15	5	370500	1@23	CP_64QAM	16.39	PASS
n2	15	5	370500	25@0	CP_256QAM	14.53	PASS
n2	15	5	370500	13@6	CP_256QAM	14.22	PASS
n2	15	5	370500	1@1	CP_256QAM	14.26	PASS
n2	15	5	370500	1@23	CP_256QAM	14.65	PASS
n2	15	5	376000	25@0	DFT_BPSK	19.37	PASS
n2	15	5	376000	12@6	DFT_BPSK	20.39	PASS
n2	15	5	376000	1@1	DFT_BPSK	20.25	PASS
n2	15	5	376000	1@23	DFT_BPSK	20.3	PASS
n2	15	5	376000	25@0	DFT_QPSK	19.36	PASS
n2	15	5	376000	12@6	DFT_QPSK	19.95	PASS
n2	15	5	376000	1@1	DFT_QPSK	19.79	PASS
n2	15	5	376000	1@23	DFT_QPSK	19.79	PASS
n2	15	5	376000	25@0	DFT_16QAM	18.61	PASS
n2	15	5	376000	12@6	DFT_16QAM	19.38	PASS
n2	15	5	376000	1@1	DFT_16QAM	19.56	PASS
n2	15	5	376000	1@23	DFT_16QAM	19.61	PASS
n2	15	5	376000	25@0	DFT_64QAM	17.16	PASS
n2	15	5	376000	12@6	DFT_64QAM	17.39	PASS
n2	15	5	376000	1@1	DFT_64QAM	17.25	PASS
n2	15	5	376000	1@23	DFT_64QAM	17.97	PASS
n2	15	5	376000	25@0	DFT_256QAM	15.36	PASS
n2	15	5	376000	12@6	DFT_256QAM	15.91	PASS
n2	15	5	376000	1@1	DFT_256QAM	15.99	PASS
n2	15	5	376000	1@23	DFT_256QAM	15.33	PASS
n2	15	5	376000	25@0	CP_QPSK	18.03	PASS
n2	15	5	376000	13@6	CP_QPSK	18.79	PASS
n2	15	5	376000	1@1	CP_QPSK	19.6	PASS
n2	15	5	376000	1@23	CP_QPSK	18.91	PASS



n2	15	5	376000	25@0	CP_16QAM	16.94	PASS
n2	15	5	376000	13@6	CP_16QAM	17.23	PASS
n2	15	5	376000	1@1	CP_16QAM	17.9	PASS
n2	15	5	376000	1@23	CP_16QAM	17.75	PASS
n2	15	5	376000	25@0	CP_64QAM	16.32	PASS
n2	15	5	376000	13@6	CP_64QAM	16.4	PASS
n2	15	5	376000	1@1	CP_64QAM	16.25	PASS
n2	15	5	376000	1@23	CP_64QAM	17.16	PASS
n2	15	5	376000	25@0	CP_256QAM	13.58	PASS
n2	15	5	376000	13@6	CP_256QAM	13.52	PASS
n2	15	5	376000	1@1	CP_256QAM	13.49	PASS
n2	15	5	376000	1@23	CP_256QAM	13.27	PASS
n2	15	5	381500	25@0	DFT_BPSK	20.03	PASS
n2	15	5	381500	12@6	DFT_BPSK	20.04	PASS
n2	15	5	381500	1@1	DFT_BPSK	19.97	PASS
n2	15	5	381500	1@23	DFT_BPSK	20.48	PASS
n2	15	5	381500	25@0	DFT_QPSK	19.56	PASS
n2	15	5	381500	12@6	DFT_QPSK	20.11	PASS
n2	15	5	381500	1@1	DFT_QPSK	20.45	PASS
n2	15	5	381500	1@23	DFT_QPSK	20.48	PASS
n2	15	5	381500	25@0	DFT_16QAM	18.49	PASS
n2	15	5	381500	12@6	DFT_16QAM	19.07	PASS
n2	15	5	381500	1@1	DFT_16QAM	19.3	PASS
n2	15	5	381500	1@23	DFT_16QAM	19.68	PASS
n2	15	5	381500	25@0	DFT_64QAM	17.15	PASS
n2	15	5	381500	12@6	DFT_64QAM	17.57	PASS
n2	15	5	381500	1@1	DFT_64QAM	17.64	PASS
n2	15	5	381500	1@23	DFT_64QAM	16.26	PASS
n2	15	5	381500	25@0	DFT_256QAM	16.2	PASS
n2	15	5	381500	12@6	DFT_256QAM	17.22	PASS
n2	15	5	381500	1@1	DFT_256QAM	16.72	PASS



n2	15	5	381500	1@23	DFT_256QAM	16.66	PASS
n2	15	5	381500	25@0	CP_QPSK	18.06	PASS
n2	15	5	381500	13@6	CP_QPSK	19	PASS
n2	15	5	381500	1@1	CP_QPSK	19.52	PASS
n2	15	5	381500	1@23	CP_QPSK	18.59	PASS
n2	15	5	381500	25@0	CP_16QAM	18.03	PASS
n2	15	5	381500	13@6	CP_16QAM	18.64	PASS
n2	15	5	381500	1@1	CP_16QAM	18.53	PASS
n2	15	5	381500	1@23	CP_16QAM	18.48	PASS
n2	15	5	381500	25@0	CP_64QAM	16.55	PASS
n2	15	5	381500	13@6	CP_64QAM	16.54	PASS
n2	15	5	381500	1@1	CP_64QAM	17.33	PASS
n2	15	5	381500	1@23	CP_64QAM	16.61	PASS
n2	15	5	381500	25@0	CP_256QAM	14.25	PASS
n2	15	5	381500	13@6	CP_256QAM	14.55	PASS
n2	15	5	381500	1@1	CP_256QAM	14.1	PASS
n2	15	5	381500	1@23	CP_256QAM	14.77	PASS
n2	15	10	371000	50@0	DFT_BPSK	19.32	PASS
n2	15	10	371000	25@12	DFT_BPSK	19.42	PASS
n2	15	10	371000	1@1	DFT_BPSK	20.37	PASS
n2	15	10	371000	1@50	DFT_BPSK	19.42	PASS
n2	15	10	371000	50@0	DFT_QPSK	19.37	PASS
n2	15	10	371000	25@12	DFT_QPSK	19.19	PASS
n2	15	10	371000	1@1	DFT_QPSK	19.87	PASS
n2	15	10	371000	1@50	DFT_QPSK	18.87	PASS
n2	15	10	371000	50@0	DFT_16QAM	18.13	PASS
n2	15	10	371000	25@12	DFT_16QAM	18.42	PASS
n2	15	10	371000	1@1	DFT_16QAM	19.17	PASS
n2	15	10	371000	1@50	DFT_16QAM	17.66	PASS
n2	15	10	371000	50@0	DFT_64QAM	17.57	PASS
n2	15	10	371000	25@12	DFT_64QAM	17.64	PASS



n2	15	10	371000	1@1	DFT_64QAM	18.01	PASS
n2	15	10	371000	1@50	DFT_64QAM	17.54	PASS
n2	15	10	371000	50@0	DFT_256QAM	15.66	PASS
n2	15	10	371000	25@12	DFT_256QAM	15.97	PASS
n2	15	10	371000	1@1	DFT_256QAM	15.39	PASS
n2	15	10	371000	1@50	DFT_256QAM	15.66	PASS
n2	15	10	371000	52@0	CP_QPSK	18.85	PASS
n2	15	10	371000	26@13	CP_QPSK	18.65	PASS
n2	15	10	371000	1@1	CP_QPSK	18.46	PASS
n2	15	10	371000	1@50	CP_QPSK	18.33	PASS
n2	15	10	371000	52@0	CP_16QAM	16.89	PASS
n2	15	10	371000	26@13	CP_16QAM	16.65	PASS
n2	15	10	371000	1@1	CP_16QAM	16.66	PASS
n2	15	10	371000	1@50	CP_16QAM	16.85	PASS
n2	15	10	371000	52@0	CP_64QAM	16.35	PASS
n2	15	10	371000	26@13	CP_64QAM	16.73	PASS
n2	15	10	371000	1@1	CP_64QAM	16.74	PASS
n2	15	10	371000	1@50	CP_64QAM	15.69	PASS
n2	15	10	371000	52@0	CP_256QAM	13.57	PASS
n2	15	10	371000	26@13	CP_256QAM	13.55	PASS
n2	15	10	371000	1@1	CP_256QAM	14.02	PASS
n2	15	10	371000	1@50	CP_256QAM	14.01	PASS
n2	15	10	376000	50@0	DFT_BPSK	19.37	PASS
n2	15	10	376000	25@12	DFT_BPSK	20.35	PASS
n2	15	10	376000	1@1	DFT_BPSK	20.26	PASS
n2	15	10	376000	1@50	DFT_BPSK	19.91	PASS
n2	15	10	376000	50@0	DFT_QPSK	19.36	PASS
n2	15	10	376000	25@12	DFT_QPSK	19.91	PASS
n2	15	10	376000	1@1	DFT_QPSK	20.21	PASS
n2	15	10	376000	1@50	DFT_QPSK	20.32	PASS
n2	15	10	376000	50@0	DFT_16QAM	17.88	PASS



n2	15	10	376000	25@12	DFT_16QAM	19.38	PASS
n2	15	10	376000	1@1	DFT_16QAM	19.06	PASS
n2	15	10	376000	1@50	DFT_16QAM	19.7	PASS
n2	15	10	376000	50@0	DFT_64QAM	17.17	PASS
n2	15	10	376000	25@12	DFT_64QAM	17.32	PASS
n2	15	10	376000	1@1	DFT_64QAM	17.43	PASS
n2	15	10	376000	1@50	DFT_64QAM	17.2	PASS
n2	15	10	376000	50@0	DFT_256QAM	16.06	PASS
n2	15	10	376000	25@12	DFT_256QAM	16.3	PASS
n2	15	10	376000	1@1	DFT_256QAM	15.6	PASS
n2	15	10	376000	1@50	DFT_256QAM	16.2	PASS
n2	15	10	376000	52@0	CP_QPSK	18.43	PASS
n2	15	10	376000	26@13	CP_QPSK	18.42	PASS
n2	15	10	376000	1@1	CP_QPSK	18.3	PASS
n2	15	10	376000	1@50	CP_QPSK	18.54	PASS
n2	15	10	376000	52@0	CP_16QAM	17.34	PASS
n2	15	10	376000	26@13	CP_16QAM	17.3	PASS
n2	15	10	376000	1@1	CP_16QAM	18.33	PASS
n2	15	10	376000	1@50	CP_16QAM	17.3	PASS
n2	15	10	376000	52@0	CP_64QAM	16.73	PASS
n2	15	10	376000	26@13	CP_64QAM	16.82	PASS
n2	15	10	376000	1@1	CP_64QAM	16.3	PASS
n2	15	10	376000	1@50	CP_64QAM	17.24	PASS
n2	15	10	376000	52@0	CP_256QAM	13.1	PASS
n2	15	10	376000	26@13	CP_256QAM	13.44	PASS
n2	15	10	376000	1@1	CP_256QAM	13.2	PASS
n2	15	10	376000	1@50	CP_256QAM	14.08	PASS
n2	15	10	381000	50@0	DFT_BPSK	19.99	PASS
n2	15	10	381000	25@12	DFT_BPSK	20.55	PASS
n2	15	10	381000	1@1	DFT_BPSK	19.98	PASS
n2	15	10	381000	1@50	DFT_BPSK	20.54	PASS



n2	15	10	381000	50@0	DFT_QPSK	19.01	PASS
n2	15	10	381000	25@12	DFT_QPSK	20.57	PASS
n2	15	10	381000	1@1	DFT_QPSK	20.48	PASS
n2	15	10	381000	1@50	DFT_QPSK	19.95	PASS
n2	15	10	381000	50@0	DFT_16QAM	19.1	PASS
n2	15	10	381000	25@12	DFT_16QAM	19.52	PASS
n2	15	10	381000	1@1	DFT_16QAM	19.74	PASS
n2	15	10	381000	1@50	DFT_16QAM	19.23	PASS
n2	15	10	381000	50@0	DFT_64QAM	17.1	PASS
n2	15	10	381000	25@12	DFT_64QAM	17.49	PASS
n2	15	10	381000	1@1	DFT_64QAM	17.68	PASS
n2	15	10	381000	1@50	DFT_64QAM	17.1	PASS
n2	15	10	381000	50@0	DFT_256QAM	15.6	PASS
n2	15	10	381000	25@12	DFT_256QAM	15.6	PASS
n2	15	10	381000	1@1	DFT_256QAM	16.1	PASS
n2	15	10	381000	1@50	DFT_256QAM	16.27	PASS
n2	15	10	381000	52@0	CP_QPSK	17	PASS
n2	15	10	381000	26@13	CP_QPSK	18.1	PASS
n2	15	10	381000	1@1	CP_QPSK	18.59	PASS
n2	15	10	381000	1@50	CP_QPSK	19.08	PASS
n2	15	10	381000	52@0	CP_16QAM	18.5	PASS
n2	15	10	381000	26@13	CP_16QAM	18.11	PASS
n2	15	10	381000	1@1	CP_16QAM	18.3	PASS
n2	15	10	381000	1@50	CP_16QAM	18.53	PASS
n2	15	10	381000	52@0	CP_64QAM	16.42	PASS
n2	15	10	381000	26@13	CP_64QAM	16.1	PASS
n2	15	10	381000	1@1	CP_64QAM	16.87	PASS
n2	15	10	381000	1@50	CP_64QAM	16.94	PASS
n2	15	10	381000	52@0	CP_256QAM	14.05	PASS
n2	15	10	381000	26@13	CP_256QAM	14.6	PASS
n2	15	10	381000	1@1	CP_256QAM	13.68	PASS



n2	15	10	381000	1@50	CP_256QAM	13.71	PASS
n2	15	15	371500	75@0	DFT_BPSK	20.04	PASS
n2	15	15	371500	36@18	DFT_BPSK	20.58	PASS
n2	15	15	371500	1@1	DFT_BPSK	20.51	PASS
n2	15	15	371500	1@77	DFT_BPSK	20.41	PASS
n2	15	15	371500	75@0	DFT_QPSK	19.52	PASS
n2	15	15	371500	36@18	DFT_QPSK	20.58	PASS
n2	15	15	371500	1@1	DFT_QPSK	20.53	PASS
n2	15	15	371500	1@77	DFT_QPSK	20.37	PASS
n2	15	15	371500	75@0	DFT_16QAM	19.6	PASS
n2	15	15	371500	36@18	DFT_16QAM	19.6	PASS
n2	15	15	371500	1@1	DFT_16QAM	19.8	PASS
n2	15	15	371500	1@77	DFT_16QAM	19.59	PASS
n2	15	15	371500	75@0	DFT_64QAM	17.4	PASS
n2	15	15	371500	36@18	DFT_64QAM	17.99	PASS
n2	15	15	371500	1@1	DFT_64QAM	17.5	PASS
n2	15	15	371500	1@77	DFT_64QAM	17.3	PASS
n2	15	15	371500	75@0	DFT_256QAM	16.5	PASS
n2	15	15	371500	36@18	DFT_256QAM	16.15	PASS
n2	15	15	371500	1@1	DFT_256QAM	16.2	PASS
n2	15	15	371500	1@77	DFT_256QAM	16.44	PASS
n2	15	15	371500	79@0	CP_QPSK	17.2	PASS
n2	15	15	371500	39@19	CP_QPSK	18.1	PASS
n2	15	15	371500	1@1	CP_QPSK	18.32	PASS
n2	15	15	371500	1@77	CP_QPSK	18.2	PASS
n2	15	15	371500	79@0	CP_16QAM	18.2	PASS
n2	15	15	371500	39@19	CP_16QAM	18.33	PASS
n2	15	15	371500	1@1	CP_16QAM	17.47	PASS
n2	15	15	371500	1@77	CP_16QAM	17.98	PASS
n2	15	15	371500	79@0	CP_64QAM	15.9	PASS
n2	15	15	371500	39@19	CP_64QAM	15.6	PASS



n2	15	15	371500	1@1	CP_64QAM	16.32	PASS
n2	15	15	371500	1@77	CP_64QAM	16.3	PASS
n2	15	15	371500	79@0	CP_256QAM	14.1	PASS
n2	15	15	371500	39@19	CP_256QAM	14.3	PASS
n2	15	15	371500	1@1	CP_256QAM	14.66	PASS
n2	15	15	371500	1@77	CP_256QAM	14.25	PASS
n2	15	15	376000	75@0	DFT_BPSK	19.87	PASS
n2	15	15	376000	36@18	DFT_BPSK	20.4	PASS
n2	15	15	376000	1@1	DFT_BPSK	20.25	PASS
n2	15	15	376000	1@77	DFT_BPSK	20.44	PASS
n2	15	15	376000	75@0	DFT_QPSK	19.4	PASS
n2	15	15	376000	36@18	DFT_QPSK	20.4	PASS
n2	15	15	376000	1@1	DFT_QPSK	20.2	PASS
n2	15	15	376000	1@77	DFT_QPSK	20.34	PASS
n2	15	15	376000	75@0	DFT_16QAM	18.36	PASS
n2	15	15	376000	36@18	DFT_16QAM	19.4	PASS
n2	15	15	376000	1@1	DFT_16QAM	19.57	PASS
n2	15	15	376000	1@77	DFT_16QAM	19.75	PASS
n2	15	15	376000	75@0	DFT_64QAM	17.1	PASS
n2	15	15	376000	36@18	DFT_64QAM	17.85	PASS
n2	15	15	376000	1@1	DFT_64QAM	17.86	PASS
n2	15	15	376000	1@77	DFT_64QAM	17.6	PASS
n2	15	15	376000	75@0	DFT_256QAM	16.3	PASS
n2	15	15	376000	36@18	DFT_256QAM	16	PASS
n2	15	15	376000	1@1	DFT_256QAM	15.95	PASS
n2	15	15	376000	1@77	DFT_256QAM	15.6	PASS
n2	15	15	376000	79@0	CP_QPSK	17.9	PASS
n2	15	15	376000	39@19	CP_QPSK	18.85	PASS
n2	15	15	376000	1@1	CP_QPSK	18.6	PASS
n2	15	15	376000	1@77	CP_QPSK	18.96	PASS
n2	15	15	376000	79@0	CP_16QAM	17.33	PASS



n2	15	15	376000	39@19	CP_16QAM	17.3	PASS
n2	15	15	376000	1@1	CP_16QAM	18.46	PASS
n2	15	15	376000	1@77	CP_16QAM	18.1	PASS
n2	15	15	376000	79@0	CP_64QAM	16.81	PASS
n2	15	15	376000	39@19	CP_64QAM	16.6	PASS
n2	15	15	376000	1@1	CP_64QAM	17.04	PASS
n2	15	15	376000	1@77	CP_64QAM	16.4	PASS
n2	15	15	376000	79@0	CP_256QAM	13.93	PASS
n2	15	15	376000	39@19	CP_256QAM	13.2	PASS
n2	15	15	376000	1@1	CP_256QAM	13.86	PASS
n2	15	15	376000	1@77	CP_256QAM	13.1	PASS
n2	15	15	380500	75@0	DFT_BPSK	20.05	PASS
n2	15	15	380500	36@18	DFT_BPSK	20.17	PASS
n2	15	15	380500	1@1	DFT_BPSK	20.52	PASS
n2	15	15	380500	1@77	DFT_BPSK	20.01	PASS
n2	15	15	380500	75@0	DFT_QPSK	19.07	PASS
n2	15	15	380500	36@18	DFT_QPSK	20.65	PASS
n2	15	15	380500	1@1	DFT_QPSK	20.54	PASS
n2	15	15	380500	1@77	DFT_QPSK	19.99	PASS
n2	15	15	380500	75@0	DFT_16QAM	18.07	PASS
n2	15	15	380500	36@18	DFT_16QAM	19.68	PASS
n2	15	15	380500	1@1	DFT_16QAM	19.27	PASS
n2	15	15	380500	1@77	DFT_16QAM	19.75	PASS
n2	15	15	380500	75@0	DFT_64QAM	18.1	PASS
n2	15	15	380500	36@18	DFT_64QAM	18.1	PASS
n2	15	15	380500	1@1	DFT_64QAM	17.69	PASS
n2	15	15	380500	1@77	DFT_64QAM	17.3	PASS
n2	15	15	380500	75@0	DFT_256QAM	16.7	PASS
n2	15	15	380500	36@18	DFT_256QAM	16.1	PASS
n2	15	15	380500	1@1	DFT_256QAM	15.82	PASS
n2	15	15	380500	1@77	DFT_256QAM	16.23	PASS



n2	15	15	380500	79@0	CP_QPSK	16.5	PASS
n2	15	15	380500	39@19	CP_QPSK	19.05	PASS
n2	15	15	380500	1@1	CP_QPSK	19.2	PASS
n2	15	15	380500	1@77	CP_QPSK	18.57	PASS
n2	15	15	380500	79@0	CP_16QAM	18.5	PASS
n2	15	15	380500	39@19	CP_16QAM	18.12	PASS
n2	15	15	380500	1@1	CP_16QAM	18.4	PASS
n2	15	15	380500	1@77	CP_16QAM	18.45	PASS
n2	15	15	380500	79@0	CP_64QAM	16.3	PASS
n2	15	15	380500	39@19	CP_64QAM	16.5	PASS
n2	15	15	380500	1@1	CP_64QAM	16.2	PASS
n2	15	15	380500	1@77	CP_64QAM	17.34	PASS
n2	15	15	380500	79@0	CP_256QAM	14.2	PASS
n2	15	15	380500	39@19	CP_256QAM	14.08	PASS
n2	15	15	380500	1@1	CP_256QAM	14.19	PASS
n2	15	15	380500	1@77	CP_256QAM	14.4	PASS
n2	15	20	372000	100@0	DFT_BPSK	20.54	PASS
n2	15	20	372000	50@25	DFT_BPSK	20.54	PASS
n2	15	20	372000	1@1	DFT_BPSK	20.94	PASS
n2	15	20	372000	1@104	DFT_BPSK	20.82	PASS
n2	15	20	372000	100@0	DFT_QPSK	19.53	PASS
n2	15	20	372000	50@25	DFT_QPSK	20.57	PASS
n2	15	20	372000	1@1	DFT_QPSK	20.94	PASS
n2	15	20	372000	1@104	DFT_QPSK	20.29	PASS
n2	15	20	372000	100@0	DFT_16QAM	19.8	PASS
n2	15	20	372000	50@25	DFT_16QAM	19.56	PASS
n2	15	20	372000	1@1	DFT_16QAM	20.25	PASS
n2	15	20	372000	1@104	DFT_16QAM	20.05	PASS
n2	15	20	372000	100@0	DFT_64QAM	17.9	PASS
n2	15	20	372000	50@25	DFT_64QAM	18.04	PASS
n2	15	20	372000	1@1	DFT_64QAM	17.9	PASS



n2	15	20	372000	1@104	DFT_64QAM	17.96	PASS
n2	15	20	372000	100@0	DFT_256QAM	16.1	PASS
n2	15	20	372000	50@25	DFT_256QAM	16.13	PASS
n2	15	20	372000	1@1	DFT_256QAM	16.27	PASS
n2	15	20	372000	1@104	DFT_256QAM	15.9	PASS
n2	15	20	372000	106@0	CP_QPSK	19.4	PASS
n2	15	20	372000	53@26	CP_QPSK	19.51	PASS
n2	15	20	372000	1@1	CP_QPSK	19.7	PASS
n2	15	20	372000	1@104	CP_QPSK	18.82	PASS
n2	15	20	372000	106@0	CP_16QAM	17.96	PASS
n2	15	20	372000	53@26	CP_16QAM	18.8	PASS
n2	15	20	372000	1@1	CP_16QAM	18.9	PASS
n2	15	20	372000	1@104	CP_16QAM	18.6	PASS
n2	15	20	372000	106@0	CP_64QAM	17.46	PASS
n2	15	20	372000	53@26	CP_64QAM	17.9	PASS
n2	15	20	372000	1@1	CP_64QAM	17.76	PASS
n2	15	20	372000	1@104	CP_64QAM	17.7	PASS
n2	15	20	372000	106@0	CP_256QAM	15.1	PASS
n2	15	20	372000	53@26	CP_256QAM	14.56	PASS
n2	15	20	372000	1@1	CP_256QAM	14.1	PASS
n2	15	20	372000	1@104	CP_256QAM	13.94	PASS
n2	15	20	376000	100@0	DFT_BPSK	20.28	PASS
n2	15	20	376000	50@25	DFT_BPSK	20.94	PASS
n2	15	20	376000	1@1	DFT_BPSK	20.68	PASS
n2	15	20	376000	1@104	DFT_BPSK	20.96	PASS
n2	15	20	376000	100@0	DFT_QPSK	19.76	PASS
n2	15	20	376000	50@25	DFT_QPSK	20.98	PASS
n2	15	20	376000	1@1	DFT_QPSK	20.66	PASS
n2	15	20	376000	1@104	DFT_QPSK	20.82	PASS
n2	15	20	376000	100@0	DFT_16QAM	19.7	PASS
n2	15	20	376000	50@25	DFT_16QAM	19.93	PASS



n2	15	20	376000	1@1	DFT_16QAM	19.94	PASS
n2	15	20	376000	1@104	DFT_16QAM	20.15	PASS
n2	15	20	376000	100@0	DFT_64QAM	18.3	PASS
n2	15	20	376000	50@25	DFT_64QAM	18.42	PASS
n2	15	20	376000	1@1	DFT_64QAM	18.1	PASS
n2	15	20	376000	1@104	DFT_64QAM	18.45	PASS
n2	15	20	376000	100@0	DFT_256QAM	16.8	PASS
n2	15	20	376000	50@25	DFT_256QAM	16.51	PASS
n2	15	20	376000	1@1	DFT_256QAM	16.47	PASS
n2	15	20	376000	1@104	DFT_256QAM	17	PASS
n2	15	20	376000	106@0	CP_QPSK	19.1	PASS
n2	15	20	376000	53@26	CP_QPSK	19.8	PASS
n2	15	20	376000	1@1	CP_QPSK	19.25	PASS
n2	15	20	376000	1@104	CP_QPSK	19.7	PASS
n2	15	20	376000	106@0	CP_16QAM	17.76	PASS
n2	15	20	376000	53@26	CP_16QAM	18.3	PASS
n2	15	20	376000	1@1	CP_16QAM	18.66	PASS
n2	15	20	376000	1@104	CP_16QAM	18.8	PASS
n2	15	20	376000	106@0	CP_64QAM	17.19	PASS
n2	15	20	376000	53@26	CP_64QAM	17.7	PASS
n2	15	20	376000	1@1	CP_64QAM	17.58	PASS
n2	15	20	376000	1@104	CP_64QAM	17.9	PASS
n2	15	20	376000	106@0	CP_256QAM	14.37	PASS
n2	15	20	376000	53@26	CP_256QAM	14	PASS
n2	15	20	376000	1@1	CP_256QAM	14.33	PASS
n2	15	20	376000	1@104	CP_256QAM	13.83	PASS
n2	15	20	380000	100@0	DFT_BPSK	20.11	PASS
n2	15	20	380000	50@25	DFT_BPSK	21.12	PASS
n2	15	20	380000	1@1	DFT_BPSK	20.48	PASS
n2	15	20	380000	1@104	DFT_BPSK	20.49	PASS
n2	15	20	380000	100@0	DFT_QPSK	19.59	PASS



n2	15	20	380000	50@25	DFT_QPSK	21.07	PASS
n2	15	20	380000	1@1	DFT_QPSK	20.44	PASS
n2	15	20	380000	1@104	DFT_QPSK	20.95	PASS
n2	15	20	380000	100@0	DFT_16QAM	19.1	PASS
n2	15	20	380000	50@25	DFT_16QAM	20.13	PASS
n2	15	20	380000	1@1	DFT_16QAM	19.73	PASS
n2	15	20	380000	1@104	DFT_16QAM	20.21	PASS
n2	15	20	380000	100@0	DFT_64QAM	18.7	PASS
n2	15	20	380000	50@25	DFT_64QAM	18.6	PASS
n2	15	20	380000	1@1	DFT_64QAM	18.7	PASS
n2	15	20	380000	1@104	DFT_64QAM	18.11	PASS
n2	15	20	380000	100@0	DFT_256QAM	15.9	PASS
n2	15	20	380000	50@25	DFT_256QAM	16.25	PASS
n2	15	20	380000	1@1	DFT_256QAM	16.27	PASS
n2	15	20	380000	1@104	DFT_256QAM	15.6	PASS
n2	15	20	380000	106@0	CP_QPSK	19.19	PASS
n2	15	20	380000	53@26	CP_QPSK	19.63	PASS
n2	15	20	380000	1@1	CP_QPSK	19.9	PASS
n2	15	20	380000	1@104	CP_QPSK	19.06	PASS
n2	15	20	380000	106@0	CP_16QAM	18.02	PASS
n2	15	20	380000	53@26	CP_16QAM	18.6	PASS
n2	15	20	380000	1@1	CP_16QAM	18.51	PASS
n2	15	20	380000	1@104	CP_16QAM	18.8	PASS
n2	15	20	380000	106@0	CP_64QAM	17.01	PASS
n2	15	20	380000	53@26	CP_64QAM	16.7	PASS
n2	15	20	380000	1@1	CP_64QAM	17.86	PASS
n2	15	20	380000	1@104	CP_64QAM	17.3	PASS
n2	15	20	380000	106@0	CP_256QAM	13.7	PASS
n2	15	20	380000	53@26	CP_256QAM	14.21	PASS
n2	15	20	380000	1@1	CP_256QAM	14.17	PASS
n2	15	20	380000	1@104	CP_256QAM	13.74	PASS



Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n5	15	5	165300	25@0	DFT_BPSK	20.19	PASS
n5	15	5	165300	12@6	DFT_BPSK	20.71	PASS
n5	15	5	165300	1@1	DFT_BPSK	20.56	PASS
n5	15	5	165300	1@23	DFT_BPSK	20.54	PASS
n5	15	5	165300	25@0	DFT_QPSK	19.74	PASS
n5	15	5	165300	12@6	DFT_QPSK	20.73	PASS
n5	15	5	165300	1@1	DFT_QPSK	20.69	PASS
n5	15	5	165300	1@23	DFT_QPSK	20.64	PASS
n5	15	5	165300	25@0	DFT_16QAM	19.6	PASS
n5	15	5	165300	12@6	DFT_16QAM	19.72	PASS
n5	15	5	165300	1@1	DFT_16QAM	19.47	PASS
n5	15	5	165300	1@23	DFT_16QAM	19.48	PASS
n5	15	5	165300	25@0	DFT_64QAM	18.27	PASS
n5	15	5	165300	12@6	DFT_64QAM	18.32	PASS
n5	15	5	165300	1@1	DFT_64QAM	17.9	PASS
n5	15	5	165300	1@23	DFT_64QAM	17.9	PASS
n5	15	5	165300	25@0	DFT_256QAM	17.6	PASS
n5	15	5	165300	12@6	DFT_256QAM	16.28	PASS
n5	15	5	165300	1@1	DFT_256QAM	16.43	PASS
n5	15	5	165300	1@23	DFT_256QAM	16.39	PASS
n5	15	5	165300	25@0	CP_QPSK	17.64	PASS
n5	15	5	165300	13@6	CP_QPSK	19.23	PASS
n5	15	5	165300	1@1	CP_QPSK	19.11	PASS
n5	15	5	165300	1@23	CP_QPSK	19.05	PASS
n5	15	5	165300	25@0	CP_16QAM	17.69	PASS
n5	15	5	165300	13@6	CP_16QAM	17.6	PASS
n5	15	5	165300	1@1	CP_16QAM	18.69	PASS
n5	15	5	165300	1@23	CP_16QAM	18.53	PASS
n5	15	5	165300	25@0	CP_64QAM	16.6	PASS



n5	15	5	165300	13@6	CP_64QAM	17.34	PASS
n5	15	5	165300	1@1	CP_64QAM	17.01	PASS
n5	15	5	165300	1@23	CP_64QAM	16.85	PASS
n5	15	5	165300	25@0	CP_256QAM	14.3	PASS
n5	15	5	165300	13@6	CP_256QAM	14.17	PASS
n5	15	5	165300	1@1	CP_256QAM	14.7	PASS
n5	15	5	165300	1@23	CP_256QAM	14.25	PASS
n5	15	5	167300	25@0	DFT_BPSK	20.01	PASS
n5	15	5	167300	12@6	DFT_BPSK	20.59	PASS
n5	15	5	167300	1@1	DFT_BPSK	20.5	PASS
n5	15	5	167300	1@23	DFT_BPSK	20.46	PASS
n5	15	5	167300	25@0	DFT_QPSK	19.53	PASS
n5	15	5	167300	12@6	DFT_QPSK	20.57	PASS
n5	15	5	167300	1@1	DFT_QPSK	20.56	PASS
n5	15	5	167300	1@23	DFT_QPSK	20.51	PASS
n5	15	5	167300	25@0	DFT_16QAM	18.8	PASS
n5	15	5	167300	12@6	DFT_16QAM	19.56	PASS
n5	15	5	167300	1@1	DFT_16QAM	19.38	PASS
n5	15	5	167300	1@23	DFT_16QAM	19.29	PASS
n5	15	5	167300	25@0	DFT_64QAM	18.3	PASS
n5	15	5	167300	12@6	DFT_64QAM	18.12	PASS
n5	15	5	167300	1@1	DFT_64QAM	18.4	PASS
n5	15	5	167300	1@23	DFT_64QAM	17.81	PASS
n5	15	5	167300	25@0	DFT_256QAM	16.1	PASS
n5	15	5	167300	12@6	DFT_256QAM	16.6	PASS
n5	15	5	167300	1@1	DFT_256QAM	16.29	PASS
n5	15	5	167300	1@23	DFT_256QAM	16.19	PASS
n5	15	5	167300	25@0	CP_QPSK	17.46	PASS
n5	15	5	167300	13@6	CP_QPSK	19.04	PASS
n5	15	5	167300	1@1	CP_QPSK	18.3	PASS
n5	15	5	167300	1@23	CP_QPSK	18.95	PASS



n5	15	5	167300	25@0	CP_16QAM	18.6	PASS
n5	15	5	167300	13@6	CP_16QAM	18.54	PASS
n5	15	5	167300	1@1	CP_16QAM	18.51	PASS
n5	15	5	167300	1@23	CP_16QAM	18.44	PASS
n5	15	5	167300	25@0	CP_64QAM	17.03	PASS
n5	15	5	167300	13@6	CP_64QAM	17.02	PASS
n5	15	5	167300	1@1	CP_64QAM	16.81	PASS
n5	15	5	167300	1@23	CP_64QAM	16.6	PASS
n5	15	5	167300	25@0	CP_256QAM	14.04	PASS
n5	15	5	167300	13@6	CP_256QAM	14.06	PASS
n5	15	5	167300	1@1	CP_256QAM	14.18	PASS
n5	15	5	167300	1@23	CP_256QAM	14.13	PASS
n5	15	5	169300	25@0	DFT_BPSK	20	PASS
n5	15	5	169300	12@6	DFT_BPSK	20.63	PASS
n5	15	5	169300	1@1	DFT_BPSK	20.41	PASS
n5	15	5	169300	1@23	DFT_BPSK	20.58	PASS
n5	15	5	169300	25@0	DFT_QPSK	19.59	PASS
n5	15	5	169300	12@6	DFT_QPSK	20.65	PASS
n5	15	5	169300	1@1	DFT_QPSK	20.53	PASS
n5	15	5	169300	1@23	DFT_QPSK	20.59	PASS
n5	15	5	169300	25@0	DFT_16QAM	18.57	PASS
n5	15	5	169300	12@6	DFT_16QAM	19.62	PASS
n5	15	5	169300	1@1	DFT_16QAM	19.29	PASS
n5	15	5	169300	1@23	DFT_16QAM	19.42	PASS
n5	15	5	169300	25@0	DFT_64QAM	18.13	PASS
n5	15	5	169300	12@6	DFT_64QAM	18.2	PASS
n5	15	5	169300	1@1	DFT_64QAM	17.82	PASS
n5	15	5	169300	1@23	DFT_64QAM	17.91	PASS
n5	15	5	169300	25@0	DFT_256QAM	16.3	PASS
n5	15	5	169300	12@6	DFT_256QAM	16.16	PASS
n5	15	5	169300	1@1	DFT_256QAM	16.8	PASS



n5	15	5	169300	1@23	DFT_256QAM	16.34	PASS
n5	15	5	169300	25@0	CP_QPSK	19.4	PASS
n5	15	5	169300	13@6	CP_QPSK	19.12	PASS
n5	15	5	169300	1@1	CP_QPSK	18.96	PASS
n5	15	5	169300	1@23	CP_QPSK	19.04	PASS
n5	15	5	169300	25@0	CP_16QAM	18.4	PASS
n5	15	5	169300	13@6	CP_16QAM	18.59	PASS
n5	15	5	169300	1@1	CP_16QAM	18.44	PASS
n5	15	5	169300	1@23	CP_16QAM	18.6	PASS
n5	15	5	169300	25@0	CP_64QAM	17.04	PASS
n5	15	5	169300	13@6	CP_64QAM	16.5	PASS
n5	15	5	169300	1@1	CP_64QAM	16.79	PASS
n5	15	5	169300	1@23	CP_64QAM	16.8	PASS
n5	15	5	169300	25@0	CP_256QAM	14.3	PASS
n5	15	5	169300	13@6	CP_256QAM	14.3	PASS
n5	15	5	169300	1@1	CP_256QAM	14.15	PASS
n5	15	5	169300	1@23	CP_256QAM	14.18	PASS
n5	15	10	165800	50@0	DFT_BPSK	20.24	PASS
n5	15	10	165800	25@12	DFT_BPSK	20.7	PASS
n5	15	10	165800	1@1	DFT_BPSK	20.61	PASS
n5	15	10	165800	1@50	DFT_BPSK	20.5	PASS
n5	15	10	165800	50@0	DFT_QPSK	19.74	PASS
n5	15	10	165800	25@12	DFT_QPSK	20.71	PASS
n5	15	10	165800	1@1	DFT_QPSK	20.71	PASS
n5	15	10	165800	1@50	DFT_QPSK	20.58	PASS
n5	15	10	165800	50@0	DFT_16QAM	18.75	PASS
n5	15	10	165800	25@12	DFT_16QAM	19.76	PASS
n5	15	10	165800	1@1	DFT_16QAM	19.48	PASS
n5	15	10	165800	1@50	DFT_16QAM	19.43	PASS
n5	15	10	165800	50@0	DFT_64QAM	18.6	PASS
n5	15	10	165800	25@12	DFT_64QAM	18.18	PASS



n5	15	10	165800	1@1	DFT_64QAM	17.92	PASS
n5	15	10	165800	1@50	DFT_64QAM	17.91	PASS
n5	15	10	165800	50@0	DFT_256QAM	16.34	PASS
n5	15	10	165800	25@12	DFT_256QAM	16.3	PASS
n5	15	10	165800	1@1	DFT_256QAM	16.39	PASS
n5	15	10	165800	1@50	DFT_256QAM	16.2	PASS
n5	15	10	165800	52@0	CP_QPSK	16.4	PASS
n5	15	10	165800	26@13	CP_QPSK	19.13	PASS
n5	15	10	165800	1@1	CP_QPSK	19.2	PASS
n5	15	10	165800	1@50	CP_QPSK	19.23	PASS
n5	15	10	165800	52@0	CP_16QAM	17.71	PASS
n5	15	10	165800	26@13	CP_16QAM	18.65	PASS
n5	15	10	165800	1@1	CP_16QAM	18.69	PASS
n5	15	10	165800	1@50	CP_16QAM	18.2	PASS
n5	15	10	165800	52@0	CP_64QAM	17.23	PASS
n5	15	10	165800	26@13	CP_64QAM	17.14	PASS
n5	15	10	165800	1@1	CP_64QAM	17.5	PASS
n5	15	10	165800	1@50	CP_64QAM	16.86	PASS
n5	15	10	165800	52@0	CP_256QAM	14.29	PASS
n5	15	10	165800	26@13	CP_256QAM	14.5	PASS
n5	15	10	165800	1@1	CP_256QAM	14.31	PASS
n5	15	10	165800	1@50	CP_256QAM	14.3	PASS
n5	15	10	167300	50@0	DFT_BPSK	19.96	PASS
n5	15	10	167300	25@12	DFT_BPSK	20.52	PASS
n5	15	10	167300	1@1	DFT_BPSK	20.48	PASS
n5	15	10	167300	1@50	DFT_BPSK	20.46	PASS
n5	15	10	167300	50@0	DFT_QPSK	19.5	PASS
n5	15	10	167300	25@12	DFT_QPSK	20.54	PASS
n5	15	10	167300	1@1	DFT_QPSK	20.57	PASS
n5	15	10	167300	1@50	DFT_QPSK	20.53	PASS
n5	15	10	167300	50@0	DFT_16QAM	18.51	PASS



n5	15	10	167300	25@12	DFT_16QAM	19.61	PASS
n5	15	10	167300	1@1	DFT_16QAM	19.4	PASS
n5	15	10	167300	1@50	DFT_16QAM	19.35	PASS
n5	15	10	167300	50@0	DFT_64QAM	17.92	PASS
n5	15	10	167300	25@12	DFT_64QAM	18.09	PASS
n5	15	10	167300	1@1	DFT_64QAM	17.85	PASS
n5	15	10	167300	1@50	DFT_64QAM	17.4	PASS
n5	15	10	167300	50@0	DFT_256QAM	16.08	PASS
n5	15	10	167300	25@12	DFT_256QAM	16.5	PASS
n5	15	10	167300	1@1	DFT_256QAM	16.28	PASS
n5	15	10	167300	1@50	DFT_256QAM	16.25	PASS
n5	15	10	167300	52@0	CP_QPSK	17.44	PASS
n5	15	10	167300	26@13	CP_QPSK	19.07	PASS
n5	15	10	167300	1@1	CP_QPSK	18.98	PASS
n5	15	10	167300	1@50	CP_QPSK	18.95	PASS
n5	15	10	167300	52@0	CP_16QAM	17.41	PASS
n5	15	10	167300	26@13	CP_16QAM	18.53	PASS
n5	15	10	167300	1@1	CP_16QAM	18.55	PASS
n5	15	10	167300	1@50	CP_16QAM	18.3	PASS
n5	15	10	167300	52@0	CP_64QAM	16.98	PASS
n5	15	10	167300	26@13	CP_64QAM	17.04	PASS
n5	15	10	167300	1@1	CP_64QAM	17.3	PASS
n5	15	10	167300	1@50	CP_64QAM	16.77	PASS
n5	15	10	167300	52@0	CP_256QAM	14.2	PASS
n5	15	10	167300	26@13	CP_256QAM	14.18	PASS
n5	15	10	167300	1@1	CP_256QAM	14.25	PASS
n5	15	10	167300	1@50	CP_256QAM	14.3	PASS
n5	15	10	168800	50@0	DFT_BPSK	19.98	PASS
n5	15	10	168800	25@12	DFT_BPSK	20.63	PASS
n5	15	10	168800	1@1	DFT_BPSK	20.44	PASS
n5	15	10	168800	1@50	DFT_BPSK	20.52	PASS



n5	15	10	168800	50@0	DFT_QPSK	19.57	PASS
n5	15	10	168800	25@12	DFT_QPSK	20.59	PASS
n5	15	10	168800	1@1	DFT_QPSK	20.49	PASS
n5	15	10	168800	1@50	DFT_QPSK	20.64	PASS
n5	15	10	168800	50@0	DFT_16QAM	18.59	PASS
n5	15	10	168800	25@12	DFT_16QAM	19.64	PASS
n5	15	10	168800	1@1	DFT_16QAM	19.34	PASS
n5	15	10	168800	1@50	DFT_16QAM	19.46	PASS
n5	15	10	168800	50@0	DFT_64QAM	18.2	PASS
n5	15	10	168800	25@12	DFT_64QAM	18.16	PASS
n5	15	10	168800	1@1	DFT_64QAM	17.77	PASS
n5	15	10	168800	1@50	DFT_64QAM	17.66	PASS
n5	15	10	168800	50@0	DFT_256QAM	15.9	PASS
n5	15	10	168800	25@12	DFT_256QAM	16.2	PASS
n5	15	10	168800	1@1	DFT_256QAM	16.2	PASS
n5	15	10	168800	1@50	DFT_256QAM	16.1	PASS
n5	15	10	168800	52@0	CP_QPSK	18.99	PASS
n5	15	10	168800	26@13	CP_QPSK	19.08	PASS
n5	15	10	168800	1@1	CP_QPSK	18.95	PASS
n5	15	10	168800	1@50	CP_QPSK	19.03	PASS
n5	15	10	168800	52@0	CP_16QAM	18.2	PASS
n5	15	10	168800	26@13	CP_16QAM	18.54	PASS
n5	15	10	168800	1@1	CP_16QAM	18.46	PASS
n5	15	10	168800	1@50	CP_16QAM	18.3	PASS
n5	15	10	168800	52@0	CP_64QAM	17.04	PASS
n5	15	10	168800	26@13	CP_64QAM	17.4	PASS
n5	15	10	168800	1@1	CP_64QAM	16.81	PASS
n5	15	10	168800	1@50	CP_64QAM	16.9	PASS
n5	15	10	168800	52@0	CP_256QAM	14.2	PASS
n5	15	10	168800	26@13	CP_256QAM	14.18	PASS
n5	15	10	168800	1@1	CP_256QAM	14.7	PASS



n5	15	10	168800	1@50	CP_256QAM	14.23	PASS
n5	15	15	166300	75@0	DFT_BPSK	20.19	PASS
n5	15	15	166300	36@18	DFT_BPSK	20.67	PASS
n5	15	15	166300	1@1	DFT_BPSK	20.57	PASS
n5	15	15	166300	1@77	DFT_BPSK	20.46	PASS
n5	15	15	166300	75@0	DFT_QPSK	19.71	PASS
n5	15	15	166300	36@18	DFT_QPSK	20.73	PASS
n5	15	15	166300	1@1	DFT_QPSK	20.71	PASS
n5	15	15	166300	1@77	DFT_QPSK	20.55	PASS
n5	15	15	166300	75@0	DFT_16QAM	18.67	PASS
n5	15	15	166300	36@18	DFT_16QAM	19.68	PASS
n5	15	15	166300	1@1	DFT_16QAM	19.5	PASS
n5	15	15	166300	1@77	DFT_16QAM	19.36	PASS
n5	15	15	166300	75@0	DFT_64QAM	18.17	PASS
n5	15	15	166300	36@18	DFT_64QAM	18.15	PASS
n5	15	15	166300	1@1	DFT_64QAM	17.92	PASS
n5	15	15	166300	1@77	DFT_64QAM	17.8	PASS
n5	15	15	166300	75@0	DFT_256QAM	16.3	PASS
n5	15	15	166300	36@18	DFT_256QAM	16.33	PASS
n5	15	15	166300	1@1	DFT_256QAM	16.39	PASS
n5	15	15	166300	1@77	DFT_256QAM	16.6	PASS
n5	15	15	166300	79@0	CP_QPSK	18.65	PASS
n5	15	15	166300	39@19	CP_QPSK	19.09	PASS
n5	15	15	166300	1@1	CP_QPSK	19.06	PASS
n5	15	15	166300	1@77	CP_QPSK	19	PASS
n5	15	15	166300	79@0	CP_16QAM	17.67	PASS
n5	15	15	166300	39@19	CP_16QAM	17.1	PASS
n5	15	15	166300	1@1	CP_16QAM	18.3	PASS
n5	15	15	166300	1@77	CP_16QAM	18.49	PASS
n5	15	15	166300	79@0	CP_64QAM	16.4	PASS
n5	15	15	166300	39@19	CP_64QAM	16.55	PASS



n5	15	15	166300	1@1	CP_64QAM	16.78	PASS
n5	15	15	166300	1@77	CP_64QAM	16.77	PASS
n5	15	15	166300	79@0	CP_256QAM	14.24	PASS
n5	15	15	166300	39@19	CP_256QAM	14.5	PASS
n5	15	15	166300	1@1	CP_256QAM	14.4	PASS
n5	15	15	166300	1@77	CP_256QAM	14.25	PASS
n5	15	15	167300	75@0	DFT_BPSK	20.04	PASS
n5	15	15	167300	36@18	DFT_BPSK	20.6	PASS
n5	15	15	167300	1@1	DFT_BPSK	20.53	PASS
n5	15	15	167300	1@77	DFT_BPSK	20.51	PASS
n5	15	15	167300	75@0	DFT_QPSK	19.49	PASS
n5	15	15	167300	36@18	DFT_QPSK	20.59	PASS
n5	15	15	167300	1@1	DFT_QPSK	20.58	PASS
n5	15	15	167300	1@77	DFT_QPSK	20.55	PASS
n5	15	15	167300	75@0	DFT_16QAM	18.49	PASS
n5	15	15	167300	36@18	DFT_16QAM	19.6	PASS
n5	15	15	167300	1@1	DFT_16QAM	19.46	PASS
n5	15	15	167300	1@77	DFT_16QAM	19.34	PASS
n5	15	15	167300	75@0	DFT_64QAM	17.98	PASS
n5	15	15	167300	36@18	DFT_64QAM	17.6	PASS
n5	15	15	167300	1@1	DFT_64QAM	17.86	PASS
n5	15	15	167300	1@77	DFT_64QAM	17.73	PASS
n5	15	15	167300	75@0	DFT_256QAM	16.2	PASS
n5	15	15	167300	36@18	DFT_256QAM	16.23	PASS
n5	15	15	167300	1@1	DFT_256QAM	16.38	PASS
n5	15	15	167300	1@77	DFT_256QAM	16.3	PASS
n5	15	15	167300	79@0	CP_QPSK	18.9	PASS
n5	15	15	167300	39@19	CP_QPSK	19.05	PASS
n5	15	15	167300	1@1	CP_QPSK	18.98	PASS
n5	15	15	167300	1@77	CP_QPSK	19.4	PASS
n5	15	15	167300	79@0	CP_16QAM	17.44	PASS



n5	15	15	167300	39@19	CP_16QAM	18.57	PASS
n5	15	15	167300	1@1	CP_16QAM	18.5	PASS
n5	15	15	167300	1@77	CP_16QAM	18.46	PASS
n5	15	15	167300	79@0	CP_64QAM	16.96	PASS
n5	15	15	167300	39@19	CP_64QAM	17.03	PASS
n5	15	15	167300	1@1	CP_64QAM	16.82	PASS
n5	15	15	167300	1@77	CP_64QAM	16.75	PASS
n5	15	15	167300	79@0	CP_256QAM	14.06	PASS
n5	15	15	167300	39@19	CP_256QAM	14.5	PASS
n5	15	15	167300	1@1	CP_256QAM	14.19	PASS
n5	15	15	167300	1@77	CP_256QAM	14.18	PASS
n5	15	15	168300	75@0	DFT_BPSK	20.04	PASS
n5	15	15	168300	36@18	DFT_BPSK	20.62	PASS
n5	15	15	168300	1@1	DFT_BPSK	20.45	PASS
n5	15	15	168300	1@77	DFT_BPSK	20.57	PASS
n5	15	15	168300	75@0	DFT_QPSK	19.55	PASS
n5	15	15	168300	36@18	DFT_QPSK	20.64	PASS
n5	15	15	168300	1@1	DFT_QPSK	20.59	PASS
n5	15	15	168300	1@77	DFT_QPSK	20.6	PASS
n5	15	15	168300	75@0	DFT_16QAM	18.57	PASS
n5	15	15	168300	36@18	DFT_16QAM	19.62	PASS
n5	15	15	168300	1@1	DFT_16QAM	19.4	PASS
n5	15	15	168300	1@77	DFT_16QAM	19.43	PASS
n5	15	15	168300	75@0	DFT_64QAM	18.07	PASS
n5	15	15	168300	36@18	DFT_64QAM	17.58	PASS
n5	15	15	168300	1@1	DFT_64QAM	17.77	PASS
n5	15	15	168300	1@77	DFT_64QAM	17.6	PASS
n5	15	15	168300	75@0	DFT_256QAM	16.23	PASS
n5	15	15	168300	36@18	DFT_256QAM	16.32	PASS
n5	15	15	168300	1@1	DFT_256QAM	16.5	PASS
n5	15	15	168300	1@77	DFT_256QAM	16.41	PASS



n5	15	15	168300	79@0	CP_QPSK	17.5	PASS
n5	15	15	168300	39@19	CP_QPSK	19.08	PASS
n5	15	15	168300	1@1	CP_QPSK	18.9	PASS
n5	15	15	168300	1@77	CP_QPSK	19.01	PASS
n5	15	15	168300	79@0	CP_16QAM	18.6	PASS
n5	15	15	168300	39@19	CP_16QAM	18.57	PASS
n5	15	15	168300	1@1	CP_16QAM	18.5	PASS
n5	15	15	168300	1@77	CP_16QAM	18.5	PASS
n5	15	15	168300	79@0	CP_64QAM	16.8	PASS
n5	15	15	168300	39@19	CP_64QAM	17.03	PASS
n5	15	15	168300	1@1	CP_64QAM	17.5	PASS
n5	15	15	168300	1@77	CP_64QAM	16.84	PASS
n5	15	15	168300	79@0	CP_256QAM	14.14	PASS
n5	15	15	168300	39@19	CP_256QAM	14.6	PASS
n5	15	15	168300	1@1	CP_256QAM	14.17	PASS
n5	15	15	168300	1@77	CP_256QAM	14.27	PASS
n5	15	20	166800	100@0	DFT_BPSK	20.54	PASS
n5	15	20	166800	50@25	DFT_BPSK	21.15	PASS
n5	15	20	166800	1@1	DFT_BPSK	21.05	PASS
n5	15	20	166800	1@104	DFT_BPSK	20.9	PASS
n5	15	20	166800	100@0	DFT_QPSK	20.12	PASS
n5	15	20	166800	50@25	DFT_QPSK	21.12	PASS
n5	15	20	166800	1@1	DFT_QPSK	21.12	PASS
n5	15	20	166800	1@104	DFT_QPSK	20.98	PASS
n5	15	20	166800	100@0	DFT_16QAM	19.08	PASS
n5	15	20	166800	50@25	DFT_16QAM	20.12	PASS
n5	15	20	166800	1@1	DFT_16QAM	20	PASS
n5	15	20	166800	1@104	DFT_16QAM	19.84	PASS
n5	15	20	166800	100@0	DFT_64QAM	18.59	PASS
n5	15	20	166800	50@25	DFT_64QAM	18.57	PASS
n5	15	20	166800	1@1	DFT_64QAM	18.43	PASS



n5	15	20	166800	1@104	DFT_64QAM	18.1	PASS
n5	15	20	166800	100@0	DFT_256QAM	16.72	PASS
n5	15	20	166800	50@25	DFT_256QAM	16.76	PASS
n5	15	20	166800	1@1	DFT_256QAM	16.87	PASS
n5	15	20	166800	1@104	DFT_256QAM	16.79	PASS
n5	15	20	166800	106@0	CP_QPSK	18.02	PASS
n5	15	20	166800	53@26	CP_QPSK	19.6	PASS
n5	15	20	166800	1@1	CP_QPSK	19.52	PASS
n5	15	20	166800	1@104	CP_QPSK	19.36	PASS
n5	15	20	166800	106@0	CP_16QAM	18.02	PASS
n5	15	20	166800	53@26	CP_16QAM	18.1	PASS
n5	15	20	166800	1@1	CP_16QAM	19	PASS
n5	15	20	166800	1@104	CP_16QAM	18.91	PASS
n5	15	20	166800	106@0	CP_64QAM	17.54	PASS
n5	15	20	166800	53@26	CP_64QAM	17.6	PASS
n5	15	20	166800	1@1	CP_64QAM	17.46	PASS
n5	15	20	166800	1@104	CP_64QAM	17.2	PASS
n5	15	20	166800	106@0	CP_256QAM	14.63	PASS
n5	15	20	166800	53@26	CP_256QAM	15.1	PASS
n5	15	20	166800	1@1	CP_256QAM	14.73	PASS
n5	15	20	166800	1@104	CP_256QAM	14.6	PASS
n5	15	20	167300	100@0	DFT_BPSK	20.48	PASS
n5	15	20	167300	50@25	DFT_BPSK	21.14	PASS
n5	15	20	167300	1@1	DFT_BPSK	21.02	PASS
n5	15	20	167300	1@104	DFT_BPSK	21	PASS
n5	15	20	167300	100@0	DFT_QPSK	19.95	PASS
n5	15	20	167300	50@25	DFT_QPSK	21.11	PASS
n5	15	20	167300	1@1	DFT_QPSK	21.11	PASS
n5	15	20	167300	1@104	DFT_QPSK	21.05	PASS
n5	15	20	167300	100@0	DFT_16QAM	18.98	PASS
n5	15	20	167300	50@25	DFT_16QAM	20.07	PASS



n5	15	20	167300	1@1	DFT_16QAM	19.96	PASS
n5	15	20	167300	1@104	DFT_16QAM	19.86	PASS
n5	15	20	167300	100@0	DFT_64QAM	18.4	PASS
n5	15	20	167300	50@25	DFT_64QAM	18.56	PASS
n5	15	20	167300	1@1	DFT_64QAM	18.4	PASS
n5	15	20	167300	1@104	DFT_64QAM	18.34	PASS
n5	15	20	167300	100@0	DFT_256QAM	16.6	PASS
n5	15	20	167300	50@25	DFT_256QAM	16.7	PASS
n5	15	20	167300	1@1	DFT_256QAM	16.88	PASS
n5	15	20	167300	1@104	DFT_256QAM	16.79	PASS
n5	15	20	167300	106@0	CP_QPSK	17.95	PASS
n5	15	20	167300	53@26	CP_QPSK	19.6	PASS
n5	15	20	167300	1@1	CP_QPSK	19.54	PASS
n5	15	20	167300	1@104	CP_QPSK	20.1	PASS
n5	15	20	167300	106@0	CP_16QAM	17.97	PASS
n5	15	20	167300	53@26	CP_16QAM	19.08	PASS
n5	15	20	167300	1@1	CP_16QAM	19.02	PASS
n5	15	20	167300	1@104	CP_16QAM	18.2	PASS
n5	15	20	167300	106@0	CP_64QAM	17.6	PASS
n5	15	20	167300	53@26	CP_64QAM	17.55	PASS
n5	15	20	167300	1@1	CP_64QAM	17.29	PASS
n5	15	20	167300	1@104	CP_64QAM	17.31	PASS
n5	15	20	167300	106@0	CP_256QAM	14.56	PASS
n5	15	20	167300	53@26	CP_256QAM	14.65	PASS
n5	15	20	167300	1@1	CP_256QAM	14.69	PASS
n5	15	20	167300	1@104	CP_256QAM	14.63	PASS
n5	15	20	167800	100@0	DFT_BPSK	20.45	PASS
n5	15	20	167800	50@25	DFT_BPSK	21.05	PASS
n5	15	20	167800	1@1	DFT_BPSK	20.96	PASS
n5	15	20	167800	1@104	DFT_BPSK	21.02	PASS
n5	15	20	167800	100@0	DFT_QPSK	19.94	PASS



n5	15	20	167800	50@25	DFT_QPSK	21.16	PASS
n5	15	20	167800	1@1	DFT_QPSK	21	PASS
n5	15	20	167800	1@104	DFT_QPSK	21.07	PASS
n5	15	20	167800	100@0	DFT_16QAM	19.8	PASS
n5	15	20	167800	50@25	DFT_16QAM	20.13	PASS
n5	15	20	167800	1@1	DFT_16QAM	19.91	PASS
n5	15	20	167800	1@104	DFT_16QAM	19.94	PASS
n5	15	20	167800	100@0	DFT_64QAM	18.41	PASS
n5	15	20	167800	50@25	DFT_64QAM	17.8	PASS
n5	15	20	167800	1@1	DFT_64QAM	18.31	PASS
n5	15	20	167800	1@104	DFT_64QAM	18.34	PASS
n5	15	20	167800	100@0	DFT_256QAM	16.63	PASS
n5	15	20	167800	50@25	DFT_256QAM	16.7	PASS
n5	15	20	167800	1@1	DFT_256QAM	16.9	PASS
n5	15	20	167800	1@104	DFT_256QAM	16.8	PASS
n5	15	20	167800	106@0	CP_QPSK	19.1	PASS
5	15	20	167800	53@26	CP_QPSK	19.56	PASS
n5	15	20	167800	1@1	CP_QPSK	19.44	PASS
n5	15	20	167800	1@104	CP_QPSK	19.5	PASS
n5	15	20	167800	106@0	CP_16QAM	17.96	PASS
n5	15	20	167800	53@26	CP_16QAM	19.06	PASS
n5	15	20	167800	1@1	CP_16QAM	18.99	PASS
n5	15	20	167800	1@104	CP_16QAM	19.4	PASS
n5	15	20	167800	106@0	CP_64QAM	17.41	PASS
n5	15	20	167800	53@26	CP_64QAM	17.56	PASS
n5	15	20	167800	1@1	CP_64QAM	17.3	PASS
n5	15	20	167800	1@104	CP_64QAM	17.37	PASS
n5	15	20	167800	106@0	CP_256QAM	14.55	PASS
n5	15	20	167800	53@26	CP_256QAM	14.8	PASS
n5	15	20	167800	1@1	CP_256QAM	14.63	PASS
n5	15	20	167800	1@104	CP_256QAM	14.71	PASS



Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n7	15	5	500500	25@0	DFT_BPSK	19.42	PASS
n7	15	5	500500	12@6	DFT_BPSK	19.93	PASS
n7	15	5	500500	1@1	DFT_BPSK	19.83	PASS
n7	15	5	500500	1@23	DFT_BPSK	19.84	PASS
n7	15	5	500500	25@0	DFT_QPSK	19.3	PASS
n7	15	5	500500	12@6	DFT_QPSK	19.9	PASS
n7	15	5	500500	1@1	DFT_QPSK	19.83	PASS
n7	15	5	500500	1@23	DFT_QPSK	19.79	PASS
n7	15	5	500500	25@0	DFT_16QAM	18.6	PASS
n7	15	5	500500	12@6	DFT_16QAM	18.5	PASS
n7	15	5	500500	1@1	DFT_16QAM	18.96	PASS
n7	15	5	500500	1@23	DFT_16QAM	18.3	PASS
n7	15	5	500500	25@0	DFT_64QAM	17.6	PASS
n7	15	5	500500	12@6	DFT_64QAM	17.8	PASS
n7	15	5	500500	1@1	DFT_64QAM	17.66	PASS
n7	15	5	500500	1@23	DFT_64QAM	17.36	PASS
n7	15	5	500500	25@0	DFT_256QAM	15.63	PASS
n7	15	5	500500	12@6	DFT_256QAM	15.27	PASS
n7	15	5	500500	1@1	DFT_256QAM	15.4	PASS
n7	15	5	500500	1@23	DFT_256QAM	15.3	PASS
n7	15	5	500500	25@0	CP_QPSK	17.6	PASS
n7	15	5	500500	13@6	CP_QPSK	18.33	PASS
n7	15	5	500500	1@1	CP_QPSK	18.36	PASS
n7	15	5	500500	1@23	CP_QPSK	18.55	PASS
n7	15	5	500500	25@0	CP_16QAM	16.84	PASS
n7	15	5	500500	13@6	CP_16QAM	16.3	PASS
n7	15	5	500500	1@1	CP_16QAM	16.4	PASS
n7	15	5	500500	1@23	CP_16QAM	16.4	PASS
n7	15	5	500500	25@0	CP_64QAM	16.2	PASS



n7	15	5	500500	13@6	CP_64QAM	16.31	PASS
n7	15	5	500500	1@1	CP_64QAM	16.1	PASS
n7	15	5	500500	1@23	CP_64QAM	16.4	PASS
n7	15	5	500500	25@0	CP_256QAM	14.2	PASS
n7	15	5	500500	13@6	CP_256QAM	14.1	PASS
n7	15	5	500500	1@1	CP_256QAM	13.69	PASS
n7	15	5	500500	1@23	CP_256QAM	13.74	PASS
n7	15	5	507000	25@0	DFT_BPSK	19.21	PASS
n7	15	5	507000	12@6	DFT_BPSK	19.76	PASS
n7	15	5	507000	1@1	DFT_BPSK	19.63	PASS
n7	15	5	507000	1@23	DFT_BPSK	19.61	PASS
n7	15	5	507000	25@0	DFT_QPSK	19.3	PASS
n7	15	5	507000	12@6	DFT_QPSK	19.76	PASS
n7	15	5	507000	1@1	DFT_QPSK	19.63	PASS
n7	15	5	507000	1@23	DFT_QPSK	19.66	PASS
n7	15	5	507000	25@0	DFT_16QAM	18.4	PASS
n7	15	5	507000	12@6	DFT_16QAM	18.78	PASS
n7	15	5	507000	1@1	DFT_16QAM	18.8	PASS
n7	15	5	507000	1@23	DFT_16QAM	18.3	PASS
n7	15	5	507000	25@0	DFT_64QAM	17.2	PASS
n7	15	5	507000	12@6	DFT_64QAM	17.23	PASS
n7	15	5	507000	1@1	DFT_64QAM	17.43	PASS
n7	15	5	507000	1@23	DFT_64QAM	17.3	PASS
n7	15	5	507000	25@0	DFT_256QAM	16.1	PASS
n7	15	5	507000	12@6	DFT_256QAM	16.87	PASS
n7	15	5	507000	1@1	DFT_256QAM	16.5	PASS
n7	15	5	507000	1@23	DFT_256QAM	15.18	PASS
n7	15	5	507000	25@0	CP_QPSK	18.1	PASS
n7	15	5	507000	13@6	CP_QPSK	18.6	PASS
n7	15	5	507000	1@1	CP_QPSK	18.19	PASS
n7	15	5	507000	1@23	CP_QPSK	19.3	PASS



n7	15	5	507000	25@0	CP_16QAM	16.74	PASS
n7	15	5	507000	13@6	CP_16QAM	17.77	PASS
n7	15	5	507000	1@1	CP_16QAM	17.1	PASS
n7	15	5	507000	1@23	CP_16QAM	17.5	PASS
n7	15	5	507000	25@0	CP_64QAM	16.1	PASS
n7	15	5	507000	13@6	CP_64QAM	16.16	PASS
n7	15	5	507000	1@1	CP_64QAM	16.51	PASS
n7	15	5	507000	1@23	CP_64QAM	16.5	PASS
n7	15	5	507000	25@0	CP_256QAM	13.22	PASS
n7	15	5	507000	13@6	CP_256QAM	13.2	PASS
n7	15	5	507000	1@1	CP_256QAM	13.29	PASS
n7	15	5	507000	1@23	CP_256QAM	13.4	PASS
n7	15	5	513500	25@0	DFT_BPSK	19.29	PASS
n7	15	5	513500	12@6	DFT_BPSK	19.84	PASS
n7	15	5	513500	1@1	DFT_BPSK	19.69	PASS
n7	15	5	513500	1@23	DFT_BPSK	19.76	PASS
n7	15	5	513500	25@0	DFT_QPSK	19.3	PASS
n7	15	5	513500	12@6	DFT_QPSK	19.86	PASS
n7	15	5	513500	1@1	DFT_QPSK	19.66	PASS
n7	15	5	513500	1@23	DFT_QPSK	19.73	PASS
n7	15	5	513500	25@0	DFT_16QAM	18.2	PASS
n7	15	5	513500	12@6	DFT_16QAM	18.88	PASS
n7	15	5	513500	1@1	DFT_16QAM	19	PASS
n7	15	5	513500	1@23	DFT_16QAM	19.06	PASS
n7	15	5	513500	25@0	DFT_64QAM	17.3	PASS
n7	15	5	513500	12@6	DFT_64QAM	17.1	PASS
n7	15	5	513500	1@1	DFT_64QAM	17.47	PASS
n7	15	5	513500	1@23	DFT_64QAM	17.6	PASS
n7	15	5	513500	25@0	DFT_256QAM	15.7	PASS
n7	15	5	513500	12@6	DFT_256QAM	15.2	PASS
n7	15	5	513500	1@1	DFT_256QAM	15.5	PASS



n7	15	5	513500	1@23	DFT_256QAM	15.3	PASS
n7	15	5	513500	25@0	CP_QPSK	17.8	PASS
n7	15	5	513500	13@6	CP_QPSK	18.52	PASS
n7	15	5	513500	1@1	CP_QPSK	18.3	PASS
n7	15	5	513500	1@23	CP_QPSK	18.33	PASS
n7	15	5	513500	25@0	CP_16QAM	16.88	PASS
n7	15	5	513500	13@6	CP_16QAM	17.2	PASS
n7	15	5	513500	1@1	CP_16QAM	17.87	PASS
n7	15	5	513500	1@23	CP_16QAM	17.72	PASS
n7	15	5	513500	25@0	CP_64QAM	16.3	PASS
n7	15	5	513500	13@6	CP_64QAM	16.37	PASS
n7	15	5	513500	1@1	CP_64QAM	16.3	PASS
n7	15	5	513500	1@23	CP_64QAM	16.59	PASS
n7	15	5	513500	25@0	CP_256QAM	13.7	PASS
n7	15	5	513500	13@6	CP_256QAM	13.47	PASS
n7	15	5	513500	1@1	CP_256QAM	13.4	PASS
n7	15	5	513500	1@23	CP_256QAM	13.43	PASS
n7	15	10	501000	50@0	DFT_BPSK	19.26	PASS
n7	15	10	501000	25@12	DFT_BPSK	19.81	PASS
n7	15	10	501000	1@1	DFT_BPSK	19.75	PASS
n7	15	10	501000	1@50	DFT_BPSK	19.73	PASS
n7	15	10	501000	50@0	DFT_QPSK	19.2	PASS
n7	15	10	501000	25@12	DFT_QPSK	19.79	PASS
n7	15	10	501000	1@1	DFT_QPSK	19.71	PASS
n7	15	10	501000	1@50	DFT_QPSK	19.7	PASS
n7	15	10	501000	50@0	DFT_16QAM	18.2	PASS
n7	15	10	501000	25@12	DFT_16QAM	18.76	PASS
n7	15	10	501000	1@1	DFT_16QAM	18.9	PASS
n7	15	10	501000	1@50	DFT_16QAM	18.3	PASS
n7	15	10	501000	50@0	DFT_64QAM	17.5	PASS
n7	15	10	501000	25@12	DFT_64QAM	17.8	PASS



n7	15	10	501000	1@1	DFT_64QAM	17.26	PASS
n7	15	10	501000	1@50	DFT_64QAM	17.65	PASS
n7	15	10	501000	50@0	DFT_256QAM	16.2	PASS
n7	15	10	501000	25@12	DFT_256QAM	16.24	PASS
n7	15	10	501000	1@1	DFT_256QAM	16.42	PASS
n7	15	10	501000	1@50	DFT_256QAM	16.36	PASS
n7	15	10	501000	52@0	CP_QPSK	18.2	PASS
n7	15	10	501000	26@13	CP_QPSK	18.11	PASS
n7	15	10	501000	1@1	CP_QPSK	18.63	PASS
n7	15	10	501000	1@50	CP_QPSK	18.5	PASS
n7	15	10	501000	52@0	CP_16QAM	17.1	PASS
n7	15	10	501000	26@13	CP_16QAM	17.77	PASS
n7	15	10	501000	1@1	CP_16QAM	17.21	PASS
n7	15	10	501000	1@50	CP_16QAM	17.61	PASS
n7	15	10	501000	52@0	CP_64QAM	16.2	PASS
n7	15	10	501000	26@13	CP_64QAM	16.1	PASS
n7	15	10	501000	1@1	CP_64QAM	16.03	PASS
n7	15	10	501000	1@50	CP_64QAM	16.4	PASS
n7	15	10	501000	52@0	CP_256QAM	13.5	PASS
n7	15	10	501000	26@13	CP_256QAM	13.25	PASS
n7	15	10	501000	1@1	CP_256QAM	13.22	PASS
n7	15	10	501000	1@50	CP_256QAM	13.4	PASS
n7	15	10	507000	50@0	DFT_BPSK	19.21	PASS
n7	15	10	507000	25@12	DFT_BPSK	19.78	PASS
n7	15	10	507000	1@1	DFT_BPSK	19.67	PASS
n7	15	10	507000	1@50	DFT_BPSK	19.71	PASS
n7	15	10	507000	50@0	DFT_QPSK	19.2	PASS
n7	15	10	507000	25@12	DFT_QPSK	19.82	PASS
n7	15	10	507000	1@1	DFT_QPSK	19.68	PASS
n7	15	10	507000	1@50	DFT_QPSK	19.69	PASS
n7	15	10	507000	50@0	DFT_16QAM	18.2	PASS



n7	15	10	507000	25@12	DFT_16QAM	18.77	PASS
n7	15	10	507000	1@1	DFT_16QAM	18.84	PASS
n7	15	10	507000	1@50	DFT_16QAM	18.6	PASS
n7	15	10	507000	50@0	DFT_64QAM	17.25	PASS
n7	15	10	507000	25@12	DFT_64QAM	17.5	PASS
n7	15	10	507000	1@1	DFT_64QAM	17.44	PASS
n7	15	10	507000	1@50	DFT_64QAM	17.2	PASS
n7	15	10	507000	50@0	DFT_256QAM	15.54	PASS
n7	15	10	507000	25@12	DFT_256QAM	15.14	PASS
n7	15	10	507000	1@1	DFT_256QAM	16.2	PASS
n7	15	10	507000	1@50	DFT_256QAM	15.23	PASS
n7	15	10	507000	52@0	CP_QPSK	17.5	PASS
n7	15	10	507000	26@13	CP_QPSK	18.5	PASS
n7	15	10	507000	1@1	CP_QPSK	18.18	PASS
n7	15	10	507000	1@50	CP_QPSK	18.6	PASS
n7	15	10	507000	52@0	CP_16QAM	17.1	PASS
n7	15	10	507000	26@13	CP_16QAM	17.77	PASS
n7	15	10	507000	1@1	CP_16QAM	17.2	PASS
n7	15	10	507000	1@50	CP_16QAM	17.62	PASS
n7	15	10	507000	52@0	CP_64QAM	16.2	PASS
n7	15	10	507000	26@13	CP_64QAM	16.22	PASS
n7	15	10	507000	1@1	CP_64QAM	16.62	PASS
n7	15	10	507000	1@50	CP_64QAM	16.54	PASS
n7	15	10	507000	52@0	CP_256QAM	13.2	PASS
n7	15	10	507000	26@13	CP_256QAM	13.5	PASS
n7	15	10	507000	1@1	CP_256QAM	13.24	PASS
n7	15	10	507000	1@50	CP_256QAM	13.34	PASS
n7	15	10	513000	50@0	DFT_BPSK	19.25	PASS
n7	15	10	513000	25@12	DFT_BPSK	19.84	PASS
n7	15	10	513000	1@1	DFT_BPSK	19.77	PASS
n7	15	10	513000	1@50	DFT_BPSK	19.81	PASS



n7	15	10	513000	50@0	DFT_QPSK	18.78	PASS
n7	15	10	513000	25@12	DFT_QPSK	19.83	PASS
n7	15	10	513000	1@1	DFT_QPSK	19.69	PASS
n7	15	10	513000	1@50	DFT_QPSK	19.77	PASS
n7	15	10	513000	50@0	DFT_16QAM	18.1	PASS
n7	15	10	513000	25@12	DFT_16QAM	18.81	PASS
n7	15	10	513000	1@1	DFT_16QAM	18.91	PASS
n7	15	10	513000	1@50	DFT_16QAM	19.04	PASS
n7	15	10	513000	50@0	DFT_64QAM	17.2	PASS
n7	15	10	513000	25@12	DFT_64QAM	17.25	PASS
n7	15	10	513000	1@1	DFT_64QAM	17.6	PASS
n7	15	10	513000	1@50	DFT_64QAM	17.47	PASS
n7	15	10	513000	50@0	DFT_256QAM	15.21	PASS
n7	15	10	513000	25@12	DFT_256QAM	15.6	PASS
n7	15	10	513000	1@1	DFT_256QAM	15.24	PASS
n7	15	10	513000	1@50	DFT_256QAM	15.3	PASS
n7	15	10	513000	52@0	CP_QPSK	18.1	PASS
n7	15	10	513000	26@13	CP_QPSK	18.3	PASS
n7	15	10	513000	1@1	CP_QPSK	18.2	PASS
n7	15	10	513000	1@50	CP_QPSK	18.35	PASS
n7	15	10	513000	52@0	CP_16QAM	16.76	PASS
n7	15	10	513000	26@13	CP_16QAM	16.5	PASS
n7	15	10	513000	1@1	CP_16QAM	17.64	PASS
n7	15	10	513000	1@50	CP_16QAM	17.2	PASS
n7	15	10	513000	52@0	CP_64QAM	16.23	PASS
n7	15	10	513000	26@13	CP_64QAM	16.2	PASS
n7	15	10	513000	1@1	CP_64QAM	16.61	PASS
n7	15	10	513000	1@50	CP_64QAM	16.5	PASS
n7	15	10	513000	52@0	CP_256QAM	13.5	PASS
n7	15	10	513000	26@13	CP_256QAM	13.34	PASS
n7	15	10	513000	1@1	CP_256QAM	13.32	PASS



n7	15	10	513000	1@50	CP_256QAM	13.22	PASS
n7	15	15	501500	75@0	DFT_BPSK	19.24	PASS
n7	15	15	501500	36@18	DFT_BPSK	19.79	PASS
n7	15	15	501500	1@1	DFT_BPSK	19.8	PASS
n7	15	15	501500	1@77	DFT_BPSK	19.74	PASS
n7	15	15	501500	75@0	DFT_QPSK	19.4	PASS
n7	15	15	501500	36@18	DFT_QPSK	19.79	PASS
n7	15	15	501500	1@1	DFT_QPSK	19.73	PASS
n7	15	15	501500	1@77	DFT_QPSK	19.71	PASS
n7	15	15	501500	75@0	DFT_16QAM	18.3	PASS
n7	15	15	501500	36@18	DFT_16QAM	18.11	PASS
n7	15	15	501500	1@1	DFT_16QAM	18.26	PASS
n7	15	15	501500	1@77	DFT_16QAM	18.4	PASS
n7	15	15	501500	75@0	DFT_64QAM	17.26	PASS
n7	15	15	501500	36@18	DFT_64QAM	17.1	PASS
n7	15	15	501500	1@1	DFT_64QAM	17.2	PASS
n7	15	15	501500	1@77	DFT_64QAM	17.66	PASS
n7	15	15	501500	75@0	DFT_256QAM	16.2	PASS
n7	15	15	501500	36@18	DFT_256QAM	15.85	PASS
n7	15	15	501500	1@1	DFT_256QAM	15.29	PASS
n7	15	15	501500	1@77	DFT_256QAM	15.33	PASS
n7	15	15	501500	79@0	CP_QPSK	17.23	PASS
n7	15	15	501500	39@19	CP_QPSK	18.22	PASS
n7	15	15	501500	1@1	CP_QPSK	18.12	PASS
n7	15	15	501500	1@77	CP_QPSK	18.26	PASS
n7	15	15	501500	79@0	CP_16QAM	16.75	PASS
n7	15	15	501500	39@19	CP_16QAM	16.2	PASS
n7	15	15	501500	1@1	CP_16QAM	16.1	PASS
n7	15	15	501500	1@77	CP_16QAM	16.54	PASS
n7	15	15	501500	79@0	CP_64QAM	15.3	PASS
n7	15	15	501500	39@19	CP_64QAM	15.44	PASS



n7	15	15	501500	1@1	CP_64QAM	15.39	PASS
n7	15	15	501500	1@77	CP_64QAM	16.03	PASS
n7	15	15	501500	79@0	CP_256QAM	13.52	PASS
n7	15	15	501500	39@19	CP_256QAM	13.25	PASS
n7	15	15	501500	1@1	CP_256QAM	13.24	PASS
n7	15	15	501500	1@77	CP_256QAM	13.22	PASS
n7	15	15	507000	75@0	DFT_BPSK	19.24	PASS
n7	15	15	507000	36@18	DFT_BPSK	19.79	PASS
n7	15	15	507000	1@1	DFT_BPSK	19.71	PASS
n7	15	15	507000	1@77	DFT_BPSK	19.7	PASS
n7	15	15	507000	75@0	DFT_QPSK	19.2	PASS
n7	15	15	507000	36@18	DFT_QPSK	19.75	PASS
n7	15	15	507000	1@1	DFT_QPSK	19.7	PASS
n7	15	15	507000	1@77	DFT_QPSK	19.71	PASS
n7	15	15	507000	75@0	DFT_16QAM	18.4	PASS
n7	15	15	507000	36@18	DFT_16QAM	18.78	PASS
n7	15	15	507000	1@1	DFT_16QAM	18.85	PASS
n7	15	15	507000	1@77	DFT_16QAM	18.6	PASS
n7	15	15	507000	75@0	DFT_64QAM	17.25	PASS
n7	15	15	507000	36@18	DFT_64QAM	17.5	PASS
n7	15	15	507000	1@1	DFT_64QAM	17.42	PASS
n7	15	15	507000	1@77	DFT_64QAM	17.4	PASS
n7	15	15	507000	75@0	DFT_256QAM	15.6	PASS
n7	15	15	507000	36@18	DFT_256QAM	16.87	PASS
n7	15	15	507000	1@1	DFT_256QAM	15.21	PASS
n7	15	15	507000	1@77	DFT_256QAM	15.6	PASS
n7	15	15	507000	79@0	CP_QPSK	17.2	PASS
n7	15	15	507000	39@19	CP_QPSK	18.5	PASS
n7	15	15	507000	1@1	CP_QPSK	18.4	PASS
n7	15	15	507000	1@77	CP_QPSK	18.19	PASS
n7	15	15	507000	79@0	CP_16QAM	16.73	PASS



n7	15	15	507000	39@19	CP_16QAM	16.8	PASS
n7	15	15	507000	1@1	CP_16QAM	17.73	PASS
n7	15	15	507000	1@77	CP_16QAM	17.2	PASS
n7	15	15	507000	79@0	CP_64QAM	16.5	PASS
n7	15	15	507000	39@19	CP_64QAM	16.16	PASS
n7	15	15	507000	1@1	CP_64QAM	16.51	PASS
n7	15	15	507000	1@77	CP_64QAM	16.5	PASS
n7	15	15	507000	79@0	CP_256QAM	13.5	PASS
n7	15	15	507000	39@19	CP_256QAM	13.26	PASS
n7	15	15	507000	1@1	CP_256QAM	13.34	PASS
n7	15	15	507000	1@77	CP_256QAM	13.5	PASS
n7	15	15	512500	75@0	DFT_BPSK	19.37	PASS
n7	15	15	512500	36@18	DFT_BPSK	19.93	PASS
n7	15	15	512500	1@1	DFT_BPSK	19.73	PASS
n7	15	15	512500	1@77	DFT_BPSK	19.87	PASS
n7	15	15	512500	75@0	DFT_QPSK	19.9	PASS
n7	15	15	512500	36@18	DFT_QPSK	19.89	PASS
n7	15	15	512500	1@1	DFT_QPSK	19.66	PASS
n7	15	15	512500	1@77	DFT_QPSK	19.85	PASS
n7	15	15	512500	75@0	DFT_16QAM	18.3	PASS
n7	15	15	512500	36@18	DFT_16QAM	18.96	PASS
n7	15	15	512500	1@1	DFT_16QAM	18.92	PASS
n7	15	15	512500	1@77	DFT_16QAM	19.06	PASS
n7	15	15	512500	75@0	DFT_64QAM	17.1	PASS
n7	15	15	512500	36@18	DFT_64QAM	17.36	PASS
n7	15	15	512500	1@1	DFT_64QAM	17.2	PASS
n7	15	15	512500	1@77	DFT_64QAM	17.52	PASS
n7	15	15	512500	75@0	DFT_256QAM	15.3	PASS
n7	15	15	512500	36@18	DFT_256QAM	15.2	PASS
n7	15	15	512500	1@1	DFT_256QAM	15.28	PASS
n7	15	15	512500	1@77	DFT_256QAM	15.6	PASS



n7	15	15	512500	79@0	CP_QPSK	17.25	PASS
n7	15	15	512500	39@19	CP_QPSK	18.32	PASS
n7	15	15	512500	1@1	CP_QPSK	18.28	PASS
n7	15	15	512500	1@77	CP_QPSK	18.3	PASS
n7	15	15	512500	79@0	CP_16QAM	18.2	PASS
n7	15	15	512500	39@19	CP_16QAM	17.88	PASS
n7	15	15	512500	1@1	CP_16QAM	17.2	PASS
n7	15	15	512500	1@77	CP_16QAM	17.79	PASS
n7	15	15	512500	79@0	CP_64QAM	17.6	PASS
n7	15	15	512500	39@19	CP_64QAM	16.32	PASS
n7	15	15	512500	1@1	CP_64QAM	16.6	PASS
n7	15	15	512500	1@77	CP_64QAM	16.2	PASS
n7	15	15	512500	79@0	CP_256QAM	13.5	PASS
n7	15	15	512500	39@19	CP_256QAM	13.37	PASS
n7	15	15	512500	1@1	CP_256QAM	13.4	PASS
n7	15	15	512500	1@77	CP_256QAM	13.43	PASS
n7	15	20	502000	100@0	DFT_BPSK	19.1	PASS
n7	15	20	502000	50@25	DFT_BPSK	19.86	PASS
n7	15	20	502000	1@1	DFT_BPSK	20.21	PASS
n7	15	20	502000	1@104	DFT_BPSK	19.75	PASS
n7	15	20	502000	100@0	DFT_QPSK	18.8	PASS
n7	15	20	502000	50@25	DFT_QPSK	20.32	PASS
n7	15	20	502000	1@1	DFT_QPSK	19.75	PASS
n7	15	20	502000	1@104	DFT_QPSK	19.76	PASS
n7	15	20	502000	100@0	DFT_16QAM	18.6	PASS
n7	15	20	502000	50@25	DFT_16QAM	18.9	PASS
n7	15	20	502000	1@1	DFT_16QAM	18.7	PASS
n7	15	20	502000	1@104	DFT_16QAM	18.89	PASS
n7	15	20	502000	100@0	DFT_64QAM	17.29	PASS
n7	15	20	502000	50@25	DFT_64QAM	17.8	PASS
n7	15	20	502000	1@1	DFT_64QAM	18	PASS



n7	15	20	502000	1@104	DFT_64QAM	18	PASS
n7	15	20	502000	100@0	DFT_256QAM	16.16	PASS
n7	15	20	502000	50@25	DFT_256QAM	15.53	PASS
n7	15	20	502000	1@1	DFT_256QAM	16.1	PASS
n7	15	20	502000	1@104	DFT_256QAM	15.78	PASS
n7	15	20	502000	106@0	CP_QPSK	17.1	PASS
n7	15	20	502000	53@26	CP_QPSK	18.39	PASS
n7	15	20	502000	1@1	CP_QPSK	19.1	PASS
n7	15	20	502000	1@104	CP_QPSK	18.72	PASS
n7	15	20	502000	106@0	CP_16QAM	18	PASS
n7	15	20	502000	53@26	CP_16QAM	17.88	PASS
n7	15	20	502000	1@1	CP_16QAM	17.7	PASS
n7	15	20	502000	1@104	CP_16QAM	18.04	PASS
n7	15	20	502000	106@0	CP_64QAM	16.31	PASS
n7	15	20	502000	53@26	CP_64QAM	17	PASS
n7	15	20	502000	1@1	CP_64QAM	17.07	PASS
n7	15	20	502000	1@104	CP_64QAM	16.7	PASS
n7	15	20	502000	106@0	CP_256QAM	13.9	PASS
n7	15	20	502000	53@26	CP_256QAM	13.46	PASS
n7	15	20	502000	1@1	CP_256QAM	14	PASS
n7	15	20	502000	1@104	CP_256QAM	13.4	PASS
n7	15	20	507000	100@0	DFT_BPSK	19.76	PASS
n7	15	20	507000	50@25	DFT_BPSK	20.32	PASS
n7	15	20	507000	1@1	DFT_BPSK	20.16	PASS
n7	15	20	507000	1@104	DFT_BPSK	20.17	PASS
n7	15	20	507000	100@0	DFT_QPSK	19.4	PASS
n7	15	20	507000	50@25	DFT_QPSK	20.3	PASS
n7	15	20	507000	1@1	DFT_QPSK	20.07	PASS
n7	15	20	507000	1@104	DFT_QPSK	20.13	PASS
n7	15	20	507000	100@0	DFT_16QAM	18.6	PASS
n7	15	20	507000	50@25	DFT_16QAM	19.32	PASS



n7	15	20	507000	1@1	DFT_16QAM	19.28	PASS
n7	15	20	507000	1@104	DFT_16QAM	18.86	PASS
n7	15	20	507000	100@0	DFT_64QAM	18.05	PASS
n7	15	20	507000	50@25	DFT_64QAM	17.73	PASS
n7	15	20	507000	1@1	DFT_64QAM	18.1	PASS
n7	15	20	507000	1@104	DFT_64QAM	17.86	PASS
n7	15	20	507000	100@0	DFT_256QAM	16.1	PASS
n7	15	20	507000	50@25	DFT_256QAM	15.71	PASS
n7	15	20	507000	1@1	DFT_256QAM	15.67	PASS
n7	15	20	507000	1@104	DFT_256QAM	16.4	PASS
n7	15	20	507000	106@0	CP_QPSK	17.8	PASS
n7	15	20	507000	53@26	CP_QPSK	18.7	PASS
n7	15	20	507000	1@1	CP_QPSK	19	PASS
n7	15	20	507000	1@104	CP_QPSK	18.67	PASS
n7	15	20	507000	106@0	CP_16QAM	17.9	PASS
n7	15	20	507000	53@26	CP_16QAM	18.31	PASS
n7	15	20	507000	1@1	CP_16QAM	17.83	PASS
n7	15	20	507000	1@104	CP_16QAM	17.96	PASS
n7	15	20	507000	106@0	CP_64QAM	16.8	PASS
n7	15	20	507000	53@26	CP_64QAM	16.69	PASS
n7	15	20	507000	1@1	CP_64QAM	16.7	PASS
n7	15	20	507000	1@104	CP_64QAM	16.97	PASS
n7	15	20	507000	106@0	CP_256QAM	14	PASS
n7	15	20	507000	53@26	CP_256QAM	13.82	PASS
n7	15	20	507000	1@1	CP_256QAM	14	PASS
n7	15	20	507000	1@104	CP_256QAM	13.76	PASS
n7	15	20	512000	100@0	DFT_BPSK	19.8	PASS
n7	15	20	512000	50@25	DFT_BPSK	20.34	PASS
n7	15	20	512000	1@1	DFT_BPSK	20.16	PASS
n7	15	20	512000	1@104	DFT_BPSK	20.33	PASS
n7	15	20	512000	100@0	DFT_QPSK	19.24	PASS



n7	15	20	512000	50@25	DFT_QPSK	20.37	PASS
n7	15	20	512000	1@1	DFT_QPSK	20.16	PASS
n7	15	20	512000	1@104	DFT_QPSK	20.27	PASS
n7	15	20	512000	100@0	DFT_16QAM	18.6	PASS
n7	15	20	512000	50@25	DFT_16QAM	19.39	PASS
n7	15	20	512000	1@1	DFT_16QAM	18.7	PASS
n7	15	20	512000	1@104	DFT_16QAM	19.51	PASS
n7	15	20	512000	100@0	DFT_64QAM	17.7	PASS
n7	15	20	512000	50@25	DFT_64QAM	17.83	PASS
n7	15	20	512000	1@1	DFT_64QAM	18	PASS
n7	15	20	512000	1@104	DFT_64QAM	18.05	PASS
n7	15	20	512000	100@0	DFT_256QAM	16.1	PASS
n7	15	20	512000	50@25	DFT_256QAM	15.76	PASS
n7	15	20	512000	1@1	DFT_256QAM	15.74	PASS
n7	15	20	512000	1@104	DFT_256QAM	16.1	PASS
n7	15	20	512000	106@0	CP_QPSK	17.8	PASS
n7	15	20	512000	53@26	CP_QPSK	18.83	PASS
n7	15	20	512000	1@1	CP_QPSK	18.74	PASS
n7	15	20	512000	1@104	CP_QPSK	17.4	PASS
n7	15	20	512000	106@0	CP_16QAM	18.3	PASS
n7	15	20	512000	53@26	CP_16QAM	18.34	PASS
n7	15	20	512000	1@1	CP_16QAM	18.6	PASS
n7	15	20	512000	1@104	CP_16QAM	18.21	PASS
n7	15	20	512000	106@0	CP_64QAM	16.71	PASS
n7	15	20	512000	53@26	CP_64QAM	16.9	PASS
n7	15	20	512000	1@1	CP_64QAM	17.01	PASS
n7	15	20	512000	1@104	CP_64QAM	17	PASS
n7	15	20	512000	106@0	CP_256QAM	14	PASS
n7	15	20	512000	53@26	CP_256QAM	13.93	PASS
n7	15	20	512000	1@1	CP_256QAM	14	PASS
n7	15	20	512000	1@104	CP_256QAM	13.94	PASS



Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n25	15	5	370500	25@0	DFT_BPSK	19.97	PASS
n25	15	5	370500	12@6	DFT_BPSK	20.5	PASS
n25	15	5	370500	1@1	DFT_BPSK	20.41	PASS
n25	15	5	370500	1@23	DFT_BPSK	20.38	PASS
n25	15	5	370500	25@0	DFT_QPSK	19.49	PASS
n25	15	5	370500	12@6	DFT_QPSK	20.53	PASS
n25	15	5	370500	1@1	DFT_QPSK	20.4	PASS
n25	15	5	370500	1@23	DFT_QPSK	20.35	PASS
n25	15	5	370500	25@0	DFT_16QAM	18.39	PASS
n25	15	5	370500	12@6	DFT_16QAM	19.51	PASS
n25	15	5	370500	1@1	DFT_16QAM	19.67	PASS
n25	15	5	370500	1@23	DFT_16QAM	19.6	PASS
n25	15	5	370500	25@0	DFT_64QAM	17.6	PASS
n25	15	5	370500	12@6	DFT_64QAM	18.2	PASS
n25	15	5	370500	1@1	DFT_64QAM	18.2	PASS
n25	15	5	370500	1@23	DFT_64QAM	18.1	PASS
n25	15	5	370500	25@0	DFT_256QAM	16.5	PASS
n25	15	5	370500	12@6	DFT_256QAM	16.03	PASS
n25	15	5	370500	1@1	DFT_256QAM	16.2	PASS
n25	15	5	370500	1@23	DFT_256QAM	16.4	PASS
n25	15	5	370500	25@0	CP_QPSK	18.1	PASS
n25	15	5	370500	13@6	CP_QPSK	18.6	PASS
n25	15	5	370500	1@1	CP_QPSK	18.96	PASS
n25	15	5	370500	1@23	CP_QPSK	18.1	PASS
n25	15	5	370500	25@0	CP_16QAM	18.1	PASS
n25	15	5	370500	13@6	CP_16QAM	18.55	PASS
n25	15	5	370500	1@1	CP_16QAM	18.3	PASS
n25	15	5	370500	1@23	CP_16QAM	18.4	PASS
n25	15	5	370500	25@0	CP_64QAM	16.96	PASS



n25	15	5	370500	13@6	CP_64QAM	17.2	PASS
n25	15	5	370500	1@1	CP_64QAM	17.29	PASS
n25	15	5	370500	1@23	CP_64QAM	17.3	PASS
n25	15	5	370500	25@0	CP_256QAM	14.01	PASS
n25	15	5	370500	13@6	CP_256QAM	14.1	PASS
n25	15	5	370500	1@1	CP_256QAM	14.6	PASS
n25	15	5	370500	1@23	CP_256QAM	14.1	PASS
n25	15	5	376500	25@0	DFT_BPSK	19.83	PASS
n25	15	5	376500	12@6	DFT_BPSK	20.34	PASS
n25	15	5	376500	1@1	DFT_BPSK	20.18	PASS
n25	15	5	376500	1@23	DFT_BPSK	20.32	PASS
n25	15	5	376500	25@0	DFT_QPSK	19.34	PASS
n25	15	5	376500	12@6	DFT_QPSK	20.36	PASS
n25	15	5	376500	1@1	DFT_QPSK	20.23	PASS
n25	15	5	376500	1@23	DFT_QPSK	20.24	PASS
n25	15	5	376500	25@0	DFT_16QAM	18.7	PASS
n25	15	5	376500	12@6	DFT_16QAM	19.36	PASS
n25	15	5	376500	1@1	DFT_16QAM	19.6	PASS
n25	15	5	376500	1@23	DFT_16QAM	19.69	PASS
n25	15	5	376500	25@0	DFT_64QAM	17.79	PASS
n25	15	5	376500	12@6	DFT_64QAM	16.9	PASS
n25	15	5	376500	1@1	DFT_64QAM	17.89	PASS
n25	15	5	376500	1@23	DFT_64QAM	17.3	PASS
n25	15	5	376500	25@0	DFT_256QAM	15.69	PASS
n25	15	5	376500	12@6	DFT_256QAM	15.87	PASS
n25	15	5	376500	1@1	DFT_256QAM	15.6	PASS
n25	15	5	376500	1@23	DFT_256QAM	16.01	PASS
n25	15	5	376500	25@0	CP_QPSK	17.9	PASS
n25	15	5	376500	13@6	CP_QPSK	18.74	PASS
n25	15	5	376500	1@1	CP_QPSK	18.76	PASS
n25	15	5	376500	1@23	CP_QPSK	18.5	PASS



n25	15	5	376500	25@0	CP_16QAM	18.1	PASS
n25	15	5	376500	13@6	CP_16QAM	18.5	PASS
n25	15	5	376500	1@1	CP_16QAM	18.29	PASS
n25	15	5	376500	1@23	CP_16QAM	18.3	PASS
n25	15	5	376500	25@0	CP_64QAM	16.78	PASS
n25	15	5	376500	13@6	CP_64QAM	16.8	PASS
n25	15	5	376500	1@1	CP_64QAM	17.06	PASS
n25	15	5	376500	1@23	CP_64QAM	17.5	PASS
n25	15	5	376500	25@0	CP_256QAM	13.83	PASS
n25	15	5	376500	13@6	CP_256QAM	13.9	PASS
n25	15	5	376500	1@1	CP_256QAM	13.65	PASS
n25	15	5	376500	1@23	CP_256QAM	13.95	PASS
n25	15	5	382500	25@0	DFT_BPSK	19.93	PASS
n25	15	5	382500	12@6	DFT_BPSK	20.48	PASS
n25	15	5	382500	1@1	DFT_BPSK	20.4	PASS
n25	15	5	382500	1@23	DFT_BPSK	20.44	PASS
n25	15	5	382500	25@0	DFT_QPSK	19.48	PASS
n25	15	5	382500	12@6	DFT_QPSK	20.49	PASS
n25	15	5	382500	1@1	DFT_QPSK	20.3	PASS
n25	15	5	382500	1@23	DFT_QPSK	20.36	PASS
n25	15	5	382500	25@0	DFT_16QAM	18.8	PASS
n25	15	5	382500	12@6	DFT_16QAM	19.43	PASS
n25	15	5	382500	1@1	DFT_16QAM	19.71	PASS
n25	15	5	382500	1@23	DFT_16QAM	19.84	PASS
n25	15	5	382500	25@0	DFT_64QAM	17.1	PASS
n25	15	5	382500	12@6	DFT_64QAM	17.97	PASS
n25	15	5	382500	1@1	DFT_64QAM	17.5	PASS
n25	15	5	382500	1@23	DFT_64QAM	18.08	PASS
n25	15	5	382500	25@0	DFT_256QAM	16.3	PASS
n25	15	5	382500	12@6	DFT_256QAM	16.03	PASS
n25	15	5	382500	1@1	DFT_256QAM	16.07	PASS



n25	15	5	382500	1@23	DFT_256QAM	15.9	PASS
n25	15	5	382500	25@0	CP_QPSK	17.2	PASS
n25	15	5	382500	13@6	CP_QPSK	18.96	PASS
n25	15	5	382500	1@1	CP_QPSK	18.93	PASS
n25	15	5	382500	1@23	CP_QPSK	18.4	PASS
n25	15	5	382500	25@0	CP_16QAM	18.2	PASS
n25	15	5	382500	13@6	CP_16QAM	18.52	PASS
n25	15	5	382500	1@1	CP_16QAM	18.2	PASS
n25	15	5	382500	1@23	CP_16QAM	18.4	PASS
n25	15	5	382500	25@0	CP_64QAM	16.3	PASS
n25	15	5	382500	13@6	CP_64QAM	16.99	PASS
n25	15	5	382500	1@1	CP_64QAM	16.3	PASS
n25	15	5	382500	1@23	CP_64QAM	17.26	PASS
n25	15	5	382500	25@0	CP_256QAM	14.1	PASS
n25	15	5	382500	13@6	CP_256QAM	14.08	PASS
n25	15	5	382500	1@1	CP_256QAM	14.04	PASS
n25	15	5	382500	1@23	CP_256QAM	14.5	PASS
n25	15	10	371000	50@0	DFT_BPSK	19.91	PASS
n25	15	10	371000	25@12	DFT_BPSK	20.5	PASS
n25	15	10	371000	1@1	DFT_BPSK	20.43	PASS
n25	15	10	371000	1@50	DFT_BPSK	20.37	PASS
n25	15	10	371000	50@0	DFT_QPSK	19.47	PASS
n25	15	10	371000	25@12	DFT_QPSK	20.52	PASS
n25	15	10	371000	1@1	DFT_QPSK	20.36	PASS
n25	15	10	371000	1@50	DFT_QPSK	20.33	PASS
n25	15	10	371000	50@0	DFT_16QAM	18.45	PASS
n25	15	10	371000	25@12	DFT_16QAM	19.48	PASS
n25	15	10	371000	1@1	DFT_16QAM	19.67	PASS
n25	15	10	371000	1@50	DFT_16QAM	19.61	PASS
n25	15	10	371000	50@0	DFT_64QAM	17.3	PASS
n25	15	10	371000	25@12	DFT_64QAM	17.93	PASS



n25	15	10	371000	1@1	DFT_64QAM	17.4	PASS
n25	15	10	371000	1@50	DFT_64QAM	18.01	PASS
n25	15	10	371000	50@0	DFT_256QAM	16.2	PASS
n25	15	10	371000	25@12	DFT_256QAM	15.69	PASS
n25	15	10	371000	1@1	DFT_256QAM	16.19	PASS
n25	15	10	371000	1@50	DFT_256QAM	16.52	PASS
n25	15	10	371000	52@0	CP_QPSK	17.5	PASS
n25	15	10	371000	26@13	CP_QPSK	18.2	PASS
n25	15	10	371000	1@1	CP_QPSK	18.99	PASS
n25	15	10	371000	1@50	CP_QPSK	18.6	PASS
n25	15	10	371000	52@0	CP_16QAM	17.36	PASS
n25	15	10	371000	26@13	CP_16QAM	17.5	PASS
n25	15	10	371000	1@1	CP_16QAM	18.39	PASS
n25	15	10	371000	1@50	CP_16QAM	17.6	PASS
n25	15	10	371000	52@0	CP_64QAM	16.5	PASS
n25	15	10	371000	26@13	CP_64QAM	16.91	PASS
n25	15	10	371000	1@1	CP_64QAM	16.3	PASS
n25	15	10	371000	1@50	CP_64QAM	16.4	PASS
n25	15	10	371000	52@0	CP_256QAM	14.36	PASS
n25	15	10	371000	26@13	CP_256QAM	14.22	PASS
n25	15	10	371000	1@1	CP_256QAM	14.23	PASS
n25	15	10	371000	1@50	CP_256QAM	14.3	PASS
n25	15	10	376500	50@0	DFT_BPSK	19.79	PASS
n25	15	10	376500	25@12	DFT_BPSK	20.33	PASS
n25	15	10	376500	1@1	DFT_BPSK	20.18	PASS
n25	15	10	376500	1@50	DFT_BPSK	20.32	PASS
n25	15	10	376500	50@0	DFT_QPSK	19.33	PASS
n25	15	10	376500	25@12	DFT_QPSK	20.33	PASS
n25	15	10	376500	1@1	DFT_QPSK	20.11	PASS
n25	15	10	376500	1@50	DFT_QPSK	20.3	PASS
n25	15	10	376500	50@0	DFT_16QAM	18.4	PASS



n25	15	10	376500	25@12	DFT_16QAM	19.33	PASS
n25	15	10	376500	1@1	DFT_16QAM	19.51	PASS
n25	15	10	376500	1@50	DFT_16QAM	19.61	PASS
n25	15	10	376500	50@0	DFT_64QAM	17.3	PASS
n25	15	10	376500	25@12	DFT_64QAM	17.75	PASS
n25	15	10	376500	1@1	DFT_64QAM	17.85	PASS
n25	15	10	376500	1@50	DFT_64QAM	17.2	PASS
n25	15	10	376500	50@0	DFT_256QAM	16.1	PASS
n25	15	10	376500	25@12	DFT_256QAM	15.6	PASS
n25	15	10	376500	1@1	DFT_256QAM	15.96	PASS
n25	15	10	376500	1@50	DFT_256QAM	16.12	PASS
n25	15	10	376500	52@0	CP_QPSK	18.4	PASS
n25	15	10	376500	26@13	CP_QPSK	18.87	PASS
n25	15	10	376500	1@1	CP_QPSK	18.6	PASS
n25	15	10	376500	1@50	CP_QPSK	18.95	PASS
n25	15	10	376500	52@0	CP_16QAM	17.24	PASS
n25	15	10	376500	26@13	CP_16QAM	17.5	PASS
n25	15	10	376500	1@1	CP_16QAM	18.27	PASS
n25	15	10	376500	1@50	CP_16QAM	17.6	PASS
n25	15	10	376500	52@0	CP_64QAM	16.5	PASS
n25	15	10	376500	26@13	CP_64QAM	16.77	PASS
n25	15	10	376500	1@1	CP_64QAM	17.11	PASS
n25	15	10	376500	1@50	CP_64QAM	17.25	PASS
n25	15	10	376500	52@0	CP_256QAM	13.5	PASS
n25	15	10	376500	26@13	CP_256QAM	13.85	PASS
n25	15	10	376500	1@1	CP_256QAM	14.2	PASS
n25	15	10	376500	1@50	CP_256QAM	14.02	PASS
n25	15	10	382000	50@0	DFT_BPSK	19.5	PASS
n25	15	10	382000	25@12	DFT_BPSK	19.98	PASS
n25	15	10	382000	1@1	DFT_BPSK	19.93	PASS
n25	15	10	382000	1@50	DFT_BPSK	19.93	PASS



n25	15	10	382000	50@0	DFT_QPSK	19.02	PASS
n25	15	10	382000	25@12	DFT_QPSK	20.5	PASS
n25	15	10	382000	1@1	DFT_QPSK	19.91	PASS
n25	15	10	382000	1@50	DFT_QPSK	20.4	PASS
n25	15	10	382000	50@0	DFT_16QAM	19.2	PASS
n25	15	10	382000	25@12	DFT_16QAM	19.48	PASS
n25	15	10	382000	1@1	DFT_16QAM	19.74	PASS
n25	15	10	382000	1@50	DFT_16QAM	19.72	PASS
n25	15	10	382000	50@0	DFT_64QAM	17.5	PASS
n25	15	10	382000	25@12	DFT_64QAM	17.45	PASS
n25	15	10	382000	1@1	DFT_64QAM	17.6	PASS
n25	15	10	382000	1@50	DFT_64QAM	17.62	PASS
n25	15	10	382000	50@0	DFT_256QAM	15.61	PASS
n25	15	10	382000	25@12	DFT_256QAM	15.5	PASS
n25	15	10	382000	1@1	DFT_256QAM	16.13	PASS
n25	15	10	382000	1@50	DFT_256QAM	15.3	PASS
n25	15	10	382000	52@0	CP_QPSK	17.9	PASS
n25	15	10	382000	26@13	CP_QPSK	18.8	PASS
n25	15	10	382000	1@1	CP_QPSK	18.47	PASS
n25	15	10	382000	1@50	CP_QPSK	19	PASS
n25	15	10	382000	52@0	CP_16QAM	17.9	PASS
n25	15	10	382000	26@13	CP_16QAM	18.49	PASS
n25	15	10	382000	1@1	CP_16QAM	18.6	PASS
n25	15	10	382000	1@50	CP_16QAM	18.48	PASS
n25	15	10	382000	52@0	CP_64QAM	16.4	PASS
n25	15	10	382000	26@13	CP_64QAM	16.3	PASS
n25	15	10	382000	1@1	CP_64QAM	16.87	PASS
n25	15	10	382000	1@50	CP_64QAM	15.5	PASS
n25	15	10	382000	52@0	CP_256QAM	13.57	PASS
n25	15	10	382000	26@13	CP_256QAM	13.97	PASS
n25	15	10	382000	1@1	CP_256QAM	13.5	PASS



n25	15	10	382000	1@50	CP_256QAM	13.61	PASS
n25	15	15	371500	75@0	DFT_BPSK	19.91	PASS
n25	15	15	371500	36@18	DFT_BPSK	20.48	PASS
n25	15	15	371500	1@1	DFT_BPSK	20.37	PASS
n25	15	15	371500	1@77	DFT_BPSK	20.32	PASS
n25	15	15	371500	75@0	DFT_QPSK	19.47	PASS
n25	15	15	371500	36@18	DFT_QPSK	20.47	PASS
n25	15	15	371500	1@1	DFT_QPSK	20.4	PASS
n25	15	15	371500	1@77	DFT_QPSK	20.28	PASS
n25	15	15	371500	75@0	DFT_16QAM	18.9	PASS
n25	15	15	371500	36@18	DFT_16QAM	19.45	PASS
n25	15	15	371500	1@1	DFT_16QAM	19.68	PASS
n25	15	15	371500	1@77	DFT_16QAM	19.55	PASS
n25	15	15	371500	75@0	DFT_64QAM	18.3	PASS
n25	15	15	371500	36@18	DFT_64QAM	18.53	PASS
n25	15	15	371500	1@1	DFT_64QAM	18.05	PASS
n25	15	15	371500	1@77	DFT_64QAM	18.1	PASS
n25	15	15	371500	75@0	DFT_256QAM	16.05	PASS
n25	15	15	371500	36@18	DFT_256QAM	16.2	PASS
n25	15	15	371500	1@1	DFT_256QAM	16.2	PASS
n25	15	15	371500	1@77	DFT_256QAM	16.06	PASS
n25	15	15	371500	79@0	CP_QPSK	18.1	PASS
n25	15	15	371500	39@19	CP_QPSK	18.94	PASS
n25	15	15	371500	1@1	CP_QPSK	18.22	PASS
n25	15	15	371500	1@77	CP_QPSK	18.88	PASS
n25	15	15	371500	79@0	CP_16QAM	18.1	PASS
n25	15	15	371500	39@19	CP_16QAM	18.46	PASS
n25	15	15	371500	1@1	CP_16QAM	18.6	PASS
n25	15	15	371500	1@77	CP_16QAM	18.4	PASS
n25	15	15	371500	79@0	CP_64QAM	16.87	PASS
n25	15	15	371500	39@19	CP_64QAM	16.2	PASS



n25	15	15	371500	1@1	CP_64QAM	17.26	PASS
n25	15	15	371500	1@77	CP_64QAM	17.45	PASS
n25	15	15	371500	79@0	CP_256QAM	14.03	PASS
n25	15	15	371500	39@19	CP_256QAM	13.69	PASS
n25	15	15	371500	1@1	CP_256QAM	14.22	PASS
n25	15	15	371500	1@77	CP_256QAM	14.03	PASS
n25	15	15	376500	75@0	DFT_BPSK	19.79	PASS
n25	15	15	376500	36@18	DFT_BPSK	20.34	PASS
n25	15	15	376500	1@1	DFT_BPSK	20.19	PASS
n25	15	15	376500	1@77	DFT_BPSK	20.36	PASS
n25	15	15	376500	75@0	DFT_QPSK	19.29	PASS
n25	15	15	376500	36@18	DFT_QPSK	20.39	PASS
n25	15	15	376500	1@1	DFT_QPSK	20.14	PASS
n25	15	15	376500	1@77	DFT_QPSK	20.34	PASS
n25	15	15	376500	75@0	DFT_16QAM	18.2	PASS
n25	15	15	376500	36@18	DFT_16QAM	19.37	PASS
n25	15	15	376500	1@1	DFT_16QAM	19.49	PASS
n25	15	15	376500	1@77	DFT_16QAM	19.61	PASS
n25	15	15	376500	75@0	DFT_64QAM	17.6	PASS
n25	15	15	376500	36@18	DFT_64QAM	17.8	PASS
n25	15	15	376500	1@1	DFT_64QAM	17.82	PASS
n25	15	15	376500	1@77	DFT_64QAM	17.4	PASS
n25	15	15	376500	75@0	DFT_256QAM	16.1	PASS
n25	15	15	376500	36@18	DFT_256QAM	16.2	PASS
n25	15	15	376500	1@1	DFT_256QAM	15.94	PASS
n25	15	15	376500	1@77	DFT_256QAM	16.13	PASS
n25	15	15	376500	79@0	CP_QPSK	18.1	PASS
n25	15	15	376500	39@19	CP_QPSK	18.77	PASS
n25	15	15	376500	1@1	CP_QPSK	18.12	PASS
n25	15	15	376500	1@77	CP_QPSK	18.92	PASS
n25	15	15	376500	79@0	CP_16QAM	17.28	PASS



n25	15	15	376500	39@19	CP_16QAM	17.52	PASS
n25	15	15	376500	1@1	CP_16QAM	18.4	PASS
n25	15	15	376500	1@77	CP_16QAM	17.66	PASS
n25	15	15	376500	79@0	CP_64QAM	17.26	PASS
n25	15	15	376500	39@19	CP_64QAM	16.8	PASS
n25	15	15	376500	1@1	CP_64QAM	17.02	PASS
n25	15	15	376500	1@77	CP_64QAM	17.6	PASS
n25	15	15	376500	79@0	CP_256QAM	13.88	PASS
n25	15	15	376500	39@19	CP_256QAM	13.69	PASS
n25	15	15	376500	1@1	CP_256QAM	13.8	PASS
n25	15	15	376500	1@77	CP_256QAM	14.04	PASS
n25	15	15	381500	75@0	DFT_BPSK	19.94	PASS
n25	15	15	381500	36@18	DFT_BPSK	20.54	PASS
n25	15	15	381500	1@1	DFT_BPSK	20.4	PASS
n25	15	15	381500	1@77	DFT_BPSK	20.49	PASS
n25	15	15	381500	75@0	DFT_QPSK	19.49	PASS
n25	15	15	381500	36@18	DFT_QPSK	20.55	PASS
n25	15	15	381500	1@1	DFT_QPSK	20.39	PASS
n25	15	15	381500	1@77	DFT_QPSK	20.41	PASS
n25	15	15	381500	75@0	DFT_16QAM	18.69	PASS
n25	15	15	381500	36@18	DFT_16QAM	19.6	PASS
n25	15	15	381500	1@1	DFT_16QAM	19.63	PASS
n25	15	15	381500	1@77	DFT_16QAM	19.74	PASS
n25	15	15	381500	75@0	DFT_64QAM	18.22	PASS
n25	15	15	381500	36@18	DFT_64QAM	18.03	PASS
n25	15	15	381500	1@1	DFT_64QAM	18.26	PASS
n25	15	15	381500	1@77	DFT_64QAM	18.05	PASS
n25	15	15	381500	75@0	DFT_256QAM	16.09	PASS
n25	15	15	381500	36@18	DFT_256QAM	15.69	PASS
n25	15	15	381500	1@1	DFT_256QAM	16.21	PASS
n25	15	15	381500	1@77	DFT_256QAM	15.46	PASS



n25	15	15	381500	79@0	CP_QPSK	17.41	PASS
n25	15	15	381500	39@19	CP_QPSK	18.69	PASS
n25	15	15	381500	1@1	CP_QPSK	18.96	PASS
n25	15	15	381500	1@77	CP_QPSK	18.55	PASS
n25	15	15	381500	79@0	CP_16QAM	18.1	PASS
n25	15	15	381500	39@19	CP_16QAM	18.46	PASS
n25	15	15	381500	1@1	CP_16QAM	18.42	PASS
n25	15	15	381500	1@77	CP_16QAM	18.1	PASS
n25	15	15	381500	79@0	CP_64QAM	16.88	PASS
n25	15	15	381500	39@19	CP_64QAM	16.9	PASS
n25	15	15	381500	1@1	CP_64QAM	17.23	PASS
n25	15	15	381500	1@77	CP_64QAM	17.1	PASS
n25	15	15	381500	79@0	CP_256QAM	14.2	PASS
n25	15	15	381500	39@19	CP_256QAM	14.02	PASS
n25	15	15	381500	1@1	CP_256QAM	14.6	PASS
n25	15	15	381500	1@77	CP_256QAM	14.06	PASS
n25	15	20	372000	100@0	DFT_BPSK	19.97	PASS
n25	15	20	372000	50@25	DFT_BPSK	21.01	PASS
n25	15	20	372000	1@1	DFT_BPSK	20.44	PASS
n25	15	20	372000	1@104	DFT_BPSK	20.27	PASS
n25	15	20	372000	100@0	DFT_QPSK	19.97	PASS
n25	15	20	372000	50@25	DFT_QPSK	21.01	PASS
n25	15	20	372000	1@1	DFT_QPSK	20.41	PASS
n25	15	20	372000	1@104	DFT_QPSK	20.75	PASS
n25	15	20	372000	100@0	DFT_16QAM	18.98	PASS
n25	15	20	372000	50@25	DFT_16QAM	19.52	PASS
n25	15	20	372000	1@1	DFT_16QAM	19.67	PASS
n25	15	20	372000	1@104	DFT_16QAM	19.99	PASS
n25	15	20	372000	100@0	DFT_64QAM	17.7	PASS
n25	15	20	372000	50@25	DFT_64QAM	17.99	PASS
n25	15	20	372000	1@1	DFT_64QAM	17.4	PASS



n25	15	20	372000	1@104	DFT_64QAM	17.95	PASS
n25	15	20	372000	100@0	DFT_256QAM	16.8	PASS
n25	15	20	372000	50@25	DFT_256QAM	16.62	PASS
n25	15	20	372000	1@1	DFT_256QAM	16.8	PASS
n25	15	20	372000	1@104	DFT_256QAM	16.57	PASS
n25	15	20	372000	106@0	CP_QPSK	19	PASS
n25	15	20	372000	53@26	CP_QPSK	19.51	PASS
n25	15	20	372000	1@1	CP_QPSK	18.98	PASS
n25	15	20	372000	1@104	CP_QPSK	19	PASS
n25	15	20	372000	106@0	CP_16QAM	18.3	PASS
n25	15	20	372000	53@26	CP_16QAM	18.53	PASS
n25	15	20	372000	1@1	CP_16QAM	18.6	PASS
n25	15	20	372000	1@104	CP_16QAM	18.65	PASS
n25	15	20	372000	106@0	CP_64QAM	16.9	PASS
n25	15	20	372000	53@26	CP_64QAM	16.95	PASS
n25	15	20	372000	1@1	CP_64QAM	17.26	PASS
n25	15	20	372000	1@104	CP_64QAM	16.7	PASS
n25	15	20	372000	106@0	CP_256QAM	14.5	PASS
n25	15	20	372000	53@26	CP_256QAM	14.09	PASS
n25	15	20	372000	1@1	CP_256QAM	14.3	PASS
n25	15	20	372000	1@104	CP_256QAM	13.93	PASS
n25	15	20	376500	100@0	DFT_BPSK	20.26	PASS
n25	15	20	376500	50@25	DFT_BPSK	20.88	PASS
n25	15	20	376500	1@1	DFT_BPSK	20.61	PASS
n25	15	20	376500	1@104	DFT_BPSK	20.94	PASS
n25	15	20	376500	100@0	DFT_QPSK	19.77	PASS
n25	15	20	376500	50@25	DFT_QPSK	20.87	PASS
n25	15	20	376500	1@1	DFT_QPSK	20.62	PASS
n25	15	20	376500	1@104	DFT_QPSK	20.84	PASS
n25	15	20	376500	100@0	DFT_16QAM	19.4	PASS
n25	15	20	376500	50@25	DFT_16QAM	19.86	PASS



n25	15	20	376500	1@1	DFT_16QAM	19.91	PASS
n25	15	20	376500	1@104	DFT_16QAM	20.14	PASS
n25	15	20	376500	100@0	DFT_64QAM	17.6	PASS
n25	15	20	376500	50@25	DFT_64QAM	18.34	PASS
n25	15	20	376500	1@1	DFT_64QAM	18.3	PASS
n25	15	20	376500	1@104	DFT_64QAM	18.6	PASS
n25	15	20	376500	100@0	DFT_256QAM	16.38	PASS
n25	15	20	376500	50@25	DFT_256QAM	16.1	PASS
n25	15	20	376500	1@1	DFT_256QAM	16.35	PASS
n25	15	20	376500	1@104	DFT_256QAM	15.7	PASS
n25	15	20	376500	106@0	CP_QPSK	18.3	PASS
n25	15	20	376500	53@26	CP_QPSK	19.33	PASS
n25	15	20	376500	1@1	CP_QPSK	19.1	PASS
n25	15	20	376500	1@104	CP_QPSK	19.45	PASS
n25	15	20	376500	106@0	CP_16QAM	18.7	PASS
n25	15	20	376500	53@26	CP_16QAM	18.85	PASS
n25	15	20	376500	1@1	CP_16QAM	18.66	PASS
n25	15	20	376500	1@104	CP_16QAM	18.7	PASS
n25	15	20	376500	106@0	CP_64QAM	16.9	PASS
n25	15	20	376500	53@26	CP_64QAM	17.25	PASS
n25	15	20	376500	1@1	CP_64QAM	16.6	PASS
n25	15	20	376500	1@104	CP_64QAM	17.72	PASS
n25	15	20	376500	106@0	CP_256QAM	14.32	PASS
n25	15	20	376500	53@26	CP_256QAM	14	PASS
n25	15	20	376500	1@1	CP_256QAM	14.25	PASS
n25	15	20	376500	1@104	CP_256QAM	13.9	PASS
n25	15	20	381000	100@0	DFT_BPSK	19.86	PASS
n25	15	20	381000	50@25	DFT_BPSK	20.96	PASS
n25	15	20	381000	1@1	DFT_BPSK	20.7	PASS
n25	15	20	381000	1@104	DFT_BPSK	20.99	PASS
n25	15	20	381000	100@0	DFT_QPSK	19.92	PASS



n25	15	20	381000	50@25	DFT_QPSK	21.01	PASS
n25	15	20	381000	1@1	DFT_QPSK	20.68	PASS
n25	15	20	381000	1@104	DFT_QPSK	20.94	PASS
n25	15	20	381000	100@0	DFT_16QAM	18.88	PASS
n25	15	20	381000	50@25	DFT_16QAM	19.99	PASS
n25	15	20	381000	1@1	DFT_16QAM	19.99	PASS
n25	15	20	381000	1@104	DFT_16QAM	20.27	PASS
n25	15	20	381000	100@0	DFT_64QAM	17.9	PASS
n25	15	20	381000	50@25	DFT_64QAM	18.43	PASS
n25	15	20	381000	1@1	DFT_64QAM	17.7	PASS
n25	15	20	381000	1@104	DFT_64QAM	18.57	PASS
n25	15	20	381000	100@0	DFT_256QAM	16.1	PASS
n25	15	20	381000	50@25	DFT_256QAM	16.6	PASS
n25	15	20	381000	1@1	DFT_256QAM	16.9	PASS
n25	15	20	381000	1@104	DFT_256QAM	16.7	PASS
n25	15	20	381000	106@0	CP_QPSK	18.51	PASS
n25	15	20	381000	53@26	CP_QPSK	19.44	PASS
n25	15	20	381000	1@1	CP_QPSK	19.27	PASS
n25	15	20	381000	1@104	CP_QPSK	19.54	PASS
n25	15	20	381000	106@0	CP_16QAM	18.8	PASS
n25	15	20	381000	53@26	CP_16QAM	18.93	PASS
n25	15	20	381000	1@1	CP_16QAM	19.1	PASS
n25	15	20	381000	1@104	CP_16QAM	18.92	PASS
n25	15	20	381000	106@0	CP_64QAM	16.9	PASS
n25	15	20	381000	53@26	CP_64QAM	17.36	PASS
n25	15	20	381000	1@1	CP_64QAM	17.53	PASS
n25	15	20	381000	1@104	CP_64QAM	17.62	PASS
n25	15	20	381000	106@0	CP_256QAM	14.63	PASS
n25	15	20	381000	53@26	CP_256QAM	14.51	PASS
n25	15	20	381000	1@1	CP_256QAM	14.32	PASS
n25	15	20	381000	1@104	CP_256QAM	14.52	PASS



Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n38	30	10	515000	24@0	DFT_BPSK	19.08	PASS
n38	30	10	515000	12@6	DFT_BPSK	19.58	PASS
n38	30	10	515000	1@1	DFT_BPSK	19.48	PASS
n38	30	10	515000	1@22	DFT_BPSK	19.52	PASS
n38	30	10	515000	24@0	DFT_QPSK	19.2	PASS
n38	30	10	515000	12@6	DFT_QPSK	19.63	PASS
n38	30	10	515000	1@1	DFT_QPSK	19.47	PASS
n38	30	10	515000	1@22	DFT_QPSK	19.53	PASS
n38	30	10	515000	24@0	DFT_16QAM	18.3	PASS
n38	30	10	515000	12@6	DFT_16QAM	18.6	PASS
n38	30	10	515000	1@1	DFT_16QAM	18.47	PASS
n38	30	10	515000	1@22	DFT_16QAM	18.53	PASS
n38	30	10	515000	24@0	DFT_64QAM	17.2	PASS
n38	30	10	515000	12@6	DFT_64QAM	17.11	PASS
n38	30	10	515000	1@1	DFT_64QAM	17.06	PASS
n38	30	10	515000	1@22	DFT_64QAM	17.15	PASS
n38	30	10	515000	24@0	DFT_256QAM	15.6	PASS
n38	30	10	515000	12@6	DFT_256QAM	15.08	PASS
n38	30	10	515000	1@1	DFT_256QAM	15.09	PASS
n38	30	10	515000	1@22	DFT_256QAM	15.2	PASS
n38	30	10	515000	24@0	CP_QPSK	17.6	PASS
n38	30	10	515000	12@6	CP_QPSK	18.2	PASS
n38	30	10	515000	1@1	CP_QPSK	18.6	PASS
n38	30	10	515000	1@22	CP_QPSK	18.09	PASS
n38	30	10	515000	24@0	CP_16QAM	17.3	PASS
n38	30	10	515000	12@6	CP_16QAM	17.75	PASS
n38	30	10	515000	1@1	CP_16QAM	17.49	PASS
n38	30	10	515000	1@22	CP_16QAM	17.2	PASS
n38	30	10	515000	24@0	CP_64QAM	16.5	PASS



n38	30	10	515000	12@6	CP_64QAM	16.15	PASS
n38	30	10	515000	1@1	CP_64QAM	15.93	PASS
n38	30	10	515000	1@22	CP_64QAM	16.5	PASS
n38	30	10	515000	24@0	CP_256QAM	13.4	PASS
n38	30	10	515000	12@6	CP_256QAM	13.29	PASS
n38	30	10	515000	1@1	CP_256QAM	13.36	PASS
n38	30	10	515000	1@22	CP_256QAM	13.39	PASS
n38	30	10	519000	24@0	DFT_BPSK	19.16	PASS
n38	30	10	519000	12@6	DFT_BPSK	19.7	PASS
n38	30	10	519000	1@1	DFT_BPSK	19.64	PASS
n38	30	10	519000	1@22	DFT_BPSK	19.67	PASS
n38	30	10	519000	24@0	DFT_QPSK	18.65	PASS
n38	30	10	519000	12@6	DFT_QPSK	19.73	PASS
n38	30	10	519000	1@1	DFT_QPSK	19.65	PASS
n38	30	10	519000	1@22	DFT_QPSK	19.65	PASS
n38	30	10	519000	24@0	DFT_16QAM	18.3	PASS
n38	30	10	519000	12@6	DFT_16QAM	18.67	PASS
n38	30	10	519000	1@1	DFT_16QAM	18.6	PASS
n38	30	10	519000	1@22	DFT_16QAM	18.65	PASS
n38	30	10	519000	24@0	DFT_64QAM	17.3	PASS
n38	30	10	519000	12@6	DFT_64QAM	17.15	PASS
n38	30	10	519000	1@1	DFT_64QAM	17.23	PASS
n38	30	10	519000	1@22	DFT_64QAM	17.2	PASS
n38	30	10	519000	24@0	DFT_256QAM	15.3	PASS
n38	30	10	519000	12@6	DFT_256QAM	15.15	PASS
n38	30	10	519000	1@1	DFT_256QAM	15.21	PASS
n38	30	10	519000	1@22	DFT_256QAM	15.2	PASS
n38	30	10	519000	24@0	CP_QPSK	17.9	PASS
n38	30	10	519000	12@6	CP_QPSK	18.6	PASS
n38	30	10	519000	1@1	CP_QPSK	18.17	PASS
n38	30	10	519000	1@22	CP_QPSK	18.18	PASS



n38	30	10	519000	24@0	CP_16QAM	17.5	PASS
n38	30	10	519000	12@6	CP_16QAM	17.81	PASS
n38	30	10	519000	1@1	CP_16QAM	17.2	PASS
n38	30	10	519000	1@22	CP_16QAM	17.69	PASS
n38	30	10	519000	24@0	CP_64QAM	16.12	PASS
n38	30	10	519000	12@6	CP_64QAM	16.2	PASS
n38	30	10	519000	1@1	CP_64QAM	16.12	PASS
n38	30	10	519000	1@22	CP_64QAM	16.08	PASS
n38	30	10	519000	24@0	CP_256QAM	13.5	PASS
n38	30	10	519000	12@6	CP_256QAM	13.36	PASS
n38	30	10	519000	1@1	CP_256QAM	13.5	PASS
n38	30	10	519000	1@22	CP_256QAM	13.52	PASS
n38	30	10	523000	24@0	DFT_BPSK	19.24	PASS
n38	30	10	523000	12@6	DFT_BPSK	19.77	PASS
n38	30	10	523000	1@1	DFT_BPSK	19.67	PASS
n38	30	10	523000	1@22	DFT_BPSK	19.73	PASS
n38	30	10	523000	24@0	DFT_QPSK	18.77	PASS
n38	30	10	523000	12@6	DFT_QPSK	19.8	PASS
n38	30	10	523000	1@1	DFT_QPSK	19.68	PASS
n38	30	10	523000	1@22	DFT_QPSK	19.73	PASS
n38	30	10	523000	24@0	DFT_16QAM	18.6	PASS
n38	30	10	523000	12@6	DFT_16QAM	18.74	PASS
n38	30	10	523000	1@1	DFT_16QAM	18.67	PASS
n38	30	10	523000	1@22	DFT_16QAM	18.2	PASS
n38	30	10	523000	24@0	DFT_64QAM	17.2	PASS
n38	30	10	523000	12@6	DFT_64QAM	17.21	PASS
n38	30	10	523000	1@1	DFT_64QAM	16.8	PASS
n38	30	10	523000	1@22	DFT_64QAM	17.3	PASS
n38	30	10	523000	24@0	DFT_256QAM	15.23	PASS
n38	30	10	523000	12@6	DFT_256QAM	15.3	PASS
n38	30	10	523000	1@1	DFT_256QAM	15.27	PASS



n38	30	10	523000	1@22	DFT_256QAM	15.4	PASS
n38	30	10	523000	24@0	CP_QPSK	16.74	PASS
n38	30	10	523000	12@6	CP_QPSK	18.8	PASS
n38	30	10	523000	1@1	CP_QPSK	18.17	PASS
n38	30	10	523000	1@22	CP_QPSK	18.4	PASS
n38	30	10	523000	24@0	CP_16QAM	17.1	PASS
n38	30	10	523000	12@6	CP_16QAM	17.87	PASS
n38	30	10	523000	1@1	CP_16QAM	17.68	PASS
n38	30	10	523000	1@22	CP_16QAM	17.3	PASS
n38	30	10	523000	24@0	CP_64QAM	16.22	PASS
n38	30	10	523000	12@6	CP_64QAM	16.2	PASS
n38	30	10	523000	1@1	CP_64QAM	16.08	PASS
n38	30	10	523000	1@22	CP_64QAM	16.17	PASS
n38	30	10	523000	24@0	CP_256QAM	13.6	PASS
n38	30	10	523000	12@6	CP_256QAM	13.4	PASS
n38	30	10	523000	1@1	CP_256QAM	13.5	PASS
n38	30	10	523000	1@22	CP_256QAM	13.5	PASS
n38	30	15	515500	36@0	DFT_BPSK	19.27	PASS
n38	30	15	515500	18@9	DFT_BPSK	19.81	PASS
n38	30	15	515500	1@1	DFT_BPSK	19.62	PASS
n38	30	15	515500	1@36	DFT_BPSK	19.75	PASS
n38	30	15	515500	36@0	DFT_QPSK	19.1	PASS
n38	30	15	515500	18@9	DFT_QPSK	19.81	PASS
n38	30	15	515500	1@1	DFT_QPSK	19.66	PASS
n38	30	15	515500	1@36	DFT_QPSK	19.78	PASS
n38	30	15	515500	36@0	DFT_16QAM	18.2	PASS
n38	30	15	515500	18@9	DFT_16QAM	18.77	PASS
n38	30	15	515500	1@1	DFT_16QAM	18.61	PASS
n38	30	15	515500	1@36	DFT_16QAM	18.3	PASS
n38	30	15	515500	36@0	DFT_64QAM	17.27	PASS
n38	30	15	515500	18@9	DFT_64QAM	17.6	PASS



n38	30	15	515500	1@1	DFT_64QAM	17.25	PASS
n38	30	15	515500	1@36	DFT_64QAM	17.34	PASS
n38	30	15	515500	36@0	DFT_256QAM	15.1	PASS
n38	30	15	515500	18@9	DFT_256QAM	15.24	PASS
n38	30	15	515500	1@1	DFT_256QAM	15.3	PASS
n38	30	15	515500	1@36	DFT_256QAM	15.29	PASS
n38	30	15	515500	38@0	CP_QPSK	17.6	PASS
n38	30	15	515500	19@9	CP_QPSK	18.26	PASS
n38	30	15	515500	1@1	CP_QPSK	18.14	PASS
n38	30	15	515500	1@36	CP_QPSK	18.27	PASS
n38	30	15	515500	38@0	CP_16QAM	17.8	PASS
n38	30	15	515500	19@9	CP_16QAM	17.77	PASS
n38	30	15	515500	1@1	CP_16QAM	17.6	PASS
n38	30	15	515500	1@36	CP_16QAM	17.73	PASS
n38	30	15	515500	38@0	CP_64QAM	16.3	PASS
n38	30	15	515500	19@9	CP_64QAM	16.23	PASS
n38	30	15	515500	1@1	CP_64QAM	16.1	PASS
n38	30	15	515500	1@36	CP_64QAM	16.18	PASS
n38	30	15	515500	38@0	CP_256QAM	13.36	PASS
n38	30	15	515500	19@9	CP_256QAM	13.5	PASS
n38	30	15	515500	1@1	CP_256QAM	13.47	PASS
n38	30	15	515500	1@36	CP_256QAM	13.22	PASS
n38	30	15	519000	36@0	DFT_BPSK	19.29	PASS
n38	30	15	519000	18@9	DFT_BPSK	19.83	PASS
n38	30	15	519000	1@1	DFT_BPSK	19.66	PASS
n38	30	15	519000	1@36	DFT_BPSK	19.73	PASS
n38	30	15	519000	36@0	DFT_QPSK	19.1	PASS
n38	30	15	519000	18@9	DFT_QPSK	19.83	PASS
n38	30	15	519000	1@1	DFT_QPSK	19.71	PASS
n38	30	15	519000	1@36	DFT_QPSK	19.74	PASS
n38	30	15	519000	36@0	DFT_16QAM	18.5	PASS



n38	30	15	519000	18@9	DFT_16QAM	18.79	PASS
n38	30	15	519000	1@1	DFT_16QAM	18.64	PASS
n38	30	15	519000	1@36	DFT_16QAM	17.9	PASS
n38	30	15	519000	36@0	DFT_64QAM	17.31	PASS
n38	30	15	519000	18@9	DFT_64QAM	17.6	PASS
n38	30	15	519000	1@1	DFT_64QAM	17.22	PASS
n38	30	15	519000	1@36	DFT_64QAM	17.35	PASS
n38	30	15	519000	36@0	DFT_256QAM	15.2	PASS
n38	30	15	519000	18@9	DFT_256QAM	15.26	PASS
n38	30	15	519000	1@1	DFT_256QAM	15.4	PASS
n38	30	15	519000	1@36	DFT_256QAM	15.3	PASS
n38	30	15	519000	38@0	CP_QPSK	17.9	PASS
n38	30	15	519000	19@9	CP_QPSK	18.3	PASS
n38	30	15	519000	1@1	CP_QPSK	18.18	PASS
n38	30	15	519000	1@36	CP_QPSK	18.56	PASS
n38	30	15	519000	38@0	CP_16QAM	16.76	PASS
n38	30	15	519000	19@9	CP_16QAM	17.6	PASS
n38	30	15	519000	1@1	CP_16QAM	17.68	PASS
n38	30	15	519000	1@36	CP_16QAM	17.71	PASS
n38	30	15	519000	38@0	CP_64QAM	16.2	PASS
n38	30	15	519000	19@9	CP_64QAM	16.28	PASS
n38	30	15	519000	1@1	CP_64QAM	16.1	PASS
n38	30	15	519000	1@36	CP_64QAM	16.15	PASS
n38	30	15	519000	38@0	CP_256QAM	13.5	PASS
n38	30	15	519000	19@9	CP_256QAM	13.33	PASS
n38	30	15	519000	1@1	CP_256QAM	13.46	PASS
n38	30	15	519000	1@36	CP_256QAM	13.4	PASS
n38	30	15	522500	36@0	DFT_BPSK	19.38	PASS
n38	30	15	522500	18@9	DFT_BPSK	19.9	PASS
n38	30	15	522500	1@1	DFT_BPSK	19.75	PASS
n38	30	15	522500	1@36	DFT_BPSK	19.82	PASS



n38	30	15	522500	36@0	DFT_QPSK	19.5	PASS
n38	30	15	522500	18@9	DFT_QPSK	19.91	PASS
n38	30	15	522500	1@1	DFT_QPSK	19.72	PASS
n38	30	15	522500	1@36	DFT_QPSK	19.78	PASS
n38	30	15	522500	36@0	DFT_16QAM	17.87	PASS
n38	30	15	522500	18@9	DFT_16QAM	18.1	PASS
n38	30	15	522500	1@1	DFT_16QAM	18.76	PASS
n38	30	15	522500	1@36	DFT_16QAM	17.6	PASS
n38	30	15	522500	36@0	DFT_64QAM	17.32	PASS
n38	30	15	522500	18@9	DFT_64QAM	17.38	PASS
n38	30	15	522500	1@1	DFT_64QAM	17.1	PASS
n38	30	15	522500	1@36	DFT_64QAM	17.3	PASS
n38	30	15	522500	36@0	DFT_256QAM	15.3	PASS
n38	30	15	522500	18@9	DFT_256QAM	15.32	PASS
n38	30	15	522500	1@1	DFT_256QAM	15.3	PASS
n38	30	15	522500	1@36	DFT_256QAM	15.38	PASS
n38	30	15	522500	38@0	CP_QPSK	18.1	PASS
n38	30	15	522500	19@9	CP_QPSK	18.4	PASS
n38	30	15	522500	1@1	CP_QPSK	18.22	PASS
n38	30	15	522500	1@36	CP_QPSK	18.1	PASS
n38	30	15	522500	38@0	CP_16QAM	16.82	PASS
n38	30	15	522500	19@9	CP_16QAM	16.6	PASS
n38	30	15	522500	1@1	CP_16QAM	17.72	PASS
n38	30	15	522500	1@36	CP_16QAM	17.1	PASS
n38	30	15	522500	38@0	CP_64QAM	16.34	PASS
n38	30	15	522500	19@9	CP_64QAM	16.2	PASS
n38	30	15	522500	1@1	CP_64QAM	16.14	PASS
n38	30	15	522500	1@36	CP_64QAM	16.2	PASS
n38	30	15	522500	38@0	CP_256QAM	13.46	PASS
n38	30	15	522500	19@9	CP_256QAM	13.42	PASS
n38	30	15	522500	1@1	CP_256QAM	13.5	PASS



n38	30	15	522500	1@36	CP_256QAM	13.54	PASS
n38	30	20	516000	50@0	DFT_BPSK	19.4	PASS
n38	30	20	516000	25@12	DFT_BPSK	19.95	PASS
n38	30	20	516000	1@1	DFT_BPSK	19.74	PASS
n38	30	20	516000	1@49	DFT_BPSK	19.85	PASS
n38	30	20	516000	50@0	DFT_QPSK	18.89	PASS
n38	30	20	516000	25@12	DFT_QPSK	19.93	PASS
n38	30	20	516000	1@1	DFT_QPSK	19.7	PASS
n38	30	20	516000	1@49	DFT_QPSK	19.78	PASS
n38	30	20	516000	50@0	DFT_16QAM	17.91	PASS
n38	30	20	516000	25@12	DFT_16QAM	18.2	PASS
n38	30	20	516000	1@1	DFT_16QAM	18.79	PASS
n38	30	20	516000	1@49	DFT_16QAM	18.3	PASS
n38	30	20	516000	50@0	DFT_64QAM	17.2	PASS
n38	30	20	516000	25@12	DFT_64QAM	17.32	PASS
n38	30	20	516000	1@1	DFT_64QAM	17.2	PASS
n38	30	20	516000	1@49	DFT_64QAM	17.44	PASS
n38	30	20	516000	50@0	DFT_256QAM	15.6	PASS
n38	30	20	516000	25@12	DFT_256QAM	15.43	PASS
n38	30	20	516000	1@1	DFT_256QAM	15.2	PASS
n38	30	20	516000	1@49	DFT_256QAM	15.42	PASS
n38	30	20	516000	51@0	CP_QPSK	16.85	PASS
n38	30	20	516000	25@12	CP_QPSK	18.3	PASS
n38	30	20	516000	1@1	CP_QPSK	18.23	PASS
n38	30	20	516000	1@49	CP_QPSK	18.5	PASS
n38	30	20	516000	51@0	CP_16QAM	17.3	PASS
n38	30	20	516000	25@12	CP_16QAM	17.93	PASS
n38	30	20	516000	1@1	CP_16QAM	17.72	PASS
n38	30	20	516000	1@49	CP_16QAM	16.5	PASS
n38	30	20	516000	51@0	CP_64QAM	16.34	PASS
n38	30	20	516000	25@12	CP_64QAM	16.4	PASS



n38	30	20	516000	1@1	CP_64QAM	16.13	PASS
n38	30	20	516000	1@49	CP_64QAM	16.2	PASS
n38	30	20	516000	51@0	CP_256QAM	13.23	PASS
n38	30	20	516000	25@12	CP_256QAM	13.11	PASS
n38	30	20	516000	1@1	CP_256QAM	13.26	PASS
n38	30	20	516000	1@49	CP_256QAM	13.65	PASS
n38	30	20	519000	50@0	DFT_BPSK	19.28	PASS
n38	30	20	519000	25@12	DFT_BPSK	19.84	PASS
n38	30	20	519000	1@1	DFT_BPSK	19.63	PASS
n38	30	20	519000	1@49	DFT_BPSK	19.68	PASS
n38	30	20	519000	50@0	DFT_QPSK	18.78	PASS
n38	30	20	519000	25@12	DFT_QPSK	19.83	PASS
n38	30	20	519000	1@1	DFT_QPSK	19.7	PASS
n38	30	20	519000	1@49	DFT_QPSK	19.75	PASS
n38	30	20	519000	50@0	DFT_16QAM	17.82	PASS
n38	30	20	519000	25@12	DFT_16QAM	18.36	PASS
n38	30	20	519000	1@1	DFT_16QAM	18.7	PASS
n38	30	20	519000	1@49	DFT_16QAM	18.44	PASS
n38	30	20	519000	50@0	DFT_64QAM	17.56	PASS
n38	30	20	519000	25@12	DFT_64QAM	17.24	PASS
n38	30	20	519000	1@1	DFT_64QAM	17.26	PASS
n38	30	20	519000	1@49	DFT_64QAM	17.32	PASS
n38	30	20	519000	50@0	DFT_256QAM	15.22	PASS
n38	30	20	519000	25@12	DFT_256QAM	15.26	PASS
n38	30	20	519000	1@1	DFT_256QAM	15.23	PASS
n38	30	20	519000	1@49	DFT_256QAM	15.22	PASS
n38	30	20	519000	51@0	CP_QPSK	17.6	PASS
n38	30	20	519000	25@12	CP_QPSK	18.31	PASS
n38	30	20	519000	1@1	CP_QPSK	18.26	PASS
n38	30	20	519000	1@49	CP_QPSK	18.18	PASS
n38	30	20	519000	51@0	CP_16QAM	16.75	PASS



n38	30	20	519000	25@12	CP_16QAM	17.84	PASS
n38	30	20	519000	1@1	CP_16QAM	17.23	PASS
n38	30	20	519000	1@49	CP_16QAM	17.67	PASS
n38	30	20	519000	51@0	CP_64QAM	16.22	PASS
n38	30	20	519000	25@12	CP_64QAM	16.28	PASS
n38	30	20	519000	1@1	CP_64QAM	16.22	PASS
n38	30	20	519000	1@49	CP_64QAM	16.12	PASS
n38	30	20	519000	51@0	CP_256QAM	13.51	PASS
n38	30	20	519000	25@12	CP_256QAM	13.49	PASS
n38	30	20	519000	1@1	CP_256QAM	13.46	PASS
n38	30	20	519000	1@49	CP_256QAM	13.56	PASS
n38	30	20	522000	50@0	DFT_BPSK	18.9	PASS
n38	30	20	522000	25@12	DFT_BPSK	19.95	PASS
n38	30	20	522000	1@1	DFT_BPSK	19.77	PASS
n38	30	20	522000	1@49	DFT_BPSK	19.82	PASS
n38	30	20	522000	50@0	DFT_QPSK	19.2	PASS
n38	30	20	522000	25@12	DFT_QPSK	19.95	PASS
n38	30	20	522000	1@1	DFT_QPSK	19.78	PASS
n38	30	20	522000	1@49	DFT_QPSK	19.87	PASS
n38	30	20	522000	50@0	DFT_16QAM	18.33	PASS
n38	30	20	522000	25@12	DFT_16QAM	18.93	PASS
n38	30	20	522000	1@1	DFT_16QAM	18.36	PASS
n38	30	20	522000	1@49	DFT_16QAM	18.79	PASS
n38	30	20	522000	50@0	DFT_64QAM	17.37	PASS
n38	30	20	522000	25@12	DFT_64QAM	17.22	PASS
n38	30	20	522000	1@1	DFT_64QAM	17.33	PASS
n38	30	20	522000	1@49	DFT_64QAM	16.99	PASS
n38	30	20	522000	50@0	DFT_256QAM	15.69	PASS
n38	30	20	522000	25@12	DFT_256QAM	15.44	PASS
n38	30	20	522000	1@1	DFT_256QAM	15.25	PASS
n38	30	20	522000	1@49	DFT_256QAM	15.38	PASS



n38	30	20	522000	51@0	CP_QPSK	16.88	PASS
n38	30	20	522000	25@12	CP_QPSK	18.66	PASS
n38	30	20	522000	1@1	CP_QPSK	18.28	PASS
n38	30	20	522000	1@49	CP_QPSK	18.25	PASS
n38	30	20	522000	51@0	CP_16QAM	16.86	PASS
n38	30	20	522000	25@12	CP_16QAM	17.26	PASS
n38	30	20	522000	1@1	CP_16QAM	17.78	PASS
n38	30	20	522000	1@49	CP_16QAM	17.36	PASS
n38	30	20	522000	51@0	CP_64QAM	16.32	PASS
n38	30	20	522000	25@12	CP_64QAM	16.32	PASS
n38	30	20	522000	1@1	CP_64QAM	16.55	PASS
n38	30	20	522000	1@49	CP_64QAM	16.25	PASS
n38	30	20	522000	51@0	CP_256QAM	13.26	PASS
n38	30	20	522000	25@12	CP_256QAM	13.6	PASS
n38	30	20	522000	1@1	CP_256QAM	13.63	PASS
n38	30	20	522000	1@49	CP_256QAM	13.22	PASS
n38	30	40	518000	100@0	DFT_BPSK	19.18	PASS
n38	30	40	518000	50@25	DFT_BPSK	19.88	PASS
n38	30	40	518000	1@1	DFT_BPSK	19.28	PASS
n38	30	40	518000	1@104	DFT_BPSK	19.39	PASS
n38	30	40	518000	100@0	DFT_QPSK	18.9	PASS
n38	30	40	518000	50@25	DFT_QPSK	19.89	PASS
n38	30	40	518000	1@1	DFT_QPSK	19.3	PASS
n38	30	40	518000	1@104	DFT_QPSK	19.4	PASS
n38	30	40	518000	100@0	DFT_16QAM	18.6	PASS
n38	30	40	518000	50@25	DFT_16QAM	18.9	PASS
n38	30	40	518000	1@1	DFT_16QAM	18.34	PASS
n38	30	40	518000	1@104	DFT_16QAM	18.2	PASS
n38	30	40	518000	100@0	DFT_64QAM	17.2	PASS
n38	30	40	518000	50@25	DFT_64QAM	17.37	PASS
n38	30	40	518000	1@1	DFT_64QAM	16.86	PASS



n38	30	40	518000	1@104	DFT_64QAM	16.36	PASS
n38	30	40	518000	100@0	DFT_256QAM	15.22	PASS
n38	30	40	518000	50@25	DFT_256QAM	15.34	PASS
n38	30	40	518000	1@1	DFT_256QAM	15.22	PASS
n38	30	40	518000	1@104	DFT_256QAM	14.98	PASS
n38	30	40	518000	106@0	CP_QPSK	16.7	PASS
n38	30	40	518000	53@26	CP_QPSK	17.22	PASS
n38	30	40	518000	1@1	CP_QPSK	17.79	PASS
n38	30	40	518000	1@104	CP_QPSK	17.26	PASS
n38	30	40	518000	106@0	CP_16QAM	16.66	PASS
n38	30	40	518000	53@26	CP_16QAM	16.89	PASS
n38	30	40	518000	1@1	CP_16QAM	17.32	PASS
n38	30	40	518000	1@104	CP_16QAM	17.4	PASS
n38	30	40	518000	106@0	CP_64QAM	16.6	PASS
n38	30	40	518000	53@26	CP_64QAM	16.3	PASS
n38	30	40	518000	1@1	CP_64QAM	15.5	PASS
n38	30	40	518000	1@104	CP_64QAM	15.22	PASS
n38	30	40	518000	106@0	CP_256QAM	13.26	PASS
n38	30	40	518000	53@26	CP_256QAM	13.43	PASS
n38	30	40	518000	1@1	CP_256QAM	13.31	PASS
n38	30	40	518000	1@104	CP_256QAM	13.22	PASS
n38	30	40	519000	100@0	DFT_BPSK	19.18	PASS
n38	30	40	519000	50@25	DFT_BPSK	19.85	PASS
n38	30	40	519000	1@1	DFT_BPSK	19.28	PASS
n38	30	40	519000	1@104	DFT_BPSK	19.4	PASS
n38	30	40	519000	100@0	DFT_QPSK	18.7	PASS
n38	30	40	519000	50@25	DFT_QPSK	19.87	PASS
n38	30	40	519000	1@1	DFT_QPSK	19.25	PASS
n38	30	40	519000	1@104	DFT_QPSK	19.42	PASS
n38	30	40	519000	100@0	DFT_16QAM	17.56	PASS
n38	30	40	519000	50@25	DFT_16QAM	18.88	PASS



n38	30	40	519000	1@1	DFT_16QAM	18.31	PASS
n38	30	40	519000	1@104	DFT_16QAM	18.55	PASS
n38	30	40	519000	100@0	DFT_64QAM	17.36	PASS
n38	30	40	519000	50@25	DFT_64QAM	17.35	PASS
n38	30	40	519000	1@1	DFT_64QAM	17.26	PASS
n38	30	40	519000	1@104	DFT_64QAM	16.93	PASS
n38	30	40	519000	100@0	DFT_256QAM	15.36	PASS
n38	30	40	519000	50@25	DFT_256QAM	15.32	PASS
n38	30	40	519000	1@1	DFT_256QAM	15.21	PASS
n38	30	40	519000	1@104	DFT_256QAM	14.98	PASS
n38	30	40	519000	106@0	CP_QPSK	17.8	PASS
n38	30	40	519000	53@26	CP_QPSK	18.38	PASS
n38	30	40	519000	1@1	CP_QPSK	17.79	PASS
n38	30	40	519000	1@104	CP_QPSK	18.5	PASS
n38	30	40	519000	106@0	CP_16QAM	16.64	PASS
n38	30	40	519000	53@26	CP_16QAM	17.5	PASS
n38	30	40	519000	1@1	CP_16QAM	17.31	PASS
n38	30	40	519000	1@104	CP_16QAM	17.2	PASS
n38	30	40	519000	106@0	CP_64QAM	16.3	PASS
n38	30	40	519000	53@26	CP_64QAM	16.29	PASS
n38	30	40	519000	1@1	CP_64QAM	15.6	PASS
n38	30	40	519000	1@104	CP_64QAM	15.9	PASS
n38	30	40	519000	106@0	CP_256QAM	13.27	PASS
n38	30	40	519000	53@26	CP_256QAM	13.23	PASS
n38	30	40	519000	1@1	CP_256QAM	13.12	PASS
n38	30	40	519000	1@104	CP_256QAM	13.06	PASS
n38	30	40	520000	100@0	DFT_BPSK	19.31	PASS
n38	30	40	520000	50@25	DFT_BPSK	20	PASS
n38	30	40	520000	1@1	DFT_BPSK	19.38	PASS
n38	30	40	520000	1@104	DFT_BPSK	19.54	PASS
n38	30	40	520000	100@0	DFT_QPSK	18.9	PASS



n38	30	40	520000	50@25	DFT_QPSK	19.98	PASS
n38	30	40	520000	1@1	DFT_QPSK	19.32	PASS
n38	30	40	520000	1@104	DFT_QPSK	19.51	PASS
n38	30	40	520000	100@0	DFT_16QAM	18.3	PASS
n38	30	40	520000	50@25	DFT_16QAM	19.03	PASS
n38	30	40	520000	1@1	DFT_16QAM	18.44	PASS
n38	30	40	520000	1@104	DFT_16QAM	18.1	PASS
n38	30	40	520000	100@0	DFT_64QAM	17.33	PASS
n38	30	40	520000	50@25	DFT_64QAM	16.96	PASS
n38	30	40	520000	1@1	DFT_64QAM	16.85	PASS
n38	30	40	520000	1@104	DFT_64QAM	16.8	PASS
n38	30	40	520000	100@0	DFT_256QAM	15.31	PASS
n38	30	40	520000	50@25	DFT_256QAM	15.3	PASS
n38	30	40	520000	1@1	DFT_256QAM	15	PASS
n38	30	40	520000	1@104	DFT_256QAM	15.5	PASS
n38	30	40	520000	106@0	CP_QPSK	17.9	PASS
n38	30	40	520000	53@26	CP_QPSK	18.6	PASS
n38	30	40	520000	1@1	CP_QPSK	17.9	PASS
n38	30	40	520000	1@104	CP_QPSK	18.05	PASS
n38	30	40	520000	106@0	CP_16QAM	17.2	PASS
n38	30	40	520000	53@26	CP_16QAM	17.96	PASS
n38	30	40	520000	1@1	CP_16QAM	17.4	PASS
n38	30	40	520000	1@104	CP_16QAM	17.54	PASS
n38	30	40	520000	106@0	CP_64QAM	16.29	PASS
n38	30	40	520000	53@26	CP_64QAM	15.5	PASS
n38	30	40	520000	1@1	CP_64QAM	15.79	PASS
n38	30	40	520000	1@104	CP_64QAM	15.9	PASS
n38	30	40	520000	106@0	CP_256QAM	13.1	PASS
n38	30	40	520000	53@26	CP_256QAM	13.52	PASS
n38	30	40	520000	1@1	CP_256QAM	13.23	PASS
n38	30	40	520000	1@104	CP_256QAM	13.4	PASS



Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n41	30	10	500202	24@0	DFT_BPSK	19.8	PASS
n41	30	10	500202	12@6	DFT_BPSK	20.32	PASS
n41	30	10	500202	1@1	DFT_BPSK	20.26	PASS
n41	30	10	500202	1@22	DFT_BPSK	20.28	PASS
n41	30	10	500202	24@0	DFT_QPSK	19.31	PASS
n41	30	10	500202	12@6	DFT_QPSK	20.38	PASS
n41	30	10	500202	1@1	DFT_QPSK	20.24	PASS
n41	30	10	500202	1@22	DFT_QPSK	20.23	PASS
n41	30	10	500202	24@0	DFT_16QAM	18.31	PASS
n41	30	10	500202	12@6	DFT_16QAM	19.31	PASS
n41	30	10	500202	1@1	DFT_16QAM	19.22	PASS
n41	30	10	500202	1@22	DFT_16QAM	19.27	PASS
n41	30	10	500202	24@0	DFT_64QAM	17.06	PASS
n41	30	10	500202	12@6	DFT_64QAM	17.79	PASS
n41	30	10	500202	1@1	DFT_64QAM	18.01	PASS
n41	30	10	500202	1@22	DFT_64QAM	18.3	PASS
n41	30	10	500202	24@0	DFT_256QAM	17.69	PASS
n41	30	10	500202	12@6	DFT_256QAM	15.83	PASS
n41	30	10	500202	1@1	DFT_256QAM	15.09	PASS
n41	30	10	500202	1@22	DFT_256QAM	15.88	PASS
n41	30	10	500202	24@0	CP_QPSK	17.9	PASS
n41	30	10	500202	12@6	CP_QPSK	18.89	PASS
n41	30	10	500202	1@1	CP_QPSK	18.76	PASS
n41	30	10	500202	1@22	CP_QPSK	18.6	PASS
n41	30	10	500202	24@0	CP_16QAM	17.33	PASS
n41	30	10	500202	12@6	CP_16QAM	17.5	PASS
n41	30	10	500202	1@1	CP_16QAM	18.26	PASS
n41	30	10	500202	1@22	CP_16QAM	18.31	PASS
n41	30	10	500202	24@0	CP_64QAM	16.5	PASS



n41	30	10	500202	12@6	CP_64QAM	16.93	PASS
n41	30	10	500202	1@1	CP_64QAM	16.75	PASS
n41	30	10	500202	1@22	CP_64QAM	15.3	PASS
n41	30	10	500202	24@0	CP_256QAM	14.06	PASS
n41	30	10	500202	12@6	CP_256QAM	14.6	PASS
n41	30	10	500202	1@1	CP_256QAM	14.17	PASS
n41	30	10	500202	1@22	CP_256QAM	14.5	PASS
n41	30	10	518598	24@0	DFT_BPSK	19.88	PASS
n41	30	10	518598	12@6	DFT_BPSK	20.4	PASS
n41	30	10	518598	1@1	DFT_BPSK	20.26	PASS
n41	30	10	518598	1@22	DFT_BPSK	20.35	PASS
n41	30	10	518598	24@0	DFT_QPSK	19.38	PASS
n41	30	10	518598	12@6	DFT_QPSK	20.43	PASS
n41	30	10	518598	1@1	DFT_QPSK	20.31	PASS
n41	30	10	518598	1@22	DFT_QPSK	20.3	PASS
n41	30	10	518598	24@0	DFT_16QAM	18.38	PASS
n41	30	10	518598	12@6	DFT_16QAM	19.4	PASS
n41	30	10	518598	1@1	DFT_16QAM	19.28	PASS
n41	30	10	518598	1@22	DFT_16QAM	19.38	PASS
n41	30	10	518598	24@0	DFT_64QAM	17.2	PASS
n41	30	10	518598	12@6	DFT_64QAM	17.86	PASS
n41	30	10	518598	1@1	DFT_64QAM	18.01	PASS
n41	30	10	518598	1@22	DFT_64QAM	18.07	PASS
n41	30	10	518598	24@0	DFT_256QAM	15.3	PASS
n41	30	10	518598	12@6	DFT_256QAM	15.88	PASS
n41	30	10	518598	1@1	DFT_256QAM	15.9	PASS
n41	30	10	518598	1@22	DFT_256QAM	16.01	PASS
n41	30	10	518598	24@0	CP_QPSK	17.8	PASS
n41	30	10	518598	12@6	CP_QPSK	18.92	PASS
n41	30	10	518598	1@1	CP_QPSK	18.3	PASS
n41	30	10	518598	1@22	CP_QPSK	18.87	PASS



n41	30	10	518598	24@0	CP_16QAM	18.2	PASS
n41	30	10	518598	12@6	CP_16QAM	18.68	PASS
n41	30	10	518598	1@1	CP_16QAM	18.3	PASS
n41	30	10	518598	1@22	CP_16QAM	18.1	PASS
n41	30	10	518598	24@0	CP_64QAM	16.88	PASS
n41	30	10	518598	12@6	CP_64QAM	16.5	PASS
n41	30	10	518598	1@1	CP_64QAM	16.78	PASS
n41	30	10	518598	1@22	CP_64QAM	16.3	PASS
n41	30	10	518598	24@0	CP_256QAM	13.88	PASS
n41	30	10	518598	12@6	CP_256QAM	13.5	PASS
n41	30	10	518598	1@1	CP_256QAM	14	PASS
n41	30	10	518598	1@22	CP_256QAM	14.12	PASS
n41	30	10	537000	24@0	DFT_BPSK	20.13	PASS
n41	30	10	537000	12@6	DFT_BPSK	20.65	PASS
n41	30	10	537000	1@1	DFT_BPSK	20.52	PASS
n41	30	10	537000	1@22	DFT_BPSK	20.57	PASS
n41	30	10	537000	24@0	DFT_QPSK	19.64	PASS
n41	30	10	537000	12@6	DFT_QPSK	20.67	PASS
n41	30	10	537000	1@1	DFT_QPSK	20.55	PASS
n41	30	10	537000	1@22	DFT_QPSK	20.56	PASS
n41	30	10	537000	24@0	DFT_16QAM	18.9	PASS
n41	30	10	537000	12@6	DFT_16QAM	19.64	PASS
n41	30	10	537000	1@1	DFT_16QAM	19.51	PASS
n41	30	10	537000	1@22	DFT_16QAM	19.58	PASS
n41	30	10	537000	24@0	DFT_64QAM	18.3	PASS
n41	30	10	537000	12@6	DFT_64QAM	18.13	PASS
n41	30	10	537000	1@1	DFT_64QAM	18.5	PASS
n41	30	10	537000	1@22	DFT_64QAM	18.33	PASS
n41	30	10	537000	24@0	DFT_256QAM	16.3	PASS
n41	30	10	537000	12@6	DFT_256QAM	16.14	PASS
n41	30	10	537000	1@1	DFT_256QAM	16.5	PASS



n41	30	10	537000	1@22	DFT_256QAM	16.19	PASS
n41	30	10	537000	24@0	CP_QPSK	17.62	PASS
n41	30	10	537000	12@6	CP_QPSK	19.15	PASS
n41	30	10	537000	1@1	CP_QPSK	19.02	PASS
n41	30	10	537000	1@22	CP_QPSK	19.05	PASS
n41	30	10	537000	24@0	CP_16QAM	17.6	PASS
n41	30	10	537000	12@6	CP_16QAM	18.8	PASS
n41	30	10	537000	1@1	CP_16QAM	18.57	PASS
n41	30	10	537000	1@22	CP_16QAM	18.56	PASS
n41	30	10	537000	24@0	CP_64QAM	16.9	PASS
n41	30	10	537000	12@6	CP_64QAM	17.15	PASS
n41	30	10	537000	1@1	CP_64QAM	16.97	PASS
n41	30	10	537000	1@22	CP_64QAM	16.5	PASS
n41	30	10	537000	24@0	CP_256QAM	14.13	PASS
n41	30	10	537000	12@6	CP_256QAM	14.2	PASS
n41	30	10	537000	1@1	CP_256QAM	14.25	PASS
n41	30	10	537000	1@22	CP_256QAM	14.27	PASS
n41	30	15	500700	36@0	DFT_BPSK	20.01	PASS
n41	30	15	500700	18@9	DFT_BPSK	20.54	PASS
n41	30	15	500700	1@1	DFT_BPSK	20.45	PASS
n41	30	15	500700	1@36	DFT_BPSK	20.43	PASS
n41	30	15	500700	36@0	DFT_QPSK	19.54	PASS
n41	30	15	500700	18@9	DFT_QPSK	20.57	PASS
n41	30	15	500700	1@1	DFT_QPSK	20.47	PASS
n41	30	15	500700	1@36	DFT_QPSK	20.52	PASS
n41	30	15	500700	36@0	DFT_16QAM	18.6	PASS
n41	30	15	500700	18@9	DFT_16QAM	19.51	PASS
n41	30	15	500700	1@1	DFT_16QAM	19.46	PASS
n41	30	15	500700	1@36	DFT_16QAM	19.43	PASS
n41	30	15	500700	36@0	DFT_64QAM	17.8	PASS
n41	30	15	500700	18@9	DFT_64QAM	18.05	PASS



n41	30	15	500700	1@1	DFT_64QAM	18.5	PASS
n41	30	15	500700	1@36	DFT_64QAM	18.18	PASS
n41	30	15	500700	36@0	DFT_256QAM	16.2	PASS
n41	30	15	500700	18@9	DFT_256QAM	16.01	PASS
n41	30	15	500700	1@1	DFT_256QAM	16.06	PASS
n41	30	15	500700	1@36	DFT_256QAM	16.4	PASS
n41	30	15	500700	38@0	CP_QPSK	17.9	PASS
n41	30	15	500700	19@9	CP_QPSK	19.01	PASS
n41	30	15	500700	1@1	CP_QPSK	19.3	PASS
n41	30	15	500700	1@36	CP_QPSK	18.96	PASS
n41	30	15	500700	38@0	CP_16QAM	17.49	PASS
n41	30	15	500700	19@9	CP_16QAM	18.6	PASS
n41	30	15	500700	1@1	CP_16QAM	18.41	PASS
n41	30	15	500700	1@36	CP_16QAM	18.4	PASS
n41	30	15	500700	38@0	CP_64QAM	17.02	PASS
n41	30	15	500700	19@9	CP_64QAM	17.04	PASS
n41	30	15	500700	1@1	CP_64QAM	17.12	PASS
n41	30	15	500700	1@36	CP_64QAM	16.91	PASS
n41	30	15	500700	38@0	CP_256QAM	14.5	PASS
n41	30	15	500700	19@9	CP_256QAM	14.1	PASS
n41	30	15	500700	1@1	CP_256QAM	14.7	PASS
n41	30	15	500700	1@36	CP_256QAM	14.21	PASS
n41	30	15	518598	36@0	DFT_BPSK	20.01	PASS
n41	30	15	518598	18@9	DFT_BPSK	20.49	PASS
n41	30	15	518598	1@1	DFT_BPSK	20.34	PASS
n41	30	15	518598	1@36	DFT_BPSK	20.44	PASS
n41	30	15	518598	36@0	DFT_QPSK	19.48	PASS
n41	30	15	518598	18@9	DFT_QPSK	20.51	PASS
n41	30	15	518598	1@1	DFT_QPSK	20.31	PASS
n41	30	15	518598	1@36	DFT_QPSK	20.4	PASS
n41	30	15	518598	36@0	DFT_16QAM	18.3	PASS



n41	30	15	518598	18@9	DFT_16QAM	19.47	PASS
n41	30	15	518598	1@1	DFT_16QAM	19.38	PASS
n41	30	15	518598	1@36	DFT_16QAM	19.43	PASS
n41	30	15	518598	36@0	DFT_64QAM	16.8	PASS
n41	30	15	518598	18@9	DFT_64QAM	17.98	PASS
n41	30	15	518598	1@1	DFT_64QAM	17.89	PASS
n41	30	15	518598	1@36	DFT_64QAM	17.5	PASS
n41	30	15	518598	36@0	DFT_256QAM	15.8	PASS
n41	30	15	518598	18@9	DFT_256QAM	15.95	PASS
n41	30	15	518598	1@1	DFT_256QAM	16.5	PASS
n41	30	15	518598	1@36	DFT_256QAM	16.03	PASS
n41	30	15	518598	38@0	CP_QPSK	17.51	PASS
n41	30	15	518598	19@9	CP_QPSK	18.5	PASS
n41	30	15	518598	1@1	CP_QPSK	18.9	PASS
n41	30	15	518598	1@36	CP_QPSK	18.6	PASS
n41	30	15	518598	38@0	CP_16QAM	17.49	PASS
n41	30	15	518598	19@9	CP_16QAM	18.45	PASS
n41	30	15	518598	1@1	CP_16QAM	18.4	PASS
n41	30	15	518598	1@36	CP_16QAM	18.44	PASS
n41	30	15	518598	38@0	CP_64QAM	16.4	PASS
n41	30	15	518598	19@9	CP_64QAM	16.95	PASS
n41	30	15	518598	1@1	CP_64QAM	16.3	PASS
n41	30	15	518598	1@36	CP_64QAM	16.89	PASS
n41	30	15	518598	38@0	CP_256QAM	13.97	PASS
n41	30	15	518598	19@9	CP_256QAM	14.3	PASS
n41	30	15	518598	1@1	CP_256QAM	14.05	PASS
n41	30	15	518598	1@36	CP_256QAM	14.5	PASS
n41	30	15	536496	36@0	DFT_BPSK	20.26	PASS
n41	30	15	536496	18@9	DFT_BPSK	20.76	PASS
n41	30	15	536496	1@1	DFT_BPSK	20.63	PASS
n41	30	15	536496	1@36	DFT_BPSK	20.67	PASS



n41	30	15	536496	36@0	DFT_QPSK	19.75	PASS
n41	30	15	536496	18@9	DFT_QPSK	20.8	PASS
n41	30	15	536496	1@1	DFT_QPSK	20.76	PASS
n41	30	15	536496	1@36	DFT_QPSK	20.74	PASS
n41	30	15	536496	36@0	DFT_16QAM	19.2	PASS
n41	30	15	536496	18@9	DFT_16QAM	19.72	PASS
n41	30	15	536496	1@1	DFT_16QAM	19.63	PASS
n41	30	15	536496	1@36	DFT_16QAM	19.67	PASS
n41	30	15	536496	36@0	DFT_64QAM	18.1	PASS
n41	30	15	536496	18@9	DFT_64QAM	18.24	PASS
n41	30	15	536496	1@1	DFT_64QAM	18.3	PASS
n41	30	15	536496	1@36	DFT_64QAM	18.43	PASS
n41	30	15	536496	36@0	DFT_256QAM	15.3	PASS
n41	30	15	536496	18@9	DFT_256QAM	16.22	PASS
n41	30	15	536496	1@1	DFT_256QAM	16.25	PASS
n41	30	15	536496	1@36	DFT_256QAM	16.2	PASS
n41	30	15	536496	38@0	CP_QPSK	17.5	PASS
n41	30	15	536496	19@9	CP_QPSK	19.21	PASS
n41	30	15	536496	1@1	CP_QPSK	19.14	PASS
n41	30	15	536496	1@36	CP_QPSK	19.16	PASS
n41	30	15	536496	38@0	CP_16QAM	18.2	PASS
n41	30	15	536496	19@9	CP_16QAM	18.7	PASS
n41	30	15	536496	1@1	CP_16QAM	18.6	PASS
n41	30	15	536496	1@36	CP_16QAM	18.1	PASS
n41	30	15	536496	38@0	CP_64QAM	17.24	PASS
n41	30	15	536496	19@9	CP_64QAM	17.3	PASS
n41	30	15	536496	1@1	CP_64QAM	17.1	PASS
n41	30	15	536496	1@36	CP_64QAM	17.1	PASS
n41	30	15	536496	38@0	CP_256QAM	14.2	PASS
n41	30	15	536496	19@9	CP_256QAM	14.5	PASS
n41	30	15	536496	1@1	CP_256QAM	14.34	PASS



n41	30	15	536496	1@36	CP_256QAM	14.7	PASS
n41	30	20	501204	50@0	DFT_BPSK	19.99	PASS
n41	30	20	501204	25@12	DFT_BPSK	20.55	PASS
n41	30	20	501204	1@1	DFT_BPSK	20.37	PASS
n41	30	20	501204	1@49	DFT_BPSK	20.35	PASS
n41	30	20	501204	50@0	DFT_QPSK	19.5	PASS
n41	30	20	501204	25@12	DFT_QPSK	20.55	PASS
n41	30	20	501204	1@1	DFT_QPSK	20.46	PASS
n41	30	20	501204	1@49	DFT_QPSK	20.3	PASS
n41	30	20	501204	50@0	DFT_16QAM	18.52	PASS
n41	30	20	501204	25@12	DFT_16QAM	19.54	PASS
n41	30	20	501204	1@1	DFT_16QAM	19.39	PASS
n41	30	20	501204	1@49	DFT_16QAM	19.39	PASS
n41	30	20	501204	50@0	DFT_64QAM	17.3	PASS
n41	30	20	501204	25@12	DFT_64QAM	17.91	PASS
n41	30	20	501204	1@1	DFT_64QAM	17.1	PASS
n41	30	20	501204	1@49	DFT_64QAM	18.08	PASS
n41	30	20	501204	50@0	DFT_256QAM	16.2	PASS
n41	30	20	501204	25@12	DFT_256QAM	16.02	PASS
n41	30	20	501204	1@1	DFT_256QAM	16.2	PASS
n41	30	20	501204	1@49	DFT_256QAM	15.91	PASS
n41	30	20	501204	51@0	CP_QPSK	17.46	PASS
n41	30	20	501204	25@12	CP_QPSK	19.04	PASS
n41	30	20	501204	1@1	CP_QPSK	18.9	PASS
n41	30	20	501204	1@49	CP_QPSK	18.85	PASS
n41	30	20	501204	51@0	CP_16QAM	17.5	PASS
n41	30	20	501204	25@12	CP_16QAM	18.52	PASS
n41	30	20	501204	1@1	CP_16QAM	18.3	PASS
n41	30	20	501204	1@49	CP_16QAM	18.32	PASS
n41	30	20	501204	51@0	CP_64QAM	16.94	PASS
n41	30	20	501204	25@12	CP_64QAM	16.5	PASS



n41	30	20	501204	1@1	CP_64QAM	16.86	PASS
n41	30	20	501204	1@49	CP_64QAM	16.2	PASS
n41	30	20	501204	51@0	CP_256QAM	16.81	PASS
n41	30	20	501204	25@12	CP_256QAM	14.3	PASS
n41	30	20	501204	1@1	CP_256QAM	14.2	PASS
n41	30	20	501204	1@49	CP_256QAM	14.8	PASS
n41	30	20	518598	50@0	DFT_BPSK	20.07	PASS
n41	30	20	518598	25@12	DFT_BPSK	20.59	PASS
n41	30	20	518598	1@1	DFT_BPSK	20.36	PASS
n41	30	20	518598	1@49	DFT_BPSK	20.45	PASS
n41	30	20	518598	50@0	DFT_QPSK	19.56	PASS
n41	30	20	518598	25@12	DFT_QPSK	20.62	PASS
n41	30	20	518598	1@1	DFT_QPSK	20.48	PASS
n41	30	20	518598	1@49	DFT_QPSK	20.53	PASS
n41	30	20	518598	50@0	DFT_16QAM	18.57	PASS
n41	30	20	518598	25@12	DFT_16QAM	19.62	PASS
n41	30	20	518598	1@1	DFT_16QAM	19.38	PASS
n41	30	20	518598	1@49	DFT_16QAM	19.45	PASS
n41	30	20	518598	50@0	DFT_64QAM	17.8	PASS
n41	30	20	518598	25@12	DFT_64QAM	18	PASS
n41	30	20	518598	1@1	DFT_64QAM	18.07	PASS
n41	30	20	518598	1@49	DFT_64QAM	17.6	PASS
n41	30	20	518598	50@0	DFT_256QAM	16.3	PASS
n41	30	20	518598	25@12	DFT_256QAM	15.6	PASS
n41	30	20	518598	1@1	DFT_256QAM	15.96	PASS
n41	30	20	518598	1@49	DFT_256QAM	16.04	PASS
n41	30	20	518598	51@0	CP_QPSK	17.9	PASS
n41	30	20	518598	25@12	CP_QPSK	19.08	PASS
n41	30	20	518598	1@1	CP_QPSK	18.6	PASS
n41	30	20	518598	1@49	CP_QPSK	18.92	PASS
n41	30	20	518598	51@0	CP_16QAM	17.5	PASS



n41	30	20	518598	25@12	CP_16QAM	17.6	PASS
n41	30	20	518598	1@1	CP_16QAM	18.37	PASS
n41	30	20	518598	1@49	CP_16QAM	17.9	PASS
n41	30	20	518598	51@0	CP_64QAM	16.98	PASS
n41	30	20	518598	25@12	CP_64QAM	16.4	PASS
n41	30	20	518598	1@1	CP_64QAM	16.83	PASS
n41	30	20	518598	1@49	CP_64QAM	16.3	PASS
n41	30	20	518598	51@0	CP_256QAM	14.3	PASS
n41	30	20	518598	25@12	CP_256QAM	14.1	PASS
n41	30	20	518598	1@1	CP_256QAM	14.01	PASS
n41	30	20	518598	1@49	CP_256QAM	14.5	PASS
n41	30	20	535998	50@0	DFT_BPSK	20.32	PASS
n41	30	20	535998	25@12	DFT_BPSK	20.82	PASS
n41	30	20	535998	1@1	DFT_BPSK	20.63	PASS
n41	30	20	535998	1@49	DFT_BPSK	20.67	PASS
n41	30	20	535998	50@0	DFT_QPSK	19.8	PASS
n41	30	20	535998	25@12	DFT_QPSK	20.85	PASS
n41	30	20	535998	1@1	DFT_QPSK	20.63	PASS
n41	30	20	535998	1@49	DFT_QPSK	20.62	PASS
n41	30	20	535998	50@0	DFT_16QAM	17.6	PASS
n41	30	20	535998	25@12	DFT_16QAM	19.82	PASS
n41	30	20	535998	1@1	DFT_16QAM	19.66	PASS
n41	30	20	535998	1@49	DFT_16QAM	19.7	PASS
n41	30	20	535998	50@0	DFT_64QAM	17.9	PASS
n41	30	20	535998	25@12	DFT_64QAM	18.26	PASS
n41	30	20	535998	1@1	DFT_64QAM	18.1	PASS
n41	30	20	535998	1@49	DFT_64QAM	18.17	PASS
n41	30	20	535998	50@0	DFT_256QAM	16.2	PASS
n41	30	20	535998	25@12	DFT_256QAM	16.33	PASS
n41	30	20	535998	1@1	DFT_256QAM	16.28	PASS
n41	30	20	535998	1@49	DFT_256QAM	16.1	PASS



n41	30	20	535998	51@0	CP_QPSK	18.2	PASS
n41	30	20	535998	25@12	CP_QPSK	19.35	PASS
n41	30	20	535998	1@1	CP_QPSK	19.15	PASS
n41	30	20	535998	1@49	CP_QPSK	19.17	PASS
n41	30	20	535998	51@0	CP_16QAM	17.8	PASS
n41	30	20	535998	25@12	CP_16QAM	18.84	PASS
n41	30	20	535998	1@1	CP_16QAM	18.62	PASS
n41	30	20	535998	1@49	CP_16QAM	18.5	PASS
n41	30	20	535998	51@0	CP_64QAM	17.24	PASS
n41	30	20	535998	25@12	CP_64QAM	17.5	PASS
n41	30	20	535998	1@1	CP_64QAM	17.04	PASS
n41	30	20	535998	1@49	CP_64QAM	17.3	PASS
n41	30	20	535998	51@0	CP_256QAM	14.1	PASS
n41	30	20	535998	25@12	CP_256QAM	14.37	PASS
n41	30	20	535998	1@1	CP_256QAM	14.5	PASS
n41	30	20	535998	1@49	CP_256QAM	14.35	PASS
n41	30	30	502200	75@0	DFT_BPSK	20.06	PASS
n41	30	30	502200	36@18	DFT_BPSK	20.64	PASS
n41	30	30	502200	1@1	DFT_BPSK	20.34	PASS
n41	30	30	502200	1@76	DFT_BPSK	20.32	PASS
n41	30	30	502200	75@0	DFT_QPSK	19.54	PASS
n41	30	30	502200	36@18	DFT_QPSK	20.67	PASS
n41	30	30	502200	1@1	DFT_QPSK	20.41	PASS
n41	30	30	502200	1@76	DFT_QPSK	20.33	PASS
n41	30	30	502200	75@0	DFT_16QAM	18.6	PASS
n41	30	30	502200	36@18	DFT_16QAM	19.64	PASS
n41	30	30	502200	1@1	DFT_16QAM	19.38	PASS
n41	30	30	502200	1@76	DFT_16QAM	19.32	PASS
n41	30	30	502200	75@0	DFT_64QAM	17.9	PASS
n41	30	30	502200	36@18	DFT_64QAM	18.16	PASS
n41	30	30	502200	1@1	DFT_64QAM	18.08	PASS



n41	30	30	502200	1@76	DFT_64QAM	18.1	PASS
n41	30	30	502200	75@0	DFT_256QAM	16.1	PASS
n41	30	30	502200	36@18	DFT_256QAM	16.13	PASS
n41	30	30	502200	1@1	DFT_256QAM	15.8	PASS
n41	30	30	502200	1@76	DFT_256QAM	15.9	PASS
n41	30	30	502200	78@0	CP_QPSK	17.55	PASS
n41	30	30	502200	39@19	CP_QPSK	19.13	PASS
n41	30	30	502200	1@1	CP_QPSK	19.6	PASS
n41	30	30	502200	1@76	CP_QPSK	18.82	PASS
n41	30	30	502200	78@0	CP_16QAM	18.2	PASS
n41	30	30	502200	39@19	CP_16QAM	18.64	PASS
n41	30	30	502200	1@1	CP_16QAM	18.34	PASS
n41	30	30	502200	1@76	CP_16QAM	18.5	PASS
n41	30	30	502200	78@0	CP_64QAM	17.1	PASS
n41	30	30	502200	39@19	CP_64QAM	17.13	PASS
n41	30	30	502200	1@1	CP_64QAM	17.6	PASS
n41	30	30	502200	1@76	CP_64QAM	16.78	PASS
n41	30	30	502200	78@0	CP_256QAM	14.14	PASS
n41	30	30	502200	39@19	CP_256QAM	14.5	PASS
n41	30	30	502200	1@1	CP_256QAM	14.2	PASS
n41	30	30	502200	1@76	CP_256QAM	14.9	PASS
n41	30	30	518598	75@0	DFT_BPSK	20.09	PASS
n41	30	30	518598	36@18	DFT_BPSK	20.63	PASS
n41	30	30	518598	1@1	DFT_BPSK	20.28	PASS
n41	30	30	518598	1@76	DFT_BPSK	20.35	PASS
n41	30	30	518598	75@0	DFT_QPSK	19.58	PASS
n41	30	30	518598	36@18	DFT_QPSK	20.65	PASS
n41	30	30	518598	1@1	DFT_QPSK	20.38	PASS
n41	30	30	518598	1@76	DFT_QPSK	20.48	PASS
n41	30	30	518598	75@0	DFT_16QAM	18.56	PASS
n41	30	30	518598	36@18	DFT_16QAM	19.62	PASS



n41	30	30	518598	1@1	DFT_16QAM	19.28	PASS
n41	30	30	518598	1@76	DFT_16QAM	19.37	PASS
n41	30	30	518598	75@0	DFT_64QAM	17.8	PASS
n41	30	30	518598	36@18	DFT_64QAM	18.14	PASS
n41	30	30	518598	1@1	DFT_64QAM	17.96	PASS
n41	30	30	518598	1@76	DFT_64QAM	18.3	PASS
n41	30	30	518598	75@0	DFT_256QAM	15.3	PASS
n41	30	30	518598	36@18	DFT_256QAM	15.1	PASS
n41	30	30	518598	1@1	DFT_256QAM	15.9	PASS
n41	30	30	518598	1@76	DFT_256QAM	15.11	PASS
n41	30	30	518598	78@0	CP_QPSK	17.89	PASS
n41	30	30	518598	39@19	CP_QPSK	19.11	PASS
n41	30	30	518598	1@1	CP_QPSK	19.2	PASS
n41	30	30	518598	1@76	CP_QPSK	18.83	PASS
n41	30	30	518598	78@0	CP_16QAM	18.1	PASS
n41	30	30	518598	39@19	CP_16QAM	18.65	PASS
n41	30	30	518598	1@1	CP_16QAM	18.28	PASS
n41	30	30	518598	1@76	CP_16QAM	18.2	PASS
n41	30	30	518598	78@0	CP_64QAM	17.3	PASS
n41	30	30	518598	39@19	CP_64QAM	17.07	PASS
n41	30	30	518598	1@1	CP_64QAM	17.1	PASS
n41	30	30	518598	1@76	CP_64QAM	16.8	PASS
n41	30	30	518598	78@0	CP_256QAM	14.02	PASS
n41	30	30	518598	39@19	CP_256QAM	14.5	PASS
n41	30	30	518598	1@1	CP_256QAM	14.03	PASS
n41	30	30	518598	1@76	CP_256QAM	14.1	PASS
n41	30	30	534996	75@0	DFT_BPSK	19.2	PASS
n41	30	30	534996	36@18	DFT_BPSK	20.83	PASS
n41	30	30	534996	1@1	DFT_BPSK	20.5	PASS
n41	30	30	534996	1@76	DFT_BPSK	20.59	PASS
n41	30	30	534996	75@0	DFT_QPSK	19.78	PASS



n41	30	30	534996	36@18	DFT_QPSK	20.88	PASS
n41	30	30	534996	1@1	DFT_QPSK	20.61	PASS
n41	30	30	534996	1@76	DFT_QPSK	20.68	PASS
n41	30	30	534996	75@0	DFT_16QAM	18.77	PASS
n41	30	30	534996	36@18	DFT_16QAM	19.86	PASS
n41	30	30	534996	1@1	DFT_16QAM	19.49	PASS
n41	30	30	534996	1@76	DFT_16QAM	19.6	PASS
n41	30	30	534996	75@0	DFT_64QAM	18.1	PASS
n41	30	30	534996	36@18	DFT_64QAM	18.38	PASS
n41	30	30	534996	1@1	DFT_64QAM	18.5	PASS
n41	30	30	534996	1@76	DFT_64QAM	18.3	PASS
n41	30	30	534996	75@0	DFT_256QAM	16.3	PASS
n41	30	30	534996	36@18	DFT_256QAM	16.33	PASS
n41	30	30	534996	1@1	DFT_256QAM	16.12	PASS
n41	30	30	534996	1@76	DFT_256QAM	16.4	PASS
n41	30	30	534996	78@0	CP_QPSK	18.6	PASS
n41	30	30	534996	39@19	CP_QPSK	19.5	PASS
n41	30	30	534996	1@1	CP_QPSK	19	PASS
n41	30	30	534996	1@76	CP_QPSK	19.03	PASS
n41	30	30	534996	78@0	CP_16QAM	18.4	PASS
n41	30	30	534996	39@19	CP_16QAM	18.85	PASS
n41	30	30	534996	1@1	CP_16QAM	18.6	PASS
n41	30	30	534996	1@76	CP_16QAM	18.52	PASS
n41	30	30	534996	78@0	CP_64QAM	17.1	PASS
n41	30	30	534996	39@19	CP_64QAM	17.3	PASS
n41	30	30	534996	1@1	CP_64QAM	17	PASS
n41	30	30	534996	1@76	CP_64QAM	17.23	PASS
n41	30	30	534996	78@0	CP_256QAM	14.33	PASS
n41	30	30	534996	39@19	CP_256QAM	14.31	PASS
n41	30	30	534996	1@1	CP_256QAM	14.24	PASS
n41	30	30	534996	1@76	CP_256QAM	14.05	PASS



n41	30	40	503202	100@0	DFT_BPSK	19.99	PASS
n41	30	40	503202	50@25	DFT_BPSK	20.62	PASS
n41	30	40	503202	1@1	DFT_BPSK	20.15	PASS
n41	30	40	503202	1@104	DFT_BPSK	20.13	PASS
n41	30	40	503202	100@0	DFT_QPSK	19.48	PASS
n41	30	40	503202	50@25	DFT_QPSK	20.64	PASS
n41	30	40	503202	1@1	DFT_QPSK	20.19	PASS
n41	30	40	503202	1@104	DFT_QPSK	20.18	PASS
n41	30	40	503202	100@0	DFT_16QAM	18.47	PASS
n41	30	40	503202	50@25	DFT_16QAM	19.64	PASS
n41	30	40	503202	1@1	DFT_16QAM	19.16	PASS
n41	30	40	503202	1@104	DFT_16QAM	19.15	PASS
n41	30	40	503202	100@0	DFT_64QAM	18.3	PASS
n41	30	40	503202	50@25	DFT_64QAM	18.08	PASS
n41	30	40	503202	1@1	DFT_64QAM	17.85	PASS
n41	30	40	503202	1@104	DFT_64QAM	18.1	PASS
n41	30	40	503202	100@0	DFT_256QAM	16.2	PASS
n41	30	40	503202	50@25	DFT_256QAM	16.3	PASS
n41	30	40	503202	1@1	DFT_256QAM	15.79	PASS
n41	30	40	503202	1@104	DFT_256QAM	15.75	PASS
n41	30	40	503202	106@0	CP_QPSK	18.2	PASS
n41	30	40	503202	53@26	CP_QPSK	19.06	PASS
n41	30	40	503202	1@1	CP_QPSK	18.67	PASS
n41	30	40	503202	1@104	CP_QPSK	18.65	PASS
n41	30	40	503202	106@0	CP_16QAM	18.1	PASS
n41	30	40	503202	53@26	CP_16QAM	18.6	PASS
n41	30	40	503202	1@1	CP_16QAM	18.15	PASS
n41	30	40	503202	1@104	CP_16QAM	18.3	PASS
n41	30	40	503202	106@0	CP_64QAM	17.2	PASS
n41	30	40	503202	53@26	CP_64QAM	17.05	PASS
n41	30	40	503202	1@1	CP_64QAM	17.2	PASS



n41	30	40	503202	1@104	CP_64QAM	16.59	PASS
n41	30	40	503202	106@0	CP_256QAM	14.1	PASS
n41	30	40	503202	53@26	CP_256QAM	14.18	PASS
n41	30	40	503202	1@1	CP_256QAM	14.02	PASS
n41	30	40	503202	1@104	CP_256QAM	14.3	PASS
n41	30	40	518598	100@0	DFT_BPSK	20.04	PASS
n41	30	40	518598	50@25	DFT_BPSK	20.7	PASS
n41	30	40	518598	1@1	DFT_BPSK	20.1	PASS
n41	30	40	518598	1@104	DFT_BPSK	20.19	PASS
n41	30	40	518598	100@0	DFT_QPSK	19.54	PASS
n41	30	40	518598	50@25	DFT_QPSK	20.71	PASS
n41	30	40	518598	1@1	DFT_QPSK	20.16	PASS
n41	30	40	518598	1@104	DFT_QPSK	20.25	PASS
n41	30	40	518598	100@0	DFT_16QAM	18.52	PASS
n41	30	40	518598	50@25	DFT_16QAM	19.73	PASS
n41	30	40	518598	1@1	DFT_16QAM	19.09	PASS
n41	30	40	518598	1@104	DFT_16QAM	19.2	PASS
n41	30	40	518598	100@0	DFT_64QAM	17.5	PASS
n41	30	40	518598	50@25	DFT_64QAM	18.18	PASS
n41	30	40	518598	1@1	DFT_64QAM	17.75	PASS
n41	30	40	518598	1@104	DFT_64QAM	17.3	PASS
n41	30	40	518598	100@0	DFT_256QAM	16.1	PASS
n41	30	40	518598	50@25	DFT_256QAM	16.16	PASS
n41	30	40	518598	1@1	DFT_256QAM	16.6	PASS
n41	30	40	518598	1@104	DFT_256QAM	15.8	PASS
n41	30	40	518598	106@0	CP_QPSK	17.8	PASS
n41	30	40	518598	53@26	CP_QPSK	19.15	PASS
n41	30	40	518598	1@1	CP_QPSK	18.5	PASS
n41	30	40	518598	1@104	CP_QPSK	18.71	PASS
n41	30	40	518598	106@0	CP_16QAM	17.5	PASS
n41	30	40	518598	53@26	CP_16QAM	17.6	PASS



n41	30	40	518598	1@1	CP_16QAM	18.11	PASS
n41	30	40	518598	1@104	CP_16QAM	18.2	PASS
n41	30	40	518598	106@0	CP_64QAM	17.1	PASS
n41	30	40	518598	53@26	CP_64QAM	17.09	PASS
n41	30	40	518598	1@1	CP_64QAM	16.58	PASS
n41	30	40	518598	1@104	CP_64QAM	16.5	PASS
n41	30	40	518598	106@0	CP_256QAM	14.3	PASS
n41	30	40	518598	53@26	CP_256QAM	14.3	PASS
n41	30	40	518598	1@1	CP_256QAM	14.11	PASS
n41	30	40	518598	1@104	CP_256QAM	14.5	PASS
n41	30	40	534000	100@0	DFT_BPSK	20.33	PASS
n41	30	40	534000	50@25	DFT_BPSK	20.94	PASS
n41	30	40	534000	1@1	DFT_BPSK	20.25	PASS
n41	30	40	534000	1@104	DFT_BPSK	20.5	PASS
n41	30	40	534000	100@0	DFT_QPSK	19.81	PASS
n41	30	40	534000	50@25	DFT_QPSK	20.97	PASS
n41	30	40	534000	1@1	DFT_QPSK	20.28	PASS
n41	30	40	534000	1@104	DFT_QPSK	20.56	PASS
n41	30	40	534000	100@0	DFT_16QAM	18.6	PASS
n41	30	40	534000	50@25	DFT_16QAM	19.99	PASS
n41	30	40	534000	1@1	DFT_16QAM	19.26	PASS
n41	30	40	534000	1@104	DFT_16QAM	19.52	PASS
n41	30	40	534000	100@0	DFT_64QAM	18.4	PASS
n41	30	40	534000	50@25	DFT_64QAM	18.42	PASS
n41	30	40	534000	1@1	DFT_64QAM	18.2	PASS
n41	30	40	534000	1@104	DFT_64QAM	18.21	PASS
n41	30	40	534000	100@0	DFT_256QAM	16.4	PASS
n41	30	40	534000	50@25	DFT_256QAM	16.42	PASS
n41	30	40	534000	1@1	DFT_256QAM	15.88	PASS
n41	30	40	534000	1@104	DFT_256QAM	16.1	PASS
n41	30	40	534000	106@0	CP_QPSK	18.1	PASS



n41	30	40	534000	53@26	CP_QPSK	19.39	PASS
n41	30	40	534000	1@1	CP_QPSK	18.9	PASS
n41	30	40	534000	1@104	CP_QPSK	19.01	PASS
n41	30	40	534000	106@0	CP_16QAM	17.74	PASS
n41	30	40	534000	53@26	CP_16QAM	17.9	PASS
n41	30	40	534000	1@1	CP_16QAM	18.27	PASS
n41	30	40	534000	1@104	CP_16QAM	18.1	PASS
n41	30	40	534000	106@0	CP_64QAM	17.25	PASS
n41	30	40	534000	53@26	CP_64QAM	17.4	PASS
n41	30	40	534000	1@1	CP_64QAM	16.7	PASS
n41	30	40	534000	1@104	CP_64QAM	16.3	PASS
n41	30	40	534000	106@0	CP_256QAM	14.21	PASS
n41	30	40	534000	53@26	CP_256QAM	14.2	PASS
n41	30	40	534000	1@1	CP_256QAM	14.02	PASS
n41	30	40	534000	1@104	CP_256QAM	14.2	PASS
n41	30	50	504204	128@0	DFT_BPSK	20.09	PASS
n41	30	50	504204	64@32	DFT_BPSK	20.67	PASS
n41	30	50	504204	1@1	DFT_BPSK	20.48	PASS
n41	30	50	504204	1@131	DFT_BPSK	20.44	PASS
n41	30	50	504204	128@0	DFT_QPSK	19.61	PASS
n41	30	50	504204	64@32	DFT_QPSK	20.67	PASS
n41	30	50	504204	1@1	DFT_QPSK	20.59	PASS
n41	30	50	504204	1@131	DFT_QPSK	20.38	PASS
n41	30	50	504204	128@0	DFT_16QAM	18.59	PASS
n41	30	50	504204	64@32	DFT_16QAM	19.66	PASS
n41	30	50	504204	1@1	DFT_16QAM	19.48	PASS
n41	30	50	504204	1@131	DFT_16QAM	19.44	PASS
n41	30	50	504204	128@0	DFT_64QAM	18.12	PASS
n41	30	50	504204	64@32	DFT_64QAM	18.3	PASS
n41	30	50	504204	1@1	DFT_64QAM	18.22	PASS
n41	30	50	504204	1@131	DFT_64QAM	18.1	PASS



n41	30	50	504204	128@0	DFT_256QAM	16.07	PASS
n41	30	50	504204	64@32	DFT_256QAM	16.5	PASS
n41	30	50	504204	1@1	DFT_256QAM	16.08	PASS
n41	30	50	504204	1@131	DFT_256QAM	16.3	PASS
n41	30	50	504204	133@0	CP_QPSK	18.3	PASS
n41	30	50	504204	67@33	CP_QPSK	19.18	PASS
n41	30	50	504204	1@1	CP_QPSK	19	PASS
n41	30	50	504204	1@131	CP_QPSK	19.2	PASS
n41	30	50	504204	133@0	CP_16QAM	17.56	PASS
n41	30	50	504204	67@33	CP_16QAM	18.7	PASS
n41	30	50	504204	1@1	CP_16QAM	18.45	PASS
n41	30	50	504204	1@131	CP_16QAM	18.3	PASS
n41	30	50	504204	133@0	CP_64QAM	17.46	PASS
n41	30	50	504204	67@33	CP_64QAM	17.2	PASS
n41	30	50	504204	1@1	CP_64QAM	16.95	PASS
n41	30	50	504204	1@131	CP_64QAM	16.1	PASS
n41	30	50	504204	133@0	CP_256QAM	14.2	PASS
n41	30	50	504204	67@33	CP_256QAM	14.22	PASS
n41	30	50	504204	1@1	CP_256QAM	14.35	PASS
n41	30	50	504204	1@131	CP_256QAM	14.3	PASS
n41	30	50	518598	128@0	DFT_BPSK	18.9	PASS
n41	30	50	518598	64@32	DFT_BPSK	20.1	PASS
n41	30	50	518598	1@1	DFT_BPSK	20.42	PASS
n41	30	50	518598	1@131	DFT_BPSK	20.57	PASS
n41	30	50	518598	128@0	DFT_QPSK	19.64	PASS
n41	30	50	518598	64@32	DFT_QPSK	20.75	PASS
n41	30	50	518598	1@1	DFT_QPSK	20.49	PASS
n41	30	50	518598	1@131	DFT_QPSK	20.66	PASS
n41	30	50	518598	128@0	DFT_16QAM	18.63	PASS
n41	30	50	518598	64@32	DFT_16QAM	19.74	PASS
n41	30	50	518598	1@1	DFT_16QAM	19.44	PASS



n41	30	50	518598	1@131	DFT_16QAM	19.55	PASS
n41	30	50	518598	128@0	DFT_64QAM	18.14	PASS
n41	30	50	518598	64@32	DFT_64QAM	18.1	PASS
n41	30	50	518598	1@1	DFT_64QAM	18.07	PASS
n41	30	50	518598	1@131	DFT_64QAM	18.3	PASS
n41	30	50	518598	128@0	DFT_256QAM	16.2	PASS
n41	30	50	518598	64@32	DFT_256QAM	16.18	PASS
n41	30	50	518598	1@1	DFT_256QAM	16.1	PASS
n41	30	50	518598	1@131	DFT_256QAM	16.1	PASS
n41	30	50	518598	133@0	CP_QPSK	18.3	PASS
n41	30	50	518598	67@33	CP_QPSK	19.22	PASS
n41	30	50	518598	1@1	CP_QPSK	18.95	PASS
n41	30	50	518598	1@131	CP_QPSK	19.08	PASS
n41	30	50	518598	133@0	CP_16QAM	18.3	PASS
n41	30	50	518598	67@33	CP_16QAM	18.7	PASS
n41	30	50	518598	1@1	CP_16QAM	18.2	PASS
n41	30	50	518598	1@131	CP_16QAM	18.62	PASS
n41	30	50	518598	133@0	CP_64QAM	17.6	PASS
n41	30	50	518598	67@33	CP_64QAM	17.25	PASS
n41	30	50	518598	1@1	CP_64QAM	17.5	PASS
n41	30	50	518598	1@131	CP_64QAM	17	PASS
n41	30	50	518598	133@0	CP_256QAM	14.05	PASS
n41	30	50	518598	67@33	CP_256QAM	14.3	PASS
n41	30	50	518598	1@1	CP_256QAM	14.03	PASS
n41	30	50	518598	1@131	CP_256QAM	14.2	PASS
n41	30	50	532998	128@0	DFT_BPSK	20.34	PASS
n41	30	50	532998	64@32	DFT_BPSK	20.99	PASS
n41	30	50	532998	1@1	DFT_BPSK	20.59	PASS
n41	30	50	532998	1@131	DFT_BPSK	20.8	PASS
n41	30	50	532998	128@0	DFT_QPSK	19.85	PASS
n41	30	50	532998	64@32	DFT_QPSK	21	PASS



n41	30	50	532998	1@1	DFT_QPSK	20.7	PASS
n41	30	50	532998	1@131	DFT_QPSK	20.89	PASS
n41	30	50	532998	128@0	DFT_16QAM	18.9	PASS
n41	30	50	532998	64@32	DFT_16QAM	19.98	PASS
n41	30	50	532998	1@1	DFT_16QAM	19.62	PASS
n41	30	50	532998	1@131	DFT_16QAM	19.8	PASS
n41	30	50	532998	128@0	DFT_64QAM	18.2	PASS
n41	30	50	532998	64@32	DFT_64QAM	18.46	PASS
n41	30	50	532998	1@1	DFT_64QAM	18.3	PASS
n41	30	50	532998	1@131	DFT_64QAM	18.46	PASS
n41	30	50	532998	128@0	DFT_256QAM	16.2	PASS
n41	30	50	532998	64@32	DFT_256QAM	16.43	PASS
n41	30	50	532998	1@1	DFT_256QAM	16.23	PASS
n41	30	50	532998	1@131	DFT_256QAM	16.4	PASS
n41	30	50	532998	133@0	CP_QPSK	18.9	PASS
n41	30	50	532998	67@33	CP_QPSK	19.48	PASS
n41	30	50	532998	1@1	CP_QPSK	19.13	PASS
n41	30	50	532998	1@131	CP_QPSK	19.32	PASS
n41	30	50	532998	133@0	CP_16QAM	18.3	PASS
n41	30	50	532998	67@33	CP_16QAM	18.96	PASS
n41	30	50	532998	1@1	CP_16QAM	18.59	PASS
n41	30	50	532998	1@131	CP_16QAM	18.3	PASS
n41	30	50	532998	133@0	CP_64QAM	17.3	PASS
n41	30	50	532998	67@33	CP_64QAM	17.44	PASS
n41	30	50	532998	1@1	CP_64QAM	17.5	PASS
n41	30	50	532998	1@131	CP_64QAM	17.25	PASS
n41	30	50	532998	133@0	CP_256QAM	14.5	PASS
n41	30	50	532998	67@33	CP_256QAM	14.41	PASS
n41	30	50	532998	1@1	CP_256QAM	14.3	PASS
n41	30	50	532998	1@131	CP_256QAM	14.52	PASS
n41	30	60	505200	162@0	DFT_BPSK	20.08	PASS



n41	30	60	505200	81@40	DFT_BPSK	20.67	PASS
n41	30	60	505200	1@1	DFT_BPSK	20.28	PASS
n41	30	60	505200	1@160	DFT_BPSK	20.25	PASS
n41	30	60	505200	162@0	DFT_QPSK	19.58	PASS
n41	30	60	505200	81@40	DFT_QPSK	20.67	PASS
n41	30	60	505200	1@1	DFT_QPSK	20.37	PASS
n41	30	60	505200	1@160	DFT_QPSK	20.33	PASS
n41	30	60	505200	162@0	DFT_16QAM	19.1	PASS
n41	30	60	505200	81@40	DFT_16QAM	19.65	PASS
n41	30	60	505200	1@1	DFT_16QAM	19.28	PASS
n41	30	60	505200	1@160	DFT_16QAM	19.27	PASS
n41	30	60	505200	162@0	DFT_64QAM	18.5	PASS
n41	30	60	505200	81@40	DFT_64QAM	18.16	PASS
n41	30	60	505200	1@1	DFT_64QAM	17.99	PASS
n41	30	60	505200	1@160	DFT_64QAM	17.6	PASS
n41	30	60	505200	162@0	DFT_256QAM	16.2	PASS
n41	30	60	505200	81@40	DFT_256QAM	16.11	PASS
n41	30	60	505200	1@1	DFT_256QAM	16.1	PASS
n41	30	60	505200	1@160	DFT_256QAM	15.85	PASS
n41	30	60	505200	162@0	CP_QPSK	17.51	PASS
n41	30	60	505200	81@40	CP_QPSK	19.16	PASS
n41	30	60	505200	1@1	CP_QPSK	18.2	PASS
n41	30	60	505200	1@160	CP_QPSK	18.78	PASS
n41	30	60	505200	162@0	CP_16QAM	18.3	PASS
n41	30	60	505200	81@40	CP_16QAM	18.65	PASS
n41	30	60	505200	1@1	CP_16QAM	18.24	PASS
n41	30	60	505200	1@160	CP_16QAM	18.1	PASS
n41	30	60	505200	162@0	CP_64QAM	17.2	PASS
n41	30	60	505200	81@40	CP_64QAM	17.11	PASS
n41	30	60	505200	1@1	CP_64QAM	16.8	PASS
n41	30	60	505200	1@160	CP_64QAM	16.72	PASS



n41	30	60	505200	162@0	CP_256QAM	14.12	PASS
n41	30	60	505200	81@40	CP_256QAM	14.1	PASS
n41	30	60	505200	1@1	CP_256QAM	14.17	PASS
n41	30	60	505200	1@160	CP_256QAM	14.5	PASS
n41	30	60	518598	162@0	DFT_BPSK	20.11	PASS
n41	30	60	518598	81@40	DFT_BPSK	20.72	PASS
n41	30	60	518598	1@1	DFT_BPSK	20.24	PASS
n41	30	60	518598	1@160	DFT_BPSK	20.44	PASS
n41	30	60	518598	162@0	DFT_QPSK	19.63	PASS
n41	30	60	518598	81@40	DFT_QPSK	20.76	PASS
n41	30	60	518598	1@1	DFT_QPSK	20.36	PASS
n41	30	60	518598	1@160	DFT_QPSK	20.41	PASS
n41	30	60	518598	162@0	DFT_16QAM	18.62	PASS
n41	30	60	518598	81@40	DFT_16QAM	19.74	PASS
n41	30	60	518598	1@1	DFT_16QAM	19.22	PASS
n41	30	60	518598	1@160	DFT_16QAM	19.44	PASS
n41	30	60	518598	162@0	DFT_64QAM	18.5	PASS
n41	30	60	518598	81@40	DFT_64QAM	18.24	PASS
n41	30	60	518598	1@1	DFT_64QAM	17.9	PASS
n41	30	60	518598	1@160	DFT_64QAM	18.1	PASS
n41	30	60	518598	162@0	DFT_256QAM	16.06	PASS
n41	30	60	518598	81@40	DFT_256QAM	16.3	PASS
n41	30	60	518598	1@1	DFT_256QAM	15.86	PASS
n41	30	60	518598	1@160	DFT_256QAM	15.4	PASS
n41	30	60	518598	162@0	CP_QPSK	18.9	PASS
n41	30	60	518598	81@40	CP_QPSK	19.25	PASS
n41	30	60	518598	1@1	CP_QPSK	19.2	PASS
n41	30	60	518598	1@160	CP_QPSK	19.01	PASS
n41	30	60	518598	162@0	CP_16QAM	17.8	PASS
n41	30	60	518598	81@40	CP_16QAM	18.71	PASS
n41	30	60	518598	1@1	CP_16QAM	18.6	PASS



n41	30	60	518598	1@160	CP_16QAM	18.48	PASS
n41	30	60	518598	162@0	CP_64QAM	17.5	PASS
n41	30	60	518598	81@40	CP_64QAM	17.16	PASS
n41	30	60	518598	1@1	CP_64QAM	16.71	PASS
n41	30	60	518598	1@160	CP_64QAM	16.1	PASS
n41	30	60	518598	162@0	CP_256QAM	14.3	PASS
n41	30	60	518598	81@40	CP_256QAM	14.16	PASS
n41	30	60	518598	1@1	CP_256QAM	13.96	PASS
n41	30	60	518598	1@160	CP_256QAM	13.8	PASS
n41	30	60	531996	162@0	DFT_BPSK	20.3	PASS
n41	30	60	531996	81@40	DFT_BPSK	20.94	PASS
n41	30	60	531996	1@1	DFT_BPSK	20.39	PASS
n41	30	60	531996	1@160	DFT_BPSK	20.66	PASS
n41	30	60	531996	162@0	DFT_QPSK	19.8	PASS
n41	30	60	531996	81@40	DFT_QPSK	20.95	PASS
n41	30	60	531996	1@1	DFT_QPSK	20.46	PASS
n41	30	60	531996	1@160	DFT_QPSK	20.74	PASS
n41	30	60	531996	162@0	DFT_16QAM	18.6	PASS
n41	30	60	531996	81@40	DFT_16QAM	19.94	PASS
n41	30	60	531996	1@1	DFT_16QAM	19.43	PASS
n41	30	60	531996	1@160	DFT_16QAM	19.67	PASS
n41	30	60	531996	162@0	DFT_64QAM	18.4	PASS
n41	30	60	531996	81@40	DFT_64QAM	18.41	PASS
n41	30	60	531996	1@1	DFT_64QAM	18.1	PASS
n41	30	60	531996	1@160	DFT_64QAM	18.16	PASS
n41	30	60	531996	162@0	DFT_256QAM	16.3	PASS
n41	30	60	531996	81@40	DFT_256QAM	16.42	PASS
n41	30	60	531996	1@1	DFT_256QAM	16.3	PASS
n41	30	60	531996	1@160	DFT_256QAM	16.25	PASS
n41	30	60	531996	162@0	CP_QPSK	19.4	PASS
n41	30	60	531996	81@40	CP_QPSK	19.4	PASS



n41	30	60	531996	1@1	CP_QPSK	18.2	PASS
n41	30	60	531996	1@160	CP_QPSK	19.2	PASS
n41	30	60	531996	162@0	CP_16QAM	17.76	PASS
n41	30	60	531996	81@40	CP_16QAM	17.3	PASS
n41	30	60	531996	1@1	CP_16QAM	18.38	PASS
n41	30	60	531996	1@160	CP_16QAM	17.2	PASS
n41	30	60	531996	162@0	CP_64QAM	17.26	PASS
n41	30	60	531996	81@40	CP_64QAM	16.3	PASS
n41	30	60	531996	1@1	CP_64QAM	16.85	PASS
n41	30	60	531996	1@160	CP_64QAM	16.4	PASS
n41	30	60	531996	162@0	CP_256QAM	14.19	PASS
n41	30	60	531996	81@40	CP_256QAM	14.5	PASS
n41	30	60	531996	1@1	CP_256QAM	14.12	PASS
n41	30	60	531996	1@160	CP_256QAM	14.2	PASS
n41	30	80	507204	216@0	DFT_BPSK	18.9	PASS
n41	30	80	507204	108@54	DFT_BPSK	19.6	PASS
n41	30	80	507204	1@1	DFT_BPSK	20.2	PASS
n41	30	80	507204	1@215	DFT_BPSK	19.69	PASS
n41	30	80	507204	216@0	DFT_QPSK	19.27	PASS
n41	30	80	507204	108@54	DFT_QPSK	19.67	PASS
n41	30	80	507204	1@1	DFT_QPSK	20.34	PASS
n41	30	80	507204	1@215	DFT_QPSK	19.25	PASS
n41	30	80	507204	216@0	DFT_16QAM	18.22	PASS
n41	30	80	507204	108@54	DFT_16QAM	18.1	PASS
n41	30	80	507204	1@1	DFT_16QAM	19.23	PASS
n41	30	80	507204	1@215	DFT_16QAM	17.6	PASS
n41	30	80	507204	216@0	DFT_64QAM	17.86	PASS
n41	30	80	507204	108@54	DFT_64QAM	17.6	PASS
n41	30	80	507204	1@1	DFT_64QAM	17.86	PASS
n41	30	80	507204	1@215	DFT_64QAM	17.2	PASS
n41	30	80	507204	216@0	DFT_256QAM	16.2	PASS



n41	30	80	507204	108@54	DFT_256QAM	15.6	PASS
n41	30	80	507204	1@1	DFT_256QAM	15.81	PASS
n41	30	80	507204	1@215	DFT_256QAM	15.3	PASS
n41	30	80	507204	217@0	CP_QPSK	17.55	PASS
n41	30	80	507204	109@54	CP_QPSK	18.9	PASS
n41	30	80	507204	1@1	CP_QPSK	18.75	PASS
n41	30	80	507204	1@215	CP_QPSK	19.2	PASS
n41	30	80	507204	217@0	CP_16QAM	17.25	PASS
n41	30	80	507204	109@54	CP_16QAM	18.5	PASS
n41	30	80	507204	1@1	CP_16QAM	18.21	PASS
n41	30	80	507204	1@215	CP_16QAM	18.6	PASS
n41	30	80	507204	217@0	CP_64QAM	16.67	PASS
n41	30	80	507204	109@54	CP_64QAM	17.13	PASS
n41	30	80	507204	1@1	CP_64QAM	17.2	PASS
n41	30	80	507204	1@215	CP_64QAM	16.7	PASS
n41	30	80	507204	217@0	CP_256QAM	14.4	PASS
n41	30	80	507204	109@54	CP_256QAM	14.05	PASS
n41	30	80	507204	1@1	CP_256QAM	13.91	PASS
n41	30	80	507204	1@215	CP_256QAM	14.6	PASS
n41	30	80	518598	216@0	DFT_BPSK	21.1	PASS
n41	30	80	518598	108@54	DFT_BPSK	21.73	PASS
n41	30	80	518598	1@1	DFT_BPSK	20.96	PASS
n41	30	80	518598	1@215	DFT_BPSK	21.39	PASS
n41	30	80	518598	216@0	DFT_QPSK	20.61	PASS
n41	30	80	518598	108@54	DFT_QPSK	21.76	PASS
n41	30	80	518598	1@1	DFT_QPSK	21.24	PASS
n41	30	80	518598	1@215	DFT_QPSK	21.62	PASS
n41	30	80	518598	216@0	DFT_16QAM	19.6	PASS
n41	30	80	518598	108@54	DFT_16QAM	20.73	PASS
n41	30	80	518598	1@1	DFT_16QAM	19.96	PASS
n41	30	80	518598	1@215	DFT_16QAM	20.38	PASS



n41	30	80	518598	216@0	DFT_64QAM	19.1	PASS
n41	30	80	518598	108@54	DFT_64QAM	19.23	PASS
n41	30	80	518598	1@1	DFT_64QAM	19.2	PASS
n41	30	80	518598	1@215	DFT_64QAM	18.92	PASS
n41	30	80	518598	216@0	DFT_256QAM	16.8	PASS
n41	30	80	518598	108@54	DFT_256QAM	16.2	PASS
n41	30	80	518598	1@1	DFT_256QAM	16.5	PASS
n41	30	80	518598	1@215	DFT_256QAM	16.97	PASS
n41	30	80	518598	217@0	CP_QPSK	19.2	PASS
n41	30	80	518598	109@54	CP_QPSK	20.24	PASS
n41	30	80	518598	1@1	CP_QPSK	19.58	PASS
n41	30	80	518598	1@215	CP_QPSK	19.94	PASS
n41	30	80	518598	217@0	CP_16QAM	18.57	PASS
n41	30	80	518598	109@54	CP_16QAM	19.7	PASS
n41	30	80	518598	1@1	CP_16QAM	19.1	PASS
n41	30	80	518598	1@215	CP_16QAM	19.35	PASS
n41	30	80	518598	217@0	CP_64QAM	18.8	PASS
n41	30	80	518598	109@54	CP_64QAM	18.19	PASS
n41	30	80	518598	1@1	CP_64QAM	17.5	PASS
n41	30	80	518598	1@215	CP_64QAM	17.9	PASS
n41	30	80	518598	217@0	CP_256QAM	14.96	PASS
n41	30	80	518598	109@54	CP_256QAM	14.4	PASS
n41	30	80	518598	1@1	CP_256QAM	14.69	PASS
n41	30	80	518598	1@215	CP_256QAM	14.1	PASS
n41	30	80	529998	216@0	DFT_BPSK	21.36	PASS
n41	30	80	529998	108@54	DFT_BPSK	22.01	PASS
n41	30	80	529998	1@1	DFT_BPSK	21.15	PASS
n41	30	80	529998	1@215	DFT_BPSK	21.57	PASS
n41	30	80	529998	216@0	DFT_QPSK	20.86	PASS
n41	30	80	529998	108@54	DFT_QPSK	22.03	PASS
n41	30	80	529998	1@1	DFT_QPSK	21.06	PASS



n41	30	80	529998	1@215	DFT_QPSK	21.48	PASS
n41	30	80	529998	216@0	DFT_16QAM	19.87	PASS
n41	30	80	529998	108@54	DFT_16QAM	21	PASS
n41	30	80	529998	1@1	DFT_16QAM	20.16	PASS
n41	30	80	529998	1@215	DFT_16QAM	20.58	PASS
n41	30	80	529998	216@0	DFT_64QAM	19.35	PASS
n41	30	80	529998	108@54	DFT_64QAM	19.49	PASS
n41	30	80	529998	1@1	DFT_64QAM	19.5	PASS
n41	30	80	529998	1@215	DFT_64QAM	19.09	PASS
n41	30	80	529998	216@0	DFT_256QAM	17.1	PASS
n41	30	80	529998	108@54	DFT_256QAM	17.48	PASS
n41	30	80	529998	1@1	DFT_256QAM	17.6	PASS
n41	30	80	529998	1@215	DFT_256QAM	17.16	PASS
n41	30	80	529998	217@0	CP_QPSK	19.2	PASS
n41	30	80	529998	109@54	CP_QPSK	20.5	PASS
n41	30	80	529998	1@1	CP_QPSK	19.69	PASS
n41	30	80	529998	1@215	CP_QPSK	20.15	PASS
n41	30	80	529998	217@0	CP_16QAM	18.81	PASS
n41	30	80	529998	109@54	CP_16QAM	19.98	PASS
n41	30	80	529998	1@1	CP_16QAM	19.09	PASS
n41	30	80	529998	1@215	CP_16QAM	19.54	PASS
n41	30	80	529998	217@0	CP_64QAM	18.3	PASS
n41	30	80	529998	109@54	CP_64QAM	18.49	PASS
n41	30	80	529998	1@1	CP_64QAM	18.1	PASS
n41	30	80	529998	1@215	CP_64QAM	18.12	PASS
n41	30	80	529998	217@0	CP_256QAM	14.9	PASS
n41	30	80	529998	109@54	CP_256QAM	15.4	PASS
n41	30	80	529998	1@1	CP_256QAM	14.85	PASS
n41	30	80	529998	1@215	CP_256QAM	14.6	PASS
n41	30	90	508200	243@0	DFT_BPSK	21.04	PASS
n41	30	90	508200	120@60	DFT_BPSK	21.62	PASS



n41	30	90	508200	1@1	DFT_BPSK	20.95	PASS
n41	30	90	508200	1@243	DFT_BPSK	21.04	PASS
n41	30	90	508200	243@0	DFT_QPSK	20.54	PASS
n41	30	90	508200	120@60	DFT_QPSK	21.65	PASS
n41	30	90	508200	1@1	DFT_QPSK	21.15	PASS
n41	30	90	508200	1@243	DFT_QPSK	20.98	PASS
n41	30	90	508200	243@0	DFT_16QAM	19.54	PASS
n41	30	90	508200	120@60	DFT_16QAM	20.65	PASS
n41	30	90	508200	1@1	DFT_16QAM	19.94	PASS
n41	30	90	508200	1@243	DFT_16QAM	20.03	PASS
n41	30	90	508200	243@0	DFT_64QAM	19.03	PASS
n41	30	90	508200	120@60	DFT_64QAM	19.11	PASS
n41	30	90	508200	1@1	DFT_64QAM	19.2	PASS
n41	30	90	508200	1@243	DFT_64QAM	18.74	PASS
n41	30	90	508200	243@0	DFT_256QAM	18.6	PASS
n41	30	90	508200	120@60	DFT_256QAM	17.08	PASS
n41	30	90	508200	1@1	DFT_256QAM	16.4	PASS
n41	30	90	508200	1@243	DFT_256QAM	16.66	PASS
n41	30	90	508200	245@0	CP_QPSK	18.48	PASS
n41	30	90	508200	123@61	CP_QPSK	20.11	PASS
n41	30	90	508200	1@1	CP_QPSK	19.51	PASS
n41	30	90	508200	1@243	CP_QPSK	19.58	PASS
n41	30	90	508200	245@0	CP_16QAM	18.5	PASS
n41	30	90	508200	123@61	CP_16QAM	19.62	PASS
n41	30	90	508200	1@1	CP_16QAM	19.2	PASS
n41	30	90	508200	1@243	CP_16QAM	18.98	PASS
n41	30	90	508200	245@0	CP_64QAM	17.98	PASS
n41	30	90	508200	123@61	CP_64QAM	17.1	PASS
n41	30	90	508200	1@1	CP_64QAM	17.46	PASS
n41	30	90	508200	1@243	CP_64QAM	17.5	PASS
n41	30	90	508200	245@0	CP_256QAM	15.2	PASS



n41	30	90	508200	123@61	CP_256QAM	15.02	PASS
n41	30	90	508200	1@1	CP_256QAM	14.4	PASS
n41	30	90	508200	1@243	CP_256QAM	14.7	PASS
n41	30	90	518598	243@0	DFT_BPSK	21.05	PASS
n41	30	90	518598	120@60	DFT_BPSK	21.72	PASS
n41	30	90	518598	1@1	DFT_BPSK	20.83	PASS
n41	30	90	518598	1@243	DFT_BPSK	21.23	PASS
n41	30	90	518598	243@0	DFT_QPSK	20.56	PASS
n41	30	90	518598	120@60	DFT_QPSK	21.73	PASS
n41	30	90	518598	1@1	DFT_QPSK	20.97	PASS
n41	30	90	518598	1@243	DFT_QPSK	21.36	PASS
n41	30	90	518598	243@0	DFT_16QAM	19.57	PASS
n41	30	90	518598	120@60	DFT_16QAM	20.73	PASS
n41	30	90	518598	1@1	DFT_16QAM	19.81	PASS
n41	30	90	518598	1@243	DFT_16QAM	20.23	PASS
n41	30	90	518598	243@0	DFT_64QAM	19.04	PASS
n41	30	90	518598	120@60	DFT_64QAM	19.16	PASS
n41	30	90	518598	1@1	DFT_64QAM	18.4	PASS
n41	30	90	518598	1@243	DFT_64QAM	18.93	PASS
n41	30	90	518598	243@0	DFT_256QAM	17.2	PASS
n41	30	90	518598	120@60	DFT_256QAM	17.16	PASS
n41	30	90	518598	1@1	DFT_256QAM	16.6	PASS
n41	30	90	518598	1@243	DFT_256QAM	16.83	PASS
n41	30	90	518598	245@0	CP_QPSK	19.4	PASS
n41	30	90	518598	123@61	CP_QPSK	20.19	PASS
n41	30	90	518598	1@1	CP_QPSK	19.38	PASS
n41	30	90	518598	1@243	CP_QPSK	19.79	PASS
n41	30	90	518598	245@0	CP_16QAM	18.53	PASS
n41	30	90	518598	123@61	CP_16QAM	19.67	PASS
n41	30	90	518598	1@1	CP_16QAM	19.2	PASS
n41	30	90	518598	1@243	CP_16QAM	19.2	PASS



n41	30	90	518598	245@0	CP_64QAM	18.1	PASS
n41	30	90	518598	123@61	CP_64QAM	18.12	PASS
n41	30	90	518598	1@1	CP_64QAM	17.32	PASS
n41	30	90	518598	1@243	CP_64QAM	17.8	PASS
n41	30	90	518598	245@0	CP_256QAM	15.6	PASS
n41	30	90	518598	123@61	CP_256QAM	15.08	PASS
n41	30	90	518598	1@1	CP_256QAM	14.5	PASS
n41	30	90	518598	1@243	CP_256QAM	14.9	PASS
n41	30	90	528996	243@0	DFT_BPSK	21.26	PASS
n41	30	90	528996	120@60	DFT_BPSK	21.96	PASS
n41	30	90	528996	1@1	DFT_BPSK	20.98	PASS
n41	30	90	528996	1@243	DFT_BPSK	21.39	PASS
n41	30	90	528996	243@0	DFT_QPSK	20.79	PASS
n41	30	90	528996	120@60	DFT_QPSK	22.01	PASS
n41	30	90	528996	1@1	DFT_QPSK	21.1	PASS
n41	30	90	528996	1@243	DFT_QPSK	21.53	PASS
n41	30	90	528996	243@0	DFT_16QAM	19.79	PASS
n41	30	90	528996	120@60	DFT_16QAM	21	PASS
n41	30	90	528996	1@1	DFT_16QAM	19.96	PASS
n41	30	90	528996	1@243	DFT_16QAM	20.35	PASS
n41	30	90	528996	243@0	DFT_64QAM	19.28	PASS
n41	30	90	528996	120@60	DFT_64QAM	19.44	PASS
n41	30	90	528996	1@1	DFT_64QAM	18.3	PASS
n41	30	90	528996	1@243	DFT_64QAM	18.93	PASS
n41	30	90	528996	243@0	DFT_256QAM	17.3	PASS
n41	30	90	528996	120@60	DFT_256QAM	17.37	PASS
n41	30	90	528996	1@1	DFT_256QAM	16.55	PASS
n41	30	90	528996	1@243	DFT_256QAM	16.2	PASS
n41	30	90	528996	245@0	CP_QPSK	19.2	PASS
n41	30	90	528996	123@61	CP_QPSK	20.43	PASS
n41	30	90	528996	1@1	CP_QPSK	19.5	PASS



n41	30	90	528996	1@243	CP_QPSK	20	PASS
n41	30	90	528996	245@0	CP_16QAM	19.11	PASS
n41	30	90	528996	123@61	CP_16QAM	19.96	PASS
n41	30	90	528996	1@1	CP_16QAM	18.92	PASS
n41	30	90	528996	1@243	CP_16QAM	19.38	PASS
n41	30	90	528996	245@0	CP_64QAM	18.1	PASS
n41	30	90	528996	123@61	CP_64QAM	18.42	PASS
n41	30	90	528996	1@1	CP_64QAM	18.3	PASS
n41	30	90	528996	1@243	CP_64QAM	17.94	PASS
n41	30	90	528996	245@0	CP_256QAM	15.17	PASS
n41	30	90	528996	123@61	CP_256QAM	15.2	PASS
n41	30	90	528996	1@1	CP_256QAM	14.65	PASS
n41	30	90	528996	1@243	CP_256QAM	15.3	PASS
n41	30	100	509202	270@0	DFT_BPSK	21.45	PASS
n41	30	100	509202	135@67	DFT_BPSK	22.1	PASS
n41	30	100	509202	1@1	DFT_BPSK	21.3	PASS
n41	30	100	509202	1@271	DFT_BPSK	21.44	PASS
n41	30	100	509202	270@0	DFT_QPSK	20.97	PASS
n41	30	100	509202	135@67	DFT_QPSK	22.13	PASS
n41	30	100	509202	1@1	DFT_QPSK	21.5	PASS
n41	30	100	509202	1@271	DFT_QPSK	21.4	PASS
n41	30	100	509202	270@0	DFT_16QAM	19.96	PASS
n41	30	100	509202	135@67	DFT_16QAM	21.13	PASS
n41	30	100	509202	1@1	DFT_16QAM	20.27	PASS
n41	30	100	509202	1@271	DFT_16QAM	20.41	PASS
n41	30	100	509202	270@0	DFT_64QAM	19.7	PASS
n41	30	100	509202	135@67	DFT_64QAM	19.62	PASS
n41	30	100	509202	1@1	DFT_64QAM	19.6	PASS
n41	30	100	509202	1@271	DFT_64QAM	19.16	PASS
n41	30	100	509202	270@0	DFT_256QAM	17.7	PASS
n41	30	100	509202	135@67	DFT_256QAM	17.59	PASS



n41	30	100	509202	1@1	DFT_256QAM	16.89	PASS
n41	30	100	509202	1@271	DFT_256QAM	16.7	PASS
n41	30	100	509202	273@0	CP_QPSK	20	PASS
n41	30	100	509202	137@68	CP_QPSK	20.63	PASS
n41	30	100	509202	1@1	CP_QPSK	19.9	PASS
n41	30	100	509202	1@271	CP_QPSK	20	PASS
n41	30	100	509202	273@0	CP_16QAM	19.7	PASS
n41	30	100	509202	137@68	CP_16QAM	20.11	PASS
n41	30	100	509202	1@1	CP_16QAM	19.1	PASS
n41	30	100	509202	1@271	CP_16QAM	19.4	PASS
n41	30	100	509202	273@0	CP_64QAM	18.42	PASS
n41	30	100	509202	137@68	CP_64QAM	17.7	PASS
n41	30	100	509202	1@1	CP_64QAM	17.79	PASS
n41	30	100	509202	1@271	CP_64QAM	17.6	PASS
n41	30	100	509202	273@0	CP_256QAM	15.6	PASS
n41	30	100	509202	137@68	CP_256QAM	15.54	PASS
n41	30	100	509202	1@1	CP_256QAM	16	PASS
n41	30	100	509202	1@271	CP_256QAM	15.08	PASS
n41	30	100	518598	270@0	DFT_BPSK	21.51	PASS
n41	30	100	518598	135@67	DFT_BPSK	22.18	PASS
n41	30	100	518598	1@1	DFT_BPSK	21.2	PASS
n41	30	100	518598	1@271	DFT_BPSK	21.61	PASS
n41	30	100	518598	270@0	DFT_QPSK	21.03	PASS
n41	30	100	518598	135@67	DFT_QPSK	22.2	PASS
n41	30	100	518598	1@1	DFT_QPSK	21.34	PASS
n41	30	100	518598	1@271	DFT_QPSK	21.73	PASS
n41	30	100	518598	270@0	DFT_16QAM	20.03	PASS
n41	30	100	518598	135@67	DFT_16QAM	21.21	PASS
n41	30	100	518598	1@1	DFT_16QAM	20.15	PASS
n41	30	100	518598	1@271	DFT_16QAM	20.59	PASS
n41	30	100	518598	270@0	DFT_64QAM	19.7	PASS



n41	30	100	518598	135@67	DFT_64QAM	19.7	PASS
n41	30	100	518598	1@1	DFT_64QAM	19.8	PASS
n41	30	100	518598	1@271	DFT_64QAM	19.31	PASS
n41	30	100	518598	270@0	DFT_256QAM	17.9	PASS
n41	30	100	518598	135@67	DFT_256QAM	17.66	PASS
n41	30	100	518598	1@1	DFT_256QAM	16.8	PASS
n41	30	100	518598	1@271	DFT_256QAM	17.3	PASS
n41	30	100	518598	273@0	CP_QPSK	20	PASS
n41	30	100	518598	137@68	CP_QPSK	20.71	PASS
n41	30	100	518598	1@1	CP_QPSK	19.78	PASS
n41	30	100	518598	1@271	CP_QPSK	20.19	PASS
n41	30	100	518598	273@0	CP_16QAM	19.6	PASS
n41	30	100	518598	137@68	CP_16QAM	20.21	PASS
n41	30	100	518598	1@1	CP_16QAM	20	PASS
n41	30	100	518598	1@271	CP_16QAM	19.66	PASS
n41	30	100	518598	273@0	CP_64QAM	18.6	PASS
n41	30	100	518598	137@68	CP_64QAM	18.62	PASS
n41	30	100	518598	1@1	CP_64QAM	17.69	PASS
n41	30	100	518598	1@271	CP_64QAM	19	PASS
n41	30	100	518598	273@0	CP_256QAM	15.6	PASS
n41	30	100	518598	137@68	CP_256QAM	15.61	PASS
n41	30	100	518598	1@1	CP_256QAM	15.1	PASS
n41	30	100	518598	1@271	CP_256QAM	15.24	PASS
n41	30	100	528000	270@0	DFT_BPSK	21.73	PASS
n41	30	100	528000	135@67	DFT_BPSK	22.44	PASS
n41	30	100	528000	1@1	DFT_BPSK	21.37	PASS
n41	30	100	528000	1@271	DFT_BPSK	21.78	PASS
n41	30	100	528000	270@0	DFT_QPSK	21.26	PASS
n41	30	100	528000	135@67	DFT_QPSK	22.46	PASS
n41	30	100	528000	1@1	DFT_QPSK	21.5	PASS
n41	30	100	528000	1@271	DFT_QPSK	21.92	PASS



n41	30	100	528000	270@0	DFT_16QAM	20.25	PASS
n41	30	100	528000	135@67	DFT_16QAM	21.47	PASS
n41	30	100	528000	1@1	DFT_16QAM	20.33	PASS
n41	30	100	528000	1@271	DFT_16QAM	20.74	PASS
n41	30	100	528000	270@0	DFT_64QAM	19.73	PASS
n41	30	100	528000	135@67	DFT_64QAM	19.95	PASS
n41	30	100	528000	1@1	DFT_64QAM	19.7	PASS
n41	30	100	528000	1@271	DFT_64QAM	19.5	PASS
n41	30	100	528000	270@0	DFT_256QAM	17.7	PASS
n41	30	100	528000	135@67	DFT_256QAM	17.92	PASS
n41	30	100	528000	1@1	DFT_256QAM	16.98	PASS
n41	30	100	528000	1@271	DFT_256QAM	16.6	PASS
n41	30	100	528000	273@0	CP_QPSK	19.4	PASS
n41	30	100	528000	137@68	CP_QPSK	20.93	PASS
n41	30	100	528000	1@1	CP_QPSK	19.94	PASS
n41	30	100	528000	1@271	CP_QPSK	20.35	PASS
n41	30	100	528000	273@0	CP_16QAM	19.3	PASS
n41	30	100	528000	137@68	CP_16QAM	20.43	PASS
n41	30	100	528000	1@1	CP_16QAM	19.32	PASS
n41	30	100	528000	1@271	CP_16QAM	19.76	PASS
n41	30	100	528000	273@0	CP_64QAM	18.6	PASS
n41	30	100	528000	137@68	CP_64QAM	18.89	PASS
n41	30	100	528000	1@1	CP_64QAM	18.86	PASS
n41	30	100	528000	1@271	CP_64QAM	18.26	PASS
n41	30	100	528000	273@0	CP_256QAM	15.63	PASS
n41	30	100	528000	137@68	CP_256QAM	15.9	PASS
n41	30	100	528000	1@1	CP_256QAM	16	PASS
n41	30	100	528000	1@271	CP_256QAM	15.49	PASS



Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n77(3450-3550)	30	10	630334	24@0	DFT_BPSK	18.89	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_BPSK	19.43	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_BPSK	19.37	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_BPSK	19.45	PASS
n77(3450-3550)	30	10	630334	24@0	DFT_QPSK	18.39	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_QPSK	19.44	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_QPSK	19.3	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_QPSK	19.39	PASS
n77(3450-3550)	30	10	630334	24@0	DFT_16QAM	17.37	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_16QAM	18.4	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_16QAM	18.27	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_16QAM	18.35	PASS
n77(3450-3550)	30	10	630334	24@0	DFT_64QAM	16.84	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_64QAM	16.87	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_64QAM	16.91	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_64QAM	17.03	PASS
n77(3450-3550)	30	10	630334	24@0	DFT_256QAM	14.76	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_256QAM	14.3	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_256QAM	14.77	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_256QAM	14.9	PASS
n77(3450-3550)	30	10	630334	24@0	CP_QPSK	16.37	PASS
n77(3450-3550)	30	10	630334	12@6	CP_QPSK	17.9	PASS
n77(3450-3550)	30	10	630334	1@1	CP_QPSK	17.8	PASS
n77(3450-3550)	30	10	630334	1@22	CP_QPSK	17.85	PASS
n77(3450-3550)	30	10	630334	24@0	CP_16QAM	16.38	PASS
n77(3450-3550)	30	10	630334	12@6	CP_16QAM	17.43	PASS
n77(3450-3550)	30	10	630334	1@1	CP_16QAM	17.17	PASS
n77(3450-3550)	30	10	630334	1@22	CP_16QAM	17.26	PASS
n77(3450-3550)	30	10	630334	24@0	CP_64QAM	15.85	PASS
n77(3450-3550)	30	10	630334	12@6	CP_64QAM	15.86	PASS



n77(3450-3550)	30	10	630334	1@1	CP_64QAM	15.88	PASS
n77(3450-3550)	30	10	630334	1@22	CP_64QAM	15.93	PASS
n77(3450-3550)	30	10	630334	24@0	CP_256QAM	12.85	PASS
n77(3450-3550)	30	10	630334	12@6	CP_256QAM	12.83	PASS
n77(3450-3550)	30	10	630334	1@1	CP_256QAM	12.75	PASS
n77(3450-3550)	30	10	630334	1@22	CP_256QAM	12.87	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_BPSK	19.48	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_BPSK	20	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_BPSK	19.84	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_BPSK	20	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QPSK	19.3	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_QPSK	20	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_QPSK	19.87	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_QPSK	20.03	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_16QAM	17.97	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_16QAM	19	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_16QAM	18.77	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_16QAM	18.6	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_64QAM	17.43	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_64QAM	17.49	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_64QAM	17.45	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_64QAM	17.61	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_256QAM	15.37	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_256QAM	15.69	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_256QAM	15.37	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_256QAM	15.54	PASS
n77(3450-3550)	30	10	633334	24@0	CP_QPSK	16.94	PASS
n77(3450-3550)	30	10	633334	12@6	CP_QPSK	18.49	PASS
n77(3450-3550)	30	10	633334	1@1	CP_QPSK	18.6	PASS
n77(3450-3550)	30	10	633334	1@22	CP_QPSK	18.51	PASS
n77(3450-3550)	30	10	633334	24@0	CP_16QAM	16.93	PASS



n77(3450-3550)	30	10	633334	12@6	CP_16QAM	18.01	PASS
n77(3450-3550)	30	10	633334	1@1	CP_16QAM	17.76	PASS
n77(3450-3550)	30	10	633334	1@22	CP_16QAM	17.91	PASS
n77(3450-3550)	30	10	633334	24@0	CP_64QAM	16.48	PASS
n77(3450-3550)	30	10	633334	12@6	CP_64QAM	16.45	PASS
n77(3450-3550)	30	10	633334	1@1	CP_64QAM	16.4	PASS
n77(3450-3550)	30	10	633334	1@22	CP_64QAM	16.57	PASS
n77(3450-3550)	30	10	633334	24@0	CP_256QAM	13.41	PASS
n77(3450-3550)	30	10	633334	12@6	CP_256QAM	13.4	PASS
n77(3450-3550)	30	10	633334	1@1	CP_256QAM	13.35	PASS
n77(3450-3550)	30	10	633334	1@22	CP_256QAM	13.51	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_BPSK	20.51	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_BPSK	20.88	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_BPSK	20.79	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_BPSK	20.87	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_QPSK	19.99	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_QPSK	20.87	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_QPSK	20.77	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_QPSK	20.85	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_16QAM	19	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_16QAM	20.03	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_16QAM	19.89	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_16QAM	19.94	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_64QAM	18.43	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_64QAM	18.49	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_64QAM	18.55	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_64QAM	18.61	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_256QAM	16.38	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_256QAM	16.5	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_256QAM	16.43	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_256QAM	16.49	PASS



n77(3450-3550)	30	10	636332	24@0	CP_QPSK	17.98	PASS
n77(3450-3550)	30	10	636332	12@6	CP_QPSK	19.5	PASS
n77(3450-3550)	30	10	636332	1@1	CP_QPSK	19.38	PASS
n77(3450-3550)	30	10	636332	1@22	CP_QPSK	19.43	PASS
n77(3450-3550)	30	10	636332	24@0	CP_16QAM	17.95	PASS
n77(3450-3550)	30	10	636332	12@6	CP_16QAM	19.04	PASS
n77(3450-3550)	30	10	636332	1@1	CP_16QAM	18.6	PASS
n77(3450-3550)	30	10	636332	1@22	CP_16QAM	18.88	PASS
n77(3450-3550)	30	10	636332	24@0	CP_64QAM	17.51	PASS
n77(3450-3550)	30	10	636332	12@6	CP_64QAM	17.48	PASS
n77(3450-3550)	30	10	636332	1@1	CP_64QAM	17.47	PASS
n77(3450-3550)	30	10	636332	1@22	CP_64QAM	17.52	PASS
n77(3450-3550)	30	10	636332	24@0	CP_256QAM	14.44	PASS
n77(3450-3550)	30	10	636332	12@6	CP_256QAM	14.44	PASS
n77(3450-3550)	30	10	636332	1@1	CP_256QAM	14.39	PASS
n77(3450-3550)	30	10	636332	1@22	CP_256QAM	14.47	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_BPSK	18.96	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_BPSK	19.47	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_BPSK	19.35	PASS
n77(3450-3550)	30	15	630500	1@36	DFT_BPSK	19.5	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_QPSK	18.46	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_QPSK	19.47	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_QPSK	19.29	PASS
n77(3450-3550)	30	15	630500	1@36	DFT_QPSK	19.48	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_16QAM	18.6	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_16QAM	18.48	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_16QAM	18.32	PASS
n77(3450-3550)	30	15	630500	1@36	DFT_16QAM	18.1	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_64QAM	16.96	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_64QAM	16.9	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_64QAM	16.5	PASS



n77(3450-3550)	30	15	630500	1@36	DFT_64QAM	17.06	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_256QAM	14.89	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_256QAM	14.9	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_256QAM	14.78	PASS
n77(3450-3550)	30	15	630500	1@36	DFT_256QAM	14.97	PASS
n77(3450-3550)	30	15	630500	38@0	CP_QPSK	16.43	PASS
n77(3450-3550)	30	15	630500	19@9	CP_QPSK	17.95	PASS
n77(3450-3550)	30	15	630500	1@1	CP_QPSK	17.77	PASS
n77(3450-3550)	30	15	630500	1@36	CP_QPSK	17.95	PASS
n77(3450-3550)	30	15	630500	38@0	CP_16QAM	16.44	PASS
n77(3450-3550)	30	15	630500	19@9	CP_16QAM	17.43	PASS
n77(3450-3550)	30	15	630500	1@1	CP_16QAM	17.16	PASS
n77(3450-3550)	30	15	630500	1@36	CP_16QAM	17.35	PASS
n77(3450-3550)	30	15	630500	38@0	CP_64QAM	15.95	PASS
n77(3450-3550)	30	15	630500	19@9	CP_64QAM	15.97	PASS
n77(3450-3550)	30	15	630500	1@1	CP_64QAM	15.83	PASS
n77(3450-3550)	30	15	630500	1@36	CP_64QAM	15.99	PASS
n77(3450-3550)	30	15	630500	38@0	CP_256QAM	12.92	PASS
n77(3450-3550)	30	15	630500	19@9	CP_256QAM	12.93	PASS
n77(3450-3550)	30	15	630500	1@1	CP_256QAM	12.8	PASS
n77(3450-3550)	30	15	630500	1@36	CP_256QAM	12.97	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_BPSK	19.47	PASS
n77(3450-3550)	30	15	633334	18@9	DFT_BPSK	20	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_BPSK	19.78	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_BPSK	20.05	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_QPSK	18.97	PASS
n77(3450-3550)	30	15	633334	18@9	DFT_QPSK	19.99	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_QPSK	19.78	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_QPSK	20.02	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_16QAM	17.95	PASS
n77(3450-3550)	30	15	633334	18@9	DFT_16QAM	19.02	PASS



n77(3450-3550)	30	15	633334	1@1	DFT_16QAM	18.75	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_16QAM	19.02	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_64QAM	17.6	PASS
n77(3450-3550)	30	15	633334	18@9	DFT_64QAM	17.44	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_64QAM	17.41	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_64QAM	17.66	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_256QAM	15.41	PASS
n77(3450-3550)	30	15	633334	18@9	DFT_256QAM	15.44	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_256QAM	15.28	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_256QAM	15.6	PASS
n77(3450-3550)	30	15	633334	38@0	CP_QPSK	17.5	PASS
n77(3450-3550)	30	15	633334	19@9	CP_QPSK	18.46	PASS
n77(3450-3550)	30	15	633334	1@1	CP_QPSK	18.28	PASS
n77(3450-3550)	30	15	633334	1@36	CP_QPSK	18.5	PASS
n77(3450-3550)	30	15	633334	38@0	CP_16QAM	16.93	PASS
n77(3450-3550)	30	15	633334	19@9	CP_16QAM	17.99	PASS
n77(3450-3550)	30	15	633334	1@1	CP_16QAM	17.7	PASS
n77(3450-3550)	30	15	633334	1@36	CP_16QAM	17.93	PASS
n77(3450-3550)	30	15	633334	38@0	CP_64QAM	16.46	PASS
n77(3450-3550)	30	15	633334	19@9	CP_64QAM	16.51	PASS
n77(3450-3550)	30	15	633334	1@1	CP_64QAM	16.38	PASS
n77(3450-3550)	30	15	633334	1@36	CP_64QAM	16.58	PASS
n77(3450-3550)	30	15	633334	38@0	CP_256QAM	13.43	PASS
n77(3450-3550)	30	15	633334	19@9	CP_256QAM	13.47	PASS
n77(3450-3550)	30	15	633334	1@1	CP_256QAM	13.28	PASS
n77(3450-3550)	30	15	633334	1@36	CP_256QAM	13.51	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_BPSK	20.48	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_BPSK	20.87	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_BPSK	20.69	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_BPSK	20.83	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_QPSK	19.99	PASS



n77(3450-3550)	30	15	636166	18@9	DFT_QPSK	20.87	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_QPSK	20.69	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_QPSK	20.76	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_16QAM	18.96	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_16QAM	20.05	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_16QAM	19.82	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_16QAM	19.94	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_64QAM	18.47	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_64QAM	18.47	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_64QAM	18.46	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_64QAM	18.56	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_256QAM	16.43	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_256QAM	16.48	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_256QAM	16.34	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_256QAM	16.3	PASS
n77(3450-3550)	30	15	636166	38@0	CP_QPSK	17.96	PASS
n77(3450-3550)	30	15	636166	19@9	CP_QPSK	19.46	PASS
n77(3450-3550)	30	15	636166	1@1	CP_QPSK	19.28	PASS
n77(3450-3550)	30	15	636166	1@36	CP_QPSK	19.38	PASS
n77(3450-3550)	30	15	636166	38@0	CP_16QAM	17.96	PASS
n77(3450-3550)	30	15	636166	19@9	CP_16QAM	18.95	PASS
n77(3450-3550)	30	15	636166	1@1	CP_16QAM	18.68	PASS
n77(3450-3550)	30	15	636166	1@36	CP_16QAM	18.84	PASS
n77(3450-3550)	30	15	636166	38@0	CP_64QAM	17.49	PASS
n77(3450-3550)	30	15	636166	19@9	CP_64QAM	17.51	PASS
n77(3450-3550)	30	15	636166	1@1	CP_64QAM	17.35	PASS
n77(3450-3550)	30	15	636166	1@36	CP_64QAM	17.48	PASS
n77(3450-3550)	30	15	636166	38@0	CP_256QAM	14.43	PASS
n77(3450-3550)	30	15	636166	19@9	CP_256QAM	14.46	PASS
n77(3450-3550)	30	15	636166	1@1	CP_256QAM	14.3	PASS
n77(3450-3550)	30	15	636166	1@36	CP_256QAM	14.42	PASS



n77(3450-3550)	30	20	630668	50@0	DFT_BPSK	19	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_BPSK	19.53	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_BPSK	19.28	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_BPSK	19.51	PASS
n77(3450-3550)	30	20	630668	50@0	DFT_QPSK	18.53	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_QPSK	19.54	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_QPSK	19.28	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_QPSK	19.52	PASS
n77(3450-3550)	30	20	630668	50@0	DFT_16QAM	17.53	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_16QAM	18.54	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_16QAM	18.2	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_16QAM	18.47	PASS
n77(3450-3550)	30	20	630668	50@0	DFT_64QAM	17	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_64QAM	17.01	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_64QAM	16.88	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_64QAM	17.16	PASS
n77(3450-3550)	30	20	630668	50@0	DFT_256QAM	14.95	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_256QAM	14.97	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_256QAM	14.4	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_256QAM	15.04	PASS
n77(3450-3550)	30	20	630668	51@0	CP_QPSK	16.43	PASS
n77(3450-3550)	30	20	630668	25@12	CP_QPSK	18.01	PASS
n77(3450-3550)	30	20	630668	1@1	CP_QPSK	17.77	PASS
n77(3450-3550)	30	20	630668	1@49	CP_QPSK	17.96	PASS
n77(3450-3550)	30	20	630668	51@0	CP_16QAM	16.46	PASS
n77(3450-3550)	30	20	630668	25@12	CP_16QAM	17.47	PASS
n77(3450-3550)	30	20	630668	1@1	CP_16QAM	17.16	PASS
n77(3450-3550)	30	20	630668	1@49	CP_16QAM	17.37	PASS
n77(3450-3550)	30	20	630668	51@0	CP_64QAM	15.95	PASS
n77(3450-3550)	30	20	630668	25@12	CP_64QAM	15.97	PASS
n77(3450-3550)	30	20	630668	1@1	CP_64QAM	15.8	PASS



n77(3450-3550)	30	20	630668	1@49	CP_64QAM	16.04	PASS
n77(3450-3550)	30	20	630668	51@0	CP_256QAM	12.96	PASS
n77(3450-3550)	30	20	630668	25@12	CP_256QAM	12.97	PASS
n77(3450-3550)	30	20	630668	1@1	CP_256QAM	12.73	PASS
n77(3450-3550)	30	20	630668	1@49	CP_256QAM	12.96	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_BPSK	19.46	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_BPSK	20.01	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_BPSK	19.69	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_BPSK	20.01	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QPSK	18.96	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_QPSK	19.99	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_QPSK	19.73	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_QPSK	20.03	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_16QAM	17.99	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_16QAM	18.99	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_16QAM	18.68	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_16QAM	18.96	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_64QAM	17.46	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_64QAM	17.46	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_64QAM	17.38	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_64QAM	17.65	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_256QAM	15.4	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_256QAM	15.42	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_256QAM	15.22	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_256QAM	15.55	PASS
n77(3450-3550)	30	20	633334	51@0	CP_QPSK	16.89	PASS
n77(3450-3550)	30	20	633334	25@12	CP_QPSK	18.46	PASS
n77(3450-3550)	30	20	633334	1@1	CP_QPSK	18.18	PASS
n77(3450-3550)	30	20	633334	1@49	CP_QPSK	18.45	PASS
n77(3450-3550)	30	20	633334	51@0	CP_16QAM	16.92	PASS
n77(3450-3550)	30	20	633334	25@12	CP_16QAM	17.93	PASS



n77(3450-3550)	30	20	633334	1@1	CP_16QAM	17.59	PASS
n77(3450-3550)	30	20	633334	1@49	CP_16QAM	17.87	PASS
n77(3450-3550)	30	20	633334	51@0	CP_64QAM	16.4	PASS
n77(3450-3550)	30	20	633334	25@12	CP_64QAM	16.41	PASS
n77(3450-3550)	30	20	633334	1@1	CP_64QAM	16.25	PASS
n77(3450-3550)	30	20	633334	1@49	CP_64QAM	16.54	PASS
n77(3450-3550)	30	20	633334	51@0	CP_256QAM	13.4	PASS
n77(3450-3550)	30	20	633334	25@12	CP_256QAM	13.43	PASS
n77(3450-3550)	30	20	633334	1@1	CP_256QAM	13.18	PASS
n77(3450-3550)	30	20	633334	1@49	CP_256QAM	13.47	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_BPSK	20.33	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_BPSK	20.67	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_BPSK	20.42	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_BPSK	20.6	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_QPSK	19.82	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_QPSK	20.64	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_QPSK	20.38	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_QPSK	20.6	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_16QAM	18.86	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_16QAM	19.84	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_16QAM	19.56	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_16QAM	19.77	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_64QAM	18.34	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_64QAM	18.28	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_64QAM	18.19	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_64QAM	18.41	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_256QAM	16.29	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_256QAM	16.28	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_256QAM	16.05	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_256QAM	16.3	PASS
n77(3450-3550)	30	20	636000	51@0	CP_QPSK	17.76	PASS



n77(3450-3550)	30	20	636000	25@12	CP_QPSK	19.33	PASS
n77(3450-3550)	30	20	636000	1@1	CP_QPSK	19	PASS
n77(3450-3550)	30	20	636000	1@49	CP_QPSK	19.22	PASS
n77(3450-3550)	30	20	636000	51@0	CP_16QAM	17.79	PASS
n77(3450-3550)	30	20	636000	25@12	CP_16QAM	18.8	PASS
n77(3450-3550)	30	20	636000	1@1	CP_16QAM	18.43	PASS
n77(3450-3550)	30	20	636000	1@49	CP_16QAM	18.63	PASS
n77(3450-3550)	30	20	636000	51@0	CP_64QAM	17.28	PASS
n77(3450-3550)	30	20	636000	25@12	CP_64QAM	17.29	PASS
n77(3450-3550)	30	20	636000	1@1	CP_64QAM	17.11	PASS
n77(3450-3550)	30	20	636000	1@49	CP_64QAM	17.33	PASS
n77(3450-3550)	30	20	636000	51@0	CP_256QAM	14.28	PASS
n77(3450-3550)	30	20	636000	25@12	CP_256QAM	14.3	PASS
n77(3450-3550)	30	20	636000	1@1	CP_256QAM	14.06	PASS
n77(3450-3550)	30	20	636000	1@49	CP_256QAM	14.23	PASS
n77(3450-3550)	30	40	631334	100@0	DFT_BPSK	18.93	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_BPSK	19.62	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_BPSK	18.86	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_BPSK	19.21	PASS
n77(3450-3550)	30	40	631334	100@0	DFT_QPSK	18.44	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_QPSK	19.6	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_QPSK	18.85	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_QPSK	19.19	PASS
n77(3450-3550)	30	40	631334	100@0	DFT_16QAM	17.42	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_16QAM	18.61	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_16QAM	17.79	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_16QAM	18.11	PASS
n77(3450-3550)	30	40	631334	100@0	DFT_64QAM	16.92	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_64QAM	17.09	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_64QAM	16.46	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_64QAM	16.82	PASS



n77(3450-3550)	30	40	631334	100@0	DFT_256QAM	14.88	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_256QAM	15.05	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_256QAM	14.39	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_256QAM	14.74	PASS
n77(3450-3550)	30	40	631334	106@0	CP_QPSK	16.39	PASS
n77(3450-3550)	30	40	631334	53@26	CP_QPSK	18.03	PASS
n77(3450-3550)	30	40	631334	1@1	CP_QPSK	17.32	PASS
n77(3450-3550)	30	40	631334	1@104	CP_QPSK	17.63	PASS
n77(3450-3550)	30	40	631334	106@0	CP_16QAM	16.38	PASS
n77(3450-3550)	30	40	631334	53@26	CP_16QAM	17.54	PASS
n77(3450-3550)	30	40	631334	1@1	CP_16QAM	16.75	PASS
n77(3450-3550)	30	40	631334	1@104	CP_16QAM	17.05	PASS
n77(3450-3550)	30	40	631334	106@0	CP_64QAM	15.88	PASS
n77(3450-3550)	30	40	631334	53@26	CP_64QAM	16.07	PASS
n77(3450-3550)	30	40	631334	1@1	CP_64QAM	15.39	PASS
n77(3450-3550)	30	40	631334	1@104	CP_64QAM	15.72	PASS
n77(3450-3550)	30	40	631334	106@0	CP_256QAM	12.87	PASS
n77(3450-3550)	30	40	631334	53@26	CP_256QAM	13.02	PASS
n77(3450-3550)	30	40	631334	1@1	CP_256QAM	12.34	PASS
n77(3450-3550)	30	40	631334	1@104	CP_256QAM	12.62	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_BPSK	19.3	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_BPSK	19.92	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_BPSK	19.26	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_BPSK	19.73	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QPSK	18.8	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_QPSK	19.92	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_QPSK	19.26	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_QPSK	19.7	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_16QAM	17.8	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_16QAM	18.93	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_16QAM	18.6	PASS



n77(3450-3550)	30	40	633334	1@104	DFT_16QAM	18.71	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_64QAM	17.28	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_64QAM	17.43	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_64QAM	17.6	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_64QAM	17.37	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_256QAM	15.25	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_256QAM	14.6	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_256QAM	14.81	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_256QAM	15.24	PASS
n77(3450-3550)	30	40	633334	106@0	CP_QPSK	16.78	PASS
n77(3450-3550)	30	40	633334	53@26	CP_QPSK	18.39	PASS
n77(3450-3550)	30	40	633334	1@1	CP_QPSK	17.77	PASS
n77(3450-3550)	30	40	633334	1@104	CP_QPSK	18.21	PASS
n77(3450-3550)	30	40	633334	106@0	CP_16QAM	16.78	PASS
n77(3450-3550)	30	40	633334	53@26	CP_16QAM	17.85	PASS
n77(3450-3550)	30	40	633334	1@1	CP_16QAM	17.2	PASS
n77(3450-3550)	30	40	633334	1@104	CP_16QAM	17.67	PASS
n77(3450-3550)	30	40	633334	106@0	CP_64QAM	16.28	PASS
n77(3450-3550)	30	40	633334	53@26	CP_64QAM	16.39	PASS
n77(3450-3550)	30	40	633334	1@1	CP_64QAM	15.84	PASS
n77(3450-3550)	30	40	633334	1@104	CP_64QAM	16.32	PASS
n77(3450-3550)	30	40	633334	106@0	CP_256QAM	13.26	PASS
n77(3450-3550)	30	40	633334	53@26	CP_256QAM	13.33	PASS
n77(3450-3550)	30	40	633334	1@1	CP_256QAM	12.79	PASS
n77(3450-3550)	30	40	633334	1@104	CP_256QAM	13.23	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_BPSK	19.86	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_BPSK	20.5	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_BPSK	19.82	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_BPSK	20.17	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_QPSK	19.36	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_QPSK	20.49	PASS



n77(3450-3550)	30	40	635332	1@1	DFT_QPSK	19.82	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_QPSK	20.15	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_16QAM	18.34	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_16QAM	19.53	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_16QAM	18.78	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_16QAM	19.19	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_64QAM	16.8	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_64QAM	17.99	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_64QAM	17.42	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_64QAM	17.88	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_256QAM	15.1	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_256QAM	15.97	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_256QAM	15.32	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_256QAM	15.3	PASS
n77(3450-3550)	30	40	635332	106@0	CP_QPSK	17.8	PASS
n77(3450-3550)	30	40	635332	53@26	CP_QPSK	18.99	PASS
n77(3450-3550)	30	40	635332	1@1	CP_QPSK	18.28	PASS
n77(3450-3550)	30	40	635332	1@104	CP_QPSK	18.71	PASS
n77(3450-3550)	30	40	635332	106@0	CP_16QAM	18.1	PASS
n77(3450-3550)	30	40	635332	53@26	CP_16QAM	18.44	PASS
n77(3450-3550)	30	40	635332	1@1	CP_16QAM	17.73	PASS
n77(3450-3550)	30	40	635332	1@104	CP_16QAM	18.15	PASS
n77(3450-3550)	30	40	635332	106@0	CP_64QAM	16.84	PASS
n77(3450-3550)	30	40	635332	53@26	CP_64QAM	17	PASS
n77(3450-3550)	30	40	635332	1@1	CP_64QAM	16.35	PASS
n77(3450-3550)	30	40	635332	1@104	CP_64QAM	16.79	PASS
n77(3450-3550)	30	40	635332	106@0	CP_256QAM	13.81	PASS
n77(3450-3550)	30	40	635332	53@26	CP_256QAM	13.95	PASS
n77(3450-3550)	30	40	635332	1@1	CP_256QAM	13.29	PASS
n77(3450-3550)	30	40	635332	1@104	CP_256QAM	13.71	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_BPSK	19.05	PASS



n77(3450-3550)	30	50	631668	64@32	DFT_BPSK	19.63	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_BPSK	19.14	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_BPSK	19.61	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_QPSK	18.51	PASS
n77(3450-3550)	30	50	631668	64@32	DFT_QPSK	19.63	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_QPSK	19.15	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_QPSK	19.59	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_16QAM	17.51	PASS
n77(3450-3550)	30	50	631668	64@32	DFT_16QAM	18.64	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_16QAM	18.09	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_16QAM	18.58	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_64QAM	17.02	PASS
n77(3450-3550)	30	50	631668	64@32	DFT_64QAM	16.2	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_64QAM	16.76	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_64QAM	17.25	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_256QAM	14.99	PASS
n77(3450-3550)	30	50	631668	64@32	DFT_256QAM	14.5	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_256QAM	14.62	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_256QAM	14.5	PASS
n77(3450-3550)	30	50	631668	133@0	CP_QPSK	17.8	PASS
n77(3450-3550)	30	50	631668	67@33	CP_QPSK	18.14	PASS
n77(3450-3550)	30	50	631668	1@1	CP_QPSK	17.59	PASS
n77(3450-3550)	30	50	631668	1@131	CP_QPSK	18.07	PASS
n77(3450-3550)	30	50	631668	133@0	CP_16QAM	16.5	PASS
n77(3450-3550)	30	50	631668	67@33	CP_16QAM	17.62	PASS
n77(3450-3550)	30	50	631668	1@1	CP_16QAM	17.01	PASS
n77(3450-3550)	30	50	631668	1@131	CP_16QAM	17.49	PASS
n77(3450-3550)	30	50	631668	133@0	CP_64QAM	16	PASS
n77(3450-3550)	30	50	631668	67@33	CP_64QAM	16.11	PASS
n77(3450-3550)	30	50	631668	1@1	CP_64QAM	15.64	PASS
n77(3450-3550)	30	50	631668	1@131	CP_64QAM	16.09	PASS



n77(3450-3550)	30	50	631668	133@0	CP_256QAM	12.98	PASS
n77(3450-3550)	30	50	631668	67@33	CP_256QAM	13.08	PASS
n77(3450-3550)	30	50	631668	1@1	CP_256QAM	13.6	PASS
n77(3450-3550)	30	50	631668	1@131	CP_256QAM	13.06	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_BPSK	19.43	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_BPSK	19.96	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_BPSK	19.6	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_BPSK	20.13	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QPSK	18.91	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_QPSK	19.97	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_QPSK	19.61	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_QPSK	20.12	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_16QAM	18.5	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_16QAM	18.97	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_16QAM	18.1	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_16QAM	19.09	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_64QAM	17.4	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_64QAM	17.6	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_64QAM	17.21	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_64QAM	17.1	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_256QAM	15.39	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_256QAM	15.3	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_256QAM	15.04	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_256QAM	15.62	PASS
n77(3450-3550)	30	50	633334	133@0	CP_QPSK	16.9	PASS
n77(3450-3550)	30	50	633334	67@33	CP_QPSK	18.43	PASS
n77(3450-3550)	30	50	633334	1@1	CP_QPSK	18.1	PASS
n77(3450-3550)	30	50	633334	1@131	CP_QPSK	18.59	PASS
n77(3450-3550)	30	50	633334	133@0	CP_16QAM	16.89	PASS
n77(3450-3550)	30	50	633334	67@33	CP_16QAM	17.89	PASS
n77(3450-3550)	30	50	633334	1@1	CP_16QAM	17.36	PASS



n77(3450-3550)	30	50	633334	1@131	CP_16QAM	17.84	PASS
n77(3450-3550)	30	50	633334	133@0	CP_64QAM	16.4	PASS
n77(3450-3550)	30	50	633334	67@33	CP_64QAM	16.4	PASS
n77(3450-3550)	30	50	633334	1@1	CP_64QAM	16.04	PASS
n77(3450-3550)	30	50	633334	1@131	CP_64QAM	16.53	PASS
n77(3450-3550)	30	50	633334	133@0	CP_256QAM	13.39	PASS
n77(3450-3550)	30	50	633334	67@33	CP_256QAM	13.39	PASS
n77(3450-3550)	30	50	633334	1@1	CP_256QAM	13.21	PASS
n77(3450-3550)	30	50	633334	1@131	CP_256QAM	13.69	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_BPSK	19.87	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_BPSK	20.44	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_BPSK	19.93	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_BPSK	20.36	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_QPSK	19.37	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_QPSK	20.45	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_QPSK	19.84	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_QPSK	20.27	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_16QAM	18.35	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_16QAM	19.43	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_16QAM	18.88	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_16QAM	19.49	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_64QAM	17.85	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_64QAM	17.93	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_64QAM	17.53	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_64QAM	17.2	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_256QAM	15.6	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_256QAM	15.91	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_256QAM	15.41	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_256QAM	16.02	PASS
n77(3450-3550)	30	50	635000	133@0	CP_QPSK	17.33	PASS
n77(3450-3550)	30	50	635000	67@33	CP_QPSK	18.92	PASS



n77(3450-3550)	30	50	635000	1@1	CP_QPSK	18.35	PASS
n77(3450-3550)	30	50	635000	1@131	CP_QPSK	19	PASS
n77(3450-3550)	30	50	635000	133@0	CP_16QAM	17.34	PASS
n77(3450-3550)	30	50	635000	67@33	CP_16QAM	17.13	PASS
n77(3450-3550)	30	50	635000	1@1	CP_16QAM	17.76	PASS
n77(3450-3550)	30	50	635000	1@131	CP_16QAM	18.43	PASS
n77(3450-3550)	30	50	635000	133@0	CP_64QAM	16.84	PASS
n77(3450-3550)	30	50	635000	67@33	CP_64QAM	16.87	PASS
n77(3450-3550)	30	50	635000	1@1	CP_64QAM	16.44	PASS
n77(3450-3550)	30	50	635000	1@131	CP_64QAM	17.06	PASS
n77(3450-3550)	30	50	635000	133@0	CP_256QAM	13.82	PASS
n77(3450-3550)	30	50	635000	67@33	CP_256QAM	13.87	PASS
n77(3450-3550)	30	50	635000	1@1	CP_256QAM	13.38	PASS
n77(3450-3550)	30	50	635000	1@131	CP_256QAM	14.03	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_BPSK	19.09	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_BPSK	19.69	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_BPSK	19.03	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_BPSK	19.66	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_QPSK	18.58	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_QPSK	19.7	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_QPSK	19.01	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_QPSK	19.64	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_16QAM	17.56	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_16QAM	18.69	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_16QAM	18.2	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_16QAM	18.61	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_64QAM	17.1	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_64QAM	17.16	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_64QAM	17.3	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_64QAM	17.3	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_256QAM	15.1	PASS



n77(3450-3550)	30	60	632000	81@40	DFT_256QAM	15.16	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_256QAM	14.53	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_256QAM	15.4	PASS
n77(3450-3550)	30	60	632000	162@0	CP_QPSK	16.52	PASS
n77(3450-3550)	30	60	632000	81@40	CP_QPSK	16.4	PASS
n77(3450-3550)	30	60	632000	1@1	CP_QPSK	17.49	PASS
n77(3450-3550)	30	60	632000	1@160	CP_QPSK	17.2	PASS
n77(3450-3550)	30	60	632000	162@0	CP_16QAM	16.51	PASS
n77(3450-3550)	30	60	632000	81@40	CP_16QAM	17.67	PASS
n77(3450-3550)	30	60	632000	1@1	CP_16QAM	16.93	PASS
n77(3450-3550)	30	60	632000	1@160	CP_16QAM	17.51	PASS
n77(3450-3550)	30	60	632000	162@0	CP_64QAM	16.1	PASS
n77(3450-3550)	30	60	632000	81@40	CP_64QAM	16.11	PASS
n77(3450-3550)	30	60	632000	1@1	CP_64QAM	16.4	PASS
n77(3450-3550)	30	60	632000	1@160	CP_64QAM	16.17	PASS
n77(3450-3550)	30	60	632000	162@0	CP_256QAM	12.99	PASS
n77(3450-3550)	30	60	632000	81@40	CP_256QAM	13.11	PASS
n77(3450-3550)	30	60	632000	1@1	CP_256QAM	12.55	PASS
n77(3450-3550)	30	60	632000	1@160	CP_256QAM	13.13	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_BPSK	19.37	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_BPSK	19.96	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_BPSK	19.35	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_BPSK	19.99	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QPSK	18.87	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_QPSK	19.94	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_QPSK	19.35	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_QPSK	19.96	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_16QAM	17.87	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_16QAM	18.95	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_16QAM	18.31	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_16QAM	18.92	PASS



n77(3450-3550)	30	60	633334	162@0	DFT_64QAM	17.35	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_64QAM	17.41	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_64QAM	16.99	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_64QAM	17.6	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_256QAM	15.3	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_256QAM	14.6	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_256QAM	14.89	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_256QAM	14.6	PASS
n77(3450-3550)	30	60	633334	162@0	CP_QPSK	16.82	PASS
n77(3450-3550)	30	60	633334	81@40	CP_QPSK	18.41	PASS
n77(3450-3550)	30	60	633334	1@1	CP_QPSK	17.85	PASS
n77(3450-3550)	30	60	633334	1@160	CP_QPSK	18.45	PASS
n77(3450-3550)	30	60	633334	162@0	CP_16QAM	16.82	PASS
n77(3450-3550)	30	60	633334	81@40	CP_16QAM	17.92	PASS
n77(3450-3550)	30	60	633334	1@1	CP_16QAM	17.22	PASS
n77(3450-3550)	30	60	633334	1@160	CP_16QAM	17.75	PASS
n77(3450-3550)	30	60	633334	162@0	CP_64QAM	16.4	PASS
n77(3450-3550)	30	60	633334	81@40	CP_64QAM	16.38	PASS
n77(3450-3550)	30	60	633334	1@1	CP_64QAM	15.79	PASS
n77(3450-3550)	30	60	633334	1@160	CP_64QAM	16.42	PASS
n77(3450-3550)	30	60	633334	162@0	CP_256QAM	13.31	PASS
n77(3450-3550)	30	60	633334	81@40	CP_256QAM	13.38	PASS
n77(3450-3550)	30	60	633334	1@1	CP_256QAM	13.03	PASS
n77(3450-3550)	30	60	633334	1@160	CP_256QAM	13.6	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_BPSK	19.41	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_BPSK	20.41	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_BPSK	19.59	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_BPSK	20.14	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_QPSK	19.28	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_QPSK	20.39	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_QPSK	19.6	PASS



n77(3450-3550)	30	60	634666	1@160	DFT_QPSK	20.15	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_16QAM	18.9	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_16QAM	19.41	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_16QAM	19.1	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_16QAM	19.32	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_64QAM	17.79	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_64QAM	17.1	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_64QAM	17.22	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_64QAM	17.96	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_256QAM	15.68	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_256QAM	15.2	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_256QAM	15.06	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_256QAM	15.89	PASS
n77(3450-3550)	30	60	634666	162@0	CP_QPSK	17.22	PASS
n77(3450-3550)	30	60	634666	81@40	CP_QPSK	18.88	PASS
n77(3450-3550)	30	60	634666	1@1	CP_QPSK	18.03	PASS
n77(3450-3550)	30	60	634666	1@160	CP_QPSK	18.78	PASS
n77(3450-3550)	30	60	634666	162@0	CP_16QAM	18.2	PASS
n77(3450-3550)	30	60	634666	81@40	CP_16QAM	18.36	PASS
n77(3450-3550)	30	60	634666	1@1	CP_16QAM	17.44	PASS
n77(3450-3550)	30	60	634666	1@160	CP_16QAM	18.2	PASS
n77(3450-3550)	30	60	634666	162@0	CP_64QAM	16.72	PASS
n77(3450-3550)	30	60	634666	81@40	CP_64QAM	16.82	PASS
n77(3450-3550)	30	60	634666	1@1	CP_64QAM	16.12	PASS
n77(3450-3550)	30	60	634666	1@160	CP_64QAM	16.9	PASS
n77(3450-3550)	30	60	634666	162@0	CP_256QAM	13.7	PASS
n77(3450-3550)	30	60	634666	81@40	CP_256QAM	13.81	PASS
n77(3450-3550)	30	60	634666	1@1	CP_256QAM	13.04	PASS
n77(3450-3550)	30	60	634666	1@160	CP_256QAM	13.84	PASS



n77(3450-3550)	30	70	632334	180@0	DFT_BPSK	19.21	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_BPSK	19.78	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_BPSK	19.02	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_BPSK	19.81	PASS
n77(3450-3550)	30	70	632334	180@0	DFT_QPSK	18.68	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_QPSK	19.79	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_QPSK	19.07	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_QPSK	19.84	PASS
n77(3450-3550)	30	70	632334	180@0	DFT_16QAM	18.2	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_16QAM	18.78	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_16QAM	18.2	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_16QAM	18.77	PASS
n77(3450-3550)	30	70	632334	180@0	DFT_64QAM	17.17	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_64QAM	17.6	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_64QAM	16.66	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_64QAM	16.4	PASS
n77(3450-3550)	30	70	632334	180@0	DFT_256QAM	15.13	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_256QAM	15.21	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_256QAM	14.54	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_256QAM	14.9	PASS
n77(3450-3550)	30	70	632334	189@0	CP_QPSK	18.8	PASS
n77(3450-3550)	30	70	632334	95@47	CP_QPSK	19.2	PASS
n77(3450-3550)	30	70	632334	1@1	CP_QPSK	18.6	PASS
n77(3450-3550)	30	70	632334	1@187	CP_QPSK	18.3	PASS
n77(3450-3550)	30	70	632334	189@0	CP_16QAM	17.5	PASS
n77(3450-3550)	30	70	632334	95@47	CP_16QAM	17.77	PASS
n77(3450-3550)	30	70	632334	1@1	CP_16QAM	16.97	PASS
n77(3450-3550)	30	70	632334	1@187	CP_16QAM	17.77	PASS
n77(3450-3550)	30	70	632334	189@0	CP_64QAM	16.5	PASS
n77(3450-3550)	30	70	632334	95@47	CP_64QAM	16.22	PASS
n77(3450-3550)	30	70	632334	1@1	CP_64QAM	16.1	PASS



n77(3450-3550)	30	70	632334	1@187	CP_64QAM	16.36	PASS
n77(3450-3550)	30	70	632334	189@0	CP_256QAM	13.2	PASS
n77(3450-3550)	30	70	632334	95@47	CP_256QAM	13.22	PASS
n77(3450-3550)	30	70	632334	1@1	CP_256QAM	12.64	PASS
n77(3450-3550)	30	70	632334	1@187	CP_256QAM	12.69	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_BPSK	19.43	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_BPSK	19.99	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_BPSK	19.28	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_BPSK	19.74	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_QPSK	18.91	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_QPSK	19.98	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_QPSK	19.26	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_QPSK	19.78	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_16QAM	17.91	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_16QAM	18.95	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_16QAM	18.2	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_16QAM	19.04	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_64QAM	17.4	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_64QAM	17.44	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_64QAM	16.9	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_64QAM	16.9	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_256QAM	16.74	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_256QAM	15.41	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_256QAM	15.5	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_256QAM	15.53	PASS
n77(3450-3550)	30	70	633334	189@0	CP_QPSK	16.94	PASS
n77(3450-3550)	30	70	633334	95@47	CP_QPSK	18.47	PASS
n77(3450-3550)	30	70	633334	1@1	CP_QPSK	17.75	PASS
n77(3450-3550)	30	70	633334	1@187	CP_QPSK	18.53	PASS
n77(3450-3550)	30	70	633334	189@0	CP_16QAM	18.1	PASS
n77(3450-3550)	30	70	633334	95@47	CP_16QAM	18.01	PASS



n77(3450-3550)	30	70	633334	1@1	CP_16QAM	17.25	PASS
n77(3450-3550)	30	70	633334	1@187	CP_16QAM	17.97	PASS
n77(3450-3550)	30	70	633334	189@0	CP_64QAM	16.3	PASS
n77(3450-3550)	30	70	633334	95@47	CP_64QAM	16.48	PASS
n77(3450-3550)	30	70	633334	1@1	CP_64QAM	15.83	PASS
n77(3450-3550)	30	70	633334	1@187	CP_64QAM	16.6	PASS
n77(3450-3550)	30	70	633334	189@0	CP_256QAM	13.42	PASS
n77(3450-3550)	30	70	633334	95@47	CP_256QAM	13.47	PASS
n77(3450-3550)	30	70	633334	1@1	CP_256QAM	13.6	PASS
n77(3450-3550)	30	70	633334	1@187	CP_256QAM	13.59	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_BPSK	19.67	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_BPSK	20.28	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_BPSK	19.48	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_BPSK	19.97	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_QPSK	19.17	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_QPSK	20.24	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_QPSK	19.54	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_QPSK	20.02	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_16QAM	18.5	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_16QAM	19.25	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_16QAM	18.48	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_16QAM	19.25	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_64QAM	17.63	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_64QAM	17.6	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_64QAM	17.15	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_64QAM	17.36	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_256QAM	15.6	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_256QAM	15.7	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_256QAM	15.2	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_256QAM	15.77	PASS
n77(3450-3550)	30	70	634332	189@0	CP_QPSK	17.19	PASS



n77(3450-3550)	30	70	634332	95@47	CP_QPSK	18.75	PASS
n77(3450-3550)	30	70	634332	1@1	CP_QPSK	17.99	PASS
n77(3450-3550)	30	70	634332	1@187	CP_QPSK	18.77	PASS
n77(3450-3550)	30	70	634332	189@0	CP_16QAM	18.2	PASS
n77(3450-3550)	30	70	634332	95@47	CP_16QAM	18.29	PASS
n77(3450-3550)	30	70	634332	1@1	CP_16QAM	17.4	PASS
n77(3450-3550)	30	70	634332	1@187	CP_16QAM	17.5	PASS
n77(3450-3550)	30	70	634332	189@0	CP_64QAM	16.6	PASS
n77(3450-3550)	30	70	634332	95@47	CP_64QAM	16.74	PASS
n77(3450-3550)	30	70	634332	1@1	CP_64QAM	16.01	PASS
n77(3450-3550)	30	70	634332	1@187	CP_64QAM	16.86	PASS
n77(3450-3550)	30	70	634332	189@0	CP_256QAM	13.6	PASS
n77(3450-3550)	30	70	634332	95@47	CP_256QAM	13.75	PASS
n77(3450-3550)	30	70	634332	1@1	CP_256QAM	13.03	PASS
n77(3450-3550)	30	70	634332	1@187	CP_256QAM	13.77	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_BPSK	19.32	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_BPSK	19.86	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_BPSK	19	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_BPSK	19.53	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_QPSK	18.8	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_QPSK	19.88	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_QPSK	19.03	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_QPSK	19.58	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_16QAM	17.78	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_16QAM	18.87	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_16QAM	18.04	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_16QAM	18.85	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_64QAM	17.5	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_64QAM	17.33	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_64QAM	17.3	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_64QAM	17.48	PASS



n77(3450-3550)	30	80	632668	216@0	DFT_256QAM	15.22	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_256QAM	15.31	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_256QAM	14.58	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_256QAM	15.43	PASS
n77(3450-3550)	30	80	632668	217@0	CP_QPSK	16.71	PASS
n77(3450-3550)	30	80	632668	109@54	CP_QPSK	18.35	PASS
n77(3450-3550)	30	80	632668	1@1	CP_QPSK	17.48	PASS
n77(3450-3550)	30	80	632668	1@215	CP_QPSK	18.34	PASS
n77(3450-3550)	30	80	632668	217@0	CP_16QAM	16.76	PASS
n77(3450-3550)	30	80	632668	109@54	CP_16QAM	16.3	PASS
n77(3450-3550)	30	80	632668	1@1	CP_16QAM	16.9	PASS
n77(3450-3550)	30	80	632668	1@215	CP_16QAM	16.1	PASS
n77(3450-3550)	30	80	632668	217@0	CP_64QAM	16.32	PASS
n77(3450-3550)	30	80	632668	109@54	CP_64QAM	16.3	PASS
n77(3450-3550)	30	80	632668	1@1	CP_64QAM	15.51	PASS
n77(3450-3550)	30	80	632668	1@215	CP_64QAM	16.38	PASS
n77(3450-3550)	30	80	632668	217@0	CP_256QAM	13.24	PASS
n77(3450-3550)	30	80	632668	109@54	CP_256QAM	13.2	PASS
n77(3450-3550)	30	80	632668	1@1	CP_256QAM	12.51	PASS
n77(3450-3550)	30	80	632668	1@215	CP_256QAM	13.41	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_BPSK	19.42	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_BPSK	19.99	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_BPSK	19.12	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_BPSK	19.7	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QPSK	18.91	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_QPSK	20.02	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_QPSK	19.17	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_QPSK	19.79	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_16QAM	17.88	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_16QAM	18.98	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_16QAM	18.1	PASS



n77(3450-3550)	30	80	633334	1@215	DFT_16QAM	19.02	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_64QAM	16.56	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_64QAM	17.47	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_64QAM	16.72	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_64QAM	17.66	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_256QAM	15.34	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_256QAM	15.43	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_256QAM	14.6	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_256QAM	15.56	PASS
n77(3450-3550)	30	80	633334	217@0	CP_QPSK	16.85	PASS
n77(3450-3550)	30	80	633334	109@54	CP_QPSK	17.5	PASS
n77(3450-3550)	30	80	633334	1@1	CP_QPSK	17.59	PASS
n77(3450-3550)	30	80	633334	1@215	CP_QPSK	18.5	PASS
n77(3450-3550)	30	80	633334	217@0	CP_16QAM	16.87	PASS
n77(3450-3550)	30	80	633334	109@54	CP_16QAM	17.97	PASS
n77(3450-3550)	30	80	633334	1@1	CP_16QAM	17.1	PASS
n77(3450-3550)	30	80	633334	1@215	CP_16QAM	17.96	PASS
n77(3450-3550)	30	80	633334	217@0	CP_64QAM	16.2	PASS
n77(3450-3550)	30	80	633334	109@54	CP_64QAM	16.44	PASS
n77(3450-3550)	30	80	633334	1@1	CP_64QAM	16.1	PASS
n77(3450-3550)	30	80	633334	1@215	CP_64QAM	16.59	PASS
n77(3450-3550)	30	80	633334	217@0	CP_256QAM	13.33	PASS
n77(3450-3550)	30	80	633334	109@54	CP_256QAM	13.45	PASS
n77(3450-3550)	30	80	633334	1@1	CP_256QAM	12.68	PASS
n77(3450-3550)	30	80	633334	1@215	CP_256QAM	13.56	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_BPSK	19.56	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_BPSK	20.14	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_BPSK	19.33	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_BPSK	19.83	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_QPSK	19.05	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_QPSK	20.16	PASS



n77(3450-3550)	30	80	634000	1@1	DFT_QPSK	19.36	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_QPSK	19.88	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_16QAM	18.02	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_16QAM	19.14	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_16QAM	19.2	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_16QAM	19.09	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_64QAM	17.14	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_64QAM	17.61	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_64QAM	17.55	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_64QAM	17.76	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_256QAM	15.48	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_256QAM	15.58	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_256QAM	14.83	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_256QAM	14.3	PASS
n77(3450-3550)	30	80	634000	217@0	CP_QPSK	17.6	PASS
n77(3450-3550)	30	80	634000	109@54	CP_QPSK	18.63	PASS
n77(3450-3550)	30	80	634000	1@1	CP_QPSK	17.79	PASS
n77(3450-3550)	30	80	634000	1@215	CP_QPSK	18.1	PASS
n77(3450-3550)	30	80	634000	217@0	CP_16QAM	17.6	PASS
n77(3450-3550)	30	80	634000	109@54	CP_16QAM	17.65	PASS
n77(3450-3550)	30	80	634000	1@1	CP_16QAM	17.2	PASS
n77(3450-3550)	30	80	634000	1@215	CP_16QAM	18.09	PASS
n77(3450-3550)	30	80	634000	217@0	CP_64QAM	16.43	PASS
n77(3450-3550)	30	80	634000	109@54	CP_64QAM	15.66	PASS
n77(3450-3550)	30	80	634000	1@1	CP_64QAM	15.74	PASS
n77(3450-3550)	30	80	634000	1@215	CP_64QAM	16.69	PASS
n77(3450-3550)	30	80	634000	217@0	CP_256QAM	13.5	PASS
n77(3450-3550)	30	80	634000	109@54	CP_256QAM	13.25	PASS
n77(3450-3550)	30	80	634000	1@1	CP_256QAM	12.83	PASS
n77(3450-3550)	30	80	634000	1@215	CP_256QAM	13.7	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_BPSK	19.3	PASS



n77(3450-3550)	30	90	633000	120@60	DFT_BPSK	19.88	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_BPSK	18.86	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_BPSK	19.52	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_QPSK	18.26	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_QPSK	19.92	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_QPSK	18.81	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_QPSK	19.52	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_16QAM	17.75	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_16QAM	17.33	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_16QAM	17.83	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_16QAM	18.86	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_64QAM	17.27	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_64QAM	16.66	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_64QAM	17.05	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_64QAM	17.47	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_256QAM	15.24	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_256QAM	15.29	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_256QAM	15.56	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_256QAM	15.35	PASS
n77(3450-3550)	30	90	633000	245@0	CP_QPSK	16.73	PASS
n77(3450-3550)	30	90	633000	123@61	CP_QPSK	18.33	PASS
n77(3450-3550)	30	90	633000	1@1	CP_QPSK	17.33	PASS
n77(3450-3550)	30	90	633000	1@243	CP_QPSK	18.32	PASS
n77(3450-3550)	30	90	633000	245@0	CP_16QAM	17.56	PASS
n77(3450-3550)	30	90	633000	123@61	CP_16QAM	17.84	PASS
n77(3450-3550)	30	90	633000	1@1	CP_16QAM	17.6	PASS
n77(3450-3550)	30	90	633000	1@243	CP_16QAM	17.73	PASS
n77(3450-3550)	30	90	633000	245@0	CP_64QAM	16.25	PASS
n77(3450-3550)	30	90	633000	123@61	CP_64QAM	16.5	PASS
n77(3450-3550)	30	90	633000	1@1	CP_64QAM	16.34	PASS
n77(3450-3550)	30	90	633000	1@243	CP_64QAM	16.39	PASS



n77(3450-3550)	30	90	633000	245@0	CP_256QAM	13.27	PASS
n77(3450-3550)	30	90	633000	123@61	CP_256QAM	13.6	PASS
n77(3450-3550)	30	90	633000	1@1	CP_256QAM	13.35	PASS
n77(3450-3550)	30	90	633000	1@243	CP_256QAM	13.38	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_BPSK	19.41	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_BPSK	19.97	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_BPSK	18.93	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_BPSK	19.63	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_QPSK	19.3	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_QPSK	19.96	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_QPSK	18.9	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_QPSK	19.63	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_16QAM	17.86	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_16QAM	17.3	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_16QAM	17.85	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_16QAM	17.3	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_64QAM	17.4	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_64QAM	16.5	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_64QAM	16.51	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_64QAM	17.6	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_256QAM	15.33	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_256QAM	15.4	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_256QAM	15.3	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_256QAM	15.47	PASS
n77(3450-3550)	30	90	633334	245@0	CP_QPSK	16.85	PASS
n77(3450-3550)	30	90	633334	123@61	CP_QPSK	18.45	PASS
n77(3450-3550)	30	90	633334	1@1	CP_QPSK	17.37	PASS
n77(3450-3550)	30	90	633334	1@243	CP_QPSK	16.69	PASS
n77(3450-3550)	30	90	633334	245@0	CP_16QAM	16.85	PASS
n77(3450-3550)	30	90	633334	123@61	CP_16QAM	17.1	PASS
n77(3450-3550)	30	90	633334	1@1	CP_16QAM	16.88	PASS



n77(3450-3550)	30	90	633334	1@243	CP_16QAM	17.8	PASS
n77(3450-3550)	30	90	633334	245@0	CP_64QAM	16.35	PASS
n77(3450-3550)	30	90	633334	123@61	CP_64QAM	16.42	PASS
n77(3450-3550)	30	90	633334	1@1	CP_64QAM	16.5	PASS
n77(3450-3550)	30	90	633334	1@243	CP_64QAM	16.48	PASS
n77(3450-3550)	30	90	633334	245@0	CP_256QAM	13.36	PASS
n77(3450-3550)	30	90	633334	123@61	CP_256QAM	13.46	PASS
n77(3450-3550)	30	90	633334	1@1	CP_256QAM	12.45	PASS
n77(3450-3550)	30	90	633334	1@243	CP_256QAM	13.51	PASS
n77(3450-3550)	30	90	633666	243@0	DFT_BPSK	19.48	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_BPSK	20.08	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_BPSK	19.06	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_BPSK	19.69	PASS
n77(3450-3550)	30	90	633666	243@0	DFT_QPSK	18.98	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_QPSK	20.08	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_QPSK	19.05	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_QPSK	19.69	PASS
n77(3450-3550)	30	90	633666	243@0	DFT_16QAM	17.97	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_16QAM	19.07	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_16QAM	19.2	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_16QAM	19.01	PASS
n77(3450-3550)	30	90	633666	243@0	DFT_64QAM	17.47	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_64QAM	16.5	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_64QAM	16.67	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_64QAM	17.63	PASS
n77(3450-3550)	30	90	633666	243@0	DFT_256QAM	15.1	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_256QAM	15.51	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_256QAM	15.6	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_256QAM	15.52	PASS
n77(3450-3550)	30	90	633666	245@0	CP_QPSK	16.94	PASS
n77(3450-3550)	30	90	633666	123@61	CP_QPSK	18.55	PASS



n77(3450-3550)	30	90	633666	1@1	CP_QPSK	18.2	PASS
n77(3450-3550)	30	90	633666	1@243	CP_QPSK	18.58	PASS
n77(3450-3550)	30	90	633666	245@0	CP_16QAM	16.96	PASS
n77(3450-3550)	30	90	633666	123@61	CP_16QAM	18.05	PASS
n77(3450-3550)	30	90	633666	1@1	CP_16QAM	16.9	PASS
n77(3450-3550)	30	90	633666	1@243	CP_16QAM	18	PASS
n77(3450-3550)	30	90	633666	245@0	CP_64QAM	16.44	PASS
n77(3450-3550)	30	90	633666	123@61	CP_64QAM	15.96	PASS
n77(3450-3550)	30	90	633666	1@1	CP_64QAM	15.55	PASS
n77(3450-3550)	30	90	633666	1@243	CP_64QAM	15.6	PASS
n77(3450-3550)	30	90	633666	245@0	CP_256QAM	13.43	PASS
n77(3450-3550)	30	90	633666	123@61	CP_256QAM	13.3	PASS
n77(3450-3550)	30	90	633666	1@1	CP_256QAM	13.58	PASS
n77(3450-3550)	30	90	633666	1@243	CP_256QAM	13.64	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_BPSK	20.37	PASS
n77(3450-3550)	30	100	633334	135@67	DFT_BPSK	20.99	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_BPSK	19.79	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_BPSK	20.51	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QPSK	20.3	PASS
n77(3450-3550)	30	100	633334	135@67	DFT_QPSK	20.99	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_QPSK	19.79	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_QPSK	20.49	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_16QAM	18.85	PASS
n77(3450-3550)	30	100	633334	135@67	DFT_16QAM	19.99	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_16QAM	19.6	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_16QAM	19.82	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_64QAM	18.2	PASS
n77(3450-3550)	30	100	633334	135@67	DFT_64QAM	18.47	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_64QAM	17.34	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_64QAM	17.6	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_256QAM	16.28	PASS



n77(3450-3550)	30	100	633334	135@67	DFT_256QAM	16.43	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_256QAM	16.5	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_256QAM	16.49	PASS
n77(3450-3550)	30	100	633334	273@0	CP_QPSK	17.8	PASS
n77(3450-3550)	30	100	633334	137@68	CP_QPSK	19.44	PASS
n77(3450-3550)	30	100	633334	1@1	CP_QPSK	19.2	PASS
n77(3450-3550)	30	100	633334	1@271	CP_QPSK	19.37	PASS
n77(3450-3550)	30	100	633334	273@0	CP_16QAM	17.82	PASS
n77(3450-3550)	30	100	633334	137@68	CP_16QAM	17.1	PASS
n77(3450-3550)	30	100	633334	1@1	CP_16QAM	17.61	PASS
n77(3450-3550)	30	100	633334	1@271	CP_16QAM	18.82	PASS
n77(3450-3550)	30	100	633334	273@0	CP_64QAM	17.63	PASS
n77(3450-3550)	30	100	633334	137@68	CP_64QAM	17.39	PASS
n77(3450-3550)	30	100	633334	1@1	CP_64QAM	17.4	PASS
n77(3450-3550)	30	100	633334	1@271	CP_64QAM	17.38	PASS
n77(3450-3550)	30	100	633334	273@0	CP_256QAM	14.32	PASS
n77(3450-3550)	30	100	633334	137@68	CP_256QAM	14.5	PASS
n77(3450-3550)	30	100	633334	1@1	CP_256QAM	13.3	PASS
n77(3450-3550)	30	100	633334	1@271	CP_256QAM	14.42	PASS



Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n77(3700-3980)	30	10	647000	24@0	DFT_BPSK	20.14	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_BPSK	20.67	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_BPSK	20.64	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_BPSK	20.6	PASS
n77(3700-3980)	30	10	647000	24@0	DFT_QPSK	19.64	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_QPSK	20.67	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_QPSK	20.55	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_QPSK	20.54	PASS
n77(3700-3980)	30	10	647000	24@0	DFT_16QAM	18.82	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_16QAM	19.66	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_16QAM	19.52	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_16QAM	19.5	PASS
n77(3700-3980)	30	10	647000	24@0	DFT_64QAM	18.24	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_64QAM	18.25	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_64QAM	17.92	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_64QAM	17.93	PASS
n77(3700-3980)	30	10	647000	24@0	DFT_256QAM	16.3	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_256QAM	16.3	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_256QAM	16.13	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_256QAM	16.1	PASS
n77(3700-3980)	30	10	647000	24@0	CP_QPSK	17.76	PASS
n77(3700-3980)	30	10	647000	12@6	CP_QPSK	19.29	PASS
n77(3700-3980)	30	10	647000	1@1	CP_QPSK	19.36	PASS
n77(3700-3980)	30	10	647000	1@22	CP_QPSK	19.34	PASS
n77(3700-3980)	30	10	647000	24@0	CP_16QAM	17.76	PASS
n77(3700-3980)	30	10	647000	12@6	CP_16QAM	18.88	PASS
n77(3700-3980)	30	10	647000	1@1	CP_16QAM	18.75	PASS
n77(3700-3980)	30	10	647000	1@22	CP_16QAM	18.76	PASS
n77(3700-3980)	30	10	647000	24@0	CP_64QAM	17.24	PASS
n77(3700-3980)	30	10	647000	12@6	CP_64QAM	17.29	PASS



n77(3700-3980)	30	10	647000	1@1	CP_64QAM	17.33	PASS
n77(3700-3980)	30	10	647000	1@22	CP_64QAM	17.33	PASS
n77(3700-3980)	30	10	647000	24@0	CP_256QAM	14.23	PASS
n77(3700-3980)	30	10	647000	12@6	CP_256QAM	14.28	PASS
n77(3700-3980)	30	10	647000	1@1	CP_256QAM	14.18	PASS
n77(3700-3980)	30	10	647000	1@22	CP_256QAM	14.16	PASS
n77(3700-3980)	30	10	656000	24@0	DFT_BPSK	20.05	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_BPSK	20.55	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_BPSK	20.46	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_BPSK	20.58	PASS
n77(3700-3980)	30	10	656000	24@0	DFT_QPSK	19.58	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_QPSK	20.58	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_QPSK	20.42	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_QPSK	20.5	PASS
n77(3700-3980)	30	10	656000	24@0	DFT_16QAM	18.64	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_16QAM	19.55	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_16QAM	19.36	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_16QAM	19.43	PASS
n77(3700-3980)	30	10	656000	24@0	DFT_64QAM	18.19	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_64QAM	18.19	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_64QAM	17.86	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_64QAM	18	PASS
n77(3700-3980)	30	10	656000	24@0	DFT_256QAM	16.14	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_256QAM	16.19	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_256QAM	16.08	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_256QAM	16.2	PASS
n77(3700-3980)	30	10	656000	24@0	CP_QPSK	17.67	PASS
n77(3700-3980)	30	10	656000	12@6	CP_QPSK	19.05	PASS
n77(3700-3980)	30	10	656000	1@1	CP_QPSK	18.99	PASS
n77(3700-3980)	30	10	656000	1@22	CP_QPSK	19.06	PASS
n77(3700-3980)	30	10	656000	24@0	CP_16QAM	17.68	PASS



n77(3700-3980)	30	10	656000	12@6	CP_16QAM	18.78	PASS
n77(3700-3980)	30	10	656000	1@1	CP_16QAM	18.77	PASS
n77(3700-3980)	30	10	656000	1@22	CP_16QAM	18.84	PASS
n77(3700-3980)	30	10	656000	24@0	CP_64QAM	17.17	PASS
n77(3700-3980)	30	10	656000	12@6	CP_64QAM	17.22	PASS
n77(3700-3980)	30	10	656000	1@1	CP_64QAM	17.22	PASS
n77(3700-3980)	30	10	656000	1@22	CP_64QAM	17.32	PASS
n77(3700-3980)	30	10	656000	24@0	CP_256QAM	14.2	PASS
n77(3700-3980)	30	10	656000	12@6	CP_256QAM	14.15	PASS
n77(3700-3980)	30	10	656000	1@1	CP_256QAM	14.06	PASS
n77(3700-3980)	30	10	656000	1@22	CP_256QAM	14.14	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_BPSK	20.46	PASS
n77(3700-3980)	30	10	665000	12@6	DFT_BPSK	21.01	PASS
n77(3700-3980)	30	10	665000	1@1	DFT_BPSK	20.82	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_BPSK	21.01	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_QPSK	19.96	PASS
n77(3700-3980)	30	10	665000	12@6	DFT_QPSK	20.99	PASS
n77(3700-3980)	30	10	665000	1@1	DFT_QPSK	20.8	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_QPSK	20.94	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_16QAM	18.88	PASS
n77(3700-3980)	30	10	665000	12@6	DFT_16QAM	19.97	PASS
n77(3700-3980)	30	10	665000	1@1	DFT_16QAM	19.73	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_16QAM	19.88	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_64QAM	18.4	PASS
n77(3700-3980)	30	10	665000	12@6	DFT_64QAM	18.2	PASS
n77(3700-3980)	30	10	665000	1@1	DFT_64QAM	18.11	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_64QAM	18.32	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_256QAM	16.59	PASS
n77(3700-3980)	30	10	665000	12@6	DFT_256QAM	16.61	PASS
n77(3700-3980)	30	10	665000	1@1	DFT_256QAM	16.42	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_256QAM	16.63	PASS



n77(3700-3980)	30	10	665000	24@0	CP_QPSK	18.09	PASS
n77(3700-3980)	30	10	665000	12@6	CP_QPSK	19.49	PASS
n77(3700-3980)	30	10	665000	1@1	CP_QPSK	19.28	PASS
n77(3700-3980)	30	10	665000	1@22	CP_QPSK	19.44	PASS
n77(3700-3980)	30	10	665000	24@0	CP_16QAM	18.12	PASS
n77(3700-3980)	30	10	665000	12@6	CP_16QAM	19.01	PASS
n77(3700-3980)	30	10	665000	1@1	CP_16QAM	18.97	PASS
n77(3700-3980)	30	10	665000	1@22	CP_16QAM	19.1	PASS
n77(3700-3980)	30	10	665000	24@0	CP_64QAM	17.56	PASS
n77(3700-3980)	30	10	665000	12@6	CP_64QAM	17.57	PASS
n77(3700-3980)	30	10	665000	1@1	CP_64QAM	17.54	PASS
n77(3700-3980)	30	10	665000	1@22	CP_64QAM	17.7	PASS
n77(3700-3980)	30	10	665000	24@0	CP_256QAM	14.56	PASS
n77(3700-3980)	30	10	665000	12@6	CP_256QAM	14.58	PASS
n77(3700-3980)	30	10	665000	1@1	CP_256QAM	14.41	PASS
n77(3700-3980)	30	10	665000	1@22	CP_256QAM	14.56	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_BPSK	20.13	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_BPSK	20.69	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_BPSK	20.59	PASS
n77(3700-3980)	30	15	647168	1@36	DFT_BPSK	20.56	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_QPSK	19.62	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_QPSK	20.69	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_QPSK	20.5	PASS
n77(3700-3980)	30	15	647168	1@36	DFT_QPSK	20.49	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_16QAM	18.75	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_16QAM	19.76	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_16QAM	19.49	PASS
n77(3700-3980)	30	15	647168	1@36	DFT_16QAM	19.45	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_64QAM	18.31	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_64QAM	18.34	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_64QAM	17.97	PASS



n77(3700-3980)	30	15	647168	1@36	DFT_64QAM	18.01	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_256QAM	16.25	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_256QAM	16.27	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_256QAM	16.3	PASS
n77(3700-3980)	30	15	647168	1@36	DFT_256QAM	16.18	PASS
n77(3700-3980)	30	15	647168	38@0	CP_QPSK	17.75	PASS
n77(3700-3980)	30	15	647168	19@9	CP_QPSK	19.29	PASS
n77(3700-3980)	30	15	647168	1@1	CP_QPSK	19.16	PASS
n77(3700-3980)	30	15	647168	1@36	CP_QPSK	19.18	PASS
n77(3700-3980)	30	15	647168	38@0	CP_16QAM	17.74	PASS
n77(3700-3980)	30	15	647168	19@9	CP_16QAM	18.8	PASS
n77(3700-3980)	30	15	647168	1@1	CP_16QAM	18.82	PASS
n77(3700-3980)	30	15	647168	1@36	CP_16QAM	18.81	PASS
n77(3700-3980)	30	15	647168	38@0	CP_64QAM	17.27	PASS
n77(3700-3980)	30	15	647168	19@9	CP_64QAM	17.24	PASS
n77(3700-3980)	30	15	647168	1@1	CP_64QAM	17.29	PASS
n77(3700-3980)	30	15	647168	1@36	CP_64QAM	17.31	PASS
n77(3700-3980)	30	15	647168	38@0	CP_256QAM	14.2	PASS
n77(3700-3980)	30	15	647168	19@9	CP_256QAM	14.2	PASS
n77(3700-3980)	30	15	647168	1@1	CP_256QAM	14.1	PASS
n77(3700-3980)	30	15	647168	1@36	CP_256QAM	14.14	PASS
n77(3700-3980)	30	15	656000	36@0	DFT_BPSK	20.04	PASS
n77(3700-3980)	30	15	656000	18@9	DFT_BPSK	20.59	PASS
n77(3700-3980)	30	15	656000	1@1	DFT_BPSK	20.41	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_BPSK	20.6	PASS
n77(3700-3980)	30	15	656000	36@0	DFT_QPSK	19.55	PASS
n77(3700-3980)	30	15	656000	18@9	DFT_QPSK	20.59	PASS
n77(3700-3980)	30	15	656000	1@1	DFT_QPSK	20.38	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_QPSK	20.51	PASS
n77(3700-3980)	30	15	656000	36@0	DFT_16QAM	18.69	PASS
n77(3700-3980)	30	15	656000	18@9	DFT_16QAM	19.67	PASS



n77(3700-3980)	30	15	656000	1@1	DFT_16QAM	19.24	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_16QAM	19.39	PASS
n77(3700-3980)	30	15	656000	36@0	DFT_64QAM	18.23	PASS
n77(3700-3980)	30	15	656000	18@9	DFT_64QAM	17.4	PASS
n77(3700-3980)	30	15	656000	1@1	DFT_64QAM	17.84	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_64QAM	17.98	PASS
n77(3700-3980)	30	15	656000	36@0	DFT_256QAM	16.17	PASS
n77(3700-3980)	30	15	656000	18@9	DFT_256QAM	16.19	PASS
n77(3700-3980)	30	15	656000	1@1	DFT_256QAM	16.01	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_256QAM	16.18	PASS
n77(3700-3980)	30	15	656000	38@0	CP_QPSK	17.69	PASS
n77(3700-3980)	30	15	656000	19@9	CP_QPSK	19.02	PASS
n77(3700-3980)	30	15	656000	1@1	CP_QPSK	18.9	PASS
n77(3700-3980)	30	15	656000	1@36	CP_QPSK	19.05	PASS
n77(3700-3980)	30	15	656000	38@0	CP_16QAM	17.7	PASS
n77(3700-3980)	30	15	656000	19@9	CP_16QAM	18.71	PASS
n77(3700-3980)	30	15	656000	1@1	CP_16QAM	18.71	PASS
n77(3700-3980)	30	15	656000	1@36	CP_16QAM	18.87	PASS
n77(3700-3980)	30	15	656000	38@0	CP_64QAM	17.17	PASS
n77(3700-3980)	30	15	656000	19@9	CP_64QAM	17.18	PASS
n77(3700-3980)	30	15	656000	1@1	CP_64QAM	17.14	PASS
n77(3700-3980)	30	15	656000	1@36	CP_64QAM	17.3	PASS
n77(3700-3980)	30	15	656000	38@0	CP_256QAM	14.12	PASS
n77(3700-3980)	30	15	656000	19@9	CP_256QAM	14.11	PASS
n77(3700-3980)	30	15	656000	1@1	CP_256QAM	14	PASS
n77(3700-3980)	30	15	656000	1@36	CP_256QAM	14.13	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_BPSK	20.39	PASS
n77(3700-3980)	30	15	664832	18@9	DFT_BPSK	20.93	PASS
n77(3700-3980)	30	15	664832	1@1	DFT_BPSK	20.73	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_BPSK	20.94	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_QPSK	19.89	PASS



n77(3700-3980)	30	15	664832	18@9	DFT_QPSK	20.97	PASS
n77(3700-3980)	30	15	664832	1@1	DFT_QPSK	20.67	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_QPSK	20.89	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_16QAM	18.85	PASS
n77(3700-3980)	30	15	664832	18@9	DFT_16QAM	19.99	PASS
n77(3700-3980)	30	15	664832	1@1	DFT_16QAM	19.57	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_16QAM	19.8	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_64QAM	18.41	PASS
n77(3700-3980)	30	15	664832	18@9	DFT_64QAM	18.4	PASS
n77(3700-3980)	30	15	664832	1@1	DFT_64QAM	18	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_64QAM	18.23	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_256QAM	16.3	PASS
n77(3700-3980)	30	15	664832	18@9	DFT_256QAM	16.52	PASS
n77(3700-3980)	30	15	664832	1@1	DFT_256QAM	16.37	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_256QAM	16.57	PASS
n77(3700-3980)	30	15	664832	38@0	CP_QPSK	18.01	PASS
n77(3700-3980)	30	15	664832	19@9	CP_QPSK	19.39	PASS
n77(3700-3980)	30	15	664832	1@1	CP_QPSK	19.16	PASS
n77(3700-3980)	30	15	664832	1@36	CP_QPSK	19.39	PASS
n77(3700-3980)	30	15	664832	38@0	CP_16QAM	18.02	PASS
n77(3700-3980)	30	15	664832	19@9	CP_16QAM	18.89	PASS
n77(3700-3980)	30	15	664832	1@1	CP_16QAM	18.83	PASS
n77(3700-3980)	30	15	664832	1@36	CP_16QAM	19.01	PASS
n77(3700-3980)	30	15	664832	38@0	CP_64QAM	17.52	PASS
n77(3700-3980)	30	15	664832	19@9	CP_64QAM	17.51	PASS
n77(3700-3980)	30	15	664832	1@1	CP_64QAM	17.47	PASS
n77(3700-3980)	30	15	664832	1@36	CP_64QAM	17.67	PASS
n77(3700-3980)	30	15	664832	38@0	CP_256QAM	14.49	PASS
n77(3700-3980)	30	15	664832	19@9	CP_256QAM	14.47	PASS
n77(3700-3980)	30	15	664832	1@1	CP_256QAM	14.3	PASS
n77(3700-3980)	30	15	664832	1@36	CP_256QAM	14.48	PASS



n77(3700-3980)	30	20	647334	50@0	DFT_BPSK	20.12	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_BPSK	20.62	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_BPSK	20.53	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_BPSK	20.52	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_QPSK	19.61	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_QPSK	20.62	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_QPSK	20.44	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_QPSK	20.47	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_16QAM	18.81	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_16QAM	19.56	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_16QAM	19.37	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_16QAM	19.35	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_64QAM	18.24	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_64QAM	18.28	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_64QAM	17.94	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_64QAM	17.91	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_256QAM	16.2	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_256QAM	16.18	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_256QAM	16.12	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_256QAM	16.08	PASS
n77(3700-3980)	30	20	647334	51@0	CP_QPSK	17.74	PASS
n77(3700-3980)	30	20	647334	25@12	CP_QPSK	19.27	PASS
n77(3700-3980)	30	20	647334	1@1	CP_QPSK	19.09	PASS
n77(3700-3980)	30	20	647334	1@49	CP_QPSK	19.09	PASS
n77(3700-3980)	30	20	647334	51@0	CP_16QAM	17.75	PASS
n77(3700-3980)	30	20	647334	25@12	CP_16QAM	18.74	PASS
n77(3700-3980)	30	20	647334	1@1	CP_16QAM	18.76	PASS
n77(3700-3980)	30	20	647334	1@49	CP_16QAM	18.7	PASS
n77(3700-3980)	30	20	647334	51@0	CP_64QAM	17.25	PASS
n77(3700-3980)	30	20	647334	25@12	CP_64QAM	17.25	PASS
n77(3700-3980)	30	20	647334	1@1	CP_64QAM	17.22	PASS



n77(3700-3980)	30	20	647334	1@49	CP_64QAM	17.24	PASS
n77(3700-3980)	30	20	647334	51@0	CP_256QAM	14.15	PASS
n77(3700-3980)	30	20	647334	25@12	CP_256QAM	14.16	PASS
n77(3700-3980)	30	20	647334	1@1	CP_256QAM	14.08	PASS
n77(3700-3980)	30	20	647334	1@49	CP_256QAM	14.08	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_BPSK	20.06	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_BPSK	20.56	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_BPSK	20.33	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_BPSK	20.54	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QPSK	19.55	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_QPSK	20.58	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_QPSK	20.24	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_QPSK	20.48	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_16QAM	18.72	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_16QAM	19.57	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_16QAM	19.18	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_16QAM	19.44	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_64QAM	18.17	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_64QAM	18.21	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_64QAM	17.73	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_64QAM	17.97	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_256QAM	16.14	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_256QAM	16.11	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_256QAM	16.2	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_256QAM	16.17	PASS
n77(3700-3980)	30	20	656000	51@0	CP_QPSK	17.66	PASS
n77(3700-3980)	30	20	656000	25@12	CP_QPSK	19.06	PASS
n77(3700-3980)	30	20	656000	1@1	CP_QPSK	18.81	PASS
n77(3700-3980)	30	20	656000	1@49	CP_QPSK	19	PASS
n77(3700-3980)	30	20	656000	51@0	CP_16QAM	17.66	PASS
n77(3700-3980)	30	20	656000	25@12	CP_16QAM	18.72	PASS



n77(3700-3980)	30	20	656000	1@1	CP_16QAM	18.56	PASS
n77(3700-3980)	30	20	656000	1@49	CP_16QAM	18.78	PASS
n77(3700-3980)	30	20	656000	51@0	CP_64QAM	17.18	PASS
n77(3700-3980)	30	20	656000	25@12	CP_64QAM	17.18	PASS
n77(3700-3980)	30	20	656000	1@1	CP_64QAM	17.04	PASS
n77(3700-3980)	30	20	656000	1@49	CP_64QAM	17.28	PASS
n77(3700-3980)	30	20	656000	51@0	CP_256QAM	14.12	PASS
n77(3700-3980)	30	20	656000	25@12	CP_256QAM	14.12	PASS
n77(3700-3980)	30	20	656000	1@1	CP_256QAM	13.89	PASS
n77(3700-3980)	30	20	656000	1@49	CP_256QAM	14.11	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_BPSK	20.35	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_BPSK	20.89	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_BPSK	20.61	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_BPSK	20.9	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_QPSK	19.84	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_QPSK	20.89	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_QPSK	20.53	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_QPSK	20.81	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_16QAM	18.84	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_16QAM	19.86	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_16QAM	19.54	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_16QAM	19.79	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_64QAM	18.32	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_64QAM	18.36	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_64QAM	17.92	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_64QAM	18.19	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_256QAM	16.45	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_256QAM	16.47	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_256QAM	16.23	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_256QAM	16.52	PASS
n77(3700-3980)	30	20	664666	51@0	CP_QPSK	17.99	PASS



n77(3700-3980)	30	20	664666	25@12	CP_QPSK	19.39	PASS
n77(3700-3980)	30	20	664666	1@1	CP_QPSK	19.06	PASS
n77(3700-3980)	30	20	664666	1@49	CP_QPSK	19.32	PASS
n77(3700-3980)	30	20	664666	51@0	CP_16QAM	17.99	PASS
n77(3700-3980)	30	20	664666	25@12	CP_16QAM	18.85	PASS
n77(3700-3980)	30	20	664666	1@1	CP_16QAM	18.69	PASS
n77(3700-3980)	30	20	664666	1@49	CP_16QAM	19	PASS
n77(3700-3980)	30	20	664666	51@0	CP_64QAM	17.49	PASS
n77(3700-3980)	30	20	664666	25@12	CP_64QAM	17.5	PASS
n77(3700-3980)	30	20	664666	1@1	CP_64QAM	17.3	PASS
n77(3700-3980)	30	20	664666	1@49	CP_64QAM	17.64	PASS
n77(3700-3980)	30	20	664666	51@0	CP_256QAM	14.41	PASS
n77(3700-3980)	30	20	664666	25@12	CP_256QAM	14.44	PASS
n77(3700-3980)	30	20	664666	1@1	CP_256QAM	14.19	PASS
n77(3700-3980)	30	20	664666	1@49	CP_256QAM	14.49	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_BPSK	20.02	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_BPSK	20.63	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_BPSK	20.08	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_BPSK	20.33	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_QPSK	19.51	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_QPSK	20.6	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_QPSK	20.05	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_QPSK	20.3	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_16QAM	18.63	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_16QAM	19.64	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_16QAM	18.97	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_16QAM	19.19	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_64QAM	18.16	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_64QAM	18.19	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_64QAM	17.47	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_64QAM	17.7	PASS



n77(3700-3980)	30	40	648000	100@0	DFT_256QAM	16.12	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_256QAM	16.17	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_256QAM	15.71	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_256QAM	15.95	PASS
n77(3700-3980)	30	40	648000	106@0	CP_QPSK	17.63	PASS
n77(3700-3980)	30	40	648000	53@26	CP_QPSK	19.23	PASS
n77(3700-3980)	30	40	648000	1@1	CP_QPSK	18.71	PASS
n77(3700-3980)	30	40	648000	1@104	CP_QPSK	18.91	PASS
n77(3700-3980)	30	40	648000	106@0	CP_16QAM	17.63	PASS
n77(3700-3980)	30	40	648000	53@26	CP_16QAM	18.73	PASS
n77(3700-3980)	30	40	648000	1@1	CP_16QAM	18.36	PASS
n77(3700-3980)	30	40	648000	1@104	CP_16QAM	18.59	PASS
n77(3700-3980)	30	40	648000	106@0	CP_64QAM	17.06	PASS
n77(3700-3980)	30	40	648000	53@26	CP_64QAM	17.22	PASS
n77(3700-3980)	30	40	648000	1@1	CP_64QAM	16.84	PASS
n77(3700-3980)	30	40	648000	1@104	CP_64QAM	17.06	PASS
n77(3700-3980)	30	40	648000	106@0	CP_256QAM	14.06	PASS
n77(3700-3980)	30	40	648000	53@26	CP_256QAM	14.17	PASS
n77(3700-3980)	30	40	648000	1@1	CP_256QAM	13.7	PASS
n77(3700-3980)	30	40	648000	1@104	CP_256QAM	13.91	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_BPSK	19.98	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_BPSK	20.6	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_BPSK	19.94	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_BPSK	20.28	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QPSK	19.45	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_QPSK	20.6	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_QPSK	19.9	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_QPSK	20.23	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_16QAM	18.59	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_16QAM	19.64	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_16QAM	18.86	PASS



n77(3700-3980)	30	40	656000	1@104	DFT_16QAM	19.17	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_64QAM	18.11	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_64QAM	18.2	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_64QAM	17.32	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_64QAM	17.71	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_256QAM	16.09	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_256QAM	16.18	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_256QAM	15.56	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_256QAM	15.9	PASS
n77(3700-3980)	30	40	656000	106@0	CP_QPSK	17.53	PASS
n77(3700-3980)	30	40	656000	53@26	CP_QPSK	19.08	PASS
n77(3700-3980)	30	40	656000	1@1	CP_QPSK	18.44	PASS
n77(3700-3980)	30	40	656000	1@104	CP_QPSK	18.79	PASS
n77(3700-3980)	30	40	656000	106@0	CP_16QAM	17.56	PASS
n77(3700-3980)	30	40	656000	53@26	CP_16QAM	18.69	PASS
n77(3700-3980)	30	40	656000	1@1	CP_16QAM	18.2	PASS
n77(3700-3980)	30	40	656000	1@104	CP_16QAM	18.54	PASS
n77(3700-3980)	30	40	656000	106@0	CP_64QAM	17.01	PASS
n77(3700-3980)	30	40	656000	53@26	CP_64QAM	17.19	PASS
n77(3700-3980)	30	40	656000	1@1	CP_64QAM	16.68	PASS
n77(3700-3980)	30	40	656000	1@104	CP_64QAM	17.06	PASS
n77(3700-3980)	30	40	656000	106@0	CP_256QAM	14	PASS
n77(3700-3980)	30	40	656000	53@26	CP_256QAM	14.14	PASS
n77(3700-3980)	30	40	656000	1@1	CP_256QAM	13.54	PASS
n77(3700-3980)	30	40	656000	1@104	CP_256QAM	13.86	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_BPSK	20.24	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_BPSK	20.84	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_BPSK	20.23	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_BPSK	20.65	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_QPSK	19.74	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_QPSK	20.85	PASS



n77(3700-3980)	30	40	664000	1@1	DFT_QPSK	20.14	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_QPSK	20.58	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_16QAM	18.73	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_16QAM	19.83	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_16QAM	19.03	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_16QAM	19.5	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_64QAM	18.38	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_64QAM	18.44	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_64QAM	16.9	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_64QAM	17.93	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_256QAM	16.36	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_256QAM	15.3	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_256QAM	15.83	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_256QAM	14.8	PASS
n77(3700-3980)	30	40	664000	106@0	CP_QPSK	17.6	PASS
n77(3700-3980)	30	40	664000	53@26	CP_QPSK	19.33	PASS
n77(3700-3980)	30	40	664000	1@1	CP_QPSK	18.65	PASS
n77(3700-3980)	30	40	664000	1@104	CP_QPSK	19.11	PASS
n77(3700-3980)	30	40	664000	106@0	CP_16QAM	17.85	PASS
n77(3700-3980)	30	40	664000	53@26	CP_16QAM	18.82	PASS
n77(3700-3980)	30	40	664000	1@1	CP_16QAM	18.35	PASS
n77(3700-3980)	30	40	664000	1@104	CP_16QAM	18.75	PASS
n77(3700-3980)	30	40	664000	106@0	CP_64QAM	17.29	PASS
n77(3700-3980)	30	40	664000	53@26	CP_64QAM	17.43	PASS
n77(3700-3980)	30	40	664000	1@1	CP_64QAM	16.93	PASS
n77(3700-3980)	30	40	664000	1@104	CP_64QAM	17.37	PASS
n77(3700-3980)	30	40	664000	106@0	CP_256QAM	14.28	PASS
n77(3700-3980)	30	40	664000	53@26	CP_256QAM	14.42	PASS
n77(3700-3980)	30	40	664000	1@1	CP_256QAM	13.8	PASS
n77(3700-3980)	30	40	664000	1@104	CP_256QAM	14.23	PASS
n77(3700-3980)	30	50	648334	128@0	DFT_BPSK	20.14	PASS



n77(3700-3980)	30	50	648334	64@32	DFT_BPSK	20.7	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_BPSK	20.35	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_BPSK	20.73	PASS
n77(3700-3980)	30	50	648334	128@0	DFT_QPSK	19.64	PASS
n77(3700-3980)	30	50	648334	64@32	DFT_QPSK	20.69	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_QPSK	20.31	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_QPSK	20.68	PASS
n77(3700-3980)	30	50	648334	128@0	DFT_16QAM	18.76	PASS
n77(3700-3980)	30	50	648334	64@32	DFT_16QAM	19.67	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_16QAM	19.18	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_16QAM	19.52	PASS
n77(3700-3980)	30	50	648334	128@0	DFT_64QAM	18.25	PASS
n77(3700-3980)	30	50	648334	64@32	DFT_64QAM	18.29	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_64QAM	17.8	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_64QAM	17.2	PASS
n77(3700-3980)	30	50	648334	128@0	DFT_256QAM	17.95	PASS
n77(3700-3980)	30	50	648334	64@32	DFT_256QAM	16.28	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_256QAM	16.02	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_256QAM	16.5	PASS
n77(3700-3980)	30	50	648334	133@0	CP_QPSK	18.9	PASS
n77(3700-3980)	30	50	648334	67@33	CP_QPSK	19.33	PASS
n77(3700-3980)	30	50	648334	1@1	CP_QPSK	19.5	PASS
n77(3700-3980)	30	50	648334	1@131	CP_QPSK	19.36	PASS
n77(3700-3980)	30	50	648334	133@0	CP_16QAM	17.79	PASS
n77(3700-3980)	30	50	648334	67@33	CP_16QAM	18.8	PASS
n77(3700-3980)	30	50	648334	1@1	CP_16QAM	18.63	PASS
n77(3700-3980)	30	50	648334	1@131	CP_16QAM	19	PASS
n77(3700-3980)	30	50	648334	133@0	CP_64QAM	17.6	PASS
n77(3700-3980)	30	50	648334	67@33	CP_64QAM	17.33	PASS
n77(3700-3980)	30	50	648334	1@1	CP_64QAM	17.5	PASS
n77(3700-3980)	30	50	648334	1@131	CP_64QAM	17.5	PASS



n77(3700-3980)	30	50	648334	133@0	CP_256QAM	14.23	PASS
n77(3700-3980)	30	50	648334	67@33	CP_256QAM	14.3	PASS
n77(3700-3980)	30	50	648334	1@1	CP_256QAM	13.98	PASS
n77(3700-3980)	30	50	648334	1@131	CP_256QAM	14.34	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_BPSK	20.05	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_BPSK	20.62	PASS
n77(3700-3980)	30	50	656000	1@1	DFT_BPSK	20.2	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_BPSK	20.53	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_QPSK	19.53	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_QPSK	20.61	PASS
n77(3700-3980)	30	50	656000	1@1	DFT_QPSK	20.15	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_QPSK	20.47	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_16QAM	18.65	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_16QAM	19.6	PASS
n77(3700-3980)	30	50	656000	1@1	DFT_16QAM	19.05	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_16QAM	19.39	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_64QAM	18.15	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_64QAM	18.23	PASS
n77(3700-3980)	30	50	656000	1@1	DFT_64QAM	17.65	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_64QAM	17.96	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_256QAM	16.2	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_256QAM	16.2	PASS
n77(3700-3980)	30	50	656000	1@1	DFT_256QAM	16.4	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_256QAM	16.17	PASS
n77(3700-3980)	30	50	656000	133@0	CP_QPSK	17.67	PASS
n77(3700-3980)	30	50	656000	67@33	CP_QPSK	19.08	PASS
n77(3700-3980)	30	50	656000	1@1	CP_QPSK	18.65	PASS
n77(3700-3980)	30	50	656000	1@131	CP_QPSK	18.98	PASS
n77(3700-3980)	30	50	656000	133@0	CP_16QAM	17.64	PASS
n77(3700-3980)	30	50	656000	67@33	CP_16QAM	18.7	PASS
n77(3700-3980)	30	50	656000	1@1	CP_16QAM	18.49	PASS



n77(3700-3980)	30	50	656000	1@131	CP_16QAM	18.61	PASS
n77(3700-3980)	30	50	656000	133@0	CP_64QAM	17.13	PASS
n77(3700-3980)	30	50	656000	67@33	CP_64QAM	17.24	PASS
n77(3700-3980)	30	50	656000	1@1	CP_64QAM	16.96	PASS
n77(3700-3980)	30	50	656000	1@131	CP_64QAM	17.28	PASS
n77(3700-3980)	30	50	656000	133@0	CP_256QAM	14.1	PASS
n77(3700-3980)	30	50	656000	67@33	CP_256QAM	14.18	PASS
n77(3700-3980)	30	50	656000	1@1	CP_256QAM	13.81	PASS
n77(3700-3980)	30	50	656000	1@131	CP_256QAM	14.12	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_BPSK	20.19	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_BPSK	20.77	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_BPSK	20.33	PASS
n77(3700-3980)	30	50	663666	1@131	DFT_BPSK	20.82	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_QPSK	19.69	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_QPSK	20.77	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_QPSK	20.25	PASS
n77(3700-3980)	30	50	663666	1@131	DFT_QPSK	20.74	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_16QAM	19.1	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_16QAM	19.76	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_16QAM	19.21	PASS
n77(3700-3980)	30	50	663666	1@131	DFT_16QAM	19.68	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_64QAM	18.32	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_64QAM	18.39	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_64QAM	17.79	PASS
n77(3700-3980)	30	50	663666	1@131	DFT_64QAM	18.1	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_256QAM	16.28	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_256QAM	16.35	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_256QAM	16.5	PASS
n77(3700-3980)	30	50	663666	1@131	DFT_256QAM	16.46	PASS
n77(3700-3980)	30	50	663666	133@0	CP_QPSK	17.83	PASS
n77(3700-3980)	30	50	663666	67@33	CP_QPSK	19.23	PASS



n77(3700-3980)	30	50	663666	1@1	CP_QPSK	18.79	PASS
n77(3700-3980)	30	50	663666	1@131	CP_QPSK	19.29	PASS
n77(3700-3980)	30	50	663666	133@0	CP_16QAM	17.81	PASS
n77(3700-3980)	30	50	663666	67@33	CP_16QAM	18.71	PASS
n77(3700-3980)	30	50	663666	1@1	CP_16QAM	18.41	PASS
n77(3700-3980)	30	50	663666	1@131	CP_16QAM	18.91	PASS
n77(3700-3980)	30	50	663666	133@0	CP_64QAM	17.29	PASS
n77(3700-3980)	30	50	663666	67@33	CP_64QAM	17.38	PASS
n77(3700-3980)	30	50	663666	1@1	CP_64QAM	17.08	PASS
n77(3700-3980)	30	50	663666	1@131	CP_64QAM	17.61	PASS
n77(3700-3980)	30	50	663666	133@0	CP_256QAM	14.26	PASS
n77(3700-3980)	30	50	663666	67@33	CP_256QAM	14.33	PASS
n77(3700-3980)	30	50	663666	1@1	CP_256QAM	13.91	PASS
n77(3700-3980)	30	50	663666	1@131	CP_256QAM	14.42	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_BPSK	20.19	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_BPSK	20.76	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_BPSK	20.2	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_BPSK	20.61	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_QPSK	19.65	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_QPSK	20.74	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_QPSK	20.13	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_QPSK	20.53	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_16QAM	18.81	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_16QAM	19.74	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_16QAM	19.21	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_16QAM	19.6	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_64QAM	18.31	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_64QAM	18.35	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_64QAM	18.1	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_64QAM	17.97	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_256QAM	16.25	PASS



n77(3700-3980)	30	60	648668	81@40	DFT_256QAM	16.32	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_256QAM	15.75	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_256QAM	16.17	PASS
n77(3700-3980)	30	60	648668	162@0	CP_QPSK	17.78	PASS
n77(3700-3980)	30	60	648668	81@40	CP_QPSK	19.35	PASS
n77(3700-3980)	30	60	648668	1@1	CP_QPSK	19.02	PASS
n77(3700-3980)	30	60	648668	1@160	CP_QPSK	19.39	PASS
n77(3700-3980)	30	60	648668	162@0	CP_16QAM	17.76	PASS
n77(3700-3980)	30	60	648668	81@40	CP_16QAM	17.6	PASS
n77(3700-3980)	30	60	648668	1@1	CP_16QAM	18.25	PASS
n77(3700-3980)	30	60	648668	1@160	CP_16QAM	18.64	PASS
n77(3700-3980)	30	60	648668	162@0	CP_64QAM	17.25	PASS
n77(3700-3980)	30	60	648668	81@40	CP_64QAM	17.34	PASS
n77(3700-3980)	30	60	648668	1@1	CP_64QAM	17.26	PASS
n77(3700-3980)	30	60	648668	1@160	CP_64QAM	17.62	PASS
n77(3700-3980)	30	60	648668	162@0	CP_256QAM	14.21	PASS
n77(3700-3980)	30	60	648668	81@40	CP_256QAM	14.29	PASS
n77(3700-3980)	30	60	648668	1@1	CP_256QAM	13.74	PASS
n77(3700-3980)	30	60	648668	1@160	CP_256QAM	14.17	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_BPSK	20.01	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_BPSK	20.63	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_BPSK	20.03	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_BPSK	20.36	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QPSK	19.53	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_QPSK	20.58	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_QPSK	19.91	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_QPSK	20.3	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_16QAM	18.66	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_16QAM	19.59	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_16QAM	19.01	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_16QAM	19.4	PASS



n77(3700-3980)	30	60	656000	162@0	DFT_64QAM	18.14	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_64QAM	18.2	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_64QAM	17.41	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_64QAM	17.77	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_256QAM	16.12	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_256QAM	16.2	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_256QAM	15.69	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_256QAM	16.06	PASS
n77(3700-3980)	30	60	656000	162@0	CP_QPSK	17.61	PASS
n77(3700-3980)	30	60	656000	81@40	CP_QPSK	19.05	PASS
n77(3700-3980)	30	60	656000	1@1	CP_QPSK	18.52	PASS
n77(3700-3980)	30	60	656000	1@160	CP_QPSK	18.86	PASS
n77(3700-3980)	30	60	656000	162@0	CP_16QAM	17.63	PASS
n77(3700-3980)	30	60	656000	81@40	CP_16QAM	18.72	PASS
n77(3700-3980)	30	60	656000	1@1	CP_16QAM	18.33	PASS
n77(3700-3980)	30	60	656000	1@160	CP_16QAM	18.51	PASS
n77(3700-3980)	30	60	656000	162@0	CP_64QAM	17.12	PASS
n77(3700-3980)	30	60	656000	81@40	CP_64QAM	17.24	PASS
n77(3700-3980)	30	60	656000	1@1	CP_64QAM	16.82	PASS
n77(3700-3980)	30	60	656000	1@160	CP_64QAM	17.17	PASS
n77(3700-3980)	30	60	656000	162@0	CP_256QAM	14.07	PASS
n77(3700-3980)	30	60	656000	81@40	CP_256QAM	14.15	PASS
n77(3700-3980)	30	60	656000	1@1	CP_256QAM	13.66	PASS
n77(3700-3980)	30	60	656000	1@160	CP_256QAM	14.02	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_BPSK	20.12	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_BPSK	20.7	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_BPSK	20.17	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_BPSK	20.6	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_QPSK	19.6	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_QPSK	20.7	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_QPSK	20.11	PASS



n77(3700-3980)	30	60	663332	1@160	DFT_QPSK	20.54	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_16QAM	18.55	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_16QAM	19.68	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_16QAM	19	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_16QAM	19.48	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_64QAM	18.25	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_64QAM	18.31	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_64QAM	17.67	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_64QAM	17.92	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_256QAM	16.2	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_256QAM	16.28	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_256QAM	15.82	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_256QAM	16.3	PASS
n77(3700-3980)	30	60	663332	162@0	CP_QPSK	17.69	PASS
n77(3700-3980)	30	60	663332	81@40	CP_QPSK	19.12	PASS
n77(3700-3980)	30	60	663332	1@1	CP_QPSK	18.6	PASS
n77(3700-3980)	30	60	663332	1@160	CP_QPSK	19.05	PASS
n77(3700-3980)	30	60	663332	162@0	CP_16QAM	17.7	PASS
n77(3700-3980)	30	60	663332	81@40	CP_16QAM	18.67	PASS
n77(3700-3980)	30	60	663332	1@1	CP_16QAM	18.21	PASS
n77(3700-3980)	30	60	663332	1@160	CP_16QAM	18.69	PASS
n77(3700-3980)	30	60	663332	162@0	CP_64QAM	17.19	PASS
n77(3700-3980)	30	60	663332	81@40	CP_64QAM	17.28	PASS
n77(3700-3980)	30	60	663332	1@1	CP_64QAM	17.2	PASS
n77(3700-3980)	30	60	663332	1@160	CP_64QAM	17.42	PASS
n77(3700-3980)	30	60	663332	162@0	CP_256QAM	14.18	PASS
n77(3700-3980)	30	60	663332	81@40	CP_256QAM	14.26	PASS
n77(3700-3980)	30	60	663332	1@1	CP_256QAM	13.79	PASS
n77(3700-3980)	30	60	663332	1@160	CP_256QAM	14.24	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_BPSK	20.29	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_BPSK	20.91	PASS



n77(3700-3980)	30	70	649000	1@1	DFT_BPSK	20.19	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_BPSK	20.72	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_QPSK	19.78	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_QPSK	20.92	PASS
n77(3700-3980)	30	70	649000	1@1	DFT_QPSK	20.12	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_QPSK	20.7	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_16QAM	18.97	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_16QAM	19.88	PASS
n77(3700-3980)	30	70	649000	1@1	DFT_16QAM	19.05	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_16QAM	19.58	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_64QAM	18.1	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_64QAM	18.56	PASS
n77(3700-3980)	30	70	649000	1@1	DFT_64QAM	18.3	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_64QAM	18.29	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_256QAM	16.46	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_256QAM	16.55	PASS
n77(3700-3980)	30	70	649000	1@1	DFT_256QAM	16.8	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_256QAM	16.46	PASS
n77(3700-3980)	30	70	649000	189@0	CP_QPSK	17.96	PASS
n77(3700-3980)	30	70	649000	95@47	CP_QPSK	19.56	PASS
n77(3700-3980)	30	70	649000	1@1	CP_QPSK	19.6	PASS
n77(3700-3980)	30	70	649000	1@187	CP_QPSK	19.49	PASS
n77(3700-3980)	30	70	649000	189@0	CP_16QAM	17.96	PASS
n77(3700-3980)	30	70	649000	95@47	CP_16QAM	19.06	PASS
n77(3700-3980)	30	70	649000	1@1	CP_16QAM	19.2	PASS
n77(3700-3980)	30	70	649000	1@187	CP_16QAM	19.09	PASS
n77(3700-3980)	30	70	649000	189@0	CP_64QAM	17.52	PASS
n77(3700-3980)	30	70	649000	95@47	CP_64QAM	17.57	PASS
n77(3700-3980)	30	70	649000	1@1	CP_64QAM	17.06	PASS
n77(3700-3980)	30	70	649000	1@187	CP_64QAM	17.62	PASS
n77(3700-3980)	30	70	649000	189@0	CP_256QAM	14.5	PASS



n77(3700-3980)	30	70	649000	95@47	CP_256QAM	14.43	PASS
n77(3700-3980)	30	70	649000	1@1	CP_256QAM	13.77	PASS
n77(3700-3980)	30	70	649000	1@187	CP_256QAM	14.35	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_BPSK	19.97	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_BPSK	20.57	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_BPSK	19.87	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_BPSK	20.32	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_QPSK	19.46	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_QPSK	20.59	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_QPSK	19.81	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_QPSK	20.28	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_16QAM	18.64	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_16QAM	19.57	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_16QAM	19.9	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_16QAM	19.14	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_64QAM	18.11	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_64QAM	17.5	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_64QAM	17.38	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_64QAM	17.2	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_256QAM	16.16	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_256QAM	16.24	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_256QAM	16.1	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_256QAM	16.02	PASS
n77(3700-3980)	30	70	656000	189@0	CP_QPSK	17.65	PASS
n77(3700-3980)	30	70	656000	95@47	CP_QPSK	19.02	PASS
n77(3700-3980)	30	70	656000	1@1	CP_QPSK	18.33	PASS
n77(3700-3980)	30	70	656000	1@187	CP_QPSK	18.8	PASS
n77(3700-3980)	30	70	656000	189@0	CP_16QAM	17.65	PASS
n77(3700-3980)	30	70	656000	95@47	CP_16QAM	18.7	PASS
n77(3700-3980)	30	70	656000	1@1	CP_16QAM	18.28	PASS
n77(3700-3980)	30	70	656000	1@187	CP_16QAM	18.4	PASS



n77(3700-3980)	30	70	656000	189@0	CP_64QAM	17.16	PASS
n77(3700-3980)	30	70	656000	95@47	CP_64QAM	17.23	PASS
n77(3700-3980)	30	70	656000	1@1	CP_64QAM	16.75	PASS
n77(3700-3980)	30	70	656000	1@187	CP_64QAM	17.18	PASS
n77(3700-3980)	30	70	656000	189@0	CP_256QAM	14.12	PASS
n77(3700-3980)	30	70	656000	95@47	CP_256QAM	14.26	PASS
n77(3700-3980)	30	70	656000	1@1	CP_256QAM	13.48	PASS
n77(3700-3980)	30	70	656000	1@187	CP_256QAM	13.87	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_BPSK	20.08	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_BPSK	20.66	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_BPSK	20.01	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_BPSK	20.58	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_QPSK	19.56	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_QPSK	20.63	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_QPSK	19.96	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_QPSK	20.54	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_16QAM	19.2	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_16QAM	19.63	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_16QAM	18.85	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_16QAM	19.43	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_64QAM	18.23	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_64QAM	18.29	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_64QAM	17.56	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_64QAM	17.1	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_256QAM	16.6	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_256QAM	16.32	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_256QAM	15.75	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_256QAM	15.1	PASS
n77(3700-3980)	30	70	663000	189@0	CP_QPSK	19.61	PASS
n77(3700-3980)	30	70	663000	95@47	CP_QPSK	19.33	PASS
n77(3700-3980)	30	70	663000	1@1	CP_QPSK	18.47	PASS



n77(3700-3980)	30	70	663000	1@187	CP_QPSK	19.59	PASS
n77(3700-3980)	30	70	663000	189@0	CP_16QAM	17.75	PASS
n77(3700-3980)	30	70	663000	95@47	CP_16QAM	17.93	PASS
n77(3700-3980)	30	70	663000	1@1	CP_16QAM	17.8	PASS
n77(3700-3980)	30	70	663000	1@187	CP_16QAM	18.83	PASS
n77(3700-3980)	30	70	663000	189@0	CP_64QAM	18.1	PASS
n77(3700-3980)	30	70	663000	95@47	CP_64QAM	17.57	PASS
n77(3700-3980)	30	70	663000	1@1	CP_64QAM	16.74	PASS
n77(3700-3980)	30	70	663000	1@187	CP_64QAM	16.6	PASS
n77(3700-3980)	30	70	663000	189@0	CP_256QAM	13.3	PASS
n77(3700-3980)	30	70	663000	95@47	CP_256QAM	13.2	PASS
n77(3700-3980)	30	70	663000	1@1	CP_256QAM	13.64	PASS
n77(3700-3980)	30	70	663000	1@187	CP_256QAM	13.1	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_BPSK	20.39	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_BPSK	21.01	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_BPSK	20.11	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_BPSK	20.66	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_QPSK	19.86	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_QPSK	20.99	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_QPSK	20.03	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_QPSK	20.65	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_16QAM	19.07	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_16QAM	19.95	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_16QAM	19.3	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_16QAM	19.55	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_64QAM	18.56	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_64QAM	18.59	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_64QAM	17.92	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_64QAM	18.48	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_256QAM	16.52	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_256QAM	16.64	PASS



n77(3700-3980)	30	80	649334	1@1	DFT_256QAM	15.76	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_256QAM	16.31	PASS
n77(3700-3980)	30	80	649334	217@0	CP_QPSK	18.06	PASS
n77(3700-3980)	30	80	649334	109@54	CP_QPSK	19.67	PASS
n77(3700-3980)	30	80	649334	1@1	CP_QPSK	18.95	PASS
n77(3700-3980)	30	80	649334	1@215	CP_QPSK	19.55	PASS
n77(3700-3980)	30	80	649334	217@0	CP_16QAM	18.03	PASS
n77(3700-3980)	30	80	649334	109@54	CP_16QAM	19.14	PASS
n77(3700-3980)	30	80	649334	1@1	CP_16QAM	18.39	PASS
n77(3700-3980)	30	80	649334	1@215	CP_16QAM	18.95	PASS
n77(3700-3980)	30	80	649334	217@0	CP_64QAM	17.54	PASS
n77(3700-3980)	30	80	649334	109@54	CP_64QAM	17.64	PASS
n77(3700-3980)	30	80	649334	1@1	CP_64QAM	17.08	PASS
n77(3700-3980)	30	80	649334	1@215	CP_64QAM	17.63	PASS
n77(3700-3980)	30	80	649334	217@0	CP_256QAM	14.44	PASS
n77(3700-3980)	30	80	649334	109@54	CP_256QAM	14.57	PASS
n77(3700-3980)	30	80	649334	1@1	CP_256QAM	13.67	PASS
n77(3700-3980)	30	80	649334	1@215	CP_256QAM	14.19	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_BPSK	19.94	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_BPSK	20.56	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_BPSK	19.72	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_BPSK	20.26	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QPSK	19.4	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_QPSK	20.55	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_QPSK	19.63	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_QPSK	20.21	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_16QAM	18.62	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_16QAM	19.52	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_16QAM	18.6	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_16QAM	19.14	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_64QAM	18.12	PASS



n77(3700-3980)	30	80	656000	108@54	DFT_64QAM	18.15	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_64QAM	17.47	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_64QAM	18.03	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_256QAM	16.08	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_256QAM	16.21	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_256QAM	15.36	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_256QAM	15.93	PASS
n77(3700-3980)	30	80	656000	217@0	CP_QPSK	17.6	PASS
n77(3700-3980)	30	80	656000	109@54	CP_QPSK	19.02	PASS
n77(3700-3980)	30	80	656000	1@1	CP_QPSK	18.26	PASS
n77(3700-3980)	30	80	656000	1@215	CP_QPSK	18.78	PASS
n77(3700-3980)	30	80	656000	217@0	CP_16QAM	17.58	PASS
n77(3700-3980)	30	80	656000	109@54	CP_16QAM	18.67	PASS
n77(3700-3980)	30	80	656000	1@1	CP_16QAM	17.98	PASS
n77(3700-3980)	30	80	656000	1@215	CP_16QAM	18.16	PASS
n77(3700-3980)	30	80	656000	217@0	CP_64QAM	17.05	PASS
n77(3700-3980)	30	80	656000	109@54	CP_64QAM	17.2	PASS
n77(3700-3980)	30	80	656000	1@1	CP_64QAM	16.72	PASS
n77(3700-3980)	30	80	656000	1@215	CP_64QAM	17.25	PASS
n77(3700-3980)	30	80	656000	217@0	CP_256QAM	13.97	PASS
n77(3700-3980)	30	80	656000	109@54	CP_256QAM	14.13	PASS
n77(3700-3980)	30	80	656000	1@1	CP_256QAM	13.26	PASS
n77(3700-3980)	30	80	656000	1@215	CP_256QAM	13.79	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_BPSK	20.03	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_BPSK	20.6	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_BPSK	19.81	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_BPSK	20.41	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_QPSK	19.51	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_QPSK	20.57	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_QPSK	19.75	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_QPSK	20.36	PASS



n77(3700-3980)	30	80	662666	216@0	DFT_16QAM	18.5	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_16QAM	19.55	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_16QAM	18.62	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_16QAM	19.26	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_64QAM	18.21	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_64QAM	18.19	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_64QAM	17.58	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_64QAM	17.87	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_256QAM	16.19	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_256QAM	16.19	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_256QAM	15.48	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_256QAM	16.08	PASS
n77(3700-3980)	30	80	662666	217@0	CP_QPSK	17.67	PASS
n77(3700-3980)	30	80	662666	109@54	CP_QPSK	19.01	PASS
n77(3700-3980)	30	80	662666	1@1	CP_QPSK	18.3	PASS
n77(3700-3980)	30	80	662666	1@215	CP_QPSK	18.94	PASS
n77(3700-3980)	30	80	662666	217@0	CP_16QAM	17.67	PASS
n77(3700-3980)	30	80	662666	109@54	CP_16QAM	18.52	PASS
n77(3700-3980)	30	80	662666	1@1	CP_16QAM	17.71	PASS
n77(3700-3980)	30	80	662666	1@215	CP_16QAM	18.31	PASS
n77(3700-3980)	30	80	662666	217@0	CP_64QAM	17.16	PASS
n77(3700-3980)	30	80	662666	109@54	CP_64QAM	17.19	PASS
n77(3700-3980)	30	80	662666	1@1	CP_64QAM	16.77	PASS
n77(3700-3980)	30	80	662666	1@215	CP_64QAM	17.38	PASS
n77(3700-3980)	30	80	662666	217@0	CP_256QAM	14.09	PASS
n77(3700-3980)	30	80	662666	109@54	CP_256QAM	14.16	PASS
n77(3700-3980)	30	80	662666	1@1	CP_256QAM	13.32	PASS
n77(3700-3980)	30	80	662666	1@215	CP_256QAM	13.97	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_BPSK	20.37	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_BPSK	21.02	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_BPSK	19.97	PASS



n77(3700-3980)	30	90	649668	1@243	DFT_BPSK	20.53	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_QPSK	19.86	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_QPSK	21.02	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_QPSK	19.93	PASS
n77(3700-3980)	30	90	649668	1@243	DFT_QPSK	20.46	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_16QAM	19.07	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_16QAM	19.99	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_16QAM	18.94	PASS
n77(3700-3980)	30	90	649668	1@243	DFT_16QAM	19.49	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_64QAM	18.56	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_64QAM	18.65	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_64QAM	17.73	PASS
n77(3700-3980)	30	90	649668	1@243	DFT_64QAM	18.3	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_256QAM	16.53	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_256QAM	16.65	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_256QAM	15.6	PASS
n77(3700-3980)	30	90	649668	1@243	DFT_256QAM	16.21	PASS
n77(3700-3980)	30	90	649668	245@0	CP_QPSK	18.04	PASS
n77(3700-3980)	30	90	649668	123@61	CP_QPSK	19.7	PASS
n77(3700-3980)	30	90	649668	1@1	CP_QPSK	18.8	PASS
n77(3700-3980)	30	90	649668	1@243	CP_QPSK	18.97	PASS
n77(3700-3980)	30	90	649668	245@0	CP_16QAM	18.05	PASS
n77(3700-3980)	30	90	649668	123@61	CP_16QAM	19.21	PASS
n77(3700-3980)	30	90	649668	1@1	CP_16QAM	18.25	PASS
n77(3700-3980)	30	90	649668	1@243	CP_16QAM	18.79	PASS
n77(3700-3980)	30	90	649668	245@0	CP_64QAM	17.53	PASS
n77(3700-3980)	30	90	649668	123@61	CP_64QAM	17.68	PASS
n77(3700-3980)	30	90	649668	1@1	CP_64QAM	16.97	PASS
n77(3700-3980)	30	90	649668	1@243	CP_64QAM	17.49	PASS
n77(3700-3980)	30	90	649668	245@0	CP_256QAM	14.47	PASS
n77(3700-3980)	30	90	649668	123@61	CP_256QAM	14.63	PASS



n77(3700-3980)	30	90	649668	1@1	CP_256QAM	13.6	PASS
n77(3700-3980)	30	90	649668	1@243	CP_256QAM	14.15	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_BPSK	19.88	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_BPSK	20.52	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_BPSK	19.5	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_BPSK	20.13	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_QPSK	19.36	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_QPSK	20.53	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_QPSK	19.45	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_QPSK	20.12	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_16QAM	18.57	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_16QAM	19.51	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_16QAM	18.49	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_16QAM	19.13	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_64QAM	18.06	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_64QAM	18.16	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_64QAM	17.26	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_64QAM	17.94	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_256QAM	16.04	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_256QAM	16.16	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_256QAM	15.2	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_256QAM	15.82	PASS
n77(3700-3980)	30	90	656000	245@0	CP_QPSK	17.53	PASS
n77(3700-3980)	30	90	656000	123@61	CP_QPSK	19.01	PASS
n77(3700-3980)	30	90	656000	1@1	CP_QPSK	17.95	PASS
n77(3700-3980)	30	90	656000	1@243	CP_QPSK	18.59	PASS
n77(3700-3980)	30	90	656000	245@0	CP_16QAM	17.53	PASS
n77(3700-3980)	30	90	656000	123@61	CP_16QAM	18.67	PASS
n77(3700-3980)	30	90	656000	1@1	CP_16QAM	17.76	PASS
n77(3700-3980)	30	90	656000	1@243	CP_16QAM	18.03	PASS
n77(3700-3980)	30	90	656000	245@0	CP_64QAM	17.03	PASS



n77(3700-3980)	30	90	656000	123@61	CP_64QAM	17.16	PASS
n77(3700-3980)	30	90	656000	1@1	CP_64QAM	16.42	PASS
n77(3700-3980)	30	90	656000	1@243	CP_64QAM	16.98	PASS
n77(3700-3980)	30	90	656000	245@0	CP_256QAM	13.98	PASS
n77(3700-3980)	30	90	656000	123@61	CP_256QAM	14.13	PASS
n77(3700-3980)	30	90	656000	1@1	CP_256QAM	12.93	PASS
n77(3700-3980)	30	90	656000	1@243	CP_256QAM	13.5	PASS
n77(3700-3980)	30	90	662332	243@0	DFT_BPSK	20.1	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_BPSK	20.66	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_BPSK	19.73	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_BPSK	20.38	PASS
n77(3700-3980)	30	90	662332	243@0	DFT_QPSK	19.55	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_QPSK	20.68	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_QPSK	19.73	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_QPSK	20.39	PASS
n77(3700-3980)	30	90	662332	243@0	DFT_16QAM	18.53	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_16QAM	19.63	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_16QAM	18.74	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_16QAM	19.4	PASS
n77(3700-3980)	30	90	662332	243@0	DFT_64QAM	18.27	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_64QAM	18.29	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_64QAM	17.55	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_64QAM	17.87	PASS
n77(3700-3980)	30	90	662332	243@0	DFT_256QAM	16.25	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_256QAM	16.32	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_256QAM	15.22	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_256QAM	15.84	PASS
n77(3700-3980)	30	90	662332	245@0	CP_QPSK	17.72	PASS
n77(3700-3980)	30	90	662332	123@61	CP_QPSK	19.12	PASS
n77(3700-3980)	30	90	662332	1@1	CP_QPSK	18.16	PASS
n77(3700-3980)	30	90	662332	1@243	CP_QPSK	18.91	PASS



n77(3700-3980)	30	90	662332	245@0	CP_16QAM	17.72	PASS
n77(3700-3980)	30	90	662332	123@61	CP_16QAM	18.62	PASS
n77(3700-3980)	30	90	662332	1@1	CP_16QAM	17.63	PASS
n77(3700-3980)	30	90	662332	1@243	CP_16QAM	18.37	PASS
n77(3700-3980)	30	90	662332	245@0	CP_64QAM	17.24	PASS
n77(3700-3980)	30	90	662332	123@61	CP_64QAM	17.28	PASS
n77(3700-3980)	30	90	662332	1@1	CP_64QAM	16.61	PASS
n77(3700-3980)	30	90	662332	1@243	CP_64QAM	17.32	PASS
n77(3700-3980)	30	90	662332	245@0	CP_256QAM	14.17	PASS
n77(3700-3980)	30	90	662332	123@61	CP_256QAM	14.24	PASS
n77(3700-3980)	30	90	662332	1@1	CP_256QAM	13.13	PASS
n77(3700-3980)	30	90	662332	1@243	CP_256QAM	13.87	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_BPSK	20.3	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_BPSK	21.04	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_BPSK	19.81	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_BPSK	20.28	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_QPSK	19.78	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_QPSK	21.04	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_QPSK	19.78	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_QPSK	20.28	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_16QAM	19.02	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_16QAM	20.03	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_16QAM	18.82	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_16QAM	19.28	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_64QAM	18.5	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_64QAM	18.7	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_64QAM	17.66	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_64QAM	18.15	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_256QAM	16.46	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_256QAM	16.65	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_256QAM	15.3	PASS



n77(3700-3980)	30	100	650000	1@271	DFT_256QAM	15.83	PASS
n77(3700-3980)	30	100	650000	273@0	CP_QPSK	17.98	PASS
n77(3700-3980)	30	100	650000	137@68	CP_QPSK	19.67	PASS
n77(3700-3980)	30	100	650000	1@1	CP_QPSK	18.66	PASS
n77(3700-3980)	30	100	650000	1@271	CP_QPSK	18.75	PASS
n77(3700-3980)	30	100	650000	273@0	CP_16QAM	18.01	PASS
n77(3700-3980)	30	100	650000	137@68	CP_16QAM	19.23	PASS
n77(3700-3980)	30	100	650000	1@1	CP_16QAM	18.1	PASS
n77(3700-3980)	30	100	650000	1@271	CP_16QAM	18.57	PASS
n77(3700-3980)	30	100	650000	273@0	CP_64QAM	17.47	PASS
n77(3700-3980)	30	100	650000	137@68	CP_64QAM	17.65	PASS
n77(3700-3980)	30	100	650000	1@1	CP_64QAM	16.75	PASS
n77(3700-3980)	30	100	650000	1@271	CP_64QAM	17.22	PASS
n77(3700-3980)	30	100	650000	273@0	CP_256QAM	14.42	PASS
n77(3700-3980)	30	100	650000	137@68	CP_256QAM	14.62	PASS
n77(3700-3980)	30	100	650000	1@1	CP_256QAM	13.29	PASS
n77(3700-3980)	30	100	650000	1@271	CP_256QAM	13.76	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_BPSK	19.83	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_BPSK	20.53	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_BPSK	19.36	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_BPSK	19.97	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_QPSK	19.31	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_QPSK	20.52	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_QPSK	19.35	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_QPSK	19.98	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_16QAM	18.52	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_16QAM	19.5	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_16QAM	18.36	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_16QAM	18.99	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_64QAM	18.02	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_64QAM	18.18	PASS



n77(3700-3980)	30	100	656000	1@1	DFT_64QAM	17.21	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_64QAM	17.82	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_256QAM	16	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_256QAM	16.14	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_256QAM	14.9	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_256QAM	15.59	PASS
n77(3700-3980)	30	100	656000	273@0	CP_QPSK	17.51	PASS
n77(3700-3980)	30	100	656000	137@68	CP_QPSK	18.98	PASS
n77(3700-3980)	30	100	656000	1@1	CP_QPSK	17.82	PASS
n77(3700-3980)	30	100	656000	1@271	CP_QPSK	18.44	PASS
n77(3700-3980)	30	100	656000	273@0	CP_16QAM	17.52	PASS
n77(3700-3980)	30	100	656000	137@68	CP_16QAM	18.65	PASS
n77(3700-3980)	30	100	656000	1@1	CP_16QAM	17.7	PASS
n77(3700-3980)	30	100	656000	1@271	CP_16QAM	17.92	PASS
n77(3700-3980)	30	100	656000	273@0	CP_64QAM	17	PASS
n77(3700-3980)	30	100	656000	137@68	CP_64QAM	17.14	PASS
n77(3700-3980)	30	100	656000	1@1	CP_64QAM	16.42	PASS
n77(3700-3980)	30	100	656000	1@271	CP_64QAM	16.98	PASS
n77(3700-3980)	30	100	656000	273@0	CP_256QAM	13.92	PASS
n77(3700-3980)	30	100	656000	137@68	CP_256QAM	14.09	PASS
n77(3700-3980)	30	100	656000	1@1	CP_256QAM	13.07	PASS
n77(3700-3980)	30	100	656000	1@271	CP_256QAM	13.67	PASS
n77(3700-3980)	30	100	662000	270@0	DFT_BPSK	20.14	PASS
n77(3700-3980)	30	100	662000	135@67	DFT_BPSK	20.8	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_BPSK	19.6	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_BPSK	20.35	PASS
n77(3700-3980)	30	100	662000	270@0	DFT_QPSK	19.61	PASS
n77(3700-3980)	30	100	662000	135@67	DFT_QPSK	20.81	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_QPSK	19.57	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_QPSK	20.32	PASS
n77(3700-3980)	30	100	662000	270@0	DFT_16QAM	18.57	PASS



n77(3700-3980)	30	100	662000	135@67	DFT_16QAM	19.77	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_16QAM	18.59	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_16QAM	19.34	PASS
n77(3700-3980)	30	100	662000	270@0	DFT_64QAM	18.32	PASS
n77(3700-3980)	30	100	662000	135@67	DFT_64QAM	18.43	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_64QAM	17.44	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_64QAM	17.79	PASS
n77(3700-3980)	30	100	662000	270@0	DFT_256QAM	16.31	PASS
n77(3700-3980)	30	100	662000	135@67	DFT_256QAM	16.4	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_256QAM	15.3	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_256QAM	16.04	PASS
n77(3700-3980)	30	100	662000	273@0	CP_QPSK	17.76	PASS
n77(3700-3980)	30	100	662000	137@68	CP_QPSK	19.23	PASS
n77(3700-3980)	30	100	662000	1@1	CP_QPSK	18.08	PASS
n77(3700-3980)	30	100	662000	1@271	CP_QPSK	18.83	PASS
n77(3700-3980)	30	100	662000	273@0	CP_16QAM	17.77	PASS
n77(3700-3980)	30	100	662000	137@68	CP_16QAM	18.72	PASS
n77(3700-3980)	30	100	662000	1@1	CP_16QAM	17.51	PASS
n77(3700-3980)	30	100	662000	1@271	CP_16QAM	18.28	PASS
n77(3700-3980)	30	100	662000	273@0	CP_64QAM	17.28	PASS
n77(3700-3980)	30	100	662000	137@68	CP_64QAM	17.41	PASS
n77(3700-3980)	30	100	662000	1@1	CP_64QAM	16.61	PASS
n77(3700-3980)	30	100	662000	1@271	CP_64QAM	17.35	PASS
n77(3700-3980)	30	100	662000	273@0	CP_256QAM	14.17	PASS
n77(3700-3980)	30	100	662000	137@68	CP_256QAM	14.37	PASS
n77(3700-3980)	30	100	662000	1@1	CP_256QAM	13.29	PASS
n77(3700-3980)	30	100	662000	1@271	CP_256QAM	14.05	PASS

**NSA:**

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
DC_5A_n41A	30	10	500202	24@0	DFT_BPSK	19.9	PASS
DC_5A_n41A	30	10	500202	12@6	DFT_BPSK	20.93	PASS
DC_5A_n41A	30	10	500202	1@1	DFT_BPSK	20.87	PASS
DC_5A_n41A	30	10	500202	1@22	DFT_BPSK	20.87	PASS
DC_5A_n41A	30	10	500202	24@0	DFT_QPSK	19.91	PASS
DC_5A_n41A	30	10	500202	12@6	DFT_QPSK	20.94	PASS
DC_5A_n41A	30	10	500202	1@1	DFT_QPSK	20.85	PASS
DC_5A_n41A	30	10	500202	1@22	DFT_QPSK	20.89	PASS
DC_5A_n41A	30	10	500202	24@0	DFT_16QAM	18.92	PASS
DC_5A_n41A	30	10	500202	12@6	DFT_16QAM	19.93	PASS
DC_5A_n41A	30	10	500202	1@1	DFT_16QAM	19.83	PASS
DC_5A_n41A	30	10	500202	1@22	DFT_16QAM	19.8	PASS
DC_5A_n41A	30	10	500202	24@0	DFT_64QAM	18.38	PASS
DC_5A_n41A	30	10	500202	12@6	DFT_64QAM	18.42	PASS
DC_5A_n41A	30	10	500202	1@1	DFT_64QAM	18.3	PASS
DC_5A_n41A	30	10	500202	1@22	DFT_64QAM	18.29	PASS
DC_5A_n41A	30	10	500202	24@0	DFT_256QAM	16.8	PASS
DC_5A_n41A	30	10	500202	12@6	DFT_256QAM	16.5	PASS
DC_5A_n41A	30	10	500202	1@1	DFT_256QAM	16.22	PASS
DC_5A_n41A	30	10	500202	1@22	DFT_256QAM	16.13	PASS
DC_5A_n41A	30	10	500202	24@0	CP_QPSK	18.88	PASS
DC_5A_n41A	30	10	500202	12@6	CP_QPSK	19.45	PASS
DC_5A_n41A	30	10	500202	1@1	CP_QPSK	19.39	PASS
DC_5A_n41A	30	10	500202	1@22	CP_QPSK	19.42	PASS
DC_5A_n41A	30	10	500202	24@0	CP_16QAM	17.93	PASS
DC_5A_n41A	30	10	500202	12@6	CP_16QAM	18.96	PASS
DC_5A_n41A	30	10	500202	1@1	CP_16QAM	18.74	PASS
DC_5A_n41A	30	10	500202	1@22	CP_16QAM	18.73	PASS
DC_5A_n41A	30	10	500202	24@0	CP_64QAM	17.38	PASS
DC_5A_n41A	30	10	500202	12@6	CP_64QAM	17.37	PASS
DC_5A_n41A	30	10	500202	1@1	CP_64QAM	17.52	PASS
DC_5A_n41A	30	10	500202	1@22	CP_64QAM	17.55	PASS
DC_5A_n41A	30	10	500202	24@0	CP_256QAM	14.49	PASS
DC_5A_n41A	30	10	500202	12@6	CP_256QAM	14.53	PASS
DC_5A_n41A	30	10	500202	1@1	CP_256QAM	14.31	PASS
DC_5A_n41A	30	10	500202	1@22	CP_256QAM	14.28	PASS
DC_5A_n41A	30	10	518598	24@0	DFT_BPSK	20.39	PASS
DC_5A_n41A	30	10	518598	12@6	DFT_BPSK	20.91	PASS
DC_5A_n41A	30	10	518598	1@1	DFT_BPSK	20.79	PASS
DC_5A_n41A	30	10	518598	1@22	DFT_BPSK	20.86	PASS
DC_5A_n41A	30	10	518598	24@0	DFT_QPSK	19.88	PASS
DC_5A_n41A	30	10	518598	12@6	DFT_QPSK	20.91	PASS
DC_5A_n41A	30	10	518598	1@1	DFT_QPSK	20.8	PASS
DC_5A_n41A	30	10	518598	1@22	DFT_QPSK	20.87	PASS
DC_5A_n41A	30	10	518598	24@0	DFT_16QAM	18.89	PASS



DC_5A_n41A	30	10	518598	12@6	DFT_16QAM	19.9	PASS
DC_5A_n41A	30	10	518598	1@1	DFT_16QAM	19.73	PASS
DC_5A_n41A	30	10	518598	1@22	DFT_16QAM	19.8	PASS
DC_5A_n41A	30	10	518598	24@0	DFT_64QAM	18.35	PASS
DC_5A_n41A	30	10	518598	12@6	DFT_64QAM	18.36	PASS
DC_5A_n41A	30	10	518598	1@1	DFT_64QAM	18.17	PASS
DC_5A_n41A	30	10	518598	1@22	DFT_64QAM	18.28	PASS
DC_5A_n41A	30	10	518598	24@0	DFT_256QAM	16.31	PASS
DC_5A_n41A	30	10	518598	12@6	DFT_256QAM	16.39	PASS
DC_5A_n41A	30	10	518598	1@1	DFT_256QAM	16.07	PASS
DC_5A_n41A	30	10	518598	1@22	DFT_256QAM	16.11	PASS
DC_5A_n41A	30	10	518598	24@0	CP_QPSK	17.88	PASS
DC_5A_n41A	30	10	518598	12@6	CP_QPSK	19.45	PASS
DC_5A_n41A	30	10	518598	1@1	CP_QPSK	19.32	PASS
DC_5A_n41A	30	10	518598	1@22	CP_QPSK	19.36	PASS
DC_5A_n41A	30	10	518598	24@0	CP_16QAM	17.87	PASS
DC_5A_n41A	30	10	518598	12@6	CP_16QAM	18.93	PASS
DC_5A_n41A	30	10	518598	1@1	CP_16QAM	18.69	PASS
DC_5A_n41A	30	10	518598	1@22	CP_16QAM	18.75	PASS
DC_5A_n41A	30	10	518598	24@0	CP_64QAM	17.35	PASS
DC_5A_n41A	30	10	518598	12@6	CP_64QAM	17.32	PASS
DC_5A_n41A	30	10	518598	1@1	CP_64QAM	17.49	PASS
DC_5A_n41A	30	10	518598	1@22	CP_64QAM	17.57	PASS
DC_5A_n41A	30	10	518598	24@0	CP_256QAM	14.26	PASS
DC_5A_n41A	30	10	518598	12@6	CP_256QAM	14.32	PASS
DC_5A_n41A	30	10	518598	1@1	CP_256QAM	14.12	PASS
DC_5A_n41A	30	10	518598	1@22	CP_256QAM	14.2	PASS
DC_5A_n41A	30	10	537000	24@0	DFT_BPSK	20.3	PASS
DC_5A_n41A	30	10	537000	12@6	DFT_BPSK	21.09	PASS
DC_5A_n41A	30	10	537000	1@1	DFT_BPSK	21	PASS
DC_5A_n41A	30	10	537000	1@22	DFT_BPSK	21.03	PASS
DC_5A_n41A	30	10	537000	24@0	DFT_QPSK	20.09	PASS
DC_5A_n41A	30	10	537000	12@6	DFT_QPSK	21.12	PASS
DC_5A_n41A	30	10	537000	1@1	DFT_QPSK	21	PASS
DC_5A_n41A	30	10	537000	1@22	DFT_QPSK	21.01	PASS
DC_5A_n41A	30	10	537000	24@0	DFT_16QAM	19.1	PASS
DC_5A_n41A	30	10	537000	12@6	DFT_16QAM	20.05	PASS
DC_5A_n41A	30	10	537000	1@1	DFT_16QAM	19.94	PASS
DC_5A_n41A	30	10	537000	1@22	DFT_16QAM	19.95	PASS
DC_5A_n41A	30	10	537000	24@0	DFT_64QAM	18.55	PASS
DC_5A_n41A	30	10	537000	12@6	DFT_64QAM	18.53	PASS
DC_5A_n41A	30	10	537000	1@1	DFT_64QAM	18.44	PASS
DC_5A_n41A	30	10	537000	1@22	DFT_64QAM	18.45	PASS
DC_5A_n41A	30	10	537000	24@0	DFT_256QAM	16.51	PASS
DC_5A_n41A	30	10	537000	12@6	DFT_256QAM	16.53	PASS
DC_5A_n41A	30	10	537000	1@1	DFT_256QAM	16.25	PASS
DC_5A_n41A	30	10	537000	1@22	DFT_256QAM	16.31	PASS
DC_5A_n41A	30	10	537000	24@0	CP_QPSK	18.1	PASS



DC_5A_n41A	30	10	537000	12@6	CP_QPSK	19.6	PASS
DC_5A_n41A	30	10	537000	1@1	CP_QPSK	19.22	PASS
DC_5A_n41A	30	10	537000	1@22	CP_QPSK	19.25	PASS
DC_5A_n41A	30	10	537000	24@0	CP_16QAM	18.1	PASS
DC_5A_n41A	30	10	537000	12@6	CP_16QAM	19.12	PASS
DC_5A_n41A	30	10	537000	1@1	CP_16QAM	18.84	PASS
DC_5A_n41A	30	10	537000	1@22	CP_16QAM	18.86	PASS
DC_5A_n41A	30	10	537000	24@0	CP_64QAM	17.56	PASS
DC_5A_n41A	30	10	537000	12@6	CP_64QAM	17.51	PASS
DC_5A_n41A	30	10	537000	1@1	CP_64QAM	17.67	PASS
DC_5A_n41A	30	10	537000	1@22	CP_64QAM	17.68	PASS
DC_5A_n41A	30	10	537000	24@0	CP_256QAM	14.47	PASS
DC_5A_n41A	30	10	537000	12@6	CP_256QAM	14.52	PASS
DC_5A_n41A	30	10	537000	1@1	CP_256QAM	14.32	PASS
DC_5A_n41A	30	10	537000	1@22	CP_256QAM	14.32	PASS
DC_5A_n41A	30	15	500700	36@0	DFT_BPSK	20.44	PASS
DC_5A_n41A	30	15	500700	18@9	DFT_BPSK	20.97	PASS
DC_5A_n41A	30	15	500700	1@1	DFT_BPSK	20.9	PASS
DC_5A_n41A	30	15	500700	1@36	DFT_BPSK	20.84	PASS
DC_5A_n41A	30	15	500700	36@0	DFT_QPSK	19.95	PASS
DC_5A_n41A	30	15	500700	18@9	DFT_QPSK	21	PASS
DC_5A_n41A	30	15	500700	1@1	DFT_QPSK	20.9	PASS
DC_5A_n41A	30	15	500700	1@36	DFT_QPSK	20.84	PASS
DC_5A_n41A	30	15	500700	36@0	DFT_16QAM	18.9	PASS
DC_5A_n41A	30	15	500700	18@9	DFT_16QAM	19.95	PASS
DC_5A_n41A	30	15	500700	1@1	DFT_16QAM	19.83	PASS
DC_5A_n41A	30	15	500700	1@36	DFT_16QAM	19.78	PASS
DC_5A_n41A	30	15	500700	36@0	DFT_64QAM	18.41	PASS
DC_5A_n41A	30	15	500700	18@9	DFT_64QAM	18.47	PASS
DC_5A_n41A	30	15	500700	1@1	DFT_64QAM	18.3	PASS
DC_5A_n41A	30	15	500700	1@36	DFT_64QAM	18.26	PASS
DC_5A_n41A	30	15	500700	36@0	DFT_256QAM	16.59	PASS
DC_5A_n41A	30	15	500700	18@9	DFT_256QAM	16.44	PASS
DC_5A_n41A	30	15	500700	1@1	DFT_256QAM	16.2	PASS
DC_5A_n41A	30	15	500700	1@36	DFT_256QAM	16.4	PASS
DC_5A_n41A	30	15	500700	38@0	CP_QPSK	17.92	PASS
DC_5A_n41A	30	15	500700	19@9	CP_QPSK	19.47	PASS
DC_5A_n41A	30	15	500700	1@1	CP_QPSK	19.35	PASS
DC_5A_n41A	30	15	500700	1@36	CP_QPSK	19.31	PASS
DC_5A_n41A	30	15	500700	38@0	CP_16QAM	17.9	PASS
DC_5A_n41A	30	15	500700	19@9	CP_16QAM	18.88	PASS
DC_5A_n41A	30	15	500700	1@1	CP_16QAM	18.73	PASS
DC_5A_n41A	30	15	500700	1@36	CP_16QAM	18.68	PASS
DC_5A_n41A	30	15	500700	38@0	CP_64QAM	17.46	PASS
DC_5A_n41A	30	15	500700	19@9	CP_64QAM	17.47	PASS
DC_5A_n41A	30	15	500700	1@1	CP_64QAM	17.59	PASS
DC_5A_n41A	30	15	500700	1@36	CP_64QAM	17.53	PASS
DC_5A_n41A	30	15	500700	38@0	CP_256QAM	14.55	PASS



DC_5A_n41A	30	15	500700	19@9	CP_256QAM	14.52	PASS
DC_5A_n41A	30	15	500700	1@1	CP_256QAM	14.38	PASS
DC_5A_n41A	30	15	500700	1@36	CP_256QAM	14.27	PASS
DC_5A_n41A	30	15	518598	36@0	DFT_BPSK	19.6	PASS
DC_5A_n41A	30	15	518598	18@9	DFT_BPSK	20.89	PASS
DC_5A_n41A	30	15	518598	1@1	DFT_BPSK	20.78	PASS
DC_5A_n41A	30	15	518598	1@36	DFT_BPSK	20.84	PASS
DC_5A_n41A	30	15	518598	36@0	DFT_QPSK	19.91	PASS
DC_5A_n41A	30	15	518598	18@9	DFT_QPSK	20.92	PASS
DC_5A_n41A	30	15	518598	1@1	DFT_QPSK	20.79	PASS
DC_5A_n41A	30	15	518598	1@36	DFT_QPSK	20.83	PASS
DC_5A_n41A	30	15	518598	36@0	DFT_16QAM	18.88	PASS
DC_5A_n41A	30	15	518598	18@9	DFT_16QAM	19.88	PASS
DC_5A_n41A	30	15	518598	1@1	DFT_16QAM	19.67	PASS
DC_5A_n41A	30	15	518598	1@36	DFT_16QAM	19.73	PASS
DC_5A_n41A	30	15	518598	36@0	DFT_64QAM	18.38	PASS
DC_5A_n41A	30	15	518598	18@9	DFT_64QAM	18.39	PASS
DC_5A_n41A	30	15	518598	1@1	DFT_64QAM	18.16	PASS
DC_5A_n41A	30	15	518598	1@36	DFT_64QAM	18.2	PASS
DC_5A_n41A	30	15	518598	36@0	DFT_256QAM	16.3	PASS
DC_5A_n41A	30	15	518598	18@9	DFT_256QAM	16.5	PASS
DC_5A_n41A	30	15	518598	1@1	DFT_256QAM	16.55	PASS
DC_5A_n41A	30	15	518598	1@36	DFT_256QAM	16.4	PASS
DC_5A_n41A	30	15	518598	38@0	CP_QPSK	18.9	PASS
DC_5A_n41A	30	15	518598	19@9	CP_QPSK	19.39	PASS
DC_5A_n41A	30	15	518598	1@1	CP_QPSK	19.31	PASS
DC_5A_n41A	30	15	518598	1@36	CP_QPSK	19.3	PASS
DC_5A_n41A	30	15	518598	38@0	CP_16QAM	17.86	PASS
DC_5A_n41A	30	15	518598	19@9	CP_16QAM	18.82	PASS
DC_5A_n41A	30	15	518598	1@1	CP_16QAM	18.69	PASS
DC_5A_n41A	30	15	518598	1@36	CP_16QAM	18.72	PASS
DC_5A_n41A	30	15	518598	38@0	CP_64QAM	17.41	PASS
DC_5A_n41A	30	15	518598	19@9	CP_64QAM	17.39	PASS
DC_5A_n41A	30	15	518598	1@1	CP_64QAM	17.45	PASS
DC_5A_n41A	30	15	518598	1@36	CP_64QAM	17.5	PASS
DC_5A_n41A	30	15	518598	38@0	CP_256QAM	14.35	PASS
DC_5A_n41A	30	15	518598	19@9	CP_256QAM	14.32	PASS
DC_5A_n41A	30	15	518598	1@1	CP_256QAM	14.09	PASS
DC_5A_n41A	30	15	518598	1@36	CP_256QAM	14.17	PASS
DC_5A_n41A	30	15	536496	36@0	DFT_BPSK	20.55	PASS
DC_5A_n41A	30	15	536496	18@9	DFT_BPSK	21.1	PASS
DC_5A_n41A	30	15	536496	1@1	DFT_BPSK	21	PASS
DC_5A_n41A	30	15	536496	1@36	DFT_BPSK	21.02	PASS
DC_5A_n41A	30	15	536496	36@0	DFT_QPSK	20.08	PASS
DC_5A_n41A	30	15	536496	18@9	DFT_QPSK	21.13	PASS
DC_5A_n41A	30	15	536496	1@1	DFT_QPSK	21.01	PASS
DC_5A_n41A	30	15	536496	1@36	DFT_QPSK	20.99	PASS
DC_5A_n41A	30	15	536496	36@0	DFT_16QAM	19.09	PASS



DC_5A_n41A	30	15	536496	18@9	DFT_16QAM	20.08	PASS
DC_5A_n41A	30	15	536496	1@1	DFT_16QAM	19.92	PASS
DC_5A_n41A	30	15	536496	1@36	DFT_16QAM	19.91	PASS
DC_5A_n41A	30	15	536496	36@0	DFT_64QAM	18.53	PASS
DC_5A_n41A	30	15	536496	18@9	DFT_64QAM	18.6	PASS
DC_5A_n41A	30	15	536496	1@1	DFT_64QAM	18.42	PASS
DC_5A_n41A	30	15	536496	1@36	DFT_64QAM	18.44	PASS
DC_5A_n41A	30	15	536496	36@0	DFT_256QAM	16.56	PASS
DC_5A_n41A	30	15	536496	18@9	DFT_256QAM	16.51	PASS
DC_5A_n41A	30	15	536496	1@1	DFT_256QAM	16.25	PASS
DC_5A_n41A	30	15	536496	1@36	DFT_256QAM	16.26	PASS
DC_5A_n41A	30	15	536496	38@0	CP_QPSK	18.09	PASS
DC_5A_n41A	30	15	536496	19@9	CP_QPSK	19.6	PASS
DC_5A_n41A	30	15	536496	1@1	CP_QPSK	19.52	PASS
DC_5A_n41A	30	15	536496	1@36	CP_QPSK	19.52	PASS
DC_5A_n41A	30	15	536496	38@0	CP_16QAM	18.05	PASS
DC_5A_n41A	30	15	536496	19@9	CP_16QAM	19.01	PASS
DC_5A_n41A	30	15	536496	1@1	CP_16QAM	18.87	PASS
DC_5A_n41A	30	15	536496	1@36	CP_16QAM	18.87	PASS
DC_5A_n41A	30	15	536496	38@0	CP_64QAM	17.6	PASS
DC_5A_n41A	30	15	536496	19@9	CP_64QAM	17.58	PASS
DC_5A_n41A	30	15	536496	1@1	CP_64QAM	17.65	PASS
DC_5A_n41A	30	15	536496	1@36	CP_64QAM	17.66	PASS
DC_5A_n41A	30	15	536496	38@0	CP_256QAM	14.53	PASS
DC_5A_n41A	30	15	536496	19@9	CP_256QAM	14.49	PASS
DC_5A_n41A	30	15	536496	1@1	CP_256QAM	14.29	PASS
DC_5A_n41A	30	15	536496	1@36	CP_256QAM	14.28	PASS
DC_5A_n41A	30	20	501204	50@0	DFT_BPSK	19.5	PASS
DC_5A_n41A	30	20	501204	25@12	DFT_BPSK	20.66	PASS
DC_5A_n41A	30	20	501204	1@1	DFT_BPSK	20.56	PASS
DC_5A_n41A	30	20	501204	1@49	DFT_BPSK	20.39	PASS
DC_5A_n41A	30	20	501204	50@0	DFT_QPSK	19.6	PASS
DC_5A_n41A	30	20	501204	25@12	DFT_QPSK	20.91	PASS
DC_5A_n41A	30	20	501204	1@1	DFT_QPSK	20.79	PASS
DC_5A_n41A	30	20	501204	1@49	DFT_QPSK	20.69	PASS
DC_5A_n41A	30	20	501204	50@0	DFT_16QAM	18.85	PASS
DC_5A_n41A	30	20	501204	25@12	DFT_16QAM	19.91	PASS
DC_5A_n41A	30	20	501204	1@1	DFT_16QAM	19.7	PASS
DC_5A_n41A	30	20	501204	1@49	DFT_16QAM	19.62	PASS
DC_5A_n41A	30	20	501204	50@0	DFT_64QAM	18.32	PASS
DC_5A_n41A	30	20	501204	25@12	DFT_64QAM	18.39	PASS
DC_5A_n41A	30	20	501204	1@1	DFT_64QAM	18.2	PASS
DC_5A_n41A	30	20	501204	1@49	DFT_64QAM	18.11	PASS
DC_5A_n41A	30	20	501204	50@0	DFT_256QAM	16.29	PASS
DC_5A_n41A	30	20	501204	25@12	DFT_256QAM	16.36	PASS
DC_5A_n41A	30	20	501204	1@1	DFT_256QAM	16	PASS
DC_5A_n41A	30	20	501204	1@49	DFT_256QAM	15.98	PASS
DC_5A_n41A	30	20	501204	51@0	CP_QPSK	17.8	PASS



DC_5A_n41A	30	20	501204	25@12	CP_QPSK	19.37	PASS
DC_5A_n41A	30	20	501204	1@1	CP_QPSK	19.24	PASS
DC_5A_n41A	30	20	501204	1@49	CP_QPSK	19.19	PASS
DC_5A_n41A	30	20	501204	51@0	CP_16QAM	17.83	PASS
DC_5A_n41A	30	20	501204	25@12	CP_16QAM	18.84	PASS
DC_5A_n41A	30	20	501204	1@1	CP_16QAM	18.61	PASS
DC_5A_n41A	30	20	501204	1@49	CP_16QAM	18.57	PASS
DC_5A_n41A	30	20	501204	51@0	CP_64QAM	17.32	PASS
DC_5A_n41A	30	20	501204	25@12	CP_64QAM	17.37	PASS
DC_5A_n41A	30	20	501204	1@1	CP_64QAM	17.45	PASS
DC_5A_n41A	30	20	501204	1@49	CP_64QAM	17.37	PASS
DC_5A_n41A	30	20	501204	51@0	CP_256QAM	14.44	PASS
DC_5A_n41A	30	20	501204	25@12	CP_256QAM	14.54	PASS
DC_5A_n41A	30	20	501204	1@1	CP_256QAM	14.23	PASS
DC_5A_n41A	30	20	501204	1@49	CP_256QAM	14.16	PASS
DC_5A_n41A	30	20	518598	50@0	DFT_BPSK	20.4	PASS
DC_5A_n41A	30	20	518598	25@12	DFT_BPSK	20.94	PASS
DC_5A_n41A	30	20	518598	1@1	DFT_BPSK	20.72	PASS
DC_5A_n41A	30	20	518598	1@49	DFT_BPSK	20.78	PASS
DC_5A_n41A	30	20	518598	50@0	DFT_QPSK	19.91	PASS
DC_5A_n41A	30	20	518598	25@12	DFT_QPSK	20.93	PASS
DC_5A_n41A	30	20	518598	1@1	DFT_QPSK	20.73	PASS
DC_5A_n41A	30	20	518598	1@49	DFT_QPSK	20.78	PASS
DC_5A_n41A	30	20	518598	50@0	DFT_16QAM	18.85	PASS
DC_5A_n41A	30	20	518598	25@12	DFT_16QAM	19.96	PASS
DC_5A_n41A	30	20	518598	1@1	DFT_16QAM	19.69	PASS
DC_5A_n41A	30	20	518598	1@49	DFT_16QAM	19.66	PASS
DC_5A_n41A	30	20	518598	50@0	DFT_64QAM	18.35	PASS
DC_5A_n41A	30	20	518598	25@12	DFT_64QAM	18.45	PASS
DC_5A_n41A	30	20	518598	1@1	DFT_64QAM	18.17	PASS
DC_5A_n41A	30	20	518598	1@49	DFT_64QAM	18.2	PASS
DC_5A_n41A	30	20	518598	50@0	DFT_256QAM	16.35	PASS
DC_5A_n41A	30	20	518598	25@12	DFT_256QAM	16.38	PASS
DC_5A_n41A	30	20	518598	1@1	DFT_256QAM	15.96	PASS
DC_5A_n41A	30	20	518598	1@49	DFT_256QAM	16.02	PASS
DC_5A_n41A	30	20	518598	51@0	CP_QPSK	17.85	PASS
DC_5A_n41A	30	20	518598	25@12	CP_QPSK	19.39	PASS
DC_5A_n41A	30	20	518598	1@1	CP_QPSK	19.24	PASS
DC_5A_n41A	30	20	518598	1@49	CP_QPSK	19.21	PASS
DC_5A_n41A	30	20	518598	51@0	CP_16QAM	17.86	PASS
DC_5A_n41A	30	20	518598	25@12	CP_16QAM	18.87	PASS
DC_5A_n41A	30	20	518598	1@1	CP_16QAM	18.58	PASS
DC_5A_n41A	30	20	518598	1@49	CP_16QAM	18.62	PASS
DC_5A_n41A	30	20	518598	51@0	CP_64QAM	17.35	PASS
DC_5A_n41A	30	20	518598	25@12	CP_64QAM	17.43	PASS
DC_5A_n41A	30	20	518598	1@1	CP_64QAM	17.47	PASS
DC_5A_n41A	30	20	518598	1@49	CP_64QAM	17.42	PASS
DC_5A_n41A	30	20	518598	51@0	CP_256QAM	14.31	PASS



DC_5A_n41A	30	20	518598	25@12	CP_256QAM	14.37	PASS
DC_5A_n41A	30	20	518598	1@1	CP_256QAM	14.03	PASS
DC_5A_n41A	30	20	518598	1@49	CP_256QAM	14.03	PASS
DC_5A_n41A	30	20	535998	50@0	DFT_BPSK	20.64	PASS
DC_5A_n41A	30	20	535998	25@12	DFT_BPSK	21.16	PASS
DC_5A_n41A	30	20	535998	1@1	DFT_BPSK	20.97	PASS
DC_5A_n41A	30	20	535998	1@49	DFT_BPSK	20.99	PASS
DC_5A_n41A	30	20	535998	50@0	DFT_QPSK	20.12	PASS
DC_5A_n41A	30	20	535998	25@12	DFT_QPSK	21.14	PASS
DC_5A_n41A	30	20	535998	1@1	DFT_QPSK	20.95	PASS
DC_5A_n41A	30	20	535998	1@49	DFT_QPSK	20.98	PASS
DC_5A_n41A	30	20	535998	50@0	DFT_16QAM	19.1	PASS
DC_5A_n41A	30	20	535998	25@12	DFT_16QAM	20.15	PASS
DC_5A_n41A	30	20	535998	1@1	DFT_16QAM	19.88	PASS
DC_5A_n41A	30	20	535998	1@49	DFT_16QAM	19.93	PASS
DC_5A_n41A	30	20	535998	50@0	DFT_64QAM	18.59	PASS
DC_5A_n41A	30	20	535998	25@12	DFT_64QAM	18.62	PASS
DC_5A_n41A	30	20	535998	1@1	DFT_64QAM	18.41	PASS
DC_5A_n41A	30	20	535998	1@49	DFT_64QAM	18.44	PASS
DC_5A_n41A	30	20	535998	50@0	DFT_256QAM	16.57	PASS
DC_5A_n41A	30	20	535998	25@12	DFT_256QAM	16.6	PASS
DC_5A_n41A	30	20	535998	1@1	DFT_256QAM	16.24	PASS
DC_5A_n41A	30	20	535998	1@49	DFT_256QAM	16.24	PASS
DC_5A_n41A	30	20	535998	51@0	CP_QPSK	18.07	PASS
DC_5A_n41A	30	20	535998	25@12	CP_QPSK	19.61	PASS
DC_5A_n41A	30	20	535998	1@1	CP_QPSK	19.43	PASS
DC_5A_n41A	30	20	535998	1@49	CP_QPSK	19.45	PASS
DC_5A_n41A	30	20	535998	51@0	CP_16QAM	18.08	PASS
DC_5A_n41A	30	20	535998	25@12	CP_16QAM	19.11	PASS
DC_5A_n41A	30	20	535998	1@1	CP_16QAM	18.84	PASS
DC_5A_n41A	30	20	535998	1@49	CP_16QAM	18.83	PASS
DC_5A_n41A	30	20	535998	51@0	CP_64QAM	17.58	PASS
DC_5A_n41A	30	20	535998	25@12	CP_64QAM	17.66	PASS
DC_5A_n41A	30	20	535998	1@1	CP_64QAM	17.6	PASS
DC_5A_n41A	30	20	535998	1@49	CP_64QAM	17.64	PASS
DC_5A_n41A	30	20	535998	51@0	CP_256QAM	14.52	PASS
DC_5A_n41A	30	20	535998	25@12	CP_256QAM	14.59	PASS
DC_5A_n41A	30	20	535998	1@1	CP_256QAM	14.26	PASS
DC_5A_n41A	30	20	535998	1@49	CP_256QAM	14.25	PASS
DC_5A_n41A	30	30	502200	75@0	DFT_BPSK	19.6	PASS
DC_5A_n41A	30	30	502200	36@18	DFT_BPSK	20.98	PASS
DC_5A_n41A	30	30	502200	1@1	DFT_BPSK	20.72	PASS
DC_5A_n41A	30	30	502200	1@76	DFT_BPSK	20.64	PASS
DC_5A_n41A	30	30	502200	75@0	DFT_QPSK	19.89	PASS
DC_5A_n41A	30	30	502200	36@18	DFT_QPSK	20.98	PASS
DC_5A_n41A	30	30	502200	1@1	DFT_QPSK	20.71	PASS
DC_5A_n41A	30	30	502200	1@76	DFT_QPSK	20.6	PASS
DC_5A_n41A	30	30	502200	75@0	DFT_16QAM	18.87	PASS



DC_5A_n41A	30	30	502200	36@18	DFT_16QAM	19.96	PASS
DC_5A_n41A	30	30	502200	1@1	DFT_16QAM	19.6	PASS
DC_5A_n41A	30	30	502200	1@76	DFT_16QAM	19.53	PASS
DC_5A_n41A	30	30	502200	75@0	DFT_64QAM	18.34	PASS
DC_5A_n41A	30	30	502200	36@18	DFT_64QAM	18.44	PASS
DC_5A_n41A	30	30	502200	1@1	DFT_64QAM	18.08	PASS
DC_5A_n41A	30	30	502200	1@76	DFT_64QAM	18.01	PASS
DC_5A_n41A	30	30	502200	75@0	DFT_256QAM	16.37	PASS
DC_5A_n41A	30	30	502200	36@18	DFT_256QAM	16.44	PASS
DC_5A_n41A	30	30	502200	1@1	DFT_256QAM	16.02	PASS
DC_5A_n41A	30	30	502200	1@76	DFT_256QAM	15.9	PASS
DC_5A_n41A	30	30	502200	78@0	CP_QPSK	17.86	PASS
DC_5A_n41A	30	30	502200	39@19	CP_QPSK	19.44	PASS
DC_5A_n41A	30	30	502200	1@1	CP_QPSK	19.21	PASS
DC_5A_n41A	30	30	502200	1@76	CP_QPSK	19.14	PASS
DC_5A_n41A	30	30	502200	78@0	CP_16QAM	17.88	PASS
DC_5A_n41A	30	30	502200	39@19	CP_16QAM	18.91	PASS
DC_5A_n41A	30	30	502200	1@1	CP_16QAM	18.53	PASS
DC_5A_n41A	30	30	502200	1@76	CP_16QAM	18.5	PASS
DC_5A_n41A	30	30	502200	78@0	CP_64QAM	17.37	PASS
DC_5A_n41A	30	30	502200	39@19	CP_64QAM	17.5	PASS
DC_5A_n41A	30	30	502200	1@1	CP_64QAM	17.41	PASS
DC_5A_n41A	30	30	502200	1@76	CP_64QAM	17.33	PASS
DC_5A_n41A	30	30	502200	78@0	CP_256QAM	14.46	PASS
DC_5A_n41A	30	30	502200	39@19	CP_256QAM	14.56	PASS
DC_5A_n41A	30	30	502200	1@1	CP_256QAM	14.16	PASS
DC_5A_n41A	30	30	502200	1@76	CP_256QAM	14.09	PASS
DC_5A_n41A	30	30	518598	75@0	DFT_BPSK	19.5	PASS
DC_5A_n41A	30	30	518598	36@18	DFT_BPSK	20.95	PASS
DC_5A_n41A	30	30	518598	1@1	DFT_BPSK	20.66	PASS
DC_5A_n41A	30	30	518598	1@76	DFT_BPSK	20.67	PASS
DC_5A_n41A	30	30	518598	75@0	DFT_QPSK	19.9	PASS
DC_5A_n41A	30	30	518598	36@18	DFT_QPSK	20.94	PASS
DC_5A_n41A	30	30	518598	1@1	DFT_QPSK	20.63	PASS
DC_5A_n41A	30	30	518598	1@76	DFT_QPSK	20.63	PASS
DC_5A_n41A	30	30	518598	75@0	DFT_16QAM	18.87	PASS
DC_5A_n41A	30	30	518598	36@18	DFT_16QAM	19.96	PASS
DC_5A_n41A	30	30	518598	1@1	DFT_16QAM	19.53	PASS
DC_5A_n41A	30	30	518598	1@76	DFT_16QAM	19.53	PASS
DC_5A_n41A	30	30	518598	75@0	DFT_64QAM	18.36	PASS
DC_5A_n41A	30	30	518598	36@18	DFT_64QAM	18.4	PASS
DC_5A_n41A	30	30	518598	1@1	DFT_64QAM	18.05	PASS
DC_5A_n41A	30	30	518598	1@76	DFT_64QAM	18.05	PASS
DC_5A_n41A	30	30	518598	75@0	DFT_256QAM	16.3	PASS
DC_5A_n41A	30	30	518598	36@18	DFT_256QAM	16.11	PASS
DC_5A_n41A	30	30	518598	1@1	DFT_256QAM	16.5	PASS
DC_5A_n41A	30	30	518598	1@76	DFT_256QAM	16.28	PASS
DC_5A_n41A	30	30	518598	78@0	CP_QPSK	17.86	PASS



DC_5A_n41A	30	30	518598	39@19	CP_QPSK	19.41	PASS
DC_5A_n41A	30	30	518598	1@1	CP_QPSK	19.17	PASS
DC_5A_n41A	30	30	518598	1@76	CP_QPSK	19.14	PASS
DC_5A_n41A	30	30	518598	78@0	CP_16QAM	17.9	PASS
DC_5A_n41A	30	30	518598	39@19	CP_16QAM	18.88	PASS
DC_5A_n41A	30	30	518598	1@1	CP_16QAM	18.7	PASS
DC_5A_n41A	30	30	518598	1@76	CP_16QAM	18.64	PASS
DC_5A_n41A	30	30	518598	78@0	CP_64QAM	17.35	PASS
DC_5A_n41A	30	30	518598	39@19	CP_64QAM	17.45	PASS
DC_5A_n41A	30	30	518598	1@1	CP_64QAM	17.1	PASS
DC_5A_n41A	30	30	518598	1@76	CP_64QAM	17.08	PASS
DC_5A_n41A	30	30	518598	78@0	CP_256QAM	14.35	PASS
DC_5A_n41A	30	30	518598	39@19	CP_256QAM	14.38	PASS
DC_5A_n41A	30	30	518598	1@1	CP_256QAM	14.03	PASS
DC_5A_n41A	30	30	518598	1@76	CP_256QAM	14	PASS
DC_5A_n41A	30	30	534996	75@0	DFT_BPSK	20.1	PASS
DC_5A_n41A	30	30	534996	36@18	DFT_BPSK	21.17	PASS
DC_5A_n41A	30	30	534996	1@1	DFT_BPSK	20.81	PASS
DC_5A_n41A	30	30	534996	1@76	DFT_BPSK	20.93	PASS
DC_5A_n41A	30	30	534996	75@0	DFT_QPSK	20.08	PASS
DC_5A_n41A	30	30	534996	36@18	DFT_QPSK	21.18	PASS
DC_5A_n41A	30	30	534996	1@1	DFT_QPSK	20.75	PASS
DC_5A_n41A	30	30	534996	1@76	DFT_QPSK	20.9	PASS
DC_5A_n41A	30	30	534996	75@0	DFT_16QAM	19.06	PASS
DC_5A_n41A	30	30	534996	36@18	DFT_16QAM	20.18	PASS
DC_5A_n41A	30	30	534996	1@1	DFT_16QAM	19.65	PASS
DC_5A_n41A	30	30	534996	1@76	DFT_16QAM	19.75	PASS
DC_5A_n41A	30	30	534996	75@0	DFT_64QAM	18.53	PASS
DC_5A_n41A	30	30	534996	36@18	DFT_64QAM	18.64	PASS
DC_5A_n41A	30	30	534996	1@1	DFT_64QAM	18.22	PASS
DC_5A_n41A	30	30	534996	1@76	DFT_64QAM	18.34	PASS
DC_5A_n41A	30	30	534996	75@0	DFT_256QAM	16.2	PASS
DC_5A_n41A	30	30	534996	36@18	DFT_256QAM	16.5	PASS
DC_5A_n41A	30	30	534996	1@1	DFT_256QAM	16.22	PASS
DC_5A_n41A	30	30	534996	1@76	DFT_256QAM	16.35	PASS
DC_5A_n41A	30	30	534996	78@0	CP_QPSK	18.66	PASS
DC_5A_n41A	30	30	534996	39@19	CP_QPSK	19.66	PASS
DC_5A_n41A	30	30	534996	1@1	CP_QPSK	19.32	PASS
DC_5A_n41A	30	30	534996	1@76	CP_QPSK	19.42	PASS
DC_5A_n41A	30	30	534996	78@0	CP_16QAM	18.07	PASS
DC_5A_n41A	30	30	534996	39@19	CP_16QAM	19.09	PASS
DC_5A_n41A	30	30	534996	1@1	CP_16QAM	18.81	PASS
DC_5A_n41A	30	30	534996	1@76	CP_16QAM	18.95	PASS
DC_5A_n41A	30	30	534996	78@0	CP_64QAM	17.57	PASS
DC_5A_n41A	30	30	534996	39@19	CP_64QAM	17.68	PASS
DC_5A_n41A	30	30	534996	1@1	CP_64QAM	17.22	PASS
DC_5A_n41A	30	30	534996	1@76	CP_64QAM	17.35	PASS
DC_5A_n41A	30	30	534996	78@0	CP_256QAM	14.52	PASS



DC_5A_n41A	30	30	534996	39@19	CP_256QAM	14.6	PASS
DC_5A_n41A	30	30	534996	1@1	CP_256QAM	14.14	PASS
DC_5A_n41A	30	30	534996	1@76	CP_256QAM	14.25	PASS
DC_5A_n41A	30	40	503202	100@0	DFT_BPSK	19.8	PASS
DC_5A_n41A	30	40	503202	50@25	DFT_BPSK	20.91	PASS
DC_5A_n41A	30	40	503202	1@1	DFT_BPSK	20.48	PASS
DC_5A_n41A	30	40	503202	1@104	DFT_BPSK	20.42	PASS
DC_5A_n41A	30	40	503202	100@0	DFT_QPSK	19.8	PASS
DC_5A_n41A	30	40	503202	50@25	DFT_QPSK	20.92	PASS
DC_5A_n41A	30	40	503202	1@1	DFT_QPSK	20.42	PASS
DC_5A_n41A	30	40	503202	1@104	DFT_QPSK	20.38	PASS
DC_5A_n41A	30	40	503202	100@0	DFT_16QAM	18.8	PASS
DC_5A_n41A	30	40	503202	50@25	DFT_16QAM	19.9	PASS
DC_5A_n41A	30	40	503202	1@1	DFT_16QAM	19.34	PASS
DC_5A_n41A	30	40	503202	1@104	DFT_16QAM	19.29	PASS
DC_5A_n41A	30	40	503202	100@0	DFT_64QAM	18.3	PASS
DC_5A_n41A	30	40	503202	50@25	DFT_64QAM	18.35	PASS
DC_5A_n41A	30	40	503202	1@1	DFT_64QAM	17.89	PASS
DC_5A_n41A	30	40	503202	1@104	DFT_64QAM	17.85	PASS
DC_5A_n41A	30	40	503202	100@0	DFT_256QAM	16.24	PASS
DC_5A_n41A	30	40	503202	50@25	DFT_256QAM	16.36	PASS
DC_5A_n41A	30	40	503202	1@1	DFT_256QAM	15.78	PASS
DC_5A_n41A	30	40	503202	1@104	DFT_256QAM	15.73	PASS
DC_5A_n41A	30	40	503202	106@0	CP_QPSK	17.74	PASS
DC_5A_n41A	30	40	503202	53@26	CP_QPSK	19.39	PASS
DC_5A_n41A	30	40	503202	1@1	CP_QPSK	19	PASS
DC_5A_n41A	30	40	503202	1@104	CP_QPSK	18.95	PASS
DC_5A_n41A	30	40	503202	106@0	CP_16QAM	17.71	PASS
DC_5A_n41A	30	40	503202	53@26	CP_16QAM	18.88	PASS
DC_5A_n41A	30	40	503202	1@1	CP_16QAM	18.32	PASS
DC_5A_n41A	30	40	503202	1@104	CP_16QAM	18.25	PASS
DC_5A_n41A	30	40	503202	106@0	CP_64QAM	17.25	PASS
DC_5A_n41A	30	40	503202	53@26	CP_64QAM	17.33	PASS
DC_5A_n41A	30	40	503202	1@1	CP_64QAM	17.18	PASS
DC_5A_n41A	30	40	503202	1@104	CP_64QAM	17.13	PASS
DC_5A_n41A	30	40	503202	106@0	CP_256QAM	14.35	PASS
DC_5A_n41A	30	40	503202	53@26	CP_256QAM	14.47	PASS
DC_5A_n41A	30	40	503202	1@1	CP_256QAM	13.93	PASS
DC_5A_n41A	30	40	503202	1@104	CP_256QAM	13.86	PASS
DC_5A_n41A	30	40	518598	100@0	DFT_BPSK	20.33	PASS
DC_5A_n41A	30	40	518598	50@25	DFT_BPSK	20.97	PASS
DC_5A_n41A	30	40	518598	1@1	DFT_BPSK	20.43	PASS
DC_5A_n41A	30	40	518598	1@104	DFT_BPSK	20.46	PASS
DC_5A_n41A	30	40	518598	100@0	DFT_QPSK	19.82	PASS
DC_5A_n41A	30	40	518598	50@25	DFT_QPSK	20.98	PASS
DC_5A_n41A	30	40	518598	1@1	DFT_QPSK	20.39	PASS
DC_5A_n41A	30	40	518598	1@104	DFT_QPSK	20.4	PASS
DC_5A_n41A	30	40	518598	100@0	DFT_16QAM	18.83	PASS



DC_5A_n41A	30	40	518598	50@25	DFT_16QAM	19.96	PASS
DC_5A_n41A	30	40	518598	1@1	DFT_16QAM	19.32	PASS
DC_5A_n41A	30	40	518598	1@104	DFT_16QAM	19.33	PASS
DC_5A_n41A	30	40	518598	100@0	DFT_64QAM	18.28	PASS
DC_5A_n41A	30	40	518598	50@25	DFT_64QAM	18.42	PASS
DC_5A_n41A	30	40	518598	1@1	DFT_64QAM	17.79	PASS
DC_5A_n41A	30	40	518598	1@104	DFT_64QAM	17.84	PASS
DC_5A_n41A	30	40	518598	100@0	DFT_256QAM	16.27	PASS
DC_5A_n41A	30	40	518598	50@25	DFT_256QAM	16.44	PASS
DC_5A_n41A	30	40	518598	1@1	DFT_256QAM	15.69	PASS
DC_5A_n41A	30	40	518598	1@104	DFT_256QAM	15.72	PASS
DC_5A_n41A	30	40	518598	106@0	CP_QPSK	18.6	PASS
DC_5A_n41A	30	40	518598	53@26	CP_QPSK	19.8	PASS
DC_5A_n41A	30	40	518598	1@1	CP_QPSK	19.66	PASS
DC_5A_n41A	30	40	518598	1@104	CP_QPSK	19.57	PASS
DC_5A_n41A	30	40	518598	106@0	CP_16QAM	18.3	PASS
DC_5A_n41A	30	40	518598	53@26	CP_16QAM	18.91	PASS
DC_5A_n41A	30	40	518598	1@1	CP_16QAM	18.27	PASS
DC_5A_n41A	30	40	518598	1@104	CP_16QAM	18.31	PASS
DC_5A_n41A	30	40	518598	106@0	CP_64QAM	17.27	PASS
DC_5A_n41A	30	40	518598	53@26	CP_64QAM	17.37	PASS
DC_5A_n41A	30	40	518598	1@1	CP_64QAM	17.12	PASS
DC_5A_n41A	30	40	518598	1@104	CP_64QAM	17.14	PASS
DC_5A_n41A	30	40	518598	106@0	CP_256QAM	14.28	PASS
DC_5A_n41A	30	40	518598	53@26	CP_256QAM	14.36	PASS
DC_5A_n41A	30	40	518598	1@1	CP_256QAM	13.81	PASS
DC_5A_n41A	30	40	518598	1@104	CP_256QAM	13.84	PASS
DC_5A_n41A	30	40	534000	100@0	DFT_BPSK	20.54	PASS
DC_5A_n41A	30	40	534000	50@25	DFT_BPSK	21.16	PASS
DC_5A_n41A	30	40	534000	1@1	DFT_BPSK	20.51	PASS
DC_5A_n41A	30	40	534000	1@104	DFT_BPSK	20.73	PASS
DC_5A_n41A	30	40	534000	100@0	DFT_QPSK	20.01	PASS
DC_5A_n41A	30	40	534000	50@25	DFT_QPSK	21.17	PASS
DC_5A_n41A	30	40	534000	1@1	DFT_QPSK	20.49	PASS
DC_5A_n41A	30	40	534000	1@104	DFT_QPSK	20.71	PASS
DC_5A_n41A	30	40	534000	100@0	DFT_16QAM	19.04	PASS
DC_5A_n41A	30	40	534000	50@25	DFT_16QAM	20.15	PASS
DC_5A_n41A	30	40	534000	1@1	DFT_16QAM	19.37	PASS
DC_5A_n41A	30	40	534000	1@104	DFT_16QAM	19.61	PASS
DC_5A_n41A	30	40	534000	100@0	DFT_64QAM	18.5	PASS
DC_5A_n41A	30	40	534000	50@25	DFT_64QAM	18.64	PASS
DC_5A_n41A	30	40	534000	1@1	DFT_64QAM	17.98	PASS
DC_5A_n41A	30	40	534000	1@104	DFT_64QAM	18.16	PASS
DC_5A_n41A	30	40	534000	100@0	DFT_256QAM	16.51	PASS
DC_5A_n41A	30	40	534000	50@25	DFT_256QAM	16.64	PASS
DC_5A_n41A	30	40	534000	1@1	DFT_256QAM	15.87	PASS
DC_5A_n41A	30	40	534000	1@104	DFT_256QAM	16.05	PASS
DC_5A_n41A	30	40	534000	106@0	CP_QPSK	18.6	PASS



DC_5A_n41A	30	40	534000	53@26	CP_QPSK	19.6	PASS
DC_5A_n41A	30	40	534000	1@1	CP_QPSK	19.88	PASS
DC_5A_n41A	30	40	534000	1@104	CP_QPSK	19.4	PASS
DC_5A_n41A	30	40	534000	106@0	CP_16QAM	18.1	PASS
DC_5A_n41A	30	40	534000	53@26	CP_16QAM	19.12	PASS
DC_5A_n41A	30	40	534000	1@1	CP_16QAM	18.38	PASS
DC_5A_n41A	30	40	534000	1@104	CP_16QAM	18.58	PASS
DC_5A_n41A	30	40	534000	106@0	CP_64QAM	17.47	PASS
DC_5A_n41A	30	40	534000	53@26	CP_64QAM	17.53	PASS
DC_5A_n41A	30	40	534000	1@1	CP_64QAM	17.16	PASS
DC_5A_n41A	30	40	534000	1@104	CP_64QAM	17.43	PASS
DC_5A_n41A	30	40	534000	106@0	CP_256QAM	14.44	PASS
DC_5A_n41A	30	40	534000	53@26	CP_256QAM	14.55	PASS
DC_5A_n41A	30	40	534000	1@1	CP_256QAM	13.83	PASS
DC_5A_n41A	30	40	534000	1@104	CP_256QAM	14.12	PASS
DC_5A_n41A	30	50	504204	128@0	DFT_BPSK	20.36	PASS
DC_5A_n41A	30	50	504204	64@32	DFT_BPSK	20.94	PASS
DC_5A_n41A	30	50	504204	1@1	DFT_BPSK	20.79	PASS
DC_5A_n41A	30	50	504204	1@131	DFT_BPSK	20.69	PASS
DC_5A_n41A	30	50	504204	128@0	DFT_QPSK	19.85	PASS
DC_5A_n41A	30	50	504204	64@32	DFT_QPSK	20.94	PASS
DC_5A_n41A	30	50	504204	1@1	DFT_QPSK	20.78	PASS
DC_5A_n41A	30	50	504204	1@131	DFT_QPSK	20.68	PASS
DC_5A_n41A	30	50	504204	128@0	DFT_16QAM	18.89	PASS
DC_5A_n41A	30	50	504204	64@32	DFT_16QAM	19.96	PASS
DC_5A_n41A	30	50	504204	1@1	DFT_16QAM	19.65	PASS
DC_5A_n41A	30	50	504204	1@131	DFT_16QAM	19.61	PASS
DC_5A_n41A	30	50	504204	128@0	DFT_64QAM	18.36	PASS
DC_5A_n41A	30	50	504204	64@32	DFT_64QAM	18.43	PASS
DC_5A_n41A	30	50	504204	1@1	DFT_64QAM	18.18	PASS
DC_5A_n41A	30	50	504204	1@131	DFT_64QAM	18.11	PASS
DC_5A_n41A	30	50	504204	128@0	DFT_256QAM	16.35	PASS
DC_5A_n41A	30	50	504204	64@32	DFT_256QAM	16.42	PASS
DC_5A_n41A	30	50	504204	1@1	DFT_256QAM	16.09	PASS
DC_5A_n41A	30	50	504204	1@131	DFT_256QAM	15.98	PASS
DC_5A_n41A	30	50	504204	133@0	CP_QPSK	17.85	PASS
DC_5A_n41A	30	50	504204	67@33	CP_QPSK	19.42	PASS
DC_5A_n41A	30	50	504204	1@1	CP_QPSK	19.3	PASS
DC_5A_n41A	30	50	504204	1@131	CP_QPSK	19.18	PASS
DC_5A_n41A	30	50	504204	133@0	CP_16QAM	17.84	PASS
DC_5A_n41A	30	50	504204	67@33	CP_16QAM	18.95	PASS
DC_5A_n41A	30	50	504204	1@1	CP_16QAM	18.67	PASS
DC_5A_n41A	30	50	504204	1@131	CP_16QAM	18.57	PASS
DC_5A_n41A	30	50	504204	133@0	CP_64QAM	17.37	PASS
DC_5A_n41A	30	50	504204	67@33	CP_64QAM	17.4	PASS
DC_5A_n41A	30	50	504204	1@1	CP_64QAM	17.46	PASS
DC_5A_n41A	30	50	504204	1@131	CP_64QAM	17.35	PASS
DC_5A_n41A	30	50	504204	133@0	CP_256QAM	14.47	PASS



DC_5A_n41A	30	50	504204	67@33	CP_256QAM	14.49	PASS
DC_5A_n41A	30	50	504204	1@1	CP_256QAM	14.27	PASS
DC_5A_n41A	30	50	504204	1@131	CP_256QAM	14.16	PASS
DC_5A_n41A	30	50	518598	128@0	DFT_BPSK	20.38	PASS
DC_5A_n41A	30	50	518598	64@32	DFT_BPSK	20.97	PASS
DC_5A_n41A	30	50	518598	1@1	DFT_BPSK	20.72	PASS
DC_5A_n41A	30	50	518598	1@131	DFT_BPSK	20.77	PASS
DC_5A_n41A	30	50	518598	128@0	DFT_QPSK	19.87	PASS
DC_5A_n41A	30	50	518598	64@32	DFT_QPSK	20.99	PASS
DC_5A_n41A	30	50	518598	1@1	DFT_QPSK	20.7	PASS
DC_5A_n41A	30	50	518598	1@131	DFT_QPSK	20.74	PASS
DC_5A_n41A	30	50	518598	128@0	DFT_16QAM	18.88	PASS
DC_5A_n41A	30	50	518598	64@32	DFT_16QAM	20	PASS
DC_5A_n41A	30	50	518598	1@1	DFT_16QAM	19.59	PASS
DC_5A_n41A	30	50	518598	1@131	DFT_16QAM	19.63	PASS
DC_5A_n41A	30	50	518598	128@0	DFT_64QAM	18.36	PASS
DC_5A_n41A	30	50	518598	64@32	DFT_64QAM	18.45	PASS
DC_5A_n41A	30	50	518598	1@1	DFT_64QAM	18.12	PASS
DC_5A_n41A	30	50	518598	1@131	DFT_64QAM	18.14	PASS
DC_5A_n41A	30	50	518598	128@0	DFT_256QAM	16.3	PASS
DC_5A_n41A	30	50	518598	64@32	DFT_256QAM	16.25	PASS
DC_5A_n41A	30	50	518598	1@1	DFT_256QAM	16.44	PASS
DC_5A_n41A	30	50	518598	1@131	DFT_256QAM	16.14	PASS
DC_5A_n41A	30	50	518598	133@0	CP_QPSK	18.9	PASS
DC_5A_n41A	30	50	518598	67@33	CP_QPSK	19.44	PASS
DC_5A_n41A	30	50	518598	1@1	CP_QPSK	19.24	PASS
DC_5A_n41A	30	50	518598	1@131	CP_QPSK	19.3	PASS
DC_5A_n41A	30	50	518598	133@0	CP_16QAM	17.87	PASS
DC_5A_n41A	30	50	518598	67@33	CP_16QAM	18.97	PASS
DC_5A_n41A	30	50	518598	1@1	CP_16QAM	18.57	PASS
DC_5A_n41A	30	50	518598	1@131	CP_16QAM	18.61	PASS
DC_5A_n41A	30	50	518598	133@0	CP_64QAM	17.38	PASS
DC_5A_n41A	30	50	518598	67@33	CP_64QAM	17.44	PASS
DC_5A_n41A	30	50	518598	1@1	CP_64QAM	17.39	PASS
DC_5A_n41A	30	50	518598	1@131	CP_64QAM	17.41	PASS
DC_5A_n41A	30	50	518598	133@0	CP_256QAM	14.33	PASS
DC_5A_n41A	30	50	518598	67@33	CP_256QAM	14.39	PASS
DC_5A_n41A	30	50	518598	1@1	CP_256QAM	14.04	PASS
DC_5A_n41A	30	50	518598	1@131	CP_256QAM	14.05	PASS
DC_5A_n41A	30	50	532998	128@0	DFT_BPSK	20.1	PASS
DC_5A_n41A	30	50	532998	64@32	DFT_BPSK	21.17	PASS
DC_5A_n41A	30	50	532998	1@1	DFT_BPSK	20.85	PASS
DC_5A_n41A	30	50	532998	1@131	DFT_BPSK	21.03	PASS
DC_5A_n41A	30	50	532998	128@0	DFT_QPSK	20.05	PASS
DC_5A_n41A	30	50	532998	64@32	DFT_QPSK	21.19	PASS
DC_5A_n41A	30	50	532998	1@1	DFT_QPSK	20.84	PASS
DC_5A_n41A	30	50	532998	1@131	DFT_QPSK	21	PASS
DC_5A_n41A	30	50	532998	128@0	DFT_16QAM	19.05	PASS



DC_5A_n41A	30	50	532998	64@32	DFT_16QAM	20.18	PASS
DC_5A_n41A	30	50	532998	1@1	DFT_16QAM	19.75	PASS
DC_5A_n41A	30	50	532998	1@131	DFT_16QAM	19.92	PASS
DC_5A_n41A	30	50	532998	128@0	DFT_64QAM	18.53	PASS
DC_5A_n41A	30	50	532998	64@32	DFT_64QAM	18.64	PASS
DC_5A_n41A	30	50	532998	1@1	DFT_64QAM	18.24	PASS
DC_5A_n41A	30	50	532998	1@131	DFT_64QAM	18.45	PASS
DC_5A_n41A	30	50	532998	128@0	DFT_256QAM	16.3	PASS
DC_5A_n41A	30	50	532998	64@32	DFT_256QAM	16.2	PASS
DC_5A_n41A	30	50	532998	1@1	DFT_256QAM	16.44	PASS
DC_5A_n41A	30	50	532998	1@131	DFT_256QAM	16.5	PASS
DC_5A_n41A	30	50	532998	133@0	CP_QPSK	18.05	PASS
DC_5A_n41A	30	50	532998	67@33	CP_QPSK	19.63	PASS
DC_5A_n41A	30	50	532998	1@1	CP_QPSK	19.35	PASS
DC_5A_n41A	30	50	532998	1@131	CP_QPSK	19.52	PASS
DC_5A_n41A	30	50	532998	133@0	CP_16QAM	18.03	PASS
DC_5A_n41A	30	50	532998	67@33	CP_16QAM	19.17	PASS
DC_5A_n41A	30	50	532998	1@1	CP_16QAM	18.72	PASS
DC_5A_n41A	30	50	532998	1@131	CP_16QAM	18.9	PASS
DC_5A_n41A	30	50	532998	133@0	CP_64QAM	17.52	PASS
DC_5A_n41A	30	50	532998	67@33	CP_64QAM	17.62	PASS
DC_5A_n41A	30	50	532998	1@1	CP_64QAM	17.53	PASS
DC_5A_n41A	30	50	532998	1@131	CP_64QAM	17.76	PASS
DC_5A_n41A	30	50	532998	133@0	CP_256QAM	14.5	PASS
DC_5A_n41A	30	50	532998	67@33	CP_256QAM	14.55	PASS
DC_5A_n41A	30	50	532998	1@1	CP_256QAM	14.15	PASS
DC_5A_n41A	30	50	532998	1@131	CP_256QAM	14.36	PASS
DC_5A_n41A	30	60	505200	162@0	DFT_BPSK	19.8	PASS
DC_5A_n41A	30	60	505200	81@40	DFT_BPSK	20.92	PASS
DC_5A_n41A	30	60	505200	1@1	DFT_BPSK	20.58	PASS
DC_5A_n41A	30	60	505200	1@160	DFT_BPSK	20.52	PASS
DC_5A_n41A	30	60	505200	162@0	DFT_QPSK	19.83	PASS
DC_5A_n41A	30	60	505200	81@40	DFT_QPSK	20.92	PASS
DC_5A_n41A	30	60	505200	1@1	DFT_QPSK	20.58	PASS
DC_5A_n41A	30	60	505200	1@160	DFT_QPSK	20.51	PASS
DC_5A_n41A	30	60	505200	162@0	DFT_16QAM	18.83	PASS
DC_5A_n41A	30	60	505200	81@40	DFT_16QAM	19.95	PASS
DC_5A_n41A	30	60	505200	1@1	DFT_16QAM	19.46	PASS
DC_5A_n41A	30	60	505200	1@160	DFT_16QAM	19.39	PASS
DC_5A_n41A	30	60	505200	162@0	DFT_64QAM	18.3	PASS
DC_5A_n41A	30	60	505200	81@40	DFT_64QAM	18.4	PASS
DC_5A_n41A	30	60	505200	1@1	DFT_64QAM	17.99	PASS
DC_5A_n41A	30	60	505200	1@160	DFT_64QAM	17.88	PASS
DC_5A_n41A	30	60	505200	162@0	DFT_256QAM	16.28	PASS
DC_5A_n41A	30	60	505200	81@40	DFT_256QAM	16.4	PASS
DC_5A_n41A	30	60	505200	1@1	DFT_256QAM	15.9	PASS
DC_5A_n41A	30	60	505200	1@160	DFT_256QAM	15.8	PASS
DC_5A_n41A	30	60	505200	162@0	CP_QPSK	17.77	PASS



DC_5A_n41A	30	60	505200	81@40	CP_QPSK	19.42	PASS
DC_5A_n41A	30	60	505200	1@1	CP_QPSK	19.09	PASS
DC_5A_n41A	30	60	505200	1@160	CP_QPSK	19.04	PASS
DC_5A_n41A	30	60	505200	162@0	CP_16QAM	17.8	PASS
DC_5A_n41A	30	60	505200	81@40	CP_16QAM	18.9	PASS
DC_5A_n41A	30	60	505200	1@1	CP_16QAM	18.44	PASS
DC_5A_n41A	30	60	505200	1@160	CP_16QAM	18.34	PASS
DC_5A_n41A	30	60	505200	162@0	CP_64QAM	17.3	PASS
DC_5A_n41A	30	60	505200	81@40	CP_64QAM	17.38	PASS
DC_5A_n41A	30	60	505200	1@1	CP_64QAM	17.28	PASS
DC_5A_n41A	30	60	505200	1@160	CP_64QAM	17.18	PASS
DC_5A_n41A	30	60	505200	162@0	CP_256QAM	14.38	PASS
DC_5A_n41A	30	60	505200	81@40	CP_256QAM	14.54	PASS
DC_5A_n41A	30	60	505200	1@1	CP_256QAM	14.08	PASS
DC_5A_n41A	30	60	505200	1@160	CP_256QAM	13.96	PASS
DC_5A_n41A	30	60	518598	162@0	DFT_BPSK	19.9	PASS
DC_5A_n41A	30	60	518598	81@40	DFT_BPSK	20.97	PASS
DC_5A_n41A	30	60	518598	1@1	DFT_BPSK	20.55	PASS
DC_5A_n41A	30	60	518598	1@160	DFT_BPSK	20.63	PASS
DC_5A_n41A	30	60	518598	162@0	DFT_QPSK	19.85	PASS
DC_5A_n41A	30	60	518598	81@40	DFT_QPSK	20.97	PASS
DC_5A_n41A	30	60	518598	1@1	DFT_QPSK	20.54	PASS
DC_5A_n41A	30	60	518598	1@160	DFT_QPSK	20.6	PASS
DC_5A_n41A	30	60	518598	162@0	DFT_16QAM	18.84	PASS
DC_5A_n41A	30	60	518598	81@40	DFT_16QAM	20	PASS
DC_5A_n41A	30	60	518598	1@1	DFT_16QAM	19.43	PASS
DC_5A_n41A	30	60	518598	1@160	DFT_16QAM	19.5	PASS
DC_5A_n41A	30	60	518598	162@0	DFT_64QAM	18.34	PASS
DC_5A_n41A	30	60	518598	81@40	DFT_64QAM	18.45	PASS
DC_5A_n41A	30	60	518598	1@1	DFT_64QAM	17.95	PASS
DC_5A_n41A	30	60	518598	1@160	DFT_64QAM	18.02	PASS
DC_5A_n41A	30	60	518598	162@0	DFT_256QAM	16.3	PASS
DC_5A_n41A	30	60	518598	81@40	DFT_256QAM	16.44	PASS
DC_5A_n41A	30	60	518598	1@1	DFT_256QAM	15.85	PASS
DC_5A_n41A	30	60	518598	1@160	DFT_256QAM	15.93	PASS
DC_5A_n41A	30	60	518598	162@0	CP_QPSK	18.1	PASS
DC_5A_n41A	30	60	518598	81@40	CP_QPSK	19.4	PASS
DC_5A_n41A	30	60	518598	1@1	CP_QPSK	19.56	PASS
DC_5A_n41A	30	60	518598	1@160	CP_QPSK	19.26	PASS
DC_5A_n41A	30	60	518598	162@0	CP_16QAM	18.1	PASS
DC_5A_n41A	30	60	518598	81@40	CP_16QAM	18.91	PASS
DC_5A_n41A	30	60	518598	1@1	CP_16QAM	18.42	PASS
DC_5A_n41A	30	60	518598	1@160	CP_16QAM	18.49	PASS
DC_5A_n41A	30	60	518598	162@0	CP_64QAM	17.31	PASS
DC_5A_n41A	30	60	518598	81@40	CP_64QAM	17.42	PASS
DC_5A_n41A	30	60	518598	1@1	CP_64QAM	17.23	PASS
DC_5A_n41A	30	60	518598	1@160	CP_64QAM	17.32	PASS
DC_5A_n41A	30	60	518598	162@0	CP_256QAM	14.26	PASS



DC_5A_n41A	30	60	518598	81@40	CP_256QAM	14.44	PASS
DC_5A_n41A	30	60	518598	1@1	CP_256QAM	13.89	PASS
DC_5A_n41A	30	60	518598	1@160	CP_256QAM	13.94	PASS
DC_5A_n41A	30	60	531996	162@0	DFT_BPSK	19.6	PASS
DC_5A_n41A	30	60	531996	81@40	DFT_BPSK	20.66	PASS
DC_5A_n41A	30	60	531996	1@1	DFT_BPSK	20.15	PASS
DC_5A_n41A	30	60	531996	1@160	DFT_BPSK	20.84	PASS
DC_5A_n41A	30	60	531996	162@0	DFT_QPSK	19.2	PASS
DC_5A_n41A	30	60	531996	81@40	DFT_QPSK	21.12	PASS
DC_5A_n41A	30	60	531996	1@1	DFT_QPSK	20.6	PASS
DC_5A_n41A	30	60	531996	1@160	DFT_QPSK	20.87	PASS
DC_5A_n41A	30	60	531996	162@0	DFT_16QAM	18.99	PASS
DC_5A_n41A	30	60	531996	81@40	DFT_16QAM	20.14	PASS
DC_5A_n41A	30	60	531996	1@1	DFT_16QAM	19.55	PASS
DC_5A_n41A	30	60	531996	1@160	DFT_16QAM	19.78	PASS
DC_5A_n41A	30	60	531996	162@0	DFT_64QAM	18.48	PASS
DC_5A_n41A	30	60	531996	81@40	DFT_64QAM	18.6	PASS
DC_5A_n41A	30	60	531996	1@1	DFT_64QAM	18.04	PASS
DC_5A_n41A	30	60	531996	1@160	DFT_64QAM	18.28	PASS
DC_5A_n41A	30	60	531996	162@0	DFT_256QAM	16.46	PASS
DC_5A_n41A	30	60	531996	81@40	DFT_256QAM	16.59	PASS
DC_5A_n41A	30	60	531996	1@1	DFT_256QAM	15.91	PASS
DC_5A_n41A	30	60	531996	1@160	DFT_256QAM	16.19	PASS
DC_5A_n41A	30	60	531996	162@0	CP_QPSK	17.96	PASS
DC_5A_n41A	30	60	531996	81@40	CP_QPSK	19.59	PASS
DC_5A_n41A	30	60	531996	1@1	CP_QPSK	19.12	PASS
DC_5A_n41A	30	60	531996	1@160	CP_QPSK	19.35	PASS
DC_5A_n41A	30	60	531996	162@0	CP_16QAM	17.96	PASS
DC_5A_n41A	30	60	531996	81@40	CP_16QAM	19.08	PASS
DC_5A_n41A	30	60	531996	1@1	CP_16QAM	18.51	PASS
DC_5A_n41A	30	60	531996	1@160	CP_16QAM	18.76	PASS
DC_5A_n41A	30	60	531996	162@0	CP_64QAM	17.45	PASS
DC_5A_n41A	30	60	531996	81@40	CP_64QAM	17.57	PASS
DC_5A_n41A	30	60	531996	1@1	CP_64QAM	17.32	PASS
DC_5A_n41A	30	60	531996	1@160	CP_64QAM	17.54	PASS
DC_5A_n41A	30	60	531996	162@0	CP_256QAM	14.41	PASS
DC_5A_n41A	30	60	531996	81@40	CP_256QAM	14.58	PASS
DC_5A_n41A	30	60	531996	1@1	CP_256QAM	13.93	PASS
DC_5A_n41A	30	60	531996	1@160	CP_256QAM	14.2	PASS
DC_5A_n41A	30	80	507204	216@0	DFT_BPSK	20.6	PASS
DC_5A_n41A	30	80	507204	108@54	DFT_BPSK	21.9	PASS
DC_5A_n41A	30	80	507204	1@1	DFT_BPSK	21.35	PASS
DC_5A_n41A	30	80	507204	1@215	DFT_BPSK	21.34	PASS
DC_5A_n41A	30	80	507204	216@0	DFT_QPSK	20.77	PASS
DC_5A_n41A	30	80	507204	108@54	DFT_QPSK	21.91	PASS
DC_5A_n41A	30	80	507204	1@1	DFT_QPSK	21.35	PASS
DC_5A_n41A	30	80	507204	1@215	DFT_QPSK	21.34	PASS
DC_5A_n41A	30	80	507204	216@0	DFT_16QAM	19.75	PASS



DC_5A_n41A	30	80	507204	108@54	DFT_16QAM	20.88	PASS
DC_5A_n41A	30	80	507204	1@1	DFT_16QAM	20.31	PASS
DC_5A_n41A	30	80	507204	1@215	DFT_16QAM	20.27	PASS
DC_5A_n41A	30	80	507204	216@0	DFT_64QAM	19.25	PASS
DC_5A_n41A	30	80	507204	108@54	DFT_64QAM	19.36	PASS
DC_5A_n41A	30	80	507204	1@1	DFT_64QAM	18.71	PASS
DC_5A_n41A	30	80	507204	1@215	DFT_64QAM	18.71	PASS
DC_5A_n41A	30	80	507204	216@0	DFT_256QAM	17.22	PASS
DC_5A_n41A	30	80	507204	108@54	DFT_256QAM	17.34	PASS
DC_5A_n41A	30	80	507204	1@1	DFT_256QAM	16.63	PASS
DC_5A_n41A	30	80	507204	1@215	DFT_256QAM	16.61	PASS
DC_5A_n41A	30	80	507204	217@0	CP_QPSK	18.9	PASS
DC_5A_n41A	30	80	507204	109@54	CP_QPSK	19.66	PASS
DC_5A_n41A	30	80	507204	1@1	CP_QPSK	19.58	PASS
DC_5A_n41A	30	80	507204	1@215	CP_QPSK	19.69	PASS
DC_5A_n41A	30	80	507204	217@0	CP_16QAM	18.4	PASS
DC_5A_n41A	30	80	507204	109@54	CP_16QAM	19.83	PASS
DC_5A_n41A	30	80	507204	1@1	CP_16QAM	19.12	PASS
DC_5A_n41A	30	80	507204	1@215	CP_16QAM	19.13	PASS
DC_5A_n41A	30	80	507204	217@0	CP_64QAM	18.16	PASS
DC_5A_n41A	30	80	507204	109@54	CP_64QAM	18.34	PASS
DC_5A_n41A	30	80	507204	1@1	CP_64QAM	18.05	PASS
DC_5A_n41A	30	80	507204	1@215	CP_64QAM	18	PASS
DC_5A_n41A	30	80	507204	217@0	CP_256QAM	15.14	PASS
DC_5A_n41A	30	80	507204	109@54	CP_256QAM	15.28	PASS
DC_5A_n41A	30	80	507204	1@1	CP_256QAM	14.64	PASS
DC_5A_n41A	30	80	507204	1@215	CP_256QAM	14.58	PASS
DC_5A_n41A	30	80	518598	216@0	DFT_BPSK	21.31	PASS
DC_5A_n41A	30	80	518598	108@54	DFT_BPSK	21.96	PASS
DC_5A_n41A	30	80	518598	1@1	DFT_BPSK	21.27	PASS
DC_5A_n41A	30	80	518598	1@215	DFT_BPSK	21.54	PASS
DC_5A_n41A	30	80	518598	216@0	DFT_QPSK	20.81	PASS
DC_5A_n41A	30	80	518598	108@54	DFT_QPSK	21.97	PASS
DC_5A_n41A	30	80	518598	1@1	DFT_QPSK	21.27	PASS
DC_5A_n41A	30	80	518598	1@215	DFT_QPSK	21.54	PASS
DC_5A_n41A	30	80	518598	216@0	DFT_16QAM	19.8	PASS
DC_5A_n41A	30	80	518598	108@54	DFT_16QAM	20.94	PASS
DC_5A_n41A	30	80	518598	1@1	DFT_16QAM	20.23	PASS
DC_5A_n41A	30	80	518598	1@215	DFT_16QAM	20.51	PASS
DC_5A_n41A	30	80	518598	216@0	DFT_64QAM	19.3	PASS
DC_5A_n41A	30	80	518598	108@54	DFT_64QAM	19.44	PASS
DC_5A_n41A	30	80	518598	1@1	DFT_64QAM	18.7	PASS
DC_5A_n41A	30	80	518598	1@215	DFT_64QAM	18.95	PASS
DC_5A_n41A	30	80	518598	216@0	DFT_256QAM	17.26	PASS
DC_5A_n41A	30	80	518598	108@54	DFT_256QAM	17.41	PASS
DC_5A_n41A	30	80	518598	1@1	DFT_256QAM	16.54	PASS
DC_5A_n41A	30	80	518598	1@215	DFT_256QAM	16.82	PASS
DC_5A_n41A	30	80	518598	217@0	CP_QPSK	18.6	PASS



DC_5A_n41A	30	80	518598	109@54	CP_QPSK	19.69	PASS
DC_5A_n41A	30	80	518598	1@1	CP_QPSK	19.68	PASS
DC_5A_n41A	30	80	518598	1@215	CP_QPSK	19.14	PASS
DC_5A_n41A	30	80	518598	217@0	CP_16QAM	18.7	PASS
DC_5A_n41A	30	80	518598	109@54	CP_16QAM	19.91	PASS
DC_5A_n41A	30	80	518598	1@1	CP_16QAM	19.06	PASS
DC_5A_n41A	30	80	518598	1@215	CP_16QAM	19.34	PASS
DC_5A_n41A	30	80	518598	217@0	CP_64QAM	18.24	PASS
DC_5A_n41A	30	80	518598	109@54	CP_64QAM	18.41	PASS
DC_5A_n41A	30	80	518598	1@1	CP_64QAM	17.98	PASS
DC_5A_n41A	30	80	518598	1@215	CP_64QAM	18.17	PASS
DC_5A_n41A	30	80	518598	217@0	CP_256QAM	15.19	PASS
DC_5A_n41A	30	80	518598	109@54	CP_256QAM	15.35	PASS
DC_5A_n41A	30	80	518598	1@1	CP_256QAM	14.58	PASS
DC_5A_n41A	30	80	518598	1@215	CP_256QAM	14.77	PASS
DC_5A_n41A	30	80	529998	216@0	DFT_BPSK	20.99	PASS
DC_5A_n41A	30	80	529998	108@54	DFT_BPSK	22.18	PASS
DC_5A_n41A	30	80	529998	1@1	DFT_BPSK	21.38	PASS
DC_5A_n41A	30	80	529998	1@215	DFT_BPSK	21.77	PASS
DC_5A_n41A	30	80	529998	216@0	DFT_QPSK	21.03	PASS
DC_5A_n41A	30	80	529998	108@54	DFT_QPSK	22.21	PASS
DC_5A_n41A	30	80	529998	1@1	DFT_QPSK	21.36	PASS
DC_5A_n41A	30	80	529998	1@215	DFT_QPSK	21.75	PASS
DC_5A_n41A	30	80	529998	216@0	DFT_16QAM	20	PASS
DC_5A_n41A	30	80	529998	108@54	DFT_16QAM	21.17	PASS
DC_5A_n41A	30	80	529998	1@1	DFT_16QAM	20.29	PASS
DC_5A_n41A	30	80	529998	1@215	DFT_16QAM	20.68	PASS
DC_5A_n41A	30	80	529998	216@0	DFT_64QAM	19.52	PASS
DC_5A_n41A	30	80	529998	108@54	DFT_64QAM	19.66	PASS
DC_5A_n41A	30	80	529998	1@1	DFT_64QAM	18.78	PASS
DC_5A_n41A	30	80	529998	1@215	DFT_64QAM	19.18	PASS
DC_5A_n41A	30	80	529998	216@0	DFT_256QAM	17.49	PASS
DC_5A_n41A	30	80	529998	108@54	DFT_256QAM	17.63	PASS
DC_5A_n41A	30	80	529998	1@1	DFT_256QAM	16.64	PASS
DC_5A_n41A	30	80	529998	1@215	DFT_256QAM	17.05	PASS
DC_5A_n41A	30	80	529998	217@0	CP_QPSK	18.99	PASS
DC_5A_n41A	30	80	529998	109@54	CP_QPSK	20.66	PASS
DC_5A_n41A	30	80	529998	1@1	CP_QPSK	19.81	PASS
DC_5A_n41A	30	80	529998	1@215	CP_QPSK	20.18	PASS
DC_5A_n41A	30	80	529998	217@0	CP_16QAM	18.97	PASS
DC_5A_n41A	30	80	529998	109@54	CP_16QAM	20.12	PASS
DC_5A_n41A	30	80	529998	1@1	CP_16QAM	19.35	PASS
DC_5A_n41A	30	80	529998	1@215	CP_16QAM	19.8	PASS
DC_5A_n41A	30	80	529998	217@0	CP_64QAM	18.47	PASS
DC_5A_n41A	30	80	529998	109@54	CP_64QAM	18.66	PASS
DC_5A_n41A	30	80	529998	1@1	CP_64QAM	17.8	PASS
DC_5A_n41A	30	80	529998	1@215	CP_64QAM	18.19	PASS
DC_5A_n41A	30	80	529998	217@0	CP_256QAM	15.44	PASS



DC_5A_n41A	30	80	529998	109@54	CP_256QAM	15.57	PASS
DC_5A_n41A	30	80	529998	1@1	CP_256QAM	14.64	PASS
DC_5A_n41A	30	80	529998	1@215	CP_256QAM	15.05	PASS
DC_5A_n41A	30	90	508200	243@0	DFT_BPSK	20.6	PASS
DC_5A_n41A	30	90	508200	120@60	DFT_BPSK	21.88	PASS
DC_5A_n41A	30	90	508200	1@1	DFT_BPSK	21.23	PASS
DC_5A_n41A	30	90	508200	1@243	DFT_BPSK	21.22	PASS
DC_5A_n41A	30	90	508200	243@0	DFT_QPSK	20.78	PASS
DC_5A_n41A	30	90	508200	120@60	DFT_QPSK	21.89	PASS
DC_5A_n41A	30	90	508200	1@1	DFT_QPSK	21.24	PASS
DC_5A_n41A	30	90	508200	1@243	DFT_QPSK	21.22	PASS
DC_5A_n41A	30	90	508200	243@0	DFT_16QAM	19.76	PASS
DC_5A_n41A	30	90	508200	120@60	DFT_16QAM	20.89	PASS
DC_5A_n41A	30	90	508200	1@1	DFT_16QAM	20.11	PASS
DC_5A_n41A	30	90	508200	1@243	DFT_16QAM	20.1	PASS
DC_5A_n41A	30	90	508200	243@0	DFT_64QAM	19.22	PASS
DC_5A_n41A	30	90	508200	120@60	DFT_64QAM	19.35	PASS
DC_5A_n41A	30	90	508200	1@1	DFT_64QAM	18.66	PASS
DC_5A_n41A	30	90	508200	1@243	DFT_64QAM	18.68	PASS
DC_5A_n41A	30	90	508200	243@0	DFT_256QAM	17.2	PASS
DC_5A_n41A	30	90	508200	120@60	DFT_256QAM	17.33	PASS
DC_5A_n41A	30	90	508200	1@1	DFT_256QAM	16.47	PASS
DC_5A_n41A	30	90	508200	1@243	DFT_256QAM	16.5	PASS
DC_5A_n41A	30	90	508200	245@0	CP_QPSK	18.72	PASS
DC_5A_n41A	30	90	508200	123@61	CP_QPSK	20.34	PASS
DC_5A_n41A	30	90	508200	1@1	CP_QPSK	19.65	PASS
DC_5A_n41A	30	90	508200	1@243	CP_QPSK	19.66	PASS
DC_5A_n41A	30	90	508200	245@0	CP_16QAM	18.7	PASS
DC_5A_n41A	30	90	508200	123@61	CP_16QAM	19.85	PASS
DC_5A_n41A	30	90	508200	1@1	CP_16QAM	19.3	PASS
DC_5A_n41A	30	90	508200	1@243	CP_16QAM	19.28	PASS
DC_5A_n41A	30	90	508200	245@0	CP_64QAM	18.2	PASS
DC_5A_n41A	30	90	508200	123@61	CP_64QAM	18.3	PASS
DC_5A_n41A	30	90	508200	1@1	CP_64QAM	17.62	PASS
DC_5A_n41A	30	90	508200	1@243	CP_64QAM	17.62	PASS
DC_5A_n41A	30	90	508200	245@0	CP_256QAM	15.17	PASS
DC_5A_n41A	30	90	508200	123@61	CP_256QAM	15.25	PASS
DC_5A_n41A	30	90	508200	1@1	CP_256QAM	14.5	PASS
DC_5A_n41A	30	90	508200	1@243	CP_256QAM	14.48	PASS
DC_5A_n41A	30	90	518598	243@0	DFT_BPSK	20.66	PASS
DC_5A_n41A	30	90	518598	120@60	DFT_BPSK	21.69	PASS
DC_5A_n41A	30	90	518598	1@1	DFT_BPSK	21.83	PASS
DC_5A_n41A	30	90	518598	1@243	DFT_BPSK	21.87	PASS
DC_5A_n41A	30	90	518598	243@0	DFT_QPSK	20.67	PASS
DC_5A_n41A	30	90	518598	120@60	DFT_QPSK	21.92	PASS
DC_5A_n41A	30	90	518598	1@1	DFT_QPSK	21.12	PASS
DC_5A_n41A	30	90	518598	1@243	DFT_QPSK	21.37	PASS
DC_5A_n41A	30	90	518598	243@0	DFT_16QAM	19.75	PASS



DC_5A_n41A	30	90	518598	120@60	DFT_16QAM	20.92	PASS
DC_5A_n41A	30	90	518598	1@1	DFT_16QAM	20	PASS
DC_5A_n41A	30	90	518598	1@243	DFT_16QAM	20.29	PASS
DC_5A_n41A	30	90	518598	243@0	DFT_64QAM	19.24	PASS
DC_5A_n41A	30	90	518598	120@60	DFT_64QAM	19.39	PASS
DC_5A_n41A	30	90	518598	1@1	DFT_64QAM	18.55	PASS
DC_5A_n41A	30	90	518598	1@243	DFT_64QAM	18.81	PASS
DC_5A_n41A	30	90	518598	243@0	DFT_256QAM	16.3	PASS
DC_5A_n41A	30	90	518598	120@60	DFT_256QAM	16.25	PASS
DC_5A_n41A	30	90	518598	1@1	DFT_256QAM	16.11	PASS
DC_5A_n41A	30	90	518598	1@243	DFT_256QAM	16.14	PASS
DC_5A_n41A	30	90	518598	245@0	CP_QPSK	19.1	PASS
DC_5A_n41A	30	90	518598	123@61	CP_QPSK	20.39	PASS
DC_5A_n41A	30	90	518598	1@1	CP_QPSK	19.57	PASS
DC_5A_n41A	30	90	518598	1@243	CP_QPSK	19.82	PASS
DC_5A_n41A	30	90	518598	245@0	CP_16QAM	18.7	PASS
DC_5A_n41A	30	90	518598	123@61	CP_16QAM	19.93	PASS
DC_5A_n41A	30	90	518598	1@1	CP_16QAM	19.13	PASS
DC_5A_n41A	30	90	518598	1@243	CP_16QAM	19.38	PASS
DC_5A_n41A	30	90	518598	245@0	CP_64QAM	18.21	PASS
DC_5A_n41A	30	90	518598	123@61	CP_64QAM	18.36	PASS
DC_5A_n41A	30	90	518598	1@1	CP_64QAM	17.56	PASS
DC_5A_n41A	30	90	518598	1@243	CP_64QAM	17.79	PASS
DC_5A_n41A	30	90	518598	245@0	CP_256QAM	15.18	PASS
DC_5A_n41A	30	90	518598	123@61	CP_256QAM	15.3	PASS
DC_5A_n41A	30	90	518598	1@1	CP_256QAM	14.4	PASS
DC_5A_n41A	30	90	518598	1@243	CP_256QAM	14.64	PASS
DC_5A_n41A	30	90	528996	243@0	DFT_BPSK	21.46	PASS
DC_5A_n41A	30	90	528996	120@60	DFT_BPSK	22.12	PASS
DC_5A_n41A	30	90	528996	1@1	DFT_BPSK	21.22	PASS
DC_5A_n41A	30	90	528996	1@243	DFT_BPSK	21.58	PASS
DC_5A_n41A	30	90	528996	243@0	DFT_QPSK	20.96	PASS
DC_5A_n41A	30	90	528996	120@60	DFT_QPSK	22.14	PASS
DC_5A_n41A	30	90	528996	1@1	DFT_QPSK	21.28	PASS
DC_5A_n41A	30	90	528996	1@243	DFT_QPSK	21.6	PASS
DC_5A_n41A	30	90	528996	243@0	DFT_16QAM	19.96	PASS
DC_5A_n41A	30	90	528996	120@60	DFT_16QAM	21.12	PASS
DC_5A_n41A	30	90	528996	1@1	DFT_16QAM	20.21	PASS
DC_5A_n41A	30	90	528996	1@243	DFT_16QAM	20.53	PASS
DC_5A_n41A	30	90	528996	243@0	DFT_64QAM	19.46	PASS
DC_5A_n41A	30	90	528996	120@60	DFT_64QAM	19.61	PASS
DC_5A_n41A	30	90	528996	1@1	DFT_64QAM	18.65	PASS
DC_5A_n41A	30	90	528996	1@243	DFT_64QAM	19	PASS
DC_5A_n41A	30	90	528996	243@0	DFT_256QAM	17.42	PASS
DC_5A_n41A	30	90	528996	120@60	DFT_256QAM	17.59	PASS
DC_5A_n41A	30	90	528996	1@1	DFT_256QAM	16.52	PASS
DC_5A_n41A	30	90	528996	1@243	DFT_256QAM	16.88	PASS
DC_5A_n41A	30	90	528996	245@0	CP_QPSK	18.91	PASS



DC_5A_n41A	30	90	528996	123@61	CP_QPSK	20.62	PASS
DC_5A_n41A	30	90	528996	1@1	CP_QPSK	19.72	PASS
DC_5A_n41A	30	90	528996	1@243	CP_QPSK	20.1	PASS
DC_5A_n41A	30	90	528996	245@0	CP_16QAM	18.91	PASS
DC_5A_n41A	30	90	528996	123@61	CP_16QAM	20.14	PASS
DC_5A_n41A	30	90	528996	1@1	CP_16QAM	19.12	PASS
DC_5A_n41A	30	90	528996	1@243	CP_16QAM	19.5	PASS
DC_5A_n41A	30	90	528996	245@0	CP_64QAM	18.41	PASS
DC_5A_n41A	30	90	528996	123@61	CP_64QAM	18.6	PASS
DC_5A_n41A	30	90	528996	1@1	CP_64QAM	17.96	PASS
DC_5A_n41A	30	90	528996	1@243	CP_64QAM	18.36	PASS
DC_5A_n41A	30	90	528996	245@0	CP_256QAM	15.37	PASS
DC_5A_n41A	30	90	528996	123@61	CP_256QAM	15.55	PASS
DC_5A_n41A	30	90	528996	1@1	CP_256QAM	14.54	PASS
DC_5A_n41A	30	90	528996	1@243	CP_256QAM	14.95	PASS
DC_5A_n41A	30	100	509202	270@0	DFT_BPSK	21.7	PASS
DC_5A_n41A	30	100	509202	135@67	DFT_BPSK	22.36	PASS
DC_5A_n41A	30	100	509202	1@1	DFT_BPSK	21.58	PASS
DC_5A_n41A	30	100	509202	1@271	DFT_BPSK	21.64	PASS
DC_5A_n41A	30	100	509202	270@0	DFT_QPSK	21.19	PASS
DC_5A_n41A	30	100	509202	135@67	DFT_QPSK	22.35	PASS
DC_5A_n41A	30	100	509202	1@1	DFT_QPSK	21.63	PASS
DC_5A_n41A	30	100	509202	1@271	DFT_QPSK	21.66	PASS
DC_5A_n41A	30	100	509202	270@0	DFT_16QAM	20.19	PASS
DC_5A_n41A	30	100	509202	135@67	DFT_16QAM	21.34	PASS
DC_5A_n41A	30	100	509202	1@1	DFT_16QAM	20.49	PASS
DC_5A_n41A	30	100	509202	1@271	DFT_16QAM	20.53	PASS
DC_5A_n41A	30	100	509202	270@0	DFT_64QAM	19.7	PASS
DC_5A_n41A	30	100	509202	135@67	DFT_64QAM	19.86	PASS
DC_5A_n41A	30	100	509202	1@1	DFT_64QAM	19.02	PASS
DC_5A_n41A	30	100	509202	1@271	DFT_64QAM	19.08	PASS
DC_5A_n41A	30	100	509202	270@0	DFT_256QAM	16.8	PASS
DC_5A_n41A	30	100	509202	135@67	DFT_256QAM	16.74	PASS
DC_5A_n41A	30	100	509202	1@1	DFT_256QAM	16.61	PASS
DC_5A_n41A	30	100	509202	1@271	DFT_256QAM	16.7	PASS
DC_5A_n41A	30	100	509202	273@0	CP_QPSK	19.3	PASS
DC_5A_n41A	30	100	509202	137@68	CP_QPSK	20.1	PASS
DC_5A_n41A	30	100	509202	1@1	CP_QPSK	20.15	PASS
DC_5A_n41A	30	100	509202	1@271	CP_QPSK	20.38	PASS
DC_5A_n41A	30	100	509202	273@0	CP_16QAM	19.1	PASS
DC_5A_n41A	30	100	509202	137@68	CP_16QAM	20.33	PASS
DC_5A_n41A	30	100	509202	1@1	CP_16QAM	19.43	PASS
DC_5A_n41A	30	100	509202	1@271	CP_16QAM	19.49	PASS
DC_5A_n41A	30	100	509202	273@0	CP_64QAM	18.66	PASS
DC_5A_n41A	30	100	509202	137@68	CP_64QAM	18.81	PASS
DC_5A_n41A	30	100	509202	1@1	CP_64QAM	18.27	PASS
DC_5A_n41A	30	100	509202	1@271	CP_64QAM	18.32	PASS
DC_5A_n41A	30	100	509202	273@0	CP_256QAM	15.58	PASS



DC_5A_n41A	30	100	509202	137@68	CP_256QAM	15.77	PASS
DC_5A_n41A	30	100	509202	1@1	CP_256QAM	14.85	PASS
DC_5A_n41A	30	100	509202	1@271	CP_256QAM	14.91	PASS
DC_5A_n41A	30	100	518598	270@0	DFT_BPSK	21.19	PASS
DC_5A_n41A	30	100	518598	135@67	DFT_BPSK	22.4	PASS
DC_5A_n41A	30	100	518598	1@1	DFT_BPSK	21.48	PASS
DC_5A_n41A	30	100	518598	1@271	DFT_BPSK	21.75	PASS
DC_5A_n41A	30	100	518598	270@0	DFT_QPSK	21.22	PASS
DC_5A_n41A	30	100	518598	135@67	DFT_QPSK	22.4	PASS
DC_5A_n41A	30	100	518598	1@1	DFT_QPSK	21.5	PASS
DC_5A_n41A	30	100	518598	1@271	DFT_QPSK	21.76	PASS
DC_5A_n41A	30	100	518598	270@0	DFT_16QAM	20.21	PASS
DC_5A_n41A	30	100	518598	135@67	DFT_16QAM	21.4	PASS
DC_5A_n41A	30	100	518598	1@1	DFT_16QAM	20.39	PASS
DC_5A_n41A	30	100	518598	1@271	DFT_16QAM	20.68	PASS
DC_5A_n41A	30	100	518598	270@0	DFT_64QAM	19.73	PASS
DC_5A_n41A	30	100	518598	135@67	DFT_64QAM	19.9	PASS
DC_5A_n41A	30	100	518598	1@1	DFT_64QAM	18.88	PASS
DC_5A_n41A	30	100	518598	1@271	DFT_64QAM	19.17	PASS
DC_5A_n41A	30	100	518598	270@0	DFT_256QAM	17.67	PASS
DC_5A_n41A	30	100	518598	135@67	DFT_256QAM	17.86	PASS
DC_5A_n41A	30	100	518598	1@1	DFT_256QAM	16.73	PASS
DC_5A_n41A	30	100	518598	1@271	DFT_256QAM	17.03	PASS
DC_5A_n41A	30	100	518598	273@0	CP_QPSK	19.4	PASS
DC_5A_n41A	30	100	518598	137@68	CP_QPSK	20.16	PASS
DC_5A_n41A	30	100	518598	1@1	CP_QPSK	20.33	PASS
DC_5A_n41A	30	100	518598	1@271	CP_QPSK	20.27	PASS
DC_5A_n41A	30	100	518598	273@0	CP_16QAM	19.14	PASS
DC_5A_n41A	30	100	518598	137@68	CP_16QAM	20.36	PASS
DC_5A_n41A	30	100	518598	1@1	CP_16QAM	19.35	PASS
DC_5A_n41A	30	100	518598	1@271	CP_16QAM	19.65	PASS
DC_5A_n41A	30	100	518598	273@0	CP_64QAM	18.67	PASS
DC_5A_n41A	30	100	518598	137@68	CP_64QAM	18.86	PASS
DC_5A_n41A	30	100	518598	1@1	CP_64QAM	18.17	PASS
DC_5A_n41A	30	100	518598	1@271	CP_64QAM	18.45	PASS
DC_5A_n41A	30	100	518598	273@0	CP_256QAM	15.61	PASS
DC_5A_n41A	30	100	518598	137@68	CP_256QAM	15.8	PASS
DC_5A_n41A	30	100	518598	1@1	CP_256QAM	14.76	PASS
DC_5A_n41A	30	100	518598	1@271	CP_256QAM	15.06	PASS
DC_5A_n41A	30	100	528000	270@0	DFT_BPSK	21.63	PASS
DC_5A_n41A	30	100	528000	135@67	DFT_BPSK	22.6	PASS
DC_5A_n41A	30	100	528000	1@1	DFT_BPSK	21.66	PASS
DC_5A_n41A	30	100	528000	1@271	DFT_BPSK	21.97	PASS
DC_5A_n41A	30	100	528000	270@0	DFT_QPSK	21.42	PASS
DC_5A_n41A	30	100	528000	135@67	DFT_QPSK	22.61	PASS
DC_5A_n41A	30	100	528000	1@1	DFT_QPSK	21.68	PASS
DC_5A_n41A	30	100	528000	1@271	DFT_QPSK	21.99	PASS
DC_5A_n41A	30	100	528000	270@0	DFT_16QAM	20.42	PASS



DC_5A_n41A	30	100	528000	135@67	DFT_16QAM	21.61	PASS
DC_5A_n41A	30	100	528000	1@1	DFT_16QAM	20.57	PASS
DC_5A_n41A	30	100	528000	1@271	DFT_16QAM	20.9	PASS
DC_5A_n41A	30	100	528000	270@0	DFT_64QAM	19.93	PASS
DC_5A_n41A	30	100	528000	135@67	DFT_64QAM	20.1	PASS
DC_5A_n41A	30	100	528000	1@1	DFT_64QAM	19.03	PASS
DC_5A_n41A	30	100	528000	1@271	DFT_64QAM	19.36	PASS
DC_5A_n41A	30	100	528000	270@0	DFT_256QAM	17.89	PASS
DC_5A_n41A	30	100	528000	135@67	DFT_256QAM	18.08	PASS
DC_5A_n41A	30	100	528000	1@1	DFT_256QAM	16.92	PASS
DC_5A_n41A	30	100	528000	1@271	DFT_256QAM	17.23	PASS
DC_5A_n41A	30	100	528000	273@0	CP_QPSK	19.38	PASS
DC_5A_n41A	30	100	528000	137@68	CP_QPSK	21.07	PASS
DC_5A_n41A	30	100	528000	1@1	CP_QPSK	20.13	PASS
DC_5A_n41A	30	100	528000	1@271	CP_QPSK	20.47	PASS
DC_5A_n41A	30	100	528000	273@0	CP_16QAM	19.35	PASS
DC_5A_n41A	30	100	528000	137@68	CP_16QAM	20.59	PASS
DC_5A_n41A	30	100	528000	1@1	CP_16QAM	19.54	PASS
DC_5A_n41A	30	100	528000	1@271	CP_16QAM	19.88	PASS
DC_5A_n41A	30	100	528000	273@0	CP_64QAM	18.87	PASS
DC_5A_n41A	30	100	528000	137@68	CP_64QAM	19.04	PASS
DC_5A_n41A	30	100	528000	1@1	CP_64QAM	18.32	PASS
DC_5A_n41A	30	100	528000	1@271	CP_64QAM	18.64	PASS
DC_5A_n41A	30	100	528000	273@0	CP_256QAM	15.8	PASS
DC_5A_n41A	30	100	528000	137@68	CP_256QAM	16.01	PASS
DC_5A_n41A	30	100	528000	1@1	CP_256QAM	14.92	PASS
DC_5A_n41A	30	100	528000	1@271	CP_256QAM	15.27	PASS