


## **Annex A.6 Band Edge**

## 1. LTE\_Band2


### 1.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.22	-13	Pass	401
1848	1849	1	RMS	1849	-34.25	-13	Pass	2
1849	1850	0.02	RMS	1850	-35.38	-13	Pass	401
1850	1852	0.1	RMS	1850.245	18.1	30	Pass	401




**1.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.26	-13	Pass	401
1848	1849	1	RMS	1849	-35.36	-13	Pass	2
1849	1850	0.02	RMS	1850	-40.2	-13	Pass	401
1850	1852	0.1	RMS	1850.705	9.88	30	Pass	401




**1.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-45.18	-13	Pass	401
1848	1849	1	RMS	1849	-35.58	-13	Pass	2
1849	1850	0.02	RMS	1850	-36.2	-13	Pass	401
1850	1852	0.1	RMS	1850.245	17.18	30	Pass	401




**1.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.68	-13	Pass	401
1848	1849	1	RMS	1849	-36.84	-13	Pass	2
1849	1850	0.02	RMS	1850	-40.5	-13	Pass	401
1850	1852	0.1	RMS	1850.695	9.12	30	Pass	401




**1.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.75	17.33	30	Pass	401
1910	1911	0.02	RMS	1910	-35.7	-13	Pass	401
1911	1912	1	RMS	1911	-30.72	-13	Pass	2
1912	1920	1	RMS	1912	-44.05	-13	Pass	401




**1.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.295	9.11	30	Pass	401
1910	1911	0.02	RMS	1910.003	-40.89	-13	Pass	401
1911	1912	1	RMS	1911	-34.39	-13	Pass	2
1912	1920	1	RMS	1912	-40.19	-13	Pass	401



**1.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.77	16.28	30	Pass	401
1910	1911	0.02	RMS	1910	-35.87	-13	Pass	401
1911	1912	1	RMS	1911	-32.31	-13	Pass	2
1912	1920	1	RMS	1912	-44.62	-13	Pass	401






**1.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.31	8.37	30	Pass	401
1910	1911	0.02	RMS	1910.003	-41.14	-13	Pass	401
1911	1912	1	RMS	1911	-34.9	-13	Pass	2
1912	1920	1	RMS	1912	-41.81	-13	Pass	401




**1.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.78	-42.07	-13	Pass	401
1848	1849	1	RMS	1849	-40.01	-13	Pass	2
1849	1850	0.03	RMS	1850	-20.65	-13	Pass	401
1850	1853	0.1	RMS	1850.24	18.52	30	Pass	401




**1.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.35	-13	Pass	401
1848	1849	1	RMS	1849	-35.71	-13	Pass	2
1849	1850	0.03	RMS	1850	-29.9	-13	Pass	401
1850	1853	0.1	RMS	1851.628	5.7	30	Pass	401




**1.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-43.06	-13	Pass	401
1848	1849	1	RMS	1849	-40.97	-13	Pass	2
1849	1850	0.03	RMS	1850	-21.51	-13	Pass	401
1850	1853	0.1	RMS	1850.233	17.49	30	Pass	401




**1.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.5	-13	Pass	401
1848	1849	1	RMS	1849	-35.09	-13	Pass	2
1849	1850	0.03	RMS	1850	-30.62	-13	Pass	401
1850	1853	0.1	RMS	1851.328	4.93	30	Pass	401




**1.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	17.62	30	Pass	401
1910	1911	0.03	RMS	1910	-20.83	-13	Pass	401
1911	1912	1	RMS	1912	-38.84	-13	Pass	2
1912	1920	1	RMS	1912.24	-39.02	-13	Pass	401




**1.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.723	5.48	30	Pass	401
1910	1911	0.03	RMS	1910	-30.29	-13	Pass	401
1911	1912	1	RMS	1911	-33.82	-13	Pass	2
1912	1920	1	RMS	1912	-37.05	-13	Pass	401



**1.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	16.68	30	Pass	401
1910	1911	0.03	RMS	1910	-21.18	-13	Pass	401
1911	1912	1	RMS	1912	-39.96	-13	Pass	2
1912	1920	1	RMS	1912.28	-40.17	-13	Pass	401






**1.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.438	4.33	30	Pass	401
1910	1911	0.03	RMS	1910	-31.57	-13	Pass	401
1911	1912	1	RMS	1911	-35.48	-13	Pass	2
1912	1920	1	RMS	1912	-37.53	-13	Pass	401




**1.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.1	-13	Pass	401
1848	1849	1	RMS	1849	-39.04	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-20.02	-13	Pass	401
1850	1855	0.1	RMS	1850.338	18.11	30	Pass	401




**1.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-38.43	-13	Pass	401
1848	1849	1	RMS	1849	-36.4	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-30.95	-13	Pass	401
1850	1855	0.1	RMS	1852.55	3.41	30	Pass	401




**1.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.81	-13	Pass	401
1848	1849	1	RMS	1849	-39.99	-13	Pass	2
1849	1850	0.051	RMS	1850	-20.18	-13	Pass	401
1850	1855	0.1	RMS	1850.35	17.4	30	Pass	401




**1.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38	-13	Pass	401
1848	1849	1	RMS	1849	-35.92	-13	Pass	2
1849	1850	0.051	RMS	1850	-31.69	-13	Pass	401
1850	1855	0.1	RMS	1852.5	2.33	30	Pass	401




**1.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	17.42	30	Pass	401
1910	1911	0.051	RMS	1910	-20.86	-13	Pass	401
1911	1912	1	RMS	1911	-39.37	-13	Pass	2
1912	1920	1	RMS	1913.84	-43.11	-13	Pass	401




**1.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.625	3.64	30	Pass	401
1910	1911	0.051	RMS	1910	-30.88	-13	Pass	401
1911	1912	1	RMS	1911	-33.32	-13	Pass	2
1912	1920	1	RMS	1912	-36.21	-13	Pass	401



**1.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	16.5	30	Pass	401
1910	1911	0.051	RMS	1910	-20.62	-13	Pass	401
1911	1912	1	RMS	1911	-40.5	-13	Pass	2
1912	1920	1	RMS	1913.96	-44.66	-13	Pass	401






**1.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.625	2.36	30	Pass	401
1910	1911	0.051	RMS	1910.005	-31.76	-13	Pass	401
1911	1912	1	RMS	1911	-36.18	-13	Pass	2
1912	1920	1	RMS	1912	-37.9	-13	Pass	401




**1.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.58	-13	Pass	401
1848	1849	1	RMS	1849	-37.89	-13	Pass	2
1849	1850	0.1	RMS	1850	-22	-13	Pass	401
1850	1860	0.1	RMS	1850.6	17.89	30	Pass	401




**1.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.47	-13	Pass	401
1848	1849	1	RMS	1849	-38.23	-13	Pass	2
1849	1850	0.1	RMS	1849.993	-35.04	-13	Pass	401
1850	1860	0.1	RMS	1850.775	-0.31	30	Pass	401




**1.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.59	-13	Pass	401
1848	1849	1	RMS	1849	-38.83	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-22.48	-13	Pass	401
1850	1860	0.1	RMS	1850.6	16.99	30	Pass	401




**1.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.76	-13	Pass	401
1848	1849	1	RMS	1849	-38.02	-13	Pass	2
1849	1850	0.1	RMS	1849.993	-35.35	-13	Pass	401
1850	1860	0.1	RMS	1850.75	-1.22	30	Pass	401




**1.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	17.23	30	Pass	401
1910	1911	0.1	RMS	1910.005	-22.43	-13	Pass	401
1911	1912	1	RMS	1911	-38.37	-13	Pass	2
1912	1920	1	RMS	1912	-42.87	-13	Pass	401




**1.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.325	0.05	30	Pass	401
1910	1911	0.1	RMS	1910.005	-34.49	-13	Pass	401
1911	1912	1	RMS	1911	-36.05	-13	Pass	2
1912	1920	1	RMS	1912	-37.67	-13	Pass	401



**1.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	16.31	30	Pass	401
1910	1911	0.1	RMS	1910.003	-22.71	-13	Pass	401
1911	1912	1	RMS	1911	-39.18	-13	Pass	2
1912	1920	1	RMS	1912	-43.19	-13	Pass	401






**1.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.1	-0.95	30	Pass	401
1910	1911	0.1	RMS	1910.005	-34.79	-13	Pass	401
1911	1912	1	RMS	1911	-37.59	-13	Pass	2
1912	1920	1	RMS	1912	-38.98	-13	Pass	401




**1.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.14	-13	Pass	401
1848	1849	1	RMS	1849	-40	-13	Pass	2
1849	1850	0.15	RMS	1850	-28.07	-13	Pass	401
1850	1865	0.1	RMS	1850.863	17.85	30	Pass	401




**1.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-39.24	-13	Pass	401
1848	1849	1	RMS	1848	-39.48	-13	Pass	2
1849	1850	0.15	RMS	1850	-38.74	-13	Pass	401
1850	1865	0.1	RMS	1851.088	-1.86	30	Pass	401




**1.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-40.37	-13	Pass	401
1848	1849	1	RMS	1849	-40.43	-13	Pass	2
1849	1850	0.15	RMS	1850	-28.46	-13	Pass	401
1850	1865	0.1	RMS	1850.863	17.04	30	Pass	401




**1.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-38.81	-13	Pass	401
1848	1849	1	RMS	1848	-39.01	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-39.79	-13	Pass	401
1850	1865	0.1	RMS	1851.088	-2.78	30	Pass	401



**1.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.138	17.35	30	Pass	401
1910	1911	0.15	RMS	1910.003	-28.92	-13	Pass	401
1911	1912	1	RMS	1911	-39.75	-13	Pass	2
1912	1920	1	RMS	1912	-39.93	-13	Pass	401




**1.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.975	-1.49	30	Pass	401
1910	1911	0.15	RMS	1910	-39.13	-13	Pass	401
1911	1912	1	RMS	1911	-38.47	-13	Pass	2
1912	1920	1	RMS	1912.04	-38.93	-13	Pass	401



**1.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	16.42	30	Pass	401
1910	1911	0.15	RMS	1910.008	-29.78	-13	Pass	401
1911	1912	1	RMS	1911	-40.13	-13	Pass	2
1912	1920	1	RMS	1912	-40.17	-13	Pass	401






**1.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1896.088	-2.4	30	Pass	401
1910	1911	0.15	RMS	1910	-39.94	-13	Pass	401
1911	1912	1	RMS	1911	-38.17	-13	Pass	2
1912	1920	1	RMS	1912	-38.14	-13	Pass	401




**1.41. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.79	-13	Pass	401
1848	1849	1	RMS	1849	-33.16	-13	Pass	2
1849	1850	0.2	RMS	1849.995	-24.29	-13	Pass	401
1850	1870	0.1	RMS	1851.1	17.83	30	Pass	401




**1.42. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.59	-13	Pass	401
1848	1849	1	RMS	1849	-38.58	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-36.38	-13	Pass	401
1850	1870	0.1	RMS	1851.45	-2.33	30	Pass	401




**1.43. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41	-13	Pass	401
1848	1849	1	RMS	1849	-33.76	-13	Pass	2
1849	1850	0.2	RMS	1850	-24.78	-13	Pass	401
1850	1870	0.1	RMS	1851.1	16.77	30	Pass	401




**1.44. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.53	-13	Pass	401
1848	1849	1	RMS	1849	-38.67	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-37.84	-13	Pass	401
1850	1870	0.1	RMS	1851.65	-3.29	30	Pass	401




**1.45. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	17.32	30	Pass	401
1910	1911	0.2	RMS	1910	-24.06	-13	Pass	401
1911	1912	1	RMS	1911	-32.96	-13	Pass	2
1912	1920	1	RMS	1912	-39.85	-13	Pass	401




**1.46. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.75	-2.19	30	Pass	401
1910	1911	0.2	RMS	1910.003	-37.22	-13	Pass	401
1911	1912	1	RMS	1911	-38.53	-13	Pass	2
1912	1920	1	RMS	1912	-39.91	-13	Pass	401



**1.47. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	16.56	30	Pass	401
1910	1911	0.2	RMS	1910.005	-24.33	-13	Pass	401
1911	1912	1	RMS	1911	-33.16	-13	Pass	2
1912	1920	1	RMS	1912	-40.79	-13	Pass	401





**1.48 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.6	-3.04	30	Pass	401
1910	1911	0.2	RMS	1910	-38.62	-13	Pass	401
1911	1912	1	RMS	1911	-38.43	-13	Pass	2
1912	1920	1	RMS	1912.02	-39.54	-13	Pass	401



## 2. LTE\_Band4


### 2.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.74	-13	Pass	401
1708	1709	1	RMS	1709	-34.27	-13	Pass	2
1709	1710	0.02	RMS	1710	-35.48	-13	Pass	401
1710	1712	0.1	RMS	1710.25	17.33	30	Pass	401




**2.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.92	-13	Pass	401
1708	1709	1	RMS	1709	-34.41	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-37.31	-13	Pass	401
1710	1712	0.1	RMS	1710.715	9.27	30	Pass	401




**2.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.27	-13	Pass	401
1708	1709	1	RMS	1709	-35.07	-13	Pass	2
1709	1710	0.02	RMS	1710	-36.86	-13	Pass	401
1710	1712	0.1	RMS	1710.24	16.53	30	Pass	401




**2.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.31	-13	Pass	401
1708	1709	1	RMS	1709	-35.23	-13	Pass	2
1709	1710	0.02	RMS	1709.99	-38.52	-13	Pass	401
1710	1712	0.1	RMS	1710.7	8.57	30	Pass	401




**2.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	16.32	30	Pass	401
1755	1756	0.02	RMS	1755	-38.64	-13	Pass	401
1756	1757	1	RMS	1756	-33.43	-13	Pass	2
1757	1765	1	RMS	1757	-45.6	-13	Pass	401




**2.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.285	8.43	30	Pass	401
1755	1756	0.02	RMS	1755	-39.35	-13	Pass	401
1756	1757	1	RMS	1756	-37.19	-13	Pass	2
1757	1765	1	RMS	1757	-42.66	-13	Pass	401



**2.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.755	15.13	30	Pass	401
1755	1756	0.02	RMS	1755	-38.3	-13	Pass	401
1756	1757	1	RMS	1756	-35.07	-13	Pass	2
1757	1765	1	RMS	1757	-46.47	-13	Pass	401






**2.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.315	7.44	30	Pass	401
1755	1756	0.02	RMS	1755	-42.08	-13	Pass	401
1756	1757	1	RMS	1756	-37.39	-13	Pass	2
1757	1765	1	RMS	1757	-43.8	-13	Pass	401




**2.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.78	-42.68	-13	Pass	401
1708	1709	1	RMS	1709	-41.07	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.81	-13	Pass	401
1710	1713	0.1	RMS	1710.248	17.53	30	Pass	401




**2.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.72	-13	Pass	401
1708	1709	1	RMS	1709	-31.01	-13	Pass	2
1709	1710	0.03	RMS	1710	-30.17	-13	Pass	401
1710	1713	0.1	RMS	1711.628	5.09	30	Pass	401




**2.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.76	-43.03	-13	Pass	401
1708	1709	1	RMS	1709	-41.75	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.32	-13	Pass	401
1710	1713	0.1	RMS	1710.24	16.83	30	Pass	401



**2.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.04	-13	Pass	401
1708	1709	1	RMS	1709	-33.53	-13	Pass	2
1709	1710	0.03	RMS	1710	-31.53	-13	Pass	401
1710	1713	0.1	RMS	1711.32	4.01	30	Pass	401



**2.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	16.59	30	Pass	401
1755	1756	0.03	RMS	1755	-22.1	-13	Pass	401
1756	1757	1	RMS	1757	-40.56	-13	Pass	2
1757	1765	1	RMS	1757.2	-40.73	-13	Pass	401




**2.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.418	4.32	30	Pass	401
1755	1756	0.03	RMS	1755	-31.41	-13	Pass	401
1756	1757	1	RMS	1756	-34.61	-13	Pass	2
1757	1765	1	RMS	1757	-38.44	-13	Pass	401



**2.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	15.64	30	Pass	401
1755	1756	0.03	RMS	1755	-22.24	-13	Pass	401
1756	1757	1	RMS	1757	-41.92	-13	Pass	2
1757	1765	1	RMS	1757.2	-42.11	-13	Pass	401






**2.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.32	3.43	30	Pass	401
1755	1756	0.03	RMS	1755	-32.74	-13	Pass	401
1756	1757	1	RMS	1756	-35.28	-13	Pass	2
1757	1765	1	RMS	1757	-38.92	-13	Pass	401




**2.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.29	-13	Pass	401
1708	1709	1	RMS	1709	-40.27	-13	Pass	2
1709	1710	0.051	RMS	1710	-20.35	-13	Pass	401
1710	1715	0.1	RMS	1710.338	17.32	30	Pass	401




**2.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.68	-13	Pass	401
1708	1709	1	RMS	1709	-32.01	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.78	-13	Pass	401
1710	1715	0.1	RMS	1714.613	3.2	30	Pass	401




**2.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.85	-13	Pass	401
1708	1709	1	RMS	1709	-40.9	-13	Pass	2
1709	1710	0.051	RMS	1710	-21.58	-13	Pass	401
1710	1715	0.1	RMS	1710.338	16.79	30	Pass	401




**2.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.23	-13	Pass	401
1708	1709	1	RMS	1709	-34.59	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-33.1	-13	Pass	401
1710	1715	0.1	RMS	1712.55	1.95	30	Pass	401



**2.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	16.45	30	Pass	401
1755	1756	0.051	RMS	1755	-21.32	-13	Pass	401
1756	1757	1	RMS	1756	-40.84	-13	Pass	2
1757	1765	1	RMS	1758.94	-44.26	-13	Pass	401




**2.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.575	2.33	30	Pass	401
1755	1756	0.051	RMS	1755	-31.9	-13	Pass	401
1756	1757	1	RMS	1756	-34.54	-13	Pass	2
1757	1765	1	RMS	1757	-36.86	-13	Pass	401



**2.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	15.42	30	Pass	401
1755	1756	0.051	RMS	1755	-22.3	-13	Pass	401
1756	1757	1	RMS	1756	-41.97	-13	Pass	2
1757	1765	1	RMS	1758.94	-45.48	-13	Pass	401






**2.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.475	1.32	30	Pass	401
1755	1756	0.051	RMS	1755.003	-33.35	-13	Pass	401
1756	1757	1	RMS	1756	-35.6	-13	Pass	2
1757	1765	1	RMS	1757	-37.73	-13	Pass	401




**2.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.04	-13	Pass	401
1708	1709	1	RMS	1709	-39.61	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-22.94	-13	Pass	401
1710	1720	0.1	RMS	1710.6	17.21	30	Pass	401




**2.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.07	-13	Pass	401
1708	1709	1	RMS	1709	-37.04	-13	Pass	2
1709	1710	0.1	RMS	1710	-36.36	-13	Pass	401
1710	1720	0.1	RMS	1715.2	-0.88	30	Pass	401




**2.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.43	-13	Pass	401
1708	1709	1	RMS	1709	-40	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-23.37	-13	Pass	401
1710	1720	0.1	RMS	1710.6	16.36	30	Pass	401




**2.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.42	-13	Pass	401
1708	1709	1	RMS	1709	-37.88	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-36.7	-13	Pass	401
1710	1720	0.1	RMS	1719.125	-1.47	30	Pass	401




**2.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	16.37	30	Pass	401
1755	1756	0.1	RMS	1755.008	-23.48	-13	Pass	401
1756	1757	1	RMS	1756	-39.24	-13	Pass	2
1757	1765	1	RMS	1757	-43.62	-13	Pass	401




**2.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.325	-0.41	30	Pass	401
1755	1756	0.1	RMS	1755	-34.58	-13	Pass	401
1756	1757	1	RMS	1756	-33.44	-13	Pass	2
1757	1765	1	RMS	1757	-34.77	-13	Pass	401



**2.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	15.47	30	Pass	401
1755	1756	0.1	RMS	1755	-23.66	-13	Pass	401
1756	1757	1	RMS	1756	-40.43	-13	Pass	2
1757	1765	1	RMS	1757	-44.94	-13	Pass	401






**2.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1750.025	-1.39	30	Pass	401
1755	1756	0.1	RMS	1755.008	-35.49	-13	Pass	401
1756	1757	1	RMS	1756	-36.81	-13	Pass	2
1757	1765	1	RMS	1757	-37.91	-13	Pass	401




**2.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.74	-13	Pass	401
1708	1709	1	RMS	1709	-40.84	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.16	-13	Pass	401
1710	1725	0.1	RMS	1710.863	17.14	30	Pass	401




**2.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-38.64	-13	Pass	401
1708	1709	1	RMS	1709	-37.9	-13	Pass	2
1709	1710	0.15	RMS	1710	-40.14	-13	Pass	401
1710	1725	0.1	RMS	1718.25	-2.84	30	Pass	401




**2.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.13	-13	Pass	401
1708	1709	1	RMS	1708	-41.24	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.55	-13	Pass	401
1710	1725	0.1	RMS	1710.863	16.48	30	Pass	401




**2.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.28	-13	Pass	401
1708	1709	1	RMS	1709	-38.69	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-41.26	-13	Pass	401
1710	1725	0.1	RMS	1716.825	-3.8	30	Pass	401




**2.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.138	16.5	30	Pass	401
1755	1756	0.15	RMS	1755	-29.96	-13	Pass	401
1756	1757	1	RMS	1757	-40.34	-13	Pass	2
1757	1765	1	RMS	1757.06	-40.2	-13	Pass	401




**2.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1753.988	-1.79	30	Pass	401
1755	1756	0.15	RMS	1755	-37.19	-13	Pass	401
1756	1757	1	RMS	1756	-33.28	-13	Pass	2
1757	1765	1	RMS	1757	-33.89	-13	Pass	401



**2.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	15.47	30	Pass	401
1755	1756	0.15	RMS	1755.003	-30.72	-13	Pass	401
1756	1757	1	RMS	1757	-42	-13	Pass	2
1757	1765	1	RMS	1757.04	-41.85	-13	Pass	401






**2.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.063	-3.22	30	Pass	401
1755	1756	0.15	RMS	1755.003	-39.53	-13	Pass	401
1756	1757	1	RMS	1756	-36.66	-13	Pass	2
1757	1765	1	RMS	1757.06	-37.1	-13	Pass	401




**2.41. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.56	-13	Pass	401
1708	1709	1	RMS	1709	-34.78	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-25.44	-13	Pass	401
1710	1730	0.1	RMS	1711.1	17.04	30	Pass	401




**2.42. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-40.1	-13	Pass	401
1708	1709	1	RMS	1709	-38.94	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-38.59	-13	Pass	401
1710	1730	0.1	RMS	1720.2	-3.92	30	Pass	401




**2.43. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.58	-13	Pass	401
1708	1709	1	RMS	1709	-35.23	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-25.81	-13	Pass	401
1710	1730	0.1	RMS	1711.1	16.14	30	Pass	401




**2.44. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.52	-13	Pass	401
1708	1709	1	RMS	1709	-39.8	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-40.08	-13	Pass	401
1710	1730	0.1	RMS	1720.05	-4.73	30	Pass	401




**2.45. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	16.52	30	Pass	401
1755	1756	0.2	RMS	1755	-25.16	-13	Pass	401
1756	1757	1	RMS	1756	-34.14	-13	Pass	2
1757	1765	1	RMS	1757	-40.9	-13	Pass	401




**2.46. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.4	-2.78	30	Pass	401
1755	1756	0.2	RMS	1755	-35.72	-13	Pass	401
1756	1757	1	RMS	1756	-34.74	-13	Pass	2
1757	1765	1	RMS	1757	-35.65	-13	Pass	401



**2.47. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	15.6	30	Pass	401
1755	1756	0.2	RMS	1755.005	-25.4	-13	Pass	401
1756	1757	1	RMS	1756	-34.55	-13	Pass	2
1757	1765	1	RMS	1757	-42.51	-13	Pass	401





**2.48. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.35	-3.96	30	Pass	401
1755	1756	0.2	RMS	1755.005	-38.04	-13	Pass	401
1756	1757	1	RMS	1756	-37.87	-13	Pass	2
1757	1765	1	RMS	1757.02	-38.64	-13	Pass	401



### 3. LTE\_Band5


#### 3.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.08	-13	Pass	401
823	824	0.02	RMS	824	-35.79	-13	Pass	401
824	826	0.1	RMS	824.24	17.67	30	Pass	401




**3.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.54	-42.44	-13	Pass	401
823	824	0.02	RMS	823.995	-39.1	-13	Pass	401
824	826	0.1	RMS	824.67	9.59	30	Pass	401




**3.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.34	-13	Pass	401
823	824	0.02	RMS	824	-36.69	-13	Pass	401
824	826	0.1	RMS	824.245	16.57	30	Pass	401




**3.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-42.15	-13	Pass	401
823	824	0.02	RMS	824	-39.41	-13	Pass	401
824	826	0.1	RMS	824.695	8.81	30	Pass	401




**3.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	17.92	30	Pass	401
849	850	0.02	RMS	849	-36.23	-13	Pass	401
850	860	0.1	RMS	850	-53.16	-13	Pass	401




**3.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.3	10.15	30	Pass	401
849	850	0.02	RMS	849	-42.16	-13	Pass	401
850	860	0.1	RMS	850.15	-44.22	-13	Pass	401



**3.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	16.97	30	Pass	401
849	850	0.02	RMS	849	-36.5	-13	Pass	401
850	860	0.1	RMS	850	-53.69	-13	Pass	401






**3.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.315	9.3	30	Pass	401
849	850	0.02	RMS	849.003	-42.19	-13	Pass	401
850	860	0.1	RMS	850.075	-43.96	-13	Pass	401




**3.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.59	-13	Pass	401
823	824	0.03	RMS	824	-20.61	-13	Pass	401
824	827	0.1	RMS	824.233	17.85	30	Pass	401




**3.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.07	-13	Pass	401
823	824	0.03	RMS	824	-29.43	-13	Pass	401
824	827	0.1	RMS	825.313	5.75	30	Pass	401




**3.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-51.09	-13	Pass	401
823	824	0.03	RMS	824	-21.27	-13	Pass	401
824	827	0.1	RMS	824.248	16.9	30	Pass	401




**3.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-39.86	-13	Pass	401
823	824	0.03	RMS	824	-30.61	-13	Pass	401
824	827	0.1	RMS	825.305	4.89	30	Pass	401




**3.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	18.16	30	Pass	401
849	850	0.03	RMS	849	-20.94	-13	Pass	401
850	860	0.1	RMS	850	-52.15	-13	Pass	401




**3.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.24	6.85	30	Pass	401
849	850	0.03	RMS	849	-31.97	-13	Pass	401
850	860	0.1	RMS	850	-44.82	-13	Pass	401



**3.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	17.27	30	Pass	401
849	850	0.03	RMS	849	-21.38	-13	Pass	401
850	860	0.1	RMS	850.025	-52.6	-13	Pass	401






**3.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.495	5.58	30	Pass	401
849	850	0.03	RMS	849	-32.05	-13	Pass	401
850	860	0.1	RMS	850.05	-43.94	-13	Pass	401




**3.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-50.99	-13	Pass	401
823	824	0.051	RMS	824	-20.54	-13	Pass	401
824	829	0.1	RMS	824.338	17.36	30	Pass	401




**3.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-38.88	-13	Pass	401
823	824	0.051	RMS	824	-30.03	-13	Pass	401
824	829	0.1	RMS	828.588	3.99	30	Pass	401




**3.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.74	-13	Pass	401
823	824	0.051	RMS	824	-20.56	-13	Pass	401
824	829	0.1	RMS	824.35	16.82	30	Pass	401




**3.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-40.21	-13	Pass	401
823	824	0.051	RMS	824	-31.04	-13	Pass	401
824	829	0.1	RMS	826.538	2.78	30	Pass	401




**3.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.99	30	Pass	401
849	850	0.051	RMS	849.003	-20.73	-13	Pass	401
850	860	0.1	RMS	850	-51.49	-13	Pass	401




**3.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.488	4.77	30	Pass	401
849	850	0.051	RMS	849	-32.37	-13	Pass	401
850	860	0.1	RMS	850.025	-44.44	-13	Pass	401



**3.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.19	30	Pass	401
849	850	0.051	RMS	849	-20.28	-13	Pass	401
850	860	0.1	RMS	850	-52.19	-13	Pass	401






**3.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.5	3.9	30	Pass	401
849	850	0.051	RMS	849	-33.06	-13	Pass	401
850	860	0.1	RMS	850	-44.68	-13	Pass	401




**3.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-49.03	-13	Pass	401
823	824	0.1	RMS	824	-22.63	-13	Pass	401
824	834	0.1	RMS	824.6	17.39	30	Pass	401




**3.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-43.35	-13	Pass	401
823	824	0.1	RMS	823.998	-34.36	-13	Pass	401
824	834	0.1	RMS	833.325	2.55	30	Pass	401




**3.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-49.94	-13	Pass	401
823	824	0.1	RMS	823.995	-23.58	-13	Pass	401
824	834	0.1	RMS	824.6	16.73	30	Pass	401




**3.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-44.13	-13	Pass	401
823	824	0.1	RMS	824	-35.39	-13	Pass	401
824	834	0.1	RMS	833.325	1.53	30	Pass	401




**3.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	17.76	30	Pass	401
849	850	0.1	RMS	849	-22.54	-13	Pass	401
850	860	0.1	RMS	850	-50.35	-13	Pass	401




**3.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	845.375	1.26	30	Pass	401
849	850	0.1	RMS	849	-35.82	-13	Pass	401
850	860	0.1	RMS	850	-46.74	-13	Pass	401



**3.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	17	30	Pass	401
849	850	0.1	RMS	849	-23.4	-13	Pass	401
850	860	0.1	RMS	850	-51.19	-13	Pass	401





**3.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	845.55	-0.12	30	Pass	401
849	850	0.1	RMS	849.008	-36.64	-13	Pass	401
850	860	0.1	RMS	850.025	-47.03	-13	Pass	401



## 4. LTE\_Band18(part22)


### 4.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.88	-13	Pass	401
823	824	0.051	RMS	824	-20.27	-13	Pass	401
824	829	0.1	RMS	824.35	17.52	30	Pass	401




**4.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-39.17	-13	Pass	401
823	824	0.051	RMS	824	-29.91	-13	Pass	401
824	829	0.1	RMS	828.575	4.08	30	Pass	401




**4.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.56	-13	Pass	401
823	824	0.051	RMS	824	-20.77	-13	Pass	401
824	829	0.1	RMS	824.338	16.73	30	Pass	401




**4.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-40.18	-13	Pass	401
823	824	0.051	RMS	824	-30.78	-13	Pass	401
824	829	0.1	RMS	826.525	2.84	30	Pass	401



**4.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
825	830	0.1	RMS	829.663	17.93	30	Pass	401
830	831	0.051	RMS	830.003	-20.1	-13	Pass	401
831	841	0.1	RMS	831	-50.05	-13	Pass	401




**4.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
825	830	0.1	RMS	829.613	4.29	30	Pass	401
830	831	0.051	RMS	830.005	-29.93	-13	Pass	401
831	841	0.1	RMS	831	-38.83	-13	Pass	401



**4.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
825	830	0.1	RMS	829.65	17.19	30	Pass	401
830	831	0.051	RMS	830	-19.63	-13	Pass	401
831	841	0.1	RMS	831	-50.96	-13	Pass	401





**4.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
825	830	0.1	RMS	829.613	3.23	30	Pass	401
830	831	0.051	RMS	830	-30.6	-13	Pass	401
831	841	0.1	RMS	831.075	-40.11	-13	Pass	401



## 5. LTE\_Band18(part90)


### 5.1. LTE Band Edge\_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-19.05	-13	Pass	401
814.9625	815	0.02	RMS	815	-24.26	-20	Pass	401
815	820	0.1	RMS	815.338	17.76	30	Pass	401




**5.2. LTE Band Edge\_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-29.74	-13	Pass	401
814.9625	815	0.051	RMS	815	-30.98	-20	Pass	401
815	820	0.1	RMS	817.513	4.45	30	Pass	401




**5.3. LTE Band Edge\_Part90(NTNV)(Subtest:3, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-20	-13	Pass	401
814.9625	815	0.02	RMS	815	-25.37	-20	Pass	401
815	820	0.1	RMS	815.35	17.31	30	Pass	401




**5.4. LTE Band Edge\_Part90(NTNV)(Subtest:4, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-30.91	-13	Pass	401
814.9625	815	0.051	RMS	815	-31.95	-20	Pass	401
815	820	0.1	RMS	817.55	3.63	30	Pass	401




**5.5. LTE Band Edge\_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.638	17.55	30	Pass	401
824	824.0375	0.02	RMS	824	-24.1	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-19.03	-13	Pass	401




**5.6. LTE Band Edge\_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.388	4.76	30	Pass	401
824	824.0375	0.051	RMS	824	-31.91	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-30.7	-13	Pass	401



**5.7. LTE Band Edge\_Part90(NTNV)(Subtest:7, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	16.89	30	Pass	401
824	824.0375	0.02	RMS	824	-24.92	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-19.84	-13	Pass	401





**5.8. LTE Band Edge\_Part90(NTNV)(Subtest:8, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.388	3.55	30	Pass	401
824	824.0375	0.051	RMS	824.001	-33.32	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-31.97	-13	Pass	401



## 6. LTE\_Band19


### 6.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	829	-51.38	-13	Pass	401
829	830	0.051	RMS	830	-20.27	-13	Pass	401
830	835	0.1	RMS	830.338	17.79	30	Pass	401




**6.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	828.96	-44.72	-13	Pass	401
829	830	0.051	RMS	830	-31.79	-13	Pass	401
830	835	0.1	RMS	834.575	5.2	30	Pass	401




**6.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	829	-52.04	-13	Pass	401
829	830	0.051	RMS	830	-20.51	-13	Pass	401
830	835	0.1	RMS	830.35	17.15	30	Pass	401




**6.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	828.92	-43.55	-13	Pass	401
829	830	0.051	RMS	829.998	-32.69	-13	Pass	401
830	835	0.1	RMS	834.55	3.65	30	Pass	401




**6.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
840	845	0.1	RMS	844.65	18.66	30	Pass	401
845	846	0.051	RMS	845.003	-19.67	-13	Pass	401
846	856	0.1	RMS	846	-49.97	-13	Pass	401




**6.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
840	845	0.1	RMS	844.613	4.28	30	Pass	401
845	846	0.051	RMS	845	-30	-13	Pass	401
846	856	0.1	RMS	846	-41.75	-13	Pass	401



**6.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
840	845	0.1	RMS	844.65	17.65	30	Pass	401
845	846	0.051	RMS	845	-19.28	-13	Pass	401
846	856	0.1	RMS	846	-51.2	-13	Pass	401






**6.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
840	845	0.1	RMS	844.6	3.11	30	Pass	401
845	846	0.051	RMS	845	-30.43	-13	Pass	401
846	856	0.1	RMS	846.05	-41.14	-13	Pass	401




**6.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	829	-49.61	-13	Pass	401
829	830	0.1	RMS	830	-22.62	-13	Pass	401
830	840	0.1	RMS	830.6	17.83	30	Pass	401




**6.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	821.64	-47.92	-13	Pass	401
829	830	0.1	RMS	829.995	-36.68	-13	Pass	401
830	840	0.1	RMS	836.275	1.22	30	Pass	401




**6.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	828.96	-51.08	-13	Pass	401
829	830	0.1	RMS	829.995	-22.87	-13	Pass	401
830	840	0.1	RMS	830.6	16.99	30	Pass	401




**6.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	828.94	-47.45	-13	Pass	401
829	830	0.1	RMS	829.993	-36.94	-13	Pass	401
830	840	0.1	RMS	835.2	0.3	30	Pass	401



**6.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
835	845	0.1	RMS	844.4	18.27	30	Pass	401
845	846	0.1	RMS	845	-21.31	-13	Pass	401
846	856	0.1	RMS	846	-47.67	-13	Pass	401




**6.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
835	845	0.1	RMS	835.925	1.51	30	Pass	401
845	846	0.1	RMS	845	-34.5	-13	Pass	401
846	856	0.1	RMS	846.025	-44.65	-13	Pass	401



**6.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
835	845	0.1	RMS	844.4	17.22	30	Pass	401
845	846	0.1	RMS	845	-21.26	-13	Pass	401
846	856	0.1	RMS	846.025	-48.92	-13	Pass	401






**6.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
835	845	0.1	RMS	835.825	0.42	30	Pass	401
845	846	0.1	RMS	845	-34.5	-13	Pass	401
846	856	0.1	RMS	846.1	-44.15	-13	Pass	401




**6.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	828.06	-50.11	-13	Pass	401
829	830	0.1	RMS	830	-30.35	-13	Pass	401
830	845	0.1	RMS	830.825	17.75	30	Pass	401




**6.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	829	-46.91	-13	Pass	401
829	830	0.1	RMS	829.998	-42.01	-13	Pass	401
830	845	0.1	RMS	836.863	0.05	30	Pass	401




**6.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	828.06	-51.19	-13	Pass	401
829	830	0.1	RMS	830	-30.57	-13	Pass	401
830	845	0.1	RMS	830.825	17.1	30	Pass	401




**6.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	829	0.1	RMS	828.82	-47	-13	Pass	401
829	830	0.1	RMS	829.995	-42.76	-13	Pass	401
830	845	0.1	RMS	836.825	-0.86	30	Pass	401



**6.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
830	845	0.1	RMS	844.175	18.26	30	Pass	401
845	846	0.1	RMS	845	-29.53	-13	Pass	401
846	856	0.1	RMS	846.625	-48.05	-13	Pass	401




**6.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
830	845	0.1	RMS	836.825	0.16	30	Pass	401
845	846	0.1	RMS	845	-39.09	-13	Pass	401
846	856	0.1	RMS	846.025	-42.51	-13	Pass	401



**6.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
830	845	0.1	RMS	844.175	17.46	30	Pass	401
845	846	0.1	RMS	845	-30.41	-13	Pass	401
846	856	0.1	RMS	846.85	-49.39	-13	Pass	401





**6.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
830	845	0.1	RMS	836.825	-0.85	30	Pass	401
845	846	0.1	RMS	845.003	-40.14	-13	Pass	401
846	856	0.1	RMS	846.05	-43.21	-13	Pass	401



## 7. LTE\_Band25


### 7.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.25	-13	Pass	401
1848	1849	1	RMS	1849	-33.98	-13	Pass	2
1849	1850	0.02	RMS	1850	-35.03	-13	Pass	401
1850	1852	0.1	RMS	1850.25	18.34	30	Pass	401




**7.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.28	-13	Pass	401
1848	1849	1	RMS	1849	-35.31	-13	Pass	2
1849	1850	0.02	RMS	1850	-40.09	-13	Pass	401
1850	1852	0.1	RMS	1850.675	9.98	30	Pass	401




**7.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-45.08	-13	Pass	401
1848	1849	1	RMS	1849	-35.57	-13	Pass	2
1849	1850	0.02	RMS	1850	-35.83	-13	Pass	401
1850	1852	0.1	RMS	1850.245	17.15	30	Pass	401




**7.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.53	-13	Pass	401
1848	1849	1	RMS	1849	-36.72	-13	Pass	2
1849	1850	0.02	RMS	1850	-40.91	-13	Pass	401
1850	1852	0.1	RMS	1850.71	9.26	30	Pass	401



**7.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.765	15.63	30	Pass	401
1915	1916	0.02	RMS	1915	-36.46	-13	Pass	401
1916	1917	1	RMS	1916	-34.54	-13	Pass	2
1917	1925	1	RMS	1917	-46.66	-13	Pass	401




**7.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.27	8	30	Pass	401
1915	1916	0.02	RMS	1915	-41.51	-13	Pass	401
1916	1917	1	RMS	1916	-36.43	-13	Pass	2
1917	1925	1	RMS	1917	-44.39	-13	Pass	401



**7.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.755	14.7	30	Pass	401
1915	1916	0.02	RMS	1915	-37.81	-13	Pass	401
1916	1917	1	RMS	1916	-36.03	-13	Pass	2
1917	1925	1	RMS	1917	-47.31	-13	Pass	401






**7.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.3	7.27	30	Pass	401
1915	1916	0.02	RMS	1915	-42.01	-13	Pass	401
1916	1917	1	RMS	1916	-37.44	-13	Pass	2
1917	1925	1	RMS	1917	-45.6	-13	Pass	401




**7.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.84	-42.07	-13	Pass	401
1848	1849	1	RMS	1849	-40.04	-13	Pass	2
1849	1850	0.03	RMS	1849.998	-20.26	-13	Pass	401
1850	1853	0.1	RMS	1850.233	18.63	30	Pass	401




**7.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.55	-13	Pass	401
1848	1849	1	RMS	1849	-36.15	-13	Pass	2
1849	1850	0.03	RMS	1850	-29.6	-13	Pass	401
1850	1853	0.1	RMS	1851.313	5.94	30	Pass	401




**7.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-43.08	-13	Pass	401
1848	1849	1	RMS	1849	-40.82	-13	Pass	2
1849	1850	0.03	RMS	1850	-20.68	-13	Pass	401
1850	1853	0.1	RMS	1850.233	17.63	30	Pass	401




**7.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.64	-13	Pass	401
1848	1849	1	RMS	1849	-35.32	-13	Pass	2
1849	1850	0.03	RMS	1850	-30.99	-13	Pass	401
1850	1853	0.1	RMS	1851.313	4.86	30	Pass	401



**7.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	15.88	30	Pass	401
1915	1916	0.03	RMS	1915	-22.79	-13	Pass	401
1916	1917	1	RMS	1916	-42.69	-13	Pass	2
1917	1925	1	RMS	1917.24	-43.58	-13	Pass	401




**7.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.248	4.65	30	Pass	401
1915	1916	0.03	RMS	1915	-33.52	-13	Pass	401
1916	1917	1	RMS	1916	-39.05	-13	Pass	2
1917	1925	1	RMS	1917	-40.31	-13	Pass	401



**7.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.768	14.95	30	Pass	401
1915	1916	0.03	RMS	1915	-23.52	-13	Pass	401
1916	1917	1	RMS	1916	-43.55	-13	Pass	2
1917	1925	1	RMS	1917.16	-44.71	-13	Pass	401






**7.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.518	3.48	30	Pass	401
1915	1916	0.03	RMS	1915.003	-33.68	-13	Pass	401
1916	1917	1	RMS	1916	-37.54	-13	Pass	2
1917	1925	1	RMS	1917	-40.87	-13	Pass	401




**7.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.03	-13	Pass	401
1848	1849	1	RMS	1849	-39.37	-13	Pass	2
1849	1850	0.051	RMS	1850	-19.72	-13	Pass	401
1850	1855	0.1	RMS	1850.338	18.22	30	Pass	401




**7.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.88	-13	Pass	401
1848	1849	1	RMS	1849	-36.82	-13	Pass	2
1849	1850	0.051	RMS	1850	-30.66	-13	Pass	401
1850	1855	0.1	RMS	1852.513	3.52	30	Pass	401




**7.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.91	-13	Pass	401
1848	1849	1	RMS	1849	-40.35	-13	Pass	2
1849	1850	0.051	RMS	1850	-20.15	-13	Pass	401
1850	1855	0.1	RMS	1850.363	17.47	30	Pass	401




**7.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.25	-13	Pass	401
1848	1849	1	RMS	1849	-36.21	-13	Pass	2
1849	1850	0.051	RMS	1850	-31.56	-13	Pass	401
1850	1855	0.1	RMS	1852.538	2.5	30	Pass	401




**7.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	15.8	30	Pass	401
1915	1916	0.051	RMS	1915	-22.9	-13	Pass	401
1916	1917	1	RMS	1916	-42.38	-13	Pass	2
1917	1925	1	RMS	1917	-46.75	-13	Pass	401




**7.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.05	2.63	30	Pass	401
1915	1916	0.051	RMS	1915.003	-33.68	-13	Pass	401
1916	1917	1	RMS	1916	-40.71	-13	Pass	2
1917	1925	1	RMS	1917.06	-43.14	-13	Pass	401



**7.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	14.98	30	Pass	401
1915	1916	0.051	RMS	1915.003	-22.63	-13	Pass	401
1916	1917	1	RMS	1916	-42.93	-13	Pass	2
1917	1925	1	RMS	1917.02	-47.47	-13	Pass	401






**7.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1912.513	1.85	30	Pass	401
1915	1916	0.051	RMS	1915.003	-34.26	-13	Pass	401
1916	1917	1	RMS	1916	-39.32	-13	Pass	2
1917	1925	1	RMS	1917	-41.52	-13	Pass	401




**7.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43	-13	Pass	401
1848	1849	1	RMS	1849	-38.06	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-21.79	-13	Pass	401
1850	1860	0.1	RMS	1850.6	18.08	30	Pass	401




**7.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.59	-13	Pass	401
1848	1849	1	RMS	1849	-38.25	-13	Pass	2
1849	1850	0.1	RMS	1849.995	-34.9	-13	Pass	401
1850	1860	0.1	RMS	1850.675	-0.2	30	Pass	401




**7.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.9	-13	Pass	401
1848	1849	1	RMS	1849	-39.07	-13	Pass	2
1849	1850	0.1	RMS	1850	-22.38	-13	Pass	401
1850	1860	0.1	RMS	1850.6	17.21	30	Pass	401




**7.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.86	-13	Pass	401
1848	1849	1	RMS	1849	-38.04	-13	Pass	2
1849	1850	0.1	RMS	1849.995	-35.29	-13	Pass	401
1850	1860	0.1	RMS	1850.725	-1.16	30	Pass	401



**7.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	15.7	30	Pass	401
1915	1916	0.1	RMS	1915.005	-24.64	-13	Pass	401
1916	1917	1	RMS	1916	-40.96	-13	Pass	2
1917	1925	1	RMS	1917	-45.81	-13	Pass	401




**7.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1910.075	-0.09	30	Pass	401
1915	1916	0.1	RMS	1915.005	-37.07	-13	Pass	401
1916	1917	1	RMS	1916	-41.87	-13	Pass	2
1917	1925	1	RMS	1917	-44.59	-13	Pass	401



**7.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	14.96	30	Pass	401
1915	1916	0.1	RMS	1915	-24.68	-13	Pass	401
1916	1917	1	RMS	1916	-41.63	-13	Pass	2
1917	1925	1	RMS	1917	-46.6	-13	Pass	401






**7.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1910.05	-0.89	30	Pass	401
1915	1916	0.1	RMS	1915	-37	-13	Pass	401
1916	1917	1	RMS	1916	-41.23	-13	Pass	2
1917	1925	1	RMS	1917	-43.43	-13	Pass	401




**7.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.92	-13	Pass	401
1848	1849	1	RMS	1849	-40.01	-13	Pass	2
1849	1850	0.15	RMS	1850	-27.76	-13	Pass	401
1850	1865	0.1	RMS	1850.825	17.88	30	Pass	401




**7.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.09	-13	Pass	401
1848	1849	1	RMS	1848	-39.44	-13	Pass	2
1849	1850	0.15	RMS	1850	-39.04	-13	Pass	401
1850	1865	0.1	RMS	1850.975	-1.8	30	Pass	401




**7.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-40.89	-13	Pass	401
1848	1849	1	RMS	1849	-40.86	-13	Pass	2
1849	1850	0.15	RMS	1850	-28.16	-13	Pass	401
1850	1865	0.1	RMS	1850.863	17.04	30	Pass	401




**7.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.8	-13	Pass	401
1848	1849	1	RMS	1848	-39.06	-13	Pass	2
1849	1850	0.15	RMS	1850	-39.79	-13	Pass	401
1850	1865	0.1	RMS	1851.088	-2.67	30	Pass	401



**7.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	15.94	30	Pass	401
1915	1916	0.15	RMS	1915.003	-30.99	-13	Pass	401
1916	1917	1	RMS	1916	-42.58	-13	Pass	2
1917	1925	1	RMS	1917	-43.36	-13	Pass	401




**7.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1911.4	-1.62	30	Pass	401
1915	1916	0.15	RMS	1915.008	-40.57	-13	Pass	401
1916	1917	1	RMS	1916	-41.5	-13	Pass	2
1917	1925	1	RMS	1917	-42.68	-13	Pass	401



**7.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	15.05	30	Pass	401
1915	1916	0.15	RMS	1915.008	-31.28	-13	Pass	401
1916	1917	1	RMS	1916	-43.5	-13	Pass	2
1917	1925	1	RMS	1917.04	-44.34	-13	Pass	401






**7.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1911.288	-2.54	30	Pass	401
1915	1916	0.15	RMS	1915	-41.05	-13	Pass	401
1916	1917	1	RMS	1916	-41.42	-13	Pass	2
1917	1925	1	RMS	1917	-42.48	-13	Pass	401




**7.41. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.36	-13	Pass	401
1848	1849	1	RMS	1849	-33.05	-13	Pass	2
1849	1850	0.2	RMS	1849.995	-24.11	-13	Pass	401
1850	1870	0.1	RMS	1851.1	17.85	30	Pass	401




**7.42. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.89	-13	Pass	401
1848	1849	1	RMS	1849	-38.91	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-36.71	-13	Pass	401
1850	1870	0.1	RMS	1851.8	-2.34	30	Pass	401




**7.43. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.46	-13	Pass	401
1848	1849	1	RMS	1849	-33.28	-13	Pass	2
1849	1850	0.2	RMS	1850	-24.08	-13	Pass	401
1850	1870	0.1	RMS	1851.1	17.02	30	Pass	401




**7.44. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.49	-13	Pass	401
1848	1849	1	RMS	1849	-38.52	-13	Pass	2
1849	1850	0.2	RMS	1850	-36.82	-13	Pass	401
1850	1870	0.1	RMS	1851.6	-3.11	30	Pass	401




**7.45. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	15.92	30	Pass	401
1915	1916	0.2	RMS	1915	-26.61	-13	Pass	401
1916	1917	1	RMS	1916	-36.15	-13	Pass	2
1917	1925	1	RMS	1917	-44.4	-13	Pass	401




**7.46. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1896.55	-2.56	30	Pass	401
1915	1916	0.2	RMS	1915	-38.7	-13	Pass	401
1916	1917	1	RMS	1916	-41.48	-13	Pass	2
1917	1925	1	RMS	1917	-43.49	-13	Pass	401



**7.47. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	15.06	30	Pass	401
1915	1916	0.2	RMS	1915.003	-26.94	-13	Pass	401
1916	1917	1	RMS	1916	-36.52	-13	Pass	2
1917	1925	1	RMS	1917	-44.66	-13	Pass	401





**7.48. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1896.6	-3.67	30	Pass	401
1915	1916	0.2	RMS	1915	-39.54	-13	Pass	401
1916	1917	1	RMS	1916	-41.2	-13	Pass	2
1917	1925	1	RMS	1917	-43.09	-13	Pass	401



## 8. LTE\_Band26(part22)


### 8.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.81	-13	Pass	401
823	824	0.02	RMS	824	-35.25	-13	Pass	401
824	826	0.1	RMS	824.24	17.77	30	Pass	401




**8.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.56	-42.26	-13	Pass	401
823	824	0.02	RMS	824	-39.02	-13	Pass	401
824	826	0.1	RMS	824.665	9.63	30	Pass	401




**8.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-52.38	-13	Pass	401
823	824	0.02	RMS	824	-36.47	-13	Pass	401
824	826	0.1	RMS	824.235	16.62	30	Pass	401




**8.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.21	-13	Pass	401
823	824	0.02	RMS	824	-39.56	-13	Pass	401
824	826	0.1	RMS	824.71	8.94	30	Pass	401




**8.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	17.98	30	Pass	401
849	850	0.02	RMS	849	-35.74	-13	Pass	401
850	860	0.1	RMS	850	-53.1	-13	Pass	401




**8.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.3	10.18	30	Pass	401
849	850	0.02	RMS	849	-42.11	-13	Pass	401
850	860	0.1	RMS	850.1	-44.22	-13	Pass	401



**8.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	17	30	Pass	401
849	850	0.02	RMS	849	-36.72	-13	Pass	401
850	860	0.1	RMS	850	-53.69	-13	Pass	401






**8.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.305	9.36	30	Pass	401
849	850	0.02	RMS	849	-41.84	-13	Pass	401
850	860	0.1	RMS	850.025	-43.91	-13	Pass	401




**8.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.35	-13	Pass	401
823	824	0.03	RMS	824	-20.86	-13	Pass	401
824	827	0.1	RMS	824.233	17.93	30	Pass	401




**8.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.56	-13	Pass	401
823	824	0.03	RMS	824	-29.14	-13	Pass	401
824	827	0.1	RMS	825.305	5.88	30	Pass	401




**8.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.88	-13	Pass	401
823	824	0.03	RMS	824	-21.58	-13	Pass	401
824	827	0.1	RMS	824.233	17.1	30	Pass	401




**8.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.6	-13	Pass	401
823	824	0.03	RMS	824	-29.81	-13	Pass	401
824	827	0.1	RMS	825.32	5.21	30	Pass	401



**8.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	18.15	30	Pass	401
849	850	0.03	RMS	849	-20.44	-13	Pass	401
850	860	0.1	RMS	850	-52.61	-13	Pass	401




**8.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.255	6.85	30	Pass	401
849	850	0.03	RMS	849	-31.12	-13	Pass	401
850	860	0.1	RMS	850.125	-44.03	-13	Pass	401



**8.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	17.34	30	Pass	401
849	850	0.03	RMS	849	-20.62	-13	Pass	401
850	860	0.1	RMS	850.025	-53.14	-13	Pass	401






**8.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.54	5.59	30	Pass	401
849	850	0.03	RMS	849	-32.26	-13	Pass	401
850	860	0.1	RMS	850.2	-43.89	-13	Pass	401




**8.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.08	-13	Pass	401
823	824	0.051	RMS	823.998	-19.94	-13	Pass	401
824	829	0.1	RMS	824.338	17.48	30	Pass	401




**8.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.66	-13	Pass	401
823	824	0.051	RMS	823.998	-29.95	-13	Pass	401
824	829	0.1	RMS	828.638	4.22	30	Pass	401




**8.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.77	-13	Pass	401
823	824	0.051	RMS	823.998	-20.94	-13	Pass	401
824	829	0.1	RMS	824.35	17.12	30	Pass	401




**8.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-40.15	-13	Pass	401
823	824	0.051	RMS	824	-30.87	-13	Pass	401
824	829	0.1	RMS	826.55	3.19	30	Pass	401




**8.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.01	30	Pass	401
849	850	0.051	RMS	849	-19.75	-13	Pass	401
850	860	0.1	RMS	850	-51.67	-13	Pass	401




**8.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.513	4.92	30	Pass	401
849	850	0.051	RMS	849.003	-32.1	-13	Pass	401
850	860	0.1	RMS	850	-44.21	-13	Pass	401



**8.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	17.42	30	Pass	401
849	850	0.051	RMS	849	-20.49	-13	Pass	401
850	860	0.1	RMS	850	-52.67	-13	Pass	401






**8.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.538	3.73	30	Pass	401
849	850	0.051	RMS	849	-33.17	-13	Pass	401
850	860	0.1	RMS	850.025	-44.74	-13	Pass	401




**8.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-48.7	-13	Pass	401
823	824	0.1	RMS	824	-22.04	-13	Pass	401
824	834	0.1	RMS	824.6	17.45	30	Pass	401




**8.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-43.54	-13	Pass	401
823	824	0.1	RMS	823.993	-34.35	-13	Pass	401
824	834	0.1	RMS	833.05	2.31	30	Pass	401




**8.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.76	-13	Pass	401
823	824	0.1	RMS	823.995	-22.72	-13	Pass	401
824	834	0.1	RMS	824.6	16.74	30	Pass	401




**8.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-42.91	-13	Pass	401
823	824	0.1	RMS	823.995	-34.71	-13	Pass	401
824	834	0.1	RMS	833.125	1.6	30	Pass	401




**8.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	18.06	30	Pass	401
849	850	0.1	RMS	849.003	-22.27	-13	Pass	401
850	860	0.1	RMS	850	-50.78	-13	Pass	401




**8.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	847.025	1	30	Pass	401
849	850	0.1	RMS	849	-35.54	-13	Pass	401
850	860	0.1	RMS	850	-46.76	-13	Pass	401



**8.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	17.17	30	Pass	401
849	850	0.1	RMS	849	-22.67	-13	Pass	401
850	860	0.1	RMS	850	-51.07	-13	Pass	401






**8.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	845.6	-0.03	30	Pass	401
849	850	0.1	RMS	849	-35.69	-13	Pass	401
850	860	0.1	RMS	850.1	-46.96	-13	Pass	401



**8.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.7	-48.25	-13	Pass	401
823	824	0.15	RMS	824	-27.89	-13	Pass	401
824	839	0.1	RMS	824.863	17.69	30	Pass	401




**8.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.96	-44.49	-13	Pass	401
823	824	0.15	RMS	824	-38.82	-13	Pass	401
824	839	0.1	RMS	836.713	0.91	30	Pass	401




**8.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.86	-48.9	-13	Pass	401
823	824	0.15	RMS	823.998	-28.39	-13	Pass	401
824	839	0.1	RMS	824.863	17.06	30	Pass	401




**8.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-45.14	-13	Pass	401
823	824	0.15	RMS	823.998	-40.08	-13	Pass	401
824	839	0.1	RMS	836.638	-0.22	30	Pass	401



**8.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.138	18.21	30	Pass	401
849	850	0.15	RMS	849.005	-29	-13	Pass	401
850	860	0.1	RMS	850.875	-50.93	-13	Pass	401




**8.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	836.325	-0.09	30	Pass	401
849	850	0.15	RMS	849	-39.3	-13	Pass	401
850	860	0.1	RMS	850.05	-46.99	-13	Pass	401



**8.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	17.24	30	Pass	401
849	850	0.15	RMS	849	-29.59	-13	Pass	401
850	860	0.1	RMS	850.85	-51.14	-13	Pass	401





**8.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	836.438	-0.98	30	Pass	401
849	850	0.15	RMS	849	-40.22	-13	Pass	401
850	860	0.1	RMS	850.125	-47.12	-13	Pass	401



## 9. LTE\_Band26(part90)


### 9.1. LTE Band Edge\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.33	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-46.06	-20	Pass	401
814	819	0.1	RMS	814.238	17.89	30	Pass	401




**9.2. LTE Band Edge\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.29	-13	Pass	401
813.9625	814	0.02	RMS	814	-40.4	-20	Pass	401
814	819	0.1	RMS	814.725	9.77	30	Pass	401




**9.3. LTE Band Edge\_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.57	-13	Pass	51
813.9625	814	0.002	RMS	813.997	-46.6	-20	Pass	401
814	819	0.1	RMS	814.238	17	30	Pass	401




**9.4. LTE Band Edge\_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.48	-13	Pass	401
813.9625	814	0.02	RMS	813.999	-41.41	-20	Pass	401
814	819	0.1	RMS	814.7	8.84	30	Pass	401




**9.5. LTE Band Edge\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	17.47	30	Pass	401
824	824.0375	0.002	RMS	824	-43.96	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-32.01	-13	Pass	51




**9.6. LTE Band Edge\_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.275	9.42	30	Pass	401
824	824.0375	0.02	RMS	824	-40.99	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-32.1	-13	Pass	401



**9.7. LTE Band Edge\_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	16.5	30	Pass	401
824	824.0375	0.002	RMS	824.001	-45.1	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.83	-13	Pass	401






**9.8. LTE Band Edge\_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.313	8.7	30	Pass	401
824	824.0375	0.02	RMS	824	-42.14	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.41	-13	Pass	401




**9.9. LTE Band Edge\_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.04	-13	Pass	401
813.9625	814	0.02	RMS	814	-24.33	-20	Pass	3
814	819	0.1	RMS	814.238	17.86	30	Pass	401




**9.10. LTE Band Edge\_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.52	-13	Pass	401
813.9625	814	0.03	RMS	814	-30.45	-20	Pass	401
814	819	0.1	RMS	816.738	6.26	30	Pass	401




**9.11. LTE Band Edge\_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.94	-13	Pass	51
813.9625	814	0.02	RMS	814	-24.19	-20	Pass	3
814	819	0.1	RMS	814.238	17	30	Pass	401




**9.12. LTE Band Edge\_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.07	-13	Pass	401
813.9625	814	0.03	RMS	814	-31.09	-20	Pass	401
814	819	0.1	RMS	816.75	5.39	30	Pass	401




**9.13. LTE Band Edge\_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	17.85	30	Pass	401
824	824.0375	0.02	RMS	824	-23.44	-20	Pass	3
824.0375	829	0.1	RMS	824.038	-17.33	-13	Pass	401




**9.14. LTE Band Edge\_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.263	6.07	30	Pass	401
824	824.0375	0.03	RMS	824	-30.82	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.95	-13	Pass	401



**9.15. LTE Band Edge\_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	17	30	Pass	401
824	824.0375	0.02	RMS	824.001	-22.47	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-17.71	-13	Pass	401






**9.16. LTE Band Edge\_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.263	4.58	30	Pass	401
824	824.0375	0.03	RMS	824	-31.92	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-28.96	-13	Pass	401




**9.17. LTE Band Edge\_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.25	-13	Pass	401
813.9625	814	0.02	RMS	814	-24.15	-20	Pass	401
814	819	0.1	RMS	814.35	17.55	30	Pass	401




**9.18. LTE Band Edge\_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.27	-13	Pass	401
813.9625	814	0.051	RMS	814	-31.42	-20	Pass	401
814	819	0.1	RMS	818.013	4.29	30	Pass	401




**9.19. LTE Band Edge\_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.29	-13	Pass	401
813.9625	814	0.02	RMS	814	-25.48	-20	Pass	401
814	819	0.1	RMS	814.35	17.09	30	Pass	401




**9.20. LTE Band Edge\_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.44	-13	Pass	401
813.9625	814	0.051	RMS	814	-32.55	-20	Pass	401
814	819	0.1	RMS	816.563	3.44	30	Pass	401




**9.21. LTE Band Edge\_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	17.57	30	Pass	401
824	824.0375	0.02	RMS	824	-24.02	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-19.1	-13	Pass	401




**9.22. LTE Band Edge\_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.4	4.8	30	Pass	401
824	824.0375	0.051	RMS	824.001	-31.95	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-30.75	-13	Pass	401



**9.23. LTE Band Edge\_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	16.93	30	Pass	401
824	824.0375	0.02	RMS	824	-24.94	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-19.9	-13	Pass	401






**9.24. LTE Band Edge\_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.363	3.55	30	Pass	401
824	824.0375	0.051	RMS	824	-33.27	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-32.06	-13	Pass	401




**9.25. LTE Band Edge\_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.03	-13	Pass	401
813.9625	814	0.02	RMS	813.999	-29.83	-20	Pass	401
814	819	0.1	RMS	814.6	17.56	30	Pass	401




**9.26. LTE Band Edge\_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.37	-13	Pass	401
813.9625	814	0.1	RMS	814	-35.16	-20	Pass	401
814	819	0.1	RMS	817.863	1.09	30	Pass	401




**9.27. LTE Band Edge\_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.61	-13	Pass	401
813.9625	814	0.02	RMS	814	-30.37	-20	Pass	401
814	819	0.1	RMS	814.6	16.65	30	Pass	401




**9.28. LTE Band Edge\_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.5	-13	Pass	401
813.9625	814	0.1	RMS	813.999	-35.4	-20	Pass	401
814	819	0.1	RMS	819	0.1	30	Pass	401




**9.29. LTE Band Edge\_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	17.45	30	Pass	401
824	824.0375	0.02	RMS	824	-29.53	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.8	-13	Pass	401




**9.30. LTE Band Edge\_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.038	1.11	30	Pass	401
824	824.0375	0.1	RMS	824	-35.5	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-36.62	-13	Pass	401



**9.31. LTE Band Edge\_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	16.65	30	Pass	401
824	824.0375	0.02	RMS	824.001	-29.59	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.81	-13	Pass	401





**9.32. LTE Band Edge\_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.013	0.1	30	Pass	401
824	824.0375	0.1	RMS	824.001	-36.82	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-38.01	-13	Pass	401



## 10. LTE\_Band66


### 10.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.67	-13	Pass	401
1708	1709	1	RMS	1709	-34.1	-13	Pass	2
1709	1710	0.02	RMS	1710	-35.59	-13	Pass	401
1710	1712	0.1	RMS	1710.24	17.32	30	Pass	401




**10.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.8	-13	Pass	401
1708	1709	1	RMS	1709	-34.3	-13	Pass	2
1709	1710	0.02	RMS	1709.988	-37.46	-13	Pass	401
1710	1712	0.1	RMS	1710.715	9.17	30	Pass	401




**10.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.2	-13	Pass	401
1708	1709	1	RMS	1709	-35.33	-13	Pass	2
1709	1710	0.02	RMS	1710	-37.2	-13	Pass	401
1710	1712	0.1	RMS	1710.24	16.53	30	Pass	401




**10.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.57	-13	Pass	401
1708	1709	1	RMS	1709	-36.14	-13	Pass	2
1709	1710	0.02	RMS	1709.99	-39.75	-13	Pass	401
1710	1712	0.1	RMS	1710.715	8.36	30	Pass	401




**10.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	18.63	30	Pass	401
1780	1781	0.02	RMS	1780	-33.89	-13	Pass	401
1781	1782	1	RMS	1781	-28.59	-13	Pass	2
1782	1790	1	RMS	1782	-43.55	-13	Pass	401



**10.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.28	10.32	30	Pass	401
1780	1781	0.02	RMS	1780	-36.16	-13	Pass	401
1781	1782	1	RMS	1781	-34.5	-13	Pass	2
1782	1790	1	RMS	1782	-41.28	-13	Pass	401



**10.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	17.4	30	Pass	401
1780	1781	0.02	RMS	1780	-35.19	-13	Pass	401
1781	1782	1	RMS	1781	-30.18	-13	Pass	2
1782	1790	1	RMS	1782	-44.63	-13	Pass	401






**10.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.31	9.59	30	Pass	401
1780	1781	0.02	RMS	1780	-37.7	-13	Pass	401
1781	1782	1	RMS	1781	-34.96	-13	Pass	2
1782	1790	1	RMS	1782	-42.36	-13	Pass	401




**10.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-42.75	-13	Pass	401
1708	1709	1	RMS	1709	-40.9	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.76	-13	Pass	401
1710	1713	0.1	RMS	1710.233	17.53	30	Pass	401




**10.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.5	-13	Pass	401
1708	1709	1	RMS	1709	-30.86	-13	Pass	2
1709	1710	0.03	RMS	1710	-30.28	-13	Pass	401
1710	1713	0.1	RMS	1711.635	5.03	30	Pass	401




**10.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-43.12	-13	Pass	401
1708	1709	1	RMS	1709	-41.7	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-22.41	-13	Pass	401
1710	1713	0.1	RMS	1710.255	16.75	30	Pass	401




**10.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.87	-13	Pass	401
1708	1709	1	RMS	1709	-33.42	-13	Pass	2
1709	1710	0.03	RMS	1710	-31.66	-13	Pass	401
1710	1713	0.1	RMS	1711.358	4	30	Pass	401



**10.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	18.78	30	Pass	401
1780	1781	0.03	RMS	1780	-19.9	-13	Pass	401
1781	1782	1	RMS	1782	-37.01	-13	Pass	2
1782	1790	1	RMS	1782.22	-36.88	-13	Pass	401




**10.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.32	6.19	30	Pass	401
1780	1781	0.03	RMS	1780	-29.52	-13	Pass	401
1781	1782	1	RMS	1781	-30.37	-13	Pass	2
1782	1790	1	RMS	1782	-35.34	-13	Pass	401



**10.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	17.88	30	Pass	401
1780	1781	0.03	RMS	1780	-20.07	-13	Pass	401
1781	1782	1	RMS	1782	-38.1	-13	Pass	2
1782	1790	1	RMS	1782.24	-38.11	-13	Pass	401






**10.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.29	5.25	30	Pass	401
1780	1781	0.03	RMS	1780.003	-31.06	-13	Pass	401
1781	1782	1	RMS	1781	-30.92	-13	Pass	2
1782	1790	1	RMS	1782	-35.88	-13	Pass	401




**10.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.82	-13	Pass	401
1708	1709	1	RMS	1709	-40.14	-13	Pass	2
1709	1710	0.01	RMS	1710	-27.78	-13	Pass	401
1710	1715	0.1	RMS	1710.338	17.23	30	Pass	401




**10.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.3	-13	Pass	401
1708	1709	1	RMS	1709	-33.71	-13	Pass	2
1709	1710	0.051	RMS	1710	-32.06	-13	Pass	401
1710	1715	0.1	RMS	1714.613	3.06	30	Pass	401




**10.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-45.34	-13	Pass	401
1708	1709	1	RMS	1709	-41.15	-13	Pass	2
1709	1710	0.01	RMS	1710	-28.51	-13	Pass	401
1710	1715	0.1	RMS	1710.338	16.81	30	Pass	401




**10.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-37.01	-13	Pass	401
1708	1709	1	RMS	1709	-34.41	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-32.99	-13	Pass	401
1710	1715	0.1	RMS	1712.563	1.96	30	Pass	401




**10.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	18.55	30	Pass	401
1780	1781	0.01	RMS	1780	-26.38	-13	Pass	401
1781	1782	1	RMS	1781	-39.11	-13	Pass	2
1782	1790	1	RMS	1783.92	-41.57	-13	Pass	401




**10.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.525	3.54	30	Pass	401
1780	1781	0.051	RMS	1780	-30.92	-13	Pass	401
1781	1782	1	RMS	1781	-31.06	-13	Pass	2
1782	1790	1	RMS	1782	-33.66	-13	Pass	401



**10.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	17.78	30	Pass	401
1780	1781	0.01	RMS	1780.003	-27.44	-13	Pass	401
1781	1782	1	RMS	1781	-39.65	-13	Pass	2
1782	1790	1	RMS	1783.9	-42.45	-13	Pass	401






**10.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.5	2.43	30	Pass	401
1780	1781	0.051	RMS	1780.003	-32.67	-13	Pass	401
1781	1782	1	RMS	1781	-34.42	-13	Pass	2
1782	1790	1	RMS	1782	-36.75	-13	Pass	401




**10.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.83	-13	Pass	401
1708	1709	1	RMS	1709	-39.55	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.86	-13	Pass	401
1710	1720	0.1	RMS	1710.6	17.09	30	Pass	401




**10.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-38.81	-13	Pass	401
1708	1709	1	RMS	1709	-36.83	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-36.45	-13	Pass	401
1710	1720	0.1	RMS	1719.05	-0.89	30	Pass	401




**10.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.75	-13	Pass	401
1708	1709	1	RMS	1709	-40.34	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-23.29	-13	Pass	401
1710	1720	0.1	RMS	1710.6	16.4	30	Pass	401




**10.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.33	-13	Pass	401
1708	1709	1	RMS	1709	-37.89	-13	Pass	2
1709	1710	0.1	RMS	1710	-36.69	-13	Pass	401
1710	1720	0.1	RMS	1719.1	-1.51	30	Pass	401




**10.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	18.36	30	Pass	401
1780	1781	0.1	RMS	1780	-21.44	-13	Pass	401
1781	1782	1	RMS	1781	-38.09	-13	Pass	2
1782	1790	1	RMS	1782	-42.78	-13	Pass	401




**10.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1774.875	-0.8	30	Pass	401
1780	1781	0.1	RMS	1780	-35.79	-13	Pass	401
1781	1782	1	RMS	1781	-36.67	-13	Pass	2
1782	1790	1	RMS	1782	-38.28	-13	Pass	401



**10.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	17.56	30	Pass	401
1780	1781	0.1	RMS	1780.003	-21.61	-13	Pass	401
1781	1782	1	RMS	1781	-38.33	-13	Pass	2
1782	1790	1	RMS	1782	-43.01	-13	Pass	401






**10.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1775	-1.47	30	Pass	401
1780	1781	0.1	RMS	1780	-35.94	-13	Pass	401
1781	1782	1	RMS	1781	-38.03	-13	Pass	2
1782	1790	1	RMS	1782	-39.25	-13	Pass	401




**10.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-40.43	-13	Pass	401
1708	1709	1	RMS	1709	-40.62	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.17	-13	Pass	401
1710	1725	0.1	RMS	1710.863	17.13	30	Pass	401




**10.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.49	-13	Pass	401
1708	1709	1	RMS	1709	-37.81	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-40.13	-13	Pass	401
1710	1725	0.1	RMS	1718.25	-2.8	30	Pass	401




**10.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.57	-13	Pass	401
1708	1709	1	RMS	1709	-41.66	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.48	-13	Pass	401
1710	1725	0.1	RMS	1710.863	16.5	30	Pass	401




**10.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.35	-13	Pass	401
1708	1709	1	RMS	1709	-38.76	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-41.42	-13	Pass	401
1710	1725	0.1	RMS	1716.825	-3.69	30	Pass	401




**10.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.138	18.37	30	Pass	401
1780	1781	0.15	RMS	1780	-28.31	-13	Pass	401
1781	1782	1	RMS	1781	-39.63	-13	Pass	2
1782	1790	1	RMS	1782	-39.52	-13	Pass	401




**10.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1773.1	-2.84	30	Pass	401
1780	1781	0.15	RMS	1780	-39.29	-13	Pass	401
1781	1782	1	RMS	1781	-36.83	-13	Pass	2
1782	1790	1	RMS	1782	-37.54	-13	Pass	401



**10.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.138	17.52	30	Pass	401
1780	1781	0.15	RMS	1780	-28.78	-13	Pass	401
1781	1782	1	RMS	1781	-40.58	-13	Pass	2
1782	1790	1	RMS	1782.02	-40.54	-13	Pass	401






**10.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1777.6	-3.82	30	Pass	401
1780	1781	0.15	RMS	1780	-40.65	-13	Pass	401
1781	1782	1	RMS	1781	-38.22	-13	Pass	2
1782	1790	1	RMS	1782	-38.9	-13	Pass	401




**10.41. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.89	-13	Pass	401
1708	1709	1	RMS	1709	-34.88	-13	Pass	2
1709	1710	0.2	RMS	1710	-25.24	-13	Pass	401
1710	1730	0.1	RMS	1711.1	16.99	30	Pass	401




**10.42. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-39.81	-13	Pass	401
1708	1709	1	RMS	1709	-38.9	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-38.44	-13	Pass	401
1710	1730	0.1	RMS	1720.25	-3.83	30	Pass	401




**10.43. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.37	-13	Pass	401
1708	1709	1	RMS	1709	-35.17	-13	Pass	2
1709	1710	0.2	RMS	1710	-25.49	-13	Pass	401
1710	1730	0.1	RMS	1711.1	16.1	30	Pass	401




**10.44. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.48	-13	Pass	401
1708	1709	1	RMS	1709	-39.88	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-40.11	-13	Pass	401
1710	1730	0.1	RMS	1720.05	-4.54	30	Pass	401



**10.45. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	18.08	30	Pass	401
1780	1781	0.2	RMS	1780.005	-23.74	-13	Pass	401
1781	1782	1	RMS	1781	-33	-13	Pass	2
1782	1790	1	RMS	1782	-40.19	-13	Pass	401




**10.46. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.35	-3.92	30	Pass	401
1780	1781	0.2	RMS	1780	-37.45	-13	Pass	401
1781	1782	1	RMS	1781	-38.12	-13	Pass	2
1782	1790	1	RMS	1782	-39.25	-13	Pass	401



**10.47. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	17.39	30	Pass	401
1780	1781	0.2	RMS	1780.005	-23.87	-13	Pass	401
1781	1782	1	RMS	1781	-33.28	-13	Pass	2
1782	1790	1	RMS	1782	-41.16	-13	Pass	401





**10.48. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1769.95	-4.78	30	Pass	401
1780	1781	0.2	RMS	1780	-39.22	-13	Pass	401
1781	1782	1	RMS	1781	-39.46	-13	Pass	2
1782	1790	1	RMS	1782.02	-40.28	-13	Pass	401



## 11. LTE\_Band40(2305-2315)


### 11.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-45.03	-40	Pass	401
2288	2292	1	RMS	2289.81	-44.89	-37	Pass	401
2292	2296	1	RMS	2295.87	-44.83	-31	Pass	401
2296	2300	1	RMS	2299.49	-44.25	-25	Pass	401
2300	2304	1	RMS	2304	-35.26	-13	Pass	5
2304	2305	0.01	RMS	2304.998	-28.06	-13	Pass	401
2305	2315	0.1	RMS	2305.35	15.9	60	Pass	401
2315	2316	0.01	RMS	2315.335	-62.99	-13	Pass	401
2316	2320	1	RMS	2316	-43.89	-13	Pass	401
2320	2324	1	RMS	2321.3	-44.72	-25	Pass	401
2324	2328	1	RMS	2324.51	-44.81	-31	Pass	401
2328	2337	1	RMS	2328.113	-44.9	-37	Pass	401
2337	2341	1	RMS	2338.45	-44.92	-31	Pass	401
2341	2345	1	RMS	2344.39	-44.86	-25	Pass	401
2345	2360	1	RMS	2357.638	-44.83	-13	Pass	401
2360	2365	1	RMS	2364.938	-44.77	-13	Pass	401
2365	2395	1	RMS	2382.25	-44.58	-40	Pass	401



**11.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2287.12	-45.06	-40	Pass	401
2288	2292	1	RMS	2291.88	-44.93	-37	Pass	401
2292	2296	1	RMS	2295.94	-44.71	-31	Pass	401
2296	2300	1	RMS	2298.98	-43.43	-25	Pass	401
2300	2304	1	RMS	2304	-35.81	-13	Pass	5
2304	2305	0.1	RMS	2305	-29.86	-13	Pass	401
2305	2315	0.1	RMS	2307.55	2.08	60	Pass	401
2315	2316	0.1	RMS	2315.415	-53.07	-13	Pass	401
2316	2320	1	RMS	2316.2	-43.38	-13	Pass	401
2320	2324	1	RMS	2320	-45.07	-25	Pass	5
2324	2328	1	RMS	2327.17	-44.9	-31	Pass	401
2328	2337	1	RMS	2329.328	-44.9	-37	Pass	401
2337	2341	1	RMS	2339.59	-44.94	-31	Pass	401
2341	2345	1	RMS	2344.58	-44.91	-25	Pass	401
2345	2360	1	RMS	2356.625	-44.83	-13	Pass	401
2360	2365	1	RMS	2363.563	-44.81	-13	Pass	401
2365	2395	1	RMS	2384.2	-44.63	-40	Pass	401



**11.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2286.46	-45.05	-40	Pass	401
2288	2292	1	RMS	2291.67	-44.97	-37	Pass	401
2292	2296	1	RMS	2295.91	-44.88	-31	Pass	401
2296	2300	1	RMS	2299.94	-44.57	-25	Pass	401
2300	2304	1	RMS	2304	-35.61	-13	Pass	5
2304	2305	0.01	RMS	2305	-30.38	-13	Pass	401
2305	2315	0.1	RMS	2305.35	15.04	60	Pass	401
2315	2316	0.01	RMS	2315.175	-63.73	-13	Pass	401
2316	2320	1	RMS	2316.21	-44.62	-13	Pass	401
2320	2324	1	RMS	2320.21	-44.85	-25	Pass	401
2324	2328	1	RMS	2324.8	-44.87	-31	Pass	401
2328	2337	1	RMS	2328.72	-44.91	-37	Pass	401
2337	2341	1	RMS	2338.88	-44.92	-31	Pass	401
2341	2345	1	RMS	2344.4	-44.92	-25	Pass	401
2345	2360	1	RMS	2359.4	-44.84	-13	Pass	401
2360	2365	1	RMS	2364.8	-44.78	-13	Pass	401
2365	2395	1	RMS	2382.025	-44.55	-40	Pass	401

