

FCC LTE Band26 Test Data

General Description of EUT	
Product Name:	Industrial router
Test Model:	ZR2720N
Sample ID:	202305-0244-4#2
Environmental Conditions	
Temperature:	25°C
Relative Humidity:	55%
Test Voltage:	DC 12V
Test Engineer:	Huang jian ping
Note: For a more detailed features description, please refer to the report TBR-C-202305-0244-51 The report only show the worst case data.	

Contents

FCC LTE Band26 Test Data	1
1. Conducted Power Output Data.....	3
Test Result.....	3
2. Peak-to-Average Ratio(CCDF).....	9
Test Result.....	9
Test Graphs.....	11
3. 26dB Bandwidth and Occupied Bandwidth.....	31
Test Result.....	31
Test Graphs.....	33
4. Band Edge.....	44
Test Result.....	44
Test Graphs.....	46
5. Conducted Spurious Emission.....	66
Test Result.....	66
Test Graphs.....	68
6. Frequency Stability.....	88
Test Result.....	88

1. Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	23.83	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	23.84	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	23.75	PASS
Band26	1.4MHz	QPSK	26797	3RB#0	23.68	PASS
Band26	1.4MHz	QPSK	26797	3RB#1	23.66	PASS
Band26	1.4MHz	QPSK	26797	3RB#3	23.57	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	22.73	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	23.93	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	24.03	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	23.84	PASS
Band26	1.4MHz	QPSK	26915	3RB#0	23.69	PASS
Band26	1.4MHz	QPSK	26915	3RB#1	23.76	PASS
Band26	1.4MHz	QPSK	26915	3RB#3	23.79	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	22.86	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	23.78	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	23.77	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	23.74	PASS
Band26	1.4MHz	QPSK	27033	3RB#0	24.01	PASS
Band26	1.4MHz	QPSK	27033	3RB#1	24.01	PASS
Band26	1.4MHz	QPSK	27033	3RB#3	23.86	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	22.86	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	22.94	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	23.04	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	22.87	PASS
Band26	1.4MHz	16QAM	26797	3RB#0	22.51	PASS
Band26	1.4MHz	16QAM	26797	3RB#1	22.57	PASS
Band26	1.4MHz	16QAM	26797	3RB#3	22.57	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	21.51	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	23.04	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	23.04	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	22.96	PASS
Band26	1.4MHz	16QAM	26915	3RB#0	22.63	PASS

Band26	1.4MHz	16QAM	26915	3RB#1	22.73	PASS
Band26	1.4MHz	16QAM	26915	3RB#3	22.90	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	21.78	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	23.19	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	23.14	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	23.20	PASS
Band26	1.4MHz	16QAM	27033	3RB#0	22.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#1	22.83	PASS
Band26	1.4MHz	16QAM	27033	3RB#3	22.69	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	21.94	PASS
Band26	3MHz	QPSK	26805	1RB#0	23.63	PASS
Band26	3MHz	QPSK	26805	1RB#8	23.62	PASS
Band26	3MHz	QPSK	26805	1RB#14	23.86	PASS
Band26	3MHz	QPSK	26805	8RB#0	22.87	PASS
Band26	3MHz	QPSK	26805	8RB#4	22.88	PASS
Band26	3MHz	QPSK	26805	8RB#7	22.81	PASS
Band26	3MHz	QPSK	26805	15RB#0	22.85	PASS
Band26	3MHz	QPSK	26915	1RB#0	23.75	PASS
Band26	3MHz	QPSK	26915	1RB#8	23.93	PASS
Band26	3MHz	QPSK	26915	1RB#14	23.85	PASS
Band26	3MHz	QPSK	26915	8RB#0	22.72	PASS
Band26	3MHz	QPSK	26915	8RB#4	22.74	PASS
Band26	3MHz	QPSK	26915	8RB#7	22.81	PASS
Band26	3MHz	QPSK	26915	15RB#0	22.88	PASS
Band26	3MHz	QPSK	27025	1RB#0	23.84	PASS
Band26	3MHz	QPSK	27025	1RB#8	23.83	PASS
Band26	3MHz	QPSK	27025	1RB#14	23.79	PASS
Band26	3MHz	QPSK	27025	8RB#0	22.90	PASS
Band26	3MHz	QPSK	27025	8RB#4	22.85	PASS
Band26	3MHz	QPSK	27025	8RB#7	22.88	PASS
Band26	3MHz	QPSK	27025	15RB#0	22.94	PASS
Band26	3MHz	16QAM	26805	1RB#0	22.70	PASS
Band26	3MHz	16QAM	26805	1RB#8	22.63	PASS
Band26	3MHz	16QAM	26805	1RB#14	22.65	PASS
Band26	3MHz	16QAM	26805	8RB#0	21.93	PASS
Band26	3MHz	16QAM	26805	8RB#4	22.02	PASS
Band26	3MHz	16QAM	26805	8RB#7	21.87	PASS

Band26	3MHz	16QAM	26805	15RB#0	21.97	PASS
Band26	3MHz	16QAM	26915	1RB#0	22.89	PASS
Band26	3MHz	16QAM	26915	1RB#8	23.05	PASS
Band26	3MHz	16QAM	26915	1RB#14	22.54	PASS
Band26	3MHz	16QAM	26915	8RB#0	21.86	PASS
Band26	3MHz	16QAM	26915	8RB#4	21.87	PASS
Band26	3MHz	16QAM	26915	8RB#7	21.94	PASS
Band26	3MHz	16QAM	26915	15RB#0	21.72	PASS
Band26	3MHz	16QAM	27025	1RB#0	23.18	PASS
Band26	3MHz	16QAM	27025	1RB#8	23.20	PASS
Band26	3MHz	16QAM	27025	1RB#14	22.28	PASS
Band26	3MHz	16QAM	27025	8RB#0	22.11	PASS
Band26	3MHz	16QAM	27025	8RB#4	21.97	PASS
Band26	3MHz	16QAM	27025	8RB#7	22.02	PASS
Band26	3MHz	16QAM	27025	15RB#0	21.80	PASS
Band26	5MHz	QPSK	26815	1RB#0	23.59	PASS
Band26	5MHz	QPSK	26815	1RB#12	23.78	PASS
Band26	5MHz	QPSK	26815	1RB#24	23.61	PASS
Band26	5MHz	QPSK	26815	12RB#0	22.85	PASS
Band26	5MHz	QPSK	26815	12RB#6	22.81	PASS
Band26	5MHz	QPSK	26815	12RB#13	22.87	PASS
Band26	5MHz	QPSK	26815	25RB#0	22.85	PASS
Band26	5MHz	QPSK	26915	1RB#0	23.62	PASS
Band26	5MHz	QPSK	26915	1RB#12	23.85	PASS
Band26	5MHz	QPSK	26915	1RB#24	23.74	PASS
Band26	5MHz	QPSK	26915	12RB#0	22.86	PASS
Band26	5MHz	QPSK	26915	12RB#6	22.95	PASS
Band26	5MHz	QPSK	26915	12RB#13	22.84	PASS
Band26	5MHz	QPSK	26915	25RB#0	22.77	PASS
Band26	5MHz	QPSK	27015	1RB#0	23.87	PASS
Band26	5MHz	QPSK	27015	1RB#12	23.89	PASS
Band26	5MHz	QPSK	27015	1RB#24	23.87	PASS
Band26	5MHz	QPSK	27015	12RB#0	22.88	PASS
Band26	5MHz	QPSK	27015	12RB#6	22.91	PASS
Band26	5MHz	QPSK	27015	12RB#13	22.78	PASS
Band26	5MHz	QPSK	27015	25RB#0	22.95	PASS
Band26	5MHz	16QAM	26815	1RB#0	22.43	PASS

Band26	5MHz	16QAM	26815	1RB#12	22.31	PASS
Band26	5MHz	16QAM	26815	1RB#24	22.64	PASS
Band26	5MHz	16QAM	26815	12RB#0	21.73	PASS
Band26	5MHz	16QAM	26815	12RB#6	21.80	PASS
Band26	5MHz	16QAM	26815	12RB#13	21.78	PASS
Band26	5MHz	16QAM	26815	25RB#0	21.86	PASS
Band26	5MHz	16QAM	26915	1RB#0	22.23	PASS
Band26	5MHz	16QAM	26915	1RB#12	22.48	PASS
Band26	5MHz	16QAM	26915	1RB#24	22.51	PASS
Band26	5MHz	16QAM	26915	12RB#0	21.78	PASS
Band26	5MHz	16QAM	26915	12RB#6	21.96	PASS
Band26	5MHz	16QAM	26915	12RB#13	21.84	PASS
Band26	5MHz	16QAM	26915	25RB#0	21.71	PASS
Band26	5MHz	16QAM	27015	1RB#0	22.99	PASS
Band26	5MHz	16QAM	27015	1RB#12	22.92	PASS
Band26	5MHz	16QAM	27015	1RB#24	22.90	PASS
Band26	5MHz	16QAM	27015	12RB#0	21.88	PASS
Band26	5MHz	16QAM	27015	12RB#6	21.78	PASS
Band26	5MHz	16QAM	27015	12RB#13	21.82	PASS
Band26	5MHz	16QAM	27015	25RB#0	22.01	PASS
Band26	10MHz	QPSK	26840	1RB#0	23.66	PASS
Band26	10MHz	QPSK	26840	1RB#24	24.12	PASS
Band26	10MHz	QPSK	26840	1RB#49	23.67	PASS
Band26	10MHz	QPSK	26840	25RB#0	22.96	PASS
Band26	10MHz	QPSK	26840	25RB#12	22.95	PASS
Band26	10MHz	QPSK	26840	25RB#25	22.83	PASS
Band26	10MHz	QPSK	26840	50RB#0	22.82	PASS
Band26	10MHz	QPSK	26915	1RB#0	23.82	PASS
Band26	10MHz	QPSK	26915	1RB#24	23.94	PASS
Band26	10MHz	QPSK	26915	1RB#49	23.86	PASS
Band26	10MHz	QPSK	26915	25RB#0	22.88	PASS
Band26	10MHz	QPSK	26915	25RB#12	22.88	PASS
Band26	10MHz	QPSK	26915	25RB#25	22.90	PASS
Band26	10MHz	QPSK	26915	50RB#0	22.80	PASS
Band26	10MHz	QPSK	26990	1RB#0	23.72	PASS
Band26	10MHz	QPSK	26990	1RB#24	24.11	PASS
Band26	10MHz	QPSK	26990	1RB#49	23.82	PASS

Band26	10MHz	QPSK	26990	25RB#0	22.99	PASS
Band26	10MHz	QPSK	26990	25RB#12	22.99	PASS
Band26	10MHz	QPSK	26990	25RB#25	22.98	PASS
Band26	10MHz	QPSK	26990	50RB#0	22.83	PASS
Band26	10MHz	16QAM	26840	1RB#0	23.15	PASS
Band26	10MHz	16QAM	26840	1RB#24	23.42	PASS
Band26	10MHz	16QAM	26840	1RB#49	22.73	PASS
Band26	10MHz	16QAM	26840	25RB#0	21.86	PASS
Band26	10MHz	16QAM	26840	25RB#12	21.75	PASS
Band26	10MHz	16QAM	26840	25RB#25	21.84	PASS
Band26	10MHz	16QAM	26840	50RB#0	21.80	PASS
Band26	10MHz	16QAM	26915	1RB#0	22.96	PASS
Band26	10MHz	16QAM	26915	1RB#24	22.89	PASS
Band26	10MHz	16QAM	26915	1RB#49	22.90	PASS
Band26	10MHz	16QAM	26915	25RB#0	21.76	PASS
Band26	10MHz	16QAM	26915	25RB#12	21.87	PASS
Band26	10MHz	16QAM	26915	25RB#25	21.77	PASS
Band26	10MHz	16QAM	26915	50RB#0	21.81	PASS
Band26	10MHz	16QAM	26990	1RB#0	23.14	PASS
Band26	10MHz	16QAM	26990	1RB#24	22.98	PASS
Band26	10MHz	16QAM	26990	1RB#49	22.79	PASS
Band26	10MHz	16QAM	26990	25RB#0	21.85	PASS
Band26	10MHz	16QAM	26990	25RB#12	21.84	PASS
Band26	10MHz	16QAM	26990	25RB#25	22.00	PASS
Band26	10MHz	16QAM	26990	50RB#0	21.71	PASS
Band26	15MHz	QPSK	26865	1RB#0	23.69	PASS
Band26	15MHz	QPSK	26865	1RB#38	23.79	PASS
Band26	15MHz	QPSK	26865	1RB#74	23.55	PASS
Band26	15MHz	QPSK	26865	38RB#0	22.85	PASS
Band26	15MHz	QPSK	26865	38RB#18	22.83	PASS
Band26	15MHz	QPSK	26865	38RB#37	22.81	PASS
Band26	15MHz	QPSK	26865	75RB#0	22.78	PASS
Band26	15MHz	QPSK	26915	1RB#0	23.64	PASS
Band26	15MHz	QPSK	26915	1RB#38	23.81	PASS
Band26	15MHz	QPSK	26915	1RB#74	23.61	PASS
Band26	15MHz	QPSK	26915	38RB#0	22.74	PASS
Band26	15MHz	QPSK	26915	38RB#18	22.74	PASS

Band26	15MHz	QPSK	26915	38RB#37	22.74	PASS
Band26	15MHz	QPSK	26915	75RB#0	22.73	PASS
Band26	15MHz	QPSK	26965	1RB#0	23.72	PASS
Band26	15MHz	QPSK	26965	1RB#38	23.73	PASS
Band26	15MHz	QPSK	26965	1RB#74	23.65	PASS
Band26	15MHz	QPSK	26965	38RB#0	22.88	PASS
Band26	15MHz	QPSK	26965	38RB#18	22.82	PASS
Band26	15MHz	QPSK	26965	38RB#37	22.86	PASS
Band26	15MHz	QPSK	26965	75RB#0	22.86	PASS
Band26	15MHz	16QAM	26865	1RB#0	22.94	PASS
Band26	15MHz	16QAM	26865	1RB#38	22.72	PASS
Band26	15MHz	16QAM	26865	1RB#74	22.76	PASS
Band26	15MHz	16QAM	26865	38RB#0	22.84	PASS
Band26	15MHz	16QAM	26865	38RB#18	22.82	PASS
Band26	15MHz	16QAM	26865	38RB#37	22.88	PASS
Band26	15MHz	16QAM	26865	75RB#0	21.78	PASS
Band26	15MHz	16QAM	26915	1RB#0	23.30	PASS
Band26	15MHz	16QAM	26915	1RB#38	23.02	PASS
Band26	15MHz	16QAM	26915	1RB#74	23.23	PASS
Band26	15MHz	16QAM	26915	38RB#0	22.75	PASS
Band26	15MHz	16QAM	26915	38RB#18	22.74	PASS
Band26	15MHz	16QAM	26915	38RB#37	22.74	PASS
Band26	15MHz	16QAM	26915	75RB#0	21.84	PASS
Band26	15MHz	16QAM	26965	1RB#0	22.68	PASS
Band26	15MHz	16QAM	26965	1RB#38	23.49	PASS
Band26	15MHz	16QAM	26965	1RB#74	22.85	PASS
Band26	15MHz	16QAM	26965	38RB#0	22.82	PASS
Band26	15MHz	16QAM	26965	38RB#18	22.86	PASS
Band26	15MHz	16QAM	26965	38RB#37	22.86	PASS
Band26	15MHz	16QAM	26965	75RB#0	21.92	PASS

2. Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	4.28	13	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	4.89	13	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	3.62	13	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	4.51	13	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	3.79	13	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	4.63	13	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	5.22	13	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	5.73	13	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	4.48	13	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	5.37	13	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	4.78	13	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	5.49	13	PASS
Band26	3MHz	QPSK	26805	1RB#0	4.43	13	PASS
Band26	3MHz	QPSK	26805	15RB#0	4.93	13	PASS
Band26	3MHz	QPSK	26915	1RB#0	3.83	13	PASS
Band26	3MHz	QPSK	26915	15RB#0	4.68	13	PASS
Band26	3MHz	QPSK	27025	1RB#0	3.93	13	PASS
Band26	3MHz	QPSK	27025	15RB#0	4.81	13	PASS
Band26	3MHz	16QAM	26805	1RB#0	5.35	13	PASS
Band26	3MHz	16QAM	26805	15RB#0	5.83	13	PASS
Band26	3MHz	16QAM	26915	1RB#0	4.76	13	PASS
Band26	3MHz	16QAM	26915	15RB#0	5.57	13	PASS
Band26	3MHz	16QAM	27025	1RB#0	4.95	13	PASS
Band26	3MHz	16QAM	27025	15RB#0	5.70	13	PASS
Band26	5MHz	QPSK	26815	1RB#0	4.30	13	PASS
Band26	5MHz	QPSK	26815	25RB#0	4.55	13	PASS
Band26	5MHz	QPSK	26915	1RB#0	3.57	13	PASS
Band26	5MHz	QPSK	26915	25RB#0	4.51	13	PASS
Band26	5MHz	QPSK	27015	1RB#0	3.76	13	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.64	13	PASS
Band26	5MHz	16QAM	26815	1RB#0	5.26	13	PASS


Band26	5MHz	16QAM	26815	25RB#0	5.48	13	PASS
Band26	5MHz	16QAM	26915	1RB#0	4.54	13	PASS
Band26	5MHz	16QAM	26915	25RB#0	5.40	13	PASS
Band26	5MHz	16QAM	27015	1RB#0	4.69	13	PASS
Band26	5MHz	16QAM	27015	25RB#0	5.52	13	PASS
Band26	10MHz	QPSK	26840	1RB#0	4.29	13	PASS
Band26	10MHz	QPSK	26840	50RB#0	4.59	13	PASS
Band26	10MHz	QPSK	26915	1RB#0	3.62	13	PASS
Band26	10MHz	QPSK	26915	50RB#0	4.58	13	PASS
Band26	10MHz	QPSK	26990	1RB#0	3.89	13	PASS
Band26	10MHz	QPSK	26990	50RB#0	4.81	13	PASS
Band26	10MHz	16QAM	26840	1RB#0	5.14	13	PASS
Band26	10MHz	16QAM	26840	50RB#0	5.39	13	PASS
Band26	10MHz	16QAM	26915	1RB#0	4.46	13	PASS
Band26	10MHz	16QAM	26915	50RB#0	5.52	13	PASS
Band26	10MHz	16QAM	26990	1RB#0	4.99	13	PASS
Band26	10MHz	16QAM	26990	50RB#0	5.66	13	PASS
Band26	15MHz	QPSK	26865	1RB#0	4.14	13	PASS
Band26	15MHz	QPSK	26865	75RB#0	4.78	13	PASS
Band26	15MHz	QPSK	26915	1RB#0	3.34	13	PASS
Band26	15MHz	QPSK	26915	75RB#0	4.64	13	PASS
Band26	15MHz	QPSK	26965	1RB#0	3.46	13	PASS
Band26	15MHz	QPSK	26965	75RB#0	4.89	13	PASS
Band26	15MHz	16QAM	26865	1RB#0	4.97	13	PASS
Band26	15MHz	16QAM	26865	75RB#0	5.50	13	PASS
Band26	15MHz	16QAM	26915	1RB#0	4.13	13	PASS
Band26	15MHz	16QAM	26915	75RB#0	5.48	13	PASS
Band26	15MHz	16QAM	26965	1RB#0	4.25	13	PASS
Band26	15MHz	16QAM	26965	75RB#0	5.78	13	PASS

Test Graphs


Band26-1.4MHz-QPSK-26797-1RB#0




Band26-1.4MHz-QPSK-26797-6RB#0




Band26-1.4MHz-QPSK-26915-1RB#0




Band26-1.4MHz-QPSK-26915-6RB#0




Band26-1.4MHz-QPSK-27033-1RB#0




Band26-1.4MHz-QPSK-27033-6RB#0




Band26-1.4MHz-16QAM-26797-1RB#0




Band26-1.4MHz-16QAM-26797-6RB#0




Band26-1.4MHz-16QAM-26915-1RB#0




Band26-1.4MHz-16QAM-26915-6RB#0




Band26-1.4MHz-16QAM-27033-1RB#0




Band26-1.4MHz-16QAM-27033-6RB#0




Band26-3MHz-QPSK-26805-1RB#0




Band26-3MHz-QPSK-26805-15RB#0




Band26-3MHz-QPSK-26915-1RB#0




Band26-3MHz-QPSK-26915-15RB#0




Band26-3MHz-QPSK-27025-1RB#0




Band26-3MHz-QPSK-27025-15RB#0




Band26-3MHz-16QAM-26805-1RB#0




Band26-3MHz-16QAM-26805-15RB#0




Band26-3MHz-16QAM-26915-1RB#0




Band26-3MHz-16QAM-26915-15RB#0




Band26-3MHz-16QAM-27025-1RB#0




Band26-3MHz-16QAM-27025-15RB#0




Band26-5MHz-QPSK-26815-1RB#0




Band26-5MHz-QPSK-26815-25RB#0




Band26-5MHz-QPSK-26915-1RB#0




Band26-5MHz-QPSK-26915-25RB#0




Band26-5MHz-QPSK-27015-1RB#0




Band26-5MHz-QPSK-27015-25RB#0




Band26-5MHz-16QAM-26815-1RB#0




Band26-5MHz-16QAM-26815-25RB#0




Band26-5MHz-16QAM-26915-1RB#0




Band26-5MHz-16QAM-26915-25RB#0




Band26-5MHz-16QAM-27015-1RB#0




Band26-5MHz-16QAM-27015-25RB#0




Band26-10MHz-QPSK-26840-1RB#0




Band26-10MHz-QPSK-26840-50RB#0




Band26-10MHz-QPSK-26915-1RB#0




Band26-10MHz-QPSK-26915-50RB#0




Band26-10MHz-QPSK-26990-1RB#0




Band26-10MHz-QPSK-26990-50RB#0




Band26-10MHz-16QAM-26840-1RB#0




Band26-10MHz-16QAM-26840-50RB#0




Band26-10MHz-16QAM-26915-1RB#0




Band26-10MHz-16QAM-26915-50RB#0




Band26-10MHz-16QAM-26990-1RB#0




Band26-10MHz-16QAM-26990-50RB#0




Band26-15MHz-QPSK-26865-1RB#0




Band26-15MHz-QPSK-26865-75RB#0




Band26-15MHz-QPSK-26915-1RB#0




Band26-15MHz-QPSK-26915-75RB#0




Band26-15MHz-QPSK-26965-1RB#0




Band26-15MHz-QPSK-26965-75RB#0




Band26-15MHz-16QAM-26865-1RB#0




Band26-15MHz-16QAM-26865-75RB#0




Band26-15MHz-16QAM-26915-1RB#0




Band26-15MHz-16QAM-26915-75RB#0



Band26-15MHz-16QAM-26965-1RB#0



Band26-15MHz-16QAM-26965-75RB#0



3. 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	1.0945	1.290	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	1.0949	1.301	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	1.1027	1.286	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	1.0997	1.301	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	1.1026	1.296	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	1.0945	1.293	PASS
Band26	3MHz	QPSK	26805	15RB#0	2.6912	2.966	PASS
Band26	3MHz	QPSK	26915	15RB#0	2.6990	2.945	PASS
Band26	3MHz	QPSK	27025	15RB#0	2.7016	2.957	PASS
Band26	3MHz	16QAM	26805	15RB#0	2.6971	2.975	PASS
Band26	3MHz	16QAM	26915	15RB#0	2.7025	2.984	PASS
Band26	3MHz	16QAM	27025	15RB#0	2.6980	2.970	PASS
Band26	5MHz	QPSK	26815	25RB#0	4.5222	5.022	PASS
Band26	5MHz	QPSK	26915	25RB#0	4.5162	5.015	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.4975	4.971	PASS
Band26	5MHz	16QAM	26815	25RB#0	4.5054	4.999	PASS
Band26	5MHz	16QAM	26915	25RB#0	4.5007	5.008	PASS
Band26	5MHz	16QAM	27015	25RB#0	4.5145	5.033	PASS
Band26	10MHz	QPSK	26840	50RB#0	8.9904	9.932	PASS
Band26	10MHz	QPSK	26915	50RB#0	8.9677	9.965	PASS
Band26	10MHz	QPSK	26990	50RB#0	8.9715	9.863	PASS
Band26	10MHz	16QAM	26840	50RB#0	8.9918	9.923	PASS
Band26	10MHz	16QAM	26915	50RB#0	8.9784	9.835	PASS
Band26	10MHz	16QAM	26990	50RB#0	8.9506	9.821	PASS
Band26	15MHz	QPSK	26865	75RB#0	13.462	14.80	PASS
Band26	15MHz	QPSK	26915	75RB#0	13.440	14.80	PASS
Band26	15MHz	QPSK	26965	75RB#0	13.383	14.66	PASS
Band26	15MHz	16QAM	26865	75RB#0	13.485	14.75	PASS
Band26	15MHz	16QAM	26915	75RB#0	13.443	14.68	PASS



Band26	15MHz	16QAM	26965	75RB#0	13.434	14.71	PASS
--------	-------	-------	-------	--------	--------	-------	------

Test Graphs


Band26-1.4MHz-QPSK-26797-6RB#0



Band26-1.4MHz-QPSK-26915-6RB#0




Band26-1.4MHz-QPSK-27033-6RB#0



Band26-1.4MHz-16QAM-26797-6RB#0




Band26-1.4MHz-16QAM-26915-6RB#0




Band26-1.4MHz-16QAM-27033-6RB#0




Band26-3MHz-QPSK-26805-15RB#0



Band26-3MHz-QPSK-26915-15RB#0




Band26-3MHz-QPSK-27025-15RB#0



Band26-3MHz-16QAM-26805-15RB#0



Band26-3MHz-16QAM-26915-15RB#0



Band26-3MHz-16QAM-27025-15RB#0