

# FCC LTE Band12 Test Data

General Description of EUT	
<b>Product Name:</b>	Industrial router
<b>Test Model:</b>	ZR2720N
<b>Sample ID:</b>	202305-0244-4#2
Environmental Conditions	
<b>Temperature:</b>	25°C
<b>Relative Humidity:</b>	55%
<b>Test Voltage:</b>	DC 12V
<b>Test Engineer:</b>	Huang jian ping
Note: For a more detailed features description, please refer to the report TBR-C-202305-0244-51 The report only show the worst case data.	

## Contents

<b>FCC LTE Band12 Test Data</b> .....	1
1. Conducted Power Output Data.....	3
Test Result.....	3
2. Peak-to-Average Ratio(CCDF).....	8
Test Result.....	8
Test Graphs.....	10
3. 26dB Bandwidth and Occupied Bandwidth.....	26
Test Result.....	26
Test Graphs.....	27
4. Band Edge.....	36
Test Result.....	36
Test Graphs.....	38
5. Conducted Spurious Emission.....	54
Test Result.....	54
Test Graphs.....	56
6. Frequency Stability.....	72
Test Result.....	72

# 1. Conducted Power Output Data

## Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	22.91	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	22.56	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	22.58	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	22.49	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	22.70	PASS
Band12	1.4MHz	QPSK	23017	3RB#3	22.49	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	21.69	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	22.75	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	22.83	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	22.93	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	22.80	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	22.78	PASS
Band12	1.4MHz	QPSK	23095	3RB#3	22.91	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	21.91	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	22.70	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	22.89	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	23.08	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	22.90	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	22.88	PASS
Band12	1.4MHz	QPSK	23173	3RB#3	22.94	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	21.96	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	21.47	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	21.72	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	21.32	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	21.35	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	21.32	PASS
Band12	1.4MHz	16QAM	23017	3RB#3	21.49	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	20.53	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	21.76	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	22.15	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	21.78	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	21.30	PASS

Band12	1.4MHz	16QAM	23095	3RB#1	21.65	PASS
Band12	1.4MHz	16QAM	23095	3RB#3	21.67	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	20.33	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	21.80	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	22.29	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	22.17	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	21.86	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	21.83	PASS
Band12	1.4MHz	16QAM	23173	3RB#3	21.73	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	21.04	PASS
Band12	3MHz	QPSK	23025	1RB#0	22.64	PASS
Band12	3MHz	QPSK	23025	1RB#8	22.68	PASS
Band12	3MHz	QPSK	23025	1RB#14	22.60	PASS
Band12	3MHz	QPSK	23025	8RB#0	21.80	PASS
Band12	3MHz	QPSK	23025	8RB#4	21.72	PASS
Band12	3MHz	QPSK	23025	8RB#7	21.81	PASS
Band12	3MHz	QPSK	23025	15RB#0	21.64	PASS
Band12	3MHz	QPSK	23095	1RB#0	22.61	PASS
Band12	3MHz	QPSK	23095	1RB#8	22.73	PASS
Band12	3MHz	QPSK	23095	1RB#14	22.89	PASS
Band12	3MHz	QPSK	23095	8RB#0	21.93	PASS
Band12	3MHz	QPSK	23095	8RB#4	21.91	PASS
Band12	3MHz	QPSK	23095	8RB#7	21.87	PASS
Band12	3MHz	QPSK	23095	15RB#0	21.96	PASS
Band12	3MHz	QPSK	23165	1RB#0	22.92	PASS
Band12	3MHz	QPSK	23165	1RB#8	22.79	PASS
Band12	3MHz	QPSK	23165	1RB#14	22.71	PASS
Band12	3MHz	QPSK	23165	8RB#0	22.11	PASS
Band12	3MHz	QPSK	23165	8RB#4	22.03	PASS
Band12	3MHz	QPSK	23165	8RB#7	21.88	PASS
Band12	3MHz	QPSK	23165	15RB#0	22.01	PASS
Band12	3MHz	16QAM	23025	1RB#0	21.76	PASS
Band12	3MHz	16QAM	23025	1RB#8	21.73	PASS
Band12	3MHz	16QAM	23025	1RB#14	21.70	PASS
Band12	3MHz	16QAM	23025	8RB#0	20.89	PASS
Band12	3MHz	16QAM	23025	8RB#4	20.68	PASS
Band12	3MHz	16QAM	23025	8RB#7	20.67	PASS

Band12	3MHz	16QAM	23025	15RB#0	20.56	PASS
Band12	3MHz	16QAM	23095	1RB#0	21.87	PASS
Band12	3MHz	16QAM	23095	1RB#8	21.74	PASS
Band12	3MHz	16QAM	23095	1RB#14	21.63	PASS
Band12	3MHz	16QAM	23095	8RB#0	20.61	PASS
Band12	3MHz	16QAM	23095	8RB#4	20.58	PASS
Band12	3MHz	16QAM	23095	8RB#7	20.99	PASS
Band12	3MHz	16QAM	23095	15RB#0	20.84	PASS
Band12	3MHz	16QAM	23165	1RB#0	21.91	PASS
Band12	3MHz	16QAM	23165	1RB#8	21.72	PASS
Band12	3MHz	16QAM	23165	1RB#14	21.80	PASS
Band12	3MHz	16QAM	23165	8RB#0	20.96	PASS
Band12	3MHz	16QAM	23165	8RB#4	20.95	PASS
Band12	3MHz	16QAM	23165	8RB#7	21.14	PASS
Band12	3MHz	16QAM	23165	15RB#0	21.05	PASS
Band12	5MHz	QPSK	23035	1RB#0	22.56	PASS
Band12	5MHz	QPSK	23035	1RB#12	22.72	PASS
Band12	5MHz	QPSK	23035	1RB#24	22.69	PASS
Band12	5MHz	QPSK	23035	12RB#0	21.61	PASS
Band12	5MHz	QPSK	23035	12RB#6	21.59	PASS
Band12	5MHz	QPSK	23035	12RB#13	21.67	PASS
Band12	5MHz	QPSK	23035	25RB#0	21.72	PASS
Band12	5MHz	QPSK	23095	1RB#0	22.70	PASS
Band12	5MHz	QPSK	23095	1RB#12	23.03	PASS
Band12	5MHz	QPSK	23095	1RB#24	22.88	PASS
Band12	5MHz	QPSK	23095	12RB#0	21.87	PASS
Band12	5MHz	QPSK	23095	12RB#6	21.93	PASS
Band12	5MHz	QPSK	23095	12RB#13	21.99	PASS
Band12	5MHz	QPSK	23095	25RB#0	21.87	PASS
Band12	5MHz	QPSK	23155	1RB#0	22.94	PASS
Band12	5MHz	QPSK	23155	1RB#12	22.97	PASS
Band12	5MHz	QPSK	23155	1RB#24	22.75	PASS
Band12	5MHz	QPSK	23155	12RB#0	22.04	PASS
Band12	5MHz	QPSK	23155	12RB#6	21.95	PASS
Band12	5MHz	QPSK	23155	12RB#13	21.89	PASS
Band12	5MHz	QPSK	23155	25RB#0	21.91	PASS
Band12	5MHz	16QAM	23035	1RB#0	21.09	PASS

Band12	5MHz	16QAM	23035	1RB#12	21.07	PASS
Band12	5MHz	16QAM	23035	1RB#24	21.43	PASS
Band12	5MHz	16QAM	23035	12RB#0	20.57	PASS
Band12	5MHz	16QAM	23035	12RB#6	20.65	PASS
Band12	5MHz	16QAM	23035	12RB#13	20.69	PASS
Band12	5MHz	16QAM	23035	25RB#0	20.77	PASS
Band12	5MHz	16QAM	23095	1RB#0	21.73	PASS
Band12	5MHz	16QAM	23095	1RB#12	21.99	PASS
Band12	5MHz	16QAM	23095	1RB#24	22.06	PASS
Band12	5MHz	16QAM	23095	12RB#0	20.42	PASS
Band12	5MHz	16QAM	23095	12RB#6	20.59	PASS
Band12	5MHz	16QAM	23095	12RB#13	20.69	PASS
Band12	5MHz	16QAM	23095	25RB#0	20.89	PASS
Band12	5MHz	16QAM	23155	1RB#0	21.21	PASS
Band12	5MHz	16QAM	23155	1RB#12	21.43	PASS
Band12	5MHz	16QAM	23155	1RB#24	21.74	PASS
Band12	5MHz	16QAM	23155	12RB#0	20.94	PASS
Band12	5MHz	16QAM	23155	12RB#6	20.94	PASS
Band12	5MHz	16QAM	23155	12RB#13	20.68	PASS
Band12	5MHz	16QAM	23155	25RB#0	20.92	PASS
Band12	10MHz	QPSK	23060	1RB#0	22.35	PASS
Band12	10MHz	QPSK	23060	1RB#24	22.82	PASS
Band12	10MHz	QPSK	23060	1RB#49	22.87	PASS
Band12	10MHz	QPSK	23060	25RB#0	21.64	PASS
Band12	10MHz	QPSK	23060	25RB#12	21.64	PASS
Band12	10MHz	QPSK	23060	25RB#25	21.96	PASS
Band12	10MHz	QPSK	23060	50RB#0	21.74	PASS
Band12	10MHz	QPSK	23095	1RB#0	22.56	PASS
Band12	10MHz	QPSK	23095	1RB#24	23.19	PASS
Band12	10MHz	QPSK	23095	1RB#49	22.69	PASS
Band12	10MHz	QPSK	23095	25RB#0	21.83	PASS
Band12	10MHz	QPSK	23095	25RB#12	21.82	PASS
Band12	10MHz	QPSK	23095	25RB#25	22.06	PASS
Band12	10MHz	QPSK	23095	50RB#0	21.82	PASS
Band12	10MHz	QPSK	23130	1RB#0	22.89	PASS
Band12	10MHz	QPSK	23130	1RB#24	23.15	PASS
Band12	10MHz	QPSK	23130	1RB#49	22.53	PASS

Band12	10MHz	QPSK	23130	25RB#0	21.99	PASS
Band12	10MHz	QPSK	23130	25RB#12	22.01	PASS
Band12	10MHz	QPSK	23130	25RB#25	21.87	PASS
Band12	10MHz	QPSK	23130	50RB#0	21.99	PASS
Band12	10MHz	16QAM	23060	1RB#0	21.52	PASS
Band12	10MHz	16QAM	23060	1RB#24	22.01	PASS
Band12	10MHz	16QAM	23060	1RB#49	21.94	PASS
Band12	10MHz	16QAM	23060	25RB#0	20.69	PASS
Band12	10MHz	16QAM	23060	25RB#12	20.69	PASS
Band12	10MHz	16QAM	23060	25RB#25	20.91	PASS
Band12	10MHz	16QAM	23060	50RB#0	20.67	PASS
Band12	10MHz	16QAM	23095	1RB#0	21.60	PASS
Band12	10MHz	16QAM	23095	1RB#24	22.65	PASS
Band12	10MHz	16QAM	23095	1RB#49	21.70	PASS
Band12	10MHz	16QAM	23095	25RB#0	20.91	PASS
Band12	10MHz	16QAM	23095	25RB#12	20.85	PASS
Band12	10MHz	16QAM	23095	25RB#25	21.16	PASS
Band12	10MHz	16QAM	23095	50RB#0	20.80	PASS
Band12	10MHz	16QAM	23130	1RB#0	22.34	PASS
Band12	10MHz	16QAM	23130	1RB#24	22.75	PASS
Band12	10MHz	16QAM	23130	1RB#49	21.94	PASS
Band12	10MHz	16QAM	23130	25RB#0	20.90	PASS
Band12	10MHz	16QAM	23130	25RB#12	21.01	PASS
Band12	10MHz	16QAM	23130	25RB#25	21.00	PASS
Band12	10MHz	16QAM	23130	50RB#0	20.86	PASS

## 2. Peak-to-Average Ratio(CCDF)

### Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	4.03	13	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	5.00	13	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	4.33	13	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	4.99	13	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	3.68	13	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	4.39	13	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	5.01	13	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	5.91	13	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	5.15	13	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	5.97	13	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	4.64	13	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	5.33	13	PASS
Band12	3MHz	QPSK	23025	1RB#0	4.23	13	PASS
Band12	3MHz	QPSK	23025	15RB#0	4.94	13	PASS
Band12	3MHz	QPSK	23095	1RB#0	4.29	13	PASS
Band12	3MHz	QPSK	23095	15RB#0	5.21	13	PASS
Band12	3MHz	QPSK	23165	1RB#0	3.45	13	PASS
Band12	3MHz	QPSK	23165	15RB#0	4.29	13	PASS
Band12	3MHz	16QAM	23025	1RB#0	5.15	13	PASS
Band12	3MHz	16QAM	23025	15RB#0	5.78	13	PASS
Band12	3MHz	16QAM	23095	1RB#0	5.04	13	PASS
Band12	3MHz	16QAM	23095	15RB#0	6.05	13	PASS
Band12	3MHz	16QAM	23165	1RB#0	4.49	13	PASS
Band12	3MHz	16QAM	23165	15RB#0	5.18	13	PASS
Band12	5MHz	QPSK	23035	1RB#0	4.49	13	PASS
Band12	5MHz	QPSK	23035	25RB#0	5.06	13	PASS
Band12	5MHz	QPSK	23095	1RB#0	4.31	13	PASS
Band12	5MHz	QPSK	23095	25RB#0	5.20	13	PASS
Band12	5MHz	QPSK	23155	1RB#0	4.12	13	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.58	13	PASS
Band12	5MHz	16QAM	23035	1RB#0	5.28	13	PASS




Band12	5MHz	16QAM	23035	25RB#0	5.79	13	PASS
Band12	5MHz	16QAM	23095	1RB#0	5.01	13	PASS
Band12	5MHz	16QAM	23095	25RB#0	6.01	13	PASS
Band12	5MHz	16QAM	23155	1RB#0	4.86	13	PASS
Band12	5MHz	16QAM	23155	25RB#0	5.37	13	PASS
Band12	10MHz	QPSK	23060	1RB#0	4.30	13	PASS
Band12	10MHz	QPSK	23060	50RB#0	5.03	13	PASS
Band12	10MHz	QPSK	23095	1RB#0	4.38	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	4.95	13	PASS
Band12	10MHz	QPSK	23130	1RB#0	4.35	13	PASS
Band12	10MHz	QPSK	23130	50RB#0	4.82	13	PASS
Band12	10MHz	16QAM	23060	1RB#0	5.16	13	PASS
Band12	10MHz	16QAM	23060	50RB#0	5.95	13	PASS
Band12	10MHz	16QAM	23095	1RB#0	5.21	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	5.89	13	PASS
Band12	10MHz	16QAM	23130	1RB#0	5.17	13	PASS
Band12	10MHz	16QAM	23130	50RB#0	5.72	13	PASS

**Test Graphs**


**Band12-1.4MHz-QPSK-23017-1RB#0**




**Band12-1.4MHz-QPSK-23017-6RB#0**




**Band12-1.4MHz-QPSK-23095-1RB#0**




Band12-1.4MHz-QPSK-23095-6RB#0




Band12-1.4MHz-QPSK-23173-1RB#0




Band12-1.4MHz-QPSK-23173-6RB#0




Band12-1.4MHz-16QAM-23017-1RB#0




Band12-1.4MHz-16QAM-23017-6RB#0




Band12-1.4MHz-16QAM-23095-1RB#0




Band12-1.4MHz-16QAM-23095-6RB#0




Band12-1.4MHz-16QAM-23173-1RB#0




Band12-1.4MHz-16QAM-23173-6RB#0




Band12-3MHz-QPSK-23025-1RB#0




Band12-3MHz-QPSK-23025-15RB#0




Band12-3MHz-QPSK-23095-1RB#0




Band12-3MHz-QPSK-23095-15RB#0






Band12-3MHz-QPSK-23165-1RB#0




Band12-3MHz-QPSK-23165-15RB#0




Band12-3MHz-16QAM-23025-1RB#0









Band12-3MHz-16QAM-23165-1RB#0




Band12-3MHz-16QAM-23165-15RB#0




Band12-5MHz-QPSK-23035-1RB#0




Band12-5MHz-QPSK-23035-25RB#0




Band12-5MHz-QPSK-23095-1RB#0




Band12-5MHz-QPSK-23095-25RB#0




Band12-5MHz-QPSK-23155-1RB#0




Band12-5MHz-QPSK-23155-25RB#0




Band12-5MHz-16QAM-23035-1RB#0




Band12-5MHz-16QAM-23035-25RB#0




Band12-5MHz-16QAM-23095-1RB#0




Band12-5MHz-16QAM-23095-25RB#0




Band12-5MHz-16QAM-23155-1RB#0




Band12-5MHz-16QAM-23155-25RB#0




Band12-10MHz-QPSK-23060-1RB#0




Band12-10MHz-QPSK-23060-50RB#0




Band12-10MHz-QPSK-23095-1RB#0




Band12-10MHz-QPSK-23095-50RB#0




Band12-10MHz-QPSK-23130-1RB#0




Band12-10MHz-QPSK-23130-50RB#0




Band12-10MHz-16QAM-23060-1RB#0



Band12-10MHz-16QAM-23060-50RB#0




Band12-10MHz-16QAM-23095-1RB#0




Band12-10MHz-16QAM-23095-50RB#0






Band12-10MHz-16QAM-23130-1RB#0



Band12-10MHz-16QAM-23130-50RB#0




### 3. 26dB Bandwidth and Occupied Bandwidth

#### Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band12	1.4MHz	QPSK	23017	6RB#0	1.0921	1.284	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0993	1.281	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0951	1.310	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.1001	1.297	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0934	1.285	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.0996	1.290	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.6995	2.958	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.7004	2.969	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.7012	2.969	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.6943	2.967	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.6977	2.971	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.6992	2.969	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.5198	5.014	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.4965	4.999	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.5113	5.010	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.4989	4.995	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.5126	5.026	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.4982	4.992	PASS
Band12	10MHz	QPSK	23060	50RB#0	8.9741	9.971	PASS
Band12	10MHz	QPSK	23095	50RB#0	8.9762	9.865	PASS
Band12	10MHz	QPSK	23130	50RB#0	8.9734	9.896	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.9654	9.820	PASS
Band12	10MHz	16QAM	23095	50RB#0	8.9625	9.868	PASS
Band12	10MHz	16QAM	23130	50RB#0	8.9586	9.850	PASS

**Test Graphs**


**Band12-1.4MHz-QPSK-23017-6RB#0**




**Band12-1.4MHz-QPSK-23095-6RB#0**




**Band12-1.4MHz-QPSK-23173-6RB#0**




Band12-1.4MHz-16QAM-23017-6RB#0



Band12-1.4MHz-16QAM-23095-6RB#0



Band12-1.4MHz-16QAM-23173-6RB#0




Band12-3MHz-QPSK-23025-15RB#0



Band12-3MHz-QPSK-23095-15RB#0




Band12-3MHz-QPSK-23165-15RB#0




Band12-3MHz-16QAM-23025-15RB#0



Band12-3MHz-16QAM-23095-15RB#0



Band12-3MHz-16QAM-23165-15RB#0




Band12-5MHz-QPSK-23035-25RB#0




Band12-5MHz-QPSK-23095-25RB#0




Band12-5MHz-QPSK-23155-25RB#0



Band12-5MHz-16QAM-23035-25RB#0



Band12-5MHz-16QAM-23095-25RB#0




Band12-5MHz-16QAM-23155-25RB#0






Band12-10MHz-QPSK-23060-50RB#0



Band12-10MHz-QPSK-23095-50RB#0



Band12-10MHz-QPSK-23130-50RB#0



Band12-10MHz-16QAM-23060-50RB#0



Band12-10MHz-16QAM-23095-50RB#0



Band12-10MHz-16QAM-23130-50RB#0



## 4. Band Edge

### Test Result

Band	Bandwidth	Modulation	Channel	RB Config.	Result (dBm)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	-37.83,-22.52	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	-27.72,-49.73	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	-35.72,-30.62	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	-49.35,-27.41	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	-21.15,-35.61	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	-27.65,-29.46	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	-40.78,-23.95	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	-29.15,-49.98	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	-36.57,-31.09	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	-49.32,-28.76	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	-23.17,-37.33	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	-30.16,-31.74	PASS
Band12	3MHz	QPSK	23025	1RB#0	-31.96,-20.16	PASS
Band12	3MHz	QPSK	23025	1RB#14	-45.64,-53.41	PASS
Band12	3MHz	QPSK	23025	15RB#0	-35.09,-27.53	PASS
Band12	3MHz	QPSK	23165	1RB#0	-53.71,-46.25	PASS
Band12	3MHz	QPSK	23165	1RB#14	-19.00,-30.92	PASS
Band12	3MHz	QPSK	23165	15RB#0	-28.44,-36.47	PASS
Band12	3MHz	16QAM	23025	1RB#0	-34.45,-20.78	PASS
Band12	3MHz	16QAM	23025	1RB#14	-46.62,-53.62	PASS
Band12	3MHz	16QAM	23025	15RB#0	-35.10,-29.59	PASS
Band12	3MHz	16QAM	23165	1RB#0	-54.20,-47.48	PASS
Band12	3MHz	16QAM	23165	1RB#14	-20.32,-32.30	PASS
Band12	3MHz	16QAM	23165	15RB#0	-29.85,-36.68	PASS
Band12	5MHz	QPSK	23035	1RB#0	-18.31	PASS
Band12	5MHz	QPSK	23035	1RB#24	-53.06	PASS
Band12	5MHz	QPSK	23035	25RB#0	-27.84	PASS
Band12	5MHz	QPSK	23155	1RB#0	-53.03	PASS
Band12	5MHz	QPSK	23155	1RB#24	-19.35	PASS
Band12	5MHz	QPSK	23155	25RB#0	-28.54	PASS
Band12	5MHz	16QAM	23035	1RB#0	-21.12	PASS
Band12	5MHz	16QAM	23035	1RB#24	-53.19	PASS
Band12	5MHz	16QAM	23035	25RB#0	-28.73	PASS



Band12	5MHz	16QAM	23155	1RB#0	-53.25	PASS
Band12	5MHz	16QAM	23155	1RB#24	-19.81	PASS
Band12	5MHz	16QAM	23155	25RB#0	-29.45	PASS
Band12	10MHz	QPSK	23060	1RB#0	-35.52,-28.28	PASS
Band12	10MHz	QPSK	23060	1RB#49	-50.30,-49.25	PASS
Band12	10MHz	QPSK	23060	50RB#0	-33.66,-31.34	PASS
Band12	10MHz	QPSK	23130	1RB#0	-49.92,-50.56	PASS
Band12	10MHz	QPSK	23130	1RB#49	-27.25,-35.36	PASS
Band12	10MHz	QPSK	23130	50RB#0	-31.91,-34.41	PASS
Band12	10MHz	16QAM	23060	1RB#0	-36.92,-28.91	PASS
Band12	10MHz	16QAM	23060	1RB#49	-49.95,-49.11	PASS
Band12	10MHz	16QAM	23060	50RB#0	-34.91,-32.60	PASS
Band12	10MHz	16QAM	23130	1RB#0	-49.77,-50.47	PASS
Band12	10MHz	16QAM	23130	1RB#49	-27.62,-35.37	PASS
Band12	10MHz	16QAM	23130	50RB#0	-32.93,-35.24	PASS

Test Graphs

Band12-1.4MHz-QPSK-23017-1RB#0



Band12-1.4MHz-QPSK-23017-1RB#5



Band12-1.4MHz-QPSK-23017-6RB#0



Band12-1.4MHz-QPSK-23173-1RB#0



Band12-1.4MHz-QPSK-23173-1RB#5



Band12-1.4MHz-QPSK-23173-6RB#0



Band12-1.4MHz-16QAM-23017-1RB#0