

FCC LTE Band25 Test Data

General Description of EUT	
Product Name:	Industrial router
Test Model:	ZR2720N
Sample ID:	202305-0244-4#2
Environmental Conditions	
Temperature:	25°C
Relative Humidity:	55%
Test Voltage:	DC 12V
Test Engineer:	Huang jian ping
Note: For a more detailed features description, please refer to the report TBR-C-202305-0244-51 The report only show the worst case data.	

Contents

FCC LTE Band25 Test Data	1
1. Conducted Power Output Data	3
Test Result.....	3
2. Peak-to-Average Ratio(CCDF)	10
Test Result.....	10
Test Graphs	13
3. 26dB Bandwidth and Occupied Bandwidth	37
Test Result.....	37
Test Graphs	39
4. Band Edge	52
Test Result.....	52
Test Graphs	55
5. Conducted Spurious Emission	79
Test Result.....	79
Test Graphs	82
6. Frequency Stability	106
Test Result.....	106

1. Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	23.91	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.65	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.64	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	23.64	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	23.74	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	23.66	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	22.56	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	23.74	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	24.05	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.83	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	23.75	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	23.73	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	23.70	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.86	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.43	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	23.43	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	0.00	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	23.59	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	23.52	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	23.23	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.34	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	22.88	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	22.89	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	22.94	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	22.65	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	22.45	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	22.56	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	21.73	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	23.01	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	23.19	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	22.96	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	22.56	PASS

Band25	1.4MHz	16QAM	26365	3RB#1	22.64	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	22.61	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	21.74	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	23.14	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	23.06	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	22.72	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	22.85	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	22.77	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	22.77	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	21.80	PASS
Band25	3MHz	QPSK	26055	1RB#0	23.69	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.78	PASS
Band25	3MHz	QPSK	26055	1RB#14	23.58	PASS
Band25	3MHz	QPSK	26055	8RB#0	22.59	PASS
Band25	3MHz	QPSK	26055	8RB#4	22.58	PASS
Band25	3MHz	QPSK	26055	8RB#7	22.71	PASS
Band25	3MHz	QPSK	26055	15RB#0	22.57	PASS
Band25	3MHz	QPSK	26365	1RB#0	23.91	PASS
Band25	3MHz	QPSK	26365	1RB#8	23.76	PASS
Band25	3MHz	QPSK	26365	1RB#14	23.76	PASS
Band25	3MHz	QPSK	26365	8RB#0	22.63	PASS
Band25	3MHz	QPSK	26365	8RB#4	22.56	PASS
Band25	3MHz	QPSK	26365	8RB#7	22.65	PASS
Band25	3MHz	QPSK	26365	15RB#0	22.64	PASS
Band25	3MHz	QPSK	26675	1RB#0	23.80	PASS
Band25	3MHz	QPSK	26675	1RB#8	23.40	PASS
Band25	3MHz	QPSK	26675	1RB#14	0.00	PASS
Band25	3MHz	QPSK	26675	8RB#0	22.54	PASS
Band25	3MHz	QPSK	26675	8RB#4	22.57	PASS
Band25	3MHz	QPSK	26675	8RB#7	22.65	PASS
Band25	3MHz	QPSK	26675	15RB#0	22.59	PASS
Band25	3MHz	16QAM	26055	1RB#0	22.36	PASS
Band25	3MHz	16QAM	26055	1RB#8	22.58	PASS
Band25	3MHz	16QAM	26055	1RB#14	22.53	PASS
Band25	3MHz	16QAM	26055	8RB#0	21.56	PASS
Band25	3MHz	16QAM	26055	8RB#4	21.77	PASS
Band25	3MHz	16QAM	26055	8RB#7	21.78	PASS

Band25	3MHz	16QAM	26055	15RB#0	21.61	PASS
Band25	3MHz	16QAM	26365	1RB#0	22.75	PASS
Band25	3MHz	16QAM	26365	1RB#8	22.85	PASS
Band25	3MHz	16QAM	26365	1RB#14	22.80	PASS
Band25	3MHz	16QAM	26365	8RB#0	21.56	PASS
Band25	3MHz	16QAM	26365	8RB#4	21.64	PASS
Band25	3MHz	16QAM	26365	8RB#7	21.67	PASS
Band25	3MHz	16QAM	26365	15RB#0	21.56	PASS
Band25	3MHz	16QAM	26675	1RB#0	23.01	PASS
Band25	3MHz	16QAM	26675	1RB#8	22.80	PASS
Band25	3MHz	16QAM	26675	1RB#14	22.66	PASS
Band25	3MHz	16QAM	26675	8RB#0	21.73	PASS
Band25	3MHz	16QAM	26675	8RB#4	21.72	PASS
Band25	3MHz	16QAM	26675	8RB#7	21.98	PASS
Band25	3MHz	16QAM	26675	15RB#0	21.70	PASS
Band25	5MHz	QPSK	26065	1RB#0	23.47	PASS
Band25	5MHz	QPSK	26065	1RB#12	23.59	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.50	PASS
Band25	5MHz	QPSK	26065	12RB#0	22.62	PASS
Band25	5MHz	QPSK	26065	12RB#6	22.53	PASS
Band25	5MHz	QPSK	26065	12RB#13	22.55	PASS
Band25	5MHz	QPSK	26065	25RB#0	22.62	PASS
Band25	5MHz	QPSK	26365	1RB#0	23.65	PASS
Band25	5MHz	QPSK	26365	1RB#12	23.83	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.57	PASS
Band25	5MHz	QPSK	26365	12RB#0	22.54	PASS
Band25	5MHz	QPSK	26365	12RB#6	22.56	PASS
Band25	5MHz	QPSK	26365	12RB#13	22.58	PASS
Band25	5MHz	QPSK	26365	25RB#0	22.71	PASS
Band25	5MHz	QPSK	26665	1RB#0	23.93	PASS
Band25	5MHz	QPSK	26665	1RB#12	23.46	PASS
Band25	5MHz	QPSK	26665	1RB#24	0.00	PASS
Band25	5MHz	QPSK	26665	12RB#0	22.38	PASS
Band25	5MHz	QPSK	26665	12RB#6	22.40	PASS
Band25	5MHz	QPSK	26665	12RB#13	22.74	PASS
Band25	5MHz	QPSK	26665	25RB#0	22.71	PASS
Band25	5MHz	16QAM	26065	1RB#0	22.32	PASS

Band25	5MHz	16QAM	26065	1RB#12	22.27	PASS
Band25	5MHz	16QAM	26065	1RB#24	22.22	PASS
Band25	5MHz	16QAM	26065	12RB#0	21.54	PASS
Band25	5MHz	16QAM	26065	12RB#6	21.55	PASS
Band25	5MHz	16QAM	26065	12RB#13	21.60	PASS
Band25	5MHz	16QAM	26065	25RB#0	21.75	PASS
Band25	5MHz	16QAM	26365	1RB#0	22.58	PASS
Band25	5MHz	16QAM	26365	1RB#12	22.70	PASS
Band25	5MHz	16QAM	26365	1RB#24	22.87	PASS
Band25	5MHz	16QAM	26365	12RB#0	21.61	PASS
Band25	5MHz	16QAM	26365	12RB#6	21.62	PASS
Band25	5MHz	16QAM	26365	12RB#13	21.76	PASS
Band25	5MHz	16QAM	26365	25RB#0	21.67	PASS
Band25	5MHz	16QAM	26665	1RB#0	22.62	PASS
Band25	5MHz	16QAM	26665	1RB#12	22.25	PASS
Band25	5MHz	16QAM	26665	1RB#24	22.70	PASS
Band25	5MHz	16QAM	26665	12RB#0	21.45	PASS
Band25	5MHz	16QAM	26665	12RB#6	21.71	PASS
Band25	5MHz	16QAM	26665	12RB#13	21.91	PASS
Band25	5MHz	16QAM	26665	25RB#0	21.69	PASS
Band25	10MHz	QPSK	26090	1RB#0	23.77	PASS
Band25	10MHz	QPSK	26090	1RB#24	23.77	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.71	PASS
Band25	10MHz	QPSK	26090	25RB#0	22.72	PASS
Band25	10MHz	QPSK	26090	25RB#12	22.71	PASS
Band25	10MHz	QPSK	26090	25RB#25	22.74	PASS
Band25	10MHz	QPSK	26090	50RB#0	22.73	PASS
Band25	10MHz	QPSK	26365	1RB#0	23.85	PASS
Band25	10MHz	QPSK	26365	1RB#24	24.08	PASS
Band25	10MHz	QPSK	26365	1RB#49	23.93	PASS
Band25	10MHz	QPSK	26365	25RB#0	22.63	PASS
Band25	10MHz	QPSK	26365	25RB#12	22.64	PASS
Band25	10MHz	QPSK	26365	25RB#25	22.74	PASS
Band25	10MHz	QPSK	26365	50RB#0	22.62	PASS
Band25	10MHz	QPSK	26640	1RB#0	23.79	PASS
Band25	10MHz	QPSK	26640	1RB#24	23.49	PASS
Band25	10MHz	QPSK	26640	1RB#49	0.00	PASS

Band25	10MHz	QPSK	26640	25RB#0	22.53	PASS
Band25	10MHz	QPSK	26640	25RB#12	22.66	PASS
Band25	10MHz	QPSK	26640	25RB#25	22.51	PASS
Band25	10MHz	QPSK	26640	50RB#0	22.66	PASS
Band25	10MHz	16QAM	26090	1RB#0	22.65	PASS
Band25	10MHz	16QAM	26090	1RB#24	23.02	PASS
Band25	10MHz	16QAM	26090	1RB#49	22.64	PASS
Band25	10MHz	16QAM	26090	25RB#0	21.81	PASS
Band25	10MHz	16QAM	26090	25RB#12	21.92	PASS
Band25	10MHz	16QAM	26090	25RB#25	21.82	PASS
Band25	10MHz	16QAM	26090	50RB#0	21.69	PASS
Band25	10MHz	16QAM	26365	1RB#0	23.15	PASS
Band25	10MHz	16QAM	26365	1RB#24	23.26	PASS
Band25	10MHz	16QAM	26365	1RB#49	22.69	PASS
Band25	10MHz	16QAM	26365	25RB#0	21.76	PASS
Band25	10MHz	16QAM	26365	25RB#12	21.76	PASS
Band25	10MHz	16QAM	26365	25RB#25	21.76	PASS
Band25	10MHz	16QAM	26365	50RB#0	21.72	PASS
Band25	10MHz	16QAM	26640	1RB#0	22.61	PASS
Band25	10MHz	16QAM	26640	1RB#24	22.72	PASS
Band25	10MHz	16QAM	26640	1RB#49	22.94	PASS
Band25	10MHz	16QAM	26640	25RB#0	21.65	PASS
Band25	10MHz	16QAM	26640	25RB#12	21.52	PASS
Band25	10MHz	16QAM	26640	25RB#25	21.66	PASS
Band25	10MHz	16QAM	26640	50RB#0	21.44	PASS
Band25	15MHz	QPSK	26115	1RB#0	23.66	PASS
Band25	15MHz	QPSK	26115	1RB#38	23.49	PASS
Band25	15MHz	QPSK	26115	1RB#74	23.19	PASS
Band25	15MHz	QPSK	26115	38RB#0	22.52	PASS
Band25	15MHz	QPSK	26115	38RB#18	22.51	PASS
Band25	15MHz	QPSK	26115	38RB#37	22.51	PASS
Band25	15MHz	QPSK	26115	75RB#0	22.50	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.67	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.48	PASS
Band25	15MHz	QPSK	26365	1RB#74	23.49	PASS
Band25	15MHz	QPSK	26365	38RB#0	22.56	PASS
Band25	15MHz	QPSK	26365	38RB#18	22.56	PASS

Band25	15MHz	QPSK	26365	38RB#37	22.55	PASS
Band25	15MHz	QPSK	26365	75RB#0	22.55	PASS
Band25	15MHz	QPSK	26615	1RB#0	23.35	PASS
Band25	15MHz	QPSK	26615	1RB#38	23.48	PASS
Band25	15MHz	QPSK	26615	1RB#74	0.00	PASS
Band25	15MHz	QPSK	26615	38RB#0	22.44	PASS
Band25	15MHz	QPSK	26615	38RB#18	22.70	PASS
Band25	15MHz	QPSK	26615	38RB#37	22.63	PASS
Band25	15MHz	QPSK	26615	75RB#0	22.57	PASS
Band25	15MHz	16QAM	26115	1RB#0	22.34	PASS
Band25	15MHz	16QAM	26115	1RB#38	22.39	PASS
Band25	15MHz	16QAM	26115	1RB#74	22.40	PASS
Band25	15MHz	16QAM	26115	38RB#0	22.51	PASS
Band25	15MHz	16QAM	26115	38RB#18	22.51	PASS
Band25	15MHz	16QAM	26115	38RB#37	22.50	PASS
Band25	15MHz	16QAM	26115	75RB#0	21.52	PASS
Band25	15MHz	16QAM	26365	1RB#0	22.34	PASS
Band25	15MHz	16QAM	26365	1RB#38	22.41	PASS
Band25	15MHz	16QAM	26365	1RB#74	22.49	PASS
Band25	15MHz	16QAM	26365	38RB#0	22.56	PASS
Band25	15MHz	16QAM	26365	38RB#18	22.55	PASS
Band25	15MHz	16QAM	26365	38RB#37	22.55	PASS
Band25	15MHz	16QAM	26365	75RB#0	21.65	PASS
Band25	15MHz	16QAM	26615	1RB#0	22.98	PASS
Band25	15MHz	16QAM	26615	1RB#38	23.43	PASS
Band25	15MHz	16QAM	26615	1RB#74	22.92	PASS
Band25	15MHz	16QAM	26615	38RB#0	22.34	PASS
Band25	15MHz	16QAM	26615	38RB#18	22.67	PASS
Band25	15MHz	16QAM	26615	38RB#37	22.59	PASS
Band25	15MHz	16QAM	26615	75RB#0	21.57	PASS
Band25	20MHz	QPSK	26140	1RB#0	23.51	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.58	PASS
Band25	20MHz	QPSK	26140	1RB#99	23.28	PASS
Band25	20MHz	QPSK	26140	50RB#0	22.40	PASS
Band25	20MHz	QPSK	26140	50RB#25	22.40	PASS
Band25	20MHz	QPSK	26140	50RB#50	22.40	PASS
Band25	20MHz	QPSK	26140	100RB#0	22.48	PASS

Band25	20MHz	QPSK	26365	1RB#0	23.63	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.79	PASS
Band25	20MHz	QPSK	26365	1RB#99	23.73	PASS
Band25	20MHz	QPSK	26365	50RB#0	22.68	PASS
Band25	20MHz	QPSK	26365	50RB#25	22.65	PASS
Band25	20MHz	QPSK	26365	50RB#50	22.66	PASS
Band25	20MHz	QPSK	26365	100RB#0	22.69	PASS
Band25	20MHz	QPSK	26590	1RB#0	23.62	PASS
Band25	20MHz	QPSK	26590	1RB#49	23.63	PASS
Band25	20MHz	QPSK	26590	1RB#99	0.00	PASS
Band25	20MHz	QPSK	26590	50RB#0	22.91	PASS
Band25	20MHz	QPSK	26590	50RB#25	22.81	PASS
Band25	20MHz	QPSK	26590	50RB#50	22.82	PASS
Band25	20MHz	QPSK	26590	100RB#0	22.72	PASS
Band25	20MHz	16QAM	26140	1RB#0	22.70	PASS
Band25	20MHz	16QAM	26140	1RB#49	22.76	PASS
Band25	20MHz	16QAM	26140	1RB#99	22.50	PASS
Band25	20MHz	16QAM	26140	50RB#0	21.43	PASS
Band25	20MHz	16QAM	26140	50RB#25	21.43	PASS
Band25	20MHz	16QAM	26140	50RB#50	21.43	PASS
Band25	20MHz	16QAM	26140	100RB#0	21.49	PASS
Band25	20MHz	16QAM	26365	1RB#0	22.77	PASS
Band25	20MHz	16QAM	26365	1RB#49	23.14	PASS
Band25	20MHz	16QAM	26365	1RB#99	22.96	PASS
Band25	20MHz	16QAM	26365	50RB#0	21.63	PASS
Band25	20MHz	16QAM	26365	50RB#25	21.70	PASS
Band25	20MHz	16QAM	26365	50RB#50	21.74	PASS
Band25	20MHz	16QAM	26365	100RB#0	21.64	PASS
Band25	20MHz	16QAM	26590	1RB#0	22.59	PASS
Band25	20MHz	16QAM	26590	1RB#49	22.21	PASS
Band25	20MHz	16QAM	26590	1RB#99	22.97	PASS
Band25	20MHz	16QAM	26590	50RB#0	21.94	PASS
Band25	20MHz	16QAM	26590	50RB#25	21.79	PASS
Band25	20MHz	16QAM	26590	50RB#50	21.82	PASS
Band25	20MHz	16QAM	26590	100RB#0	21.72	PASS

2. Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	2.99	13	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	3.89	13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	3.69	13	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	4.54	13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	2.30	13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	2.96	13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	4.00	13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	4.86	13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	4.71	13	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	5.49	13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	3.13	13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	3.88	13	PASS
Band25	3MHz	QPSK	26055	1RB#0	3.24	13	PASS
Band25	3MHz	QPSK	26055	15RB#0	3.92	13	PASS
Band25	3MHz	QPSK	26365	1RB#0	3.81	13	PASS
Band25	3MHz	QPSK	26365	15RB#0	4.57	13	PASS
Band25	3MHz	QPSK	26675	1RB#0	2.83	13	PASS
Band25	3MHz	QPSK	26675	15RB#0	3.17	13	PASS
Band25	3MHz	16QAM	26055	1RB#0	3.99	13	PASS
Band25	3MHz	16QAM	26055	15RB#0	4.85	13	PASS
Band25	3MHz	16QAM	26365	1RB#0	4.84	13	PASS
Band25	3MHz	16QAM	26365	15RB#0	5.51	13	PASS
Band25	3MHz	16QAM	26675	1RB#0	3.79	13	PASS
Band25	3MHz	16QAM	26675	15RB#0	4.19	13	PASS
Band25	5MHz	QPSK	26065	1RB#0	3.00	13	PASS
Band25	5MHz	QPSK	26065	25RB#0	3.63	13	PASS
Band25	5MHz	QPSK	26365	1RB#0	3.79	13	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.52	13	PASS
Band25	5MHz	QPSK	26665	1RB#0	2.92	13	PASS
Band25	5MHz	QPSK	26665	25RB#0	2.89	13	PASS
Band25	5MHz	16QAM	26065	1RB#0	4.02	13	PASS


Band25	5MHz	16QAM	26065	25RB#0	4.50	13	PASS
Band25	5MHz	16QAM	26365	1RB#0	4.81	13	PASS
Band25	5MHz	16QAM	26365	25RB#0	5.39	13	PASS
Band25	5MHz	16QAM	26665	1RB#0	3.73	13	PASS
Band25	5MHz	16QAM	26665	25RB#0	3.81	13	PASS
Band25	10MHz	QPSK	26090	1RB#0	2.84	13	PASS
Band25	10MHz	QPSK	26090	50RB#0	3.45	13	PASS
Band25	10MHz	QPSK	26365	1RB#0	3.58	13	PASS
Band25	10MHz	QPSK	26365	50RB#0	4.43	13	PASS
Band25	10MHz	QPSK	26640	1RB#0	2.92	13	PASS
Band25	10MHz	QPSK	26640	50RB#0	3.73	13	PASS
Band25	10MHz	16QAM	26090	1RB#0	3.92	13	PASS
Band25	10MHz	16QAM	26090	50RB#0	4.38	13	PASS
Band25	10MHz	16QAM	26365	1RB#0	4.36	13	PASS
Band25	10MHz	16QAM	26365	50RB#0	5.36	13	PASS
Band25	10MHz	16QAM	26640	1RB#0	4.13	13	PASS
Band25	10MHz	16QAM	26640	50RB#0	4.70	13	PASS
Band25	15MHz	QPSK	26115	1RB#0	2.86	13	PASS
Band25	15MHz	QPSK	26115	75RB#0	3.86	13	PASS
Band25	15MHz	QPSK	26365	1RB#0	8.67	13	PASS
Band25	15MHz	QPSK	26365	75RB#0	4.54	13	PASS
Band25	15MHz	QPSK	26615	1RB#0	2.93	13	PASS
Band25	15MHz	QPSK	26615	75RB#0	4.23	13	PASS
Band25	15MHz	16QAM	26115	1RB#0	4.36	13	PASS
Band25	15MHz	16QAM	26115	75RB#0	4.61	13	PASS
Band25	15MHz	16QAM	26365	1RB#0	4.51	13	PASS
Band25	15MHz	16QAM	26365	75RB#0	5.43	13	PASS
Band25	15MHz	16QAM	26615	1RB#0	8.70	13	PASS
Band25	15MHz	16QAM	26615	75RB#0	5.13	13	PASS
Band25	20MHz	QPSK	26140	1RB#0	2.80	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	4.02	13	PASS
Band25	20MHz	QPSK	26365	1RB#0	3.44	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	4.50	13	PASS
Band25	20MHz	QPSK	26590	1RB#0	8.64	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	4.29	13	PASS
Band25	20MHz	16QAM	26140	1RB#0	3.51	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	4.78	13	PASS




Band25	20MHz	16QAM	26365	1RB#0	4.07	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	5.43	13	PASS
Band25	20MHz	16QAM	26590	1RB#0	3.45	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	5.13	13	PASS

Test Graphs


Band25-1.4MHz-QPSK-26047-1RB#0




Band25-1.4MHz-QPSK-26047-6RB#0




Band25-1.4MHz-QPSK-26365-1RB#0




Band25-1.4MHz-QPSK-26365-6RB#0




Band25-1.4MHz-QPSK-26683-1RB#0




Band25-1.4MHz-QPSK-26683-6RB#0




Band25-1.4MHz-16QAM-26047-1RB#0




Band25-1.4MHz-16QAM-26047-6RB#0




Band25-1.4MHz-16QAM-26365-1RB#0




Band25-1.4MHz-16QAM-26365-6RB#0




Band25-1.4MHz-16QAM-26683-1RB#0




Band25-1.4MHz-16QAM-26683-6RB#0




Band25-3MHz-QPSK-26055-1RB#0




Band25-3MHz-QPSK-26055-15RB#0




Band25-3MHz-QPSK-26365-1RB#0




Band25-3MHz-QPSK-26365-15RB#0




Band25-3MHz-QPSK-26675-1RB#0




Band25-3MHz-QPSK-26675-15RB#0




Band25-3MHz-16QAM-26055-1RB#0




Band25-3MHz-16QAM-26055-15RB#0




Band25-3MHz-16QAM-26365-1RB#0




Band25-3MHz-16QAM-26365-15RB#0




Band25-3MHz-16QAM-26675-1RB#0




Band25-3MHz-16QAM-26675-15RB#0




Band25-5MHz-QPSK-26065-1RB#0




Band25-5MHz-QPSK-26065-25RB#0




Band25-5MHz-QPSK-26365-1RB#0




Band25-5MHz-QPSK-26365-25RB#0




Band25-5MHz-QPSK-26665-1RB#0




Band25-5MHz-QPSK-26665-25RB#0




Band25-5MHz-16QAM-26065-1RB#0




Band25-5MHz-16QAM-26065-25RB#0




Band25-5MHz-16QAM-26365-1RB#0




Band25-5MHz-16QAM-26365-25RB#0




Band25-5MHz-16QAM-26665-1RB#0




Band25-5MHz-16QAM-26665-25RB#0




Band25-10MHz-QPSK-26090-1RB#0




Band25-10MHz-QPSK-26090-50RB#0




Band25-10MHz-QPSK-26365-1RB#0




Band25-10MHz-QPSK-26365-50RB#0




Band25-10MHz-QPSK-26640-1RB#0




Band25-10MHz-QPSK-26640-50RB#0




Band25-10MHz-16QAM-26090-1RB#0




Band25-10MHz-16QAM-26090-50RB#0




Band25-10MHz-16QAM-26365-1RB#0




Band25-10MHz-16QAM-26365-50RB#0




Band25-10MHz-16QAM-26640-1RB#0




Band25-10MHz-16QAM-26640-50RB#0




Band25-15MHz-QPSK-26115-1RB#0




Band25-15MHz-QPSK-26115-75RB#0




Band25-15MHz-QPSK-26365-1RB#0




Band25-15MHz-QPSK-26365-75RB#0




Band25-15MHz-QPSK-26615-1RB#0




Band25-15MHz-QPSK-26615-75RB#0




Band25-15MHz-16QAM-26115-1RB#0




Band25-15MHz-16QAM-26115-75RB#0




Band25-15MHz-16QAM-26365-1RB#0




Band25-15MHz-16QAM-26365-75RB#0




Band25-15MHz-16QAM-26615-1RB#0




Band25-15MHz-16QAM-26615-75RB#0




Band25-20MHz-QPSK-26140-1RB#0




Band25-20MHz-QPSK-26140-100RB#0




Band25-20MHz-QPSK-26365-1RB#0




Band25-20MHz-QPSK-26365-100RB#0




Band25-20MHz-QPSK-26590-1RB#0




Band25-20MHz-QPSK-26590-100RB#0




Band25-20MHz-16QAM-26140-1RB#0




Band25-20MHz-16QAM-26140-100RB#0




Band25-20MHz-16QAM-26365-1RB#0




Band25-20MHz-16QAM-26365-100RB#0



Band25-20MHz-16QAM-26590-1RB#0



Band25-20MHz-16QAM-26590-100RB#0



3. 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.1038	1.322	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.0931	1.291	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.1619	2.117	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.0990	1.315	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.0997	1.312	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.1327	2.023	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.7048	2.962	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.6976	2.963	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.7310	4.958	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.7024	2.969	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.6943	2.983	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.7086	3.894	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5011	5.032	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5176	5.017	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.5335	5.038	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.5283	5.046	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.5013	4.994	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5120	5.004	PASS
Band25	10MHz	QPSK	26090	50RB#0	8.9738	10.13	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.9767	9.892	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.9763	9.914	PASS
Band25	10MHz	16QAM	26090	50RB#0	8.9527	9.927	PASS
Band25	10MHz	16QAM	26365	50RB#0	8.9601	9.830	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.9620	9.894	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.490	15.13	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.424	14.76	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.484	14.84	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.475	14.80	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.415	14.63	PASS

Band25	15MHz	16QAM	26615	75RB#0	13.473	14.81	PASS
Band25	20MHz	QPSK	26140	100RB#0	17.927	19.61	PASS
Band25	20MHz	QPSK	26365	100RB#0	17.876	19.29	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.923	19.67	PASS
Band25	20MHz	16QAM	26140	100RB#0	17.946	19.75	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.903	19.46	PASS
Band25	20MHz	16QAM	26590	100RB#0	17.915	19.51	PASS

Test Graphs

Band25-1.4MHz-QPSK-26047-6RB#0



Band25-1.4MHz-QPSK-26365-6RB#0



Band25-1.4MHz-QPSK-26683-6RB#0




Band25-1.4MHz-16QAM-26047-6RB#0




Band25-1.4MHz-16QAM-26365-6RB#0




Band25-1.4MHz-16QAM-26683-6RB#0




Band25-3MHz-QPSK-26055-15RB#0




Band25-3MHz-QPSK-26365-15RB#0




Band25-3MHz-QPSK-26675-15RB#0



Band25-3MHz-16QAM-26055-15RB#0



Band25-3MHz-16QAM-26365-15RB#0



Band25-3MHz-16QAM-26675-15RB#0



Band25-5MHz-QPSK-26065-25RB#0



Band25-5MHz-QPSK-26365-25RB#0



Band25-5MHz-QPSK-26665-25RB#0