

1. Effective (Isotropic) Radiated Power Output Data

1.1 B71_5MHz_ERP

1.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	665.5	1	0	21.56	-2.51	16.90	<=34.77	Pass
			13	21.74	-2.51	17.08	<=34.77	Pass
			24	21.53	-2.51	16.87	<=34.77	Pass
		12	0	20.49	-2.51	15.83	<=34.77	Pass
			6	20.65	-2.51	15.99	<=34.77	Pass
			13	20.57	-2.51	15.91	<=34.77	Pass
		25	0	20.53	-2.51	15.87	<=34.77	Pass
	680.5	1	0	21.33	-2.51	16.67	<=34.77	Pass
			13	21.48	-2.51	16.82	<=34.77	Pass
			24	21.32	-2.51	16.66	<=34.77	Pass
		12	0	20.38	-2.51	15.72	<=34.77	Pass
			6	20.44	-2.51	15.78	<=34.77	Pass
			13	20.39	-2.51	15.73	<=34.77	Pass
		25	0	20.42	-2.51	15.76	<=34.77	Pass
	695.5	1	0	21.33	-2.51	16.67	<=34.77	Pass
			13	21.53	-2.51	16.87	<=34.77	Pass
			24	21.46	-2.51	16.80	<=34.77	Pass
		12	0	20.39	-2.51	15.73	<=34.77	Pass
			6	20.49	-2.51	15.83	<=34.77	Pass
			13	20.46	-2.51	15.80	<=34.77	Pass
		25	0	20.43	-2.51	15.77	<=34.77	Pass
16QAM	665.5	1	0	20.71	-2.51	16.05	<=34.77	Pass
			13	20.96	-2.51	16.30	<=34.77	Pass
			24	20.75	-2.51	16.09	<=34.77	Pass
		12	0	19.48	-2.51	14.82	<=34.77	Pass
			6	19.66	-2.51	15.00	<=34.77	Pass
			13	19.59	-2.51	14.93	<=34.77	Pass
		25	0	19.47	-2.51	14.81	<=34.77	Pass
	680.5	1	0	20.20	-2.51	15.54	<=34.77	Pass
			13	20.32	-2.51	15.66	<=34.77	Pass
			24	20.21	-2.51	15.55	<=34.77	Pass
		12	0	19.38	-2.51	14.72	<=34.77	Pass
			6	19.43	-2.51	14.77	<=34.77	Pass
			13	19.37	-2.51	14.71	<=34.77	Pass
		25	0	19.39	-2.51	14.73	<=34.77	Pass
	695.5	1	0	20.41	-2.51	15.75	<=34.77	Pass
			13	20.59	-2.51	15.93	<=34.77	Pass
			24	20.51	-2.51	15.85	<=34.77	Pass
		12	0	19.48	-2.51	14.82	<=34.77	Pass
			6	19.50	-2.51	14.84	<=34.77	Pass
			13	19.45	-2.51	14.79	<=34.77	Pass
		25	0	19.46	-2.51	14.80	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B71_10MHz_ERP

1.2.1 Test Result

Band: 71 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	668	1	0	21.64	-2.51	16.98	<=34.77	Pass
			25	21.72	-2.51	17.06	<=34.77	Pass
			49	21.62	-2.51	16.96	<=34.77	Pass
		25	0	20.61	-2.51	15.95	<=34.77	Pass
			13	20.63	-2.51	15.97	<=34.77	Pass
			25	20.62	-2.51	15.96	<=34.77	Pass
		50	0	20.59	-2.51	15.93	<=34.77	Pass
	680.5	1	0	21.48	-2.51	16.82	<=34.77	Pass
			25	21.57	-2.51	16.91	<=34.77	Pass
			49	21.46	-2.51	16.80	<=34.77	Pass
		25	0	20.47	-2.51	15.81	<=34.77	Pass
			13	20.53	-2.51	15.87	<=34.77	Pass
			25	20.46	-2.51	15.80	<=34.77	Pass
		50	0	20.45	-2.51	15.79	<=34.77	Pass
	693	1	0	21.40	-2.51	16.74	<=34.77	Pass
			25	21.53	-2.51	16.87	<=34.77	Pass
			49	21.52	-2.51	16.86	<=34.77	Pass
		25	0	20.49	-2.51	15.83	<=34.77	Pass
			13	20.51	-2.51	15.85	<=34.77	Pass
			25	20.51	-2.51	15.85	<=34.77	Pass
		50	0	20.52	-2.51	15.86	<=34.77	Pass
16QAM	668	1	0	20.63	-2.51	15.97	<=34.77	Pass
			25	20.70	-2.51	16.04	<=34.77	Pass
			49	20.59	-2.51	15.93	<=34.77	Pass
		25	0	19.65	-2.51	14.99	<=34.77	Pass
			13	19.68	-2.51	15.02	<=34.77	Pass
			25	19.65	-2.51	14.99	<=34.77	Pass
		50	0	19.56	-2.51	14.90	<=34.77	Pass
	680.5	1	0	20.66	-2.51	16.00	<=34.77	Pass
			25	20.75	-2.51	16.09	<=34.77	Pass
			49	20.60	-2.51	15.94	<=34.77	Pass
		25	0	19.46	-2.51	14.80	<=34.77	Pass
			13	19.52	-2.51	14.86	<=34.77	Pass
			25	19.46	-2.51	14.80	<=34.77	Pass
		50	0	19.44	-2.51	14.78	<=34.77	Pass
	693	1	0	20.90	-2.51	16.24	<=34.77	Pass
			25	21.15	-2.51	16.49	<=34.77	Pass
			49	21.06	-2.51	16.40	<=34.77	Pass
		25	0	19.54	-2.51	14.88	<=34.77	Pass
			13	19.53	-2.51	14.87	<=34.77	Pass
			25	19.57	-2.51	14.91	<=34.77	Pass
		50	0	19.48	-2.51	14.82	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.3 B71_15MHz_ERP

1.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	670.5	1	0	21.53	-2.51	16.87	<=34.77	Pass
			38	21.57	-2.51	16.91	<=34.77	Pass
			74	21.49	-2.51	16.83	<=34.77	Pass
		36	0	20.67	-2.51	16.01	<=34.77	Pass
			18	20.63	-2.51	15.97	<=34.77	Pass
			39	20.72	-2.51	16.06	<=34.77	Pass
		75	0	20.72	-2.51	16.06	<=34.77	Pass
	680.5	1	0	21.46	-2.51	16.80	<=34.77	Pass
			38	21.50	-2.51	16.84	<=34.77	Pass
			74	21.35	-2.51	16.69	<=34.77	Pass
		36	0	20.48	-2.51	15.82	<=34.77	Pass
			18	20.52	-2.51	15.86	<=34.77	Pass
			39	20.43	-2.51	15.77	<=34.77	Pass
		75	0	20.46	-2.51	15.80	<=34.77	Pass
	690.5	1	0	21.32	-2.51	16.66	<=34.77	Pass
			38	21.49	-2.51	16.83	<=34.77	Pass
			74	21.51	-2.51	16.85	<=34.77	Pass
		36	0	20.49	-2.51	15.83	<=34.77	Pass
			18	20.50	-2.51	15.84	<=34.77	Pass
			39	20.58	-2.51	15.92	<=34.77	Pass
		75	0	20.53	-2.51	15.87	<=34.77	Pass
16QAM	670.5	1	0	20.84	-2.51	16.18	<=34.77	Pass
			38	20.94	-2.51	16.28	<=34.77	Pass
			74	20.88	-2.51	16.22	<=34.77	Pass
		36	0	19.62	-2.51	14.96	<=34.77	Pass
			18	19.62	-2.51	14.96	<=34.77	Pass
			39	19.67	-2.51	15.01	<=34.77	Pass
		75	0	19.63	-2.51	14.97	<=34.77	Pass
	680.5	1	0	20.59	-2.51	15.93	<=34.77	Pass
			38	20.65	-2.51	15.99	<=34.77	Pass
			74	20.48	-2.51	15.82	<=34.77	Pass
		36	0	19.52	-2.51	14.86	<=34.77	Pass
			18	19.50	-2.51	14.84	<=34.77	Pass
			39	19.45	-2.51	14.79	<=34.77	Pass
		75	0	19.48	-2.51	14.82	<=34.77	Pass
	690.5	1	0	20.87	-2.51	16.21	<=34.77	Pass
			38	21.02	-2.51	16.36	<=34.77	Pass
			74	21.03	-2.51	16.37	<=34.77	Pass
		36	0	19.53	-2.51	14.87	<=34.77	Pass
18			19.52	-2.51	14.86	<=34.77	Pass	
39			19.65	-2.51	14.99	<=34.77	Pass	
75		0	19.52	-2.51	14.86	<=34.77	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.4 B71_20MHz_ERP

1.4.1 Test Result

Band: 71 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	673	1	0	21.39	-2.51	16.73	<=34.77	Pass
			50	21.70	-2.51	17.04	<=34.77	Pass
			99	21.29	-2.51	16.63	<=34.77	Pass
		50	0	20.70	-2.51	16.04	<=34.77	Pass
			25	20.59	-2.51	15.93	<=34.77	Pass
			50	20.72	-2.51	16.06	<=34.77	Pass
		100	0	20.73	-2.51	16.07	<=34.77	Pass
	683	1	0	21.27	-2.51	16.61	<=34.77	Pass
			50	21.55	-2.51	16.89	<=34.77	Pass
			99	21.27	-2.51	16.61	<=34.77	Pass
		50	0	20.41	-2.51	15.75	<=34.77	Pass
			25	20.47	-2.51	15.81	<=34.77	Pass
			50	20.44	-2.51	15.78	<=34.77	Pass
		100	0	20.44	-2.51	15.78	<=34.77	Pass
	688	1	0	21.26	-2.51	16.60	<=34.77	Pass
			50	21.57	-2.51	16.91	<=34.77	Pass
			99	21.36	-2.51	16.70	<=34.77	Pass
		50	0	20.55	-2.51	15.89	<=34.77	Pass
			25	20.47	-2.51	15.81	<=34.77	Pass
			50	20.51	-2.51	15.85	<=34.77	Pass
		100	0	20.49	-2.51	15.83	<=34.77	Pass
16QAM	673	1	0	20.60	-2.51	15.94	<=34.77	Pass
			50	20.99	-2.51	16.33	<=34.77	Pass
			99	20.54	-2.51	15.88	<=34.77	Pass
		50	0	19.65	-2.51	14.99	<=34.77	Pass
			25	19.54	-2.51	14.88	<=34.77	Pass
			50	19.65	-2.51	14.99	<=34.77	Pass
		100	0	19.67	-2.51	15.01	<=34.77	Pass
	683	1	0	20.84	-2.51	16.18	<=34.77	Pass
			50	21.10	-2.51	16.44	<=34.77	Pass
			99	20.81	-2.51	16.15	<=34.77	Pass
		50	0	19.40	-2.51	14.74	<=34.77	Pass
			25	19.47	-2.51	14.81	<=34.77	Pass
			50	19.45	-2.51	14.79	<=34.77	Pass
		100	0	19.45	-2.51	14.79	<=34.77	Pass
	688	1	0	20.41	-2.51	15.75	<=34.77	Pass
			50	20.74	-2.51	16.08	<=34.77	Pass
			99	20.55	-2.51	15.89	<=34.77	Pass
		50	0	19.53	-2.51	14.87	<=34.77	Pass
25			19.47	-2.51	14.81	<=34.77	Pass	
50			19.48	-2.51	14.82	<=34.77	Pass	
100		0	19.53	-2.51	14.87	<=34.77	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 B71_5MHz

2.1.1 Test Result

Band: 71 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	665.5	25	0	20	3.27	-4.921	-0.0074	-2.5 to 2.5	Pass
					3.85	-7.181	-0.0108	-2.5 to 2.5	Pass
					4.43	-7.539	-0.0113	-2.5 to 2.5	Pass
				-30	3.85	-6.065	-0.0091	-2.5 to 2.5	Pass
				-20	3.85	-8.311	-0.0125	-2.5 to 2.5	Pass
				-10	3.85	-5.851	-0.0088	-2.5 to 2.5	Pass
				0	3.85	-10.972	-0.0165	-2.5 to 2.5	Pass
				10	3.85	-8.526	-0.0128	-2.5 to 2.5	Pass
				30	3.85	-8.240	-0.0124	-2.5 to 2.5	Pass
				40	3.85	-9.212	-0.0138	-2.5 to 2.5	Pass
				50	3.85	-6.280	-0.0094	-2.5 to 2.5	Pass
	680.5	25	0	20	3.27	-7.296	-0.0107	-2.5 to 2.5	Pass
					3.85	-2.489	-0.0037	-2.5 to 2.5	Pass
					4.43	-8.969	-0.0132	-2.5 to 2.5	Pass
				-30	3.85	-2.990	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-4.363	-0.0064	-2.5 to 2.5	Pass
				-10	3.85	-9.327	-0.0137	-2.5 to 2.5	Pass
				0	3.85	-6.294	-0.0092	-2.5 to 2.5	Pass
				10	3.85	-8.311	-0.0122	-2.5 to 2.5	Pass
				30	3.85	-3.834	-0.0056	-2.5 to 2.5	Pass
				40	3.85	-11.244	-0.0165	-2.5 to 2.5	Pass
				50	3.85	-7.110	-0.0104	-2.5 to 2.5	Pass
	695.5	25	0	20	3.27	-8.583	-0.0123	-2.5 to 2.5	Pass
					3.85	-7.653	-0.0110	-2.5 to 2.5	Pass
					4.43	-6.809	-0.0098	-2.5 to 2.5	Pass
				-30	3.85	-3.920	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-4.549	-0.0065	-2.5 to 2.5	Pass
				-10	3.85	-8.097	-0.0116	-2.5 to 2.5	Pass
				0	3.85	-5.364	-0.0077	-2.5 to 2.5	Pass
				10	3.85	-4.578	-0.0066	-2.5 to 2.5	Pass
				30	3.85	-16.737	-0.0241	-2.5 to 2.5	Pass
				40	3.85	-6.337	-0.0091	-2.5 to 2.5	Pass
16QAM	665.5	25	0	20	3.27	-9.341	-0.0140	-2.5 to 2.5	Pass
					3.85	-5.507	-0.0083	-2.5 to 2.5	Pass
					4.43	-7.339	-0.0110	-2.5 to 2.5	Pass
				-30	3.85	-6.709	-0.0101	-2.5 to 2.5	Pass
				-20	3.85	-6.666	-0.0100	-2.5 to 2.5	Pass
				-10	3.85	-6.537	-0.0098	-2.5 to 2.5	Pass
				0	3.85	-7.925	-0.0119	-2.5 to 2.5	Pass
				10	3.85	-5.307	-0.0080	-2.5 to 2.5	Pass
				30	3.85	-6.981	-0.0105	-2.5 to 2.5	Pass
				40	3.85	-6.952	-0.0104	-2.5 to 2.5	Pass
				50	3.85	-9.284	-0.0140	-2.5 to 2.5	Pass
	680.5	25	0	20	3.27	-8.969	-0.0132	-2.5 to 2.5	Pass
					3.85	-7.081	-0.0104	-2.5 to 2.5	Pass

					4.43	-6.166	-0.0091	-2.5 to 2.5	Pass
				-30	3.85	-5.765	-0.0085	-2.5 to 2.5	Pass
				-20	3.85	-6.080	-0.0089	-2.5 to 2.5	Pass
				-10	3.85	-8.068	-0.0119	-2.5 to 2.5	Pass
				0	3.85	-5.822	-0.0086	-2.5 to 2.5	Pass
				10	3.85	-1.416	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-5.035	-0.0074	-2.5 to 2.5	Pass
				40	3.85	-6.809	-0.0100	-2.5 to 2.5	Pass
				50	3.85	-7.710	-0.0113	-2.5 to 2.5	Pass
	695.5	25	0	20	3.27	-11.373	-0.0164	-2.5 to 2.5	Pass
					3.85	-4.635	-0.0067	-2.5 to 2.5	Pass
					4.43	-3.204	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-7.796	-0.0112	-2.5 to 2.5	Pass
				-20	3.85	-8.798	-0.0126	-2.5 to 2.5	Pass
				-10	3.85	-4.306	-0.0062	-2.5 to 2.5	Pass
				0	3.85	-7.839	-0.0113	-2.5 to 2.5	Pass
				10	3.85	-8.039	-0.0116	-2.5 to 2.5	Pass
				30	3.85	-7.296	-0.0105	-2.5 to 2.5	Pass
				40	3.85	-7.439	-0.0107	-2.5 to 2.5	Pass
				50	3.85	-7.768	-0.0112	-2.5 to 2.5	Pass

2.2 B71_10MHz

2.2.1 Test Result

Band: 71 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	668	50	0	20	3.27	-9.370	-0.0140	-2.5 to 2.5	Pass
					3.85	-5.565	-0.0083	-2.5 to 2.5	Pass
					4.43	-4.292	-0.0064	-2.5 to 2.5	Pass
				-30	3.85	-8.841	-0.0132	-2.5 to 2.5	Pass
				-20	3.85	-3.119	-0.0047	-2.5 to 2.5	Pass
				-10	3.85	-3.762	-0.0056	-2.5 to 2.5	Pass
				0	3.85	-10.228	-0.0153	-2.5 to 2.5	Pass
				10	3.85	-8.640	-0.0129	-2.5 to 2.5	Pass
				30	3.85	-8.483	-0.0127	-2.5 to 2.5	Pass
				40	3.85	-4.864	-0.0073	-2.5 to 2.5	Pass
				50	3.85	-4.206	-0.0063	-2.5 to 2.5	Pass
	680.5	50	0	20	3.27	-3.748	-0.0055	-2.5 to 2.5	Pass
					3.85	-8.340	-0.0123	-2.5 to 2.5	Pass
					4.43	-3.576	-0.0053	-2.5 to 2.5	Pass
				-30	3.85	-3.104	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-5.307	-0.0078	-2.5 to 2.5	Pass
				-10	3.85	-4.792	-0.0070	-2.5 to 2.5	Pass
				0	3.85	-4.520	-0.0066	-2.5 to 2.5	Pass
				10	3.85	-9.413	-0.0138	-2.5 to 2.5	Pass
				30	3.85	-12.016	-0.0177	-2.5 to 2.5	Pass
				40	3.85	-4.020	-0.0059	-2.5 to 2.5	Pass
				50	3.85	-9.055	-0.0133	-2.5 to 2.5	Pass
	693	50	0	20	3.27	-9.713	-0.0140	-2.5 to 2.5	Pass
					3.85	-8.469	-0.0122	-2.5 to 2.5	Pass
					4.43	-10.915	-0.0158	-2.5 to 2.5	Pass
				-30	3.85	-11.344	-0.0164	-2.5 to 2.5	Pass
				-20	3.85	-8.912	-0.0129	-2.5 to 2.5	Pass

16QAM	668	50	0	-10	3.85	-9.971	-0.0144	-2.5 to 2.5	Pass
				0	3.85	-8.769	-0.0127	-2.5 to 2.5	Pass
				10	3.85	-10.057	-0.0145	-2.5 to 2.5	Pass
				30	3.85	-5.965	-0.0086	-2.5 to 2.5	Pass
				40	3.85	-8.612	-0.0124	-2.5 to 2.5	Pass
				50	3.85	-6.208	-0.0090	-2.5 to 2.5	Pass
	680.5	50	0	20	3.27	-8.955	-0.0134	-2.5 to 2.5	Pass
					3.85	-6.480	-0.0097	-2.5 to 2.5	Pass
					4.43	-3.219	-0.0048	-2.5 to 2.5	Pass
				-30	3.85	-6.881	-0.0103	-2.5 to 2.5	Pass
				-20	3.85	-7.396	-0.0111	-2.5 to 2.5	Pass
				-10	3.85	-5.350	-0.0080	-2.5 to 2.5	Pass
				0	3.85	-5.078	-0.0076	-2.5 to 2.5	Pass
				10	3.85	-1.159	-0.0017	-2.5 to 2.5	Pass
				30	3.85	-9.427	-0.0141	-2.5 to 2.5	Pass
				40	3.85	-5.922	-0.0089	-2.5 to 2.5	Pass
				50	3.85	-3.004	-0.0045	-2.5 to 2.5	Pass
				20	3.27	-9.470	-0.0139	-2.5 to 2.5	Pass
					3.85	-9.298	-0.0137	-2.5 to 2.5	Pass
					4.43	-8.640	-0.0127	-2.5 to 2.5	Pass
				-30	3.85	-8.311	-0.0122	-2.5 to 2.5	Pass
				-20	3.85	-9.084	-0.0133	-2.5 to 2.5	Pass
				-10	3.85	-10.614	-0.0156	-2.5 to 2.5	Pass
				0	3.85	-10.543	-0.0155	-2.5 to 2.5	Pass
				10	3.85	-9.069	-0.0133	-2.5 to 2.5	Pass
				30	3.85	-7.067	-0.0104	-2.5 to 2.5	Pass
				40	3.85	-7.095	-0.0104	-2.5 to 2.5	Pass
				50	3.85	-5.636	-0.0083	-2.5 to 2.5	Pass
	693	50	0	20	3.27	-7.882	-0.0114	-2.5 to 2.5	Pass
					3.85	-7.210	-0.0104	-2.5 to 2.5	Pass
					4.43	-9.370	-0.0135	-2.5 to 2.5	Pass
				-30	3.85	-10.128	-0.0146	-2.5 to 2.5	Pass
				-20	3.85	-9.127	-0.0132	-2.5 to 2.5	Pass
				-10	3.85	-8.841	-0.0128	-2.5 to 2.5	Pass
				0	3.85	-5.021	-0.0072	-2.5 to 2.5	Pass
				10	3.85	-5.422	-0.0078	-2.5 to 2.5	Pass
				30	3.85	-3.462	-0.0050	-2.5 to 2.5	Pass
				40	3.85	-4.706	-0.0068	-2.5 to 2.5	Pass
				50	3.85	-4.678	-0.0068	-2.5 to 2.5	Pass

2.3 B71_15MHz

2.3.1 Test Result

Band: 71 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	670.5	75	0	20	3.27	-9.341	-0.0139	-2.5 to 2.5	Pass
					3.85	-2.904	-0.0043	-2.5 to 2.5	Pass
					4.43	-4.749	-0.0071	-2.5 to 2.5	Pass
				-30	3.85	-4.177	-0.0062	-2.5 to 2.5	Pass
				-20	3.85	-9.470	-0.0141	-2.5 to 2.5	Pass
				-10	3.85	-10.700	-0.0160	-2.5 to 2.5	Pass
				0	3.85	-9.584	-0.0143	-2.5 to 2.5	Pass
				10	3.85	-5.250	-0.0078	-2.5 to 2.5	Pass

				30	3.85	-6.080	-0.0091	-2.5 to 2.5	Pass
				40	3.85	-3.047	-0.0045	-2.5 to 2.5	Pass
				50	3.85	-7.453	-0.0111	-2.5 to 2.5	Pass
	680.5	75	0	20	3.27	-4.334	-0.0064	-2.5 to 2.5	Pass
					3.85	-8.268	-0.0121	-2.5 to 2.5	Pass
					4.43	-7.925	-0.0116	-2.5 to 2.5	Pass
				-30	3.85	-8.140	-0.0120	-2.5 to 2.5	Pass
				-20	3.85	-4.148	-0.0061	-2.5 to 2.5	Pass
				-10	3.85	-3.619	-0.0053	-2.5 to 2.5	Pass
				0	3.85	-6.180	-0.0091	-2.5 to 2.5	Pass
				10	3.85	-3.061	-0.0045	-2.5 to 2.5	Pass
				30	3.85	-4.535	-0.0067	-2.5 to 2.5	Pass
				40	3.85	-6.137	-0.0090	-2.5 to 2.5	Pass
				50	3.85	-7.682	-0.0113	-2.5 to 2.5	Pass
	690.5	75	0	20	3.27	-2.918	-0.0042	-2.5 to 2.5	Pass
					3.85	-5.765	-0.0083	-2.5 to 2.5	Pass
					4.43	-3.090	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-4.492	-0.0065	-2.5 to 2.5	Pass
				-20	3.85	-5.393	-0.0078	-2.5 to 2.5	Pass
				-10	3.85	-9.499	-0.0138	-2.5 to 2.5	Pass
				0	3.85	-5.965	-0.0086	-2.5 to 2.5	Pass
				10	3.85	-2.074	-0.0030	-2.5 to 2.5	Pass
				30	3.85	-3.161	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-2.818	-0.0041	-2.5 to 2.5	Pass
				50	3.85	-0.973	-0.0014	-2.5 to 2.5	Pass
16QAM	670.5	75	0	20	3.27	-7.539	-0.0112	-2.5 to 2.5	Pass
					3.85	-7.868	-0.0117	-2.5 to 2.5	Pass
					4.43	-7.353	-0.0110	-2.5 to 2.5	Pass
				-30	3.85	-5.021	-0.0075	-2.5 to 2.5	Pass
				-20	3.85	-8.140	-0.0121	-2.5 to 2.5	Pass
				-10	3.85	-6.552	-0.0098	-2.5 to 2.5	Pass
				0	3.85	-6.266	-0.0093	-2.5 to 2.5	Pass
				10	3.85	-8.755	-0.0131	-2.5 to 2.5	Pass
				30	3.85	-5.679	-0.0085	-2.5 to 2.5	Pass
				40	3.85	-4.950	-0.0074	-2.5 to 2.5	Pass
				50	3.85	-6.967	-0.0104	-2.5 to 2.5	Pass
	680.5	75	0	20	3.27	-11.187	-0.0164	-2.5 to 2.5	Pass
					3.85	-9.527	-0.0140	-2.5 to 2.5	Pass
					4.43	-12.488	-0.0184	-2.5 to 2.5	Pass
				-30	3.85	-11.201	-0.0165	-2.5 to 2.5	Pass
				-20	3.85	-7.782	-0.0114	-2.5 to 2.5	Pass
				-10	3.85	-11.373	-0.0167	-2.5 to 2.5	Pass
				0	3.85	-6.981	-0.0103	-2.5 to 2.5	Pass
				10	3.85	-9.828	-0.0144	-2.5 to 2.5	Pass
				30	3.85	-5.221	-0.0077	-2.5 to 2.5	Pass
				40	3.85	-9.456	-0.0139	-2.5 to 2.5	Pass
				50	3.85	-7.296	-0.0107	-2.5 to 2.5	Pass
	690.5	75	0	20	3.27	-3.176	-0.0046	-2.5 to 2.5	Pass
					3.85	-1.903	-0.0028	-2.5 to 2.5	Pass
					4.43	-1.674	-0.0024	-2.5 to 2.5	Pass
				-30	3.85	-4.191	-0.0061	-2.5 to 2.5	Pass
				-20	3.85	-3.533	-0.0051	-2.5 to 2.5	Pass
				-10	3.85	-3.233	-0.0047	-2.5 to 2.5	Pass
				0	3.85	-6.952	-0.0101	-2.5 to 2.5	Pass
				10	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.687	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-0.615	-0.0009	-2.5 to 2.5	Pass

				50	3.85	-5.436	-0.0079	-2.5 to 2.5	Pass
--	--	--	--	----	------	--------	---------	-------------	------

2.4 B71_20MHz

2.4.1 Test Result

Band: 71 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	673	100	0	20	3.27	-7.825	-0.0116	-2.5 to 2.5	Pass
					3.85	-9.413	-0.0140	-2.5 to 2.5	Pass
					4.43	-7.553	-0.0112	-2.5 to 2.5	Pass
				-30	3.85	-9.027	-0.0134	-2.5 to 2.5	Pass
				-20	3.85	-6.294	-0.0094	-2.5 to 2.5	Pass
				-10	3.85	-7.167	-0.0106	-2.5 to 2.5	Pass
				0	3.85	-8.111	-0.0121	-2.5 to 2.5	Pass
				10	3.85	-6.752	-0.0100	-2.5 to 2.5	Pass
				30	3.85	-7.668	-0.0114	-2.5 to 2.5	Pass
				40	3.85	-7.067	-0.0105	-2.5 to 2.5	Pass
				50	3.85	-7.052	-0.0105	-2.5 to 2.5	Pass
	683	100	0	20	3.27	-3.419	-0.0050	-2.5 to 2.5	Pass
					3.85	-8.526	-0.0125	-2.5 to 2.5	Pass
					4.43	-6.080	-0.0089	-2.5 to 2.5	Pass
				-30	3.85	-5.050	-0.0074	-2.5 to 2.5	Pass
				-20	3.85	-5.822	-0.0085	-2.5 to 2.5	Pass
				-10	3.85	-9.427	-0.0138	-2.5 to 2.5	Pass
				0	3.85	-5.765	-0.0084	-2.5 to 2.5	Pass
				10	3.85	-4.964	-0.0073	-2.5 to 2.5	Pass
				30	3.85	-4.506	-0.0066	-2.5 to 2.5	Pass
				40	3.85	-6.652	-0.0097	-2.5 to 2.5	Pass
				50	3.85	-8.941	-0.0131	-2.5 to 2.5	Pass
	688	100	0	20	3.27	-4.506	-0.0065	-2.5 to 2.5	Pass
					3.85	-6.051	-0.0088	-2.5 to 2.5	Pass
					4.43	-4.964	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	-7.510	-0.0109	-2.5 to 2.5	Pass
				-20	3.85	-6.380	-0.0093	-2.5 to 2.5	Pass
				-10	3.85	-5.708	-0.0083	-2.5 to 2.5	Pass
				0	3.85	-5.250	-0.0076	-2.5 to 2.5	Pass
				10	3.85	-7.997	-0.0116	-2.5 to 2.5	Pass
				30	3.85	-7.925	-0.0115	-2.5 to 2.5	Pass
				40	3.85	-7.482	-0.0109	-2.5 to 2.5	Pass
				50	3.85	-8.497	-0.0124	-2.5 to 2.5	Pass
16QAM	673	100	0	20	3.27	-7.396	-0.0110	-2.5 to 2.5	Pass
					3.85	-5.794	-0.0086	-2.5 to 2.5	Pass
					4.43	-5.651	-0.0084	-2.5 to 2.5	Pass
				-30	3.85	-5.565	-0.0083	-2.5 to 2.5	Pass
				-20	3.85	-5.679	-0.0084	-2.5 to 2.5	Pass
				-10	3.85	-7.696	-0.0114	-2.5 to 2.5	Pass
				0	3.85	-6.251	-0.0093	-2.5 to 2.5	Pass
				10	3.85	-8.497	-0.0126	-2.5 to 2.5	Pass
				30	3.85	-8.125	-0.0121	-2.5 to 2.5	Pass
				40	3.85	-7.038	-0.0105	-2.5 to 2.5	Pass
				50	3.85	-4.349	-0.0065	-2.5 to 2.5	Pass
	683	100	0	20	3.27	-9.198	-0.0135	-2.5 to 2.5	Pass
					3.85	-6.824	-0.0100	-2.5 to 2.5	Pass

					4.43	-4.463	-0.0065	-2.5 to 2.5	Pass
				-30	3.85	-4.821	-0.0071	-2.5 to 2.5	Pass
				-20	3.85	-2.747	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	-6.881	-0.0101	-2.5 to 2.5	Pass
				0	3.85	-8.826	-0.0129	-2.5 to 2.5	Pass
				10	3.85	-7.982	-0.0117	-2.5 to 2.5	Pass
				30	3.85	-5.965	-0.0087	-2.5 to 2.5	Pass
				40	3.85	-4.134	-0.0061	-2.5 to 2.5	Pass
				50	3.85	-5.865	-0.0086	-2.5 to 2.5	Pass
	688	100	0	20	3.27	-6.595	-0.0096	-2.5 to 2.5	Pass
					3.85	-5.651	-0.0082	-2.5 to 2.5	Pass
					4.43	-7.324	-0.0106	-2.5 to 2.5	Pass
				-30	3.85	-7.782	-0.0113	-2.5 to 2.5	Pass
				-20	3.85	-6.924	-0.0101	-2.5 to 2.5	Pass
				-10	3.85	-7.253	-0.0105	-2.5 to 2.5	Pass
				0	3.85	-6.080	-0.0088	-2.5 to 2.5	Pass
				10	3.85	-2.432	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-4.277	-0.0062	-2.5 to 2.5	Pass
				40	3.85	-3.190	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-3.004	-0.0044	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 B71_5MHz

3.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	680.5	25	0	Refer To Test Graph	
16QAM	680.5	25	0	Refer To Test Graph	
					Verdict
					Pass
					Pass

3.1.2 Test Graph




3.2 B71_10MHz

3.2.1 Test Result

Band: 71 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	50	0	Refer To Test Graph		Pass
16QAM	680.5	50	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B71_15MHz

3.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	75	0	Refer To Test Graph		Pass
16QAM	680.5	75	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B71_20MHz

3.4.1 Test Result

Band: 71 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	683	100	0	Refer To Test Graph		Pass
16QAM	683	100	0	Refer To Test Graph		Pass

3.4.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band71_OBW


4.1.1 Test Result

Band: 71 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	665.5	25	0	4.561	Pass
		680.5	25	0	4.561	Pass
		695.5	25	0	4.577	Pass
	16QAM	665.5	25	0	4.573	Pass
		680.5	25	0	4.595	Pass
		695.5	25	0	4.548	Pass
10	QPSK	668	50	0	9.068	Pass
		680.5	50	0	9.057	Pass
		693	50	0	9.099	Pass
	16QAM	668	50	0	9.043	Pass
		680.5	50	0	9.049	Pass
		693	50	0	9.081	Pass
15	QPSK	670.5	75	0	13.699	Pass
		680.5	75	0	13.551	Pass
		690.5	75	0	13.602	Pass
	16QAM	670.5	75	0	13.626	Pass
		680.5	75	0	13.566	Pass
		690.5	75	0	13.615	Pass
20	QPSK	673	100	0	18.080	Pass
		683	100	0	18.113	Pass
		688	100	0	18.177	Pass
	16QAM	673	100	0	18.145	Pass
		683	100	0	18.139	Pass
		688	100	0	18.153	Pass


4.1.2 Test Graph




Band71_5MHz_QPSK_HCH_695.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_LCH_665.5MHz_RB_25_0_NTNV







Band71_10MHz_QPSK_LCH_668MHz_RB_50_0_NTNV




Band71_10MHz_QPSK_MCH_680.5MHz_RB_50_0_NTNV




Band71_10MHz_QPSK_HCH_693MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_LCH_668MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_MCH_680.5MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_HCH_693MHz_RB_50_0_NTNV




Band71_15MHz_QPSK_LCH_670.5MHz_RB_75_0_NTNV




Band71_15MHz_QPSK_MCH_680.5MHz_RB_75_0_NTNV




Band71_15MHz_QPSK_HCH_690.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_LCH_670.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_MCH_680.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_HCH_690.5MHz_RB_75_0_NTNV




Band71_20MHz_QPSK_LCH_673MHz_RB_100_0_NTNV




Band71_20MHz_QPSK_MCH_683MHz_RB_100_0_NTNV




Band71_20MHz_QPSK_HCH_688MHz_RB_100_0_NTNV




Band71_20MHz_16QAM_LCH_673MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_MCH_683MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_HCH_688MHz_RB_100_0_NTNV




4.2 Band71_XDB


4.2.1 Test Result

Band: 71 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	665.5	25	0	5.124	Pass
		680.5	25	0	5.271	Pass
		695.5	25	0	5.293	Pass
	16QAM	665.5	25	0	5.271	Pass
		680.5	25	0	5.286	Pass
		695.5	25	0	5.209	Pass
10	QPSK	668	50	0	11.110	Pass
		680.5	50	0	10.308	Pass
		693	50	0	10.230	Pass
	16QAM	668	50	0	10.152	Pass
		680.5	50	0	10.229	Pass
		693	50	0	10.246	Pass
15	QPSK	670.5	75	0	15.685	Pass
		680.5	75	0	15.117	Pass
		690.5	75	0	15.248	Pass
	16QAM	670.5	75	0	15.230	Pass
		680.5	75	0	15.238	Pass
		690.5	75	0	15.384	Pass
20	QPSK	673	100	0	20.013	Pass
		683	100	0	20.161	Pass
		688	100	0	20.154	Pass
	16QAM	673	100	0	20.306	Pass
		683	100	0	20.037	Pass
		688	100	0	20.132	Pass


4.2.2 Test Graph




Band71_5MHz_QPSK_HCH_695.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_LCH_665.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_MCH_680.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_HCH_695.5MHz_RB_25_0_NTNV




Band71_10MHz_QPSK_LCH_668MHz_RB_50_0_NTNV




Band71_10MHz_QPSK_MCH_680.5MHz_RB_50_0_NTNV




Band71_10MHz_QPSK_HCH_693MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_LCH_668MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_MCH_680.5MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_HCH_693MHz_RB_50_0_NTNV




Band71_15MHz_QPSK_LCH_670.5MHz_RB_75_0_NTNV




Band71_15MHz_QPSK_MCH_680.5MHz_RB_75_0_NTNV




Band71_15MHz_QPSK_HCH_690.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_LCH_670.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_MCH_680.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_HCH_690.5MHz_RB_75_0_NTNV




Band71_20MHz_QPSK_LCH_673MHz_RB_100_0_NTNV




Band71_20MHz_QPSK_MCH_683MHz_RB_100_0_NTNV




Band71_20MHz_QPSK_HCH_688MHz_RB_100_0_NTNV




Band71_20MHz_16QAM_LCH_673MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_MCH_683MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_HCH_688MHz_RB_100_0_NTNV




5. Peak-Average Ratio

5.1 B71_5MHz


5.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	25	0	5.44	<=13	Pass
	680.5	25	0	5.54	<=13	Pass
	695.5	25	0	5.44	<=13	Pass
16QAM	665.5	25	0	6.10	<=13	Pass
	680.5	25	0	6.16	<=13	Pass
	695.5	25	0	6.14	<=13	Pass


5.1.2 Test Graph




Band71_5MHz_QPSK_HCH_695.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_LCH_665.5MHz_RB_25_0_NTNV



Band71_5MHz_16QAM_MCH_680.5MHz_RB_25_0_NTNV



Band71_5MHz_16QAM_HCH_695.5MHz_RB_25_0_NTNV




5.2 B71_10MHz


5.2.1 Test Result

Band: 71 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	668	50	0	5.49	<=13	Pass
	680.5	50	0	5.48	<=13	Pass
	693	50	0	5.51	<=13	Pass
16QAM	668	50	0	6.19	<=13	Pass
	680.5	50	0	6.21	<=13	Pass
	693	50	0	6.17	<=13	Pass


5.2.2 Test Graph




Band71_10MHz_QPSK_HCH_693MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_LCH_668MHz_RB_50_0_NTNV



Band71_10MHz_16QAM_MCH_680.5MHz_RB_50_0_NTNV



Band71_10MHz_16QAM_HCH_693MHz_RB_50_0_NTNV




5.3 B71_15MHz


5.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	75	0	5.55	<=13	Pass
	680.5	75	0	5.30	<=13	Pass
	690.5	75	0	5.39	<=13	Pass
16QAM	670.5	75	0	6.20	<=13	Pass
	680.5	75	0	6.05	<=13	Pass
	690.5	75	0	6.11	<=13	Pass


5.3.2 Test Graph




Band71_15MHz_QPSK_HCH_690.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_LCH_670.5MHz_RB_75_0_NTNV



Band71_15MHz_16QAM_MCH_680.5MHz_RB_75_0_NTNV



Band71_15MHz_16QAM_HCH_690.5MHz_RB_75_0_NTNV




5.4 B71_20MHz


5.4.1 Test Result

Band: 71 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	673	100	0	5.73	<=13	Pass
	683	100	0	5.50	<=13	Pass
	688	100	0	5.55	<=13	Pass
16QAM	673	100	0	6.33	<=13	Pass
	683	100	0	6.18	<=13	Pass
	688	100	0	6.26	<=13	Pass


5.4.2 Test Graph




Band71_20MHz_QPSK_HCH_688MHz_RB_100_0_NTNV




Band71_20MHz_16QAM_LCH_673MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_MCH_683MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_HCH_688MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 B71_5MHz

6.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	665.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	680.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	665.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	680.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass