



## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11060.000	58.84	4.11	62.95	74.00	-11.05	peak	
2 *		11060.000	47.54	4.11	51.65	54.00	-2.35	AVG	

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	30.36	14.44	44.80	68.20	-23.40	peak	
2 *		5460.000	36.96	14.51	51.47	68.20	-16.73	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO


Test Channel:122

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11220.000	15.82	48.73	64.55	74.00	-9.45	peak	
2 *		11220.000	4.48	48.73	53.21	54.00	-0.79	AVG	

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11220.000	13.45	48.73	62.18	74.00	-11.82	peak	
2 *		11220.000	2.43	48.73	51.16	54.00	-2.84	AVG	


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11550.000	15.78	49.05	64.83	74.00	-9.17	peak	
2	*	11550.000	4.50	49.05	53.55	54.00	-0.45	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	41.13	15.12	56.25	68.20	-11.95	peak	
2		5700.000	66.35	15.46	81.81	105.20	-23.39	peak	
3		5720.000	70.36	15.33	85.69	110.80	-25.11	peak	
4		5725.000	71.47	15.30	86.77	122.20	-35.43	peak	
5		5850.000	65.59	15.18	80.77	122.20	-41.43	peak	
6		5855.000	64.23	15.25	79.48	110.80	-31.32	peak	
7		5875.000	53.95	15.51	69.46	105.20	-35.74	peak	
8		5925.000	39.84	16.28	56.12	68.20	-12.08	peak	


### HORIZONTALA

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	13.52	49.05	62.57	74.00	-11.43			peak
2 *		11550.000	2.28	49.05	51.33	54.00	-2.67			AVG

#### Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	40.05	15.12	55.17	68.20	-13.03			peak
2		5700.000	68.15	15.46	83.61	105.20	-21.59			peak
3		5720.000	72.87	15.33	88.20	110.80	-22.60			peak
4		5725.000	73.84	15.30	89.14	122.20	-33.06			peak
5		5850.000	67.31	15.18	82.49	122.20	-39.71			peak
6		5855.000	63.85	15.25	79.10	110.80	-31.70			peak
7		5875.000	50.20	15.51	65.71	105.20	-39.49			peak
8		5925.000	38.82	16.28	55.10	68.20	-13.10			peak

Above 1G (1GHz~18GHz)

Test mode: 11AX160MIMO


Test Channel:50

VERTICAL




## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10500.000	56.30	6.46	62.76	68.20	-5.44	peak		

### Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	30.64	13.85	44.49	68.20	-23.71	peak		
2		5150.000	51.09	15.62	66.71	68.20	-1.49	peak		
3	*	5150.000	37.86	15.62	53.48	54.00	-0.52	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11AX160MIMO


Test Channel:114

VERTICAL




## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11140.000	13.79	48.77	62.56	74.00	-11.44			peak
2 *		11140.000	2.76	48.77	51.53	54.00	-2.47			AVG

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	30.51	14.44	44.95	68.20	-23.25			peak
2		5460.000	51.05	14.51	65.56	68.20	-2.64			peak
3 *		5460.000	39.15	14.51	53.66	54.00	-0.34			AVG

Note: The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.



### 3.3 Spectrum Bandwidth

#### 3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

#### 3.3.2 Test Procedure

Test Method	
<input checked="" type="radio"/> Conducted Measurement	<input type="radio"/> Radiated Measurement
Test Channels	
<input checked="" type="radio"/> Lowest, Middle and Highest Channel	<input type="radio"/> Lowest and Highest Channel
Environmental conditions	
<input checked="" type="radio"/> Normal	<input type="radio"/> Normal and Extreme
Note: ●:Test    ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times$ Nominal Channel Bandwidth
VBW	$\geq 3 \times$ RBW
Frequency span	$2 \times$ Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	$2 \times$ Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

### 3.3.3 Test Setup



### 3.3.4 Test Result

#### 26 dB Bandwidth

Test Mode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant1	5180	21.200	5169.440	5190.640	---	---
	Ant2	5180	21.120	5169.520	5190.640	---	---
	Ant3	5180	21.280	5169.360	5190.640	---	---
	Ant4	5180	21.040	5169.360	5190.400	---	---
	Ant1	5200	21.360	5189.160	5210.520	---	---
	Ant2	5200	21.200	5189.400	5210.600	---	---
	Ant3	5200	21.440	5189.120	5210.560	---	---
	Ant4	5200	22.520	5189.080	5211.600	---	---
	Ant1	5240	20.960	5229.520	5250.480	---	---
	Ant2	5240	21.080	5229.480	5250.560	---	---
	Ant3	5240	21.200	5229.400	5250.600	---	---
	Ant4	5240	20.960	5229.600	5250.560	---	---
	Ant1	5260	21.240	5249.320	5270.560	---	---
	Ant2	5260	21.040	5249.600	5270.640	---	---
	Ant3	5260	21.160	5249.480	5270.640	---	---
	Ant4	5260	21.240	5249.200	5270.440	---	---
	Ant1	5280	21.200	5269.320	5290.520	---	---
	Ant2	5280	21.040	5269.480	5290.520	---	---
	Ant3	5280	21.520	5269.120	5290.640	---	---
	Ant4	5280	21.200	5269.320	5290.520	---	---
	Ant1	5320	20.840	5309.520	5330.360	---	---
	Ant2	5320	21.280	5309.320	5330.600	---	---
	Ant3	5320	21.320	5309.360	5330.680	---	---
	Ant4	5320	21.160	5309.360	5330.520	---	---
	Ant1	5500	21.200	5489.440	5510.640	---	---
	Ant2	5500	21.360	5489.400	5510.760	---	---
	Ant3	5500	21.160	5489.400	5510.560	---	---
	Ant4	5500	21.160	5489.400	5510.560	---	---
	Ant1	5580	21.240	5569.400	5590.640	---	---
	Ant2	5580	21.120	5569.560	5590.680	---	---
	Ant3	5580	21.360	5569.360	5590.720	---	---
	Ant4	5580	21.320	5569.200	5590.520	---	---
	Ant1	5700	21.080	5689.520	5710.600	---	---
	Ant2	5700	21.360	5689.360	5710.720	---	---
	Ant3	5700	21.520	5689.240	5710.760	---	---
	Ant4	5700	21.160	5689.440	5710.600	---	---
	Ant1	5745	21.320	5734.320	5755.640	---	---
	Ant2	5745	21.320	5734.320	5755.640	---	---
	Ant3	5745	22.800	5734.360	5757.160	---	---

	Ant4	5745	21.280	5734.440	5755.720	---	---
	Ant1	5785	24.320	5773.120	5797.440	---	---
	Ant2	5785	26.040	5772.320	5798.360	---	---
	Ant3	5785	28.880	5770.480	5799.360	---	---
	Ant4	5785	37.200	5765.480	5802.680	---	---
	Ant1	5825	21.360	5814.320	5835.680	---	---
	Ant2	5825	21.080	5814.320	5835.400	---	---
	Ant3	5825	21.480	5814.200	5835.680	---	---
	Ant4	5825	21.120	5814.400	5835.520	---	---
11N20MIMO	Ant1	5180	21.400	5169.360	5190.760	---	---
	Ant2	5180	21.160	5169.320	5190.480	---	---
	Ant3	5180	21.360	5169.400	5190.760	---	---
	Ant4	5180	21.400	5169.320	5190.720	---	---
	Ant1	5200	21.640	5189.120	5210.760	---	---
	Ant2	5200	21.600	5189.200	5210.800	---	---
	Ant3	5200	24.000	5188.400	5212.400	---	---
	Ant4	5200	25.200	5189.320	5214.520	---	---
	Ant1	5240	21.360	5229.400	5250.760	---	---
	Ant2	5240	21.440	5229.280	5250.720	---	---
	Ant3	5240	22.120	5229.120	5251.240	---	---
	Ant4	5240	21.320	5229.360	5250.680	---	---
	Ant1	5260	21.760	5249.000	5270.760	---	---
	Ant2	5260	21.200	5249.480	5270.680	---	---
	Ant3	5260	21.400	5249.360	5270.760	---	---
	Ant4	5260	21.400	5249.360	5270.760	---	---
	Ant1	5280	21.680	5269.120	5290.800	---	---
	Ant2	5280	21.240	5269.440	5290.680	---	---
	Ant3	5280	21.440	5269.360	5290.800	---	---
	Ant4	5280	21.440	5269.240	5290.680	---	---
	Ant1	5320	21.560	5309.200	5330.760	---	---
	Ant2	5320	21.480	5309.160	5330.640	---	---
	Ant3	5320	21.400	5309.320	5330.720	---	---
	Ant4	5320	21.400	5309.200	5330.600	---	---
	Ant1	5500	21.600	5489.160	5510.760	---	---
	Ant2	5500	21.640	5489.120	5510.760	---	---
	Ant3	5500	21.480	5489.360	5510.840	---	---
	Ant4	5500	21.440	5489.320	5510.760	---	---
	Ant1	5580	21.560	5569.040	5590.600	---	---
	Ant2	5580	21.320	5569.320	5590.640	---	---
	Ant3	5580	21.320	5569.320	5590.640	---	---
	Ant4	5580	21.360	5569.360	5590.720	---	---
Ant1	5700	21.200	5689.440	5710.640	---	---	

	Ant2	5700	21.400	5689.320	5710.720	---	---
	Ant3	5700	21.560	5689.160	5710.720	---	---
	Ant4	5700	21.480	5689.400	5710.880	---	---
	Ant1	5745	21.480	5734.280	5755.760	---	---
	Ant2	5745	21.520	5734.080	5755.600	---	---
	Ant3	5745	22.200	5733.920	5756.120	---	---
	Ant4	5745	21.360	5734.320	5755.680	---	---
	Ant1	5785	30.960	5769.040	5800.000	---	---
	Ant2	5785	31.880	5769.040	5800.920	---	---
	Ant3	5785	32.280	5768.280	5800.560	---	---
	Ant4	5785	38.880	5765.280	5804.160	---	---
	Ant1	5825	21.360	5814.320	5835.680	---	---
	Ant2	5825	22.320	5813.840	5836.160	---	---
	Ant3	5825	22.120	5814.120	5836.240	---	---
	Ant4	5825	22.080	5813.680	5835.760	---	---
11N40MIMO	Ant1	5190	40.080	5169.920	5210.000	---	---
	Ant2	5190	39.280	5170.320	5209.600	---	---
	Ant3	5190	39.520	5170.400	5209.920	---	---
	Ant4	5190	39.680	5170.080	5209.760	---	---
	Ant1	5230	39.840	5210.160	5250.000	---	---
	Ant2	5230	39.680	5210.160	5249.840	---	---
	Ant3	5230	42.960	5207.120	5250.080	---	---
	Ant4	5230	39.440	5210.320	5249.760	---	---
	Ant1	5270	39.280	5250.400	5289.680	---	---
	Ant2	5270	48.480	5250.000	5298.480	---	---
	Ant3	5270	39.200	5250.480	5289.680	---	---
	Ant4	5270	39.440	5250.160	5289.600	---	---
	Ant1	5310	39.920	5290.080	5330.000	---	---
	Ant2	5310	39.360	5290.240	5329.600	---	---
	Ant3	5310	39.600	5290.080	5329.680	---	---
	Ant4	5310	39.520	5290.240	5329.760	---	---
	Ant1	5510	40.240	5489.840	5530.080	---	---
	Ant2	5510	39.520	5490.160	5529.680	---	---
	Ant3	5510	39.520	5490.240	5529.760	---	---
	Ant4	5510	39.520	5490.160	5529.680	---	---
	Ant1	5550	40.000	5530.080	5570.080	---	---
	Ant2	5550	39.520	5530.320	5569.840	---	---
	Ant3	5550	39.440	5530.240	5569.680	---	---
	Ant4	5550	39.600	5530.160	5569.760	---	---
	Ant1	5670	39.680	5650.160	5689.840	---	---
	Ant2	5670	39.680	5650.240	5689.920	---	---
	Ant3	5670	39.520	5650.160	5689.680	---	---

	Ant4	5670	39.680	5650.160	5689.840	---	---
	Ant1	5755	73.280	5717.880	5791.160	---	---
	Ant2	5755	71.120	5720.040	5791.160	---	---
	Ant3	5755	75.920	5717.320	5793.240	---	---
	Ant4	5755	76.400	5716.840	5793.240	---	---
	Ant1	5795	75.840	5757.320	5833.160	---	---
	Ant2	5795	73.440	5759.800	5833.240	---	---
	Ant3	5795	75.760	5757.320	5833.080	---	---
	Ant4	5795	79.040	5755.960	5835.000	---	---
11AC20MIMO	Ant1	5180	21.520	5169.200	5190.720	---	---
	Ant2	5180	21.400	5169.280	5190.680	---	---
	Ant3	5180	21.520	5169.160	5190.680	---	---
	Ant4	5180	21.440	5169.240	5190.680	---	---
	Ant1	5200	21.400	5189.240	5210.640	---	---
	Ant2	5200	24.040	5187.640	5211.680	---	---
	Ant3	5200	33.760	5183.280	5217.040	---	---
	Ant4	5200	32.880	5184.640	5217.520	---	---
	Ant1	5240	21.440	5229.200	5250.640	---	---
	Ant2	5240	21.360	5229.320	5250.680	---	---
	Ant3	5240	22.320	5229.120	5251.440	---	---
	Ant4	5240	21.560	5229.160	5250.720	---	---
	Ant1	5260	21.440	5249.240	5270.680	---	---
	Ant2	5260	21.480	5249.240	5270.720	---	---
	Ant3	5260	21.360	5249.400	5270.760	---	---
	Ant4	5260	21.240	5249.360	5270.600	---	---
	Ant1	5280	21.440	5269.240	5290.680	---	---
	Ant2	5280	21.440	5269.280	5290.720	---	---
	Ant3	5280	21.320	5269.240	5290.560	---	---
	Ant4	5280	21.280	5269.280	5290.560	---	---
	Ant1	5320	21.440	5309.160	5330.600	---	---
	Ant2	5320	21.280	5309.360	5330.640	---	---
	Ant3	5320	21.360	5309.320	5330.680	---	---
	Ant4	5320	21.480	5309.040	5330.520	---	---
	Ant1	5500	21.600	5489.160	5510.760	---	---
	Ant2	5500	21.600	5489.200	5510.800	---	---
	Ant3	5500	21.480	5489.240	5510.720	---	---
	Ant4	5500	21.280	5489.400	5510.680	---	---
	Ant1	5580	21.480	5569.160	5590.640	---	---
	Ant2	5580	21.280	5569.320	5590.600	---	---
	Ant3	5580	21.320	5569.360	5590.680	---	---
	Ant4	5580	21.400	5569.160	5590.560	---	---
Ant1	5700	21.680	5689.000	5710.680	---	---	

	Ant2	5700	21.400	5689.280	5710.680	---	---
	Ant3	5700	21.240	5689.240	5710.480	---	---
	Ant4	5700	21.520	5689.240	5710.760	---	---
	Ant1	5745	21.480	5734.160	5755.640	---	---
	Ant2	5745	21.480	5734.120	5755.600	---	---
	Ant3	5745	28.520	5730.360	5758.880	---	---
	Ant4	5745	24.080	5733.000	5757.080	---	---
	Ant1	5785	33.680	5770.440	5804.120	---	---
	Ant2	5785	35.600	5767.280	5802.880	---	---
	Ant3	5785	35.360	5766.840	5802.200	---	---
	Ant4	5785	38.600	5765.440	5804.040	---	---
	Ant1	5825	21.720	5814.240	5835.960	---	---
	Ant2	5825	26.680	5812.520	5839.200	---	---
	Ant3	5825	29.680	5808.880	5838.560	---	---
	Ant4	5825	23.600	5812.680	5836.280	---	---
11AC40MIMO	Ant1	5190	40.240	5169.680	5209.920	---	---
	Ant2	5190	39.440	5170.080	5209.520	---	---
	Ant3	5190	39.840	5169.920	5209.760	---	---
	Ant4	5190	40.240	5169.520	5209.760	---	---
	Ant1	5230	40.480	5209.520	5250.000	---	---
	Ant2	5230	39.360	5210.240	5249.600	---	---
	Ant3	5230	69.840	5195.040	5264.880	---	---
	Ant4	5230	50.640	5210.080	5260.720	---	---
	Ant1	5270	40.160	5249.760	5289.920	---	---
	Ant2	5270	39.520	5250.320	5289.840	---	---
	Ant3	5270	39.440	5250.160	5289.600	---	---
	Ant4	5270	39.760	5249.760	5289.520	---	---
	Ant1	5310	40.320	5289.520	5329.840	---	---
	Ant2	5310	39.920	5289.920	5329.840	---	---
	Ant3	5310	39.680	5290.160	5329.840	---	---
	Ant4	5310	40.160	5289.600	5329.760	---	---
	Ant1	5510	40.160	5489.760	5529.920	---	---
	Ant2	5510	39.520	5490.160	5529.680	---	---
	Ant3	5510	39.520	5490.080	5529.600	---	---
	Ant4	5510	40.000	5489.760	5529.760	---	---
	Ant1	5550	40.080	5530.000	5570.080	---	---
	Ant2	5550	39.520	5530.160	5569.680	---	---
	Ant3	5550	39.200	5530.480	5569.680	---	---
	Ant4	5550	39.520	5530.240	5569.760	---	---
	Ant1	5670	40.000	5650.080	5690.080	---	---
	Ant2	5670	39.360	5650.240	5689.600	---	---
	Ant3	5670	39.680	5650.080	5689.760	---	---

	Ant4	5670	39.680	5650.240	5689.920	---	---
	Ant1	5755	65.280	5718.600	5783.880	---	---
	Ant2	5755	64.880	5721.880	5786.760	---	---
	Ant3	5755	74.480	5717.160	5791.640	---	---
	Ant4	5755	75.920	5715.720	5791.640	---	---
	Ant1	5795	75.040	5757.000	5832.040	---	---
	Ant2	5795	72.640	5758.520	5831.160	---	---
	Ant3	5795	74.240	5757.320	5831.560	---	---
	Ant4	5795	80.000	5755.000	5835.000	---	---
11AC80MIMO	Ant1	5210	133.760	5130.800	5264.560	---	---
	Ant2	5210	81.920	5168.880	5250.800	---	---
	Ant3	5210	82.080	5169.040	5251.120	---	---
	Ant4	5210	81.280	5169.680	5250.960	---	---
	Ant1	5290	120.320	5210.800	5331.120	---	---
	Ant2	5290	81.120	5249.520	5330.640	---	---
	Ant3	5290	81.600	5249.040	5330.640	---	---
	Ant4	5290	81.920	5248.880	5330.800	---	---
	Ant1	5530	95.040	5476.240	5571.280	---	---
	Ant2	5530	81.600	5489.200	5570.800	---	---
	Ant3	5530	81.440	5489.200	5570.640	---	---
	Ant4	5530	81.920	5489.360	5571.280	---	---
	Ant1	5610	82.720	5568.400	5651.120	---	---
	Ant2	5610	81.120	5569.360	5650.480	---	---
	Ant3	5610	80.960	5569.200	5650.160	---	---
	Ant4	5610	81.600	5569.040	5650.640	---	---
	Ant1	5775	84.160	5733.880	5818.040	---	---
	Ant2	5775	83.040	5734.040	5817.080	---	---
	Ant3	5775	84.960	5730.360	5815.320	---	---
	Ant4	5775	82.240	5734.200	5816.440	---	---
11AC160MIMO	Ant1	5250	318.400	5090.320	5408.720	---	---
	Ant2	5250	238.080	5093.520	5331.600	---	---
	Ant3	5250	231.360	5100.560	5331.920	---	---
	Ant4	5250	230.080	5101.520	5331.600	---	---
	Ant1	5250_UNII-1	159.68	5090.320	5250	---	---
	Ant2	5250_UNII-1	156.48	5093.520	5250	---	---
	Ant3	5250_UNII-1	149.44	5100.560	5250	---	---
	Ant4	5250_UNII-1	148.48	5101.520	5250	---	---
	Ant1	5250_UNII-	158.72	5250	5408.720	---	---



		2A					
	Ant2	5250_UNII-2A	81.6	5250	5331.600	---	---
	Ant3	5250_UNII-2A	81.92	5250	5331.920	---	---
	Ant4	5250_UNII-2A	81.6	5250	5331.600	---	---
	Ant1	5570	207.680	5444.240	5651.920	---	---
	Ant2	5570	163.840	5489.040	5652.880	---	---
	Ant3	5570	161.920	5489.040	5650.960	---	---
	Ant4	5570	162.880	5488.720	5651.600	---	---
11AX20MIMO	Ant1	5180	21.520	5169.080	5190.600	---	---
	Ant2	5180	21.240	5169.320	5190.560	---	---
	Ant3	5180	21.680	5169.080	5190.760	---	---
	Ant4	5180	21.400	5169.320	5190.720	---	---
	Ant1	5200	21.680	5189.160	5210.840	---	---
	Ant2	5200	21.240	5189.280	5210.520	---	---
	Ant3	5200	25.640	5185.400	5211.040	---	---
	Ant4	5200	22.120	5188.880	5211.000	---	---
	Ant1	5240	21.480	5229.320	5250.800	---	---
	Ant2	5240	21.800	5229.120	5250.920	---	---
	Ant3	5240	32.840	5224.080	5256.920	---	---
	Ant4	5240	24.320	5229.360	5253.680	---	---
	Ant1	5260	21.560	5249.200	5270.760	---	---
	Ant2	5260	21.680	5249.120	5270.800	---	---
	Ant3	5260	21.480	5249.240	5270.720	---	---
	Ant4	5260	21.640	5249.000	5270.640	---	---
	Ant1	5280	21.440	5269.360	5290.800	---	---
	Ant2	5280	21.160	5269.400	5290.560	---	---
	Ant3	5280	21.520	5269.240	5290.760	---	---
	Ant4	5280	21.240	5269.280	5290.520	---	---
	Ant1	5320	21.520	5309.200	5330.720	---	---
	Ant2	5320	21.240	5309.400	5330.640	---	---
	Ant3	5320	21.320	5309.400	5330.720	---	---
	Ant4	5320	21.280	5309.320	5330.600	---	---
	Ant1	5500	21.360	5489.360	5510.720	---	---
	Ant2	5500	21.520	5489.200	5510.720	---	---
	Ant3	5500	21.480	5489.160	5510.640	---	---
	Ant4	5500	21.200	5489.360	5510.560	---	---
	Ant1	5580	21.680	5569.080	5590.760	---	---
	Ant2	5580	21.280	5569.320	5590.600	---	---
	Ant3	5580	21.480	5569.280	5590.760	---	---

	Ant4	5580	21.400	5569.360	5590.760	---	---
	Ant1	5700	21.680	5689.040	5710.720	---	---
	Ant2	5700	21.800	5689.080	5710.880	---	---
	Ant3	5700	21.440	5689.320	5710.760	---	---
	Ant4	5700	21.400	5689.160	5710.560	---	---
	Ant1	5745	22.840	5734.160	5757.000	---	---
	Ant2	5745	24.080	5734.280	5758.360	---	---
	Ant3	5745	32.760	5727.600	5760.360	---	---
	Ant4	5745	27.600	5731.040	5758.640	---	---
	Ant1	5785	37.600	5765.920	5803.520	---	---
	Ant2	5785	36.560	5767.080	5803.640	---	---
	Ant3	5785	39.040	5765.920	5804.960	---	---
	Ant4	5785	40.000	5765.000	5805.000	---	---
	Ant1	5825	21.600	5814.120	5835.720	---	---
	Ant2	5825	23.000	5814.120	5837.120	---	---
	Ant3	5825	32.240	5808.920	5841.160	---	---
	Ant4	5825	28.880	5811.800	5840.680	---	---
11AX40MIMO	Ant1	5190	40.400	5169.840	5210.240	---	---
	Ant2	5190	40.720	5169.600	5210.320	---	---
	Ant3	5190	40.240	5169.680	5209.920	---	---
	Ant4	5190	40.240	5169.920	5210.160	---	---
	Ant1	5230	42.400	5209.840	5252.240	---	---
	Ant2	5230	60.240	5198.240	5258.480	---	---
	Ant3	5230	60.400	5198.240	5258.640	---	---
	Ant4	5230	64.720	5197.360	5262.080	---	---
	Ant1	5270	40.480	5249.920	5290.400	---	---
	Ant2	5270	39.760	5250.080	5289.840	---	---
	Ant3	5270	40.320	5250.000	5290.320	---	---
	Ant4	5270	40.640	5249.360	5290.000	---	---
	Ant1	5310	40.560	5289.760	5330.320	---	---
	Ant2	5310	40.240	5289.680	5329.920	---	---
	Ant3	5310	40.560	5289.600	5330.160	---	---
	Ant4	5310	40.320	5289.680	5330.000	---	---
	Ant1	5510	40.720	5489.520	5530.240	---	---
	Ant2	5510	40.560	5489.600	5530.160	---	---
	Ant3	5510	40.320	5489.920	5530.240	---	---
	Ant4	5510	40.400	5489.760	5530.160	---	---
	Ant1	5550	40.240	5530.000	5570.240	---	---
	Ant2	5550	40.240	5529.840	5570.080	---	---
	Ant3	5550	40.160	5529.680	5569.840	---	---
	Ant4	5550	40.400	5529.840	5570.240	---	---
Ant1	5670	40.320	5649.920	5690.240	---	---	

	Ant2	5670	40.240	5649.760	5690.000	---	---
	Ant3	5670	40.240	5649.680	5689.920	---	---
	Ant4	5670	40.000	5650.000	5690.000	---	---
	Ant1	5755	60.000	5723.480	5783.480	---	---
	Ant2	5755	64.800	5718.280	5783.080	---	---
	Ant3	5755	73.040	5718.520	5791.560	---	---
	Ant4	5755	80.000	5715.000	5795.000	---	---
	Ant1	5795	68.320	5762.360	5830.680	---	---
	Ant2	5795	74.960	5756.680	5831.640	---	---
	Ant3	5795	78.800	5756.200	5835.000	---	---
	Ant4	5795	79.920	5755.000	5834.920	---	---
11AX80MIMO	Ant1	5210	81.440	5169.040	5250.480	---	---
	Ant2	5210	82.240	5168.880	5251.120	---	---
	Ant3	5210	80.960	5169.200	5250.160	---	---
	Ant4	5210	82.080	5169.040	5251.120	---	---
	Ant1	5290	81.120	5249.200	5330.320	---	---
	Ant2	5290	81.600	5249.040	5330.640	---	---
	Ant3	5290	81.920	5249.200	5331.120	---	---
	Ant4	5290	81.760	5249.200	5330.960	---	---
	Ant1	5530	80.800	5489.680	5570.480	---	---
	Ant2	5530	81.440	5489.360	5570.800	---	---
	Ant3	5530	81.600	5489.040	5570.640	---	---
	Ant4	5530	82.560	5489.040	5571.600	---	---
	Ant1	5610	80.800	5569.360	5650.160	---	---
	Ant2	5610	81.280	5569.360	5650.640	---	---
	Ant3	5610	81.760	5568.880	5650.640	---	---
	Ant4	5610	81.280	5569.200	5650.480	---	---
	Ant1	5775	125.280	5710.360	5835.640	---	---
	Ant2	5775	137.600	5701.240	5838.840	---	---
	Ant3	5775	153.440	5695.480	5848.920	---	---
	Ant4	5775	143.200	5700.120	5843.320	---	---
11AX160MIMO	Ant1	5250	165.120	5167.440	5332.560	---	---
	Ant2	5250	163.840	5168.400	5332.240	---	---
	Ant3	5250	165.120	5167.440	5332.560	---	---
	Ant4	5250	180.480	5151.120	5331.600	---	---
	Ant1	5250_UNII-1	82.56	5167.440	5250	---	---
	Ant2	5250_UNII-1	81.6	5168.400	5250	---	---
	Ant3	5250_UNII-1	82.56	5167.440	5250	---	---
	Ant4	5250_UNII-	98.88	5151.120	5250	---	---

		1					
	Ant1	5250_UNII-2A	82.56	5250	5332.560	---	---
	Ant2	5250_UNII-2A	82.24	5250	5332.240	---	---
	Ant3	5250_UNII-2A	82.56	5250	5332.560	---	---
	Ant4	5250_UNII-2A	81.6	5250	5331.600	---	---
	Ant1	5570	168.000	5486.800	5654.800	---	---
	Ant2	5570	163.840	5488.080	5651.920	---	---
	Ant3	5570	164.800	5488.080	5652.880	---	---
	Ant4	5570	163.840	5487.440	5651.280	---	---







11A-CDD\_Ant3\_5200



11A-CDD\_Ant4\_5200





11A-CDD\_Ant1\_5240



11A-CDD\_Ant2\_5240



11A-CDD\_Ant3\_5240



11A-CDD\_Ant4\_5240



11A-CDD\_Ant1\_5260



11A-CDD\_Ant2\_5260



11A-CDD\_Ant3\_5260



11A-CDD\_Ant4\_5260




11A-CDD\_Ant1\_5280



11A-CDD\_Ant2\_5280







11A-CDD\_Ant3\_5320



11A-CDD\_Ant4\_5320





