


Annex A.6 Band Edge

1. WCDMA_Band2


1.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-25.35	-13	Pass	41
1849	1850	0.051	RMS	1850	-25.97	-13	Pass	401
1850	1855	0.1	RMS	1852.8	8.82	35	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.763	9.08	35	Pass	401
1910	1911	0.051	RMS	1910	-23.7	-13	Pass	401
1911	1915	1	RMS	1911	-25.49	-13	Pass	41



2. WCDMA_Band4

2.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-23.12	-13	Pass	41
1709	1710	0.051	RMS	1710	-24.47	-13	Pass	401
1710	1715	0.1	RMS	1711.525	8.91	35	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1513)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.713	8.9	35	Pass	401
1755	1756	0.051	RMS	1755	-21.52	-13	Pass	401
1756	1760	1	RMS	1756	-21.04	-13	Pass	41



3. WCDMA_Band5


3.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.835	-31.87	-13	Pass	401
823	824	0.051	RMS	823.853	-26.2	-13	Pass	401
824	829	0.1	RMS	826.413	8.72	35	Pass	401



3.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.713	8.9	35	Pass	401
849	850	0.051	RMS	849	-26.5	-13	Pass	401
850	855	0.1	RMS	850.175	-38.67	-13	Pass	401



4. LTE_Band2


4.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.59	-13	Pass	401
1848	1849	1	RMS	1849	-26.45	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-21.62	-13	Pass	401
1850	1852	0.1	RMS	1850.255	21.44	30	Pass	401




4.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.12	-13	Pass	401
1848	1849	1	RMS	1849	-22.63	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-29.06	-13	Pass	401
1850	1852	0.1	RMS	1851.115	12.93	30	Pass	401




4.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.81	-13	Pass	401
1848	1849	1	RMS	1849	-28.12	-13	Pass	2
1849	1850	0.02	RMS	1850	-23.92	-13	Pass	401
1850	1852	0.1	RMS	1850.245	20.41	30	Pass	401



4.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.67	-13	Pass	401
1848	1849	1	RMS	1849	-24.8	-13	Pass	2
1849	1850	0.02	RMS	1849.995	-29.53	-13	Pass	401
1850	1852	0.1	RMS	1851.105	12.1	30	Pass	401




4.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.75	21.45	30	Pass	401
1910	1911	0.02	RMS	1910	-20.05	-13	Pass	401
1911	1912	1	RMS	1911	-24.71	-13	Pass	2
1912	1920	1	RMS	1912	-34.4	-13	Pass	401



4.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.9	13.01	30	Pass	401
1910	1911	0.02	RMS	1910	-25.69	-13	Pass	401
1911	1912	1	RMS	1911	-21.3	-13	Pass	2
1912	1920	1	RMS	1912	-31.85	-13	Pass	401




4.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.745	20.73	30	Pass	401
1910	1911	0.02	RMS	1910	-20.79	-13	Pass	401
1911	1912	1	RMS	1911	-25.57	-13	Pass	2
1912	1920	1	RMS	1912	-34.75	-13	Pass	401




4.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.98	12.36	30	Pass	401
1910	1911	0.02	RMS	1910	-26.55	-13	Pass	401
1911	1912	1	RMS	1911	-22.93	-13	Pass	2
1912	1920	1	RMS	1912	-33.44	-13	Pass	401




4.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.82	-32.54	-13	Pass	401
1848	1849	1	RMS	1848	-32.5	-13	Pass	2
1849	1850	0.03	RMS	1850	-19.8	-13	Pass	401
1850	1853	0.1	RMS	1850.24	21.51	30	Pass	401




4.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.92	-13	Pass	401
1848	1849	1	RMS	1849	-23.9	-13	Pass	2
1849	1850	0.03	RMS	1850	-28.19	-13	Pass	401
1850	1853	0.1	RMS	1852.678	9.38	30	Pass	401




4.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.44	-13	Pass	401
1848	1849	1	RMS	1849	-34.07	-13	Pass	2
1849	1850	0.03	RMS	1850	-22.35	-13	Pass	401
1850	1853	0.1	RMS	1850.233	20.04	30	Pass	401




4.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.88	-13	Pass	401
1848	1849	1	RMS	1849	-23.59	-13	Pass	2
1849	1850	0.03	RMS	1850	-29.75	-13	Pass	401
1850	1853	0.1	RMS	1852.43	8.16	30	Pass	401




4.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	21.47	30	Pass	401
1910	1911	0.03	RMS	1910.005	-18.3	-13	Pass	401
1911	1912	1	RMS	1911	-30.46	-13	Pass	2
1912	1920	1	RMS	1912.1	-31.57	-13	Pass	401




4.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.263	9.15	30	Pass	401
1910	1911	0.03	RMS	1910	-27.09	-13	Pass	401
1911	1912	1	RMS	1911	-21.2	-13	Pass	2
1912	1920	1	RMS	1912	-23.63	-13	Pass	401



4.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	21.22	30	Pass	401
1910	1911	0.03	RMS	1910	-17.55	-13	Pass	401
1911	1912	1	RMS	1911	-30.27	-13	Pass	2
1912	1920	1	RMS	1912.12	-31.89	-13	Pass	401




4.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.45	8.35	30	Pass	401
1910	1911	0.03	RMS	1910	-27.83	-13	Pass	401
1911	1912	1	RMS	1911	-21.78	-13	Pass	2
1912	1920	1	RMS	1912	-25.61	-13	Pass	401




4.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-35.41	-13	Pass	401
1848	1849	1	RMS	1849	-33.88	-13	Pass	2
1849	1850	0.051	RMS	1850	-21.7	-13	Pass	401
1850	1855	0.1	RMS	1850.325	20.99	30	Pass	401




4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.65	-13	Pass	401
1848	1849	1	RMS	1849	-26.36	-13	Pass	2
1849	1850	0.051	RMS	1850	-29.31	-13	Pass	401
1850	1855	0.1	RMS	1853.363	7	30	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-36.45	-13	Pass	401
1848	1849	1	RMS	1849	-35.3	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.88	-13	Pass	401
1850	1855	0.1	RMS	1850.35	19.86	30	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.21	-13	Pass	401
1848	1849	1	RMS	1849	-25.58	-13	Pass	2
1849	1850	0.051	RMS	1850	-29.92	-13	Pass	401
1850	1855	0.1	RMS	1853.3	6.1	30	Pass	401




4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	20.98	30	Pass	401
1910	1911	0.051	RMS	1910	-20.19	-13	Pass	401
1911	1912	1	RMS	1912	-31.55	-13	Pass	2
1912	1920	1	RMS	1912	-31.64	-13	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.075	7.11	30	Pass	401
1910	1911	0.051	RMS	1910.003	-28.14	-13	Pass	401
1911	1912	1	RMS	1911	-23.84	-13	Pass	2
1912	1920	1	RMS	1912	-25.43	-13	Pass	401




4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	20.4	30	Pass	401
1910	1911	0.051	RMS	1910	-21.05	-13	Pass	401
1911	1912	1	RMS	1912	-32.3	-13	Pass	2
1912	1920	1	RMS	1912.02	-32.49	-13	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1905.788	6.12	30	Pass	401
1910	1911	0.051	RMS	1910	-29.34	-13	Pass	401
1911	1912	1	RMS	1911	-24.52	-13	Pass	2
1912	1920	1	RMS	1912	-26.24	-13	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.02	-13	Pass	401
1848	1849	1	RMS	1849	-34.04	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-32.48	-13	Pass	401
1850	1860	0.1	RMS	1850.575	21.17	30	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.12	-13	Pass	401
1848	1849	1	RMS	1849	-29.89	-13	Pass	2
1849	1850	0.1	RMS	1850	-33.52	-13	Pass	401
1850	1860	0.1	RMS	1855.5	4.26	30	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.26	-13	Pass	401
1848	1849	1	RMS	1849	-35.18	-13	Pass	2
1849	1850	0.1	RMS	1850	-33.52	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.11	30	Pass	401




4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.06	-13	Pass	401
1848	1849	1	RMS	1849	-26.01	-13	Pass	2
1849	1850	0.1	RMS	1850	-31.57	-13	Pass	401
1850	1860	0.1	RMS	1855.225	6.09	30	Pass	401




4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	21.57	30	Pass	401
1910	1911	0.1	RMS	1910	-30.77	-13	Pass	401
1911	1912	1	RMS	1911	-32.52	-13	Pass	2
1912	1920	1	RMS	1913.78	-33.91	-13	Pass	401




4.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1905.525	4.5	30	Pass	401
1910	1911	0.1	RMS	1910	-32.39	-13	Pass	401
1911	1912	1	RMS	1911	-27.28	-13	Pass	2
1912	1920	1	RMS	1912	-28.67	-13	Pass	401




4.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.55	30	Pass	401
1910	1911	0.1	RMS	1910.003	-32.3	-13	Pass	401
1911	1912	1	RMS	1911	-33.51	-13	Pass	2
1912	1920	1	RMS	1913.78	-35.32	-13	Pass	401




4.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1905.6	6.13	30	Pass	401
1910	1911	0.1	RMS	1910	-31.71	-13	Pass	401
1911	1912	1	RMS	1911	-26.46	-13	Pass	2
1912	1920	1	RMS	1912	-28.31	-13	Pass	401




4.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.77	-13	Pass	401
1848	1849	1	RMS	1849	-33.97	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-29.2	-13	Pass	401
1850	1865	0.1	RMS	1850.863	21.11	30	Pass	401




4.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.16	-31.78	-13	Pass	401
1848	1849	1	RMS	1849	-29.76	-13	Pass	2
1849	1850	0.15	RMS	1850	-35.11	-13	Pass	401
1850	1865	0.1	RMS	1858.775	2.4	30	Pass	401



4.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.11	-13	Pass	401
1848	1849	1	RMS	1849	-35.27	-13	Pass	2
1849	1850	0.15	RMS	1850	-30.02	-13	Pass	401
1850	1865	0.1	RMS	1850.863	19.93	30	Pass	401




4.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.45	-13	Pass	401
1848	1849	1	RMS	1849	-26.63	-13	Pass	2
1849	1850	0.15	RMS	1849.995	-32.16	-13	Pass	401
1850	1865	0.1	RMS	1855.213	6.11	30	Pass	401




4.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.138	21.31	30	Pass	401
1910	1911	0.15	RMS	1910	-28.6	-13	Pass	401
1911	1912	1	RMS	1911	-33.68	-13	Pass	2
1912	1920	1	RMS	1915.78	-34.62	-13	Pass	401




4.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1903.513	2.71	30	Pass	401
1910	1911	0.15	RMS	1910.29	-31.67	-13	Pass	401
1911	1912	1	RMS	1911	-24.76	-13	Pass	2
1912	1920	1	RMS	1912.8	-26.57	-13	Pass	401




4.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.9	30	Pass	401
1910	1911	0.15	RMS	1910.003	-29.95	-13	Pass	401
1911	1912	1	RMS	1911	-35.48	-13	Pass	2
1912	1920	1	RMS	1912	-37.56	-13	Pass	401




4.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1905.35	6.07	30	Pass	401
1910	1911	0.15	RMS	1910	-32.08	-13	Pass	401
1911	1912	1	RMS	1911	-27.17	-13	Pass	2
1912	1920	1	RMS	1912.02	-29.09	-13	Pass	401




4.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.56	-13	Pass	401
1848	1849	1	RMS	1849	-34.82	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.55	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.94	30	Pass	401




4.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-33.37	-13	Pass	401
1848	1849	1	RMS	1849	-32.78	-13	Pass	2
1849	1850	0.2	RMS	1850	-36.83	-13	Pass	401
1850	1870	0.1	RMS	1858.65	1.14	30	Pass	401




4.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-37.98	-13	Pass	401
1848	1849	1	RMS	1849	-35.14	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.09	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.55	30	Pass	401




4.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.05	-13	Pass	401
1848	1849	1	RMS	1849	-27.17	-13	Pass	2
1849	1850	0.2	RMS	1850	-30.68	-13	Pass	401
1850	1870	0.1	RMS	1855.25	6.14	30	Pass	401




4.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.97	30	Pass	401
1910	1911	0.2	RMS	1910.003	-32.39	-13	Pass	401
1911	1912	1	RMS	1911	-34.47	-13	Pass	2
1912	1920	1	RMS	1917.8	-36.65	-13	Pass	401




4.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1903.25	1.1	30	Pass	401
1910	1911	0.2	RMS	1910.003	-30.98	-13	Pass	401
1911	1912	1	RMS	1911	-25.42	-13	Pass	2
1912	1920	1	RMS	1912	-26.67	-13	Pass	401




4.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.26	30	Pass	401
1910	1911	0.2	RMS	1910.003	-32.07	-13	Pass	401
1911	1912	1	RMS	1911	-35	-13	Pass	2
1912	1920	1	RMS	1917.78	-37.32	-13	Pass	401



4.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1904.25	5.86	30	Pass	401
1910	1911	0.2	RMS	1910	-30.83	-13	Pass	401
1911	1912	1	RMS	1911	-27.5	-13	Pass	2
1912	1920	1	RMS	1912.02	-29.03	-13	Pass	401



5. LTE_Band4


5.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.67	-13	Pass	401
1708	1709	1	RMS	1709	-30.77	-13	Pass	2
1709	1710	0.02	RMS	1710	-21.12	-13	Pass	401
1710	1712	0.1	RMS	1710.24	21.29	30	Pass	401




5.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.11	-13	Pass	401
1708	1709	1	RMS	1709	-21.73	-13	Pass	2
1709	1710	0.02	RMS	1710	-27.73	-13	Pass	401
1710	1712	0.1	RMS	1710.27	12.83	30	Pass	401




5.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-37.36	-13	Pass	401
1708	1709	1	RMS	1709	-31.84	-13	Pass	2
1709	1710	0.02	RMS	1710	-21.96	-13	Pass	401
1710	1712	0.1	RMS	1710.245	20.49	30	Pass	401




5.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.32	-13	Pass	401
1708	1709	1	RMS	1709	-23.71	-13	Pass	2
1709	1710	0.02	RMS	1710	-27.87	-13	Pass	401
1710	1712	0.1	RMS	1711.1	11.91	30	Pass	401




5.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.745	21.14	30	Pass	401
1755	1756	0.02	RMS	1755	-21.06	-13	Pass	401
1756	1757	1	RMS	1756	-32.59	-13	Pass	2
1757	1765	1	RMS	1757	-36.9	-13	Pass	401




5.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.915	12.74	30	Pass	401
1755	1756	0.02	RMS	1755	-27.28	-13	Pass	401
1756	1757	1	RMS	1756	-23.65	-13	Pass	2
1757	1765	1	RMS	1757	-33.12	-13	Pass	401




5.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.755	20.35	30	Pass	401
1755	1756	0.02	RMS	1755	-22.31	-13	Pass	401
1756	1757	1	RMS	1756	-33.49	-13	Pass	2
1757	1765	1	RMS	1757	-37.5	-13	Pass	401




5.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.965	11.83	30	Pass	401
1755	1756	0.02	RMS	1755	-29.02	-13	Pass	401
1756	1757	1	RMS	1756	-25.29	-13	Pass	2
1757	1765	1	RMS	1757	-34.82	-13	Pass	401




5.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.4	-13	Pass	401
1708	1709	1	RMS	1709	-34.35	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.22	-13	Pass	401
1710	1713	0.1	RMS	1710.233	21.2	30	Pass	401




5.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-23.25	-13	Pass	401
1708	1709	1	RMS	1709	-22.76	-13	Pass	2
1709	1710	0.03	RMS	1710	-26.35	-13	Pass	401
1710	1713	0.1	RMS	1712.685	8.99	30	Pass	401




5.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.24	-13	Pass	401
1708	1709	1	RMS	1709	-36.18	-13	Pass	2
1709	1710	0.03	RMS	1710	-20.93	-13	Pass	401
1710	1713	0.1	RMS	1710.248	19.62	30	Pass	401



5.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.83	-13	Pass	401
1708	1709	1	RMS	1709	-21.56	-13	Pass	2
1709	1710	0.03	RMS	1710	-27.66	-13	Pass	401
1710	1713	0.1	RMS	1712.408	7.84	30	Pass	401




5.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	21.11	30	Pass	401
1755	1756	0.03	RMS	1755	-18.82	-13	Pass	401
1756	1757	1	RMS	1756	-34.09	-13	Pass	2
1757	1765	1	RMS	1757	-36.26	-13	Pass	401




5.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.065	8.83	30	Pass	401
1755	1756	0.03	RMS	1755	-27.76	-13	Pass	401
1756	1757	1	RMS	1756	-24.13	-13	Pass	2
1757	1765	1	RMS	1757	-26.19	-13	Pass	401




5.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	20.23	30	Pass	401
1755	1756	0.03	RMS	1755	-19.71	-13	Pass	401
1756	1757	1	RMS	1756	-34.94	-13	Pass	2
1757	1765	1	RMS	1757	-36.57	-13	Pass	401




5.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.465	7.95	30	Pass	401
1755	1756	0.03	RMS	1755	-28.05	-13	Pass	401
1756	1757	1	RMS	1756	-24.5	-13	Pass	2
1757	1765	1	RMS	1757	-27.27	-13	Pass	401




5.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.52	-13	Pass	401
1708	1709	1	RMS	1709	-34.91	-13	Pass	2
1709	1710	0.051	RMS	1710	-20.45	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.85	30	Pass	401




5.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.66	-13	Pass	401
1708	1709	1	RMS	1709	-23.41	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-27.8	-13	Pass	401
1710	1715	0.1	RMS	1711.675	6.69	30	Pass	401




5.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.18	-13	Pass	401
1708	1709	1	RMS	1709	-36.41	-13	Pass	2
1709	1710	0.051	RMS	1710	-21.81	-13	Pass	401
1710	1715	0.1	RMS	1710.338	19.63	30	Pass	401




5.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-23.81	-13	Pass	401
1708	1709	1	RMS	1709	-22.32	-13	Pass	2
1709	1710	0.051	RMS	1710	-28.31	-13	Pass	401
1710	1715	0.1	RMS	1711.675	5.9	30	Pass	401




5.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	21.07	30	Pass	401
1755	1756	0.051	RMS	1755	-20.22	-13	Pass	401
1756	1757	1	RMS	1756	-34.47	-13	Pass	2
1757	1765	1	RMS	1757	-36.35	-13	Pass	401




5.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.875	6.64	30	Pass	401
1755	1756	0.051	RMS	1755	-28.09	-13	Pass	401
1756	1757	1	RMS	1756	-25.29	-13	Pass	2
1757	1765	1	RMS	1757	-27.2	-13	Pass	401



5.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	20.17	30	Pass	401
1755	1756	0.051	RMS	1755.003	-20.45	-13	Pass	401
1756	1757	1	RMS	1756	-35.21	-13	Pass	2
1757	1765	1	RMS	1757	-37.2	-13	Pass	401




5.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.25	5.57	30	Pass	401
1755	1756	0.051	RMS	1755	-29.38	-13	Pass	401
1756	1757	1	RMS	1756	-27.26	-13	Pass	2
1757	1765	1	RMS	1757	-28.09	-13	Pass	401




5.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.51	-13	Pass	401
1708	1709	1	RMS	1709	-35.53	-13	Pass	2
1709	1710	0.1	RMS	1710	-31.82	-13	Pass	401
1710	1720	0.1	RMS	1710.575	21.05	30	Pass	401




5.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-25.79	-13	Pass	401
1708	1709	1	RMS	1709	-24.37	-13	Pass	2
1709	1710	0.1	RMS	1710	-30.74	-13	Pass	401
1710	1720	0.1	RMS	1715.525	4	30	Pass	401




5.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.79	-13	Pass	401
1708	1709	1	RMS	1709	-36.71	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.62	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.96	30	Pass	401




5.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.43	-13	Pass	401
1708	1709	1	RMS	1709	-22.57	-13	Pass	2
1709	1710	0.1	RMS	1710	-29.25	-13	Pass	401
1710	1720	0.1	RMS	1714.2	5.51	30	Pass	401




5.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	21.09	30	Pass	401
1755	1756	0.1	RMS	1755	-30.4	-13	Pass	401
1756	1757	1	RMS	1756	-35.53	-13	Pass	2
1757	1765	1	RMS	1757	-37.81	-13	Pass	401




5.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1748.875	4.09	30	Pass	401
1755	1756	0.1	RMS	1755	-31.33	-13	Pass	401
1756	1757	1	RMS	1756	-28.17	-13	Pass	2
1757	1765	1	RMS	1757	-28.65	-13	Pass	401



5.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.32	30	Pass	401
1755	1756	0.1	RMS	1755	-31.32	-13	Pass	401
1756	1757	1	RMS	1756	-36.29	-13	Pass	2
1757	1765	1	RMS	1757	-38.37	-13	Pass	401




5.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1750.625	5.78	30	Pass	401
1755	1756	0.1	RMS	1755	-31.3	-13	Pass	401
1756	1757	1	RMS	1756	-27.69	-13	Pass	2
1757	1765	1	RMS	1757	-28.8	-13	Pass	401




5.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.22	-13	Pass	401
1708	1709	1	RMS	1709	-35.78	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-28.62	-13	Pass	401
1710	1725	0.1	RMS	1710.863	20.95	30	Pass	401




5.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.73	-13	Pass	401
1708	1709	1	RMS	1709	-24.8	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-31.57	-13	Pass	401
1710	1725	0.1	RMS	1718.55	2.21	30	Pass	401



5.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.23	-13	Pass	401
1708	1709	1	RMS	1709	-36.83	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.37	-13	Pass	401
1710	1725	0.1	RMS	1710.863	19.78	30	Pass	401




5.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.76	-13	Pass	401
1708	1709	1	RMS	1709	-23.09	-13	Pass	2
1709	1710	0.15	RMS	1709.795	-28.96	-13	Pass	401
1710	1725	0.1	RMS	1714.5	5.66	30	Pass	401



5.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.138	20.94	30	Pass	401
1755	1756	0.15	RMS	1755	-27.94	-13	Pass	401
1756	1757	1	RMS	1756	-36.47	-13	Pass	2
1757	1765	1	RMS	1757.02	-38.69	-13	Pass	401




5.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1746.413	2.23	30	Pass	401
1755	1756	0.15	RMS	1755.003	-31.49	-13	Pass	401
1756	1757	1	RMS	1756	-28.74	-13	Pass	2
1757	1765	1	RMS	1757.34	-29.52	-13	Pass	401




5.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.95	30	Pass	401
1755	1756	0.15	RMS	1755.003	-28.88	-13	Pass	401
1756	1757	1	RMS	1756	-37.65	-13	Pass	2
1757	1765	1	RMS	1757.04	-39.68	-13	Pass	401




5.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1750.05	5.53	30	Pass	401
1755	1756	0.15	RMS	1755.008	-32.02	-13	Pass	401
1756	1757	1	RMS	1756	-28.62	-13	Pass	2
1757	1765	1	RMS	1757	-29.48	-13	Pass	401




5.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.14	-13	Pass	401
1708	1709	1	RMS	1709	-36.49	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.43	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.87	30	Pass	401




5.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.58	-13	Pass	401
1708	1709	1	RMS	1709	-25.89	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-31.4	-13	Pass	401
1710	1730	0.1	RMS	1718.6	0.93	30	Pass	401




5.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-39.67	-13	Pass	401
1708	1709	1	RMS	1709	-37.15	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-32.24	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.19	30	Pass	401




5.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.47	-13	Pass	401
1708	1709	1	RMS	1709	-23.75	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-27.8	-13	Pass	401
1710	1730	0.1	RMS	1715.2	5.85	30	Pass	401




5.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	21.07	30	Pass	401
1755	1756	0.2	RMS	1755.003	-30.92	-13	Pass	401
1756	1757	1	RMS	1756	-36.42	-13	Pass	2
1757	1765	1	RMS	1757	-39.02	-13	Pass	401




5.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1743.6	1.03	30	Pass	401
1755	1756	0.2	RMS	1755.003	-34.39	-13	Pass	401
1756	1757	1	RMS	1756	-32.18	-13	Pass	2
1757	1765	1	RMS	1757.34	-32.05	-13	Pass	401




5.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.14	30	Pass	401
1755	1756	0.2	RMS	1755	-31.11	-13	Pass	401
1756	1757	1	RMS	1756	-37.29	-13	Pass	2
1757	1765	1	RMS	1757	-39.59	-13	Pass	401



5.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1749.55	5.7	30	Pass	401
1755	1756	0.2	RMS	1755.003	-31.16	-13	Pass	401
1756	1757	1	RMS	1756	-28.44	-13	Pass	2
1757	1765	1	RMS	1757	-29.55	-13	Pass	401



6. LTE_Band5


6.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.44	-43.5	-13	Pass	401
823	824	0.02	RMS	824	-23.51	-13	Pass	401
824	826	0.1	RMS	824.25	21.88	30	Pass	401




6.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.26	-39.58	-13	Pass	401
823	824	0.02	RMS	824	-29.18	-13	Pass	401
824	826	0.1	RMS	824.28	13.07	30	Pass	401




6.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.46	-44.98	-13	Pass	401
823	824	0.02	RMS	824	-24.39	-13	Pass	401
824	826	0.1	RMS	824.255	20.77	30	Pass	401




6.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-38.52	-13	Pass	401
823	824	0.02	RMS	824	-29.71	-13	Pass	401
824	826	0.1	RMS	825.115	12.23	30	Pass	401




6.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	21.53	30	Pass	401
849	850	0.02	RMS	849	-22.69	-13	Pass	401
850	860	0.1	RMS	850.35	-47.08	-13	Pass	401




6.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.95	12.98	30	Pass	401
849	850	0.02	RMS	849	-29.65	-13	Pass	401
850	860	0.1	RMS	850	-37.87	-13	Pass	401




6.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	20.62	30	Pass	401
849	850	0.02	RMS	849	-24.93	-13	Pass	401
850	860	0.1	RMS	850.5	-47.55	-13	Pass	401




6.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.975	12.15	30	Pass	401
849	850	0.02	RMS	849	-31.36	-13	Pass	401
850	860	0.1	RMS	850	-39.66	-13	Pass	401




6.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.79	-13	Pass	401
823	824	0.03	RMS	824	-21.75	-13	Pass	401
824	827	0.1	RMS	824.24	21.43	30	Pass	401




6.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-31.65	-13	Pass	401
823	824	0.03	RMS	824	-26.91	-13	Pass	401
824	827	0.1	RMS	825.418	9.27	30	Pass	401




6.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-46.87	-13	Pass	401
823	824	0.03	RMS	824	-22.89	-13	Pass	401
824	827	0.1	RMS	824.233	20.3	30	Pass	401




6.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.18	-13	Pass	401
823	824	0.03	RMS	824	-28.73	-13	Pass	401
824	827	0.1	RMS	826.43	8.17	30	Pass	401




6.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.73	30	Pass	401
849	850	0.03	RMS	849	-19.55	-13	Pass	401
850	860	0.1	RMS	850.05	-44.02	-13	Pass	401




6.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.263	9.19	30	Pass	401
849	850	0.03	RMS	849	-29.87	-13	Pass	401
850	860	0.1	RMS	850	-37.58	-13	Pass	401



6.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.97	30	Pass	401
849	850	0.03	RMS	849	-21.05	-13	Pass	401
850	860	0.1	RMS	850	-44.72	-13	Pass	401




6.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.653	8.3	30	Pass	401
849	850	0.03	RMS	849	-29.71	-13	Pass	401
850	860	0.1	RMS	850	-38.61	-13	Pass	401




6.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.22	-47.25	-13	Pass	401
823	824	0.051	RMS	824	-21.81	-13	Pass	401
824	829	0.1	RMS	824.338	21.21	30	Pass	401




6.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-32.59	-13	Pass	401
823	824	0.051	RMS	824	-28.09	-13	Pass	401
824	829	0.1	RMS	825.65	6.97	30	Pass	401




6.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-48.16	-13	Pass	401
823	824	0.051	RMS	824	-22.98	-13	Pass	401
824	829	0.1	RMS	824.338	20.13	30	Pass	401




6.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-33.89	-13	Pass	401
823	824	0.051	RMS	824	-29.29	-13	Pass	401
824	829	0.1	RMS	825.663	5.92	30	Pass	401




6.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	21.41	30	Pass	401
849	850	0.051	RMS	849	-21.88	-13	Pass	401
850	860	0.1	RMS	850.825	-46.15	-13	Pass	401




6.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.863	7	30	Pass	401
849	850	0.051	RMS	849	-29.8	-13	Pass	401
850	860	0.1	RMS	850.2	-41.16	-13	Pass	401




6.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.51	30	Pass	401
849	850	0.051	RMS	849	-22.15	-13	Pass	401
850	860	0.1	RMS	850.8	-46.89	-13	Pass	401




6.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.275	5.95	30	Pass	401
849	850	0.051	RMS	849.003	-30.68	-13	Pass	401
850	860	0.1	RMS	850	-42.55	-13	Pass	401




6.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.71	-13	Pass	401
823	824	0.1	RMS	824	-31.3	-13	Pass	401
824	834	0.1	RMS	824.6	21.58	30	Pass	401




6.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-33.63	-13	Pass	401
823	824	0.1	RMS	824	-30.53	-13	Pass	401
824	834	0.1	RMS	829.525	4.22	30	Pass	401



6.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.96	-13	Pass	401
823	824	0.1	RMS	824	-33.17	-13	Pass	401
824	834	0.1	RMS	824.6	20.25	30	Pass	401




6.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.1	-13	Pass	401
823	824	0.1	RMS	824	-30.22	-13	Pass	401
824	834	0.1	RMS	829.225	5.79	30	Pass	401




6.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.37	30	Pass	401
849	850	0.1	RMS	849	-31.54	-13	Pass	401
850	860	0.1	RMS	850.025	-48.52	-13	Pass	401




6.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	842.85	4.41	30	Pass	401
849	850	0.1	RMS	849.003	-33.89	-13	Pass	401
850	860	0.1	RMS	850.3	-45.25	-13	Pass	401




6.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.64	30	Pass	401
849	850	0.1	RMS	849	-32.33	-13	Pass	401
850	860	0.1	RMS	850	-48.99	-13	Pass	401



6.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.625	6.08	30	Pass	401
849	850	0.1	RMS	849.008	-33.75	-13	Pass	401
850	860	0.1	RMS	850.15	-43.81	-13	Pass	401



7. LTE_Band12


7.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.77	-13	Pass	401
698.9	699	0.03	RMS	699	-20.34	-13	Pass	401
699	701	0.1	RMS	699.25	21.4	30	Pass	401




7.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.05	-13	Pass	401
698.9	699	0.03	RMS	699	-25.66	-13	Pass	401
699	701	0.1	RMS	700.105	12.75	30	Pass	401




7.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.53	-13	Pass	401
698.9	699	0.03	RMS	699	-22.04	-13	Pass	401
699	701	0.1	RMS	699.25	20.23	30	Pass	401




7.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.9	-13	Pass	401
698.9	699	0.03	RMS	699	-26.85	-13	Pass	401
699	701	0.1	RMS	700.115	11.83	30	Pass	401




7.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.745	21.15	30	Pass	401
716	716.1	0.03	RMS	716	-21.07	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.04	-13	Pass	401




7.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.96	12.61	30	Pass	401
716	716.1	0.03	RMS	716.001	-26.53	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.03	-13	Pass	401



7.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.745	20.49	30	Pass	401
716	716.1	0.03	RMS	716	-22.08	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.59	-13	Pass	401




7.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.965	11.84	30	Pass	401
716	716.1	0.03	RMS	716	-27.2	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.35	-13	Pass	401




7.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25	-13	Pass	401
698.9	699	0.03	RMS	698.999	-20.36	-13	Pass	401
699	702	0.1	RMS	699.24	21.01	30	Pass	401




7.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.19	-13	Pass	401
698.9	699	0.03	RMS	699	-26.91	-13	Pass	401
699	702	0.1	RMS	700.418	8.88	30	Pass	401




7.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.55	-13	Pass	401
698.9	699	0.03	RMS	699	-22.1	-13	Pass	401
699	702	0.1	RMS	699.233	19.8	30	Pass	401




7.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.97	-13	Pass	401
698.9	699	0.03	RMS	699	-29.08	-13	Pass	401
699	702	0.1	RMS	701.393	7.79	30	Pass	401




7.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	21.4	30	Pass	401
716	716.1	0.03	RMS	716	-20.32	-13	Pass	5
716.1	725	0.1	RMS	716.1	-24.84	-13	Pass	401




7.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.065	9.15	30	Pass	401
716	716.1	0.03	RMS	716	-28.71	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.55	-13	Pass	401




7.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	20.82	30	Pass	401
716	716.1	0.03	RMS	716	-20.76	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.67	-13	Pass	401




7.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.45	8.17	30	Pass	401
716	716.1	0.03	RMS	716.001	-28.63	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.55	-13	Pass	401




7.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.89	-13	Pass	401
698.9	699	0.03	RMS	699	-24.61	-13	Pass	401
699	704	0.1	RMS	699.338	20.73	30	Pass	401




7.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.8	-13	Pass	401
698.9	699	0.03	RMS	698.999	-30.7	-13	Pass	401
699	704	0.1	RMS	700.7	6.75	30	Pass	401




7.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.38	-13	Pass	401
698.9	699	0.03	RMS	699	-26.14	-13	Pass	401
699	704	0.1	RMS	699.35	19.34	30	Pass	401




7.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.8	-13	Pass	401
698.9	699	0.03	RMS	699	-31.64	-13	Pass	401
699	704	0.1	RMS	702.338	5.61	30	Pass	401




7.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.99	30	Pass	401
716	716.1	0.03	RMS	716.001	-25.04	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.03	-13	Pass	401




7.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.713	6.87	30	Pass	401
716	716.1	0.03	RMS	716	-31.25	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.4	-13	Pass	401




7.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.2	30	Pass	401
716	716.1	0.03	RMS	716.001	-24.62	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.4	-13	Pass	401




7.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.588	5.68	30	Pass	401
716	716.1	0.03	RMS	716	-31.83	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.69	-13	Pass	401




7.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-38.57	-13	Pass	401
698.9	699	0.03	RMS	699	-38.86	-13	Pass	401
699	709	0.1	RMS	699.575	20.99	30	Pass	401




7.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.59	-13	Pass	401
698.9	699	0.03	RMS	698.98	-35.5	-13	Pass	401
699	709	0.1	RMS	704.5	3.84	30	Pass	401




7.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-40	-13	Pass	401
698.9	699	0.03	RMS	699	-40.12	-13	Pass	401
699	709	0.1	RMS	699.6	20.01	30	Pass	401




7.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.89	-13	Pass	401
698.9	699	0.03	RMS	698.975	-35.15	-13	Pass	401
699	709	0.1	RMS	703.225	5.4	30	Pass	401



7.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.8	30	Pass	401
716	716.1	0.03	RMS	716.001	-39.51	-13	Pass	401
716.1	725	0.1	RMS	716.1	-39.27	-13	Pass	401




7.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.525	4.2	30	Pass	401
716	716.1	0.03	RMS	716	-36.57	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.53	-13	Pass	401



7.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.1	30	Pass	401
716	716.1	0.03	RMS	716	-39.08	-13	Pass	401
716.1	725	0.1	RMS	716.1	-39.84	-13	Pass	401



7.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.625	5.87	30	Pass	401
716	716.1	0.03	RMS	716.001	-34.97	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.81	-13	Pass	401



8. LTE_Band13


8.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.95	-60.25	-35	Pass	1201
775	775.9	0.1	RMS	775.88	-47.73	-13	Pass	401
775.9	776	0.03	RMS	775.99	-51.95	-13	Pass	401
776	788	0.1	RMS	777.35	21.1	30	Pass	401




8.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.91	-55.82	-35	Pass	1201
775	775.9	0.1	RMS	775.898	-42.5	-13	Pass	401
775.9	776	0.03	RMS	775.999	-45.46	-13	Pass	401
776	788	0.1	RMS	778.85	7.19	30	Pass	401




8.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-60.5	-35	Pass	1201
775	775.9	0.1	RMS	775.893	-48.2	-13	Pass	401
775.9	776	0.03	RMS	775.976	-52.88	-13	Pass	401
776	788	0.1	RMS	777.35	20.45	30	Pass	401




8.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.66	-56.36	-35	Pass	1201
775	775.9	0.1	RMS	775.891	-43.03	-13	Pass	401
775.9	776	0.03	RMS	775.928	-47.19	-13	Pass	401
776	788	0.1	RMS	779.27	6.01	30	Pass	401




8.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.92	30	Pass	401
788	788.1	0.03	RMS	788.01	-50.84	-13	Pass	401
788.1	793	0.1	RMS	788.798	-45.56	-13	Pass	401
793	805	0.01	RMS	795.32	-62.88	-35	Pass	1201




8.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.26	6.72	30	Pass	401
788	788.1	0.03	RMS	788.003	-36.71	-13	Pass	401
788.1	793	0.1	RMS	788.112	-31.97	-13	Pass	401
793	805	0.01	RMS	793.18	-58.21	-35	Pass	1201




8.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.03	30	Pass	401
788	788.1	0.03	RMS	788.033	-51.81	-13	Pass	401
788.1	793	0.1	RMS	788.823	-46.68	-13	Pass	401
793	805	0.01	RMS	795.37	-66.46	-35	Pass	1201




8.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.19	5.55	30	Pass	401
788	788.1	0.03	RMS	788.067	-37.19	-13	Pass	401
788.1	793	0.1	RMS	788.1	-32.2	-13	Pass	401
793	805	0.01	RMS	793.15	-58.97	-35	Pass	1201




8.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	773.19	-60.6	-35	Pass	1201
775	775.9	0.1	RMS	775.896	-48.52	-13	Pass	401
775.9	776	0.03	RMS	775.992	-52.68	-13	Pass	401
776	788	0.1	RMS	777.59	20.98	30	Pass	401




8.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-49.5	-35	Pass	1201
775	775.9	0.1	RMS	775.801	-37.01	-13	Pass	401
775.9	776	0.03	RMS	775.964	-41.8	-13	Pass	401
776	788	0.1	RMS	778.97	4.36	30	Pass	401




8.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.96	-62.08	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-49.49	-13	Pass	401
775.9	776	0.03	RMS	775.985	-53.51	-13	Pass	401
776	788	0.1	RMS	777.59	20.04	30	Pass	401




8.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.88	-55.83	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-42.9	-13	Pass	401
775.9	776	0.03	RMS	775.999	-47.49	-13	Pass	401
776	788	0.1	RMS	779.27	5.63	30	Pass	401



8.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	21.13	30	Pass	401
788	788.1	0.03	RMS	788.005	-51.33	-13	Pass	401
788.1	793	0.1	RMS	788.1	-47.32	-13	Pass	401
793	805	0.01	RMS	795.12	-62.8	-35	Pass	1201




8.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	778.91	4.45	30	Pass	401
788	788.1	0.03	RMS	788.023	-36.57	-13	Pass	401
788.1	793	0.1	RMS	788.186	-31.76	-13	Pass	401
793	805	0.01	RMS	793.29	-46.11	-35	Pass	1201




8.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.07	30	Pass	401
788	788.1	0.03	RMS	788.005	-52.33	-13	Pass	401
788.1	793	0.1	RMS	788.1	-48.25	-13	Pass	401
793	805	0.01	RMS	795.13	-64.5	-35	Pass	1201



8.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	782.6	5.6	30	Pass	401
788	788.1	0.03	RMS	788.001	-37.08	-13	Pass	401
788.1	793	0.1	RMS	788.112	-32.38	-13	Pass	401
793	805	0.01	RMS	793	-59.64	-35	Pass	1201



9. LTE_Band25


9.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.27	-13	Pass	401
1848	1849	1	RMS	1849	-28.95	-13	Pass	2
1849	1850	0.02	RMS	1850	-22.51	-13	Pass	401
1850	1852	0.1	RMS	1850.245	21.18	30	Pass	401




9.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.77	-13	Pass	401
1848	1849	1	RMS	1849	-23.57	-13	Pass	2
1849	1850	0.02	RMS	1850	-29.48	-13	Pass	401
1850	1852	0.1	RMS	1851.115	12.57	30	Pass	401




9.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-36.17	-13	Pass	401
1848	1849	1	RMS	1849	-30.35	-13	Pass	2
1849	1850	0.02	RMS	1850	-24.78	-13	Pass	401
1850	1852	0.1	RMS	1850.245	20.04	30	Pass	401




9.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.25	-13	Pass	401
1848	1849	1	RMS	1849	-25.55	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-29.9	-13	Pass	401
1850	1852	0.1	RMS	1851.115	11.74	30	Pass	401




9.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.755	20.99	30	Pass	401
1915	1916	0.02	RMS	1915	-18.61	-13	Pass	401
1916	1917	1	RMS	1916	-24.24	-13	Pass	2
1917	1925	1	RMS	1917	-34.52	-13	Pass	401




9.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1913.9	12.7	30	Pass	401
1915	1916	0.02	RMS	1915	-24.69	-13	Pass	401
1916	1917	1	RMS	1916	-17.62	-13	Pass	2
1917	1925	1	RMS	1917	-29.87	-13	Pass	401




9.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.74	20.42	30	Pass	401
1915	1916	0.02	RMS	1915.003	-21.08	-13	Pass	401
1916	1917	1	RMS	1916	-25.16	-13	Pass	2
1917	1925	1	RMS	1917	-35.19	-13	Pass	401




9.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1913.935	11.89	30	Pass	401
1915	1916	0.02	RMS	1915	-25.78	-13	Pass	401
1916	1917	1	RMS	1916	-20.57	-13	Pass	2
1917	1925	1	RMS	1917	-32.39	-13	Pass	401




9.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.38	-13	Pass	401
1848	1849	1	RMS	1849	-33.22	-13	Pass	2
1849	1850	0.03	RMS	1850	-20.89	-13	Pass	401
1850	1853	0.1	RMS	1850.24	20.91	30	Pass	401




9.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.67	-13	Pass	401
1848	1849	1	RMS	1849	-24.33	-13	Pass	2
1849	1850	0.03	RMS	1850	-28.46	-13	Pass	401
1850	1853	0.1	RMS	1852.685	9.14	30	Pass	401




9.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.73	-13	Pass	401
1848	1849	1	RMS	1849	-34.66	-13	Pass	2
1849	1850	0.03	RMS	1850	-23.22	-13	Pass	401
1850	1853	0.1	RMS	1850.24	19.48	30	Pass	401




9.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.26	-13	Pass	401
1848	1849	1	RMS	1849	-23.62	-13	Pass	2
1849	1850	0.03	RMS	1850	-29.81	-13	Pass	401
1850	1853	0.1	RMS	1852.408	8.11	30	Pass	401




9.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	21.57	30	Pass	401
1915	1916	0.03	RMS	1915	-15.67	-13	Pass	401
1916	1917	1	RMS	1916	-29.03	-13	Pass	2
1917	1925	1	RMS	1917	-31.87	-13	Pass	401




9.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.08	8.92	30	Pass	401
1915	1916	0.03	RMS	1915	-25.48	-13	Pass	401
1916	1917	1	RMS	1916	-16.19	-13	Pass	2
1917	1925	1	RMS	1917	-19.55	-13	Pass	401




9.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	20.55	30	Pass	401
1915	1916	0.03	RMS	1915	-17.73	-13	Pass	401
1916	1917	1	RMS	1916	-29.89	-13	Pass	2
1917	1925	1	RMS	1917	-32.65	-13	Pass	401




9.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.465	8.08	30	Pass	401
1915	1916	0.03	RMS	1915	-26.53	-13	Pass	401
1916	1917	1	RMS	1916	-16.69	-13	Pass	2
1917	1925	1	RMS	1917	-20.91	-13	Pass	401




9.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.61	-13	Pass	401
1848	1849	1	RMS	1849	-34.32	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.02	-13	Pass	401
1850	1855	0.1	RMS	1850.338	20.59	30	Pass	401




9.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.67	-13	Pass	401
1848	1849	1	RMS	1849	-26.35	-13	Pass	2
1849	1850	0.051	RMS	1850	-29.61	-13	Pass	401
1850	1855	0.1	RMS	1853.363	6.76	30	Pass	401




9.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.02	-13	Pass	401
1848	1849	1	RMS	1849	-35.74	-13	Pass	2
1849	1850	0.051	RMS	1850	-23.86	-13	Pass	401
1850	1855	0.1	RMS	1850.35	19.29	30	Pass	401




9.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.2	-13	Pass	401
1848	1849	1	RMS	1849	-25.5	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-30.35	-13	Pass	401
1850	1855	0.1	RMS	1853.313	6	30	Pass	401



9.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	21.28	30	Pass	401
1915	1916	0.051	RMS	1915	-20.38	-13	Pass	401
1916	1917	1	RMS	1916	-32.93	-13	Pass	2
1917	1925	1	RMS	1917	-34.51	-13	Pass	401




9.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.088	6.61	30	Pass	401
1915	1916	0.051	RMS	1915	-25.78	-13	Pass	401
1916	1917	1	RMS	1916	-16.69	-13	Pass	2
1917	1925	1	RMS	1917	-18.97	-13	Pass	401




9.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	20.37	30	Pass	401
1915	1916	0.051	RMS	1915	-21.17	-13	Pass	401
1916	1917	1	RMS	1916	-33.71	-13	Pass	2
1917	1925	1	RMS	1917	-35.22	-13	Pass	401




9.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.613	5.72	30	Pass	401
1915	1916	0.051	RMS	1915.003	-27.08	-13	Pass	401
1916	1917	1	RMS	1916	-17.57	-13	Pass	2
1917	1925	1	RMS	1917.02	-19.73	-13	Pass	401




9.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.53	-13	Pass	401
1848	1849	1	RMS	1849	-34.43	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-32.86	-13	Pass	401
1850	1860	0.1	RMS	1850.575	20.8	30	Pass	401




9.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.88	-13	Pass	401
1848	1849	1	RMS	1849	-29.59	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-33.68	-13	Pass	401
1850	1860	0.1	RMS	1855.525	4.03	30	Pass	401




9.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-37.56	-13	Pass	401
1848	1849	1	RMS	1849	-35.02	-13	Pass	2
1849	1850	0.1	RMS	1850	-33.29	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.26	30	Pass	401




9.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.24	-13	Pass	401
1848	1849	1	RMS	1849	-26.16	-13	Pass	2
1849	1850	0.1	RMS	1850	-31.99	-13	Pass	401
1850	1860	0.1	RMS	1855.2	5.6	30	Pass	401




9.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	21.01	30	Pass	401
1915	1916	0.1	RMS	1915	-31.91	-13	Pass	401
1916	1917	1	RMS	1916	-33.92	-13	Pass	2
1917	1925	1	RMS	1918.74	-34.55	-13	Pass	401




9.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1907.525	4.19	30	Pass	401
1915	1916	0.1	RMS	1915	-29.39	-13	Pass	401
1916	1917	1	RMS	1916	-21.68	-13	Pass	2
1917	1925	1	RMS	1917	-23.01	-13	Pass	401




9.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	19.9	30	Pass	401
1915	1916	0.1	RMS	1915.003	-33.55	-13	Pass	401
1916	1917	1	RMS	1916	-35.19	-13	Pass	2
1917	1925	1	RMS	1918.8	-36.56	-13	Pass	401




9.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1909.75	5.93	30	Pass	401
1915	1916	0.1	RMS	1915.008	-25.83	-13	Pass	401
1916	1917	1	RMS	1916	-17.97	-13	Pass	2
1917	1925	1	RMS	1917	-20.52	-13	Pass	401




9.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.09	-13	Pass	401
1848	1849	1	RMS	1849	-34.4	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.54	-13	Pass	401
1850	1865	0.1	RMS	1850.863	20.78	30	Pass	401




9.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.14	-31.41	-13	Pass	401
1848	1849	1	RMS	1849	-29.49	-13	Pass	2
1849	1850	0.15	RMS	1850	-35.07	-13	Pass	401
1850	1865	0.1	RMS	1858.55	2.13	30	Pass	401



9.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-37.97	-13	Pass	401
1848	1849	1	RMS	1849	-35.48	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-30.48	-13	Pass	401
1850	1865	0.1	RMS	1850.863	19.53	30	Pass	401




9.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.61	-13	Pass	401
1848	1849	1	RMS	1849	-26.67	-13	Pass	2
1849	1850	0.15	RMS	1850	-32.35	-13	Pass	401
1850	1865	0.1	RMS	1855.438	5.74	30	Pass	401




9.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	20.96	30	Pass	401
1915	1916	0.15	RMS	1915	-29.73	-13	Pass	401
1916	1917	1	RMS	1916	-33.75	-13	Pass	2
1917	1925	1	RMS	1917	-36.97	-13	Pass	401




9.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1905.063	2.65	30	Pass	401
1915	1916	0.15	RMS	1915.3	-31.97	-13	Pass	401
1916	1917	1	RMS	1916	-24.39	-13	Pass	2
1917	1925	1	RMS	1917	-26.24	-13	Pass	401



9.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	20.02	30	Pass	401
1915	1916	0.15	RMS	1915	-30.56	-13	Pass	401
1916	1917	1	RMS	1916	-34.86	-13	Pass	2
1917	1925	1	RMS	1917	-38.08	-13	Pass	401




9.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1910.388	5.71	30	Pass	401
1915	1916	0.15	RMS	1915.18	-25.62	-13	Pass	401
1916	1917	1	RMS	1916	-19.4	-13	Pass	2
1917	1925	1	RMS	1917	-21.95	-13	Pass	401




9.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.93	-13	Pass	401
1848	1849	1	RMS	1849	-35.3	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.85	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.67	30	Pass	401




9.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.98	-13	Pass	401
1848	1849	1	RMS	1849	-32.06	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-36.43	-13	Pass	401
1850	1870	0.1	RMS	1858.6	0.89	30	Pass	401




9.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.63	-13	Pass	401
1848	1849	1	RMS	1849	-35.71	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-32.83	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.07	30	Pass	401




9.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.13	-13	Pass	401
1848	1849	1	RMS	1849	-27.24	-13	Pass	2
1849	1850	0.2	RMS	1850	-30.81	-13	Pass	401
1850	1870	0.1	RMS	1855.2	5.82	30	Pass	401




9.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	20.67	30	Pass	401
1915	1916	0.2	RMS	1915	-33.15	-13	Pass	401
1916	1917	1	RMS	1916	-34.56	-13	Pass	2
1917	1925	1	RMS	1917	-37.89	-13	Pass	401




9.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1903.65	1.46	30	Pass	401
1915	1916	0.2	RMS	1915.008	-32.24	-13	Pass	401
1916	1917	1	RMS	1916	-26.25	-13	Pass	2
1917	1925	1	RMS	1917	-27.26	-13	Pass	401




9.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	20.12	30	Pass	401
1915	1916	0.2	RMS	1915.003	-32.69	-13	Pass	401
1916	1917	1	RMS	1916	-34.91	-13	Pass	2
1917	1925	1	RMS	1917	-38.17	-13	Pass	401



9.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1909.25	5.98	30	Pass	401
1915	1916	0.2	RMS	1915.008	-24.3	-13	Pass	401
1916	1917	1	RMS	1916	-19.86	-13	Pass	2
1917	1925	1	RMS	1917	-22.39	-13	Pass	401



10. LTE_Band26(part22)


10.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-40.4	-13	Pass	401
823	824	0.02	RMS	824	-23.84	-13	Pass	401
824	826	0.1	RMS	824.245	21.62	30	Pass	401




10.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.32	-39.51	-13	Pass	401
823	824	0.02	RMS	823.998	-29.11	-13	Pass	401
824	826	0.1	RMS	824.265	13.03	30	Pass	401




10.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.44	-42.22	-13	Pass	401
823	824	0.02	RMS	824	-24.68	-13	Pass	401
824	826	0.1	RMS	824.255	20.54	30	Pass	401




10.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-38.55	-13	Pass	401
823	824	0.02	RMS	824	-30.06	-13	Pass	401
824	826	0.1	RMS	825.115	12.02	30	Pass	401




10.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	21.37	30	Pass	401
849	850	0.02	RMS	849	-22.51	-13	Pass	401
850	860	0.1	RMS	850.575	-43.37	-13	Pass	401




10.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.945	13.05	30	Pass	401
849	850	0.02	RMS	849	-29.35	-13	Pass	401
850	860	0.1	RMS	850	-38.03	-13	Pass	401




10.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.71	30	Pass	401
849	850	0.02	RMS	849	-24.32	-13	Pass	401
850	860	0.1	RMS	850.5	-44.59	-13	Pass	401




10.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.95	12.18	30	Pass	401
849	850	0.02	RMS	849	-30.98	-13	Pass	401
850	860	0.1	RMS	850	-39.25	-13	Pass	401




10.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	819.24	-41.84	-13	Pass	401
823	824	0.03	RMS	824	-21.69	-13	Pass	401
824	827	0.1	RMS	824.24	21.45	30	Pass	401




10.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-31.9	-13	Pass	401
823	824	0.03	RMS	824	-27.02	-13	Pass	401
824	827	0.1	RMS	825.44	9.18	30	Pass	401




10.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	819.2	-44.1	-13	Pass	401
823	824	0.03	RMS	824	-22.92	-13	Pass	401
824	827	0.1	RMS	824.24	20.14	30	Pass	401




10.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.36	-13	Pass	401
823	824	0.03	RMS	824	-28.95	-13	Pass	401
824	827	0.1	RMS	826.393	8.05	30	Pass	401




10.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.72	30	Pass	401
849	850	0.03	RMS	849	-20.09	-13	Pass	401
850	860	0.1	RMS	851.3	-41.51	-13	Pass	401




10.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.088	9.42	30	Pass	401
849	850	0.03	RMS	849	-29.37	-13	Pass	401
850	860	0.1	RMS	850.025	-35.41	-13	Pass	401




10.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.3	30	Pass	401
849	850	0.03	RMS	849	-20.46	-13	Pass	401
850	860	0.1	RMS	851.25	-40.44	-13	Pass	401




10.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.398	8.55	30	Pass	401
849	850	0.03	RMS	849	-29.26	-13	Pass	401
850	860	0.1	RMS	850	-36.86	-13	Pass	401




10.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	815.76	-43.64	-13	Pass	401
823	824	0.051	RMS	824	-22.04	-13	Pass	401
824	829	0.1	RMS	824.325	21.05	30	Pass	401




10.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-32.27	-13	Pass	401
823	824	0.051	RMS	824	-28.01	-13	Pass	401
824	829	0.1	RMS	825.65	7.12	30	Pass	401




10.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	815.72	-45.77	-13	Pass	401
823	824	0.051	RMS	824	-22.99	-13	Pass	401
824	829	0.1	RMS	824.35	20.08	30	Pass	401




10.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.01	-13	Pass	401
823	824	0.051	RMS	824	-29.21	-13	Pass	401
824	829	0.1	RMS	825.675	5.97	30	Pass	401




10.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.53	30	Pass	401
849	850	0.051	RMS	849	-21.42	-13	Pass	401
850	860	0.1	RMS	850.825	-44.63	-13	Pass	401




10.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.863	7.15	30	Pass	401
849	850	0.051	RMS	849	-29.52	-13	Pass	401
850	860	0.1	RMS	850.15	-39.52	-13	Pass	401




10.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.58	30	Pass	401
849	850	0.051	RMS	849	-22.3	-13	Pass	401
850	860	0.1	RMS	850.825	-45.66	-13	Pass	401




10.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.6	6.01	30	Pass	401
849	850	0.051	RMS	849	-30.74	-13	Pass	401
850	860	0.1	RMS	850	-42.22	-13	Pass	401




10.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	815.78	-46.29	-13	Pass	401
823	824	0.1	RMS	824	-31.63	-13	Pass	401
824	834	0.1	RMS	824.575	21.35	30	Pass	401




10.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-34.12	-13	Pass	401
823	824	0.1	RMS	824	-30.88	-13	Pass	401
824	834	0.1	RMS	829.525	4.17	30	Pass	401




10.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	815.78	-47.06	-13	Pass	401
823	824	0.1	RMS	824	-32.74	-13	Pass	401
824	834	0.1	RMS	824.6	20.58	30	Pass	401




10.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.99	-13	Pass	401
823	824	0.1	RMS	824	-30.05	-13	Pass	401
824	834	0.1	RMS	828.95	5.93	30	Pass	401



10.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.52	30	Pass	401
849	850	0.1	RMS	849	-31.37	-13	Pass	401
850	860	0.1	RMS	850.025	-48.25	-13	Pass	401




10.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	842.85	4.49	30	Pass	401
849	850	0.1	RMS	849	-33.35	-13	Pass	401
850	860	0.1	RMS	850.4	-43.99	-13	Pass	401




10.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.59	30	Pass	401
849	850	0.1	RMS	849	-32.5	-13	Pass	401
850	860	0.1	RMS	850	-49.06	-13	Pass	401




10.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.625	6.31	30	Pass	401
849	850	0.1	RMS	849.005	-33.14	-13	Pass	401
850	860	0.1	RMS	850.175	-42.12	-13	Pass	401




10.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.18	-47.14	-13	Pass	401
823	824	0.15	RMS	824	-28.37	-13	Pass	401
824	839	0.1	RMS	824.863	21.26	30	Pass	401




10.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.82	-34.78	-13	Pass	401
823	824	0.15	RMS	824	-32.17	-13	Pass	401
824	839	0.1	RMS	836.15	2.58	30	Pass	401




10.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.18	-47.96	-13	Pass	401
823	824	0.15	RMS	824	-29.42	-13	Pass	401
824	839	0.1	RMS	824.863	19.95	30	Pass	401




10.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.8	-34.44	-13	Pass	401
823	824	0.15	RMS	824	-30.52	-13	Pass	401
824	839	0.1	RMS	829.213	5.79	30	Pass	401



10.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.138	21.22	30	Pass	401
849	850	0.15	RMS	849	-28.39	-13	Pass	401
850	860	0.1	RMS	850	-48.47	-13	Pass	401




10.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	840.413	2.59	30	Pass	401
849	850	0.15	RMS	849	-34.96	-13	Pass	401
850	860	0.1	RMS	850	-42.4	-13	Pass	401




10.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.47	30	Pass	401
849	850	0.15	RMS	849	-29.14	-13	Pass	401
850	860	0.1	RMS	850.05	-49.17	-13	Pass	401



10.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	844.388	6.07	30	Pass	401
849	850	0.15	RMS	849.008	-34.25	-13	Pass	401
850	860	0.1	RMS	851.325	-45.02	-13	Pass	401



11. LTE_Band26(part90)


11.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.3	-13	Pass	51
813.9625	814	0.002	RMS	813.993	-32.58	-20	Pass	401
814	819	0.1	RMS	814.25	21.59	30	Pass	401




11.2. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.89	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.99	-20	Pass	401
814	819	0.1	RMS	815.125	13.16	30	Pass	401




11.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.99	-13	Pass	51
813.9625	814	0.002	RMS	813.994	-32.91	-20	Pass	401
814	819	0.1	RMS	814.263	20.6	30	Pass	401




11.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.67	-13	Pass	401
813.9625	814	0.02	RMS	814	-30.75	-20	Pass	401
814	819	0.1	RMS	815.125	12.42	30	Pass	401




11.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	21.37	30	Pass	401
824	824.0375	0.002	RMS	824.006	-34.41	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.36	-13	Pass	51




11.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.888	12.97	30	Pass	401
824	824.0375	0.02	RMS	824.002	-29.83	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.94	-13	Pass	401




11.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.66	30	Pass	401
824	824.0375	0.002	RMS	824.008	-33.16	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-19.32	-13	Pass	401




11.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.313	12.02	30	Pass	401
824	824.0375	0.02	RMS	824	-31.15	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.51	-13	Pass	401




11.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.82	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-32.26	-20	Pass	20
814	819	0.1	RMS	814.238	21.5	30	Pass	401




11.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.56	-13	Pass	401
813.9625	814	0.03	RMS	814	-28.18	-20	Pass	401
814	819	0.1	RMS	816.7	9.34	30	Pass	401




11.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.99	-13	Pass	51
813.9625	814	0.002	RMS	814	-34.05	-20	Pass	20
814	819	0.1	RMS	814.238	20.21	30	Pass	401




11.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.27	-13	Pass	401
813.9625	814	0.03	RMS	814	-29.92	-20	Pass	401
814	819	0.1	RMS	816.413	8.29	30	Pass	401



11.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	21.76	30	Pass	401
824	824.0375	0.002	RMS	824.002	-32.99	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-21.17	-13	Pass	51




11.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.1	9.19	30	Pass	401
824	824.0375	0.03	RMS	824	-29.46	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.08	-13	Pass	401




11.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.67	30	Pass	401
824	824.0375	0.002	RMS	824.002	-32.1	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-18.76	-13	Pass	401




11.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.475	8.05	30	Pass	401
824	824.0375	0.03	RMS	824.001	-29.63	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.34	-13	Pass	401




11.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.98	-13	Pass	401
813.9625	814	0.002	RMS	813.999	-34.79	-20	Pass	401
814	819	0.1	RMS	814.338	21.16	30	Pass	401




11.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.63	-13	Pass	401
813.9625	814	0.051	RMS	814	-29.43	-20	Pass	401
814	819	0.1	RMS	817.375	7.12	30	Pass	401




11.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.95	-13	Pass	401
813.9625	814	0.002	RMS	813.998	-35.39	-20	Pass	401
814	819	0.1	RMS	814.338	20.64	30	Pass	401




11.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.68	-13	Pass	401
813.9625	814	0.051	RMS	814	-30.51	-20	Pass	401
814	819	0.1	RMS	817.313	6.28	30	Pass	401




11.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	21.12	30	Pass	401
824	824.0375	0.002	RMS	824.003	-34.55	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.15	-13	Pass	401




11.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.863	7.04	30	Pass	401
824	824.0375	0.051	RMS	824	-29.27	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-28.58	-13	Pass	401



11.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	20.49	30	Pass	401
824	824.0375	0.002	RMS	824	-36.32	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.56	-13	Pass	401




11.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.138	5.9	30	Pass	401
824	824.0375	0.051	RMS	824	-30.21	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-29.2	-13	Pass	401




11.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.29	-13	Pass	401
813.9625	814	0.02	RMS	814	-40.23	-20	Pass	401
814	819	0.1	RMS	814.6	21.37	30	Pass	401




11.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.03	-13	Pass	401
813.9625	814	0.1	RMS	813.999	-33.72	-20	Pass	401
814	819	0.1	RMS	817.875	4.35	30	Pass	401




11.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.11	-13	Pass	401
813.9625	814	0.02	RMS	814	-41.88	-20	Pass	401
814	819	0.1	RMS	814.588	20.58	30	Pass	401




11.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.37	-13	Pass	401
813.9625	814	0.1	RMS	814	-33.02	-20	Pass	401
814	819	0.1	RMS	818.963	6.07	30	Pass	401




11.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	21.64	30	Pass	401
824	824.0375	0.02	RMS	824	-40.64	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-35.71	-13	Pass	401




11.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.538	4.48	30	Pass	401
824	824.0375	0.1	RMS	824	-32.92	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.84	-13	Pass	401



11.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	20.56	30	Pass	401
824	824.0375	0.02	RMS	824.001	-41.62	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-37.09	-13	Pass	401



11.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.625	6.21	30	Pass	401
824	824.0375	0.1	RMS	824	-32.14	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.2	-13	Pass	401



--BLANK BELOW--