

# 承 認 書 SPECIFICATION FOR APPROVAL

客戶名稱 CUSTOMER	:	
客戶料號 CUSTOMER'S P/N	:	
料號 PART NUMBER	:	WAN3216F245H08
規格 DESCRIPTION	:	Chip Antenna 3216 L Ant 2.45G Type H08
版本 VERSION	:	V1.1
日期 ISSUE DATE	:	2020/02/27

客戶承認	
CUSTOMER APPROVED	

	工 程 部 R&D CENTER	
承 認 APPROVAL	確認 CHECKED	製 作 DRAWN
Ray	Tennyson	Snow





# 萬誠科技股份有限公司

11261 台北市北投區立功街 151 號 1 樓

電話: (02) 2898-2220 傳真: (02) 2898-5055

# OneWave Electronic Co., Ltd.


1F, No. 151, Li Gong Street, Beitou District, Taipei City 11261, Taiwan

TEL: +886 2 2898-2220 FAX: +886 2 2898-5055



# 3216 Chip antenna

# For Bluetooth / WLAN Applications



P/N: WAN3216F245H08

	Dimension (mm)
L	3.23 ± 0.20
W	1.66 ± 0.20
Т	0.45 ± 0.20



### **Part Number Information**

WAN 3216 F 245 H 08
A B C D E F

Α	Product Series	Antenna		
В	Dimension L x W	3.2 x 1.6mm (±0.2mm)		
C	Material	High K material		
D	Working Frequency	2.4 ~ 2.5GHz		
E	Feeding mode	PIFA & Single Feeding		
F	Antenna type	Type = 08		


# 1. Electrical Specification

Specification				
Part Number	WAN3216F245H08			
Central Frequency	2450	MHz		
Bandwidth	120 (Min.)	MHz		
Return Loss	-6.5 (Max)	dB		
Peak Gain	1.75	dBi		
Impedance	50	Ohm		
Operating Temperature	-40~+110	$^{\circ}\!\mathbb{C}$		
Maximum Power	4	W		
Resistance to Soldering Heats	10 ( @ 260°C )	sec.		
Polarization	Linear			
Azimuth Beamwidth	Omni-directional			
Termination	Ni / Au (Leadless)			


Remark: Bandwidth & Peak Gain was measured under evaluation board of next page



### 2. Recommended PCB Pattern Evaluation Board Dimension




### 2<sup>nd</sup> Evaluation Board Dimension



# **Suggested Matching Circuit**


重要資訊:

匹配元件建議使用精準度高的電威±0.1~0.3nH、電容±0.1pF







### Layout Dimensions in Clearance area(Size=5.9\*5.0mm)



FootPrint (Unit:mm)




◆ 2<sup>nd</sup> Layout Dimensions in Clearance area(Size=8.0\*3.0mm)






# 3. Measurement Results Return Loss






### **Radiation Pattern**



	Efficiency	Peak Gain	Directivity
2400MHz	81.46%	1.67 dBi	2.56 dBi
2450MHz	84.75%	1.75 dBi	2.46 dBi
2500MHz	2500MHz 82.68%		2.52 dBi

# **Chamber Coordinate System**






**4. Reliability and Test Condictions** 


ITEM	REQUIREMENTS	TEST CONDITION		
Solderability	Wetting shall exceed 90% coverage     New rights machineled arrows	Pre-heating temperature:150°C /60sec.		
	2. No visible mechanical damage	Solder temperature:230±5°C		
	TEMP (°C)	Duration:4±1sec.		
		Solder:Sn-Ag3.0-Cu0.5		
	230°C 4±1 sec.	Flux for lead free: rosin		
	150°C			
	60sec			
	/ ousec \			
Solder heat	No visible mechanical damage	Pro- booting town authors (150°C /COss		
Resistance	2. Central Freq. change :within ± 6%	Pre-heating temperature:150 $^{\circ}$ C/60sec. Solder temperature:260 $^{\pm}$ 5 $^{\circ}$ C		
	TEMP (°C)	Duration:10±0.5sec.		
		Solder:Sn-Ag3.0-Cu0.5		
	260°C 10±0.5 sec.	Flux for lead free: rosin		
	150℃			
	60sec			
	, , ,			
Component	No visible mechanical damage	The device should be reflow		
Adhesion	1. No visible incontanteal damage	soldered(230±5°C for 10sec.) to a tinned		
(Push test)		copper substrate A dynometer force		
		gauge should be applied the side of the		
		component. The device must with-ST-F		
		0.5 Kg without failure of the termination attached to component.		
Component	No visible mechanical damage	Insert 10cm wire into the remaining open		
Adhesion		eye bend ,the ends of even wire lengths		
(Pull test)		upward and wind together.  Terminal shall not be remarkably		
(1 4.11 1001)				
		damaged.		
Thermal shock	No visible mechanical damage	+110°C=>30±3min		
	2. Central Freq. change :within ±6%	-40°C =>30±3min		
		Test cycle:10 cycles		
	1 110 = 0-	The chip shall be stabilized at normal		
	1 +110±5°C 30±3	condition for 2~3 hours before		
	2 Room Within	measuring.		
	Temperature 3sec			
	3 -40±2°C 30±3			
	4 Room Within			
	Temperature 3sec			
Resistance to	No visible mechanical damage	Temperature: +110±5℃		
High	2. Central Freq. change :within ±6%	Duration: 1000±12hrs		
Temperature	3. No disconnection or short circuit.	The chip shall be stabilized at normal		
	o. No disconnection of short discult.	condition for 2~3 hours before		
		measuring.		
Resistance to	1. No visible mechanical damage	Temperature:-40±5°C		
Low	2. Central Freq. change :within ±6%	Duration: 1000±12hrs		
Temperature	3. No disconnection or short circuit.	The chip shall be stabilized at normal		
	c to disconniction of orion official.	condition for 2~3 hours before		
		measuring.		
Humidity	1. No visible mechanical damage	Temperature: 40±2°C		
	2. Central Freq. change :within ±6%	Humidity: 90% to 95% RH		
	3. No disconnection or short circuit.	Duration: 1000±12hrs		
		The chip shall be stabilized at normal condition for 2~3 hours before		
		measuring.		



### 5. Soldering and Mounting

Mildly activated rosin fluxes are preferred. The minimum amount of solder can lead to damage from the stresses caused by the difference in coefficients of expansion between solder, chip and substrate. The terminations are suitable for all wave and re-flow soldering systems. If hand soldering cannot be avoided, the preferred technique is the utilization of hot air soldering tools.





Recommended temperature profiles for re-flow soldering in Figure 1.


Products attachment with a soldering iron is discouraged due to the inherent process control limitations. In the event that a soldering iron must be employed the following precautions are recommended.


- Preheat circuit and products to 150°C
- Never contact the ceramic with the iron tip
- Use a 20 watt soldering iron with tip diameter of 1.0mm
- 280°C tip temperature (max)
- 1.0mm tip diameter (max)
- · Limit soldering time to 3 sec.




# **6.Packaging Information**

### **Tape Specification:**





### Reel Specification: (7", Ф180 mm)



7" x 8 mm

Tape Width(mm)	A(mm)	B(mm)	C(mm)	D(mm)	Chip/Reel(pcs)
8	9.0±0.5	60±2	13.5±0.5	178±2	3000



### 7. Storage and Transportation Information

#### **Storage Conditions**

To maintain the solderability of terminal electrodes:

- 1. Temperature and humidity conditions: -10~ 40°C and 30~70% RH.
- 2. Recommended products should be used within 6 months from the time of delivery.
- 3. The packaging material should be kept where no chlorine or sulfur exists in the air.

#### **Transportation Conditions**

- 1. Products should be handled with care to avoid damage or contamination from perspiration and skin oils.
- 2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
- 3. Bulk handling should ensure that abrasion and mechanical shock are minimized.