

Appendix Test Data

Report No.:	18220WC40054503	Test Sample No.:	1-2-2
Start Test Date:	2024.4.23	Finish Test Date:	2024.4.28
Test Engineer:	Hayman Chen	Auditor:	Justin Feng
Temperature:	24.3°C	Relative Humidity:	57 %
Pressure:	101 kPa		

Appendix A: Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band71	5MHz	QPSK	133147	1RB#0	23.17	PASS
Band71	5MHz	16QAM	133147	1RB#0	21.72	PASS
Band71	5MHz	QPSK	133147	1RB#12	23.40	PASS
Band71	5MHz	16QAM	133147	1RB#12	22.02	PASS
Band71	5MHz	QPSK	133147	1RB#24	23.27	PASS
Band71	5MHz	16QAM	133147	1RB#24	22.00	PASS
Band71	5MHz	QPSK	133147	12RB#0	22.36	PASS
Band71	5MHz	16QAM	133147	12RB#0	21.18	PASS
Band71	5MHz	QPSK	133147	12RB#6	22.35	PASS
Band71	5MHz	16QAM	133147	12RB#6	21.17	PASS
Band71	5MHz	QPSK	133147	12RB#13	22.34	PASS
Band71	5MHz	16QAM	133147	12RB#13	21.27	PASS
Band71	5MHz	QPSK	133147	25RB#0	22.13	PASS
Band71	5MHz	16QAM	133147	25RB#0	21.28	PASS
Band71	5MHz	QPSK	133297	1RB#0	23.12	PASS
Band71	5MHz	16QAM	133297	1RB#0	22.47	PASS
Band71	5MHz	QPSK	133297	1RB#12	23.28	PASS
Band71	5MHz	16QAM	133297	1RB#12	22.38	PASS
Band71	5MHz	QPSK	133297	1RB#24	23.09	PASS
Band71	5MHz	16QAM	133297	1RB#24	22.36	PASS
Band71	5MHz	QPSK	133297	12RB#0	22.10	PASS
Band71	5MHz	16QAM	133297	12RB#0	21.01	PASS
Band71	5MHz	QPSK	133297	12RB#6	22.11	PASS
Band71	5MHz	16QAM	133297	12RB#6	21.01	PASS
Band71	5MHz	QPSK	133297	12RB#13	22.07	PASS
Band71	5MHz	16QAM	133297	12RB#13	21.03	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	5MHz	QPSK	133297	25RB#0	22.00	PASS
Band71	5MHz	16QAM	133297	25RB#0	21.07	PASS
Band71	5MHz	QPSK	133447	1RB#0	22.88	PASS
Band71	5MHz	16QAM	133447	1RB#0	22.08	PASS
Band71	5MHz	QPSK	133447	1RB#12	23.01	PASS
Band71	5MHz	16QAM	133447	1RB#12	22.28	PASS
Band71	5MHz	QPSK	133447	1RB#24	23.00	PASS
Band71	5MHz	16QAM	133447	1RB#24	22.09	PASS
Band71	5MHz	QPSK	133447	12RB#0	22.22	PASS
Band71	5MHz	16QAM	133447	12RB#0	20.97	PASS
Band71	5MHz	QPSK	133447	12RB#6	22.12	PASS
Band71	5MHz	16QAM	133447	12RB#6	20.97	PASS
Band71	5MHz	QPSK	133447	12RB#13	22.22	PASS
Band71	5MHz	16QAM	133447	12RB#13	21.06	PASS
Band71	5MHz	QPSK	133447	25RB#0	22.00	PASS
Band71	5MHz	16QAM	133447	25RB#0	21.06	PASS
Band71	10MHz	QPSK	133172	1RB#0	23.15	PASS
Band71	10MHz	16QAM	133172	1RB#0	22.39	PASS
Band71	10MHz	QPSK	133172	1RB#24	23.44	PASS
Band71	10MHz	16QAM	133172	1RB#24	22.43	PASS
Band71	10MHz	QPSK	133172	1RB#49	22.98	PASS
Band71	10MHz	16QAM	133172	1RB#49	22.55	PASS
Band71	10MHz	QPSK	133172	25RB#0	22.11	PASS
Band71	10MHz	16QAM	133172	25RB#0	21.14	PASS
Band71	10MHz	QPSK	133172	25RB#12	22.01	PASS
Band71	10MHz	16QAM	133172	25RB#12	21.11	PASS
Band71	10MHz	QPSK	133172	25RB#25	22.12	PASS
Band71	10MHz	16QAM	133172	25RB#25	21.42	PASS
Band71	10MHz	QPSK	133172	50RB#0	22.17	PASS
Band71	10MHz	16QAM	133172	50RB#0	21.25	PASS
Band71	10MHz	QPSK	133297	1RB#0	22.92	PASS
Band71	10MHz	16QAM	133297	1RB#0	21.92	PASS
Band71	10MHz	QPSK	133297	1RB#24	23.07	PASS
Band71	10MHz	16QAM	133297	1RB#24	22.13	PASS
Band71	10MHz	QPSK	133297	1RB#49	22.95	PASS
Band71	10MHz	16QAM	133297	1RB#49	22.02	PASS
Band71	10MHz	QPSK	133297	25RB#0	22.17	PASS
Band71	10MHz	16QAM	133297	25RB#0	21.03	PASS
Band71	10MHz	QPSK	133297	25RB#12	22.16	PASS
Band71	10MHz	16QAM	133297	25RB#12	21.22	PASS
Band71	10MHz	QPSK	133297	25RB#25	22.02	PASS
Band71	10MHz	16QAM	133297	25RB#25	20.90	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com.cn



Band71	10MHz	QPSK	133297	50RB#0	21.95	PASS
Band71	10MHz	16QAM	133297	50RB#0	21.01	PASS
Band71	10MHz	QPSK	133422	1RB#0	22.89	PASS
Band71	10MHz	16QAM	133422	1RB#0	22.15	PASS
Band71	10MHz	QPSK	133422	1RB#24	23.21	PASS
Band71	10MHz	16QAM	133422	1RB#24	21.93	PASS
Band71	10MHz	QPSK	133422	1RB#49	22.90	PASS
Band71	10MHz	16QAM	133422	1RB#49	22.21	PASS
Band71	10MHz	QPSK	133422	25RB#0	21.97	PASS
Band71	10MHz	16QAM	133422	25RB#0	21.16	PASS
Band71	10MHz	QPSK	133422	25RB#12	21.96	PASS
Band71	10MHz	16QAM	133422	25RB#12	21.15	PASS
Band71	10MHz	QPSK	133422	25RB#25	22.11	PASS
Band71	10MHz	16QAM	133422	25RB#25	21.22	PASS
Band71	10MHz	QPSK	133422	50RB#0	22.03	PASS
Band71	10MHz	16QAM	133422	50RB#0	20.98	PASS
Band71	15MHz	QPSK	133197	1RB#0	23.24	PASS
Band71	15MHz	16QAM	133197	1RB#0	21.95	PASS
Band71	15MHz	QPSK	133197	1RB#38	23.20	PASS
Band71	15MHz	16QAM	133197	1RB#38	22.23	PASS
Band71	15MHz	QPSK	133197	1RB#74	23.17	PASS
Band71	15MHz	16QAM	133197	1RB#74	22.18	PASS
Band71	15MHz	QPSK	133197	38RB#0	21.89	PASS
Band71	15MHz	16QAM	133197	38RB#0	21.88	PASS
Band71	15MHz	QPSK	133197	38RB#18	22.25	PASS
Band71	15MHz	16QAM	133197	38RB#18	22.08	PASS
Band71	15MHz	QPSK	133197	38RB#37	22.01	PASS
Band71	15MHz	16QAM	133197	38RB#37	22.00	PASS
Band71	15MHz	QPSK	133197	75RB#0	22.18	PASS
Band71	15MHz	16QAM	133197	75RB#0	21.24	PASS
Band71	15MHz	QPSK	133297	1RB#0	23.17	PASS
Band71	15MHz	16QAM	133297	1RB#0	22.02	PASS
Band71	15MHz	QPSK	133297	1RB#38	23.03	PASS
Band71	15MHz	16QAM	133297	1RB#38	22.04	PASS
Band71	15MHz	QPSK	133297	1RB#74	22.99	PASS
Band71	15MHz	16QAM	133297	1RB#74	22.09	PASS
Band71	15MHz	QPSK	133297	38RB#0	22.01	PASS
Band71	15MHz	16QAM	133297	38RB#0	21.87	PASS
Band71	15MHz	QPSK	133297	38RB#18	22.72	PASS
Band71	15MHz	16QAM	133297	38RB#18	22.73	PASS
Band71	15MHz	QPSK	133297	38RB#37	21.83	PASS
Band71	15MHz	16QAM	133297	38RB#37	21.83	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
 400-003-0500
 www.anbotek.com.cn



Band71	15MHz	QPSK	133297	75RB#0	22.11	PASS
Band71	15MHz	16QAM	133297	75RB#0	20.97	PASS
Band71	15MHz	QPSK	133397	1RB#0	22.83	PASS
Band71	15MHz	16QAM	133397	1RB#0	22.06	PASS
Band71	15MHz	QPSK	133397	1RB#38	22.77	PASS
Band71	15MHz	16QAM	133397	1RB#38	21.96	PASS
Band71	15MHz	QPSK	133397	1RB#74	22.94	PASS
Band71	15MHz	16QAM	133397	1RB#74	22.11	PASS
Band71	15MHz	QPSK	133397	38RB#0	21.84	PASS
Band71	15MHz	16QAM	133397	38RB#0	21.78	PASS
Band71	15MHz	QPSK	133397	38RB#18	21.80	PASS
Band71	15MHz	16QAM	133397	38RB#18	21.78	PASS
Band71	15MHz	QPSK	133397	38RB#37	21.80	PASS
Band71	15MHz	16QAM	133397	38RB#37	21.82	PASS
Band71	15MHz	QPSK	133397	75RB#0	22.05	PASS
Band71	15MHz	16QAM	133397	75RB#0	21.04	PASS
Band71	20MHz	QPSK	133222	1RB#0	23.00	PASS
Band71	20MHz	16QAM	133222	1RB#0	21.91	PASS
Band71	20MHz	QPSK	133222	1RB#49	23.25	PASS
Band71	20MHz	16QAM	133222	1RB#49	21.95	PASS
Band71	20MHz	QPSK	133222	1RB#99	22.94	PASS
Band71	20MHz	16QAM	133222	1RB#99	21.90	PASS
Band71	20MHz	QPSK	133222	50RB#0	22.30	PASS
Band71	20MHz	16QAM	133222	50RB#0	21.44	PASS
Band71	20MHz	QPSK	133222	50RB#25	22.27	PASS
Band71	20MHz	16QAM	133222	50RB#25	21.42	PASS
Band71	20MHz	QPSK	133222	50RB#50	22.23	PASS
Band71	20MHz	16QAM	133222	50RB#50	21.29	PASS
Band71	20MHz	QPSK	133222	100RB#0	22.19	PASS
Band71	20MHz	16QAM	133222	100RB#0	21.27	PASS
Band71	20MHz	QPSK	133322	1RB#0	22.83	PASS
Band71	20MHz	16QAM	133322	1RB#0	22.15	PASS
Band71	20MHz	QPSK	133322	1RB#49	23.38	PASS
Band71	20MHz	16QAM	133322	1RB#49	22.51	PASS
Band71	20MHz	QPSK	133322	1RB#99	22.83	PASS
Band71	20MHz	16QAM	133322	1RB#99	22.18	PASS
Band71	20MHz	QPSK	133322	50RB#0	22.07	PASS
Band71	20MHz	16QAM	133322	50RB#0	21.16	PASS
Band71	20MHz	QPSK	133322	50RB#25	22.09	PASS
Band71	20MHz	16QAM	133322	50RB#25	21.16	PASS
Band71	20MHz	QPSK	133322	50RB#50	22.01	PASS
Band71	20MHz	16QAM	133322	50RB#50	21.18	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com.cn



Band71	20MHz	QPSK	133322	100RB#0	22.12	PASS
Band71	20MHz	16QAM	133322	100RB#0	21.18	PASS
Band71	20MHz	QPSK	133372	1RB#0	23.08	PASS
Band71	20MHz	16QAM	133372	1RB#0	22.38	PASS
Band71	20MHz	QPSK	133372	1RB#49	23.30	PASS
Band71	20MHz	16QAM	133372	1RB#49	22.63	PASS
Band71	20MHz	QPSK	133372	1RB#99	22.94	PASS
Band71	20MHz	16QAM	133372	1RB#99	22.43	PASS
Band71	20MHz	QPSK	133372	50RB#0	22.06	PASS
Band71	20MHz	16QAM	133372	50RB#0	21.18	PASS
Band71	20MHz	QPSK	133372	50RB#25	21.99	PASS
Band71	20MHz	16QAM	133372	50RB#25	21.10	PASS
Band71	20MHz	QPSK	133372	50RB#50	22.03	PASS
Band71	20MHz	16QAM	133372	50RB#50	21.20	PASS
Band71	20MHz	QPSK	133372	100RB#0	22.03	PASS
Band71	20MHz	16QAM	133372	100RB#0	21.11	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band71	5MHz	QPSK	133147	1RB#0	3.70	13	PASS
Band71	5MHz	16QAM	133147	1RB#0	4.44	13	PASS
Band71	5MHz	QPSK	133147	25RB#0	4.50	13	PASS
Band71	5MHz	16QAM	133147	25RB#0	5.41	13	PASS
Band71	5MHz	QPSK	133297	1RB#0	4.42	13	PASS
Band71	5MHz	16QAM	133297	1RB#0	5.29	13	PASS
Band71	5MHz	QPSK	133297	25RB#0	5.04	13	PASS
Band71	5MHz	16QAM	133297	25RB#0	5.81	13	PASS
Band71	5MHz	QPSK	133447	1RB#0	4.51	13	PASS
Band71	5MHz	16QAM	133447	1RB#0	5.25	13	PASS
Band71	5MHz	QPSK	133447	25RB#0	5.11	13	PASS
Band71	5MHz	16QAM	133447	25RB#0	5.89	13	PASS
Band71	10MHz	QPSK	133172	1RB#0	3.79	13	PASS
Band71	10MHz	16QAM	133172	1RB#0	4.60	13	PASS
Band71	10MHz	QPSK	133172	50RB#0	4.62	13	PASS
Band71	10MHz	16QAM	133172	50RB#0	5.44	13	PASS
Band71	10MHz	QPSK	133297	1RB#0	4.32	13	PASS
Band71	10MHz	16QAM	133297	1RB#0	5.21	13	PASS
Band71	10MHz	QPSK	133297	50RB#0	4.89	13	PASS
Band71	10MHz	16QAM	133297	50RB#0	5.76	13	PASS
Band71	10MHz	QPSK	133422	1RB#0	4.25	13	PASS
Band71	10MHz	16QAM	133422	1RB#0	5.06	13	PASS
Band71	10MHz	QPSK	133422	50RB#0	5.07	13	PASS
Band71	10MHz	16QAM	133422	50RB#0	5.87	13	PASS
Band71	15MHz	QPSK	133197	1RB#0	3.76	13	PASS
Band71	15MHz	16QAM	133197	1RB#0	4.67	13	PASS
Band71	15MHz	QPSK	133197	75RB#0	5.08	13	PASS
Band71	15MHz	16QAM	133197	75RB#0	5.78	13	PASS
Band71	15MHz	QPSK	133297	1RB#0	4.11	13	PASS
Band71	15MHz	16QAM	133297	1RB#0	4.88	13	PASS
Band71	15MHz	QPSK	133297	75RB#0	4.97	13	PASS
Band71	15MHz	16QAM	133297	75RB#0	5.74	13	PASS
Band71	15MHz	QPSK	133397	1RB#0	4.15	13	PASS
Band71	15MHz	16QAM	133397	1RB#0	5.00	13	PASS
Band71	15MHz	QPSK	133397	75RB#0	5.29	13	PASS
Band71	15MHz	16QAM	133397	75RB#0	5.97	13	PASS
Band71	20MHz	QPSK	133222	1RB#0	3.83	13	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	20MHz	16QAM	133222	1RB#0	4.59	13	PASS
Band71	20MHz	QPSK	133222	100RB#0	5.06	13	PASS
Band71	20MHz	16QAM	133222	100RB#0	5.83	13	PASS
Band71	20MHz	QPSK	133322	1RB#0	4.09	13	PASS
Band71	20MHz	16QAM	133322	1RB#0	5.07	13	PASS
Band71	20MHz	QPSK	133322	100RB#0	4.92	13	PASS
Band71	20MHz	16QAM	133322	100RB#0	5.73	13	PASS
Band71	20MHz	QPSK	133372	1RB#0	4.34	13	PASS
Band71	20MHz	16QAM	133372	1RB#0	5.05	13	PASS
Band71	20MHz	QPSK	133372	100RB#0	5.12	13	PASS
Band71	20MHz	16QAM	133372	100RB#0	5.90	13	PASS

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
 400-003-0500
www.anbotek.com.cn



Test Graphs






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com.cn





Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com.cn



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band71	5MHz	QPSK	133147	25RB#0	4.5088	5.015	PASS
Band71	5MHz	16QAM	133147	25RB#0	4.4976	4.985	PASS
Band71	5MHz	QPSK	133297	25RB#0	4.4959	4.968	PASS
Band71	5MHz	16QAM	133297	25RB#0	4.5044	5.021	PASS
Band71	5MHz	QPSK	133447	25RB#0	4.4990	4.989	PASS
Band71	5MHz	16QAM	133447	25RB#0	4.5183	5.023	PASS
Band71	10MHz	QPSK	133172	50RB#0	8.9540	9.847	PASS
Band71	10MHz	16QAM	133172	50RB#0	8.9408	9.859	PASS
Band71	10MHz	QPSK	133297	50RB#0	8.9474	9.869	PASS
Band71	10MHz	16QAM	133297	50RB#0	8.9424	9.817	PASS
Band71	10MHz	QPSK	133422	50RB#0	8.9741	9.838	PASS
Band71	10MHz	16QAM	133422	50RB#0	8.9563	9.909	PASS
Band71	15MHz	QPSK	133197	75RB#0	13.432	14.76	PASS
Band71	15MHz	16QAM	133197	75RB#0	13.492	14.73	PASS
Band71	15MHz	QPSK	133297	75RB#0	13.406	14.69	PASS
Band71	15MHz	16QAM	133297	75RB#0	13.433	14.69	PASS
Band71	15MHz	QPSK	133397	75RB#0	13.450	14.87	PASS
Band71	15MHz	16QAM	133397	75RB#0	13.485	14.67	PASS
Band71	20MHz	QPSK	133222	100RB#0	17.947	19.44	PASS
Band71	20MHz	16QAM	133222	100RB#0	17.907	19.59	PASS
Band71	20MHz	QPSK	133322	100RB#0	17.853	19.28	PASS
Band71	20MHz	16QAM	133322	100RB#0	17.889	19.38	PASS
Band71	20MHz	QPSK	133372	100RB#0	17.936	19.62	PASS
Band71	20MHz	16QAM	133372	100RB#0	17.892	19.63	PASS

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Test Graphs




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline 400-003-0500
 www.anbotek.com.cn





Band71-10MHz-QPSK-133172-50RB#0-PASS

Band71-10MHz-16QAM-133172-50RB#0-PASS



Band71-10MHz-QPSK-133297-50RB#0-PASS

Band71-10MHz-16QAM-133297-50RB#0-PASS



Band71-10MHz-QPSK-133422-50RB#0-PASS

Band71-10MHz-16QAM-133422-50RB#0-PASS






Band71-15MHz-QPSK-133197-75RB#0-PASS

Band71-15MHz-16QAM-133197-75RB#0-PASS



Band71-15MHz-QPSK-133297-75RB#0-PASS

Band71-15MHz-16QAM-133297-75RB#0-PASS



Band71-15MHz-QPSK-133397-75RB#0-PASS

Band71-15MHz-16QAM-133397-75RB#0-PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com.cn






Band71-20MHz-QPSK-133222-100RB#0-PASS

Band71-20MHz-16QAM-133222-100RB#0-PASS



Band71-20MHz-QPSK-133322-100RB#0-PASS

Band71-20MHz-16QAM-133322-100RB#0-PASS



Band71-20MHz-QPSK-133372-100RB#0-PASS

Band71-20MHz-16QAM-133372-100RB#0-PASS



Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band71	5MHz	QPSK	133147	1RB#0	-26.71	PASS
Band71	5MHz	16QAM	133147	1RB#0	-25.20	PASS
Band71	5MHz	QPSK	133147	1RB#24	-43.98	PASS
Band71	5MHz	16QAM	133147	1RB#24	-46.76	PASS
Band71	5MHz	QPSK	133147	25RB#0	-33.01	PASS
Band71	5MHz	16QAM	133147	25RB#0	-33.51	PASS
Band71	5MHz	QPSK	133447	1RB#0	-40.66	PASS
Band71	5MHz	16QAM	133447	1RB#0	-43.26	PASS
Band71	5MHz	QPSK	133447	1RB#24	-23.78	PASS
Band71	5MHz	16QAM	133447	1RB#24	-26.66	PASS
Band71	5MHz	QPSK	133447	25RB#0	-36.31	PASS
Band71	5MHz	16QAM	133447	25RB#0	-31.36	PASS
Band71	10MHz	QPSK	133172	1RB#0	-44.57	PASS
Band71	10MHz	16QAM	133172	1RB#0	-40.06	PASS
Band71	10MHz	QPSK	133172	1RB#49	-63.18	PASS
Band71	10MHz	16QAM	133172	1RB#49	-63.91	PASS
Band71	10MHz	QPSK	133172	50RB#0	-35.43	PASS
Band71	10MHz	16QAM	133172	50RB#0	-37.29	PASS
Band71	10MHz	QPSK	133422	1RB#0	-59.47	PASS
Band71	10MHz	16QAM	133422	1RB#0	-61.00	PASS
Band71	10MHz	QPSK	133422	1RB#49	-39.42	PASS
Band71	10MHz	16QAM	133422	1RB#49	-46.10	PASS
Band71	10MHz	QPSK	133422	50RB#0	-36.36	PASS
Band71	10MHz	16QAM	133422	50RB#0	-39.71	PASS
Band71	15MHz	QPSK	133197	1RB#0	-36.52	PASS
Band71	15MHz	16QAM	133197	1RB#0	-37.57	PASS
Band71	15MHz	QPSK	133197	1RB#74	-60.23	PASS
Band71	15MHz	16QAM	133197	1RB#74	-61.95	PASS
Band71	15MHz	QPSK	133197	75RB#0	-38.61	PASS
Band71	15MHz	16QAM	133197	75RB#0	-39.78	PASS
Band71	15MHz	QPSK	133397	1RB#0	-57.63	PASS
Band71	15MHz	16QAM	133397	1RB#0	-58.31	PASS
Band71	15MHz	QPSK	133397	1RB#74	-42.00	PASS
Band71	15MHz	16QAM	133397	1RB#74	-37.67	PASS
Band71	15MHz	QPSK	133397	75RB#0	-39.26	PASS
Band71	15MHz	16QAM	133397	75RB#0	-40.62	PASS
Band71	20MHz	QPSK	133222	1RB#0	-47.10	PASS

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn



Band71	20MHz	16QAM	133222	1RB#0	-43.05	PASS
Band71	20MHz	QPSK	133222	1RB#99	-68.06	PASS
Band71	20MHz	16QAM	133222	1RB#99	-68.88	PASS
Band71	20MHz	QPSK	133222	100RB#0	-40.34	PASS
Band71	20MHz	16QAM	133222	100RB#0	-41.29	PASS
Band71	20MHz	QPSK	133372	1RB#0	-65.29	PASS
Band71	20MHz	16QAM	133372	1RB#0	-67.37	PASS
Band71	20MHz	QPSK	133372	1RB#99	-45.26	PASS
Band71	20MHz	16QAM	133372	1RB#99	-39.50	PASS
Band71	20MHz	QPSK	133372	100RB#0	-40.50	PASS
Band71	20MHz	16QAM	133372	100RB#0	-41.32	PASS

Test Graphs




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline: 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com.cn





Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline
 400-003-0500
 www.anbotek.com.cn






Band71_15MHz_QPSK_133397_75RB#0

Band71_15MHz_16QAM_133397_75RB#0



Band71_20MHz_QPSK_133222_1RB#0

Band71_20MHz_16QAM_133222_1RB#0



Band71_20MHz_QPSK_133222_1RB#99


Band71_20MHz_16QAM_133222_1RB#99

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline: 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com.cn





Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band71	5MHz	QPSK	133147	1RB#0	0.009~0.15	-61.28	PASS
Band71	5MHz	QPSK	133147	1RB#0	0.15~30	-59.98	PASS
Band71	5MHz	QPSK	133147	1RB#0	30~1000	-66.07	PASS
Band71	5MHz	QPSK	133147	1RB#0	1000~3000	-44.00	PASS
Band71	5MHz	QPSK	133147	1RB#0	3000~10000	-52.03	PASS
Band71	5MHz	16QAM	133147	1RB#0	0.009~0.15	-59.15	PASS
Band71	5MHz	16QAM	133147	1RB#0	0.15~30	-58.55	PASS
Band71	5MHz	16QAM	133147	1RB#0	30~1000	-66.01	PASS
Band71	5MHz	16QAM	133147	1RB#0	1000~3000	-44.97	PASS
Band71	5MHz	16QAM	133147	1RB#0	3000~10000	-52.07	PASS
Band71	5MHz	QPSK	133297	1RB#0	0.009~0.15	-57.36	PASS
Band71	5MHz	QPSK	133297	1RB#0	0.15~30	-61.16	PASS
Band71	5MHz	QPSK	133297	1RB#0	30~1000	-65.78	PASS
Band71	5MHz	QPSK	133297	1RB#0	1000~3000	-41.58	PASS
Band71	5MHz	QPSK	133297	1RB#0	3000~10000	-51.65	PASS
Band71	5MHz	16QAM	133297	1RB#0	0.009~0.15	-60.34	PASS
Band71	5MHz	16QAM	133297	1RB#0	0.15~30	-58.32	PASS
Band71	5MHz	16QAM	133297	1RB#0	30~1000	-66.40	PASS
Band71	5MHz	16QAM	133297	1RB#0	1000~3000	-42.03	PASS
Band71	5MHz	16QAM	133297	1RB#0	3000~10000	-52.45	PASS
Band71	5MHz	QPSK	133447	1RB#0	0.009~0.15	-61.40	PASS
Band71	5MHz	QPSK	133447	1RB#0	0.15~30	-58.48	PASS
Band71	5MHz	QPSK	133447	1RB#0	30~1000	-66.36	PASS
Band71	5MHz	QPSK	133447	1RB#0	1000~3000	-40.84	PASS
Band71	5MHz	QPSK	133447	1RB#0	3000~10000	-52.13	PASS
Band71	5MHz	16QAM	133447	1RB#0	0.009~0.15	-60.41	PASS
Band71	5MHz	16QAM	133447	1RB#0	0.15~30	-58.72	PASS
Band71	5MHz	16QAM	133447	1RB#0	30~1000	-65.54	PASS
Band71	5MHz	16QAM	133447	1RB#0	1000~3000	-44.53	PASS
Band71	10MHz	16QAM	133172	1RB#0	0.009~0.15	-61.81	PASS
Band71	10MHz	16QAM	133172	1RB#0	0.15~30	-61.09	PASS
Band71	10MHz	16QAM	133172	1RB#0	30~1000	-66.51	PASS
Band71	10MHz	16QAM	133172	1RB#0	1000~3000	-44.21	PASS
Band71	10MHz	16QAM	133172	1RB#0	3000~10000	-52.52	PASS
Band71	10MHz	QPSK	133297	1RB#0	0.009~0.15	-61.27	PASS
Band71	10MHz	QPSK	133297	1RB#0	0.15~30	-61.52	PASS
Band71	10MHz	QPSK	133297	1RB#0	30~1000	-66.20	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	10MHz	QPSK	133297	1RB#0	1000~3000	-42.82	PASS
Band71	10MHz	QPSK	133297	1RB#0	3000~10000	-52.50	PASS
Band71	10MHz	16QAM	133297	1RB#0	0.009~0.15	-60.32	PASS
Band71	10MHz	16QAM	133297	1RB#0	0.15~30	-61.62	PASS
Band71	10MHz	16QAM	133297	1RB#0	30~1000	-66.49	PASS
Band71	10MHz	16QAM	133297	1RB#0	1000~3000	-40.29	PASS
Band71	10MHz	QPSK	133422	1RB#0	0.009~0.15	-62.19	PASS
Band71	10MHz	QPSK	133422	1RB#0	0.15~30	-61.17	PASS
Band71	10MHz	QPSK	133422	1RB#0	30~1000	-66.26	PASS
Band71	10MHz	QPSK	133422	1RB#0	1000~3000	-40.24	PASS
Band71	10MHz	QPSK	133422	1RB#0	3000~10000	-52.35	PASS
Band71	10MHz	16QAM	133422	1RB#0	0.009~0.15	-61.43	PASS
Band71	10MHz	16QAM	133422	1RB#0	0.15~30	-60.87	PASS
Band71	10MHz	16QAM	133422	1RB#0	30~1000	-66.41	PASS
Band71	10MHz	16QAM	133422	1RB#0	1000~3000	-42.13	PASS
Band71	10MHz	16QAM	133422	1RB#0	3000~10000	-52.38	PASS
Band71	15MHz	QPSK	133197	1RB#0	0.009~0.15	-63.07	PASS
Band71	15MHz	QPSK	133197	1RB#0	0.15~30	-59.41	PASS
Band71	15MHz	QPSK	133197	1RB#0	30~1000	-66.35	PASS
Band71	15MHz	QPSK	133197	1RB#0	1000~3000	-43.00	PASS
Band71	15MHz	QPSK	133297	1RB#0	0.009~0.15	-60.71	PASS
Band71	15MHz	QPSK	133297	1RB#0	0.15~30	-60.48	PASS
Band71	15MHz	QPSK	133297	1RB#0	30~1000	-66.25	PASS
Band71	15MHz	QPSK	133297	1RB#0	1000~3000	-42.36	PASS
Band71	15MHz	QPSK	133297	1RB#0	3000~10000	-52.30	PASS
Band71	15MHz	16QAM	133297	1RB#0	0.009~0.15	-59.61	PASS
Band71	15MHz	16QAM	133297	1RB#0	0.15~30	-61.11	PASS
Band71	15MHz	16QAM	133297	1RB#0	30~1000	-66.55	PASS
Band71	15MHz	16QAM	133297	1RB#0	1000~3000	-41.49	PASS
Band71	15MHz	16QAM	133297	1RB#0	3000~10000	-50.86	PASS
Band71	15MHz	QPSK	133397	1RB#0	0.009~0.15	-59.34	PASS
Band71	15MHz	QPSK	133397	1RB#0	0.15~30	-60.58	PASS
Band71	15MHz	QPSK	133397	1RB#0	30~1000	-66.49	PASS
Band71	15MHz	QPSK	133397	1RB#0	1000~3000	-41.39	PASS
Band71	15MHz	16QAM	133397	1RB#0	0.009~0.15	-61.26	PASS
Band71	15MHz	16QAM	133397	1RB#0	0.15~30	-61.90	PASS
Band71	15MHz	16QAM	133397	1RB#0	30~1000	-66.64	PASS
Band71	15MHz	16QAM	133397	1RB#0	1000~3000	-42.31	PASS
Band71	15MHz	16QAM	133397	1RB#0	3000~10000	-52.04	PASS
Band71	20MHz	QPSK	133222	1RB#0	0.009~0.15	-62.03	PASS
Band71	20MHz	QPSK	133222	1RB#0	0.15~30	-59.43	PASS
Band71	5MHz	16QAM	133447	1RB#0	3000~10000	-52.11	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com.cn



Band71	10MHz	QPSK	133172	1RB#0	0.009~0.15	-61.80	PASS
Band71	10MHz	QPSK	133172	1RB#0	0.15~30	-59.76	PASS
Band71	10MHz	QPSK	133172	1RB#0	30~1000	-66.15	PASS
Band71	10MHz	QPSK	133172	1RB#0	1000~3000	-43.44	PASS
Band71	10MHz	QPSK	133172	1RB#0	3000~10000	-52.60	PASS
Band71	10MHz	16QAM	133297	1RB#0	3000~10000	-52.51	PASS
Band71	15MHz	QPSK	133197	1RB#0	3000~10000	-52.03	PASS
Band71	15MHz	16QAM	133197	1RB#0	0.009~0.15	-61.85	PASS
Band71	15MHz	16QAM	133197	1RB#0	0.15~30	-61.00	PASS
Band71	15MHz	16QAM	133197	1RB#0	30~1000	-66.80	PASS
Band71	15MHz	16QAM	133197	1RB#0	1000~3000	-45.16	PASS
Band71	15MHz	16QAM	133197	1RB#0	3000~10000	-52.48	PASS
Band71	15MHz	QPSK	133397	1RB#0	3000~10000	-52.25	PASS
Band71	20MHz	QPSK	133222	1RB#0	30~1000	-66.48	PASS
Band71	20MHz	QPSK	133222	1RB#0	1000~3000	-42.25	PASS
Band71	20MHz	QPSK	133222	1RB#0	3000~10000	-52.42	PASS
Band71	20MHz	16QAM	133222	1RB#0	0.009~0.15	-61.32	PASS
Band71	20MHz	16QAM	133222	1RB#0	0.15~30	-60.80	PASS
Band71	20MHz	16QAM	133222	1RB#0	30~1000	-66.32	PASS
Band71	20MHz	16QAM	133222	1RB#0	1000~3000	-44.51	PASS
Band71	20MHz	16QAM	133322	1RB#0	0.009~0.15	-62.57	PASS
Band71	20MHz	16QAM	133322	1RB#0	0.15~30	-57.97	PASS
Band71	20MHz	16QAM	133322	1RB#0	30~1000	-66.06	PASS
Band71	20MHz	16QAM	133322	1RB#0	1000~3000	-44.07	PASS
Band71	20MHz	16QAM	133322	1RB#0	3000~10000	-52.15	PASS
Band71	20MHz	QPSK	133372	1RB#0	0.009~0.15	-59.57	PASS
Band71	20MHz	QPSK	133372	1RB#0	0.15~30	-61.15	PASS
Band71	20MHz	QPSK	133372	1RB#0	30~1000	-66.28	PASS
Band71	20MHz	QPSK	133372	1RB#0	1000~3000	-42.20	PASS
Band71	20MHz	QPSK	133372	1RB#0	3000~10000	-52.32	PASS
Band71	20MHz	16QAM	133372	1RB#0	0.009~0.15	-61.38	PASS
Band71	20MHz	16QAM	133372	1RB#0	0.15~30	-60.93	PASS
Band71	20MHz	16QAM	133372	1RB#0	30~1000	-66.29	PASS
Band71	20MHz	16QAM	133372	1RB#0	1000~3000	-41.46	PASS
Band71	20MHz	16QAM	133222	1RB#0	3000~10000	-52.23	PASS
Band71	20MHz	QPSK	133322	1RB#0	0.009~0.15	-62.23	PASS
Band71	20MHz	QPSK	133322	1RB#0	0.15~30	-61.30	PASS
Band71	20MHz	QPSK	133322	1RB#0	30~1000	-66.40	PASS
Band71	20MHz	QPSK	133322	1RB#0	1000~3000	-43.09	PASS
Band71	20MHz	QPSK	133322	1RB#0	3000~10000	-52.47	PASS
Band71	20MHz	16QAM	133372	1RB#0	3000~10000	-52.07	PASS

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Test Graphs




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline 400-003-0500
 www.anbotek.com.cn






Band71_5MHz_16QAM_133147_1RB#0_0.15~30_0.15~30

Band71_5MHz_16QAM_133147_1RB#0_30~100_0.30~1000




Band71_5MHz_16QAM_133147_1RB#0_1000~3000_1000~3000



Band71_5MHz_16QAM_133147_1RB#0_3000~10000_3000~10000



Band71_5MHz_QPSK_133297_1RB#0_0.009~0.15_0.009~0.15




Band71_5MHz_QPSK_133297_1RB#0_0.15~30_0.15~30

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline 400-003-0500
www.anbotek.com.cn






Band71_5MHz_QPSK_133447_1RB#0_3000~10000_3000~10000

Band71_5MHz_16QAM_133447_1RB#0_0.009~0.15_0.009~0.15




Band71_5MHz_16QAM_133447_1RB#0_0.15~30_0.15~30



Band71_5MHz_16QAM_133447_1RB#0_30~1000_30~1000



Band71_5MHz_16QAM_133447_1RB#0_1000~3000_1000~3000



Band71_10MHz_16QAM_133172_1RB#0_0.009~0.15_0.009~0.15

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline 400-003-0500
www.anbotek.com.cn






Band71_10MHz_16QAM_133172_1RB#0_0.15~30
0_0.15~30


Band71_10MHz_16QAM_133172_1RB#0_30~1000
00_30~1000




Band71_10MHz_16QAM_133172_1RB#0_1000~3000
3000_1000~3000



Band71_10MHz_16QAM_133172_1RB#0_3000~10000
10000_3000~10000



Band71_10MHz_QPSK_133297_1RB#0_0.009~0.15
.15_0.009~0.15




Band71_10MHz_QPSK_133297_1RB#0_0.15~30
_0.15~30

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline
 400-003-0500
 www.anbotek.com.cn






Band71_10MHz_16QAM_133422_1RB#0_0.009~0.15_0.009~0.15

Band71_10MHz_16QAM_133422_1RB#0_0.15~3_0_0.15~30



Band71_10MHz_16QAM_133422_1RB#0_30~1000_00_30~1000

Band71_10MHz_16QAM_133422_1RB#0_1000~3000_1000~3000



Band71_10MHz_16QAM_133422_1RB#0_3000~10000_3000~10000


Band71_15MHz_QPSK_133197_1RB#0_0.009~0.15_0.009~0.15

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline
 400-003-0500
 www.anbotek.com.cn






Band71_15MHz_16QAM_133397_1RB#0_0.15~3
0_0.15~30


Band71_15MHz_16QAM_133397_1RB#0_30~10
00_30~1000




Band71_15MHz_16QAM_133397_1RB#0_1000~
3000_1000~3000



Band71_15MHz_16QAM_133397_1RB#0_3000~
10000_3000~10000



Band71_20MHz_QPSK_133222_1RB#0_0.009~0
.15_0.009~0.15




Band71_20MHz_QPSK_133222_1RB#0_0.15~30
_0.15~30

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com.cn





Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline 400-003-0500
www.anbotek.com.cn





Band71_20MHz_16QAM_133222_1RB#0_0.15~3
0_0.15~30


Band71_20MHz_16QAM_133222_1RB#0_30~10
00_30~1000




Band71_20MHz_16QAM_133222_1RB#0_1000~3000_1000~3000



Band71_20MHz_16QAM_133322_1RB#0_0.009~0.15_0.009~0.15



Band71_20MHz_16QAM_133322_1RB#0_0.15~3
0_0.15~30




Band71_20MHz_16QAM_133322_1RB#0_30~10
00_30~1000

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com.cn






Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline: 400-003-0500
 www.anbotek.com.cn






Band71_20MHz_QPSK_133322_1RB#0_0.009~0.15_0.009~0.15

Band71_20MHz_QPSK_133322_1RB#0_0.15~30_0.15~30



Band71_20MHz_QPSK_133322_1RB#0_30~100_0_30~1000

Band71_20MHz_QPSK_133322_1RB#0_1000~3000_000_1000~3000



Band71_20MHz_QPSK_133322_1RB#0_3000~10000_0000_3000~10000

Band71_20MHz_16QAM_133372_1RB#0_3000~10000_10000_3000~10000

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Appendix F: Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage		Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
					Voltage [Vdc]	Temperature (°C)				
Band71	5MHz	QPSK	13314 7	25RB#0	VN	NT	-4.05	-0.006086	±2.5	PASS
Band71	5MHz	QPSK	13314 7	25RB#0	VL	NT	-2.39	-0.003591	±2.5	PASS
Band71	5MHz	QPSK	13314 7	25RB#0	VH	NT	-3.50	-0.005259	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	VN	NT	-2.99	-0.004493	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	VL	NT	-3.28	-0.004929	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	VH	NT	-3.86	-0.005800	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	VN	NT	-4.25	-0.006245	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	VL	NT	-3.48	-0.005114	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	VH	NT	-2.32	-0.003409	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	VN	NT	-2.86	-0.004203	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	VL	NT	-5.19	-0.007627	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	VH	NT	-2.78	-0.004085	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	VN	NT	-3.13	-0.004500	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	VL	NT	-3.58	-0.005147	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	VH	NT	-2.96	-0.004256	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	VN	NT	-2.73	-0.003925	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	VL	NT	-2.40	-0.003451	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	VH	NT	-5.31	-0.007635	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	10MHz	QPSK	13317 2	50RB#0	VN	NT	-4.62	-0.006916	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	VL	NT	-2.22	-0.003323	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	VH	NT	-2.05	-0.003069	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	VN	NT	-2.99	-0.004476	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	VL	NT	-5.12	-0.007665	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	VH	NT	-2.07	-0.003099	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	VN	NT	-4.46	-0.006554	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	VL	NT	-2.69	-0.003953	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	VH	NT	-3.29	-0.004835	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	VN	NT	-4.22	-0.006201	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	VL	NT	-4.29	-0.006304	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	VH	NT	-4.22	-0.006201	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	VN	NT	-4.89	-0.007056	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	VL	NT	-2.96	-0.004271	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	VH	NT	-3.15	-0.004545	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	VN	NT	-1.34	-0.001934	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	VL	NT	-3.92	-0.005657	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	VH	NT	-2.59	-0.003737	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	VN	NT	-3.35	-0.004996	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	VL	NT	-2.26	-0.003371	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	VH	NT	2.19	0.003266	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	15MHz	16QAM	13319 7	75RB#0	VN	NT	-1.96	-0.002923	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	VL	NT	-3.33	-0.004966	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	VH	NT	-2.30	-0.003430	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	VN	NT	1.90	0.002792	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	VL	NT	-3.38	-0.004967	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	VH	NT	-1.90	-0.002792	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	VN	NT	-4.08	-0.005996	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	VL	NT	-1.92	-0.002821	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	VH	NT	-4.11	-0.006040	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	VN	NT	-3.73	-0.005402	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	VL	NT	-3.88	-0.005619	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	VH	NT	-3.89	-0.005634	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	VN	NT	-2.56	-0.003707	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	VL	NT	-2.82	-0.004084	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	VH	NT	-3.19	-0.004620	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	VN	NT	-2.63	-0.003908	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	VL	NT	-2.96	-0.004398	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	VH	NT	-2.15	-0.003195	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	VN	NT	-2.42	-0.003596	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	VL	NT	-2.68	-0.003982	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	VH	NT	-2.25	-0.003343	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	20MHz	QPSK	13332 2	100RB#0	VN	NT	-4.06	-0.005944	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	VL	NT	-2.99	-0.004378	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	VH	NT	-3.32	-0.004861	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	VN	NT	1.70	0.002489	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	VL	NT	-4.99	-0.007306	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	VH	NT	-3.68	-0.005388	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	VN	NT	-4.41	-0.006410	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	VL	NT	-2.25	-0.003270	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	VH	NT	-2.60	-0.003779	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	VN	NT	-3.12	-0.004535	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	VL	NT	-2.30	-0.003343	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	VH	NT	-3.63	-0.005276	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band71	5MHz	QPSK	13314 7	25RB#0	NV	-30	-3.69	-0.005545	±2.5	PASS
Band71	5MHz	QPSK	13314 7	25RB#0	NV	-20	-3.36	-0.005049	±2.5	PASS
Band71	5MHz	QPSK	13314 7	25RB#0	NV	-10	-3.95	-0.005935	±2.5	PASS
Band71	5MHz	QPSK	13314 7	25RB#0	NV	0	-3.39	-0.005094	±2.5	PASS
Band71	5MHz	QPSK	13314 7	25RB#0	NV	10	-3.56	-0.005349	±2.5	PASS
Band71	5MHz	QPSK	13314 7	25RB#0	NV	20	-2.88	-0.004328	±2.5	PASS
Band71	5MHz	QPSK	13314 7	25RB#0	NV	30	-3.25	-0.004884	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	5MHz	QPSK	13314 7	25RB#0	NV	40	-3.28	-0.004929	±2.5	PASS
Band71	5MHz	QPSK	13314 7	25RB#0	NV	50	-2.52	-0.003787	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	NV	-30	-3.22	-0.004838	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	NV	-20	-4.88	-0.007333	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	NV	-10	-2.96	-0.004448	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	NV	0	-1.93	-0.002900	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	NV	10	-2.57	-0.003862	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	NV	20	-4.08	-0.006131	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	NV	30	-2.95	-0.004433	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	NV	40	-3.45	-0.005184	±2.5	PASS
Band71	5MHz	16QAM	13314 7	25RB#0	NV	50	-3.29	-0.004944	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	NV	-30	-5.15	-0.007568	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	NV	-20	-3.33	-0.004893	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	NV	-10	-3.28	-0.004820	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	NV	0	-3.13	-0.004600	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	NV	10	-3.38	-0.004967	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	NV	20	1.60	0.002351	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	NV	30	-2.19	-0.003218	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	NV	40	-4.39	-0.006451	±2.5	PASS
Band71	5MHz	QPSK	13329 7	25RB#0	NV	50	-3.33	-0.004893	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	NV	-30	-4.02	-0.005907	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
www.anbotek.com.cn



Band71	5MHz	16QAM	13329 7	25RB#0	NV	-20	-2.78	-0.004085	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	NV	-10	-4.33	-0.006363	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	NV	0	-2.73	-0.004012	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	NV	10	-1.70	-0.002498	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	NV	20	-3.79	-0.005569	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	NV	30	-2.93	-0.004306	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	NV	40	-4.56	-0.006701	±2.5	PASS
Band71	5MHz	16QAM	13329 7	25RB#0	NV	50	-5.44	-0.007994	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	NV	-30	-2.17	-0.003120	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	NV	-20	-4.01	-0.005766	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	NV	-10	-2.98	-0.004285	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	NV	0	-2.89	-0.004155	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	NV	10	-2.09	-0.003005	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	NV	20	-3.63	-0.005219	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	NV	30	2.22	0.003192	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	NV	40	-3.18	-0.004572	±2.5	PASS
Band71	5MHz	QPSK	13344 7	25RB#0	NV	50	-2.65	-0.003810	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	NV	-30	-3.92	-0.005636	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	NV	-20	-5.39	-0.007750	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	NV	-10	-3.36	-0.004831	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	NV	0	-3.35	-0.004817	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn



Band71	5MHz	16QAM	13344 7	25RB#0	NV	10	-2.35	-0.003379	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	NV	20	-3.69	-0.005306	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	NV	30	-2.90	-0.004170	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	NV	40	-2.79	-0.004012	±2.5	PASS
Band71	5MHz	16QAM	13344 7	25RB#0	NV	50	-4.68	-0.006729	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	NV	-30	-1.97	-0.002949	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	NV	-20	-3.35	-0.005015	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	NV	-10	-4.39	-0.006572	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	NV	0	-4.22	-0.006317	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	NV	10	-2.66	-0.003982	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	NV	20	-4.39	-0.006572	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	NV	30	-3.15	-0.004716	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	NV	40	-2.03	-0.003039	±2.5	PASS
Band71	10MHz	QPSK	13317 2	50RB#0	NV	50	-2.72	-0.004072	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	NV	-30	-4.08	-0.006108	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	NV	-20	-3.42	-0.005120	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	NV	-10	-2.49	-0.003728	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	NV	0	-4.94	-0.007395	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	NV	10	-2.96	-0.004431	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	NV	20	-3.20	-0.004790	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	NV	30	-3.69	-0.005524	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	10MHz	16QAM	13317 2	50RB#0	NV	40	-4.51	-0.006751	±2.5	PASS
Band71	10MHz	16QAM	13317 2	50RB#0	NV	50	-4.23	-0.006332	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	NV	-30	-4.19	-0.006157	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	NV	-20	-4.25	-0.006245	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	NV	-10	-4.21	-0.006187	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	NV	0	-3.00	-0.004409	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	NV	10	-4.92	-0.007230	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	NV	20	-2.70	-0.003968	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	NV	30	-4.53	-0.006657	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	NV	40	-3.89	-0.005716	±2.5	PASS
Band71	10MHz	QPSK	13329 7	50RB#0	NV	50	-6.17	-0.009067	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	NV	-30	-4.61	-0.006774	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	NV	-20	-4.35	-0.006392	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	NV	-10	-5.85	-0.008597	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	NV	0	-6.94	-0.010198	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	NV	10	-4.32	-0.006348	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	NV	20	-4.23	-0.006216	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	NV	30	-4.19	-0.006157	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	NV	40	-4.18	-0.006143	±2.5	PASS
Band71	10MHz	16QAM	13329 7	50RB#0	NV	50	-3.68	-0.005408	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	NV	-30	-3.23	-0.004661	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	10MHz	QPSK	13342 2	50RB#0	NV	-20	-2.07	-0.002987	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	NV	-10	-4.33	-0.006248	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	NV	0	-2.46	-0.003550	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	NV	10	-2.86	-0.004127	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	NV	20	-2.63	-0.003795	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	NV	30	-2.92	-0.004214	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	NV	40	-3.32	-0.004791	±2.5	PASS
Band71	10MHz	QPSK	13342 2	50RB#0	NV	50	-3.03	-0.004372	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	NV	-30	-3.03	-0.004372	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	NV	-20	-3.12	-0.004502	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	NV	-10	-3.92	-0.005657	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	NV	0	-2.78	-0.004012	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	NV	10	-4.55	-0.006566	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	NV	20	-1.33	-0.001919	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	NV	30	-2.57	-0.003709	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	NV	40	-3.66	-0.005281	±2.5	PASS
Band71	10MHz	16QAM	13342 2	50RB#0	NV	50	1.34	0.001934	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	NV	-30	-1.43	-0.002133	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	NV	-20	1.90	0.002834	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	NV	-10	-4.58	-0.006831	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	NV	0	1.89	0.002819	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	15MHz	QPSK	13319 7	75RB#0	NV	10	3.03	0.004519	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	NV	20	-1.90	-0.002834	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	NV	30	-1.73	-0.002580	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	NV	40	2.09	0.003117	±2.5	PASS
Band71	15MHz	QPSK	13319 7	75RB#0	NV	50	-3.79	-0.005652	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	NV	-30	-3.58	-0.005339	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	NV	-20	-2.86	-0.004265	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	NV	-10	-2.59	-0.003863	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	NV	0	2.06	0.003072	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	NV	10	-1.90	-0.002834	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	NV	20	-4.99	-0.007442	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	NV	30	2.26	0.003371	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	NV	40	-3.63	-0.005414	±2.5	PASS
Band71	15MHz	16QAM	13319 7	75RB#0	NV	50	-3.40	-0.005071	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	NV	-30	-3.49	-0.005129	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	NV	-20	3.00	0.004409	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	NV	-10	-3.56	-0.005231	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	NV	0	-2.60	-0.003821	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	NV	10	-4.33	-0.006363	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	NV	20	-2.26	-0.003321	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	NV	30	1.65	0.002425	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn



Band71	15MHz	QPSK	13329 7	75RB#0	NV	40	-3.85	-0.005658	±2.5	PASS
Band71	15MHz	QPSK	13329 7	75RB#0	NV	50	-1.96	-0.002880	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	NV	-30	-2.46	-0.003615	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	NV	-20	-2.33	-0.003424	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	NV	-10	-2.06	-0.003027	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	NV	0	-2.93	-0.004306	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	NV	10	-2.80	-0.004115	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	NV	20	-3.46	-0.005084	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	NV	30	-2.65	-0.003894	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	NV	40	-2.79	-0.004100	±2.5	PASS
Band71	15MHz	16QAM	13329 7	75RB#0	NV	50	-3.42	-0.005026	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	NV	-30	-5.14	-0.007444	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	NV	-20	-3.06	-0.004432	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	NV	-10	-3.91	-0.005663	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	NV	0	-2.27	-0.003287	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	NV	10	1.56	0.002259	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	NV	20	-2.43	-0.003519	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	NV	30	-3.12	-0.004518	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	NV	40	1.80	0.002607	±2.5	PASS
Band71	15MHz	QPSK	13339 7	75RB#0	NV	50	-2.00	-0.002896	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	NV	-30	-2.98	-0.004316	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	15MHz	16QAM	13339 7	75RB#0	NV	-20	-2.49	-0.003606	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	NV	-10	-3.89	-0.005634	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	NV	0	-4.61	-0.006676	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	NV	10	-5.29	-0.007661	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	NV	20	-5.35	-0.007748	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	NV	30	-3.89	-0.005634	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	NV	40	-5.22	-0.007560	±2.5	PASS
Band71	15MHz	16QAM	13339 7	75RB#0	NV	50	-4.18	-0.006054	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	NV	-30	-2.12	-0.003150	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	NV	-20	-3.03	-0.004502	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	NV	-10	-2.85	-0.004235	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	NV	0	-3.20	-0.004755	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	NV	10	-2.96	-0.004398	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	NV	20	2.42	0.003596	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	NV	30	-4.68	-0.006954	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	NV	40	-2.29	-0.003403	±2.5	PASS
Band71	20MHz	QPSK	13322 2	100RB#0	NV	50	-3.83	-0.005691	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	NV	-30	-4.18	-0.006211	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	NV	-20	-2.16	-0.003210	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	NV	-10	-3.66	-0.005438	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	NV	0	-3.98	-0.005914	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	20MHz	16QAM	13322 2	100RB#0	NV	10	-2.43	-0.003611	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	NV	20	-3.72	-0.005527	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	NV	30	-2.30	-0.003418	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	NV	40	-2.90	-0.004309	±2.5	PASS
Band71	20MHz	16QAM	13322 2	100RB#0	NV	50	-2.95	-0.004383	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	NV	-30	-1.87	-0.002738	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	NV	-20	-3.65	-0.005344	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	NV	-10	-4.09	-0.005988	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	NV	0	-1.63	-0.002387	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	NV	10	-2.19	-0.003206	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	NV	20	-4.12	-0.006032	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	NV	30	-3.60	-0.005271	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	NV	40	-3.88	-0.005681	±2.5	PASS
Band71	20MHz	QPSK	13332 2	100RB#0	NV	50	2.72	0.003982	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	NV	-30	-3.06	-0.004480	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	NV	-20	-2.99	-0.004378	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	NV	-10	-2.72	-0.003982	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	NV	0	-2.57	-0.003763	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	NV	10	-1.79	-0.002621	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	NV	20	-2.35	-0.003441	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	NV	30	-2.63	-0.003851	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Band71	20MHz	16QAM	13332 2	100RB#0	NV	40	-2.93	-0.004290	±2.5	PASS
Band71	20MHz	16QAM	13332 2	100RB#0	NV	50	-2.20	-0.003221	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	NV	-30	3.98	0.005785	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	NV	-20	-2.59	-0.003765	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	NV	-10	-3.19	-0.004637	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	NV	0	-2.53	-0.003677	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	NV	10	-4.02	-0.005843	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	NV	20	-1.83	-0.002660	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	NV	30	-1.44	-0.002093	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	NV	40	-3.79	-0.005509	±2.5	PASS
Band71	20MHz	QPSK	13337 2	100RB#0	NV	50	2.30	0.003343	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	NV	-30	-1.90	-0.002762	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	NV	-20	-3.66	-0.005320	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	NV	-10	-1.22	-0.001773	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	NV	0	-2.92	-0.004244	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	NV	10	-2.62	-0.003808	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	NV	20	-3.22	-0.004680	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	NV	30	-4.02	-0.005843	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	NV	40	-2.23	-0.003241	±2.5	PASS
Band71	20MHz	16QAM	13337 2	100RB#0	NV	50	-2.17	-0.003154	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com.cn

