

### 1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	ERP Limit (dBm)	Verdict
n12	15	5	140300	12@6	DFT_BPSK	22.95	-2.35	18.45	34.77	PASS
n12	15	5	140300	1@1	DFT_BPSK	22.91	-2.35	18.41	34.77	PASS
n12	15	5	140300	1@23	DFT_BPSK	22.87	-2.35	18.37	34.77	PASS
n12	15	5	140300	12@6	DFT_QPSK	22.90	-2.35	18.40	34.77	PASS
n12	15	5	140300	1@1	DFT_QPSK	22.93	-2.35	18.43	34.77	PASS
n12	15	5	140300	1@23	DFT_QPSK	22.87	-2.35	18.37	34.77	PASS
n12	15	5	140300	12@6	DFT_QAM16	21.92	-2.35	17.42	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM16	22.04	-2.35	17.54	34.77	PASS
n12	15	5	140300	1@23	DFT_QAM16	21.99	-2.35	17.49	34.77	PASS
n12	15	5	140300	12@6	DFT_QAM64	20.50	-2.35	16.00	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM64	20.73	-2.35	16.23	34.77	PASS
n12	15	5	140300	1@23	DFT_QAM64	20.33	-2.35	15.83	34.77	PASS
n12	15	5	140300	12@6	DFT_QAM256	18.43	-2.35	13.93	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM256	18.33	-2.35	13.83	34.77	PASS
n12	15	5	140300	1@23	DFT_QAM256	18.46	-2.35	13.96	34.77	PASS
n12	15	5	140300	13@6	CP_QPSK	21.33	-2.35	16.83	34.77	PASS
n12	15	5	140300	1@1	CP_QPSK	21.40	-2.35	16.90	34.77	PASS
n12	15	5	140300	1@23	CP_QPSK	21.30	-2.35	16.80	34.77	PASS
n12	15	5	140300	13@6	CP_QAM16	20.91	-2.35	16.41	34.77	PASS
n12	15	5	140300	1@1	CP_QAM16	21.20	-2.35	16.70	34.77	PASS
n12	15	5	140300	1@23	CP_QAM16	21.17	-2.35	16.67	34.77	PASS
n12	15	5	140300	13@6	CP_QAM64	19.53	-2.35	15.03	34.77	PASS
n12	15	5	140300	1@1	CP_QAM64	19.51	-2.35	15.01	34.77	PASS
n12	15	5	140300	1@23	CP_QAM64	19.31	-2.35	14.81	34.77	PASS
n12	15	5	140300	13@6	CP_QAM256	16.36	-2.35	11.86	34.77	PASS
n12	15	5	140300	1@1	CP_QAM256	16.21	-2.35	11.71	34.77	PASS
n12	15	5	140300	1@23	CP_QAM256	16.17	-2.35	11.67	34.77	PASS
n12	15	5	141500	12@6	DFT_BPSK	22.92	-2.35	18.42	34.77	PASS
n12	15	5	141500	1@1	DFT_BPSK	22.95	-2.35	18.45	34.77	PASS
n12	15	5	141500	1@23	DFT_BPSK	22.87	-2.35	18.37	34.77	PASS
n12	15	5	141500	12@6	DFT_QPSK	22.93	-2.35	18.43	34.77	PASS
n12	15	5	141500	1@1	DFT_QPSK	22.96	-2.35	18.46	34.77	PASS
n12	15	5	141500	1@23	DFT_QPSK	22.81	-2.35	18.31	34.77	PASS
n12	15	5	141500	12@6	DFT_QAM16	21.95	-2.35	17.45	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM16	21.98	-2.35	17.48	34.77	PASS
n12	15	5	141500	1@23	DFT_QAM16	22.34	-2.35	17.84	34.77	PASS
n12	15	5	141500	12@6	DFT_QAM64	20.55	-2.35	16.05	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM64	20.25	-2.35	15.75	34.77	PASS
n12	15	5	141500	1@23	DFT_QAM64	20.37	-2.35	15.87	34.77	PASS

n12	15	5	141500	12@6	DFT_QAM256	18.46	-2.35	13.96	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM256	18.58	-2.35	14.08	34.77	PASS
n12	15	5	141500	1@23	DFT_QAM256	18.52	-2.35	14.02	34.77	PASS
n12	15	5	141500	13@6	CP_QPSK	21.41	-2.35	16.91	34.77	PASS
n12	15	5	141500	1@1	CP_QPSK	21.43	-2.35	16.93	34.77	PASS
n12	15	5	141500	1@23	CP_QPSK	21.25	-2.35	16.75	34.77	PASS
n12	15	5	141500	13@6	CP_QAM16	20.89	-2.35	16.39	34.77	PASS
n12	15	5	141500	1@1	CP_QAM16	20.80	-2.35	16.30	34.77	PASS
n12	15	5	141500	1@23	CP_QAM16	21.34	-2.35	16.84	34.77	PASS
n12	15	5	141500	13@6	CP_QAM64	19.57	-2.35	15.07	34.77	PASS
n12	15	5	141500	1@1	CP_QAM64	19.44	-2.35	14.94	34.77	PASS
n12	15	5	141500	1@23	CP_QAM64	19.35	-2.35	14.85	34.77	PASS
n12	15	5	141500	13@6	CP_QAM256	16.32	-2.35	11.82	34.77	PASS
n12	15	5	141500	1@1	CP_QAM256	16.16	-2.35	11.66	34.77	PASS
n12	15	5	141500	1@23	CP_QAM256	16.25	-2.35	11.75	34.77	PASS
n12	15	5	142700	12@6	DFT_BPSK	22.88	-2.35	18.38	34.77	PASS
n12	15	5	142700	1@1	DFT_BPSK	22.86	-2.35	18.36	34.77	PASS
n12	15	5	142700	1@23	DFT_BPSK	22.86	-2.35	18.36	34.77	PASS
n12	15	5	142700	12@6	DFT_QPSK	22.88	-2.35	18.38	34.77	PASS
n12	15	5	142700	1@1	DFT_QPSK	22.77	-2.35	18.27	34.77	PASS
n12	15	5	142700	1@23	DFT_QPSK	22.81	-2.35	18.31	34.77	PASS
n12	15	5	142700	12@6	DFT_QAM16	21.91	-2.35	17.41	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM16	21.89	-2.35	17.39	34.77	PASS
n12	15	5	142700	1@23	DFT_QAM16	21.84	-2.35	17.34	34.77	PASS
n12	15	5	142700	12@6	DFT_QAM64	20.49	-2.35	15.99	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM64	20.21	-2.35	15.71	34.77	PASS
n12	15	5	142700	1@23	DFT_QAM64	20.32	-2.35	15.82	34.77	PASS
n12	15	5	142700	12@6	DFT_QAM256	18.39	-2.35	13.89	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM256	18.46	-2.35	13.96	34.77	PASS
n12	15	5	142700	1@23	DFT_QAM256	18.40	-2.35	13.90	34.77	PASS
n12	15	5	142700	13@6	CP_QPSK	21.37	-2.35	16.87	34.77	PASS
n12	15	5	142700	1@1	CP_QPSK	21.26	-2.35	16.76	34.77	PASS
n12	15	5	142700	1@23	CP_QPSK	21.14	-2.35	16.64	34.77	PASS
n12	15	5	142700	13@6	CP_QAM16	20.89	-2.35	16.39	34.77	PASS
n12	15	5	142700	1@1	CP_QAM16	21.30	-2.35	16.80	34.77	PASS
n12	15	5	142700	1@23	CP_QAM16	20.69	-2.35	16.19	34.77	PASS
n12	15	5	142700	13@6	CP_QAM64	19.52	-2.35	15.02	34.77	PASS
n12	15	5	142700	1@1	CP_QAM64	19.74	-2.35	15.24	34.77	PASS
n12	15	5	142700	1@23	CP_QAM64	19.38	-2.35	14.88	34.77	PASS
n12	15	5	142700	13@6	CP_QAM256	16.37	-2.35	11.87	34.77	PASS
n12	15	5	142700	1@1	CP_QAM256	16.08	-2.35	11.58	34.77	PASS
n12	15	5	142700	1@23	CP_QAM256	16.10	-2.35	11.60	34.77	PASS
n12	15	10	140800	25@12	DFT_BPSK	22.94	-2.35	18.44	34.77	PASS

n12	15	10	140800	1@1	DFT_BPSK	22.87	-2.35	18.37	34.77	PASS
n12	15	10	140800	1@50	DFT_BPSK	22.91	-2.35	18.41	34.77	PASS
n12	15	10	140800	25@12	DFT_QPSK	22.90	-2.35	18.40	34.77	PASS
n12	15	10	140800	1@1	DFT_QPSK	22.78	-2.35	18.28	34.77	PASS
n12	15	10	140800	1@50	DFT_QPSK	22.87	-2.35	18.37	34.77	PASS
n12	15	10	140800	25@12	DFT_QAM16	21.96	-2.35	17.46	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM16	21.91	-2.35	17.41	34.77	PASS
n12	15	10	140800	1@50	DFT_QAM16	22.29	-2.35	17.79	34.77	PASS
n12	15	10	140800	25@12	DFT_QAM64	20.49	-2.35	15.99	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM64	20.24	-2.35	15.74	34.77	PASS
n12	15	10	140800	1@50	DFT_QAM64	20.16	-2.35	15.66	34.77	PASS
n12	15	10	140800	25@12	DFT_QAM256	18.39	-2.35	13.89	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM256	18.29	-2.35	13.79	34.77	PASS
n12	15	10	140800	1@50	DFT_QAM256	18.45	-2.35	13.95	34.77	PASS
n12	15	10	140800	26@13	CP_QPSK	21.44	-2.35	16.94	34.77	PASS
n12	15	10	140800	1@1	CP_QPSK	21.21	-2.35	16.71	34.77	PASS
n12	15	10	140800	1@50	CP_QPSK	21.33	-2.35	16.83	34.77	PASS
n12	15	10	140800	26@13	CP_QAM16	20.91	-2.35	16.41	34.77	PASS
n12	15	10	140800	1@1	CP_QAM16	20.69	-2.35	16.19	34.77	PASS
n12	15	10	140800	1@50	CP_QAM16	21.33	-2.35	16.83	34.77	PASS
n12	15	10	140800	26@13	CP_QAM64	19.45	-2.35	14.95	34.77	PASS
n12	15	10	140800	1@1	CP_QAM64	19.38	-2.35	14.88	34.77	PASS
n12	15	10	140800	1@50	CP_QAM64	19.38	-2.35	14.88	34.77	PASS
n12	15	10	140800	26@13	CP_QAM256	16.41	-2.35	11.91	34.77	PASS
n12	15	10	140800	1@1	CP_QAM256	16.18	-2.35	11.68	34.77	PASS
n12	15	10	140800	1@50	CP_QAM256	16.26	-2.35	11.76	34.77	PASS
n12	15	10	141500	25@12	DFT_BPSK	22.89	-2.35	18.39	34.77	PASS
n12	15	10	141500	1@1	DFT_BPSK	22.86	-2.35	18.36	34.77	PASS
n12	15	10	141500	1@50	DFT_BPSK	22.71	-2.35	18.21	34.77	PASS
n12	15	10	141500	25@12	DFT_QPSK	22.87	-2.35	18.37	34.77	PASS
n12	15	10	141500	1@1	DFT_QPSK	22.81	-2.35	18.31	34.77	PASS
n12	15	10	141500	1@50	DFT_QPSK	22.75	-2.35	18.25	34.77	PASS
n12	15	10	141500	25@12	DFT_QAM16	21.86	-2.35	17.36	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM16	22.22	-2.35	17.72	34.77	PASS
n12	15	10	141500	1@50	DFT_QAM16	22.16	-2.35	17.66	34.77	PASS
n12	15	10	141500	25@12	DFT_QAM64	20.48	-2.35	15.98	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM64	20.71	-2.35	16.21	34.77	PASS
n12	15	10	141500	1@50	DFT_QAM64	20.34	-2.35	15.84	34.77	PASS
n12	15	10	141500	25@12	DFT_QAM256	18.40	-2.35	13.90	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM256	18.32	-2.35	13.82	34.77	PASS
n12	15	10	141500	1@50	DFT_QAM256	18.28	-2.35	13.78	34.77	PASS
n12	15	10	141500	26@13	CP_QPSK	21.40	-2.35	16.90	34.77	PASS
n12	15	10	141500	1@1	CP_QPSK	21.36	-2.35	16.86	34.77	PASS

n12	15	10	141500	1@50	CP_QPSK	21.29	-2.35	16.79	34.77	PASS
n12	15	10	141500	26@13	CP_QAM16	20.86	-2.35	16.36	34.77	PASS
n12	15	10	141500	1@1	CP_QAM16	20.82	-2.35	16.32	34.77	PASS
n12	15	10	141500	1@50	CP_QAM16	21.15	-2.35	16.65	34.77	PASS
n12	15	10	141500	26@13	CP_QAM64	19.48	-2.35	14.98	34.77	PASS
n12	15	10	141500	1@1	CP_QAM64	19.43	-2.35	14.93	34.77	PASS
n12	15	10	141500	1@50	CP_QAM64	19.23	-2.35	14.73	34.77	PASS
n12	15	10	141500	26@13	CP_QAM256	16.40	-2.35	11.90	34.77	PASS
n12	15	10	141500	1@1	CP_QAM256	16.14	-2.35	11.64	34.77	PASS
n12	15	10	141500	1@50	CP_QAM256	16.15	-2.35	11.65	34.77	PASS
n12	15	10	142200	25@12	DFT_BPSK	22.87	-2.35	18.37	34.77	PASS
n12	15	10	142200	1@1	DFT_BPSK	22.85	-2.35	18.35	34.77	PASS
n12	15	10	142200	1@50	DFT_BPSK	22.73	-2.35	18.23	34.77	PASS
n12	15	10	142200	25@12	DFT_QPSK	22.89	-2.35	18.39	34.77	PASS
n12	15	10	142200	1@1	DFT_QPSK	22.83	-2.35	18.33	34.77	PASS
n12	15	10	142200	1@50	DFT_QPSK	22.74	-2.35	18.24	34.77	PASS
n12	15	10	142200	25@12	DFT_QAM16	21.89	-2.35	17.39	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM16	22.00	-2.35	17.50	34.77	PASS
n12	15	10	142200	1@50	DFT_QAM16	21.95	-2.35	17.45	34.77	PASS
n12	15	10	142200	25@12	DFT_QAM64	20.44	-2.35	15.94	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM64	20.75	-2.35	16.25	34.77	PASS
n12	15	10	142200	1@50	DFT_QAM64	20.29	-2.35	15.79	34.77	PASS
n12	15	10	142200	25@12	DFT_QAM256	18.37	-2.35	13.87	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM256	18.48	-2.35	13.98	34.77	PASS
n12	15	10	142200	1@50	DFT_QAM256	18.25	-2.35	13.75	34.77	PASS
n12	15	10	142200	26@13	CP_QPSK	21.46	-2.35	16.96	34.77	PASS
n12	15	10	142200	1@1	CP_QPSK	21.39	-2.35	16.89	34.77	PASS
n12	15	10	142200	1@50	CP_QPSK	21.30	-2.35	16.80	34.77	PASS
n12	15	10	142200	26@13	CP_QAM16	20.90	-2.35	16.40	34.77	PASS
n12	15	10	142200	1@1	CP_QAM16	20.84	-2.35	16.34	34.77	PASS
n12	15	10	142200	1@50	CP_QAM16	20.70	-2.35	16.20	34.77	PASS
n12	15	10	142200	26@13	CP_QAM64	19.43	-2.35	14.93	34.77	PASS
n12	15	10	142200	1@1	CP_QAM64	19.33	-2.35	14.83	34.77	PASS
n12	15	10	142200	1@50	CP_QAM64	19.44	-2.35	14.94	34.77	PASS
n12	15	10	142200	26@13	CP_QAM256	16.37	-2.35	11.87	34.77	PASS
n12	15	10	142200	1@1	CP_QAM256	16.25	-2.35	11.75	34.77	PASS
n12	15	10	142200	1@50	CP_QAM256	16.16	-2.35	11.66	34.77	PASS
n12	15	15	141300	36@18	DFT_BPSK	22.88	-2.35	18.38	34.77	PASS
n12	15	15	141300	1@1	DFT_BPSK	22.82	-2.35	18.32	34.77	PASS
n12	15	15	141300	1@77	DFT_BPSK	22.86	-2.35	18.36	34.77	PASS
n12	15	15	141300	36@18	DFT_QPSK	22.87	-2.35	18.37	34.77	PASS
n12	15	15	141300	1@1	DFT_QPSK	22.76	-2.35	18.26	34.77	PASS
n12	15	15	141300	1@77	DFT_QPSK	22.68	-2.35	18.18	34.77	PASS

n12	15	15	141300	36@18	DFT_QAM16	21.87	-2.35	17.37	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM16	22.04	-2.35	17.54	34.77	PASS
n12	15	15	141300	1@77	DFT_QAM16	22.15	-2.35	17.65	34.77	PASS
n12	15	15	141300	36@18	DFT_QAM64	20.45	-2.35	15.95	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM64	20.39	-2.35	15.89	34.77	PASS
n12	15	15	141300	1@77	DFT_QAM64	20.64	-2.35	16.14	34.77	PASS
n12	15	15	141300	36@18	DFT_QAM256	18.35	-2.35	13.85	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM256	18.32	-2.35	13.82	34.77	PASS
n12	15	15	141300	1@77	DFT_QAM256	18.38	-2.35	13.88	34.77	PASS
n12	15	15	141300	39@19	CP_QPSK	21.37	-2.35	16.87	34.77	PASS
n12	15	15	141300	1@1	CP_QPSK	21.23	-2.35	16.73	34.77	PASS
n12	15	15	141300	1@77	CP_QPSK	21.33	-2.35	16.83	34.77	PASS
n12	15	15	141300	39@19	CP_QAM16	20.96	-2.35	16.46	34.77	PASS
n12	15	15	141300	1@1	CP_QAM16	21.29	-2.35	16.79	34.77	PASS
n12	15	15	141300	1@77	CP_QAM16	20.75	-2.35	16.25	34.77	PASS
n12	15	15	141300	39@19	CP_QAM64	19.45	-2.35	14.95	34.77	PASS
n12	15	15	141300	1@1	CP_QAM64	19.27	-2.35	14.77	34.77	PASS
n12	15	15	141300	1@77	CP_QAM64	19.23	-2.35	14.73	34.77	PASS
n12	15	15	141300	39@19	CP_QAM256	16.42	-2.35	11.92	34.77	PASS
n12	15	15	141300	1@1	CP_QAM256	16.25	-2.35	11.75	34.77	PASS
n12	15	15	141300	1@77	CP_QAM256	16.15	-2.35	11.65	34.77	PASS
n12	15	15	141500	36@18	DFT_BPSK	22.89	-2.35	18.39	34.77	PASS
n12	15	15	141500	1@1	DFT_BPSK	22.82	-2.35	18.32	34.77	PASS
n12	15	15	141500	1@77	DFT_BPSK	22.77	-2.35	18.27	34.77	PASS
n12	15	15	141500	36@18	DFT_QPSK	22.94	-2.35	18.44	34.77	PASS
n12	15	15	141500	1@1	DFT_QPSK	22.79	-2.35	18.29	34.77	PASS
n12	15	15	141500	1@77	DFT_QPSK	22.74	-2.35	18.24	34.77	PASS
n12	15	15	141500	36@18	DFT_QAM16	21.91	-2.35	17.41	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM16	22.01	-2.35	17.51	34.77	PASS
n12	15	15	141500	1@77	DFT_QAM16	21.91	-2.35	17.41	34.77	PASS
n12	15	15	141500	36@18	DFT_QAM64	20.48	-2.35	15.98	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM64	20.35	-2.35	15.85	34.77	PASS
n12	15	15	141500	1@77	DFT_QAM64	20.29	-2.35	15.79	34.77	PASS
n12	15	15	141500	36@18	DFT_QAM256	18.37	-2.35	13.87	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM256	18.53	-2.35	14.03	34.77	PASS
n12	15	15	141500	1@77	DFT_QAM256	18.42	-2.35	13.92	34.77	PASS
n12	15	15	141500	39@19	CP_QPSK	21.37	-2.35	16.87	34.77	PASS
n12	15	15	141500	1@1	CP_QPSK	21.34	-2.35	16.84	34.77	PASS
n12	15	15	141500	1@77	CP_QPSK	21.22	-2.35	16.72	34.77	PASS
n12	15	15	141500	39@19	CP_QAM16	20.94	-2.35	16.44	34.77	PASS
n12	15	15	141500	1@1	CP_QAM16	21.21	-2.35	16.71	34.77	PASS
n12	15	15	141500	1@77	CP_QAM16	21.17	-2.35	16.67	34.77	PASS
n12	15	15	141500	39@19	CP_QAM64	19.41	-2.35	14.91	34.77	PASS

n12	15	15	141500	1@1	CP_QAM64	19.39	-2.35	14.89	34.77	PASS
n12	15	15	141500	1@77	CP_QAM64	19.36	-2.35	14.86	34.77	PASS
n12	15	15	141500	39@19	CP_QAM256	16.32	-2.35	11.82	34.77	PASS
n12	15	15	141500	1@1	CP_QAM256	16.05	-2.35	11.55	34.77	PASS
n12	15	15	141500	1@77	CP_QAM256	16.11	-2.35	11.61	34.77	PASS
n12	15	15	141700	36@18	DFT_BPSK	22.71	-2.35	18.21	34.77	PASS
n12	15	15	141700	1@1	DFT_BPSK	22.70	-2.35	18.20	34.77	PASS
n12	15	15	141700	1@77	DFT_BPSK	22.76	-2.35	18.26	34.77	PASS
n12	15	15	141700	36@18	DFT_QPSK	22.81	-2.35	18.31	34.77	PASS
n12	15	15	141700	1@1	DFT_QPSK	22.79	-2.35	18.29	34.77	PASS
n12	15	15	141700	1@77	DFT_QPSK	22.75	-2.35	18.25	34.77	PASS
n12	15	15	141700	36@18	DFT_QAM16	21.86	-2.35	17.36	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM16	21.98	-2.35	17.48	34.77	PASS
n12	15	15	141700	1@77	DFT_QAM16	21.96	-2.35	17.46	34.77	PASS
n12	15	15	141700	36@18	DFT_QAM64	20.48	-2.35	15.98	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM64	20.33	-2.35	15.83	34.77	PASS
n12	15	15	141700	1@77	DFT_QAM64	20.29	-2.35	15.79	34.77	PASS
n12	15	15	141700	36@18	DFT_QAM256	18.38	-2.35	13.88	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM256	18.54	-2.35	14.04	34.77	PASS
n12	15	15	141700	1@77	DFT_QAM256	18.27	-2.35	13.77	34.77	PASS
n12	15	15	141700	39@19	CP_QPSK	21.30	-2.35	16.80	34.77	PASS
n12	15	15	141700	1@1	CP_QPSK	21.25	-2.35	16.75	34.77	PASS
n12	15	15	141700	1@77	CP_QPSK	21.25	-2.35	16.75	34.77	PASS
n12	15	15	141700	39@19	CP_QAM16	20.92	-2.35	16.42	34.77	PASS
n12	15	15	141700	1@1	CP_QAM16	20.94	-2.35	16.44	34.77	PASS
n12	15	15	141700	1@77	CP_QAM16	20.93	-2.35	16.43	34.77	PASS
n12	15	15	141700	39@19	CP_QAM64	19.45	-2.35	14.95	34.77	PASS
n12	15	15	141700	1@1	CP_QAM64	19.49	-2.35	14.99	34.77	PASS
n12	15	15	141700	1@77	CP_QAM64	19.40	-2.35	14.90	34.77	PASS
n12	15	15	141700	39@19	CP_QAM256	16.38	-2.35	11.88	34.77	PASS
n12	15	15	141700	1@1	CP_QAM256	16.31	-2.35	11.81	34.77	PASS
n12	15	15	141700	1@77	CP_QAM256	16.28	-2.35	11.78	34.77	PASS

## 2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n12	15	15	141500	50@25	DFT_BPSK	3.45	-1.29	0.00	Within authorized band for 5G NR n12	PASS
n12	15	15	141500	50@25	DFT_BPSK	3.85	-2.63	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	4.40	-3.31	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	3.45	-1.79	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	3.85	-3.44	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	4.40	-3.93	-0.01		PASS

Note: Only the worst case shown in the report.

NV:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n12	15	15	141500	50@25	DFT_BPSK	-30	-3.74	-0.01	Within authorized band for 5G NR n12	PASS
n12	15	15	141500	50@25	DFT_BPSK	-20	-1.75	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	-10	-4.81	-0.01		PASS
n12	15	15	141500	50@25	DFT_BPSK	0	-1.81	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	10	-4.74	-0.01		PASS
n12	15	15	141500	50@25	DFT_BPSK	20	-3.17	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	30	-1.40	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	40	-0.88	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	50	-3.54	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	-30	-6.61	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	-20	-2.54	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	-10	-4.68	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	0	-4.21	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	10	-2.30	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	20	-1.73	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	30	-1.42	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	40	-3.77	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	50	-6.09	-0.01		PASS


Note: Only the worst case shown in the report.

### 3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n12	15	5	141500	25@0	DFT_BPSK	4.75	13	PASS
n12	15	5	141500	25@0	DFT_QPSK	5.59	13	PASS
n12	15	5	141500	25@0	DFT_QAM16	6.19	13	PASS
n12	15	5	141500	25@0	DFT_QAM64	6.79	13	PASS
n12	15	5	141500	25@0	DFT_QAM256	7.52	13	PASS
n12	15	10	141500	50@0	DFT_BPSK	4.77	13	PASS
n12	15	10	141500	50@0	DFT_QPSK	5.59	13	PASS
n12	15	10	141500	50@0	DFT_QAM16	6.33	13	PASS
n12	15	10	141500	50@0	DFT_QAM64	6.76	13	PASS
n12	15	10	141500	50@0	DFT_QAM256	7.16	13	PASS
n12	15	15	141500	75@0	DFT_BPSK	4.80	13	PASS
n12	15	15	141500	75@0	DFT_QPSK	5.95	13	PASS
n12	15	15	141500	75@0	DFT_QAM16	6.58	13	PASS
n12	15	15	141500	75@0	DFT_QAM64	5.50	13	PASS
n12	15	15	141500	75@0	DFT_QAM256	7.01	13	PASS




n12 SCS=15kHz DFT\_BPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_BPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_BPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=141500 RB=75@0






### 4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n12	15	5	140300	25@0	DFT_BPSK	4.490	4.774	PASS
n12	15	5	140300	25@0	DFT_QPSK	4.474	4.793	PASS
n12	15	5	140300	25@0	DFT_QAM16	4.505	4.763	PASS
n12	15	5	140300	25@0	DFT_QAM64	4.506	4.824	PASS
n12	15	5	140300	25@0	DFT_QAM256	4.500	4.888	PASS
n12	15	5	140300	25@0	CP_QPSK	4.494	4.857	PASS
n12	15	5	141500	25@0	DFT_BPSK	4.438	4.782	PASS
n12	15	5	141500	25@0	DFT_QPSK	4.478	4.733	PASS
n12	15	5	141500	25@0	DFT_QAM16	4.428	4.785	PASS
n12	15	5	141500	25@0	DFT_QAM64	4.472	4.799	PASS
n12	15	5	141500	25@0	DFT_QAM256	4.500	4.786	PASS
n12	15	5	141500	25@0	CP_QPSK	4.464	4.800	PASS
n12	15	5	142700	25@0	DFT_BPSK	4.508	4.725	PASS
n12	15	5	142700	25@0	DFT_QPSK	4.498	4.777	PASS
n12	15	5	142700	25@0	DFT_QAM16	4.510	4.740	PASS
n12	15	5	142700	25@0	DFT_QAM64	4.495	4.735	PASS
n12	15	5	142700	25@0	DFT_QAM256	4.499	4.820	PASS
n12	15	5	142700	25@0	CP_QPSK	4.479	4.768	PASS
n12	15	10	140800	50@0	DFT_BPSK	8.926	9.428	PASS
n12	15	10	140800	50@0	DFT_QPSK	8.968	9.472	PASS
n12	15	10	140800	50@0	DFT_QAM16	8.973	9.443	PASS
n12	15	10	140800	50@0	DFT_QAM64	8.968	9.435	PASS
n12	15	10	140800	50@0	DFT_QAM256	8.977	9.469	PASS
n12	15	10	140800	52@0	CP_QPSK	9.370	9.764	PASS
n12	15	10	141500	50@0	DFT_BPSK	8.947	9.449	PASS
n12	15	10	141500	50@0	DFT_QPSK	9.004	9.480	PASS
n12	15	10	141500	50@0	DFT_QAM16	8.984	9.440	PASS
n12	15	10	141500	50@0	DFT_QAM64	8.946	9.458	PASS
n12	15	10	141500	50@0	DFT_QAM256	8.927	9.444	PASS
n12	15	10	141500	52@0	CP_QPSK	9.341	9.860	PASS
n12	15	10	142200	50@0	DFT_BPSK	8.946	9.415	PASS
n12	15	10	142200	50@0	DFT_QPSK	8.987	9.441	PASS
n12	15	10	142200	50@0	DFT_QAM16	8.939	9.438	PASS
n12	15	10	142200	50@0	DFT_QAM64	8.955	9.422	PASS
n12	15	10	142200	50@0	DFT_QAM256	8.948	9.438	PASS
n12	15	10	142200	52@0	CP_QPSK	9.340	9.882	PASS
n12	15	15	141300	75@0	DFT_BPSK	13.404	14.118	PASS
n12	15	15	141300	75@0	DFT_QPSK	13.443	14.136	PASS
n12	15	15	141300	75@0	DFT_QAM16	13.420	14.125	PASS

n12	15	15	141300	75@0	DFT_QAM64	13.322	14.100	PASS
n12	15	15	141300	75@0	DFT_QAM256	13.473	14.154	PASS
n12	15	15	141300	79@0	CP_QPSK	14.172	14.928	PASS
n12	15	15	141500	75@0	DFT_BPSK	13.505	14.123	PASS
n12	15	15	141500	75@0	DFT_QPSK	13.473	14.217	PASS
n12	15	15	141500	75@0	DFT_QAM16	13.515	14.114	PASS
n12	15	15	141500	75@0	DFT_QAM64	13.446	14.132	PASS
n12	15	15	141500	75@0	DFT_QAM256	13.420	14.145	PASS
n12	15	15	141500	79@0	CP_QPSK	14.139	14.837	PASS
n12	15	15	141700	75@0	DFT_BPSK	13.442	14.142	PASS
n12	15	15	141700	75@0	DFT_QPSK	13.490	14.167	PASS
n12	15	15	141700	75@0	DFT_QAM16	13.516	14.209	PASS
n12	15	15	141700	75@0	DFT_QAM64	13.440	14.209	PASS
n12	15	15	141700	75@0	DFT_QAM256	13.426	14.170	PASS
n12	15	15	141700	79@0	CP_QPSK	14.178	14.803	PASS


n12 SCS=15kHz DFT\_BPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz CP\_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_BPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz CP\_QPSK BW=5MHz Channel=141500 RB=25@0







n12 SCS=15kHz DFT\_BPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz CP\_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_BPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT\_QPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz CP\_QPSK BW=10MHz Channel=140800 RB=52@0




n12 SCS=15kHz DFT\_BPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QPSK BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=141500 RB=50@0







n12 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz CP\_QPSK BW=10MHz Channel=141500 RB=52@0




n12 SCS=15kHz DFT\_BPSK BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT\_QPSK BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz CP\_QPSK BW=10MHz Channel=142200 RB=52@0




n12 SCS=15kHz DFT\_BPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz CP\_QPSK BW=15MHz Channel=141300 RB=79@0



n12 SCS=15kHz DFT\_BPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=75@0







n12 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz CP\_QPSK BW=15MHz Channel=141500 RB=79@0




n12 SCS=15kHz DFT\_BPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=141700 RB=75@0



n12 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz CP\_QPSK BW=15MHz Channel=141700 RB=79@0




### 5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	DFT_QPSK	697.95	-35.90	-13	PASS
n12	15	5	140300	1@0	DFT_QPSK	698.99	-29.17	-13	PASS
n12	15	5	142700	25@0	DFT_QPSK	717.09	-33.98	-13	PASS
n12	15	5	142700	1@24	DFT_QPSK	716.03	-31.20	-13	PASS
n12	15	15	141300	75@0	DFT_QPSK	697.02	-39.89	-13	PASS
n12	15	15	141300	1@0	DFT_QPSK	698.99	-34.31	-13	PASS
n12	15	15	141700	75@0	DFT_QPSK	717.91	-37.12	-13	PASS
n12	15	15	141700	1@78	DFT_QPSK	716.00	-33.57	-13	PASS


n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=1@0



n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=1@24







n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=1@0



n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=1@78




### 6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	DFT_QPSK	3730.83	-38.22	-13	PASS
n12	15	5	140300	1@0	DFT_QPSK	3688.53	-38.00	-13	PASS
n12	15	5	140300	1@24	DFT_QPSK	3820.15	-37.94	-13	PASS
n12	15	5	141500	25@0	DFT_QPSK	3781.45	-38.22	-13	PASS
n12	15	5	141500	1@0	DFT_QPSK	3742.30	-38.08	-13	PASS
n12	15	5	141500	1@24	DFT_QPSK	3784.38	-37.98	-13	PASS
n12	15	5	142700	25@0	DFT_QPSK	3757.38	-38.16	-13	PASS
n12	15	5	142700	1@0	DFT_QPSK	3826.45	-37.80	-13	PASS
n12	15	5	142700	1@24	DFT_QPSK	3729.93	-38.12	-13	PASS
n12	15	15	141300	75@0	DFT_QPSK	3748.38	-37.55	-13	PASS
n12	15	15	141300	1@0	DFT_QPSK	3690.33	-38.32	-13	PASS
n12	15	15	141300	1@78	DFT_QPSK	3766.38	-37.42	-13	PASS
n12	15	15	141500	75@0	DFT_QPSK	3790.00	-37.11	-13	PASS
n12	15	15	141500	1@0	DFT_QPSK	3779.65	-38.33	-13	PASS
n12	15	15	141500	1@78	DFT_QPSK	3734.65	-37.37	-13	PASS
n12	15	15	141700	75@0	DFT_QPSK	3817.90	-37.77	-13	PASS
n12	15	15	141700	1@0	DFT_QPSK	3782.13	-38.01	-13	PASS
n12	15	15	141700	1@78	DFT_QPSK	3703.38	-38.41	-13	PASS


n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=1@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=1@24




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=1@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=1@24




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=1@0



n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=1@24




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=75@0







n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=1@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=1@78




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=1@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=1@78



n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=75@0



n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=1@0



n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=1@78

