

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
n7	15	5	500500	12@6	DFT_BPSK	20.78	1.04	21.82	33.01	PASS
n7	15	5	500500	1@1	DFT_BPSK	20.74	1.04	21.78	33.01	PASS
n7	15	5	500500	1@23	DFT_BPSK	20.78	1.04	21.82	33.01	PASS
n7	15	5	500500	12@6	DFT_QPSK	20.77	1.04	21.81	33.01	PASS
n7	15	5	500500	1@1	DFT_QPSK	20.66	1.04	21.7	33.01	PASS
n7	15	5	500500	1@23	DFT_QPSK	20.70	1.04	21.74	33.01	PASS
n7	15	5	500500	12@6	DFT_QAM16	20.90	1.04	21.94	33.01	PASS
n7	15	5	500500	1@1	DFT_QAM16	20.86	1.04	21.9	33.01	PASS
n7	15	5	500500	1@23	DFT_QAM16	20.91	1.04	21.95	33.01	PASS
n7	15	5	500500	12@6	DFT_QAM64	20.39	1.04	21.43	33.01	PASS
n7	15	5	500500	1@1	DFT_QAM64	20.07	1.04	21.11	33.01	PASS
n7	15	5	500500	1@23	DFT_QAM64	20.13	1.04	21.17	33.01	PASS
n7	15	5	500500	12@6	DFT_QAM256	18.37	1.04	19.41	33.01	PASS
n7	15	5	500500	1@1	DFT_QAM256	18.15	1.04	19.19	33.01	PASS
n7	15	5	500500	1@23	DFT_QAM256	18.41	1.04	19.45	33.01	PASS
n7	15	5	500500	13@6	CP_QPSK	20.77	1.04	21.81	33.01	PASS
n7	15	5	500500	1@1	CP_QPSK	20.92	1.04	21.96	33.01	PASS
n7	15	5	500500	1@23	CP_QPSK	20.96	1.04	22	33.01	PASS
n7	15	5	500500	13@6	CP_QAM16	20.75	1.04	21.79	33.01	PASS
n7	15	5	500500	1@1	CP_QAM16	20.59	1.04	21.63	33.01	PASS
n7	15	5	500500	1@23	CP_QAM16	21.25	1.04	22.29	33.01	PASS
n7	15	5	500500	13@6	CP_QAM64	19.39	1.04	20.43	33.01	PASS
n7	15	5	500500	1@1	CP_QAM64	19.24	1.04	20.28	33.01	PASS
n7	15	5	500500	1@23	CP_QAM64	19.63	1.04	20.67	33.01	PASS
n7	15	5	500500	13@6	CP_QAM256	16.27	1.04	17.31	33.01	PASS
n7	15	5	500500	1@1	CP_QAM256	15.96	1.04	17	33.01	PASS
n7	15	5	500500	1@23	CP_QAM256	16.08	1.04	17.12	33.01	PASS
n7	15	5	507000	12@6	DFT_BPSK	20.85	1.04	21.89	33.01	PASS
n7	15	5	507000	1@1	DFT_BPSK	20.79	1.04	21.83	33.01	PASS
n7	15	5	507000	1@23	DFT_BPSK	20.82	1.04	21.86	33.01	PASS
n7	15	5	507000	12@6	DFT_QPSK	20.84	1.04	21.88	33.01	PASS
n7	15	5	507000	1@1	DFT_QPSK	20.73	1.04	21.77	33.01	PASS
n7	15	5	507000	1@23	DFT_QPSK	20.77	1.04	21.81	33.01	PASS
n7	15	5	507000	12@6	DFT_QAM16	20.81	1.04	21.85	33.01	PASS
n7	15	5	507000	1@1	DFT_QAM16	20.95	1.04	21.99	33.01	PASS
n7	15	5	507000	1@23	DFT_QAM16	20.94	1.04	21.98	33.01	PASS
n7	15	5	507000	12@6	DFT_QAM64	20.42	1.04	21.46	33.01	PASS
n7	15	5	507000	1@1	DFT_QAM64	20.34	1.04	21.38	33.01	PASS
n7	15	5	507000	1@23	DFT_QAM64	20.31	1.04	21.35	33.01	PASS

n7	15	5	507000	12@6	DFT_QAM256	18.33	1.04	19.37	33.01	PASS
n7	15	5	507000	1@1	DFT_QAM256	18.46	1.04	19.5	33.01	PASS
n7	15	5	507000	1@23	DFT_QAM256	18.21	1.04	19.25	33.01	PASS
n7	15	5	507000	13@6	CP_QPSK	20.71	1.04	21.75	33.01	PASS
n7	15	5	507000	1@1	CP_QPSK	20.69	1.04	21.73	33.01	PASS
n7	15	5	507000	1@23	CP_QPSK	20.93	1.04	21.97	33.01	PASS
n7	15	5	507000	13@6	CP_QAM16	20.78	1.04	21.82	33.01	PASS
n7	15	5	507000	1@1	CP_QAM16	20.65	1.04	21.69	33.01	PASS
n7	15	5	507000	1@23	CP_QAM16	21.21	1.04	22.25	33.01	PASS
n7	15	5	507000	13@6	CP_QAM64	19.43	1.04	20.47	33.01	PASS
n7	15	5	507000	1@1	CP_QAM64	19.33	1.04	20.37	33.01	PASS
n7	15	5	507000	1@23	CP_QAM64	19.35	1.04	20.39	33.01	PASS
n7	15	5	507000	13@6	CP_QAM256	16.24	1.04	17.28	33.01	PASS
n7	15	5	507000	1@1	CP_QAM256	16.04	1.04	17.08	33.01	PASS
n7	15	5	507000	1@23	CP_QAM256	16.17	1.04	17.21	33.01	PASS
n7	15	5	513500	12@6	DFT_BPSK	20.86	1.04	21.9	33.01	PASS
n7	15	5	513500	1@1	DFT_BPSK	20.79	1.04	21.83	33.01	PASS
n7	15	5	513500	1@23	DFT_BPSK	20.86	1.04	21.9	33.01	PASS
n7	15	5	513500	12@6	DFT_QPSK	20.84	1.04	21.88	33.01	PASS
n7	15	5	513500	1@1	DFT_QPSK	20.80	1.04	21.84	33.01	PASS
n7	15	5	513500	1@23	DFT_QPSK	20.78	1.04	21.82	33.01	PASS
n7	15	5	513500	12@6	DFT_QAM16	20.95	1.04	21.99	33.01	PASS
n7	15	5	513500	1@1	DFT_QAM16	21.07	1.04	22.11	33.01	PASS
n7	15	5	513500	1@23	DFT_QAM16	21.02	1.04	22.06	33.01	PASS
n7	15	5	513500	12@6	DFT_QAM64	20.48	1.04	21.52	33.01	PASS
n7	15	5	513500	1@1	DFT_QAM64	20.17	1.04	21.21	33.01	PASS
n7	15	5	513500	1@23	DFT_QAM64	20.34	1.04	21.38	33.01	PASS
n7	15	5	513500	12@6	DFT_QAM256	18.44	1.04	19.48	33.01	PASS
n7	15	5	513500	1@1	DFT_QAM256	18.29	1.04	19.33	33.01	PASS
n7	15	5	513500	1@23	DFT_QAM256	18.25	1.04	19.29	33.01	PASS
n7	15	5	513500	13@6	CP_QPSK	20.77	1.04	21.81	33.01	PASS
n7	15	5	513500	1@1	CP_QPSK	20.68	1.04	21.72	33.01	PASS
n7	15	5	513500	1@23	CP_QPSK	20.67	1.04	21.71	33.01	PASS
n7	15	5	513500	13@6	CP_QAM16	20.81	1.04	21.85	33.01	PASS
n7	15	5	513500	1@1	CP_QAM16	20.68	1.04	21.72	33.01	PASS
n7	15	5	513500	1@23	CP_QAM16	21.31	1.04	22.35	33.01	PASS
n7	15	5	513500	13@6	CP_QAM64	19.52	1.04	20.56	33.01	PASS
n7	15	5	513500	1@1	CP_QAM64	19.74	1.04	20.78	33.01	PASS
n7	15	5	513500	1@23	CP_QAM64	19.36	1.04	20.4	33.01	PASS
n7	15	5	513500	13@6	CP_QAM256	16.34	1.04	17.38	33.01	PASS
n7	15	5	513500	1@1	CP_QAM256	16.09	1.04	17.13	33.01	PASS
n7	15	5	513500	1@23	CP_QAM256	16.10	1.04	17.14	33.01	PASS
n7	15	10	501000	25@12	DFT_BPSK	20.80	1.04	21.84	33.01	PASS

n7	15	10	501000	1@1	DFT_BPSK	20.72	1.04	21.76	33.01	PASS
n7	15	10	501000	1@50	DFT_BPSK	20.76	1.04	21.8	33.01	PASS
n7	15	10	501000	25@12	DFT_QPSK	20.79	1.04	21.83	33.01	PASS
n7	15	10	501000	1@1	DFT_QPSK	20.66	1.04	21.7	33.01	PASS
n7	15	10	501000	1@50	DFT_QPSK	20.70	1.04	21.74	33.01	PASS
n7	15	10	501000	25@12	DFT_QAM16	20.77	1.04	21.81	33.01	PASS
n7	15	10	501000	1@1	DFT_QAM16	20.91	1.04	21.95	33.01	PASS
n7	15	10	501000	1@50	DFT_QAM16	21.01	1.04	22.05	33.01	PASS
n7	15	10	501000	25@12	DFT_QAM64	20.37	1.04	21.41	33.01	PASS
n7	15	10	501000	1@1	DFT_QAM64	20.19	1.04	21.23	33.01	PASS
n7	15	10	501000	1@50	DFT_QAM64	20.29	1.04	21.33	33.01	PASS
n7	15	10	501000	25@12	DFT_QAM256	18.28	1.04	19.32	33.01	PASS
n7	15	10	501000	1@1	DFT_QAM256	18.43	1.04	19.47	33.01	PASS
n7	15	10	501000	1@50	DFT_QAM256	18.21	1.04	19.25	33.01	PASS
n7	15	10	501000	26@13	CP_QPSK	20.76	1.04	21.8	33.01	PASS
n7	15	10	501000	1@1	CP_QPSK	20.92	1.04	21.96	33.01	PASS
n7	15	10	501000	1@50	CP_QPSK	20.68	1.04	21.72	33.01	PASS
n7	15	10	501000	26@13	CP_QAM16	20.80	1.04	21.84	33.01	PASS
n7	15	10	501000	1@1	CP_QAM16	20.52	1.04	21.56	33.01	PASS
n7	15	10	501000	1@50	CP_QAM16	21.28	1.04	22.32	33.01	PASS
n7	15	10	501000	26@13	CP_QAM64	19.36	1.04	20.4	33.01	PASS
n7	15	10	501000	1@1	CP_QAM64	19.37	1.04	20.41	33.01	PASS
n7	15	10	501000	1@50	CP_QAM64	19.44	1.04	20.48	33.01	PASS
n7	15	10	501000	26@13	CP_QAM256	16.23	1.04	17.27	33.01	PASS
n7	15	10	501000	1@1	CP_QAM256	16.16	1.04	17.2	33.01	PASS
n7	15	10	501000	1@50	CP_QAM256	16.16	1.04	17.2	33.01	PASS
n7	15	10	507000	25@12	DFT_BPSK	20.75	1.04	21.79	33.01	PASS
n7	15	10	507000	1@1	DFT_BPSK	20.81	1.04	21.85	33.01	PASS
n7	15	10	507000	1@50	DFT_BPSK	20.73	1.04	21.77	33.01	PASS
n7	15	10	507000	25@12	DFT_QPSK	20.77	1.04	21.81	33.01	PASS
n7	15	10	507000	1@1	DFT_QPSK	20.75	1.04	21.79	33.01	PASS
n7	15	10	507000	1@50	DFT_QPSK	20.66	1.04	21.7	33.01	PASS
n7	15	10	507000	25@12	DFT_QAM16	20.74	1.04	21.78	33.01	PASS
n7	15	10	507000	1@1	DFT_QAM16	21.02	1.04	22.06	33.01	PASS
n7	15	10	507000	1@50	DFT_QAM16	20.94	1.04	21.98	33.01	PASS
n7	15	10	507000	25@12	DFT_QAM64	20.32	1.04	21.36	33.01	PASS
n7	15	10	507000	1@1	DFT_QAM64	20.33	1.04	21.37	33.01	PASS
n7	15	10	507000	1@50	DFT_QAM64	20.07	1.04	21.11	33.01	PASS
n7	15	10	507000	25@12	DFT_QAM256	18.25	1.04	19.29	33.01	PASS
n7	15	10	507000	1@1	DFT_QAM256	18.39	1.04	19.43	33.01	PASS
n7	15	10	507000	1@50	DFT_QAM256	18.18	1.04	19.22	33.01	PASS
n7	15	10	507000	26@13	CP_QPSK	20.75	1.04	21.79	33.01	PASS
n7	15	10	507000	1@1	CP_QPSK	20.71	1.04	21.75	33.01	PASS

n7	15	10	507000	1@50	CP_QPSK	20.94	1.04	21.98	33.01	PASS
n7	15	10	507000	26@13	CP_QAM16	20.76	1.04	21.8	33.01	PASS
n7	15	10	507000	1@1	CP_QAM16	21.23	1.04	22.27	33.01	PASS
n7	15	10	507000	1@50	CP_QAM16	20.60	1.04	21.64	33.01	PASS
n7	15	10	507000	26@13	CP_QAM64	19.30	1.04	20.34	33.01	PASS
n7	15	10	507000	1@1	CP_QAM64	19.70	1.04	20.74	33.01	PASS
n7	15	10	507000	1@50	CP_QAM64	19.27	1.04	20.31	33.01	PASS
n7	15	10	507000	26@13	CP_QAM256	16.28	1.04	17.32	33.01	PASS
n7	15	10	507000	1@1	CP_QAM256	16.02	1.04	17.06	33.01	PASS
n7	15	10	507000	1@50	CP_QAM256	16.06	1.04	17.1	33.01	PASS
n7	15	10	513000	25@12	DFT_BPSK	20.78	1.04	21.82	33.01	PASS
n7	15	10	513000	1@1	DFT_BPSK	20.76	1.04	21.8	33.01	PASS
n7	15	10	513000	1@50	DFT_BPSK	20.80	1.04	21.84	33.01	PASS
n7	15	10	513000	25@12	DFT_QPSK	20.82	1.04	21.86	33.01	PASS
n7	15	10	513000	1@1	DFT_QPSK	20.71	1.04	21.75	33.01	PASS
n7	15	10	513000	1@50	DFT_QPSK	20.78	1.04	21.82	33.01	PASS
n7	15	10	513000	25@12	DFT_QAM16	20.81	1.04	21.85	33.01	PASS
n7	15	10	513000	1@1	DFT_QAM16	21.06	1.04	22.1	33.01	PASS
n7	15	10	513000	1@50	DFT_QAM16	21.05	1.04	22.09	33.01	PASS
n7	15	10	513000	25@12	DFT_QAM64	20.43	1.04	21.47	33.01	PASS
n7	15	10	513000	1@1	DFT_QAM64	20.35	1.04	21.39	33.01	PASS
n7	15	10	513000	1@50	DFT_QAM64	20.34	1.04	21.38	33.01	PASS
n7	15	10	513000	25@12	DFT_QAM256	18.29	1.04	19.33	33.01	PASS
n7	15	10	513000	1@1	DFT_QAM256	18.21	1.04	19.25	33.01	PASS
n7	15	10	513000	1@50	DFT_QAM256	18.25	1.04	19.29	33.01	PASS
n7	15	10	513000	26@13	CP_QPSK	20.85	1.04	21.89	33.01	PASS
n7	15	10	513000	1@1	CP_QPSK	20.96	1.04	22	33.01	PASS
n7	15	10	513000	1@50	CP_QPSK	21.04	1.04	22.08	33.01	PASS
n7	15	10	513000	26@13	CP_QAM16	20.88	1.04	21.92	33.01	PASS
n7	15	10	513000	1@1	CP_QAM16	21.27	1.04	22.31	33.01	PASS
n7	15	10	513000	1@50	CP_QAM16	20.68	1.04	21.72	33.01	PASS
n7	15	10	513000	26@13	CP_QAM64	19.42	1.04	20.46	33.01	PASS
n7	15	10	513000	1@1	CP_QAM64	19.70	1.04	20.74	33.01	PASS
n7	15	10	513000	1@50	CP_QAM64	19.76	1.04	20.8	33.01	PASS
n7	15	10	513000	26@13	CP_QAM256	16.35	1.04	17.39	33.01	PASS
n7	15	10	513000	1@1	CP_QAM256	16.08	1.04	17.12	33.01	PASS
n7	15	10	513000	1@50	CP_QAM256	16.14	1.04	17.18	33.01	PASS
n7	15	15	501500	36@18	DFT_BPSK	20.85	1.04	21.89	33.01	PASS
n7	15	15	501500	1@1	DFT_BPSK	20.70	1.04	21.74	33.01	PASS
n7	15	15	501500	1@77	DFT_BPSK	20.82	1.04	21.86	33.01	PASS
n7	15	15	501500	36@18	DFT_QPSK	20.90	1.04	21.94	33.01	PASS
n7	15	15	501500	1@1	DFT_QPSK	20.61	1.04	21.65	33.01	PASS
n7	15	15	501500	1@77	DFT_QPSK	20.75	1.04	21.79	33.01	PASS

n7	15	15	501500	36@18	DFT_QAM16	20.86	1.04	21.9	33.01	PASS
n7	15	15	501500	1@1	DFT_QAM16	20.89	1.04	21.93	33.01	PASS
n7	15	15	501500	1@77	DFT_QAM16	21.05	1.04	22.09	33.01	PASS
n7	15	15	501500	36@18	DFT_QAM64	20.43	1.04	21.47	33.01	PASS
n7	15	15	501500	1@1	DFT_QAM64	20.00	1.04	21.04	33.01	PASS
n7	15	15	501500	1@77	DFT_QAM64	20.12	1.04	21.16	33.01	PASS
n7	15	15	501500	36@18	DFT_QAM256	18.29	1.04	19.33	33.01	PASS
n7	15	15	501500	1@1	DFT_QAM256	18.19	1.04	19.23	33.01	PASS
n7	15	15	501500	1@77	DFT_QAM256	18.22	1.04	19.26	33.01	PASS
n7	15	15	501500	39@19	CP_QPSK	20.85	1.04	21.89	33.01	PASS
n7	15	15	501500	1@1	CP_QPSK	20.64	1.04	21.68	33.01	PASS
n7	15	15	501500	1@77	CP_QPSK	20.90	1.04	21.94	33.01	PASS
n7	15	15	501500	39@19	CP_QAM16	20.92	1.04	21.96	33.01	PASS
n7	15	15	501500	1@1	CP_QAM16	21.20	1.04	22.24	33.01	PASS
n7	15	15	501500	1@77	CP_QAM16	20.62	1.04	21.66	33.01	PASS
n7	15	15	501500	39@19	CP_QAM64	19.41	1.04	20.45	33.01	PASS
n7	15	15	501500	1@1	CP_QAM64	19.20	1.04	20.24	33.01	PASS
n7	15	15	501500	1@77	CP_QAM64	19.31	1.04	20.35	33.01	PASS
n7	15	15	501500	39@19	CP_QAM256	16.35	1.04	17.39	33.01	PASS
n7	15	15	501500	1@1	CP_QAM256	16.01	1.04	17.05	33.01	PASS
n7	15	15	501500	1@77	CP_QAM256	16.06	1.04	17.1	33.01	PASS
n7	15	15	507000	36@18	DFT_BPSK	20.85	1.04	21.89	33.01	PASS
n7	15	15	507000	1@1	DFT_BPSK	20.80	1.04	21.84	33.01	PASS
n7	15	15	507000	1@77	DFT_BPSK	20.75	1.04	21.79	33.01	PASS
n7	15	15	507000	36@18	DFT_QPSK	20.86	1.04	21.9	33.01	PASS
n7	15	15	507000	1@1	DFT_QPSK	20.70	1.04	21.74	33.01	PASS
n7	15	15	507000	1@77	DFT_QPSK	20.72	1.04	21.76	33.01	PASS
n7	15	15	507000	36@18	DFT_QAM16	20.83	1.04	21.87	33.01	PASS
n7	15	15	507000	1@1	DFT_QAM16	20.86	1.04	21.9	33.01	PASS
n7	15	15	507000	1@77	DFT_QAM16	20.84	1.04	21.88	33.01	PASS
n7	15	15	507000	36@18	DFT_QAM64	20.43	1.04	21.47	33.01	PASS
n7	15	15	507000	1@1	DFT_QAM64	20.44	1.04	21.48	33.01	PASS
n7	15	15	507000	1@77	DFT_QAM64	20.33	1.04	21.37	33.01	PASS
n7	15	15	507000	36@18	DFT_QAM256	18.31	1.04	19.35	33.01	PASS
n7	15	15	507000	1@1	DFT_QAM256	18.34	1.04	19.38	33.01	PASS
n7	15	15	507000	1@77	DFT_QAM256	18.24	1.04	19.28	33.01	PASS
n7	15	15	507000	39@19	CP_QPSK	20.84	1.04	21.88	33.01	PASS
n7	15	15	507000	1@1	CP_QPSK	20.82	1.04	21.86	33.01	PASS
n7	15	15	507000	1@77	CP_QPSK	20.70	1.04	21.74	33.01	PASS
n7	15	15	507000	39@19	CP_QAM16	20.86	1.04	21.9	33.01	PASS
n7	15	15	507000	1@1	CP_QAM16	21.10	1.04	22.14	33.01	PASS
n7	15	15	507000	1@77	CP_QAM16	20.53	1.04	21.57	33.01	PASS
n7	15	15	507000	39@19	CP_QAM64	19.42	1.04	20.46	33.01	PASS

n7	15	15	507000	1@1	CP_QAM64	19.43	1.04	20.47	33.01	PASS
n7	15	15	507000	1@77	CP_QAM64	19.36	1.04	20.4	33.01	PASS
n7	15	15	507000	39@19	CP_QAM256	16.31	1.04	17.35	33.01	PASS
n7	15	15	507000	1@1	CP_QAM256	16.10	1.04	17.14	33.01	PASS
n7	15	15	507000	1@77	CP_QAM256	16.13	1.04	17.17	33.01	PASS
n7	15	15	512500	36@18	DFT_BPSK	20.87	1.04	21.91	33.01	PASS
n7	15	15	512500	1@1	DFT_BPSK	20.77	1.04	21.81	33.01	PASS
n7	15	15	512500	1@77	DFT_BPSK	20.86	1.04	21.9	33.01	PASS
n7	15	15	512500	36@18	DFT_QPSK	20.91	1.04	21.95	33.01	PASS
n7	15	15	512500	1@1	DFT_QPSK	20.69	1.04	21.73	33.01	PASS
n7	15	15	512500	1@77	DFT_QPSK	20.81	1.04	21.85	33.01	PASS
n7	15	15	512500	36@18	DFT_QAM16	20.90	1.04	21.94	33.01	PASS
n7	15	15	512500	1@1	DFT_QAM16	20.87	1.04	21.91	33.01	PASS
n7	15	15	512500	1@77	DFT_QAM16	20.97	1.04	22.01	33.01	PASS
n7	15	15	512500	36@18	DFT_QAM64	20.49	1.04	21.53	33.01	PASS
n7	15	15	512500	1@1	DFT_QAM64	20.50	1.04	21.54	33.01	PASS
n7	15	15	512500	1@77	DFT_QAM64	20.53	1.04	21.57	33.01	PASS
n7	15	15	512500	36@18	DFT_QAM256	18.37	1.04	19.41	33.01	PASS
n7	15	15	512500	1@1	DFT_QAM256	18.43	1.04	19.47	33.01	PASS
n7	15	15	512500	1@77	DFT_QAM256	18.49	1.04	19.53	33.01	PASS
n7	15	15	512500	39@19	CP_QPSK	20.85	1.04	21.89	33.01	PASS
n7	15	15	512500	1@1	CP_QPSK	20.69	1.04	21.73	33.01	PASS
n7	15	15	512500	1@77	CP_QPSK	20.78	1.04	21.82	33.01	PASS
n7	15	15	512500	39@19	CP_QAM16	20.96	1.04	22	33.01	PASS
n7	15	15	512500	1@1	CP_QAM16	21.07	1.04	22.11	33.01	PASS
n7	15	15	512500	1@77	CP_QAM16	21.21	1.04	22.25	33.01	PASS
n7	15	15	512500	39@19	CP_QAM64	19.47	1.04	20.51	33.01	PASS
n7	15	15	512500	1@1	CP_QAM64	19.49	1.04	20.53	33.01	PASS
n7	15	15	512500	1@77	CP_QAM64	19.59	1.04	20.63	33.01	PASS
n7	15	15	512500	39@19	CP_QAM256	16.37	1.04	17.41	33.01	PASS
n7	15	15	512500	1@1	CP_QAM256	16.08	1.04	17.12	33.01	PASS
n7	15	15	512500	1@77	CP_QAM256	16.14	1.04	17.18	33.01	PASS
n7	15	20	502000	50@25	DFT_BPSK	20.92	1.04	21.96	33.01	PASS
n7	15	20	502000	1@1	DFT_BPSK	20.77	1.04	21.81	33.01	PASS
n7	15	20	502000	1@104	DFT_BPSK	20.88	1.04	21.92	33.01	PASS
n7	15	20	502000	50@25	DFT_QPSK	20.93	1.04	21.97	33.01	PASS
n7	15	20	502000	1@1	DFT_QPSK	20.71	1.04	21.75	33.01	PASS
n7	15	20	502000	1@104	DFT_QPSK	20.80	1.04	21.84	33.01	PASS
n7	15	20	502000	50@25	DFT_QAM16	20.94	1.04	21.98	33.01	PASS
n7	15	20	502000	1@1	DFT_QAM16	20.82	1.04	21.86	33.01	PASS
n7	15	20	502000	1@104	DFT_QAM16	20.87	1.04	21.91	33.01	PASS
n7	15	20	502000	50@25	DFT_QAM64	20.41	1.04	21.45	33.01	PASS
n7	15	20	502000	1@1	DFT_QAM64	20.25	1.04	21.29	33.01	PASS

n7	15	20	502000	1@104	DFT_QAM64	20.38	1.04	21.42	33.01	PASS
n7	15	20	502000	50@25	DFT_QAM256	18.36	1.04	19.4	33.01	PASS
n7	15	20	502000	1@1	DFT_QAM256	18.35	1.04	19.39	33.01	PASS
n7	15	20	502000	1@104	DFT_QAM256	18.31	1.04	19.35	33.01	PASS
n7	15	20	502000	53@26	CP_QPSK	20.90	1.04	21.94	33.01	PASS
n7	15	20	502000	1@1	CP_QPSK	20.70	1.04	21.74	33.01	PASS
n7	15	20	502000	1@104	CP_QPSK	20.85	1.04	21.89	33.01	PASS
n7	15	20	502000	53@26	CP_QAM16	20.91	1.04	21.95	33.01	PASS
n7	15	20	502000	1@1	CP_QAM16	21.14	1.04	22.18	33.01	PASS
n7	15	20	502000	1@104	CP_QAM16	21.11	1.04	22.15	33.01	PASS
n7	15	20	502000	53@26	CP_QAM64	19.42	1.04	20.46	33.01	PASS
n7	15	20	502000	1@1	CP_QAM64	19.32	1.04	20.36	33.01	PASS
n7	15	20	502000	1@104	CP_QAM64	19.31	1.04	20.35	33.01	PASS
n7	15	20	502000	53@26	CP_QAM256	16.34	1.04	17.38	33.01	PASS
n7	15	20	502000	1@1	CP_QAM256	16.10	1.04	17.14	33.01	PASS
n7	15	20	502000	1@104	CP_QAM256	16.21	1.04	17.25	33.01	PASS
n7	15	20	507000	50@25	DFT_BPSK	20.87	1.04	21.91	33.01	PASS
n7	15	20	507000	1@1	DFT_BPSK	20.86	1.04	21.9	33.01	PASS
n7	15	20	507000	1@104	DFT_BPSK	20.74	1.04	21.78	33.01	PASS
n7	15	20	507000	50@25	DFT_QPSK	20.90	1.04	21.94	33.01	PASS
n7	15	20	507000	1@1	DFT_QPSK	20.74	1.04	21.78	33.01	PASS
n7	15	20	507000	1@104	DFT_QPSK	20.72	1.04	21.76	33.01	PASS
n7	15	20	507000	50@25	DFT_QAM16	20.91	1.04	21.95	33.01	PASS
n7	15	20	507000	1@1	DFT_QAM16	21.14	1.04	22.18	33.01	PASS
n7	15	20	507000	1@104	DFT_QAM16	21.11	1.04	22.15	33.01	PASS
n7	15	20	507000	50@25	DFT_QAM64	20.40	1.04	21.44	33.01	PASS
n7	15	20	507000	1@1	DFT_QAM64	20.14	1.04	21.18	33.01	PASS
n7	15	20	507000	1@104	DFT_QAM64	20.27	1.04	21.31	33.01	PASS
n7	15	20	507000	50@25	DFT_QAM256	18.31	1.04	19.35	33.01	PASS
n7	15	20	507000	1@1	DFT_QAM256	18.44	1.04	19.48	33.01	PASS
n7	15	20	507000	1@104	DFT_QAM256	18.40	1.04	19.44	33.01	PASS
n7	15	20	507000	53@26	CP_QPSK	20.81	1.04	21.85	33.01	PASS
n7	15	20	507000	1@1	CP_QPSK	20.74	1.04	21.78	33.01	PASS
n7	15	20	507000	1@104	CP_QPSK	20.72	1.04	21.76	33.01	PASS
n7	15	20	507000	53@26	CP_QAM16	20.86	1.04	21.9	33.01	PASS
n7	15	20	507000	1@1	CP_QAM16	20.80	1.04	21.84	33.01	PASS
n7	15	20	507000	1@104	CP_QAM16	21.15	1.04	22.19	33.01	PASS
n7	15	20	507000	53@26	CP_QAM64	19.38	1.04	20.42	33.01	PASS
n7	15	20	507000	1@1	CP_QAM64	19.69	1.04	20.73	33.01	PASS
n7	15	20	507000	1@104	CP_QAM64	19.25	1.04	20.29	33.01	PASS
n7	15	20	507000	53@26	CP_QAM256	16.32	1.04	17.36	33.01	PASS
n7	15	20	507000	1@1	CP_QAM256	16.08	1.04	17.12	33.01	PASS
n7	15	20	507000	1@104	CP_QAM256	16.10	1.04	17.14	33.01	PASS

n7	15	20	512000	50@25	DFT_BPSK	20.93	1.04	21.97	33.01	PASS
n7	15	20	512000	1@1	DFT_BPSK	20.79	1.04	21.83	33.01	PASS
n7	15	20	512000	1@104	DFT_BPSK	20.89	1.04	21.93	33.01	PASS
n7	15	20	512000	50@25	DFT_QPSK	20.93	1.04	21.97	33.01	PASS
n7	15	20	512000	1@1	DFT_QPSK	20.69	1.04	21.73	33.01	PASS
n7	15	20	512000	1@104	DFT_QPSK	20.78	1.04	21.82	33.01	PASS
n7	15	20	512000	50@25	DFT_QAM16	20.94	1.04	21.98	33.01	PASS
n7	15	20	512000	1@1	DFT_QAM16	21.05	1.04	22.09	33.01	PASS
n7	15	20	512000	1@104	DFT_QAM16	20.91	1.04	21.95	33.01	PASS
n7	15	20	512000	50@25	DFT_QAM64	20.39	1.04	21.43	33.01	PASS
n7	15	20	512000	1@1	DFT_QAM64	20.07	1.04	21.11	33.01	PASS
n7	15	20	512000	1@104	DFT_QAM64	20.37	1.04	21.41	33.01	PASS
n7	15	20	512000	50@25	DFT_QAM256	18.39	1.04	19.43	33.01	PASS
n7	15	20	512000	1@1	DFT_QAM256	18.35	1.04	19.39	33.01	PASS
n7	15	20	512000	1@104	DFT_QAM256	18.31	1.04	19.35	33.01	PASS
n7	15	20	512000	53@26	CP_QPSK	20.83	1.04	21.87	33.01	PASS
n7	15	20	512000	1@1	CP_QPSK	20.64	1.04	21.68	33.01	PASS
n7	15	20	512000	1@104	CP_QPSK	20.77	1.04	21.81	33.01	PASS
n7	15	20	512000	53@26	CP_QAM16	20.95	1.04	21.99	33.01	PASS
n7	15	20	512000	1@1	CP_QAM16	20.71	1.04	21.75	33.01	PASS
n7	15	20	512000	1@104	CP_QAM16	20.79	1.04	21.83	33.01	PASS
n7	15	20	512000	53@26	CP_QAM64	19.45	1.04	20.49	33.01	PASS
n7	15	20	512000	1@1	CP_QAM64	19.24	1.04	20.28	33.01	PASS
n7	15	20	512000	1@104	CP_QAM64	19.35	1.04	20.39	33.01	PASS
n7	15	20	512000	53@26	CP_QAM256	16.36	1.04	17.4	33.01	PASS
n7	15	20	512000	1@1	CP_QAM256	16.02	1.04	17.06	33.01	PASS
n7	15	20	512000	1@104	CP_QAM256	16.18	1.04	17.22	33.01	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	15	20	507000	50@25	DFT_BPSK	3.45	-4.90	0.00	Within authorized band for 5G NR n7	PASS
n7	15	20	507000	50@25	DFT_BPSK	3.85	-3.86	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	4.40	1.55	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	3.45	-2.93	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	3.85	-0.67	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	4.40	-4.04	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	15	20	507000	50@25	DFT_BPSK	-30	-3.15	0.00	Within authorized band for 5G NR n7	PASS
n7	15	20	507000	50@25	DFT_BPSK	-20	-3.14	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	-10	-1.34	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	0	-5.37	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	10	-3.37	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	20	-5.17	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	30	-2.51	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	40	-6.56	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	50	-2.52	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	-30	-6.42	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	-20	-2.79	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	-10	-3.94	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	0	-6.5	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	10	-2.58	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	20	-3.93	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	30	-3.17	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	40	-4.1	0.00	PASS	
n7	15	20	507000	50@25	DFT_QPSK	50	-2.17	0.00	PASS	

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n7	15	5	507000	25@0	DFT_BPSK	4.68	13	PASS
n7	15	5	507000	25@0	DFT_QPSK	6.03	13	PASS
n7	15	5	507000	25@0	DFT_QAM16	6.10	13	PASS
n7	15	5	507000	25@0	DFT_QAM64	6.72	13	PASS
n7	15	5	507000	25@0	DFT_QAM256	7.52	13	PASS
n7	15	10	507000	50@0	DFT_BPSK	4.71	13	PASS
n7	15	10	507000	50@0	DFT_QPSK	5.86	13	PASS
n7	15	10	507000	50@0	DFT_QAM16	6.24	13	PASS
n7	15	10	507000	50@0	DFT_QAM64	6.71	13	PASS
n7	15	10	507000	50@0	DFT_QAM256	7.22	13	PASS
n7	15	15	507000	75@0	DFT_BPSK	4.79	13	PASS
n7	15	15	507000	75@0	DFT_QPSK	5.92	13	PASS
n7	15	15	507000	75@0	DFT_QAM16	6.60	13	PASS
n7	15	15	507000	75@0	DFT_QAM64	7.06	13	PASS
n7	15	15	507000	75@0	DFT_QAM256	7.13	13	PASS
n7	15	20	507000	100@0	DFT_BPSK	4.80	13	PASS
n7	15	20	507000	100@0	DFT_QPSK	5.95	13	PASS
n7	15	20	507000	100@0	DFT_QAM16	6.50	13	PASS
n7	15	20	507000	100@0	DFT_QAM64	6.77	13	PASS
n7	15	20	507000	100@0	DFT_QAM256	7.16	13	PASS


n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=507000 RB=100@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n7	15	5	500500	25@0	DFT_BPSK	4.484	4.718	PASS
n7	15	5	500500	25@0	DFT_QPSK	4.498	4.830	PASS
n7	15	5	500500	25@0	DFT_QAM16	4.488	4.848	PASS
n7	15	5	500500	25@0	DFT_QAM64	4.469	4.750	PASS
n7	15	5	500500	25@0	DFT_QAM256	4.526	4.799	PASS
n7	15	5	500500	25@0	CP_QPSK	4.485	4.785	PASS
n7	15	5	507000	25@0	DFT_BPSK	4.491	4.780	PASS
n7	15	5	507000	25@0	DFT_QPSK	4.486	4.835	PASS
n7	15	5	507000	25@0	DFT_QAM16	4.442	4.802	PASS
n7	15	5	507000	25@0	DFT_QAM64	4.500	4.856	PASS
n7	15	5	507000	25@0	DFT_QAM256	4.492	4.771	PASS
n7	15	5	507000	25@0	CP_QPSK	4.525	4.890	PASS
n7	15	5	513500	25@0	DFT_BPSK	4.502	4.769	PASS
n7	15	5	513500	25@0	DFT_QPSK	4.496	4.807	PASS
n7	15	5	513500	25@0	DFT_QAM16	4.466	4.830	PASS
n7	15	5	513500	25@0	DFT_QAM64	4.459	4.861	PASS
n7	15	5	513500	25@0	DFT_QAM256	4.514	4.753	PASS
n7	15	5	513500	25@0	CP_QPSK	4.498	4.782	PASS
n7	15	10	501000	50@0	DFT_BPSK	8.902	9.424	PASS
n7	15	10	501000	50@0	DFT_QPSK	8.962	9.460	PASS
n7	15	10	501000	50@0	DFT_QAM16	9.001	9.454	PASS
n7	15	10	501000	50@0	DFT_QAM64	8.911	9.431	PASS
n7	15	10	501000	50@0	DFT_QAM256	8.923	9.433	PASS
n7	15	10	501000	52@0	CP_QPSK	9.306	9.841	PASS
n7	15	10	507000	50@0	DFT_BPSK	8.996	9.447	PASS
n7	15	10	507000	50@0	DFT_QPSK	9.013	9.498	PASS
n7	15	10	507000	50@0	DFT_QAM16	8.987	9.456	PASS
n7	15	10	507000	50@0	DFT_QAM64	8.951	9.430	PASS
n7	15	10	507000	50@0	DFT_QAM256	8.958	9.429	PASS
n7	15	10	507000	52@0	CP_QPSK	9.310	9.796	PASS
n7	15	10	513000	50@0	DFT_BPSK	8.965	9.453	PASS
n7	15	10	513000	50@0	DFT_QPSK	8.956	9.451	PASS
n7	15	10	513000	50@0	DFT_QAM16	8.870	9.455	PASS
n7	15	10	513000	50@0	DFT_QAM64	9.020	9.430	PASS
n7	15	10	513000	50@0	DFT_QAM256	8.973	9.440	PASS
n7	15	10	513000	52@0	CP_QPSK	9.285	9.811	PASS
n7	15	15	501500	75@0	DFT_BPSK	13.448	14.211	PASS
n7	15	15	501500	75@0	DFT_QPSK	13.383	14.149	PASS
n7	15	15	501500	75@0	DFT_QAM16	13.480	14.151	PASS

n7	15	15	501500	75@0	DFT_QAM64	13.331	14.118	PASS
n7	15	15	501500	75@0	DFT_QAM256	13.464	14.137	PASS
n7	15	15	501500	79@0	CP_QPSK	14.157	14.877	PASS
n7	15	15	507000	75@0	DFT_BPSK	13.378	14.169	PASS
n7	15	15	507000	75@0	DFT_QPSK	13.483	14.149	PASS
n7	15	15	507000	75@0	DFT_QAM16	13.535	14.183	PASS
n7	15	15	507000	75@0	DFT_QAM64	13.455	14.109	PASS
n7	15	15	507000	75@0	DFT_QAM256	13.506	14.150	PASS
n7	15	15	507000	79@0	CP_QPSK	14.169	14.856	PASS
n7	15	15	512500	75@0	DFT_BPSK	13.413	14.125	PASS
n7	15	15	512500	75@0	DFT_QPSK	13.524	14.244	PASS
n7	15	15	512500	75@0	DFT_QAM16	13.450	14.160	PASS
n7	15	15	512500	75@0	DFT_QAM64	13.441	14.130	PASS
n7	15	15	512500	75@0	DFT_QAM256	13.505	14.134	PASS
n7	15	15	512500	79@0	CP_QPSK	14.050	16.616	PASS
n7	15	20	502000	100@0	DFT_BPSK	18.020	18.946	PASS
n7	15	20	502000	100@0	DFT_QPSK	18.012	18.848	PASS
n7	15	20	502000	100@0	DFT_QAM16	17.912	18.943	PASS
n7	15	20	502000	100@0	DFT_QAM64	17.945	18.935	PASS
n7	15	20	502000	100@0	DFT_QAM256	17.962	18.935	PASS
n7	15	20	502000	106@0	CP_QPSK	18.929	19.940	PASS
n7	15	20	507000	100@0	DFT_BPSK	17.971	18.899	PASS
n7	15	20	507000	100@0	DFT_QPSK	18.036	18.993	PASS
n7	15	20	507000	100@0	DFT_QAM16	17.813	18.842	PASS
n7	15	20	507000	100@0	DFT_QAM64	17.882	18.939	PASS
n7	15	20	507000	100@0	DFT_QAM256	18.016	18.934	PASS
n7	15	20	507000	106@0	CP_QPSK	18.959	19.960	PASS
n7	15	20	512000	100@0	DFT_BPSK	17.991	18.913	PASS
n7	15	20	512000	100@0	DFT_QPSK	17.931	18.941	PASS
n7	15	20	512000	100@0	DFT_QAM16	17.954	18.954	PASS
n7	15	20	512000	100@0	DFT_QAM64	17.957	18.946	PASS
n7	15	20	512000	100@0	DFT_QAM256	17.958	18.964	PASS
n7	15	20	512000	106@0	CP_QPSK	18.939	20.076	PASS


n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz CP_QPSK BW=10MHz Channel=501000 RB=52@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz CP_QPSK BW=10MHz Channel=507000 RB=52@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=513000 RB=50@0



n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=513000 RB=50@0



n7 SCS=15kHz CP_QPSK BW=10MHz Channel=513000 RB=52@0



n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=501500 RB=75@0