

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
n7	30	10	501000	12@6	DFT_BPSK	22.51	0.05	22.56	33.01	PASS
n7	30	10	501000	1@1	DFT_BPSK	22.47	0.05	22.52	33.01	PASS
n7	30	10	501000	1@22	DFT_BPSK	22.55	0.05	22.60	33.01	PASS
n7	30	10	501000	12@6	DFT_QPSK	22.55	0.05	22.60	33.01	PASS
n7	30	10	501000	1@1	DFT_QPSK	22.38	0.05	22.43	33.01	PASS
n7	30	10	501000	1@22	DFT_QPSK	22.38	0.05	22.43	33.01	PASS
n7	30	10	501000	12@6	DFT_QAM16	21.56	0.05	21.61	33.01	PASS
n7	30	10	501000	1@1	DFT_QAM16	21.98	0.05	22.03	33.01	PASS
n7	30	10	501000	1@22	DFT_QAM16	21.98	0.05	22.03	33.01	PASS
n7	30	10	501000	12@6	DFT_QAM64	20.15	0.05	20.20	33.01	PASS
n7	30	10	501000	1@1	DFT_QAM64	19.99	0.05	20.04	33.01	PASS
n7	30	10	501000	1@22	DFT_QAM64	19.94	0.05	19.99	33.01	PASS
n7	30	10	501000	12@6	DFT_QAM256	18.21	0.05	18.26	33.01	PASS
n7	30	10	501000	1@1	DFT_QAM256	17.87	0.05	17.92	33.01	PASS
n7	30	10	501000	1@22	DFT_QAM256	18.18	0.05	18.23	33.01	PASS
n7	30	10	501000	12@6	CP_QPSK	21.12	0.05	21.17	33.01	PASS
n7	30	10	501000	1@1	CP_QPSK	20.92	0.05	20.97	33.01	PASS
n7	30	10	501000	1@22	CP_QPSK	-34.20	0.05	-34.15	33.01	PASS
n7	30	10	501000	12@6	CP_QAM16	20.43	0.05	20.48	33.01	PASS
n7	30	10	501000	1@1	CP_QAM16	20.93	0.05	20.98	33.01	PASS
n7	30	10	501000	1@22	CP_QAM16	21.03	0.05	21.08	33.01	PASS
n7	30	10	501000	12@6	CP_QAM64	19.10	0.05	19.15	33.01	PASS
n7	30	10	501000	1@1	CP_QAM64	19.75	0.05	19.80	33.01	PASS
n7	30	10	501000	1@22	CP_QAM64	19.36	0.05	19.41	33.01	PASS
n7	30	10	501000	12@6	CP_QAM256	16.09	0.05	16.14	33.01	PASS
n7	30	10	501000	1@1	CP_QAM256	16.08	0.05	16.13	33.01	PASS
n7	30	10	501000	1@22	CP_QAM256	16.13	0.05	16.18	33.01	PASS
n7	30	10	507000	12@6	DFT_BPSK	22.62	0.05	22.67	33.01	PASS
n7	30	10	507000	1@1	DFT_BPSK	22.60	0.05	22.65	33.01	PASS
n7	30	10	507000	1@22	DFT_BPSK	22.66	0.05	22.71	33.01	PASS
n7	30	10	507000	12@6	DFT_QPSK	22.63	0.05	22.68	33.01	PASS
n7	30	10	507000	1@1	DFT_QPSK	22.53	0.05	22.58	33.01	PASS
n7	30	10	507000	1@22	DFT_QPSK	22.51	0.05	22.56	33.01	PASS
n7	30	10	507000	12@6	DFT_QAM16	21.53	0.05	21.58	33.01	PASS
n7	30	10	507000	1@1	DFT_QAM16	21.59	0.05	21.64	33.01	PASS
n7	30	10	507000	1@22	DFT_QAM16	22.04	0.05	22.09	33.01	PASS
n7	30	10	507000	12@6	DFT_QAM64	20.22	0.05	20.27	33.01	PASS
n7	30	10	507000	1@1	DFT_QAM64	19.99	0.05	20.04	33.01	PASS
n7	30	10	507000	1@22	DFT_QAM64	20.17	0.05	20.22	33.01	PASS

n7	30	10	507000	12@6	DFT_QAM256	18.15	0.05	18.20	33.01	PASS
n7	30	10	507000	1@1	DFT_QAM256	18.18	0.05	18.23	33.01	PASS
n7	30	10	507000	1@22	DFT_QAM256	-33.95	0.05	-33.90	33.01	PASS
n7	30	10	507000	12@6	CP_QPSK	20.55	0.05	20.60	33.01	PASS
n7	30	10	507000	1@1	CP_QPSK	20.61	0.05	20.66	33.01	PASS
n7	30	10	507000	1@22	CP_QPSK	20.44	0.05	20.49	33.01	PASS
n7	30	10	507000	12@6	CP_QAM16	20.09	0.05	20.14	33.01	PASS
n7	30	10	507000	1@1	CP_QAM16	20.47	0.05	20.52	33.01	PASS
n7	30	10	507000	1@22	CP_QAM16	19.88	0.05	19.93	33.01	PASS
n7	30	10	507000	12@6	CP_QAM64	18.53	0.05	18.58	33.01	PASS
n7	30	10	507000	1@1	CP_QAM64	19.37	0.05	19.42	33.01	PASS
n7	30	10	507000	1@22	CP_QAM64	19.23	0.05	19.28	33.01	PASS
n7	30	10	507000	12@6	CP_QAM256	15.49	0.05	15.54	33.01	PASS
n7	30	10	507000	1@1	CP_QAM256	15.67	0.05	15.72	33.01	PASS
n7	30	10	507000	1@22	CP_QAM256	15.57	0.05	15.62	33.01	PASS
n7	30	10	513000	12@6	DFT_BPSK	22.15	0.05	22.20	33.01	PASS
n7	30	10	513000	1@1	DFT_BPSK	22.10	0.05	22.15	33.01	PASS
n7	30	10	513000	1@22	DFT_BPSK	22.20	0.05	22.25	33.01	PASS
n7	30	10	513000	12@6	DFT_QPSK	22.22	0.05	22.27	33.01	PASS
n7	30	10	513000	1@1	DFT_QPSK	21.94	0.05	21.99	33.01	PASS
n7	30	10	513000	1@22	DFT_QPSK	22.05	0.05	22.10	33.01	PASS
n7	30	10	513000	12@6	DFT_QAM16	21.17	0.05	21.22	33.01	PASS
n7	30	10	513000	1@1	DFT_QAM16	21.55	0.05	21.60	33.01	PASS
n7	30	10	513000	1@22	DFT_QAM16	21.07	0.05	21.12	33.01	PASS
n7	30	10	513000	12@6	DFT_QAM64	19.70	0.05	19.75	33.01	PASS
n7	30	10	513000	1@1	DFT_QAM64	19.58	0.05	19.63	33.01	PASS
n7	30	10	513000	1@22	DFT_QAM64	19.74	0.05	19.79	33.01	PASS
n7	30	10	513000	12@6	DFT_QAM256	17.61	0.05	17.66	33.01	PASS
n7	30	10	513000	1@1	DFT_QAM256	17.71	0.05	17.76	33.01	PASS
n7	30	10	513000	1@22	DFT_QAM256	17.78	0.05	17.83	33.01	PASS
n7	30	10	513000	12@6	CP_QPSK	20.52	0.05	20.57	33.01	PASS
n7	30	10	513000	1@1	CP_QPSK	20.43	0.05	20.48	33.01	PASS
n7	30	10	513000	1@22	CP_QPSK	20.71	0.05	20.76	33.01	PASS
n7	30	10	513000	12@6	CP_QAM16	20.34	0.05	20.39	33.01	PASS
n7	30	10	513000	1@1	CP_QAM16	20.17	0.05	20.22	33.01	PASS
n7	30	10	513000	1@22	CP_QAM16	20.59	0.05	20.64	33.01	PASS
n7	30	10	513000	12@6	CP_QAM64	18.73	0.05	18.78	33.01	PASS
n7	30	10	513000	1@1	CP_QAM64	19.39	0.05	19.44	33.01	PASS
n7	30	10	513000	1@22	CP_QAM64	19.40	0.05	19.45	33.01	PASS
n7	30	10	513000	12@6	CP_QAM256	15.73	0.05	15.78	33.01	PASS
n7	30	10	513000	1@1	CP_QAM256	15.64	0.05	15.69	33.01	PASS
n7	30	10	513000	1@22	CP_QAM256	15.79	0.05	15.84	33.01	PASS
n7	30	15	501500	18@9	DFT_BPSK	22.15	0.05	22.20	33.01	PASS

n7	30	15	501500	1@1	DFT_BPSK	22.06	0.05	22.11	33.01	PASS
n7	30	15	501500	1@36	DFT_BPSK	22.00	0.05	22.05	33.01	PASS
n7	30	15	501500	18@9	DFT_QPSK	22.13	0.05	22.18	33.01	PASS
n7	30	15	501500	1@1	DFT_QPSK	21.87	0.05	21.92	33.01	PASS
n7	30	15	501500	1@36	DFT_QPSK	21.91	0.05	21.96	33.01	PASS
n7	30	15	501500	18@9	DFT_QAM16	21.16	0.05	21.21	33.01	PASS
n7	30	15	501500	1@1	DFT_QAM16	21.23	0.05	21.28	33.01	PASS
n7	30	15	501500	1@36	DFT_QAM16	21.45	0.05	21.50	33.01	PASS
n7	30	15	501500	18@9	DFT_QAM64	19.86	0.05	19.91	33.01	PASS
n7	30	15	501500	1@1	DFT_QAM64	19.33	0.05	19.38	33.01	PASS
n7	30	15	501500	1@36	DFT_QAM64	19.69	0.05	19.74	33.01	PASS
n7	30	15	501500	18@9	DFT_QAM256	17.66	0.05	17.71	33.01	PASS
n7	30	15	501500	1@1	DFT_QAM256	17.41	0.05	17.46	33.01	PASS
n7	30	15	501500	1@36	DFT_QAM256	17.44	0.05	17.49	33.01	PASS
n7	30	15	501500	19@9	CP_QPSK	20.71	0.05	20.76	33.01	PASS
n7	30	15	501500	1@1	CP_QPSK	20.49	0.05	20.54	33.01	PASS
n7	30	15	501500	1@36	CP_QPSK	20.45	0.05	20.50	33.01	PASS
n7	30	15	501500	19@9	CP_QAM16	20.21	0.05	20.26	33.01	PASS
n7	30	15	501500	1@1	CP_QAM16	19.84	0.05	19.89	33.01	PASS
n7	30	15	501500	1@36	CP_QAM16	20.50	0.05	20.55	33.01	PASS
n7	30	15	501500	19@9	CP_QAM64	18.85	0.05	18.90	33.01	PASS
n7	30	15	501500	1@1	CP_QAM64	19.30	0.05	19.35	33.01	PASS
n7	30	15	501500	1@36	CP_QAM64	19.28	0.05	19.33	33.01	PASS
n7	30	15	501500	19@9	CP_QAM256	15.56	0.05	15.61	33.01	PASS
n7	30	15	501500	1@1	CP_QAM256	15.56	0.05	15.61	33.01	PASS
n7	30	15	501500	1@36	CP_QAM256	15.56	0.05	15.61	33.01	PASS
n7	30	15	507000	18@9	DFT_BPSK	22.11	0.05	22.16	33.01	PASS
n7	30	15	507000	1@1	DFT_BPSK	22.16	0.05	22.21	33.01	PASS
n7	30	15	507000	1@36	DFT_BPSK	22.02	0.05	22.07	33.01	PASS
n7	30	15	507000	18@9	DFT_QPSK	22.06	0.05	22.11	33.01	PASS
n7	30	15	507000	1@1	DFT_QPSK	22.00	0.05	22.05	33.01	PASS
n7	30	15	507000	1@36	DFT_QPSK	21.96	0.05	22.01	33.01	PASS
n7	30	15	507000	18@9	DFT_QAM16	21.18	0.05	21.23	33.01	PASS
n7	30	15	507000	1@1	DFT_QAM16	21.13	0.05	21.18	33.01	PASS
n7	30	15	507000	1@36	DFT_QAM16	21.03	0.05	21.08	33.01	PASS
n7	30	15	507000	18@9	DFT_QAM64	19.79	0.05	19.84	33.01	PASS
n7	30	15	507000	1@1	DFT_QAM64	19.91	0.05	19.96	33.01	PASS
n7	30	15	507000	1@36	DFT_QAM64	19.34	0.05	19.39	33.01	PASS
n7	30	15	507000	18@9	DFT_QAM256	17.59	0.05	17.64	33.01	PASS
n7	30	15	507000	1@1	DFT_QAM256	17.79	0.05	17.84	33.01	PASS
n7	30	15	507000	1@36	DFT_QAM256	17.62	0.05	17.67	33.01	PASS
n7	30	15	507000	19@9	CP_QPSK	20.55	0.05	20.60	33.01	PASS
n7	30	15	507000	1@1	CP_QPSK	20.55	0.05	20.60	33.01	PASS

n7	30	15	507000	1@36	CP_QPSK	20.48	0.05	20.53	33.01	PASS
n7	30	15	507000	19@9	CP_QAM16	20.20	0.05	20.25	33.01	PASS
n7	30	15	507000	1@1	CP_QAM16	20.39	0.05	20.44	33.01	PASS
n7	30	15	507000	1@36	CP_QAM16	20.32	0.05	20.37	33.01	PASS
n7	30	15	507000	19@9	CP_QAM64	18.84	0.05	18.89	33.01	PASS
n7	30	15	507000	1@1	CP_QAM64	19.09	0.05	19.14	33.01	PASS
n7	30	15	507000	1@36	CP_QAM64	-32.27	0.05	-32.22	33.01	PASS
n7	30	15	507000	19@9	CP_QAM256	15.41	0.05	15.46	33.01	PASS
n7	30	15	507000	1@1	CP_QAM256	15.42	0.05	15.47	33.01	PASS
n7	30	15	507000	1@36	CP_QAM256	15.30	0.05	15.35	33.01	PASS
n7	30	15	512500	18@9	DFT_BPSK	21.99	0.05	22.04	33.01	PASS
n7	30	15	512500	1@1	DFT_BPSK	21.89	0.05	21.94	33.01	PASS
n7	30	15	512500	1@36	DFT_BPSK	22.06	0.05	22.11	33.01	PASS
n7	30	15	512500	18@9	DFT_QPSK	22.00	0.05	22.05	33.01	PASS
n7	30	15	512500	1@1	DFT_QPSK	21.73	0.05	21.78	33.01	PASS
n7	30	15	512500	1@36	DFT_QPSK	22.01	0.05	22.06	33.01	PASS
n7	30	15	512500	18@9	DFT_QAM16	21.13	0.05	21.18	33.01	PASS
n7	30	15	512500	1@1	DFT_QAM16	21.07	0.05	21.12	33.01	PASS
n7	30	15	512500	1@36	DFT_QAM16	21.08	0.05	21.13	33.01	PASS
n7	30	15	512500	18@9	DFT_QAM64	19.85	0.05	19.90	33.01	PASS
n7	30	15	512500	1@1	DFT_QAM64	19.56	0.05	19.61	33.01	PASS
n7	30	15	512500	1@36	DFT_QAM64	19.54	0.05	19.59	33.01	PASS
n7	30	15	512500	18@9	DFT_QAM256	17.55	0.05	17.60	33.01	PASS
n7	30	15	512500	1@1	DFT_QAM256	17.49	0.05	17.54	33.01	PASS
n7	30	15	512500	1@36	DFT_QAM256	17.58	0.05	17.63	33.01	PASS
n7	30	15	512500	19@9	CP_QPSK	20.48	0.05	20.53	33.01	PASS
n7	30	15	512500	1@1	CP_QPSK	20.25	0.05	20.30	33.01	PASS
n7	30	15	512500	1@36	CP_QPSK	20.29	0.05	20.34	33.01	PASS
n7	30	15	512500	19@9	CP_QAM16	20.27	0.05	20.32	33.01	PASS
n7	30	15	512500	1@1	CP_QAM16	19.83	0.05	19.88	33.01	PASS
n7	30	15	512500	1@36	CP_QAM16	19.86	0.05	19.91	33.01	PASS
n7	30	15	512500	19@9	CP_QAM64	18.81	0.05	18.86	33.01	PASS
n7	30	15	512500	1@1	CP_QAM64	18.47	0.05	18.52	33.01	PASS
n7	30	15	512500	1@36	CP_QAM64	19.02	0.05	19.07	33.01	PASS
n7	30	15	512500	19@9	CP_QAM256	15.57	0.05	15.62	33.01	PASS
n7	30	15	512500	1@1	CP_QAM256	15.39	0.05	15.44	33.01	PASS
n7	30	15	512500	1@36	CP_QAM256	15.58	0.05	15.63	33.01	PASS
n7	30	20	502000	25@12	DFT_BPSK	22.06	0.05	22.11	33.01	PASS
n7	30	20	502000	1@1	DFT_BPSK	21.86	0.05	21.91	33.01	PASS
n7	30	20	502000	1@49	DFT_BPSK	21.85	0.05	21.90	33.01	PASS
n7	30	20	502000	25@12	DFT_QPSK	22.09	0.05	22.14	33.01	PASS
n7	30	20	502000	1@1	DFT_QPSK	21.92	0.05	21.97	33.01	PASS
n7	30	20	502000	1@49	DFT_QPSK	21.86	0.05	21.91	33.01	PASS

n7	30	20	502000	25@12	DFT_QAM16	20.97	0.05	21.02	33.01	PASS
n7	30	20	502000	1@1	DFT_QAM16	20.94	0.05	20.99	33.01	PASS
n7	30	20	502000	1@49	DFT_QAM16	21.37	0.05	21.42	33.01	PASS
n7	30	20	502000	25@12	DFT_QAM64	19.54	0.05	19.59	33.01	PASS
n7	30	20	502000	1@1	DFT_QAM64	19.28	0.05	19.33	33.01	PASS
n7	30	20	502000	1@49	DFT_QAM64	19.74	0.05	19.79	33.01	PASS
n7	30	20	502000	25@12	DFT_QAM256	17.58	0.05	17.63	33.01	PASS
n7	30	20	502000	1@1	DFT_QAM256	17.27	0.05	17.32	33.01	PASS
n7	30	20	502000	1@49	DFT_QAM256	17.63	0.05	17.68	33.01	PASS
n7	30	20	502000	25@12	CP_QPSK	20.71	0.05	20.76	33.01	PASS
n7	30	20	502000	1@1	CP_QPSK	20.29	0.05	20.34	33.01	PASS
n7	30	20	502000	1@49	CP_QPSK	20.30	0.05	20.35	33.01	PASS
n7	30	20	502000	25@12	CP_QAM16	20.16	0.05	20.21	33.01	PASS
n7	30	20	502000	1@1	CP_QAM16	19.62	0.05	19.67	33.01	PASS
n7	30	20	502000	1@49	CP_QAM16	19.87	0.05	19.92	33.01	PASS
n7	30	20	502000	25@12	CP_QAM64	18.76	0.05	18.81	33.01	PASS
n7	30	20	502000	1@1	CP_QAM64	18.88	0.05	18.93	33.01	PASS
n7	30	20	502000	1@49	CP_QAM64	18.94	0.05	18.99	33.01	PASS
n7	30	20	502000	25@12	CP_QAM256	15.50	0.05	15.55	33.01	PASS
n7	30	20	502000	1@1	CP_QAM256	15.36	0.05	15.41	33.01	PASS
n7	30	20	502000	1@49	CP_QAM256	15.45	0.05	15.50	33.01	PASS
n7	30	20	507000	25@12	DFT_BPSK	21.92	0.05	21.97	33.01	PASS
n7	30	20	507000	1@1	DFT_BPSK	21.97	0.05	22.02	33.01	PASS
n7	30	20	507000	1@49	DFT_BPSK	21.84	0.05	21.89	33.01	PASS
n7	30	20	507000	25@12	DFT_QPSK	22.02	0.05	22.07	33.01	PASS
n7	30	20	507000	1@1	DFT_QPSK	21.69	0.05	21.74	33.01	PASS
n7	30	20	507000	1@49	DFT_QPSK	21.71	0.05	21.76	33.01	PASS
n7	30	20	507000	25@12	DFT_QAM16	21.10	0.05	21.15	33.01	PASS
n7	30	20	507000	1@1	DFT_QAM16	21.32	0.05	21.37	33.01	PASS
n7	30	20	507000	1@49	DFT_QAM16	21.08	0.05	21.13	33.01	PASS
n7	30	20	507000	25@12	DFT_QAM64	19.55	0.05	19.60	33.01	PASS
n7	30	20	507000	1@1	DFT_QAM64	19.48	0.05	19.53	33.01	PASS
n7	30	20	507000	1@49	DFT_QAM64	19.20	0.05	19.25	33.01	PASS
n7	30	20	507000	25@12	DFT_QAM256	17.50	0.05	17.55	33.01	PASS
n7	30	20	507000	1@1	DFT_QAM256	17.31	0.05	17.36	33.01	PASS
n7	30	20	507000	1@49	DFT_QAM256	17.23	0.05	17.28	33.01	PASS
n7	30	20	507000	25@12	CP_QPSK	20.59	0.05	20.64	33.01	PASS
n7	30	20	507000	1@1	CP_QPSK	20.46	0.05	20.51	33.01	PASS
n7	30	20	507000	1@49	CP_QPSK	20.25	0.05	20.30	33.01	PASS
n7	30	20	507000	25@12	CP_QAM16	20.00	0.05	20.05	33.01	PASS
n7	30	20	507000	1@1	CP_QAM16	20.32	0.05	20.37	33.01	PASS
n7	30	20	507000	1@49	CP_QAM16	19.82	0.05	19.87	33.01	PASS
n7	30	20	507000	25@12	CP_QAM64	18.73	0.05	18.78	33.01	PASS

n7	30	20	507000	1@1	CP_QAM64	18.68	0.05	18.73	33.01	PASS
n7	30	20	507000	1@49	CP_QAM64	18.78	0.05	18.83	33.01	PASS
n7	30	20	507000	25@12	CP_QAM256	15.51	0.05	15.56	33.01	PASS
n7	30	20	507000	1@1	CP_QAM256	15.37	0.05	15.42	33.01	PASS
n7	30	20	507000	1@49	CP_QAM256	15.38	0.05	15.43	33.01	PASS
n7	30	20	512000	25@12	DFT_BPSK	22.09	0.05	22.14	33.01	PASS
n7	30	20	512000	1@1	DFT_BPSK	21.76	0.05	21.81	33.01	PASS
n7	30	20	512000	1@49	DFT_BPSK	22.06	0.05	22.11	33.01	PASS
n7	30	20	512000	25@12	DFT_QPSK	22.04	0.05	22.09	33.01	PASS
n7	30	20	512000	1@1	DFT_QPSK	21.72	0.05	21.77	33.01	PASS
n7	30	20	512000	1@49	DFT_QPSK	21.92	0.05	21.97	33.01	PASS
n7	30	20	512000	25@12	DFT_QAM16	21.10	0.05	21.15	33.01	PASS
n7	30	20	512000	1@1	DFT_QAM16	21.13	0.05	21.18	33.01	PASS
n7	30	20	512000	1@49	DFT_QAM16	21.34	0.05	21.39	33.01	PASS
n7	30	20	512000	25@12	DFT_QAM64	19.65	0.05	19.70	33.01	PASS
n7	30	20	512000	1@1	DFT_QAM64	19.34	0.05	19.39	33.01	PASS
n7	30	20	512000	1@49	DFT_QAM64	19.56	0.05	19.61	33.01	PASS
n7	30	20	512000	25@12	DFT_QAM256	17.51	0.05	17.56	33.01	PASS
n7	30	20	512000	1@1	DFT_QAM256	17.21	0.05	17.26	33.01	PASS
n7	30	20	512000	1@49	DFT_QAM256	17.76	0.05	17.81	33.01	PASS
n7	30	20	512000	25@12	CP_QPSK	20.48	0.05	20.53	33.01	PASS
n7	30	20	512000	1@1	CP_QPSK	20.23	0.05	20.28	33.01	PASS
n7	30	20	512000	1@49	CP_QPSK	20.34	0.05	20.39	33.01	PASS
n7	30	20	512000	25@12	CP_QAM16	20.18	0.05	20.23	33.01	PASS
n7	30	20	512000	1@1	CP_QAM16	19.87	0.05	19.92	33.01	PASS
n7	30	20	512000	1@49	CP_QAM16	20.09	0.05	20.14	33.01	PASS
n7	30	20	512000	25@12	CP_QAM64	18.70	0.05	18.75	33.01	PASS
n7	30	20	512000	1@1	CP_QAM64	18.74	0.05	18.79	33.01	PASS
n7	30	20	512000	1@49	CP_QAM64	19.55	0.05	19.60	33.01	PASS
n7	30	20	512000	25@12	CP_QAM256	15.54	0.05	15.59	33.01	PASS
n7	30	20	512000	1@1	CP_QAM256	15.22	0.05	15.27	33.01	PASS
n7	30	20	512000	1@49	CP_QAM256	15.60	0.05	15.65	33.01	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	30	20	507000	25@12	DFT_BPSK	3.45	-1.49	0.00	Within authorized band for 5G NR n7	PASS
n7	30	20	507000	25@12	DFT_BPSK	3.85	-1.83	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	4.40	-1.45	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	3.45	-5.54	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	3.85	-1.45	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	4.40	-6.41	0.00		PASS

Note: Only the worst case shown in the report.


NV:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	30	20	507000	25@12	DFT_BPSK	-30	-1.49	0.00	Within authorized band for 5G NR n7	PASS
n7	30	20	507000	25@12	DFT_BPSK	-20	-1.83	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	-10	-1.45	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	0	-5.54	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	10	-1.45	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	20	-6.41	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	30	-1.49	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	40	-1.83	0.00		PASS
n7	30	20	507000	25@12	DFT_BPSK	50	-1.45	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	-30	-5.54	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	-20	-1.45	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	-10	-6.41	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	0	-1.49	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	10	-1.83	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	20	-1.45	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	30	-5.54	0.00		PASS
n7	30	20	507000	25@12	DFT_QPSK	40	-1.45	0.00	PASS	
n7	30	20	507000	25@12	DFT_QPSK	50	-6.41	0.00	PASS	

3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n7	30	10	507000	24@0	DFT_BPSK	5.40	13	PASS
n7	30	10	507000	24@0	DFT_QPSK	5.70	13	PASS
n7	30	10	507000	24@0	DFT_QAM16	10.21	13	PASS
n7	30	10	507000	24@0	DFT_QAM64	6.99	13	PASS
n7	30	10	507000	24@0	DFT_QAM256	6.91	13	PASS
n7	30	15	507000	36@0	DFT_BPSK	4.73	13	PASS
n7	30	15	507000	36@0	DFT_QPSK	5.84	13	PASS
n7	30	15	507000	36@0	DFT_QAM16	8.42	13	PASS
n7	30	15	507000	36@0	DFT_QAM64	6.86	13	PASS
n7	30	15	507000	36@0	DFT_QAM256	7.17	13	PASS
n7	30	20	507000	50@0	DFT_BPSK	4.72	13	PASS
n7	30	20	507000	50@0	DFT_QPSK	5.94	13	PASS
n7	30	20	507000	50@0	DFT_QAM16	8.42	13	PASS
n7	30	20	507000	50@0	DFT_QAM64	7.08	13	PASS
n7	30	20	507000	50@0	DFT_QAM256	7.15	13	PASS

n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=507000 RB=24@0



n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=24@0



n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_BPSK BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QPSK BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM16 BW=15MHz Channel=507000 RB=36@0



n7 SCS=30kHz DFT_QAM64 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM256 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_BPSK BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QAM16 BW=20MHz Channel=507000 RB=50@0



n7 SCS=30kHz DFT_QAM64 BW=20MHz Channel=507000 RB=50@0



n7 SCS=30kHz DFT_QAM256 BW=20MHz Channel=507000 RB=50@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n7	30	10	501000	24@0	DFT_BPSK	8.636	9.385	PASS
n7	30	10	501000	24@0	DFT_QPSK	8.605	9.293	PASS
n7	30	10	501000	24@0	DFT_QAM16	8.618	9.188	PASS
n7	30	10	501000	24@0	DFT_QAM64	8.674	9.377	PASS
n7	30	10	501000	24@0	DFT_QAM256	8.589	9.092	PASS
n7	30	10	501000	24@0	CP_QPSK	8.605	9.419	PASS
n7	30	10	507000	24@0	DFT_BPSK	8.684	9.325	PASS
n7	30	10	507000	24@0	DFT_QPSK	8.545	9.197	PASS
n7	30	10	507000	24@0	DFT_QAM16	8.588	9.124	PASS
n7	30	10	507000	24@0	DFT_QAM64	8.581	9.083	PASS
n7	30	10	507000	24@0	DFT_QAM256	8.614	9.299	PASS
n7	30	10	507000	24@0	CP_QPSK	8.534	9.060	PASS
n7	30	10	513000	24@0	DFT_BPSK	8.631	9.413	PASS
n7	30	10	513000	24@0	DFT_QPSK	8.577	9.112	PASS
n7	30	10	513000	24@0	DFT_QAM16	8.605	9.088	PASS
n7	30	10	513000	24@0	DFT_QAM64	8.533	9.156	PASS
n7	30	10	513000	24@0	DFT_QAM256	8.620	9.194	PASS
n7	30	10	513000	24@0	CP_QPSK	8.620	9.210	PASS
n7	30	15	501500	36@0	DFT_BPSK	12.904	13.776	PASS
n7	30	15	501500	36@0	DFT_QPSK	12.944	13.793	PASS
n7	30	15	501500	36@0	DFT_QAM16	12.839	13.705	PASS
n7	30	15	501500	36@0	DFT_QAM64	12.865	13.692	PASS
n7	30	15	501500	36@0	DFT_QAM256	12.924	13.686	PASS
n7	30	15	501500	38@0	CP_QPSK	13.593	14.271	PASS
n7	30	15	507000	36@0	DFT_BPSK	12.876	13.637	PASS
n7	30	15	507000	36@0	DFT_QPSK	12.951	13.781	PASS
n7	30	15	507000	36@0	DFT_QAM16	12.854	13.780	PASS
n7	30	15	507000	36@0	DFT_QAM64	12.955	13.649	PASS
n7	30	15	507000	36@0	DFT_QAM256	12.831	13.709	PASS
n7	30	15	507000	38@0	CP_QPSK	13.673	14.481	PASS
n7	30	15	512500	36@0	DFT_BPSK	12.855	13.768	PASS
n7	30	15	512500	36@0	DFT_QPSK	12.925	13.719	PASS
n7	30	15	512500	36@0	DFT_QAM16	13.015	13.733	PASS
n7	30	15	512500	36@0	DFT_QAM64	12.906	13.739	PASS
n7	30	15	512500	36@0	DFT_QAM256	12.912	13.706	PASS
n7	30	15	512500	38@0	CP_QPSK	13.625	14.485	PASS
n7	30	20	502000	50@0	DFT_BPSK	17.932	18.941	PASS
n7	30	20	502000	50@0	DFT_QPSK	17.922	18.914	PASS
n7	30	20	502000	50@0	DFT_QAM16	17.793	18.921	PASS

n7	30	20	502000	50@0	DFT_QAM64	17.963	18.846	PASS
n7	30	20	502000	50@0	DFT_QAM256	18.009	18.888	PASS
n7	30	20	502000	51@0	CP_QPSK	18.301	19.424	PASS
n7	30	20	507000	50@0	DFT_BPSK	18.002	18.912	PASS
n7	30	20	507000	50@0	DFT_QPSK	17.860	18.828	PASS
n7	30	20	507000	50@0	DFT_QAM16	17.932	19.044	PASS
n7	30	20	507000	50@0	DFT_QAM64	17.849	19.004	PASS
n7	30	20	507000	50@0	DFT_QAM256	17.996	18.983	PASS
n7	30	20	507000	51@0	CP_QPSK	18.299	19.262	PASS
n7	30	20	512000	50@0	DFT_BPSK	17.984	19.058	PASS
n7	30	20	512000	50@0	DFT_QPSK	17.949	18.974	PASS
n7	30	20	512000	50@0	DFT_QAM16	18.046	18.959	PASS
n7	30	20	512000	50@0	DFT_QAM64	17.876	18.843	PASS
n7	30	20	512000	50@0	DFT_QAM256	18.001	18.937	PASS
n7	30	20	512000	51@0	CP_QPSK	18.223	19.379	PASS


n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz CP_QPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz CP_QPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz CP_QPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_BPSK BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz DFT_QPSK BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz DFT_QAM16 BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz DFT_QAM64 BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz DFT_QAM256 BW=15MHz Channel=501500 RB=36@0




n7 SCS=30kHz CP_QPSK BW=15MHz Channel=501500 RB=38@0




n7 SCS=30kHz DFT_BPSK BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QPSK BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM16 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM64 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz DFT_QAM256 BW=15MHz Channel=507000 RB=36@0




n7 SCS=30kHz CP_QPSK BW=15MHz Channel=507000 RB=38@0




n7 SCS=30kHz DFT_BPSK BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz DFT_QPSK BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz DFT_QAM16 BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz DFT_QAM64 BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz DFT_QAM256 BW=15MHz Channel=512500 RB=36@0




n7 SCS=30kHz CP_QPSK BW=15MHz Channel=512500 RB=38@0




n7 SCS=30kHz DFT_BPSK BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QAM16 BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QAM64 BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QAM256 BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz CP_QPSK BW=20MHz Channel=502000 RB=51@0




n7 SCS=30kHz DFT_BPSK BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QAM16 BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QAM64 BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QAM256 BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz CP_QPSK BW=20MHz Channel=507000 RB=51@0




n7 SCS=30kHz DFT_BPSK BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz DFT_QAM16 BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz DFT_QAM64 BW=20MHz Channel=512000 RB=50@0



n7 SCS=30kHz DFT_QAM256 BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz CP_QPSK BW=20MHz Channel=512000 RB=51@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n7	30	10	501000	24@0	DFT_QPSK	2489.69	-39.20	-25	PASS
n7	30	10	501000	1@0	DFT_QPSK	2479.34	-40.62	-25	PASS
n7	30	10	513000	24@0	DFT_QPSK	2580.00	-39.74	-25	PASS
n7	30	10	513000	1@23	DFT_QPSK	2582.70	-40.82	-25	PASS
n7	30	20	502000	50@0	DFT_QPSK	2479.90	-40.55	-25	PASS
n7	30	20	502000	1@0	DFT_QPSK	2477.70	-40.72	-25	PASS
n7	30	20	512000	50@0	DFT_QPSK	2592.96	-40.91	-25	PASS
n7	30	20	512000	1@50	DFT_QPSK	2592.97	-40.84	-25	PASS


n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=1@23




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@0



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@50




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n7	30	10	501000	24@0	DFT_QPSK	25761.65	-32.38	-25	PASS
n7	30	10	501000	1@0	DFT_QPSK	26301.05	-32.17	-25	PASS
n7	30	10	501000	1@23	DFT_QPSK	25782.68	-31.67	-25	PASS
n7	30	10	507000	24@0	DFT_QPSK	25665.95	-31.67	-25	PASS
n7	30	10	507000	1@0	DFT_QPSK	25723.95	-31.87	-25	PASS
n7	30	10	507000	1@23	DFT_QPSK	26237.25	-31.45	-25	PASS
n7	30	10	513000	24@0	DFT_QPSK	26411.98	-32.21	-25	PASS
n7	30	10	513000	1@0	DFT_QPSK	26403.28	-31.66	-25	PASS
n7	30	10	513000	1@23	DFT_QPSK	25675.38	-32.05	-25	PASS
n7	30	20	502000	50@0	DFT_QPSK	26190.13	-32.41	-25	PASS
n7	30	20	502000	1@0	DFT_QPSK	26238.70	-31.89	-25	PASS
n7	30	20	502000	1@50	DFT_QPSK	26451.13	-32.68	-25	PASS
n7	30	20	507000	50@0	DFT_QPSK	26223.48	-31.99	-25	PASS
n7	30	20	507000	1@0	DFT_QPSK	26206.08	-32.17	-25	PASS
n7	30	20	507000	1@50	DFT_QPSK	25777.60	-32.17	-25	PASS
n7	30	20	512000	50@0	DFT_QPSK	25685.53	-32.32	-25	PASS
n7	30	20	512000	1@0	DFT_QPSK	27950.43	-32.61	-25	PASS
n7	30	20	512000	1@50	DFT_QPSK	26201.00	-32.34	-25	PASS


n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=1@23




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=1@23




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=1@23




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@50




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=50@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=1@0




n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=507000 RB=1@50



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=50@0



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@0



n7 SCS=30kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@50

