

Appendix for Band 2

Report No.: BCTC2304073080-2E

Applicant: SEEWORLD Technology Co.,Ltd

Product Name: GPS Tracker

Model/Type
reference: S21L


Tested Date: 2023-05-04 to 2023-05-31

Issued Date: 2023-06-01

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Conducted output power	3
Appendix 2. Frequency stability.....	7
Appendix 3. Peak-to-Average Ratio	16
Appendix 4. Occupied bandwidth	28
Appendix 5. Band edge	40
Appendix 6. Out-of-band emissions	48




Appendix 1. Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	22.13	1.2	23.33	PASS
Band2	1.4	18607	1	#Mid	QPSK	22.08	1.2	23.28	PASS
Band2	1.4	18607	1	#Max	QPSK	22.02	1.2	23.22	PASS
Band2	1.4	18607	3	#0	QPSK	21.90	1.2	23.10	PASS
Band2	1.4	18607	3	#Mid	QPSK	21.90	1.2	23.10	PASS
Band2	1.4	18607	3	#Max	QPSK	21.90	1.2	23.10	PASS
Band2	1.4	18607	6	#0	QPSK	20.75	1.2	21.95	PASS
Band2	1.4	18607	1	#0	16QAM	21.08	1.2	22.28	PASS
Band2	1.4	18607	1	#Mid	16QAM	20.98	1.2	22.18	PASS
Band2	1.4	18607	1	#Max	16QAM	21.01	1.2	22.21	PASS
Band2	1.4	18607	3	#0	16QAM	21.04	1.2	22.24	PASS
Band2	1.4	18607	3	#Mid	16QAM	21.04	1.2	22.24	PASS
Band2	1.4	18607	3	#Max	16QAM	21.02	1.2	22.22	PASS
Band2	1.4	18607	6	#0	16QAM	20.01	1.2	21.21	PASS
Band2	1.4	18900	1	#0	QPSK	20.41	1.2	21.61	PASS
Band2	1.4	18900	1	#Mid	QPSK	20.40	1.2	21.60	PASS
Band2	1.4	18900	1	#Max	QPSK	20.34	1.2	21.54	PASS
Band2	1.4	18900	3	#0	QPSK	20.38	1.2	21.58	PASS
Band2	1.4	18900	3	#Mid	QPSK	20.35	1.2	21.55	PASS
Band2	1.4	18900	3	#Max	QPSK	20.31	1.2	21.51	PASS
Band2	1.4	18900	6	#0	QPSK	19.30	1.2	20.50	PASS
Band2	1.4	18900	1	#0	16QAM	19.58	1.2	20.78	PASS
Band2	1.4	18900	1	#Mid	16QAM	19.53	1.2	20.73	PASS
Band2	1.4	18900	1	#Max	16QAM	19.52	1.2	20.72	PASS
Band2	1.4	18900	3	#0	16QAM	19.59	1.2	20.79	PASS
Band2	1.4	18900	3	#Mid	16QAM	19.59	1.2	20.79	PASS
Band2	1.4	18900	3	#Max	16QAM	19.55	1.2	20.75	PASS
Band2	1.4	18900	6	#0	16QAM	18.46	1.2	19.66	PASS
Band2	1.4	19193	1	#0	QPSK	20.47	1.2	21.67	PASS
Band2	1.4	19193	1	#Mid	QPSK	20.28	1.2	21.48	PASS
Band2	1.4	19193	1	#Max	QPSK	20.02	1.2	21.22	PASS
Band2	1.4	19193	3	#0	QPSK	20.24	1.2	21.44	PASS
Band2	1.4	19193	3	#Mid	QPSK	20.19	1.2	21.39	PASS
Band2	1.4	19193	3	#Max	QPSK	20.02	1.2	21.22	PASS
Band2	1.4	19193	6	#0	QPSK	18.98	1.2	20.18	PASS
Band2	1.4	19193	1	#0	16QAM	19.12	1.2	20.32	PASS
Band2	1.4	19193	1	#Mid	16QAM	18.99	1.2	20.19	PASS
Band2	1.4	19193	1	#Max	16QAM	18.79	1.2	19.99	PASS

Band2	1.4	19193	3	#0	16QAM	19.30	1.2	20.50	PASS
Band2	1.4	19193	3	#Mid	16QAM	19.21	1.2	20.41	PASS
Band2	1.4	19193	3	#Max	16QAM	19.11	1.2	20.31	PASS
Band2	1.4	19193	6	#0	16QAM	18.33	1.2	19.53	PASS
Band2	3	18615	1	#0	QPSK	21.85	1.2	23.05	PASS
Band2	3	18615	1	#Mid	QPSK	21.92	1.2	23.12	PASS
Band2	3	18615	1	#Max	QPSK	21.67	1.2	22.87	PASS
Band2	3	18615	8	#0	QPSK	20.69	1.2	21.89	PASS
Band2	3	18615	8	#Mid	QPSK	20.72	1.2	21.92	PASS
Band2	3	18615	8	#Max	QPSK	20.61	1.2	21.81	PASS
Band2	3	18615	15	#0	QPSK	20.65	1.2	21.85	PASS
Band2	3	18615	1	#0	16QAM	21.13	1.2	22.33	PASS
Band2	3	18615	1	#Mid	16QAM	21.20	1.2	22.40	PASS
Band2	3	18615	1	#Max	16QAM	21.08	1.2	22.28	PASS
Band2	3	18615	8	#0	16QAM	19.77	1.2	20.97	PASS
Band2	3	18615	8	#Mid	16QAM	19.74	1.2	20.94	PASS
Band2	3	18615	8	#Max	16QAM	19.74	1.2	20.94	PASS
Band2	3	18615	15	#0	16QAM	19.72	1.2	20.92	PASS
Band2	3	18900	1	#0	QPSK	20.38	1.2	21.58	PASS
Band2	3	18900	1	#Mid	QPSK	20.32	1.2	21.52	PASS
Band2	3	18900	1	#Max	QPSK	20.25	1.2	21.45	PASS
Band2	3	18900	8	#0	QPSK	19.38	1.2	20.58	PASS
Band2	3	18900	8	#Mid	QPSK	19.26	1.2	20.46	PASS
Band2	3	18900	8	#Max	QPSK	19.31	1.2	20.51	PASS
Band2	3	18900	15	#0	QPSK	19.32	1.2	20.52	PASS
Band2	3	18900	1	#0	16QAM	19.64	1.2	20.84	PASS
Band2	3	18900	1	#Mid	16QAM	19.63	1.2	20.83	PASS
Band2	3	18900	1	#Max	16QAM	19.50	1.2	20.70	PASS
Band2	3	18900	8	#0	16QAM	18.41	1.2	19.61	PASS
Band2	3	18900	8	#Mid	16QAM	18.41	1.2	19.61	PASS
Band2	3	18900	8	#Max	16QAM	18.34	1.2	19.54	PASS
Band2	3	18900	15	#0	16QAM	18.33	1.2	19.53	PASS
Band2	3	19185	1	#0	QPSK	20.98	1.2	22.18	PASS
Band2	3	19185	1	#Mid	QPSK	20.03	1.2	21.23	PASS
Band2	3	19185	1	#Max	QPSK	20.00	1.2	21.20	PASS
Band2	3	19185	8	#0	QPSK	19.64	1.2	20.84	PASS
Band2	3	19185	8	#Mid	QPSK	19.44	1.2	20.64	PASS
Band2	3	19185	8	#Max	QPSK	19.15	1.2	20.35	PASS
Band2	3	19185	15	#0	QPSK	19.42	1.2	20.62	PASS
Band2	3	19185	1	#0	16QAM	19.80	1.2	21.00	PASS
Band2	3	19185	1	#Mid	16QAM	19.05	1.2	20.25	PASS
Band2	3	19185	1	#Max	16QAM	18.89	1.2	20.09	PASS
Band2	3	19185	8	#0	16QAM	18.69	1.2	19.89	PASS

Band2	3	19185	8	#Mid	16QAM	18.48	1.2	19.68	PASS
Band2	3	19185	8	#Max	16QAM	18.24	1.2	19.44	PASS
Band2	3	19185	15	#0	16QAM	18.48	1.2	19.68	PASS
Band2	5	18625	1	#0	QPSK	22.27	1.2	23.47	PASS
Band2	5	18625	1	#Mid	QPSK	22.11	1.2	23.31	PASS
Band2	5	18625	1	#Max	QPSK	22.10	1.2	23.30	PASS
Band2	5	18625	12	#0	QPSK	20.79	1.2	21.99	PASS
Band2	5	18625	12	#Mid	QPSK	20.82	1.2	22.02	PASS
Band2	5	18625	12	#Max	QPSK	20.75	1.2	21.95	PASS
Band2	5	18625	25	#0	QPSK	20.71	1.2	21.91	PASS
Band2	5	18625	1	#0	16QAM	21.59	1.2	22.79	PASS
Band2	5	18625	1	#Mid	16QAM	21.54	1.2	22.74	PASS
Band2	5	18625	1	#Max	16QAM	21.52	1.2	22.72	PASS
Band2	5	18625	12	#0	16QAM	19.94	1.2	21.14	PASS
Band2	5	18625	12	#Mid	16QAM	19.93	1.2	21.13	PASS
Band2	5	18625	12	#Max	16QAM	19.86	1.2	21.06	PASS
Band2	5	18625	25	#0	16QAM	19.80	1.2	21.00	PASS
Band2	5	18900	1	#0	QPSK	20.80	1.2	22.00	PASS
Band2	5	18900	1	#Mid	QPSK	20.46	1.2	21.66	PASS
Band2	5	18900	1	#Max	QPSK	20.49	1.2	21.69	PASS
Band2	5	18900	12	#0	QPSK	19.47	1.2	20.67	PASS
Band2	5	18900	12	#Mid	QPSK	19.42	1.2	20.62	PASS
Band2	5	18900	12	#Max	QPSK	19.34	1.2	20.54	PASS
Band2	5	18900	25	#0	QPSK	19.37	1.2	20.57	PASS
Band2	5	18900	1	#0	16QAM	20.22	1.2	21.42	PASS
Band2	5	18900	1	#Mid	16QAM	19.83	1.2	21.03	PASS
Band2	5	18900	1	#Max	16QAM	19.92	1.2	21.12	PASS
Band2	5	18900	12	#0	16QAM	18.51	1.2	19.71	PASS
Band2	5	18900	12	#Mid	16QAM	18.46	1.2	19.66	PASS
Band2	5	18900	12	#Max	16QAM	18.38	1.2	19.58	PASS
Band2	5	18900	25	#0	16QAM	18.44	1.2	19.64	PASS
Band2	5	19175	1	#0	QPSK	21.73	1.2	22.93	PASS
Band2	5	19175	1	#Mid	QPSK	20.37	1.2	21.57	PASS
Band2	5	19175	1	#Max	QPSK	20.23	1.2	21.43	PASS
Band2	5	19175	12	#0	QPSK	20.23	1.2	21.43	PASS
Band2	5	19175	12	#Mid	QPSK	19.93	1.2	21.13	PASS
Band2	5	19175	12	#Max	QPSK	19.43	1.2	20.63	PASS
Band2	5	19175	25	#0	QPSK	19.83	1.2	21.03	PASS
Band2	5	19175	1	#0	16QAM	20.99	1.2	22.19	PASS
Band2	5	19175	1	#Mid	16QAM	20.45	1.2	21.65	PASS
Band2	5	19175	1	#Max	16QAM	19.67	1.2	20.87	PASS
Band2	5	19175	12	#0	16QAM	19.30	1.2	20.50	PASS
Band2	5	19175	12	#Mid	16QAM	19.06	1.2	20.26	PASS

Band2	5	19175	12	#Max	16QAM	18.47	1.2	19.67	PASS
Band2	5	19175	25	#0	16QAM	18.92	1.2	20.12	PASS
Band2	10	18650	1	#0	QPSK	22.22	1.2	23.42	PASS
Band2	10	18650	1	#Mid	QPSK	22.02	1.2	23.22	PASS
Band2	10	18650	1	#Max	QPSK	22.13	1.2	23.33	PASS
Band2	10	18650	25	#0	QPSK	20.59	1.2	21.79	PASS
Band2	10	18650	25	#Mid	QPSK	20.68	1.2	21.88	PASS
Band2	10	18650	25	#Max	QPSK	20.64	1.2	21.84	PASS
Band2	10	18650	50	#0	QPSK	20.57	1.2	21.77	PASS
Band2	10	18900	1	#0	QPSK	21.21	1.2	22.41	PASS
Band2	10	18900	1	#Mid	QPSK	20.43	1.2	21.63	PASS
Band2	10	18900	1	#Max	QPSK	20.64	1.2	21.84	PASS
Band2	10	18900	25	#0	QPSK	19.51	1.2	20.71	PASS
Band2	10	18900	25	#Mid	QPSK	19.39	1.2	20.59	PASS
Band2	10	18900	25	#Max	QPSK	19.26	1.2	20.46	PASS
Band2	10	18900	50	#0	QPSK	19.26	1.2	20.46	PASS
Band2	10	19150	1	#0	QPSK	22.00	1.2	23.20	PASS
Band2	10	19150	1	#Mid	QPSK	21.72	1.2	22.92	PASS
Band2	10	19150	1	#Max	QPSK	20.45	1.2	21.65	PASS
Band2	10	19150	25	#0	QPSK	20.63	1.2	21.83	PASS
Band2	10	19150	25	#Mid	QPSK	20.53	1.2	21.73	PASS
Band2	10	19150	25	#Max	QPSK	19.84	1.2	21.04	PASS
Band2	10	19150	50	#0	QPSK	20.24	1.2	21.44	PASS



Appendix 2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	High Limit (ppm)	Verdict
Band 2	1.4	18607	6	#0	QPSK	LV	NT	5.89	0.003	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	QPSK	NV	NT	4.65	0.003	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	QPSK	HV	NT	2.90	0.002	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	16QAM	LV	NT	-9.03	-0.005	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	16QAM	NV	NT	19.17	0.010	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	16QAM	HV	NT	9.30	0.005	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	QPSK	LV	NT	-0.09	0.000	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	QPSK	NV	NT	2.13	0.001	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	QPSK	HV	NT	4.48	0.002	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	16QAM	LV	NT	-1.57	-0.001	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	16QAM	NV	NT	-10.31	-0.005	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	16QAM	HV	NT	3.58	0.002	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	QPSK	LV	NT	-6.18	-0.003	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	QPSK	NV	NT	2.72	0.001	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	QPSK	HV	NT	1.72	0.001	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	16QAM	LV	NT	-4.21	-0.002	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	16QAM	NV	NT	5.79	0.003	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	16QAM	HV	NT	2.53	0.001	-2.5	2.5	PASS

Band 2	3	18615	15	#0	QPSK	LV	NT	1.06	0.001	-2.5	2.5	PASS
Band 2	3	18615	15	#0	QPSK	NV	NT	9.57	0.005	-2.5	2.5	PASS
Band 2	3	18615	15	#0	QPSK	HV	NT	11.29	0.006	-2.5	2.5	PASS
Band 2	3	18615	15	#0	16QAM	LV	NT	15.65	0.008	-2.5	2.5	PASS
Band 2	3	18615	15	#0	16QAM	NV	NT	8.60	0.005	-2.5	2.5	PASS
Band 2	3	18615	15	#0	16QAM	HV	NT	5.18	0.003	-2.5	2.5	PASS
Band 2	3	18900	15	#0	QPSK	LV	NT	-10.11	-0.00 5	-2.5	2.5	PASS
Band 2	3	18900	15	#0	QPSK	NV	NT	0.47	0.000	-2.5	2.5	PASS
Band 2	3	18900	15	#0	QPSK	HV	NT	7.40	0.004	-2.5	2.5	PASS
Band 2	3	18900	15	#0	16QAM	LV	NT	-5.76	-0.00 3	-2.5	2.5	PASS
Band 2	3	18900	15	#0	16QAM	NV	NT	-3.96	-0.00 2	-2.5	2.5	PASS
Band 2	3	18900	15	#0	16QAM	HV	NT	-5.04	-0.00 3	-2.5	2.5	PASS
Band 2	3	19185	15	#0	QPSK	LV	NT	-18.1 4	-0.01 0	-2.5	2.5	PASS
Band 2	3	19185	15	#0	QPSK	NV	NT	-16.9 7	-0.00 9	-2.5	2.5	PASS
Band 2	3	19185	15	#0	QPSK	HV	NT	-5.06	-0.00 3	-2.5	2.5	PASS
Band 2	3	19185	15	#0	16QAM	LV	NT	-13.9 8	-0.00 7	-2.5	2.5	PASS
Band 2	3	19185	15	#0	16QAM	NV	NT	-9.61	-0.00 5	-2.5	2.5	PASS
Band 2	3	19185	15	#0	16QAM	HV	NT	-1.32	-0.00 1	-2.5	2.5	PASS
Band 2	5	18625	25	#0	QPSK	LV	NT	3.29	0.002	-2.5	2.5	PASS
Band 2	5	18625	25	#0	QPSK	NV	NT	-3.53	-0.00 2	-2.5	2.5	PASS
Band 2	5	18625	25	#0	QPSK	HV	NT	-9.48	-0.00 5	-2.5	2.5	PASS
Band	5	18625	25	#0	16QAM	LV	NT	-2.07	-0.00	-2.5	2.5	PASS

2									1			
Band 2	5	18625	25	#0	16QAM	NV	NT	-6.47	-0.003	-2.5	2.5	PASS
Band 2	5	18625	25	#0	16QAM	HV	NT	-5.74	-0.003	-2.5	2.5	PASS
Band 2	5	18900	25	#0	QPSK	LV	NT	-2.78	-0.001	-2.5	2.5	PASS
Band 2	5	18900	25	#0	QPSK	NV	NT	-5.21	-0.003	-2.5	2.5	PASS
Band 2	5	18900	25	#0	QPSK	HV	NT	-14.81	-0.008	-2.5	2.5	PASS
Band 2	5	18900	25	#0	16QAM	LV	NT	3.20	0.002	-2.5	2.5	PASS
Band 2	5	18900	25	#0	16QAM	NV	NT	6.07	0.003	-2.5	2.5	PASS
Band 2	5	18900	25	#0	16QAM	HV	NT	-7.20	-0.004	-2.5	2.5	PASS
Band 2	5	19175	25	#0	QPSK	LV	NT	-6.35	-0.003	-2.5	2.5	PASS
Band 2	5	19175	25	#0	QPSK	NV	NT	-4.38	-0.002	-2.5	2.5	PASS
Band 2	5	19175	25	#0	QPSK	HV	NT	-5.35	-0.003	-2.5	2.5	PASS
Band 2	5	19175	25	#0	16QAM	LV	NT	5.31	0.003	-2.5	2.5	PASS
Band 2	5	19175	25	#0	16QAM	NV	NT	1.65	0.001	-2.5	2.5	PASS
Band 2	5	19175	25	#0	16QAM	HV	NT	0.30	0.000	-2.5	2.5	PASS
Band 2	10	18650	50	#0	QPSK	LV	NT	-0.53	0.000	-2.5	2.5	PASS
Band 2	10	18650	50	#0	QPSK	NV	NT	0.92	0.000	-2.5	2.5	PASS
Band 2	10	18650	50	#0	QPSK	HV	NT	-7.18	-0.004	-2.5	2.5	PASS
Band 2	10	18900	50	#0	QPSK	LV	NT	1.24	0.001	-2.5	2.5	PASS
Band 2	10	18900	50	#0	QPSK	NV	NT	-2.29	-0.001	-2.5	2.5	PASS
Band 2	10	18900	50	#0	QPSK	HV	NT	-8.35	-0.004	-2.5	2.5	PASS
Band 2	10	19150	50	#0	QPSK	LV	NT	-0.11	0.000	-2.5	2.5	PASS

Band 2	10	19150	50	#0	QPSK	NV	NT	-13.2 9	-0.00 7	-2.5	2.5	PASS
Band 2	10	19150	50	#0	QPSK	HV	NT	-12.7 6	-0.00 7	-2.5	2.5	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	High Limit (ppm)	Verdict
Band 2	1.4	18607	6	#0	QPSK	NV	-30	0.43	0.000	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	QPSK	NV	-20	-6.02	-0.003	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	QPSK	NV	0	-3.08	-0.002	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	QPSK	NV	10	-7.94	-0.004	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	QPSK	NV	20	-8.71	-0.005	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	16QAM	NV	-30	3.16	0.002	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	16QAM	NV	-20	-14.23	-0.008	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	16QAM	NV	0	-0.99	-0.001	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	16QAM	NV	10	-7.74	-0.004	-2.5	2.5	PASS
Band 2	1.4	18607	6	#0	16QAM	NV	20	-7.07	-0.004	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	QPSK	NV	-30	-0.76	0.000	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	QPSK	NV	-20	-2.93	-0.002	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	QPSK	NV	0	5.38	0.003	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	QPSK	NV	10	4.88	0.003	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	QPSK	NV	20	-11.14	-0.006	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	16QAM	NV	-30	-20.27	-0.011	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	16QAM	NV	-20	-20.86	-0.011	-2.5	2.5	PASS


Band 2	1.4	18900	6	#0	16QAM	NV	0	-9.57	-0.00 5	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	16QAM	NV	10	-9.26	-0.00 5	-2.5	2.5	PASS
Band 2	1.4	18900	6	#0	16QAM	NV	20	-20.6 1	-0.011	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	QPSK	NV	-30	-1.96	-0.00 1	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	QPSK	NV	-20	-2.70	-0.00 1	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	QPSK	NV	0	-8.84	-0.00 5	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	QPSK	NV	10	-16.9 7	-0.00 9	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	QPSK	NV	20	-9.01	-0.00 5	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	16QAM	NV	-30	2.60	0.001	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	16QAM	NV	-20	-4.84	-0.00 3	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	16QAM	NV	0	-2.70	-0.00 1	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	16QAM	NV	10	-11.03	-0.00 6	-2.5	2.5	PASS
Band 2	1.4	19193	6	#0	16QAM	NV	20	-5.95	-0.00 3	-2.5	2.5	PASS
Band 2	3	18615	15	#0	QPSK	NV	-30	-13.6 6	-0.00 7	-2.5	2.5	PASS
Band 2	3	18615	15	#0	QPSK	NV	-20	-7.55	-0.00 4	-2.5	2.5	PASS
Band 2	3	18615	15	#0	QPSK	NV	0	-7.07	-0.00 4	-2.5	2.5	PASS
Band 2	3	18615	15	#0	QPSK	NV	10	2.10	0.001	-2.5	2.5	PASS
Band 2	3	18615	15	#0	QPSK	NV	20	-5.52	-0.00 3	-2.5	2.5	PASS
Band 2	3	18615	15	#0	16QAM	NV	-30	-13.3 2	-0.00 7	-2.5	2.5	PASS
Band 2	3	18615	15	#0	16QAM	NV	-20	-8.21	-0.00 4	-2.5	2.5	PASS
Band 2	3	18615	15	#0	16QAM	NV	0	-17.6 5	-0.01 0	-2.5	2.5	PASS
Band	3	18615	15	#0	16QAM	NV	10	-9.30	-0.00	-2.5	2.5	PASS

2								5				
Band 2	3	18615	15	#0	16QAM	NV	20	-7.01	-0.004	-2.5	2.5	PASS
Band 2	3	18900	15	#0	QPSK	NV	-30	-17.92	-0.010	-2.5	2.5	PASS
Band 2	3	18900	15	#0	QPSK	NV	-20	-10.29	-0.005	-2.5	2.5	PASS
Band 2	3	18900	15	#0	QPSK	NV	0	-4.92	-0.003	-2.5	2.5	PASS
Band 2	3	18900	15	#0	QPSK	NV	10	-13.36	-0.007	-2.5	2.5	PASS
Band 2	3	18900	15	#0	QPSK	NV	20	-9.60	-0.005	-2.5	2.5	PASS
Band 2	3	18900	15	#0	16QAM	NV	-30	-11.37	-0.006	-2.5	2.5	PASS
Band 2	3	18900	15	#0	16QAM	NV	-20	-3.48	-0.002	-2.5	2.5	PASS
Band 2	3	18900	15	#0	16QAM	NV	0	3.89	0.002	-2.5	2.5	PASS
Band 2	3	18900	15	#0	16QAM	NV	10	-10.44	-0.006	-2.5	2.5	PASS
Band 2	3	18900	15	#0	16QAM	NV	20	-1.19	-0.001	-2.5	2.5	PASS
Band 2	3	19185	15	#0	QPSK	NV	-30	-6.62	-0.003	-2.5	2.5	PASS
Band 2	3	19185	15	#0	QPSK	NV	-20	-8.11	-0.004	-2.5	2.5	PASS
Band 2	3	19185	15	#0	QPSK	NV	0	5.12	0.003	-2.5	2.5	PASS
Band 2	3	19185	15	#0	QPSK	NV	10	-16.59	-0.009	-2.5	2.5	PASS
Band 2	3	19185	15	#0	QPSK	NV	20	-12.27	-0.006	-2.5	2.5	PASS
Band 2	3	19185	15	#0	16QAM	NV	-30	-19.78	-0.010	-2.5	2.5	PASS
Band 2	3	19185	15	#0	16QAM	NV	-20	-7.58	-0.004	-2.5	2.5	PASS
Band 2	3	19185	15	#0	16QAM	NV	0	-17.62	-0.009	-2.5	2.5	PASS
Band 2	3	19185	15	#0	16QAM	NV	10	-17.78	-0.009	-2.5	2.5	PASS
Band 2	3	19185	15	#0	16QAM	NV	20	-10.20	-0.005	-2.5	2.5	PASS

Band 2	5	18625	25	#0	QPSK	NV	-30	-12.7 2	-0.00 7	-2.5	2.5	PASS
Band 2	5	18625	25	#0	QPSK	NV	-20	-16.2 4	-0.00 9	-2.5	2.5	PASS
Band 2	5	18625	25	#0	QPSK	NV	0	-8.61	-0.00 5	-2.5	2.5	PASS
Band 2	5	18625	25	#0	QPSK	NV	10	-4.22	-0.00 2	-2.5	2.5	PASS
Band 2	5	18625	25	#0	QPSK	NV	20	-14.5 6	-0.00 8	-2.5	2.5	PASS
Band 2	5	18625	25	#0	16QAM	NV	-30	-13.7 9	-0.00 7	-2.5	2.5	PASS
Band 2	5	18625	25	#0	16QAM	NV	-20	-1.17	-0.00 1	-2.5	2.5	PASS
Band 2	5	18625	25	#0	16QAM	NV	0	0.67	0.000	-2.5	2.5	PASS
Band 2	5	18625	25	#0	16QAM	NV	10	-12.7 3	-0.00 7	-2.5	2.5	PASS
Band 2	5	18625	25	#0	16QAM	NV	20	-11.20	-0.00 6	-2.5	2.5	PASS
Band 2	5	18900	25	#0	QPSK	NV	-30	-5.68	-0.00 3	-2.5	2.5	PASS
Band 2	5	18900	25	#0	QPSK	NV	-20	-11.01	-0.00 6	-2.5	2.5	PASS
Band 2	5	18900	25	#0	QPSK	NV	0	-11.39	-0.00 6	-2.5	2.5	PASS
Band 2	5	18900	25	#0	QPSK	NV	10	-10.1 0	-0.00 5	-2.5	2.5	PASS
Band 2	5	18900	25	#0	QPSK	NV	20	-2.49	-0.00 1	-2.5	2.5	PASS
Band 2	5	18900	25	#0	16QAM	NV	-30	-11.80	-0.00 6	-2.5	2.5	PASS
Band 2	5	18900	25	#0	16QAM	NV	-20	-10.0 9	-0.00 5	-2.5	2.5	PASS
Band 2	5	18900	25	#0	16QAM	NV	0	-0.76	0.000	-2.5	2.5	PASS
Band 2	5	18900	25	#0	16QAM	NV	10	3.23	0.002	-2.5	2.5	PASS
Band 2	5	18900	25	#0	16QAM	NV	20	-3.66	-0.00 2	-2.5	2.5	PASS
Band 2	5	19175	25	#0	QPSK	NV	-30	-23.4 6	-0.01 2	-2.5	2.5	PASS
Band	5	19175	25	#0	QPSK	NV	-20	-4.71	-0.00	-2.5	2.5	PASS

2									2			
Band 2	5	19175	25	#0	QPSK	NV	0	7.54	0.004	-2.5	2.5	PASS
Band 2	5	19175	25	#0	QPSK	NV	10	-2.07	-0.001	-2.5	2.5	PASS
Band 2	5	19175	25	#0	QPSK	NV	20	-12.87	-0.007	-2.5	2.5	PASS
Band 2	5	19175	25	#0	16QAM	NV	-30	0.79	0.000	-2.5	2.5	PASS
Band 2	5	19175	25	#0	16QAM	NV	-20	0.44	0.000	-2.5	2.5	PASS
Band 2	5	19175	25	#0	16QAM	NV	0	-12.45	-0.007	-2.5	2.5	PASS
Band 2	5	19175	25	#0	16QAM	NV	10	-17.42	-0.009	-2.5	2.5	PASS
Band 2	5	19175	25	#0	16QAM	NV	20	-4.06	-0.002	-2.5	2.5	PASS
Band 2	10	18650	50	#0	QPSK	NV	-30	-6.14	-0.003	-2.5	2.5	PASS
Band 2	10	18650	50	#0	QPSK	NV	-20	-10.64	-0.006	-2.5	2.5	PASS
Band 2	10	18650	50	#0	QPSK	NV	0	0.90	0.000	-2.5	2.5	PASS
Band 2	10	18650	50	#0	QPSK	NV	10	-5.87	-0.003	-2.5	2.5	PASS
Band 2	10	18650	50	#0	QPSK	NV	20	-9.13	-0.005	-2.5	2.5	PASS
Band 2	10	18900	50	#0	QPSK	NV	-30	-2.72	-0.001	-2.5	2.5	PASS
Band 2	10	18900	50	#0	QPSK	NV	-20	-4.96	-0.003	-2.5	2.5	PASS
Band 2	10	18900	50	#0	QPSK	NV	0	-7.17	-0.004	-2.5	2.5	PASS
Band 2	10	18900	50	#0	QPSK	NV	10	-9.40	-0.005	-2.5	2.5	PASS
Band 2	10	18900	50	#0	QPSK	NV	20	-2.39	-0.001	-2.5	2.5	PASS
Band 2	10	19150	50	#0	QPSK	NV	-30	-9.03	-0.005	-2.5	2.5	PASS
Band 2	10	19150	50	#0	QPSK	NV	-20	-17.91	-0.009	-2.5	2.5	PASS
Band 2	10	19150	50	#0	QPSK	NV	0	-15.44	-0.008	-2.5	2.5	PASS


Band 2	10	19150	50	#0	QPSK	NV	10	-9.01	-0.00 5	-2.5	2.5	PASS
Band 2	10	19150	50	#0	QPSK	NV	20	-6.15	-0.00 3	-2.5	2.5	PASS




Appendix 3. Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18607	1	#0	QPSK	5.56	13	PASS
Band2	1.4	18607	1	#0	16QAM	6.72	13	PASS
Band2	1.4	18900	1	#0	QPSK	5.81	13	PASS
Band2	1.4	18900	1	#0	16QAM	6.80	13	PASS
Band2	1.4	19193	1	#0	QPSK	5.40	13	PASS
Band2	1.4	19193	1	#0	16QAM	6.01	13	PASS
Band2	3	18615	1	#0	QPSK	5.64	13	PASS
Band2	3	18615	1	#0	16QAM	6.45	13	PASS
Band2	3	18900	1	#0	QPSK	5.94	13	PASS
Band2	3	18900	1	#0	16QAM	6.85	13	PASS
Band2	3	19185	1	#0	QPSK	5.41	13	PASS
Band2	3	19185	1	#0	16QAM	6.02	13	PASS
Band2	5	18625	1	#0	QPSK	5.85	13	PASS
Band2	5	18625	1	#0	16QAM	6.23	13	PASS
Band2	5	18900	1	#0	QPSK	5.74	13	PASS
Band2	5	18900	1	#0	16QAM	6.20	13	PASS
Band2	5	19175	1	#0	QPSK	5.59	13	PASS
Band2	5	19175	1	#0	16QAM	6.26	13	PASS
Band2	10	18650	1	#0	QPSK	5.73	13	PASS
Band2	10	18900	1	#0	QPSK	5.98	13	PASS
Band2	10	19150	1	#0	QPSK	4.77	13	PASS

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0







Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=1 Position=#0





Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0



Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0




Appendix 4. Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18607	6	#0	QPSK	1.097	1.314	PASS
Band2	1.4	18607	6	#0	16QAM	1.100	1.289	PASS
Band2	1.4	18900	6	#0	QPSK	1.096	1.304	PASS
Band2	1.4	18900	6	#0	16QAM	1.097	1.284	PASS
Band2	1.4	19193	6	#0	QPSK	1.112	1.394	PASS
Band2	1.4	19193	6	#0	16QAM	1.097	1.368	PASS
Band2	3	18615	15	#0	QPSK	2.688	2.948	PASS
Band2	3	18615	15	#0	16QAM	2.694	2.929	PASS
Band2	3	18900	15	#0	QPSK	2.697	2.960	PASS
Band2	3	18900	15	#0	16QAM	2.698	2.961	PASS
Band2	3	19185	15	#0	QPSK	2.708	2.980	PASS
Band2	3	19185	15	#0	16QAM	2.690	2.958	PASS
Band2	5	18625	25	#0	QPSK	4.505	4.939	PASS
Band2	5	18625	25	#0	16QAM	4.504	4.897	PASS
Band2	5	18900	25	#0	QPSK	4.514	4.938	PASS
Band2	5	18900	25	#0	16QAM	4.517	4.914	PASS
Band2	5	19175	25	#0	QPSK	4.501	4.868	PASS
Band2	5	19175	25	#0	16QAM	4.498	4.93	PASS
Band2	10	18650	50	#0	QPSK	8.986	9.676	PASS
Band2	10	18900	50	#0	QPSK	8.952	9.696	PASS
Band2	10	19150	50	#0	QPSK	8.952	9.746	PASS


Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0





Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Appendix 5. Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	6	#0	QPSK	1849.99	-24.83	-13	PASS
Band2	1.4	18607	6	#0	16QAM	1850.00	-26.12	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-22.75	-13	PASS
Band2	1.4	19193	6	#0	16QAM	1910.00	-23.50	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-27.43	-13	PASS
Band2	3	18615	15	#0	16QAM	1850.00	-29.12	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-27.53	-13	PASS
Band2	3	19185	15	#0	16QAM	1910.00	-28.36	-13	PASS
Band2	5	18625	25	#0	QPSK	1849.98	-30.21	-13	PASS
Band2	5	18625	25	#0	16QAM	1850.00	-31.97	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-31.31	-13	PASS
Band2	5	19175	25	#0	16QAM	1910.00	-30.74	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-35.18	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.02	-38.50	-13	PASS

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Appendix 6. Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	6	#0	QPSK	5095.00	-28.58	-13	PASS
Band2	1.4	18607	6	#0	16QAM	5705.20	-28.20	-13	PASS
Band2	1.4	18900	6	#0	QPSK	5690.80	-28.64	-13	PASS
Band2	1.4	18900	6	#0	16QAM	5667.63	-28.93	-13	PASS
Band2	1.4	19193	6	#0	QPSK	5653.23	-29.23	-13	PASS
Band2	1.4	19193	6	#0	16QAM	9270.55	-29.32	-13	PASS
Band2	3	18615	15	#0	QPSK	5667.85	-28.89	-13	PASS
Band2	3	18615	15	#0	16QAM	9289.23	-29.20	-13	PASS
Band2	3	18900	15	#0	QPSK	8213.28	-28.56	-13	PASS
Band2	3	18900	15	#0	16QAM	5705.65	-28.84	-13	PASS
Band2	3	19185	15	#0	QPSK	5586.85	-28.64	-13	PASS
Band2	3	19185	15	#0	16QAM	5687.20	-27.94	-13	PASS
Band2	5	18625	25	#0	QPSK	5629.15	-29.00	-13	PASS
Band2	5	18625	25	#0	16QAM	5767.75	-29.12	-13	PASS
Band2	5	18900	25	#0	QPSK	9324.55	-28.83	-13	PASS
Band2	5	18900	25	#0	16QAM	5717.35	-29.18	-13	PASS
Band2	5	19175	25	#0	QPSK	5648.73	-29.02	-13	PASS
Band2	5	19175	25	#0	16QAM	5699.58	-28.84	-13	PASS
Band2	10	18650	50	#0	QPSK	5670.78	-29.14	-13	PASS
Band2	10	18900	50	#0	QPSK	9919.00	-28.71	-13	PASS
Band2	10	19150	50	#0	QPSK	5776.75	-29.42	-13	PASS

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0







Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0

