

Ch	T/O	Antenna 1	Antenna 2
High	52/37	<p>Center Freq: 5.23000000 GHz                      #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.358 MHz</b> Total Power 17.2 dBm                      Transmit Freq Error -10.403 MHz OBW Power 99.00 %                      x dB Bandwidth 21.11 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.23000000 GHz                      #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.477 MHz</b> Total Power 16.3 dBm                      Transmit Freq Error -10.370 MHz OBW Power 99.00 %                      x dB Bandwidth 20.95 MHz x dB -26.00 dB</p>
	52/41	<p>Center Freq: 5.23000000 GHz                      #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>19.893 MHz</b> Total Power 17.6 dBm                      Transmit Freq Error 8.0903 MHz OBW Power 99.00 %                      x dB Bandwidth 24.41 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.23000000 GHz                      #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>19.678 MHz</b> Total Power 17.9 dBm                      Transmit Freq Error 8.1775 MHz OBW Power 99.00 %                      x dB Bandwidth 23.44 MHz x dB -26.00 dB</p>
	52/44	<p>Center Freq: 5.23 GHz                      #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>15.598 MHz</b> Total Power 16.7 dBm                      Transmit Freq Error 11.421 MHz OBW Power 99.00 %                      x dB Bandwidth 20.34 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.23 GHz                      #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.908 MHz</b> Total Power 17.0 dBm                      Transmit Freq Error 10.233 MHz OBW Power 99.00 %                      x dB Bandwidth 21.77 MHz x dB -26.00 dB</p>

Ch	T/O	Antenna 1	Antenna 2
106/53		<p>Center Freq: 5.23000000 GHz                      Trig: Free Run                      #Atten: 20 dB                      Radio Device: BTS</p> <p>Ref 30.00 dBm</p> <p>Center 5.23 GHz                      #Res BW 390 kHz                      #VBW 1.2 MHz                      Span 80 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.790 MHz</b> Total Power 19.0 dBm                      Transmit Freq Error -10.079 MHz OBW Power 99.00 %                      x dB Bandwidth 22.33 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.23000000 GHz                      Trig: Free Run                      #Atten: 20 dB                      Radio Device: BTS</p> <p>Ref 30.00 dBm</p> <p>Center 5.23 GHz                      #Res BW 390 kHz                      #VBW 1.2 MHz                      Span 80 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>16.077 MHz</b> Total Power 19.4 dBm                      Transmit Freq Error -11.019 MHz OBW Power 99.00 %                      x dB Bandwidth 21.44 MHz x dB -26.00 dB</p>
High 106/54		<p>Center Freq: 5.23000000 GHz                      Trig: Free Run                      #Atten: 20 dB                      Radio Device: BTS</p> <p>Ref 30.00 dBm</p> <p>Center 5.23 GHz                      #Res BW 390 kHz                      #VBW 1.2 MHz                      Span 80 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>18.496 MHz</b> Total Power 19.3 dBm                      Transmit Freq Error -8.3204 MHz OBW Power 99.00 %                      x dB Bandwidth 26.16 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.23000000 GHz                      Trig: Free Run                      #Atten: 20 dB                      Radio Device: BTS</p> <p>Ref 30.00 dBm</p> <p>Center 5.23 GHz                      #Res BW 390 kHz                      #VBW 1.2 MHz                      Span 80 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>19.076 MHz</b> Total Power 20.1 dBm                      Transmit Freq Error -8.6030 MHz OBW Power 99.00 %                      x dB Bandwidth 25.64 MHz x dB -26.00 dB</p>
106/56		<p>Center Freq: 5.23000000 GHz                      Trig: Free Run                      #Atten: 20 dB                      Radio Device: BTS</p> <p>Ref 30.00 dBm</p> <p>Center 5.23 GHz                      #Res BW 390 kHz                      #VBW 1.2 MHz                      Span 80 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>16.581 MHz</b> Total Power 18.3 dBm                      Transmit Freq Error 10.801 MHz OBW Power 99.00 %                      x dB Bandwidth 23.55 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.23000000 GHz                      Trig: Free Run                      #Atten: 20 dB                      Radio Device: BTS</p> <p>Ref 30.00 dBm</p> <p>Center 5.23 GHz                      #Res BW 390 kHz                      #VBW 1.2 MHz                      Span 80 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>16.301 MHz</b> Total Power 19.6 dBm                      Transmit Freq Error 10.880 MHz OBW Power 99.00 %                      x dB Bandwidth 21.77 MHz x dB -26.00 dB</p>

Ch	T/O	Antenna 1	Antenna 2
242/61		<p>Center Freq: 5.23000000 GHz              #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>19.179 MHz</b> Total Power 19.2 dBm              Transmit Freq Error -9.2927 MHz OBW Power 99.00 %              x dB Bandwidth 28.87 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.23000000 GHz              #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>19.279 MHz</b> Total Power 19.8 dBm              Transmit Freq Error -9.3230 MHz OBW Power 99.00 %              x dB Bandwidth 31.82 MHz x dB -26.00 dB</p>
High	242/62	<p>Center Freq: 5.23000000 GHz              #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>19.281 MHz</b> Total Power 19.1 dBm              Transmit Freq Error 9.3337 MHz OBW Power 99.00 %              x dB Bandwidth 30.19 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.23000000 GHz              #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>19.287 MHz</b> Total Power 19.9 dBm              Transmit Freq Error 9.2822 MHz OBW Power 99.00 %              x dB Bandwidth 29.17 MHz x dB -26.00 dB</p>
	SU	<p>Center Freq: 5.23000000 GHz              #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>37.607 MHz</b> Total Power 19.6 dBm              Transmit Freq Error 53.981 kHz OBW Power 99.00 %              x dB Bandwidth 40.53 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.23000000 GHz              #Res BW 390 kHz #VBW 1.2 MHz Span 80 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>37.515 MHz</b> Total Power 20.6 dBm              Transmit Freq Error 56.604 kHz OBW Power 99.00 %              x dB Bandwidth 40.63 MHz x dB -26.00 dB</p>

### 1.3. HE80 IN THE 5.2 GHz BAND

Ch	T/O	Antenna 1	Antenna 2
Mid	26/0	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms                      Occupied Bandwidth: 18.433 MHz                      Total Power: 15.1 dBm                      Transmit Freq Error: -30.492 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 20.02 MHz x dB: -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms                      Occupied Bandwidth: 18.695 MHz                      Total Power: 16.1 dBm                      Transmit Freq Error: -30.366 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 20.96 MHz x dB: -26.00 dB</p>
	26/18	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms                      Occupied Bandwidth: 33.214 MHz                      Total Power: 16.4 dBm                      Transmit Freq Error: -1.2083 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 34.57 MHz x dB: -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms                      Occupied Bandwidth: 35.313 MHz                      Total Power: 17.6 dBm                      Transmit Freq Error: 472.68 kHz                      OBW Power: 99.00 %                      x dB Bandwidth: 41.01 MHz x dB: -26.00 dB</p>
	26/36	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms                      Occupied Bandwidth: 18.768 MHz                      Total Power: 14.7 dBm                      Transmit Freq Error: 30.472 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 24.63 MHz x dB: -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms                      Occupied Bandwidth: 18.556 MHz                      Total Power: 15.8 dBm                      Transmit Freq Error: 30.511 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 19.83 MHz x dB: -26.00 dB</p>

Ch	T/O	Antenna 1	Antenna 2
Mid	52/37	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 18.494 MHz                      Total Power: 16.8 dBm                      Transmit Freq Error: -30.267 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 20.65 MHz                      x dB: -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 18.517 MHz                      Total Power: 17.7 dBm                      Transmit Freq Error: -30.245 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 24.07 MHz                      x dB: -26.00 dB</p>
	52/45	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 21.910 MHz                      Total Power: 17.5 dBm                      Transmit Freq Error: 7.3766 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 26.13 MHz                      x dB: -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 22.226 MHz                      Total Power: 19.1 dBm                      Transmit Freq Error: 7.6568 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 27.79 MHz                      x dB: -26.00 dB</p>
	52/52	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 16.698 MHz                      Total Power: 15.5 dBm                      Transmit Freq Error: 31.356 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 23.34 MHz                      x dB: -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 17.254 MHz                      Total Power: 17.3 dBm                      Transmit Freq Error: 31.100 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 26.11 MHz                      x dB: -26.00 dB</p>

Ch	T/O	Antenna 1	Antenna 2
106/53	Mid	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 16.283 MHz                      Total Power: 18.9 dBm                      Transmit Freq Error: -31.133 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 23.94 MHz                      x dB: -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 16.931 MHz                      Total Power: 19.5 dBm                      Transmit Freq Error: -30.800 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 26.23 MHz                      x dB: -26.00 dB</p>
		<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 20.571 MHz                      Total Power: 19.2 dBm                      Transmit Freq Error: 7.9328 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 35.36 MHz                      x dB: -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 20.591 MHz                      Total Power: 19.8 dBm                      Transmit Freq Error: 8.2412 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 35.64 MHz                      x dB: -26.00 dB</p>
		<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 18.663 MHz                      Total Power: 18.4 dBm                      Transmit Freq Error: 30.193 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 26.24 MHz                      x dB: -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 17.903 MHz                      Total Power: 19.4 dBm                      Transmit Freq Error: 30.569 MHz                      OBW Power: 99.00 %                      x dB Bandwidth: 27.26 MHz                      x dB: -26.00 dB</p>

Ch	T/O	Antenna 1	Antenna 2
Mid	242/61	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>22.616 MHz</b> Total Power 19.3 dBm                      Transmit Freq Error -27.728 MHz OBW Power 99.00 %                      x dB Bandwidth 37.40 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>22.692 MHz</b> Total Power 20.1 dBm                      Transmit Freq Error -27.689 MHz OBW Power 99.00 %                      x dB Bandwidth 37.24 MHz x dB -26.00 dB</p>
	242/62	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>37.497 MHz</b> Total Power 19.9 dBm                      Transmit Freq Error -18.375 MHz OBW Power 99.00 %                      x dB Bandwidth 52.09 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>33.450 MHz</b> Total Power 20.7 dBm                      Transmit Freq Error -16.406 MHz OBW Power 99.00 %                      x dB Bandwidth 50.18 MHz x dB -26.00 dB</p>
	242/64	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>23.922 MHz</b> Total Power 19.3 dBm                      Transmit Freq Error 27.325 MHz OBW Power 99.00 %                      x dB Bandwidth 36.87 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.21000000 GHz                      #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>23.186 MHz</b> Total Power 20.1 dBm                      Transmit Freq Error 27.695 MHz OBW Power 99.00 %                      x dB Bandwidth 37.72 MHz x dB -26.00 dB</p>

Ch	T/O	Antenna 1	Antenna 2
484/65	Mid	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 38.120 MHz                      Total Power: 19.7 dBm                      Transmit Freq Error: -19.684 MHz                      x dB Bandwidth: 54.21 MHz</p>	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 38.070 MHz                      Total Power: 20.5 dBm                      Transmit Freq Error: -19.700 MHz                      x dB Bandwidth: 56.21 MHz</p>
		<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 38.278 MHz                      Total Power: 19.7 dBm                      Transmit Freq Error: 19.834 MHz                      x dB Bandwidth: 61.07 MHz</p>	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 38.475 MHz                      Total Power: 20.5 dBm                      Transmit Freq Error: 19.693 MHz                      x dB Bandwidth: 64.14 MHz</p>
		<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 77.082 MHz                      Total Power: 19.7 dBm                      Transmit Freq Error: 526 Hz                      x dB Bandwidth: 82.06 MHz</p>	<p>Center Freq: 5.21000000 GHz                      Span 160 MHz                      #Res BW 1 MHz                      #VBW 3 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 77.015 MHz                      Total Power: 20.6 dBm                      Transmit Freq Error: 99.535 kHz                      x dB Bandwidth: 81.17 MHz</p>



### 1.4. HE20 IN THE 5.3 GHz BAND

Ch	T/O	Antenna 1	Antenna 2
Low	26/0	<p>Center Freq: 5.28000000 GHz                      #Res BW 200 kHz                      #VBW 620 kHz                      Span 40 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 18.032 MHz                      Total Power: 16.0 dBm                      Transmit Freq Error: -850.75 kHz                      x dB Bandwidth: 19.30 MHz                      OBW Power: 99.00 %                      x dB: -26.00 dB</p>	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz                      #VBW 620 kHz                      Span 40 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 18.124 MHz                      Total Power: 16.1 dBm                      Transmit Freq Error: -735.30 kHz                      x dB Bandwidth: 19.24 MHz                      OBW Power: 99.00 %                      x dB: -26.00 dB</p>
	26/4	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz                      #VBW 620 kHz                      Span 40 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 15.522 MHz                      Total Power: 16.5 dBm                      Transmit Freq Error: -651.60 kHz                      x dB Bandwidth: 17.00 MHz                      OBW Power: 99.00 %                      x dB: -26.00 dB</p>	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz                      #VBW 620 kHz                      Span 40 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 17.036 MHz                      Total Power: 16.6 dBm                      Transmit Freq Error: -88.799 kHz                      x dB Bandwidth: 17.88 MHz                      OBW Power: 99.00 %                      x dB: -26.00 dB</p>
	26/8	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz                      #VBW 620 kHz                      Span 40 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 18.331 MHz                      Total Power: 15.9 dBm                      Transmit Freq Error: 613.81 kHz                      x dB Bandwidth: 19.36 MHz                      OBW Power: 99.00 %                      x dB: -26.00 dB</p>	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz                      #VBW 620 kHz                      Span 40 MHz                      Sweep 1.333 ms</p> <p>Occupied Bandwidth: 18.063 MHz                      Total Power: 15.6 dBm                      Transmit Freq Error: 791.89 kHz                      x dB Bandwidth: 19.35 MHz                      OBW Power: 99.00 %                      x dB: -26.00 dB</p>

Ch	T/O	Antenna 1	Antenna 2
Low	52/37	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 17.404 MHz                      Total Power: 17.9 dBm                      Transmit Freq Error: -978.15 kHz                      x dB Bandwidth: 19.18 MHz</p>	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 17.410 MHz                      Total Power: 17.7 dBm                      Transmit Freq Error: -982.18 kHz                      x dB Bandwidth: 20.58 MHz</p>
	52/38	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 16.345 MHz                      Total Power: 17.9 dBm                      Transmit Freq Error: -433.46 kHz                      x dB Bandwidth: 18.02 MHz</p>	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 15.443 MHz                      Total Power: 17.7 dBm                      Transmit Freq Error: 259.91 kHz                      x dB Bandwidth: 19.75 MHz</p>
	52/40	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 18.356 MHz                      Total Power: 17.8 dBm                      Transmit Freq Error: 562.88 kHz                      x dB Bandwidth: 20.68 MHz</p>	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 17.759 MHz                      Total Power: 17.6 dBm                      Transmit Freq Error: 828.17 kHz                      x dB Bandwidth: 19.05 MHz</p>

Ch	T/O	Antenna 1	Antenna 2
106/53		<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.756 MHz</b> Total Power 19.6 dBm                      Transmit Freq Error -725.00 kHz OBW Power 99.00 %                      x dB Bandwidth 20.69 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.935 MHz</b> Total Power 19.3 dBm                      Transmit Freq Error -652.71 kHz OBW Power 99.00 %                      x dB Bandwidth 20.49 MHz x dB -26.00 dB</p>
Low	106/54	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>18.364 MHz</b> Total Power 19.3 dBm                      Transmit Freq Error 462.55 kHz OBW Power 99.00 %                      x dB Bandwidth 20.95 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.144 MHz</b> Total Power 19.2 dBm                      Transmit Freq Error 1.0631 MHz OBW Power 99.00 %                      x dB Bandwidth 21.08 MHz x dB -26.00 dB</p>
	SU	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>18.996 MHz</b> Total Power 20.6 dBm                      Transmit Freq Error 22.309 kHz OBW Power 99.00 %                      x dB Bandwidth 21.28 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.26000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>19.046 MHz</b> Total Power 19.7 dBm                      Transmit Freq Error 12.391 kHz OBW Power 99.00 %                      x dB Bandwidth 21.59 MHz x dB -26.00 dB</p>

Ch	T/O	Antenna 1	Antenna 2
Mid	26/0	<p>Center Freq: 5.300000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.419 MHz</b> Total Power 15.9 dBm                      Transmit Freq Error -1.1349 MHz OBW Power 99.00 %                      x dB Bandwidth 18.58 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.300000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.005 MHz</b> Total Power 15.6 dBm                      Transmit Freq Error -1.3689 MHz OBW Power 99.00 %                      x dB Bandwidth 20.13 MHz x dB -26.00 dB</p>
	26/4	<p>Center Freq: 5.300000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>15.741 MHz</b> Total Power 15.7 dBm                      Transmit Freq Error -392.93 kHz OBW Power 99.00 %                      x dB Bandwidth 17.92 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.300000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>15.673 MHz</b> Total Power 16.2 dBm                      Transmit Freq Error -694.50 kHz OBW Power 99.00 %                      x dB Bandwidth 18.50 MHz x dB -26.00 dB</p>
	26/8	<p>Center Freq: 5.300000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>18.191 MHz</b> Total Power 15.7 dBm                      Transmit Freq Error 658.44 kHz OBW Power 99.00 %                      x dB Bandwidth 19.99 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.300000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>18.481 MHz</b> Total Power 15.7 dBm                      Transmit Freq Error 602.57 kHz OBW Power 99.00 %                      x dB Bandwidth 19.64 MHz x dB -26.00 dB</p>

Ch	T/O	Antenna 1	Antenna 2
Mid	52/37	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 17.721 MHz                      Total Power: 17.7 dBm                      Transmit Freq Error: -836.57 kHz                      x dB Bandwidth: 20.12 MHz</p>	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 16.581 MHz                      Total Power: 17.4 dBm                      Transmit Freq Error: -1.4434 MHz                      x dB Bandwidth: 20.42 MHz</p>
	52/38	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 16.071 MHz                      Total Power: 18.0 dBm                      Transmit Freq Error: 535.90 kHz                      x dB Bandwidth: 19.22 MHz</p>	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 15.729 MHz                      Total Power: 17.7 dBm                      Transmit Freq Error: 96.634 kHz                      x dB Bandwidth: 18.69 MHz</p>
	52/40	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 16.287 MHz                      Total Power: 17.6 dBm                      Transmit Freq Error: 1.5734 MHz                      x dB Bandwidth: 18.10 MHz</p>	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth: 18.293 MHz                      Total Power: 17.0 dBm                      Transmit Freq Error: 559.53 kHz                      x dB Bandwidth: 20.37 MHz</p>

Ch	T/O	Antenna 1	Antenna 2
106/53		<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.504 MHz</b> Total Power 20.1 dBm                      Transmit Freq Error -882.39 kHz OBW Power 99.00 %                      x dB Bandwidth 19.70 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.800 MHz</b> Total Power 19.2 dBm                      Transmit Freq Error -724.44 kHz OBW Power 99.00 %                      x dB Bandwidth 19.68 MHz x dB -26.00 dB</p>
Mid	106/54	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>18.203 MHz</b> Total Power 19.3 dBm                      Transmit Freq Error 534.95 kHz OBW Power 99.00 %                      x dB Bandwidth 20.49 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>17.800 MHz</b> Total Power 19.3 dBm                      Transmit Freq Error 710.15 kHz OBW Power 99.00 %                      x dB Bandwidth 20.81 MHz x dB -26.00 dB</p>
	SU	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>19.033 MHz</b> Total Power 20.5 dBm                      Transmit Freq Error 10.074 kHz OBW Power 99.00 %                      x dB Bandwidth 21.49 MHz x dB -26.00 dB</p>	<p>Center Freq: 5.30000000 GHz                      #Res BW 200 kHz #VBW 620 kHz Span 40 MHz Sweep 1.333 ms</p> <p>Occupied Bandwidth <b>18.998 MHz</b> Total Power 19.8 dBm                      Transmit Freq Error 4.342 kHz OBW Power 99.00 %                      x dB Bandwidth 21.48 MHz x dB -26.00 dB</p>