





































Ch	T/O	Antenna 1	Antenna 2
Low	106/ 53	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.53 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 16.338 MHz Total Power 18.3 dBm Transmit Freq Error -31.129 MHz OBW Power 99.00 % x dB Bandwidth 25.78 MHz x dB -26.00 dB	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.53 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 15.728 MHz Total Power 17.5 dBm Transmit Freq Error -31.396 MHz OBW Power 99.00 % x dB Bandwidth 24.84 MHz x dB -26.00 dB
	106/ 57	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.53 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 20.355 MHz Total Power 18.3 dBm Transmit Freq Error 8.2646 MHz OBW Power 99.00 % x dB Bandwidth 33.56 MHz x dB -26.00 dB	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.53 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 20.069 MHz Total Power 18.6 dBm Transmit Freq Error 8.6295 MHz OBW Power 99.00 % x dB Bandwidth 29.16 MHz x dB -26.00 dB
	106/ 60	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.53 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 18.599 MHz Total Power 18.1 dBm Transmit Freq Error 30.154 MHz OBW Power 99.00 % x dB Bandwidth 22.33 MHz x dB -26.00 dB	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.53 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 18.766 MHz Total Power 17.9 dBm Transmit Freq Error 30.077 MHz OBW Power 99.00 % x dB Bandwidth 29.63 MHz x dB -26.00 dB







Ch	T/O	Antenna 1	Antenna 2
Low	242/ 61	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 22.246 MHz Total Power 18.4 dBm Transmit Freq Error -27.968 MHz OBW Power 99.00 % x dB Bandwidth 36.82 MHz x dB -26.00 dB	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 22.124 MHz Total Power 17.4 dBm Transmit Freq Error -28.022 MHz OBW Power 99.00 % x dB Bandwidth 37.53 MHz x dB -26.00 dB
	242/ 62	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 35.063 MHz Total Power 19.1 dBm Transmit Freq Error -17.074 MHz OBW Power 99.00 % x dB Bandwidth 45.72 MHz x dB -26.00 dB	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 37.919 MHz Total Power 18.2 dBm Transmit Freq Error -18.890 MHz OBW Power 99.00 % x dB Bandwidth 49.11 MHz x dB -26.00 dB
	242/ 64	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 22.214 MHz Total Power 19.0 dBm Transmit Freq Error 28.127 MHz OBW Power 99.00 % x dB Bandwidth 34.62 MHz x dB -26.00 dB	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 22.817 MHz Total Power 18.0 dBm Transmit Freq Error 27.855 MHz OBW Power 99.00 % x dB Bandwidth 37.60 MHz x dB -26.00 dB







Ch	T/O	Antenna 1	Antenna 2
Low	484/65	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 38.237 MHz Total Power 19.3 dBm Transmit Freq Error -19.674 MHz OBW Power 99.00 % x dB Bandwidth 54.98 MHz x dB -26.00 dB	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 38.228 MHz Total Power 18.7 dBm Transmit Freq Error -19.673 MHz OBW Power 99.00 % x dB Bandwidth 56.72 MHz x dB -26.00 dB
	484/66	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 38.431 MHz Total Power 19.8 dBm Transmit Freq Error 19.742 MHz OBW Power 99.00 % x dB Bandwidth 57.71 MHz x dB -26.00 dB	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 38.566 MHz Total Power 19.1 dBm Transmit Freq Error 19.656 MHz OBW Power 99.00 % x dB Bandwidth 62.57 MHz x dB -26.00 dB
	SU	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 76.984 MHz Total Power 19.6 dBm Transmit Freq Error 50.353 kHz OBW Power 99.00 % x dB Bandwidth 81.43 MHz x dB -26.00 dB	 Center Freq: 5.53000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 76.986 MHz Total Power 18.9 dBm Transmit Freq Error 63.368 kHz OBW Power 99.00 % x dB Bandwidth 81.48 MHz x dB -26.00 dB

Ch	T/O	Antenna 1	Antenna 2
High	26/0	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 17.381 MHz Total Power 16.5 dBm Transmit Freq Error -31.113 MHz OBW Power 99.00 % x dB Bandwidth 20.77 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 17.815 MHz Total Power 14.6 dBm Transmit Freq Error -30.865 MHz OBW Power 99.00 % x dB Bandwidth 19.41 MHz x dB -26.00 dB
	26/18	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 31.490 MHz Total Power 17.2 dBm Transmit Freq Error 2.0705 MHz OBW Power 99.00 % x dB Bandwidth 33.23 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 34.614 MHz Total Power 15.1 dBm Transmit Freq Error -1.0872 MHz OBW Power 99.00 % x dB Bandwidth 40.51 MHz x dB -26.00 dB
	26/36	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 18.794 MHz Total Power 16.9 dBm Transmit Freq Error 30.268 MHz OBW Power 99.00 % x dB Bandwidth 20.89 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 18.176 MHz Total Power 15.6 dBm Transmit Freq Error 30.725 MHz OBW Power 99.00 % x dB Bandwidth 22.75 MHz x dB -26.00 dB

Ch	T/O	Antenna 1	Antenna 2
High	52/ 37	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 18.260 MHz Total Power 19.2 dBm Transmit Freq Error -30.493 MHz OBW Power 99.00 % x dB Bandwidth 21.13 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 16.131 MHz Total Power 18.1 dBm Transmit Freq Error -31.465 MHz OBW Power 99.00 % x dB Bandwidth 17.42 MHz x dB -26.00 dB
	52/ 45	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 21.874 MHz Total Power 18.5 dBm Transmit Freq Error 7.2344 MHz OBW Power 99.00 % x dB Bandwidth 27.70 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 15.967 MHz Total Power 17.5 dBm Transmit Freq Error 4.4111 MHz OBW Power 99.00 % x dB Bandwidth 23.57 MHz x dB -26.00 dB
	52/ 52	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 18.840 MHz Total Power 19.4 dBm Transmit Freq Error 30.094 MHz OBW Power 99.00 % x dB Bandwidth 22.33 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 18.244 MHz Total Power 17.7 dBm Transmit Freq Error 30.511 MHz OBW Power 99.00 % x dB Bandwidth 21.88 MHz x dB -26.00 dB







Ch	T/O	Antenna 1	Antenna 2
High	106/ 53	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 17.567 MHz Total Power 20.5 dBm Transmit Freq Error -30.646 MHz OBW Power 99.00 % x dB Bandwidth 24.09 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 17.896 MHz Total Power 18.8 dBm Transmit Freq Error -30.321 MHz OBW Power 99.00 % x dB Bandwidth 25.27 MHz x dB -26.00 dB
	106/ 57	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 21.225 MHz Total Power 19.5 dBm Transmit Freq Error 7.8792 MHz OBW Power 99.00 % x dB Bandwidth 31.89 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 16.731 MHz Total Power 19.0 dBm Transmit Freq Error 6.4415 MHz OBW Power 99.00 % x dB Bandwidth 34.37 MHz x dB -26.00 dB
	106/ 60	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 18.568 MHz Total Power 20.5 dBm Transmit Freq Error 29.983 MHz OBW Power 99.00 % x dB Bandwidth 29.33 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 19.271 MHz Total Power 18.8 dBm Transmit Freq Error 29.803 MHz OBW Power 99.00 % x dB Bandwidth 25.02 MHz x dB -26.00 dB

Ch	T/O	Antenna 1	Antenna 2
High	242/ 61	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 21.888 MHz Total Power 20.4 dBm Transmit Freq Error -28.271 MHz OBW Power 99.00 % x dB Bandwidth 34.26 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 21.926 MHz Total Power 18.4 dBm Transmit Freq Error -28.113 MHz OBW Power 99.00 % x dB Bandwidth 36.30 MHz x dB -26.00 dB
	242/ 62	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 38.016 MHz Total Power 20.7 dBm Transmit Freq Error -18.843 MHz OBW Power 99.00 % x dB Bandwidth 49.50 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 37.371 MHz Total Power 18.9 dBm Transmit Freq Error -18.538 MHz OBW Power 99.00 % x dB Bandwidth 50.54 MHz x dB -26.00 dB
	242/ 64	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 22.793 MHz Total Power 20.4 dBm Transmit Freq Error 27.694 MHz OBW Power 99.00 % x dB Bandwidth 49.36 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Occupied Bandwidth 22.575 MHz Total Power 18.6 dBm Transmit Freq Error 27.984 MHz OBW Power 99.00 % x dB Bandwidth 32.76 MHz x dB -26.00 dB


Ch	T/O	Antenna 1	Antenna 2
High	484/65	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 38.186 MHz Total Power 21.1 dBm Transmit Freq Error -19.881 MHz OBW Power 99.00 % x dB Bandwidth 52.36 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 38.221 MHz Total Power 19.5 dBm Transmit Freq Error -19.722 MHz OBW Power 99.00 % x dB Bandwidth 55.05 MHz x dB -26.00 dB
	484/66	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 38.608 MHz Total Power 20.4 dBm Transmit Freq Error 19.509 MHz OBW Power 99.00 % x dB Bandwidth 69.00 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 38.529 MHz Total Power 19.8 dBm Transmit Freq Error 19.691 MHz OBW Power 99.00 % x dB Bandwidth 68.09 MHz x dB -26.00 dB
	SU	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 76.992 MHz Total Power 20.3 dBm Transmit Freq Error -103.78 kHz OBW Power 99.00 % x dB Bandwidth 81.52 MHz x dB -26.00 dB	 Center Freq: 5.61000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.61 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 76.983 MHz Total Power 19.6 dBm Transmit Freq Error 24.094 kHz OBW Power 99.00 % x dB Bandwidth 81.61 MHz x dB -26.00 dB

Ch	T/O	Antenna 1	Antenna 2
5690	26/ 0	Center Freq: 5.69000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 18.665 MHz Total Power 15.5 dBm Transmit Freq Error -30.403 MHz OBW Power 99.00 % x dB Bandwidth 21.91 MHz x dB -26.00 dB	Center Freq: 5.69000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 17.923 MHz Total Power 15.2 dBm Transmit Freq Error -30.824 MHz OBW Power 99.00 % x dB Bandwidth 18.80 MHz x dB -26.00 dB
	26/ 18	Center Freq: 5.69000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 35.303 MHz Total Power 16.2 dBm Transmit Freq Error 57.251 kHz OBW Power 99.00 % x dB Bandwidth 40.66 MHz x dB -26.00 dB	Center Freq: 5.69000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 31.014 MHz Total Power 15.5 dBm Transmit Freq Error -2.5572 MHz OBW Power 99.00 % x dB Bandwidth 33.26 MHz x dB -26.00 dB
	52/ 37	Center Freq: 5.69000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 18.162 MHz Total Power 18.7 dBm Transmit Freq Error -30.384 MHz OBW Power 99.00 % x dB Bandwidth 22.71 MHz x dB -26.00 dB	Center Freq: 5.69000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 14.834 MHz Total Power 17.7 dBm Transmit Freq Error -32.093 MHz OBW Power 99.00 % x dB Bandwidth 20.68 MHz x dB -26.00 dB


ch	T/O	Antenna 1	Antenna 2
5690	52/ 45	Keyight Spectrum Analyzer - Occupied BW Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 21.709 MHz Total Power 17.9 dBm Transmit Freq Error 7.7225 MHz OBW Power 99.00 % x dB Bandwidth 24.69 MHz x dB -26.00 dB	Keyight Spectrum Analyzer - Occupied BW Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 21.485 MHz Total Power 18.0 dBm Transmit Freq Error 7.1929 MHz OBW Power 99.00 % x dB Bandwidth 26.97 MHz x dB -26.00 dB
	106/ 53	Keyight Spectrum Analyzer - Occupied BW Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 18.294 MHz Total Power 19.8 dBm Transmit Freq Error -30.147 MHz OBW Power 99.00 % x dB Bandwidth 21.30 MHz x dB -26.00 dB	Keyight Spectrum Analyzer - Occupied BW Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 17.834 MHz Total Power 18.6 dBm Transmit Freq Error -30.388 MHz OBW Power 99.00 % x dB Bandwidth 25.94 MHz x dB -26.00 dB
	106/ 57	Keyight Spectrum Analyzer - Occupied BW Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 19.963 MHz Total Power 19.1 dBm Transmit Freq Error 8.1646 MHz OBW Power 99.00 % x dB Bandwidth 29.97 MHz x dB -26.00 dB	Keyight Spectrum Analyzer - Occupied BW Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 20.263 MHz Total Power 19.6 dBm Transmit Freq Error 8.5138 MHz OBW Power 99.00 % x dB Bandwidth 30.91 MHz x dB -26.00 dB

ch	T/O	Antenna 1	Antenna 2
5690	242/ 61	 Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 21.783 MHz Total Power 19.4 dBm Transmit Freq Error -28.213 MHz OBW Power 99.00 % x dB Bandwidth 35.48 MHz x dB -26.00 dB	 Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 21.837 MHz Total Power 18.8 dBm Transmit Freq Error -28.144 MHz OBW Power 99.00 % x dB Bandwidth 32.86 MHz x dB -26.00 dB
	242/ 62	 Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 37.443 MHz Total Power 19.9 dBm Transmit Freq Error -18.433 MHz OBW Power 99.00 % x dB Bandwidth 50.50 MHz x dB -26.00 dB	 Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 33.157 MHz Total Power 19.3 dBm Transmit Freq Error -16.402 MHz OBW Power 99.00 % x dB Bandwidth 54.81 MHz x dB -26.00 dB
	484/ 65	 Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 38.242 MHz Total Power 20.3 dBm Transmit Freq Error -19.706 MHz OBW Power 99.00 % x dB Bandwidth 56.01 MHz x dB -26.00 dB	 Center Freq: 5.690000000 GHz Trig: Free Run #Atten: 20 dB Avg/Hold: 200/200 Radio Std: None Radio Device: BTS Ref 30.00 dBm Center 5.69 GHz #Res BW 1 MHz #VBW 3 MHz Span 160 MHz Sweep 1.333 ms Occupied Bandwidth 38.088 MHz Total Power 19.9 dBm Transmit Freq Error -19.759 MHz OBW Power 99.00 % x dB Bandwidth 53.44 MHz x dB -26.00 dB


1.10. HE20 IN THE STRADDLE BAND




1.11. HE40 IN THE STRADDLE BAND



1.12. HE80 IN THE STRADDLE BAND





2. 6dB Bandwidth

2.1. HE20 IN THE 5.8 GHz BAND

Ch	T/O	Antenna 1	Antenna 2
5720	26/ 8	Center Freq: 5.72000000 GHz Trig: Free Run #Atten: 30 dB Avg/Hold: 100/100 Radio Std: None Radio Device: BTS 10 dB/div Ref 30.00 dBm Center 5.72 GHz #VBW 300 kHz Span 40 MHz Sweep 4 ms Occupied Bandwidth 18.366 MHz Total Power 13.4 dBm Transmit Freq Error 464.35 kHz OBW Power 99.00 % x dB Bandwidth 1.975 MHz x dB -6.00 dB	Center Freq: 5.72000000 GHz Trig: Free Run #Atten: 30 dB Avg/Hold: 100/100 Radio Std: None Radio Device: BTS 10 dB/div Ref 30.00 dBm Center 5.72 GHz #VBW 300 kHz Span 40 MHz Sweep 4 ms Occupied Bandwidth 17.406 MHz Total Power 13.3 dBm Transmit Freq Error 944.36 kHz OBW Power 99.00 % x dB Bandwidth 1.979 MHz x dB -6.00 dB
	52/ 40	Center Freq: 5.72000000 GHz Trig: Free Run #Atten: 30 dB Avg/Hold: 100/100 Radio Std: None Radio Device: BTS 10 dB/div Ref 30.00 dBm Center 5.72 GHz #VBW 300 kHz Span 40 MHz Sweep 4 ms Occupied Bandwidth 16.449 MHz Total Power 16.1 dBm Transmit Freq Error 1.2869 MHz OBW Power 99.00 % x dB Bandwidth 13.20 MHz x dB -6.00 dB	Center Freq: 5.72000000 GHz Trig: Free Run #Atten: 30 dB Avg/Hold: 100/100 Radio Std: None Radio Device: BTS 10 dB/div Ref 30.00 dBm Center 5.72 GHz #VBW 300 kHz Span 40 MHz Sweep 4 ms Occupied Bandwidth 16.038 MHz Total Power 15.9 dBm Transmit Freq Error 1.5436 MHz OBW Power 99.00 % x dB Bandwidth 4.040 MHz x dB -6.00 dB