

Item Number	Item Description	Qty	Ref Des	Item Number(2nd source)	Item Description	Note
1	475341-010-00	FIXED INDUCTOR,CHIP,8.2UH,5%,170MA,30 Q,SM,1210,40MHZ SRF	1	L801	570699-001-00	FIXED INDUCTOR,CHIP,8.2UH,5%,700MA,30 Q,SM,1210,40MHZ SRF
2	509003-002-00	CAP,CHIP,.1UF,+10%,-10%,16V-DC,0402,X7R,LEAD-FREE	37	C1120,C1121,C1122,C1123,C1126 C1127,C1128,C1129,C1130,C1131 C1132,C1133,C1134,C1135,C1136 C1137,C1163,C1164,C1165,C1166 C1171,C1174,C1176,C1177,C1178 C1179,C1180,C1185,C1192,C1207 C1208,C1215,C1222,C1226,C1232 C1258,C1277	568969-002-00	CAP,CHIP,.1UF,+10%,-10%,16V-DC,0402,X7R,-55DEG CMIN,125DEG
3	509003-005-00	CAP,CHIP,1000PF,+10%,-10%,25V-DC,0402,X7R,LEAD-FREE / ROHS	3	C1272,C916,C921	570687-005-00	CAPACITOR,CHIP,1000PF,+10%,-10%,25V-DC,0402,X7R,-55DEG CMIN,
4	509003-007-00	CAP,CHIP,8200PF,+10%,-10%,16V-DC,0402,X7R,LEAD-FREE / ROHS CO	1	C617	569375-002-00	CAPACITOR,CHIP,8200PF,+10%,-10%,16V-DC,0402,X7R,-55DEG CMIN,
5	509003-008-00	CAP,CHIP,.01UF,+10%,-10%,16V-DC,0402,X7R,LEAD-FREE / ROHS COM	2	C1269,C963	570687-002-00	CAPACITOR,CHIP,.01UF,+10%,-10%,16V-DC,0402,X7R,-55DEG CMIN,
6	509003-023-00	CAP,CER CHIP,.1UF,+5%,-5%,10V-DC,0402,X7R,LEAD-FREE / ROHS CO	1	C1035	570687-006-00	CAPACITOR,CHIP,.1UF,+5%,-5%,10V-DC,0402,X7R,-55DEG CMIN,
7	514120-001-00	CAP,CER CHIP,.22UF,+10%,-10%,6.3V-DC,0402,X5R,LEAD-FREE / ROH	1	C614	569375-003-00	CAPACITOR,CHIP,.22UF,+10%,-10%,6.3V-DC,0402,X5R,-55DEG CMIN,
8	515323-001-00	CAP,CHIP,22UF,+20%,-20%,6.3V-DC,0805,X5R,LEAD-FREE	3	C1274,C1275,C974	576442-001-00	CAPACITOR,CHIP,22UF,+20%,-20%,6.3V-DC,0805,X5R,-55DEG CMIN
9	517860-007-00	IDCTR,CHIP,2.7NH,300MA,.17OHM,6GHZ SRF,SM,0402,+/-0.3NH,L	1	L1005	571147-002-00	INDUCTOR,CHIP,2.7NH,400MA,.15OHM,CERAMIC,8 Q,7.7GHZ SRF,
10	517860-011-00	IDCTR,CHIP,3.9NH,300MA,.19OHM,6GHZ SRF,SM,0402,+/-0.3NH,L	1	L1009	571147-003-00	INDUCTOR,CHIP,3.9NH,400MA,.20OHM,CERAMIC,8 Q,6.1GHZ SRF,SM,
11	517860-017-00	IDCTR,CHIP,6.8NH,5%,300MA,.29OHM,4.2GHZ SRF,SM,0402,LEAD-F	2	L1008,L814	571147-004-00	INDUCTOR,CHIP,6.8NH,5%,400MA,.25OHM,CERAMIC,8 Q,4.55GHZ
12	517860-029-00	IDCTR,FXD,1.6NH,300MA,CER,8 Q,6GHZ SRF,SM,0402,+/-0.3NH,LE	2	L1001,L1003	568166-002-00	IDCTR,FXD,1.6NH,400MA,.1OHM,CER,8 Q,8.7GHZ SRF,SM,1005,+/-0.3NH,
13	517875-001-00	IDCTR,CHIP,2NH,15%,300MA,.12OHM,8 Q,6GHZ SRF,SM,0402	1	L1002	575213-001-00	INDUCTOR,FIXED,2NH,300MA,.14OHM,8 Q,6GHZ SRF,SM,0402,
14	517994-012-00	CAP,CHIP,5.6PF,.25PF+/-,50V-DC,0402,C0G,HI-Q,MURATA,LEAD-FRE	2	C1023,C1032	570691-018-00	CAPACITOR,CHIP,5.6PF,.25PF+/-,50V-DC,0402,C0G,-55DEG CMIN,
15	517994-019-00	CAP,CHIP,1PF,1PF+/-,50V-DC,0402,C0G,HI-Q,MURATA,LEAD-FREE /	1	C1012	570691-026-00	CAP,CHIP,1PF,1PF+/-,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX,LEAD
16	517994-021-00	CAP,CHIP,1.8PF,1PF+/-,50V-DC,0402,C0G,HI-Q,MURATA,LEAD-FREE	2	C1007,C1008	570691-006-00	CAPACITOR,CHIP,1.8PF,1PF+/-,50V-DC,0402,C0G,-55DEG CMIN,
17	517994-039-00	CAP,CHIP,4.3PF,1PF+/-,50V-DC,0402,C0G,HI-Q,MURATA,LEAD-FREE	1	C977	570691-012-00	CAPACITOR,CHIP,4.3PF,1PF+/-,50V-DC,0402,C0G,-55DEG CMIN,125DEG
18	517994-047-00	CAP,CHIP,6.8PF,.25PF+/-,50V-DC,0402,C0G,HI-Q,MURATA,LEAD-FRE	9	C1006,C1013,C1016,C1019,C1022, C1024,C1025,C1028,C1031	570691-019-00	CAPACITOR,CHIP,6.8PF,.25PF+/-,50V-DC,0402,C0G,-55DEG CMIN,125DEG
19	517994-057-00	CAP,CHIP,18PF,+5%,-5%,50V-DC,0402,C0G,HI-Q,MURATA,LEAD-FREE /	2	C1029,C1030	570691-005-00	CAPACITOR,CHIP,18PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG
20	518183-002-00	CAP,CHIP,10UF,+10%,-10%,25V-DC,1210,X5R,LEAD-FREE / ROHS COMP	1	C1271	570682-001-00	CAPACITOR,CHIP,10UF,+10%,-10%,25V-DC,1210,X5R,-55DEG CMIN,85DEG
21	520062-003-00	IDCTR,CHIP,22NH,2%,400MA,.3OHM,53 Q,2.8GHZ SRF,SM,0402,ROHS	3	L1004,L1006,L1007	575030-002-00	INDUCTOR,WIRE WOUND,22NH,2%,400MA,CERAMIC,25 Q,2.8GHZ SRF
22	520062-045-00	IDCTR,WWW,12NH,5%,640MA,.12OHM,CER,71 Q,3.6GHZ SRF,SM,0402,LE	1	L901	575031-001-00	INDUCTOR,WIRE WOUND,12NH,5%,640MA,CERAMIC,24 Q,3.6GHZ SRF
23	521508-037-00	RES,MF,30OHM,5%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS COMPLI	2	R1149,R1150	570508-001-00	RES,MF,30OHM,5%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS COMPLI
25	521508-058-00	RES,MF,220OHM,5%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS COMPL	8	R1105,R1106,R1107,R1108,R1109, R1110,R1111,R1112	570508-004-00	RES,MF,220OHM,5%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS COMPL
26	521508-061-00	RES,MF,300OHM,5%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS COMPL	8	R1171,R1172,R988,R989,R990, R991,R992,R993	570508-002-00	RESISTOR,METAL FILM,300OHM,5%,.063W,SM,0402,200PPM/CEL,LEAD
27	521508-076-00	RES,MF,1.2KOHM,5%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS COMP	10	R1141,R1156,R1157,R1158,R1159, R1160,R1161,R1162,R1163,R1164	570508-003-00	RES,MF,1.2KOHM,5%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS
28	521508-108-00	RES,MF,27KOHM,5%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS COMPL	1	R1184	570508-007-00	RES,MF,27KOHM,5%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS
29	521818-002-00	RES,MF,18KOHM,1%,.0625W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COMP	1	R1183	570678-019-00	RES,MF,18KOHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-FREE / ROHS
30	521818-044-00	RES,MF,2.74OHM,1%,.063W,SM,0402,400PPM/CEL,LEAD-FREE / ROHS COMP	1	R1181	570679-002-00	RESISTOR,METAL FILM,2.74OHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-
31	521818-086-00	RES,MF,7.5OHM,1%,.063W,SM,0402,400PPM/CEL,LEAD-FREE / ROHS COMPL	1	R1008	570679-001-00	RESISTOR,METAL FILM,7.5OHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-
32	521818-177-00	RES,MF,63.4OHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COMP	1	R1020	570678-010-00	RESISTOR,METAL FILM,63.4OHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-

33	521818-225-00	RES,MF,200OHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COMPL	1	R1012	570678-009-00	RESISTOR,METAL FILM,200OHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-	
34	521818-229-00	RES,MF,221OHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COMPL	1	R902	570678-008-00	RESISTOR,METAL FILM,221OHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-	
35	521818-265-00	RES,MF,523OHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COMPL	1	R206	570678-007-00	RESISTOR,METAL FILM,523OHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-	
36	521818-300-00	RES,MF,1.21KOHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COM	1	R205	570678-001-00	RESISTOR,METAL FILM,1.21KOHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-	
37	521818-302-00	RES,MF,1.27KOHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COM	1	R1128	570678-006-00	RESISTOR,METAL FILM,1.27KOHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-	
38	521818-349-00	RES,MF,2.87KOHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COM	1	R1001	570678-012-00	RESISTOR,METAL FILM,2.87KOHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-	
39	521818-353-00	RES,MF,3.16KOHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COM	1	R501	570678-005-00	RESISTOR,METAL FILM,3.16KOHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-	
40	521818-366-00	RES,MF,4.32KOHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COM	2	R1009,R1013	570678-004-00	RESISTOR,METAL FILM,4.32KOHM,1%,.063W,SM,0402,200PPM/CEL,LEAD	
41	521818-372-00	RES,MF,4.99KOHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COM	2	R1143,R1144	570678-002-00	RESISTOR,METAL FILM,4.99KOHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-	
42	521818-695-00	RES,MF,2.2KOHM,1%,.063W,SM,0402,100PPM/CEL,LEAD-FREE / ROHS COMP	1	R1016	570678-003-00	RESISTOR,METAL FILM,2.2KOHM,1%,.063W,SM,0402,200PPM/CEL,LEAD-	
43	521846-091-00	XTAL,QRTZ,25MHZ,10PPM TOL,10PPM STAB,SM2,SM,FUND,AT,18PF LOAD C	2	Y902,Y903	555449-003-00	RESONATOR,QUARTZ,25MHZ,10PPM TOL,10PPM STAB,SM,	
44	521846-110-00	XTAL,QRTZ,20MHZ,7PPM TOL,M3.2X2.5,SM,FUND,18PF LOAD CAP,LEA	1	Y904	555449-004-00	RESONATOR,QUARTZ,20MHZ,7PPM TOL,10PPM STAB,SM,FUNDAMENTAL	
45	522113-001-00	IC,OR,2 INPUTS/DEVICE,74LVC32A,4PER PKG,SM,TSSOP14,LEAD-FREE	2	U602,U603	571281-001-00	IC,OR,2 INPUTS/DEVICE,74LVC32A,4PER PKG,SM,TSSOP14,LEAD-FREE	
46	522219-005-00	CAP,CHIP,4.7UF,+10%,-10%,10V-DC,0805,X5R,LEAD-FREE / ROHS COM	1	C501	570684-003-00	CAPACITOR,CHIP,4.7UF,+10%,-10%,10V-DC,0805,X5R,-55DEG CMIN,85DEG	
47	522248-004-00	CAP,CHIP,.1UF,+80%,-20%,25V-DC,0402,Y5V,LEAD-FREE / ROHS COMP	2	C939,C940	575032-001-00	CAPACITOR,CHIP,.1UF,+80%,-20%,25V-DC,0402,Y5V,-30DEG CMIN,85DEG	
48	522249-008-00	CAP,CHIP,4700PF,+10%,-10%,50V-DC,0402,X7R,LEAD-FREE / ROHS CO	1	C606	570687-009-00	CAPACITOR,CHIP,4700PF,+10%,-10%,50V-DC,0402,X7R,-55DEG CMIN,	
49	522249-009-00	CAP,CHIP,2700PF,+10%,-10%,50V-DC,0402,X7R,LEAD-FREE / ROHS CO	2	C1211,C1212	570687-011-00	CAP,CHIP,2700PF,+10%,-10%,50V-DC,0402,X7R,-55DEG CMIN,125DEG CMAX,LEAD	
50	522250-001-00	CAP,CHIP,100PF,+5%,-5%,50V-DC,0402,C0G,LEAD-FREE / ROHS COMPL	1	C934	570691-003-00	CAPACITOR,CHIP,100PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
51	522250-006-00	CAP,CER CHIP,47PF,+5%,-5%,50V-DC,0402,C0G,NPO,LEAD-FREE	2	C1255,C1256	570691-013-00	CAP,CHIP,47PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX,LEAD	For SBG941U and SBG941U-DIAG
52	522250-050-00	CAP,CHIP,2.2PF,+2%,-2%,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX	1	C805	576668-001-00	CAP,CER,2.2PF,.25PF+/-,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX,	
53	522250-060-00	CAP,CHIP,10PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX,L	2	C1004,C1009	570691-002-00	CAPACITOR,CHIP,10PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
54	522250-107-00	CAP,CHIP,470PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX	2	C1038,C1039	570691-014-00	CAPACITOR,CHIP,470PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
55	522250-132-00	CAP,CHIP,560PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX	1	C903	570691-017-00	CAPACITOR,CHIP,560PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
56	522250-147-00	CAP,CHIP,24PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX,L	2	C1142,C1218	570691-008-00	CAPACITOR,CHIP,24PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
58	522250-164-00	CAP,CHIP,16PF,+5%,-5%,50V-DC,0402,C0G,LEAD-FREE / ROHS COMPLI	1	C1026	570691-004-00	CAPACITOR,CHIP,16PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
59	522250-179-00	CAP,CHIP,82PF,+2%,-2%,50V-DC,0402,C0G,LEAD-FREE / ROHS COMPLI	1	C930	570691-020-00	CAPACITOR,CHIP,82PF,+2%,-2%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
60	522250-196-00	CAP,CHIP,820PF,+5%,-5%,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX	1	C1279	570687-012-00	CAP,CHIP,820PF,+5%,-5%,50V-DC,0402,X7R,-55DEG CMIN,125DEG CMAX	
61	522250-197-00	CAP,CHIP,51PF,+2%,-2%,50V-DC,0402,C0G,-55DEG CMIN,125DEG CMAX,L	1	C933	570691-015-00	CAPACITOR,CHIP,51PF,+2%,-2%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
62	522250-202-00	CAP,CHIP,56PF,+1%,-1%,50V-DC,0402,C0G,LEAD-FREE / ROHS COMPLI	1	C931	570691-016-00	CAPACITOR,CHIP,56PF,+1%,-1%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
63	522250-208-00	CAP,CER CHIP,33PF,+2%,-2%,50V-DC,0402,C0G,LEAD-FREE / ROHS CO	2	C1143,C1219	522250-226-00	CAPACITOR,CHIP,33PF,+2%,-2%,50V-DC,0402,C0G,-55DEG CMIN,125DEG	
64	522251-002-00	CAP,CHIP,4.7UF,+10%,-10%,6.3V-DC,0603,X5R,LEAD-FREE / ROHS CO	13	C1251,C1252,C1083,C1084,C1119,C1156,C1157,C1158,C1161,C1162,C1173,C1175,C1230	569375-005-00	CAPACITOR,CHIP,4.7UF,+10%,-10%,6.3V-DC,0603,X5R,-55DEG CMIN	
65	522304-001-00	IC,UP SUPVR,LM809,SM,SOT-23/3,2.93V RESET / RESET TIME 140-84	2	U1014,U1016	576672-001-00	IC,UP SUPVR,SM,SOT-23/3,2.93V THRESHOLD,100-330MS,LEAD-FREE /	

67	522491-004-00	CAP,CHIP,,1UF,+10%,-10%,16V-DC,0402,X5R,LEAD-FREE / ROHS COMP	33	C1000,C1003,C502,C503,C510,C513,C514,C517,C520,C521,C528,C529,C607,C608,C609,C616,C910,C911,C915,C964,C966,C967,C968,C969,C976,C979,C986,C988,C989,C994,C997,C998,C999	569375-012-00	CAPACITOR,CHIP,,1UF,+10%,-10%,16V-DC,0402,X5R,-55DEG CMIN,85DEG	
68	522491-007-00	CAP,CHIP,,047UF,+10%,-10%,16V-DC,0402,X5R,LEAD-FREE / ROHS CO	1	C1216	570690-002-00	CAPACITOR,CHIP,,047UF,+10%,-10%,16V-DC,0402,X5R,-55DEG CMIN,	
69	522491-008-00	CAP,CHIP,1UF,+10%,-10%,10V-DC,0402,X5R,LEAD-FREE / ROHS COMPL	3	C1205,C1206,C1220	576579-001-00	CAP,CHIP,1UF,+10%,-10%,10V-DC,0402,X5R,-55DEG CMIN,85DEG CMAX,	
70	522499-001-00	CONN,BRD TO WR,M,3CONT,NI,RIGHT ANGLE,PCMT,LEAD-FREE	1	J902	522499-003-00	CONN,PWR,M,3CONT,2.5MM,SLVR,RIGHT ANGLE,PCMT,DC PWR JACK,	
71	522999-008-00	RES,NTWK,62OHM,5%,.0625W,8,ISOL,SM,SO16,4016,250PPM/CEL,LEAD-FR	2	RP12,RP13	570681-001-00	RES,NTWK,62OHM,5%,.063W,8,ISOL,SM,4016,200PPM/CEL,LEAD-FREE	
72	523091-001-00	FLTR,FERR,200MA,SM,0603,1000 OHM,LEAD-FREE / ROHS	2	B1001,B8	570693-001-00	FILTER,FERRITE,SM,0603,25%.1KOHM,.6OHM DCR,LEAD-FREE/ROHS	
73	523488-008-00	DIODE,RECT,SMS3922,SM,50MA,8V,.075W,SHTK,SC-79,LEAD-FREE / ROHS	1	D1004	571151-001-00	DIODE,RECTIFIER,1PSXSB17,SM,30MA,4V,SCHOTTKY,SC-79,LEAD-FREE	
74	523488-012-00	DIODE,RECT,B340,SM,SMC,3A,40V,SHTK,LEAD-FREE / ROHS COMPLIANT	1	D1025	523488-043-00	DIODE,RECTIFIER,B340,SM,SMC,3A,40V,SCHOTTKY,VIP BOX BUILD PAR	
75	523488-015-00	DIODE,RECT,BAT54C,SM,SOT-23,200MA,30V,.2W,LEAD-FREE / ROHS COMP	1	D1001	576445-001-00	DIODE,RECT,SM,SOT-23,200MA,30V,.2W,LEAD-FREE / ROHS COMPLIANT	
76	524074-007-00	XSTR,BIP GP POWER,SLCN,PNP,2SB1188,SM,32V,2A,SC-62,LEAD-FRE	2	Q1009,Q1010	524074-027-00	XSTR,BIP GP POWER,SLCN,PNP,SM,SOT-89,32V,2A,120MHZ,LEAD	
77	524074-017-00	XSTR,BIP GP POWER,SLCN,NPN/PNP,UMD3N,SM,50V,50MA,SC-88,LEAD	1	Q1001	524074-024-00	TRANSISTOR,BIP GENERAL PURPOSE POWER,NPN/PNP,SM,50V,50MA,	
78	524405-001-00	DIODE,PIN,SM,SOD-523/SC-79,50V,.25W,LEAD FREE / ROHS COMPLIA	2	D1023,D1024	576732-001-00	DIODE,PIN,SM,SOD-523/SC-79,100MA,50V,LEAD-FREE / ROHS COMPLI	
79	524611-001-00	CAP,CHIP,1UF,+10%,-10%,6.3V-DC,0603,X5R,-55DEG CMIN,85DEG CMAX	5	C234,C512,C909,C913,C965	576580-001-00	CAP,CHIP,1UF,+10%,-10%,6.3V-DC,0603,X5R,-55DEG CMIN,85DEG CMAX,	
80	525262-001-00	IDCTR,FXD,22UH,20%,3.5A,.0316OHM,SM,SM2,LEAD-FREE	1	L1014	575062-001-00	INDUCTOR,FIXED,22UH,20%,3.5A,.0316OHM,SM,LEAD-FREE / ROHS	
81	525853-003-00	DIODE,TRANSIENT SUPPRESSOR,350W,SD05C,SM,SOD-323,LEAD-FREE /	1	DB350	571149-001-00	DIODE,SUPR,350W,SM,SOD-323,BIDIRECTIONAL ESD PROTECTION,LEAD	
82	525905-018-00	IC,FLSH,64MBIT,SM,MX25L6405D,.86MHZ,16-SOP,SPI,LEAD-FREE / RO	1	U305	569600-001-00	IC,FLSH,64MB,SM,SOIC16,SERIAL,SPI,LEAD-FREE/ROHS COMPLIANT	
83	525924-001-00	IC,LNR V REGLTR,1.3V TO .5.7V,600MA,SM,SOT-223,LEAD-FREE / ROH	1	U205	523252-105-00	IC,LNR V REGLTR,ADJUSTABLE,2.2A,SM,SOT-223,LEAD-FREE / ROHS C	For SBG941U and SBG941U-DIAG
84	528320-001-00	XFMR,BALUN,50 OHM BAL IN / 100 OHM UNBAL OUT,SM,SM6,INSERTION	1	U1001	528320-002-00	TRANSFORMER,BALUN,50 OHM BAL IN / 100 OHM UNBAL OUT,SM,SM6,	
85	528798-001-00	DIODE ARRAY,SUPR,SM,SOT-143,25A,5V,ESD/EFT/LIGHTNING PROTECTIO	1	U351	569684-002-00	DIODE ARRAY,TRNSNT PROT,SOT-143,5V,ESD PROTECTION,5,SOT-143	For SBG941U and SBG941U-DIAG
86	530004-004-00	FLTR,EMI/RFI,300MA,SM,0402,120 OHM+/-25%,LEAD-FREE / ROH	28	B1,B10,B1002,B2,B20,B21,B22,B23,B24,B25,B26,B27,B28,B29,B3,B30,B31,B32,B4,B5,B6,B7,B9,B901,B902,B903,B904,B905	570695-001-00	FILTER,FERRITE,500MA,SM,0402,25%,120OHM,.25OHM DCR,LEAD-FREE	
87	530007-003-00	CAP,AL EL,470UF,+20%,-20%,6.3V-DC,SM,M8DX7.7L,POLAR,105	1	C1276	576464-002-00	CAP,AL EL,470UF,+20%,-20%,6.3V-DC,SM,4.7A,M8DX9L,2000HRS/	
88	530206-001-00	FLTR,FERR,500MA,SM,0402,Z 600 OHM / ROHS COMPLIANT	7	B601,B602,B603,B604,B605,B606,B607	570697-001-00	FILTER,FERRITE,300MA,SM,0402,25%,600OHM,.6OHM DCR,LEAD-FREE	
89	531591-001-00	CAP,CHIP,10UF,+20%,-20%,6.3V-DC,0603,X5R,-55DEG CMIN,85DEG CMAX	16	C1138,C1139,C1140,C1141,C1145,C1183,C1184,C1203,C1204,C1225,C1229,C511,C516,C907,C908,C992	569375-013-00	CAPACITOR,CHIP,10UF,+20%,-20%,6.3V-DC,0603,X5R,-55DEG CMIN,85DEG	
91	553682-001-00	DIODE,SUPR,18V,SM,DO-214AA,LEAD-FREE / ROHS COMPLIANT	1	D813	553682-005-00	DIODE,SUPR,18V,SM,SMB,TVS,VC 29.2V,IPP 20.5A,600W,LEAD-FREE	
92	557089-002-00	IDCTR,CHIP,240NH,3%,350MA,1OHM,44 Q,690MHZ SRF,SM,0805,LEAD	1	L701	571145-005-00	INDUCTOR,FIXED,240NH,2%,350MA,1OHM,CERAMIC,44 Q,690MHZ SRF,	
93	562109-001-00	CAP,CHIP,1000PF,+10%,-10%,16V-DC,0402,X7R,220-28012, LEAD-FRE	33	C1111,C1112,C1113,C1114,C1115,C1116,C1117,C1118,C1148,C1149,C1182,C1187,C1190,C1194,C1199,C1200,C1201,C1202,C1213,C1214,C1224,C1227,C1234,C1257,C507,C508,C509,C605,C624,C625,C905,C906,C995	569375-007-00	CAPACITOR,CHIP,1000PF,+10%,-10%,16V-DC,0402,X7R,-55DEG CMIN,	
94	562109-003-00	CAP,CHIP,,047UF,+10%,-10%,16V-DC,0402,X7R,LEAD-FREE / ROHS CO	7	C601,C603,C610,C612,C618,C620,C626	569375-008-00	CAPACITOR,CHIP,,047UF,+10%,-10%,16V-DC,0402,X7R,-55DEG CMIN	