



Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Carrier frequency (MHz): 5570
Channel No.:114




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 1602.11ax(HE160)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Sample calculation: $(11.88\text{dB}\mu\text{V}/\text{m}) = (24.48\text{dB}\mu\text{V}) + (-12.6\text{dB}/\text{m})$, the corresponding frequency is 30.194MHz.

Partial RU (Tone26)

For 802.11ax(HE20)Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.194 | 11.88 | -12.6 | 24.48 | Vertical | 40 | 28.12 |
| 81.022 | 16.43 | -23.7 | 40.13 | Vertical | 40 | 23.57 |
| 111.2375 | 16.77 | -21.6 | 38.37 | Vertical | 43.5 | 26.73 |
| 215.1245 | 8.31 | -21.9 | 30.21 | Vertical | 43.5 | 35.19 |
| 523.6815 | 10.91 | -11.7 | 22.61 | Vertical | 46 | 35.09 |
| 895.0945 | 16.36 | -4.9 | 21.26 | Vertical | 46 | 29.64 |

For 802.11ax(HE20)Channel No.:44

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.2425 | 11.74 | -12.7 | 24.44 | Vertical | 40 | 28.26 |
| 81.0705 | 16.02 | -23.7 | 39.72 | Vertical | 40 | 23.98 |
| 111.3345 | 17.98 | -21.6 | 39.58 | Vertical | 43.5 | 25.52 |
| 215.464 | 8.48 | -21.9 | 30.38 | Vertical | 43.5 | 35.02 |
| 520.723 | 10.94 | -11.8 | 22.74 | Vertical | 46 | 35.06 |
| 953.537 | 17.02 | -4 | 21.02 | Vertical | 46 | 28.98 |

For 802.11ax(HE20)Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
|----------------|----------------|-----------|---------------|----------|----------------|-------------|

| | | | | | | |
|----------|-------|-------|-------|----------|------|-------|
| 30 | 12.32 | -12.6 | 24.92 | Vertical | 40 | 27.68 |
| 81.022 | 17.16 | -23.7 | 40.86 | Vertical | 40 | 22.84 |
| 110.995 | 16.6 | -21.6 | 38.2 | Vertical | 43.5 | 26.9 |
| 236.7555 | 8.9 | -20.8 | 29.7 | Vertical | 46 | 37.1 |
| 551.4235 | 10.91 | -11.2 | 22.11 | Vertical | 46 | 35.09 |
| 919.8295 | 16.85 | -4.4 | 21.25 | Vertical | 46 | 29.15 |

For 802.11ax(HE40)Channel No.:38

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30 | 12.26 | -12.6 | 24.86 | Vertical | 40 | 27.74 |
| 81.1675 | 14.1 | -23.7 | 37.8 | Vertical | 40 | 25.9 |
| 112.838 | 18.07 | -21.5 | 39.57 | Vertical | 43.5 | 25.43 |
| 210.1775 | 7.74 | -22.2 | 29.94 | Vertical | 43.5 | 35.76 |
| 517.5705 | 10.83 | -11.8 | 22.63 | Vertical | 46 | 35.17 |
| 932.7305 | 17.07 | -4.3 | 21.37 | Vertical | 46 | 28.93 |

For 802.11ax(HE40)Channel No.:46

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.0485 | 12.14 | -12.6 | 24.74 | Vertical | 40 | 27.86 |
| 81.0705 | 16.33 | -23.7 | 40.03 | Vertical | 40 | 23.67 |
| 111.4315 | 18.07 | -21.6 | 39.67 | Vertical | 43.5 | 25.43 |
| 214.882 | 8.31 | -21.9 | 30.21 | Vertical | 43.5 | 35.19 |
| 543.033 | 11.17 | -11.3 | 22.47 | Vertical | 46 | 34.83 |
| 935.7375 | 16.99 | -4.2 | 21.19 | Vertical | 46 | 29.01 |

For 802.11ax(HE80)Channel No.:42

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.388 | 11.68 | -12.7 | 24.38 | Vertical | 40 | 28.32 |
| 80.9735 | 14.47 | -23.7 | 38.17 | Vertical | 40 | 25.53 |
| 111.674 | 16.88 | -21.6 | 38.48 | Vertical | 43.5 | 26.62 |
| 214.7365 | 8.27 | -21.9 | 30.17 | Vertical | 43.5 | 35.23 |
| 524.5545 | 10.97 | -11.7 | 22.67 | Vertical | 46 | 35.03 |
| 917.259 | 16.64 | -4.5 | 21.14 | Vertical | 46 | 29.36 |

For 802.11ax(HE20)Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30 | 12.3 | -12.6 | 24.9 | Vertical | 40 | 27.7 |
| 80.925 | 14.51 | -23.7 | 38.21 | Vertical | 40 | 25.49 |
| 112.159 | 16.85 | -21.6 | 38.45 | Vertical | 43.5 | 26.65 |
| 229.8685 | 10.34 | -21.1 | 31.44 | Vertical | 46 | 35.66 |
| 549.9685 | 10.96 | -11.2 | 22.16 | Vertical | 46 | 35.04 |
| 944.5645 | 17.08 | -4.1 | 21.18 | Vertical | 46 | 28.92 |

For 802.11ax(HE20)Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 34.1225 | 10.66 | -14.6 | 25.26 | Vertical | 40 | 29.34 |
| 80.634 | 12.63 | -23.7 | 36.33 | Vertical | 40 | 27.37 |
| 111.383 | 17.93 | -21.6 | 39.53 | Vertical | 43.5 | 25.57 |
| 230.014 | 10.41 | -21.1 | 31.51 | Vertical | 46 | 35.59 |
| 519.9955 | 10.95 | -11.8 | 22.75 | Vertical | 46 | 35.05 |
| 889.7595 | 16.29 | -4.9 | 21.19 | Vertical | 46 | 29.71 |

For 802.11ax(HE20)Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.141 | 10.27 | -15.1 | 25.37 | Vertical | 40 | 29.73 |
| 80.9735 | 16.28 | -23.7 | 39.98 | Vertical | 40 | 23.72 |
| 113.5655 | 17.99 | -21.5 | 39.49 | Vertical | 43.5 | 25.51 |
| 208.3345 | 6.98 | -22.2 | 29.18 | Vertical | 43.5 | 36.52 |
| 556.419 | 10.8 | -11.1 | 21.9 | Vertical | 46 | 35.2 |
| 935.4465 | 16.95 | -4.2 | 21.15 | Vertical | 46 | 29.05 |

For 802.11ax(HE40)Channel No.:54

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.291 | 11.73 | -12.7 | 24.43 | Vertical | 40 | 28.27 |
| 81.022 | 16.64 | -23.7 | 40.34 | Vertical | 40 | 23.36 |
| 112.1105 | 16.85 | -21.6 | 38.45 | Vertical | 43.5 | 26.65 |
| 214.3485 | 7.95 | -21.9 | 29.85 | Vertical | 43.5 | 35.55 |
| 548.853 | 11.09 | -11.2 | 22.29 | Vertical | 46 | 34.91 |
| 929.675 | 16.86 | -4.3 | 21.16 | Vertical | 46 | 29.14 |

For 802.11ax(HE40)Channel No.:62

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.097 | 12.13 | -12.6 | 24.73 | Vertical | 40 | 27.87 |
| 81.022 | 16.33 | -23.7 | 40.03 | Vertical | 40 | 23.67 |
| 112.9835 | 16.56 | -21.5 | 38.06 | Vertical | 43.5 | 26.94 |
| 232.827 | 10.67 | -21 | 31.67 | Vertical | 46 | 35.33 |
| 531.5385 | 11.07 | -11.5 | 22.57 | Vertical | 46 | 34.93 |
| 943.4005 | 17.04 | -4.2 | 21.24 | Vertical | 46 | 28.96 |

For 802.11ax(HE80)Channel No.:58

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30 | 12.27 | -12.6 | 24.87 | Vertical | 40 | 27.73 |
| 84.999 | 12.36 | -23.3 | 35.66 | Vertical | 40 | 27.64 |
| 112.2075 | 16.85 | -21.6 | 38.45 | Vertical | 43.5 | 26.65 |
| 231.76 | 11 | -21.1 | 32.1 | Vertical | 46 | 35 |
| 552.733 | 10.93 | -11.2 | 22.13 | Vertical | 46 | 35.07 |
| 899.0715 | 16.36 | -4.8 | 21.16 | Vertical | 46 | 29.64 |

For 802.11ax(HE20)Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 34.365 | 10.65 | -14.8 | 25.45 | Vertical | 40 | 29.35 |
| 81.022 | 17.47 | -23.7 | 41.17 | Vertical | 40 | 22.53 |
| 111.9165 | 18.03 | -21.6 | 39.63 | Vertical | 43.5 | 25.47 |
| 214.397 | 9.58 | -21.9 | 31.48 | Vertical | 43.5 | 33.92 |
| 517.3765 | 10.81 | -11.8 | 22.61 | Vertical | 46 | 35.19 |
| 903.2425 | 16.51 | -4.7 | 21.21 | Vertical | 46 | 29.49 |

For 802.11ax(HE20)Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30 | 12.33 | -12.6 | 24.93 | Vertical | 40 | 27.67 |
| 85.096 | 13.24 | -23.3 | 36.54 | Vertical | 40 | 26.76 |
| 112.935 | 16.58 | -21.5 | 38.08 | Vertical | 43.5 | 26.92 |
| 215.6095 | 8.45 | -21.9 | 30.35 | Vertical | 43.5 | 35.05 |
| 503.5055 | 10.34 | -12 | 22.34 | Vertical | 46 | 35.66 |
| 912.2635 | 16.54 | -4.6 | 21.14 | Vertical | 46 | 29.46 |

For 802.11ax(HE20)Channel No.:140

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.097 | 12.09 | -12.6 | 24.69 | Vertical | 40 | 27.91 |
| 84.9505 | 12.2 | -23.3 | 35.5 | Vertical | 40 | 27.8 |
| 109.346 | 14.95 | -21.7 | 36.65 | Vertical | 43.5 | 28.55 |
| 231.954 | 10.87 | -21 | 31.87 | Vertical | 46 | 35.13 |
| 516.1155 | 10.79 | -11.7 | 22.49 | Vertical | 46 | 35.21 |
| 939.6175 | 17.01 | -4.2 | 21.21 | Vertical | 46 | 28.99 |

For 802.11ax(HE40)Channel No.:102

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.1455 | 11.99 | -12.6 | 24.59 | Vertical | 40 | 28.01 |
| 80.9735 | 15.63 | -23.7 | 39.33 | Vertical | 40 | 24.37 |
| 112.45 | 16.77 | -21.6 | 38.37 | Vertical | 43.5 | 26.73 |

| | | | | | | |
|----------|-------|-------|-------|----------|----|-------|
| 229.626 | 10.18 | -21.1 | 31.28 | Vertical | 46 | 35.82 |
| 499.674 | 10.31 | -12.1 | 22.41 | Vertical | 46 | 35.69 |
| 903.4365 | 16.46 | -4.7 | 21.16 | Vertical | 46 | 29.54 |

For 802.11ax(HE40)Channel No.:118

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.291 | 11.72 | -12.7 | 24.42 | Vertical | 40 | 28.28 |
| 80.9735 | 16.44 | -23.7 | 40.14 | Vertical | 40 | 23.56 |
| 112.8865 | 18.05 | -21.5 | 39.55 | Vertical | 43.5 | 25.45 |
| 215.8035 | 9.68 | -21.9 | 31.58 | Vertical | 43.5 | 33.82 |
| 547.204 | 11.09 | -11.2 | 22.29 | Vertical | 46 | 34.91 |
| 908.6745 | 16.64 | -4.6 | 21.24 | Vertical | 46 | 29.36 |

For 802.11ax(HE40)Channel No.:142

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.194 | 11.84 | -12.6 | 24.44 | Vertical | 40 | 28.16 |
| 78.9365 | 11.51 | -23.9 | 35.41 | Vertical | 40 | 28.49 |
| 111.383 | 18.86 | -21.6 | 40.46 | Vertical | 43.5 | 24.64 |
| 230.111 | 10.4 | -21.1 | 31.5 | Vertical | 46 | 35.6 |
| 517.231 | 10.74 | -11.8 | 22.54 | Vertical | 46 | 35.26 |
| 929.1415 | 16.83 | -4.3 | 21.13 | Vertical | 46 | 29.17 |

For 802.11ax(HE80)Channel No.:106

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.1455 | 12.01 | -12.6 | 24.61 | Vertical | 40 | 27.99 |
| 80.828 | 14.22 | -23.7 | 37.92 | Vertical | 40 | 25.78 |
| 113.4685 | 16.62 | -21.5 | 38.12 | Vertical | 43.5 | 26.88 |
| 231.3235 | 10.88 | -21.1 | 31.98 | Vertical | 46 | 35.12 |
| 516.2125 | 10.77 | -11.7 | 22.47 | Vertical | 46 | 35.23 |
| 885.1035 | 16.04 | -5.1 | 21.14 | Vertical | 46 | 29.96 |

For 802.11ax(HE80)Channel No.:122

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 33.298 | 10.24 | -14.2 | 24.44 | Vertical | 40 | 29.76 |
| 84.999 | 12.26 | -23.3 | 35.56 | Vertical | 40 | 27.74 |
| 111.8195 | 16.88 | -21.6 | 38.48 | Vertical | 43.5 | 26.62 |
| 214.688 | 8.26 | -21.9 | 30.16 | Vertical | 43.5 | 35.24 |
| 509.8105 | 10.51 | -11.9 | 22.41 | Vertical | 46 | 35.49 |
| 930.548 | 16.88 | -4.3 | 21.18 | Vertical | 46 | 29.12 |

For 802.11ax(HE80)Channel No.:138

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 34.462 | 10.79 | -14.8 | 25.59 | Vertical | 40 | 29.21 |
| 80.9735 | 16.04 | -23.7 | 39.74 | Vertical | 40 | 23.96 |
| 112.45 | 18.11 | -21.6 | 39.71 | Vertical | 43.5 | 25.39 |
| 215.7065 | 9.29 | -21.9 | 31.19 | Vertical | 43.5 | 34.21 |
| 550.1625 | 10.93 | -11.2 | 22.13 | Vertical | 46 | 35.07 |
| 947.8625 | 17.1 | -4.1 | 21.2 | Vertical | 46 | 28.9 |

For 802.11ax(HE20)Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.2425 | 11.8 | -12.7 | 24.5 | Vertical | 40 | 28.2 |
| 81.7495 | 13.24 | -23.6 | 36.84 | Vertical | 40 | 26.76 |
| 111.1405 | 16.68 | -21.6 | 38.28 | Vertical | 43.5 | 26.82 |
| 210.226 | 6.85 | -22.2 | 29.05 | Vertical | 43.5 | 36.65 |
| 518.783 | 10.85 | -11.8 | 22.65 | Vertical | 46 | 35.15 |
| 956.4955 | 17 | -4 | 21 | Vertical | 46 | 29 |

For 802.11ax(HE20)Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30 | 12.28 | -12.6 | 24.88 | Vertical | 40 | 27.72 |
| 80.1005 | 12.4 | -23.8 | 36.2 | Vertical | 40 | 27.6 |
| 113.323 | 16.4 | -21.5 | 37.9 | Vertical | 43.5 | 27.1 |
| 232.4875 | 10.69 | -21 | 31.69 | Vertical | 46 | 35.31 |
| 532.7025 | 11.13 | -11.5 | 22.63 | Vertical | 46 | 34.87 |
| 946.262 | 17.05 | -4.1 | 21.15 | Vertical | 46 | 28.95 |

For 802.11ax(HE20)Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.4365 | 11.44 | -12.8 | 24.24 | Vertical | 40 | 28.56 |
| 85.0475 | 13.1 | -23.3 | 36.4 | Vertical | 40 | 26.9 |
| 113.5655 | 16.23 | -21.5 | 37.73 | Vertical | 43.5 | 27.27 |
| 222.739 | 9.37 | -21.5 | 30.87 | Vertical | 46 | 36.63 |
| 524.797 | 11.04 | -11.7 | 22.74 | Vertical | 46 | 34.96 |
| 956.7865 | 16.98 | -4 | 20.98 | Vertical | 46 | 29.02 |

For 802.11ax(HE40)Channel No.:151

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.485 | 11.24 | -12.8 | 24.04 | Vertical | 40 | 28.76 |
| 81.022 | 16.47 | -23.7 | 40.17 | Vertical | 40 | 23.53 |
| 111.7225 | 16.89 | -21.6 | 38.49 | Vertical | 43.5 | 26.61 |

| | | | | | | |
|----------|-------|-------|-------|----------|----|-------|
| 231.9055 | 10.96 | -21.1 | 32.06 | Vertical | 46 | 35.04 |
| 550.7445 | 10.91 | -11.2 | 22.11 | Vertical | 46 | 35.09 |
| 941.994 | 17.05 | -4.2 | 21.25 | Vertical | 46 | 28.95 |

For 802.11ax(HE40)Channel No.:159

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 33.8315 | 10.55 | -14.5 | 25.05 | Vertical | 40 | 29.45 |
| 81.022 | 16.44 | -23.7 | 40.14 | Vertical | 40 | 23.56 |
| 111.4315 | 17.94 | -21.6 | 39.54 | Vertical | 43.5 | 25.56 |
| 230.9355 | 10.86 | -21.1 | 31.96 | Vertical | 46 | 35.14 |
| 526.3975 | 11.07 | -11.6 | 22.67 | Vertical | 46 | 34.93 |
| 959.5025 | 16.97 | -4 | 20.97 | Vertical | 46 | 29.03 |

For 802.11ax(HE80)Channel No.:155

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.1455 | 11.95 | -12.6 | 24.55 | Vertical | 40 | 28.05 |
| 81.022 | 16.36 | -23.7 | 40.06 | Vertical | 40 | 23.64 |
| 110.801 | 16.44 | -21.6 | 38.04 | Vertical | 43.5 | 27.06 |
| 214.8335 | 8.24 | -21.9 | 30.14 | Vertical | 43.5 | 35.26 |
| 510.1985 | 10.57 | -11.9 | 22.47 | Vertical | 46 | 35.43 |
| 728.4 | 13.21 | -7.8 | 21.01 | Vertical | 46 | 32.79 |

For 802.11ax(HE160)Channel No.:50

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.0485 | 12.15 | -12.6 | 24.75 | Vertical | 40 | 27.85 |
| 81.119 | 13.96 | -23.7 | 37.66 | Vertical | 40 | 26.04 |
| 112.4985 | 16.79 | -21.6 | 38.39 | Vertical | 43.5 | 26.71 |
| 224.485 | 9.78 | -21.4 | 31.18 | Vertical | 46 | 36.22 |
| 547.9315 | 11.09 | -11.2 | 22.29 | Vertical | 46 | 34.91 |
| 778.7915 | 14.33 | -6.7 | 21.03 | Vertical | 46 | 31.67 |

For 802.11ax(HE160)Channel No.:114

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.194 | 11.97 | -12.6 | 24.57 | Vertical | 40 | 28.03 |
| 80.343 | 12.68 | -23.8 | 36.48 | Vertical | 40 | 27.32 |
| 111.383 | 18 | -21.6 | 39.6 | Vertical | 43.5 | 25.5 |
| 209.2075 | 7.02 | -22.2 | 29.22 | Vertical | 43.5 | 36.48 |
| 509.0345 | 10.59 | -11.9 | 22.49 | Vertical | 46 | 35.41 |
| 913.0395 | 16.61 | -4.5 | 21.11 | Vertical | 46 | 29.39 |

Partial RU (Tone26)

For 802.11be(EHT20)Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.8245 | 23.88 | 17.7 | 6.18 | Vertical | 40 | 16.12 |
| 60.458 | 21.61 | 6.4 | 15.21 | Vertical | 40 | 18.39 |
| 143.975 | 29.78 | 13.1 | 16.68 | Vertical | 43.5 | 13.72 |
| 207.704 | 27.45 | 10.8 | 16.65 | Vertical | 43.5 | 16.05 |
| 433.4715 | 25.67 | 17.7 | 7.97 | Vertical | 46 | 20.33 |
| 939.569 | 29.29 | 24.4 | 4.89 | Vertical | 46 | 16.71 |

For 802.11be(EHT20)Channel No.:44

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.0485 | 24.32 | 17.9 | 6.42 | Vertical | 40 | 15.68 |
| 61.816 | 24.24 | 6.6 | 17.64 | Vertical | 40 | 15.76 |
| 110.995 | 30.56 | 11.4 | 19.16 | Vertical | 43.5 | 12.94 |
| 215.949 | 29.28 | 11.9 | 17.38 | Vertical | 43.5 | 14.22 |
| 437.2545 | 25.88 | 18.1 | 7.78 | Vertical | 46 | 20.12 |
| 920.169 | 28.3 | 23.9 | 4.4 | Vertical | 46 | 17.7 |

For 802.11be(EHT20)Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.6305 | 24.02 | 17.8 | 6.22 | Vertical | 40 | 15.98 |
| 63.368 | 22.41 | 6.6 | 15.81 | Vertical | 40 | 17.59 |

| | | | | | | |
|----------|-------|------|-------|----------|------|-------|
| 143.975 | 29.8 | 13.1 | 16.7 | Vertical | 43.5 | 13.7 |
| 215.9975 | 30.06 | 11.9 | 18.16 | Vertical | 43.5 | 13.44 |
| 433.9565 | 25.72 | 17.8 | 7.92 | Vertical | 46 | 20.28 |
| 936.9985 | 29.21 | 24.4 | 4.81 | Vertical | 46 | 16.79 |

For 802.11be(EHT40)Channel No.:38

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30 | 24.31 | 17.9 | 6.41 | Vertical | 40 | 15.69 |
| 62.495 | 23.86 | 6.7 | 17.16 | Vertical | 40 | 16.14 |
| 111.48 | 31.32 | 11.5 | 19.82 | Vertical | 43.5 | 12.18 |
| 284.6735 | 27.68 | 15 | 12.68 | Vertical | 46 | 18.32 |
| 433.3745 | 25.71 | 17.7 | 8.01 | Vertical | 46 | 20.29 |
| 946.0195 | 29.03 | 24.3 | 4.73 | Vertical | 46 | 16.97 |

For 802.11be(EHT40)Channel No.:46

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.097 | 24.21 | 17.9 | 6.31 | Vertical | 40 | 15.79 |
| 61.0885 | 23.33 | 6.5 | 16.83 | Vertical | 40 | 16.67 |
| 143.975 | 29.79 | 13.1 | 16.69 | Vertical | 43.5 | 13.71 |
| 204.115 | 26.3 | 10.7 | 15.6 | Vertical | 43.5 | 17.2 |
| 437.303 | 25.95 | 18.1 | 7.85 | Vertical | 46 | 20.05 |
| 937.6775 | 29.29 | 24.4 | 4.89 | Vertical | 46 | 16.71 |

For 802.11be(EHT80)Channel No.:42

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.3095 | 23.76 | 17.6 | 6.16 | Vertical | 40 | 16.24 |
| 63.3195 | 22.87 | 6.7 | 16.17 | Vertical | 40 | 17.13 |
| 143.8295 | 29.55 | 13 | 16.55 | Vertical | 43.5 | 13.95 |
| 215.9975 | 30.1 | 11.9 | 18.2 | Vertical | 43.5 | 13.4 |
| 436.624 | 25.88 | 18 | 7.88 | Vertical | 46 | 20.12 |
| 934.816 | 29.2 | 24.3 | 4.9 | Vertical | 46 | 16.8 |

For 802.11be(EHT20)Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.164 | 23.89 | 17.7 | 6.19 | Vertical | 40 | 16.11 |
| 61.816 | 24.16 | 6.6 | 17.56 | Vertical | 40 | 15.84 |
| 111.5285 | 31.31 | 11.5 | 19.81 | Vertical | 43.5 | 12.19 |
| 215.9975 | 29.98 | 11.9 | 18.08 | Vertical | 43.5 | 13.52 |
| 443.9475 | 26.14 | 18.5 | 7.64 | Vertical | 46 | 19.86 |
| 933.6035 | 29.14 | 24.3 | 4.84 | Vertical | 46 | 16.86 |

For 802.11be(EHT20)Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 33.007 | 23.36 | 17.1 | 6.26 | Vertical | 40 | 16.64 |
| 83.4955 | 21.63 | 8.4 | 13.23 | Vertical | 40 | 18.37 |
| 111.48 | 31.15 | 11.5 | 19.65 | Vertical | 43.5 | 12.35 |
| 208.674 | 28.04 | 10.8 | 17.24 | Vertical | 43.5 | 15.46 |
| 438.176 | 26 | 18.2 | 7.8 | Vertical | 46 | 20 |
| 951.7425 | 29.04 | 24.4 | 4.64 | Vertical | 46 | 16.96 |

For 802.11be(EHT20)Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.776 | 23.92 | 17.7 | 6.22 | Vertical | 40 | 16.08 |
| 62.01 | 21.65 | 6.6 | 15.05 | Vertical | 40 | 18.35 |
| 111.5285 | 29.81 | 11.5 | 18.31 | Vertical | 43.5 | 13.69 |
| 209.2075 | 27.5 | 10.8 | 16.7 | Vertical | 43.5 | 16 |
| 436.236 | 25.86 | 18 | 7.86 | Vertical | 46 | 20.14 |
| 938.7445 | 29.3 | 24.4 | 4.9 | Vertical | 46 | 16.7 |

For 802.11be(EHT40)Channel No.:54

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.97 | 23.91 | 17.7 | 6.21 | Vertical | 40 | 16.09 |
| 61.234 | 21.79 | 6.5 | 15.29 | Vertical | 40 | 18.21 |
| 116.233 | 28.16 | 11.6 | 16.56 | Vertical | 43.5 | 15.34 |
| 215.7065 | 28.05 | 11.9 | 16.15 | Vertical | 43.5 | 15.45 |
| 442.929 | 26.17 | 18.4 | 7.77 | Vertical | 46 | 19.83 |
| 956.0105 | 29.01 | 24.5 | 4.51 | Vertical | 46 | 16.99 |

For 802.11be(EHT40)Channel No.:62

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.6975 | 23.6 | 17.5 | 6.1 | Vertical | 40 | 16.4 |
| 61.234 | 21.84 | 6.5 | 15.34 | Vertical | 40 | 18.16 |
| 111.5285 | 29.87 | 11.5 | 18.37 | Vertical | 43.5 | 13.63 |
| 209.4015 | 27.5 | 10.8 | 16.7 | Vertical | 43.5 | 16 |
| 441.6195 | 26.16 | 18.4 | 7.76 | Vertical | 46 | 19.84 |
| 941.509 | 29.29 | 24.4 | 4.89 | Vertical | 46 | 16.71 |

For 802.11be(EHT80)Channel No.:58

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.746 | 39.36 | 17.5 | 21.86 | Vertical | 40 | 0.64 |
| 62.6405 | 23.36 | 6.7 | 16.66 | Vertical | 40 | 16.64 |

| | | | | | | |
|----------|-------|------|-------|----------|------|-------|
| 143.975 | 29.73 | 13.1 | 16.63 | Vertical | 43.5 | 13.77 |
| 208.674 | 27.33 | 10.8 | 16.53 | Vertical | 43.5 | 16.17 |
| 441.7165 | 26.18 | 18.4 | 7.78 | Vertical | 46 | 19.82 |
| 956.835 | 28.9 | 24.4 | 4.5 | Vertical | 46 | 17.1 |

For 802.11be(EHT20)Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.455 | 23.68 | 17.6 | 6.08 | Vertical | 40 | 16.32 |
| 60.264 | 21.57 | 6.3 | 15.27 | Vertical | 40 | 18.43 |
| 143.975 | 29.75 | 13.1 | 16.65 | Vertical | 43.5 | 13.75 |
| 215.8035 | 28.87 | 11.9 | 16.97 | Vertical | 43.5 | 14.63 |
| 425.6145 | 25.36 | 17.2 | 8.16 | Vertical | 46 | 20.64 |
| 933.0215 | 29.11 | 24.3 | 4.81 | Vertical | 46 | 16.89 |

For 802.11be(EHT20)Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.2125 | 23.75 | 17.7 | 6.05 | Vertical | 40 | 16.25 |
| 61.234 | 21.89 | 6.5 | 15.39 | Vertical | 40 | 18.11 |
| 143.975 | 29.75 | 13.1 | 16.65 | Vertical | 43.5 | 13.75 |
| 215.755 | 28.24 | 11.9 | 16.34 | Vertical | 43.5 | 15.26 |
| 433.811 | 25.74 | 17.8 | 7.94 | Vertical | 46 | 20.26 |
| 948.3475 | 29.06 | 24.3 | 4.76 | Vertical | 46 | 16.94 |

For 802.11be(EHT20)Channel No.:140

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 32.231 | 23.64 | 17.4 | 6.24 | Vertical | 40 | 16.36 |
| 60.8945 | 20.31 | 6.5 | 13.81 | Vertical | 40 | 19.69 |
| 143.975 | 29.78 | 13.1 | 16.68 | Vertical | 43.5 | 13.72 |
| 215.9975 | 29.79 | 11.9 | 17.89 | Vertical | 43.5 | 13.71 |
| 426.2935 | 25.44 | 17.3 | 8.14 | Vertical | 46 | 20.56 |
| 934.6705 | 29.2 | 24.3 | 4.9 | Vertical | 46 | 16.8 |

For 802.11be(EHT40)Channel No.:102

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.1455 | 24.17 | 17.9 | 6.27 | Vertical | 40 | 15.83 |
| 63.368 | 22.45 | 6.6 | 15.85 | Vertical | 40 | 17.55 |
| 143.975 | 29.73 | 13.1 | 16.63 | Vertical | 43.5 | 13.77 |
| 215.076 | 27.68 | 11.8 | 15.88 | Vertical | 43.5 | 15.82 |
| 439.825 | 26.13 | 18.4 | 7.73 | Vertical | 46 | 19.87 |
| 925.698 | 28.84 | 24.1 | 4.74 | Vertical | 46 | 17.16 |

For 802.11be(EHT40)Channel No.:118

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.7275 | 23.97 | 17.8 | 6.17 | Vertical | 40 | 16.03 |
| 61.816 | 24.21 | 6.6 | 17.61 | Vertical | 40 | 15.79 |
| 111.48 | 29.53 | 11.5 | 18.03 | Vertical | 43.5 | 13.97 |
| 209.062 | 27.77 | 10.8 | 16.97 | Vertical | 43.5 | 15.74 |
| 435.6055 | 25.75 | 17.9 | 7.85 | Vertical | 46 | 20.25 |
| 947.3775 | 29.09 | 24.3 | 4.79 | Vertical | 46 | 16.91 |

For 802.11be(EHT40)Channel No.:142

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.097 | 24.2 | 17.9 | 6.3 | Vertical | 40 | 15.8 |
| 61.04 | 23.3 | 6.5 | 16.8 | Vertical | 40 | 16.7 |
| 111.965 | 29.49 | 11.5 | 17.99 | Vertical | 43.5 | 14.01 |
| 215.755 | 28.32 | 11.9 | 16.42 | Vertical | 43.5 | 15.18 |
| 437.4485 | 25.97 | 18.1 | 7.87 | Vertical | 46 | 20.03 |
| 943.8855 | 29.2 | 24.3 | 4.9 | Vertical | 46 | 16.8 |

For 802.11be(EHT80)Channel No.:106

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 32.134 | 23.44 | 17.4 | 6.04 | Vertical | 40 | 16.56 |
| 83.253 | 19.34 | 8.4 | 10.94 | Vertical | 40 | 20.66 |
| 143.975 | 29.72 | 13.1 | 16.62 | Vertical | 43.5 | 13.78 |
| 215.9975 | 29.76 | 11.9 | 17.86 | Vertical | 43.5 | 13.74 |
| 440.0675 | 26.2 | 18.4 | 7.8 | Vertical | 46 | 19.8 |
| 889.808 | 27.72 | 23.8 | 3.92 | Vertical | 46 | 18.28 |

For 802.11be(EHT80)Channel No.:122

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.388 | 24.05 | 17.8 | 6.25 | Vertical | 40 | 15.95 |
| 63.174 | 21.99 | 6.7 | 15.29 | Vertical | 40 | 18.01 |
| 117.7365 | 28.77 | 12 | 16.77 | Vertical | 43.5 | 14.73 |
| 215.852 | 28.94 | 11.9 | 17.04 | Vertical | 43.5 | 14.56 |
| 440.892 | 26.14 | 18.4 | 7.74 | Vertical | 46 | 19.86 |
| 948.687 | 29 | 24.3 | 4.7 | Vertical | 46 | 17 |

For 802.11be(EHT80)Channel No.:138

| Frequency(MHz) | Result(dBuV/m) | ARpl | Pmea | Polarity | Limit | Margin |
|----------------|----------------|------|------|----------|-------|--------|
|----------------|----------------|------|------|----------|-------|--------|

| | | (dB) | (dBuV/m) | | (dBuV/m) | (dB) |
|----------|-------|------|----------|----------|----------|-------|
| 31.746 | 23.66 | 17.5 | 6.16 | Vertical | 40 | 16.34 |
| 64.047 | 21.14 | 6.6 | 14.54 | Vertical | 40 | 18.86 |
| 144.169 | 29.39 | 13.1 | 16.29 | Vertical | 43.5 | 14.11 |
| 215.8035 | 28.81 | 11.9 | 16.91 | Vertical | 43.5 | 14.69 |
| 503.9905 | 26.38 | 18.4 | 7.98 | Vertical | 46 | 19.62 |
| 940.733 | 29.32 | 24.4 | 4.92 | Vertical | 46 | 16.68 |

For 802.11be(EHT20)Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.261 | 23.78 | 17.6 | 6.18 | Vertical | 40 | 16.22 |
| 63.271 | 23.02 | 6.7 | 16.32 | Vertical | 40 | 16.98 |
| 143.781 | 27.5 | 13 | 14.5 | Vertical | 43.5 | 16 |
| 215.7065 | 28.08 | 11.9 | 16.18 | Vertical | 43.5 | 15.42 |
| 440.116 | 26.19 | 18.4 | 7.79 | Vertical | 46 | 19.81 |
| 907.2195 | 28.07 | 24.1 | 3.97 | Vertical | 46 | 17.93 |

For 802.11be(EHT20)Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.358 | 23.8 | 17.6 | 6.2 | Vertical | 40 | 16.2 |
| 61.719 | 22.99 | 6.6 | 16.39 | Vertical | 40 | 17.01 |
| 113.614 | 28.52 | 11.5 | 17.02 | Vertical | 43.5 | 14.98 |
| 214.5425 | 27.48 | 11.8 | 15.68 | Vertical | 43.5 | 16.02 |
| 435.363 | 25.71 | 17.9 | 7.81 | Vertical | 46 | 20.29 |
| 908.529 | 28.17 | 24.1 | 4.07 | Vertical | 46 | 17.83 |

For 802.11be(EHT20)Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.3095 | 23.74 | 17.6 | 6.14 | Vertical | 40 | 16.26 |
| 62.495 | 23.94 | 6.7 | 17.24 | Vertical | 40 | 16.06 |
| 143.975 | 29.82 | 13.1 | 16.72 | Vertical | 43.5 | 13.68 |
| 215.755 | 27.68 | 11.9 | 15.78 | Vertical | 43.5 | 15.82 |
| 423.8685 | 25.32 | 17.1 | 8.22 | Vertical | 46 | 20.68 |
| 935.592 | 29.31 | 24.4 | 4.91 | Vertical | 46 | 16.69 |

For 802.11be(EHT40)Channel No.:151

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.388 | 24.19 | 17.8 | 6.39 | Vertical | 40 | 15.81 |
| 61.1855 | 22.71 | 6.5 | 16.21 | Vertical | 40 | 17.29 |
| 143.975 | 29.8 | 13.1 | 16.7 | Vertical | 43.5 | 13.7 |
| 209.45 | 27.81 | 10.8 | 17.01 | Vertical | 43.5 | 15.69 |

| | | | | | | |
|----------|-------|------|------|----------|----|-------|
| 441.5225 | 26.15 | 18.4 | 7.75 | Vertical | 46 | 19.85 |
| 943.74 | 29.24 | 24.3 | 4.94 | Vertical | 46 | 16.76 |

For 802.11be(EHT40)Channel No.:159

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 32.037 | 23.48 | 17.4 | 6.08 | Vertical | 40 | 16.52 |
| 83.9805 | 19.04 | 8.4 | 10.64 | Vertical | 40 | 20.96 |
| 115.6995 | 26.75 | 11.5 | 15.25 | Vertical | 43.5 | 16.75 |
| 280.5025 | 28.05 | 14.8 | 13.25 | Vertical | 46 | 17.95 |
| 438.6125 | 26.04 | 18.3 | 7.74 | Vertical | 46 | 19.96 |
| 709.7275 | 24.4 | 21.1 | 3.3 | Vertical | 46 | 21.6 |

For 802.11be(EHT80)Channel No.:155

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 30.1455 | 24.22 | 17.9 | 6.32 | Vertical | 40 | 15.78 |
| 83.8835 | 19.05 | 8.4 | 10.65 | Vertical | 40 | 20.95 |
| 117.882 | 27.44 | 12.1 | 15.34 | Vertical | 43.5 | 16.06 |
| 276.5255 | 28.58 | 14.8 | 13.78 | Vertical | 46 | 17.42 |
| 430.1735 | 25.62 | 17.6 | 8.02 | Vertical | 46 | 20.38 |
| 934.719 | 29.28 | 24.3 | 4.98 | Vertical | 46 | 16.72 |


For 802.11be(EHT160)Channel No.:50

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 32.328 | 23.57 | 17.4 | 6.17 | Vertical | 40 | 16.43 |
| 83.544 | 19.05 | 8.4 | 10.65 | Vertical | 40 | 20.95 |
| 111.4315 | 27.53 | 11.4 | 16.13 | Vertical | 43.5 | 15.97 |
| 214.4455 | 26.2 | 11.7 | 14.5 | Vertical | 43.5 | 17.3 |
| 425.1295 | 25.29 | 17.2 | 8.09 | Vertical | 46 | 20.71 |
| 959.842 | 28.71 | 24.3 | 4.41 | Vertical | 46 | 17.29 |

For 802.11be(EHT160)Channel No.:114

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 31.358 | 23.7 | 17.6 | 6.1 | Vertical | 40 | 16.3 |
| 83.544 | 19.02 | 8.4 | 10.62 | Vertical | 40 | 20.98 |
| 111.868 | 26.96 | 11.5 | 15.46 | Vertical | 43.5 | 16.54 |
| 213.3785 | 26.32 | 11.5 | 14.82 | Vertical | 43.5 | 17.18 |
| 440.892 | 26.14 | 18.4 | 7.74 | Vertical | 46 | 19.86 |
| 921.139 | 28.42 | 23.9 | 4.52 | Vertical | 46 | 17.58 |

Full Spectrum




Frequency Range: 9kHz -30MHz
Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.


Carrier frequency (MHz): 5180
Channel No.:36

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5220
Channel No.44




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5240
Channel No.:48

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5190
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5230
Channel No.:46




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5210
Channel No.:42

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Carrier frequency (MHz): 5260
Channel No.:52

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5300
Channel No.:60

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5320
Channel No.:64




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5270
Channel No.:54

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5310
Channel No.:62




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5290
Channel No.:58

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5500
Channel No.:100




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5600
Channel No.:120

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5700
Channel No.:140

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5510
Channel No.:102




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5590
Channel No.:118




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5670
Channel No.:134

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5530
Channel No.:106

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5610
Channel No.:122




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5690
Channel No.:138




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Carrier frequency (MHz): 5745
Channel No.:149

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5785
Channel No.:157




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5825
Channel No.:165

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5755
Channel No.:151




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5795
Channel No.:159




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5775
Channel No.:155