



A2846_5G_Product-mmWave-MPE_Simulation_Report- withsimPDPlots

Model No	FCC ID:
A2846	BCG-E8427A

Date of Simulation:

3/1/2023-6/15/2023

Location:

Apple Inc., Cupertino, CA, USA



Table of Contents

1	<i>Introduction</i>	5
2	<i>MPE Simulation Methodology</i>	5
3	<i>MPE Measurements</i>	6
4	<i>MPE (sPD) Simulations</i>	7
5	<i>Uncertainty Budget for Simulation</i>	11
6	<i>Simulation vs. Measurement</i>	12
	<i>Appendix A: Worst Phase Derivation for Beam Pair</i>	21
	<i>Appendix B: 4 cm² Averaging PD and Scaling Factor</i>	22
	<i>Appendix C: MPE (sPD) Simulation Using New Guideline from Qualcomm</i>	46
	<i>References</i>	54



List of Figures

Figure 1. Model validation workflow for MPE simulation and evaluation.	6
Figure 2. MPE measurement setup.....	7
Figure 3. Sketch of the probe showing that the minimum measurable distance is 2 mm.	7
Figure 4. Schematic of the simulation mode, which consists of three 5G antenna arrays, (a) back-firing array 1 (rear view), (b) back-firing array 2 (rear view), and (c) side-firing array (side view).....	8
Figure 5. Evaluating surfaces for MPE (sPD).....	9
Figure 6. An example version of the antenna codebook.	11
Figure 7. Simulated and measured point PD for different beams for n258.....	15
Figure 8. Simulated and measured point PD for different beams for n261.....	18
Figure 9. Simulated and measured point PD for different beams for n260.....	21



List of Tables

Table 1- PD Evaluation Planes (any distance less than 2.5 cm is reported as 0 cm)	9
Table 2 – Preliminary budget of the uncertainty contributions of the numerical algorithm for the validation- or testing-setup.....	11
Table 3 - Simulated and measured n258 MPE (sPD) at 2 mm away from DUT.	13
Table 4 - Simulated and measured n261 MPE (sPD) at 2 mm away from DUT.	16
Table 5 – Simulated and measured n260 MPE (sPD) at 2 mm away from DUT.....	19



1 Introduction

This document provides an overview of the methodology used for Maximum Permissible Exposure (MPE) compliance of the 5G mmWave radios on next generation iPhone.

Due to the presence of multiple antenna arrays, and multiple antenna beams for each antenna array, we propose to use a combination of simulation and measurement to demonstrate MPE (sPD) compliance. At a high level, the discussion is grouped into the following topics:

- Brief introduction to MPE simulation methodologies
- Explanation of the approach to demonstrate MPE (sPD) compliance in a device using measurements
- Brief review of the device configuration and operation, and detailed description of the simulation methodology and results

A few things to be noted are:

1. The simulation and validation methods described herein follow QC guidance for SAR Char and PD Char for determining the worst-case beam for static transmission measurements.
2. The PD simulation models are built with different CAD models for different programs.
3. Based on guidance, we intend to characterize the three highest MPE beams per polarization per module to choose the scaling factor for all other beams on that module/polarization.

2 MPE Simulation Methodology

3D full-wave simulation is used to evaluate MPE for each antenna array module's beam. Each beam is created by invoking a pre-defined codebook that has the proper array elements' excitation (i.e., magnitude and phase) to create the beam.

The following steps are taken to verify the validity of the model used for MPE simulations and then the verified model is used for the MPE calculations:

1) EM Simulation:

- Import a CAD model that represents the actual product in the simulation tool
- Define material properties inside the product based on vendor's inputs
- Perform mesh seeding and solve

2) Compile Fields and Codebook:

- Extract field data from solved model and arrange in format required by Qualcomm Module Group (MG) Script [1]
- Input PD char codebook generated by Qualcomm Webchar tool

3) MPE Calculations:

- Set averaging area to 4cm² using MG Script configuration xml file
- Run MG script to generate MPE and power limit tables for each beam ID in codebook

4) Validate Simulation Model:

- Measure MPE



- Compare measurement vs simulation
- Once a correlation is established, and model's accuracy is verified, this model will be used for computational MPE assessments

5) Run Additional Verifications:

- Use verification data generated by MG Script
- Measure MPE for worst case beams given by MG Script
- Use EM tools, MG Script to complete additional verifications




Figure 1. Model validation workflow for MPE simulation and evaluation.

3 MPE Measurements

A mmWave DAE SN 1411 module from SPEAG is used to measure the MPE (sPD) above the DUT. Figure 2 shows the setup of measurement. The mmWave E-field probe is used to measure the electric field above DUT. The near-field magnetic field and MPE are further obtained using this setup. The measurement algorithm can be found in [2] in detail.




Figure 2. MPE measurement setup.

The distance from probe sensor tip to the edge of the housing is 1.5 mm, and there is 0.5 mm gap between probe tip and the DUT surface to prevent mechanical damage. Therefore, the closest distance that the setup can measure is 2 mm as shown below in Figure 3.




Figure 3. Sketch of the probe showing that the minimum measurable distance is 2 mm.

4 MPE (sPD) Simulations

In 5G, MIMO antennas are designed to orient the beam to specific directions to improve link budgets. Most MIMOs can be configured by using the codebook with each code resulting in a different exposure. The number of codes in the codebook can be very large and measurements of all possible configurations have been shown to be impractical. Therefore, simulation is used to determine the modes/configurations that result in the highest MPE.

All elements are dual polarized patch antennas with horizontal and vertical feeds.



Simulation Models

Figure 4 is a schematic of the simulation model. There are three antenna arrays in the phone, which are back-firing array 1, back-firing array 2 and side-firing array.




Figure 4. Schematic of the simulation mode, which consists of three 5G antenna arrays, (a) back-firing array 1 (rear view), (b) back-firing array 2 (rear view), and (c) side-firing array (side view).

The measurements and simulations are correlated across different evaluating surfaces 2 mm away from each DUT surface (drawn not to scale), as shown in Figure 5 below. Six surfaces will be evaluated, respectively: front (S1), back (S2), left (S3), right (S4), top (S5) and bottom (S6). As Table 1 shows, for the three antenna arrays, only the evaluating planes within 2.5 cm from the edges of the antenna modules will be considered. This does not apply to the back-to-front or front-to-back condition since fields from the back module will be blocked at the front evaluating plane (and vice versa) by the metal parts (such as battery, MLB) in between.

The “left” and “right” edges in the report are defined relative to the front of the device.




Figure 5. Evaluating surfaces for MPE (sPD).

Table 1- PD Evaluation Planes (any distance less than 2.5 cm is reported as 0 cm)

	Front (S1)	Rear (S2)	Left from Front View (S3)	Right from Front View (S4)	Top (S5)	Bottom (S6)
Side Array	Yes (0 cm)	Yes (0 cm)	No (7 cm)	Yes (0 cm)	No (8 cm)	No (4 cm)
Back Array 1	No (0 cm)	Yes (0 cm)	Yes (0 cm)	No (4 cm)	No (3 cm)	No (11 cm)
Back Array 2	No (0 cm)	Yes (0 cm)	Yes (0 cm)	No (4 cm)	Yes (0 cm)	No (12 cm)

Power Density Definition

After solving the 3D full-wave electromagnetic simulation, various physical quantities can be derived. To calculate PD evaluation, two physical quantities, an electric field \vec{E} and a magnetic field \vec{H} are needed. The actual consumption power can be expressed as the real term of the Poynting vector \vec{S} from the cross product of \vec{E} and complex conjugation of \vec{H} as shown below:

$$\vec{S} = \frac{1}{2} \text{Re}(\vec{E} \times \vec{H}^*)$$



\vec{S} can be expressed as localized power density based on a peak value of each spatial point on mesh grid. From the localized power density \vec{S} , the spatial-averaged power density (PD) on an evaluated area (A) can be shown as below

$$PD = \frac{1}{A} \int_A \vec{S} \cdot d\vec{A} = \frac{1}{2A} \int_A \text{Re}(\vec{E} \times \vec{H}^*) \cdot d\vec{A}$$

For the purposes of these simulations, PD is the total power density value considering the contributions of x, y, and z components of localized power density \vec{S} . The evaluated area A is 4 cm². To capture worst-case power density conditions, simulations and measurements were performed assuming a 100% duty cycle. The quantities described in this section are evaluated using Qualcomm MG Script. Please refer to Appendix A for worst case total power density derivation.

Simulation Methodology:

A time domain 3D Full-Wave Electromagnetic Simulation is performed using CST Studio Suite. The solver calculates electric and magnetic fields at discrete locations and time samples. To achieve high accuracy at all locations, the total electromagnetic energy inside the calculation domain is used as a convergence criterion. The solvers terminate when the normalized energy is decayed to -40 dB. This ensures -40 dB decay at all locations and ensures high accuracy of simulation output.

Boundary Conditions:

The boundary condition for simulating electromagnetic behavior in CST is to allow the electromagnetic waves to be electrically open at the boundary and radiated far away without reflection. CST can support the absorption boundary condition (ABC) for radiation boundary and normally requires a quarter-wavelength separation from the structure.

Source Excitation and Example Codebook:

Figure 66 shows an example of the codebook for the antenna modules. The third column of the codebook is the beam ID. The other notable columns are “Amplitude” and “Phase” columns which are the excitation amplitude and phase for each antenna element. Each beam has a “Paired_with” beam for concurrent MIMO streams. The last column is the index of the beam which is paired with the index shown in the third column. The “Amplitude” is in dBm, and “Phase” is in degrees. In real applications, amplitude of the input power for n258, n261 and n260 is 6 dBm. One thing to be noted is that the codebook is defined at the chipset, not at the antenna elements.



Band	Shared_BarBeam_ID	Module	Ant_Group	Subarray	Ant_Type	Ant_Feed	Amplitude	Phase	Paired_With
257	261	0	0	0	7 PATCH	15	0	0	128
257	261	1	0	0	9 PATCH	9	0	0	129
257	261	2	1	0	11 PATCH	10	0	0	130
257	261	3	0	0	7 PATCH	14	0	0	131
257	261	4	0	0	9 PATCH	10	0	0	132
257	261	5	1	0	11 PATCH	11	0	0	133
257	261	6	0	0	7 PATCH	12	0	0	134
257	261	7	1	0	11 PATCH	12	0	0	135
257	261	8	0	0	7 PATCH	13	0	0	136
257	261	9	1	0	11 PATCH	13	0	0	137
257	261	10	0	0	7 PATCH	16	0	0	138
257	261	11	1	0	11 PATCH	14	0	0	139
257	261	12	0	0	7 PATCH	15;14	0;0	281.25;157	140
257	261	13	0	0	7 PATCH	15;14	0;0	337.5;146.	141
257	261	14	0	0	7 PATCH	12;13	0;0	191.25;0	142
257	261	15	0	0	7 PATCH	14;12	0;0	33.75;67.5	143
257	261	16	0	0	9 PATCH	9;10	0;0	225;45	144
257	261	17	0	0	9 PATCH	9;10	0;0	270;11.25	145
257	261	18	0	0	9 PATCH	9;10	0;0	337.5;0	146
257	261	19	0	0	9 PATCH	9;10	0;0	191.25;146	147
257	261	20	1	0	11 PATCH	10;11	0;0	22.5;202.5	148

Figure 6. An example version of the antenna codebook.

Averaging the Power Density for MPE (sPD):

Qualcomm MG script performs spatial averaging needed to determine the MPE values from the power density simulation results over the 4 cm² area required by the FCC.

5 Uncertainty Budget for Simulation

Below is a table summarizing the budget of the uncertainty contributions of the numerical algorithm and of the rendering of the simulation setup. The table was filled using the IEC 62704-1, 2017 [3].

Table 2 – Preliminary budget of the uncertainty contributions of the numerical algorithm for the validation- or testing-setup

Uncertainty component	Probability distribution	Divisor f(d, h) ¹	C_i^2	Uncertainty %
Mesh resolution	Normal	1	1	1.27
ABC	Normal	1	1	0.11
Power budget	Normal	1	1	2.58
Convergence	Rectangular	1,73	1	0.05
DUT dielectrics	Normal	1	1	2.96
Lossy conductors	Rectangular	1,73	1	0.75
Combined standard uncertainty ($k = 1$)				7.72



Note 1: The divisor is a function of the probability distribution and degrees of freedom (ν_i and ν_{eff}).

Note 2: c_i is the sensitivity coefficient that is applied to convert the variability of the uncertainty component into a variability of psPD.

6 Simulation vs. Measurement

The measured MPE and simulated MPE values for band n258 are summarized below in Table 3, with unit W/m^2 . The difference between simulated and measured MPE values is in dB. Simulated and measured point PD for different beams for n258 are shown in Figure 7. The comparison is performed as per guidelines in [4].

a) Side-Firing Array, n258

Beam ID	Ant Pol	Simulation (W/m^2)	Measurement (W/m^2)	Delta = Sim – Meas. (dB)
		S4	S4	S4
38	V	25.71	16.3	1.98
47	V	24.28	13.8	2.45
39	V	22.43	16.1	1.44
178	H	21.90	15.8	1.42
169	H	21.49	15.8	1.34
168	H	19.65	14.8	1.23

b) Back-Firing Array 1, n258

Beam ID	Ant Pol	Simulation (W/m^2)	Measurement (W/m^2)	Delta = Sim – Meas. (dB)
		S2	S2	S2
44	V	23.3	15.1	1.88
35	V	19.9	16.2	0.89
34	V	19.42	15.4	1.01
163	H	25.14	15.7	2.04
172	H	24.58	16.7	1.68
173	H	20.63	18.6	0.45

c) Back-Firing Array 2, n258

Beam ID	Ant Pol	Simulation (W/m^2)	Measurement (W/m^2)	Delta = Sim – Meas. (dB)
		S2	S2	S2
19	V	5.11	3.6	1.52



29	V	5.34	4.2	1.04
18	V	5.37	4.2	1.07
155	H	7.57	3.0	4.02
144	H	6.75	2.5	4.31
145	H	7.43	3.2	3.66







Table 3 - Simulated and measured n258 MPE (sPD) at 2 mm away from DUT.

a) Side-Firing Array, n258




Beam ID	Surface	Simulated Point PD	Measured Point PD	Print out from MG Script
38	S1			
	S2			
	S4			



b) Back-Firing Array 1, n258

Beam ID	Surface	Simulated Point PD	Measured Point PD	Print out from MG Script
173	S2			
	S3			

c) Back-Firing Array 2, n258

Beam ID	Surface	Simulated Point PD	Measured Point PD	Print out from MG Script
18	S2			




Figure 7. Simulated and measured point PD for different beams for n258

Measured MPE and simulated MPE values for band n261 are summarized below in Table 4, with unit W/m^2 . The difference between simulated and measured MPE values is in dB. Simulated and measured point PD for different beams for n261 are shown in Figure 8.

a) Side-Firing Array, n261

Beam ID	Ant Pol	Simulation (W/m^2)	Measurement (W/m^2)	Delta = Sim – Meas. (dB)
		S4	S4	S4
42	V	24.9	14.2	2.44
50	V	20.6	16.9	0.86
41	V	17.61	15.9	0.44
170	H	28.17	14.9	2.77
178	H	24.33	15.8	1.87
169	H	20.63	14.2	1.62

b) Back-Firing Array 1, n261

Beam ID	Ant Pol	Simulation (W/m^2)	Measurement (W/m^2)	Delta = Sim – Meas. (dB)
		S2	S2	S2
45	V	26.83	18.3	1.66
35	V	25.46	18.3	1.43
36	V	23.66	18.3	1.12






174	H	20.48	16.4	0.96
164	H	20.27	17.1	0.74
173	H	19.8	17.9	0.44

c) Back-Firing Array 2, n261

Beam ID	Ant Pol	Simulation (W/m ²)	Measurement (W/m ²)	Delta = Sim – Meas. (dB)
		S2	S2	S2
18	V	7.06	4.3	2.15
29	V	6.97	4.2	2.2
28	V	7.06	4.0	2.47
157	H	6.26	3.3	2.78
147	H	6.43	2.3	4.46
144	H	6.44	1.9	5.3

Table 4 - Simulated and measured n261 MPE (sPD) at 2 mm away from DUT.

a) Side-Firing Array, n261

Beam ID	Surface	Simulated Point PD	Measured Point PD	Print out from MG Script
50	S1			



	S2			
	S4			

b) Back-Firing Array 1, n261

Beam ID	Surface	Simulated Point PD	Measured Point PD	Print out from MG Script
36	S2			
	S3			

c) Back-Firing Array 2, n261

Beam ID	Surface	Simulated Point PD	Measured Point PD	Print out from MG Script
---------	---------	--------------------	-------------------	--------------------------




Figure 8. Simulated and measured point PD for different beams for n261.

Measured MPE and simulated MPE values for band n260 are summarized below in Table 5, with unit W/m^2 . The difference between simulated and measured MPE values is in dB. Simulated and measured point PD for different beams for n260 are shown in Figure 9.

a) Side-Firing Array, n260

Beam ID	Ant Pol	Simulation (W/m^2)	Measurement (W/m^2)	Delta = Sim – Meas. (dB)
		S4	S4	S4
50	V	21.17	14.2	1.73
40	V	20.97	8.7	3.82
41	V	20.69	13.0	2.02
169	H	15.02	9.2	2.13
170	H	19.16	7.1	4.31



177	H	15.94	14.2	0.5
-----	---	--------------	-------------	-----

b) Back-Firing Array 1, n260




Beam ID	Ant Pol	Simulation (W/m ²)	Measurement (W/m ²)	Delta = Sim – Meas. (dB)
		S2	S2	S2
37	V	16.42	6.5	4.02
45	V	14.45	11.8	0.88
46	V	16.03	8.8	2.6
171	H	15.15	8.2	2.67
173	H	13.86	8.0	2.39
165	H	14.81	8.4	2.46

c) Back-Firing Array 2, n260







Beam ID	Ant Pol	Simulation (W/m ²)	Measurement (W/m ²)	Delta = Sim – Meas. (dB)
		S2	S2	S2
19	V	4.41	1.5	4.68
29	V	4.3	1.9	3.55
16	V	4.39	1.4	4.96
157	H	3.89	1.5	4.14
144	H	3.74	1.4	4.27
147	H	3.67	1.6	3.61

Table 5 – Simulated and measured n260 MPE (sPD) at 2 mm away from DUT.







a) Side-Firing Array, n260

Beam ID	Surface	Simulated Point PD	Measured Point PD	Print out from MG Script
177	S1			



	S2			
	S4			

b) Back-Firing Array 1, n260

Beam ID	Surface	Simulated Point PD	Measured Point PD	Print out from MG Script
45	S2			
	S3			



c) Back-Firing Array 2, n260

Beam ID	Surface	Simulated Point PD	Measured Point PD	Print out from MG Script
29	S2			
	S3			
	S5			

Figure 9. Simulated and measured point PD for different beams for n260.

Appendix A: Worst Phase Derivation for Beam Pair

For beam pairs, since the relative phase between two beams is unknown, so finding the worst-case PD by sweeping the relative phase for all possible angles is required for conservative assessments.

Assuming E-field and H-field for beam ID a are $\{E_{x_a}, E_{y_a}, E_{z_a}\}$ and $\{H_{x_a}, H_{y_a}, H_{z_a}\}$, respectively; for beam pair which is ID b is $\{E_{x_b}, E_{y_b}, E_{z_b}\}$ and $\{H_{x_b}, H_{y_b}, H_{z_b}\}$, respectively. The relative phase between beam a and b is θ , the combined E and H field after beam pairing is:

$$E_{x_pair_i}(\theta) = E_{x_a} + E_{x_b} \times e^{-j\omega\theta}$$



$$E_{y_pair_i}(\theta) = E_{y_a} + E_{y_b} \times e^{-j\omega\theta}$$

$$E_{z_pair_i}(\theta) = E_{z_a} + E_{z_b} \times e^{-j\omega\theta}$$

$$H_{x_pair_i}(\theta) = H_{x_a} + H_{x_b} \times e^{-j\omega\theta}$$

$$H_{y_pair_i}(\theta) = H_{y_a} + H_{y_b} \times e^{-j\omega\theta}$$

$$H_{z_pair_i}(\theta) = H_{z_a} + H_{z_b} \times e^{-j\omega\theta}$$

The combined PD can be calculated as:

$$PD_x_pair_i(\theta) = E_{y_pair_i}(\theta) \times H_{z_pair_i}(\theta)^* - E_{z_pair_i}(\theta) \times H_{y_pair_i}(\theta)^*$$

$$PD_y_pair_i(\theta) = E_{z_pair_i}(\theta) \times H_{x_pair_i}(\theta)^* - E_{x_pair_i}(\theta) \times H_{z_pair_i}(\theta)^*$$

$$PD_z_pair_i(\theta) = E_{x_pair_i}(\theta) \times H_{y_pair_i}(\theta)^* - E_{y_pair_i}(\theta) \times H_{x_pair_i}(\theta)^*$$

$$PD(\theta) = \frac{1}{2}[(\text{Re}(PD_x_pair_i(\theta)))^2 + (\text{Re}(PD_y_pair_i(\theta)))^2 + (\text{Re}(PD_z_pair_i(\theta)))^2]^{1/2}$$

Sweep θ from 0 degree to 360 degree to find the worst case beam pair. For more details, please refer to [4].

Appendix B: 4 cm² Averaging PD and Scaling Factor

4 cm² Averaging PD: The following tables show the simulated sPD results for all three different arrays, at both band n258, n261 and band n260. Table a), b), and c) show the results for n258, for side array, back array 1, and back array 2, respectively; table d), e), and f) show the results for n261, for side array, back array 1, and back array 2, respectively; table g), h) and i) show the results for n260, for side array, back array 1, and back array 2, respectively.

a) Simulated sPD (W/m²) at 4 cm² averaging for side array at n258.

Module ID	Beam ID 1	Beam ID 2	4 cm ² sPD (W/m ²) at 6 dBm per port, n258								
			LB			MB			HB		
1			S1	S2	S4	S1	S2	S4	S1	S2	S4
Side Array	2		1.36	0.62	4.6	1.55	0.66	4.84	1.61	0.69	4.87
	5		2.28	0.75	5.29	2.23	0.7	5.07	2.01	0.66	4.55
	7		1.58	0.77	4.78	1.37	0.69	4.1	1.15	0.59	3.53
	9		1.37	0.63	4.64	1.41	0.65	4.2	1.56	0.7	4.41
	11		1.51	0.75	4.5	1.55	0.69	4.36	1.46	0.62	4.23
	20		2.62	1.4	7.79	2.47	1.42	7.63	2.33	1.47	7.35
	21		4.05	2.12	9.87	3.97	2.18	9.68	4.13	2.21	9.96
	22		1.98	1.13	6.63	2.03	1.02	5.92	2.26	0.97	5.83
	23		4.96	1.6	10.56	5.45	1.64	10.94	5.28	1.68	10.37
	30		4.14	2.12	11.38	3.74	2.05	10.19	3.49	1.97	9.54
	31		5.03	1.83	10.07	5.18	2.01	10.47	4.88	2.07	10.03
	32		5.06	1.66	10.58	5.5	1.74	10.98	5.31	1.79	10.45
38		9.61	6.43	26.94	8.77	6.41	25.71	8.37	6.14	24.34	



	39		10.51	5.56	22.32	10.26	5.64	22.43	9.72	5.56	21.66
	40		10.06	5.19	20.84	9.89	5.39	20.96	8.93	5.34	19.83
	41		7.01	3.48	16.54	8.9	3.52	18.64	9.66	4.12	19.86
	42		7.95	2.69	19.4	7.74	2.49	16.38	8.31	1.96	15.18
	47		10.59	5.84	24.46	10.13	5.97	24.28	9.62	5.86	23.62
	48		10.52	5.63	21.15	10.08	5.67	20.84	9.21	5.42	19.68
	49		9.05	4.12	19.15	9.88	4.95	20.61	9.39	5.16	19.93
	50		7.22	3.09	16.33	8.1	2.87	15.37	9.36	2.59	16.91
	130		1.84	1.02	5.64	2.02	1.02	5.72	1.92	0.96	5.28
	133		1.43	0.64	4.15	1.47	0.72	3.78	1.57	0.74	3.71
	135		1.3	0.33	3.19	1.57	0.49	3.79	1.67	0.56	4.16
	137		1.16	0.4	3.6	1.15	0.41	3.73	0.88	0.34	3.15
	139		1.2	0.53	3.9	1.16	0.57	3.53	1.29	0.66	3.97
	148		2.37	0.74	7.2	2.63	0.73	7.08	2.82	0.84	6.75
	149		4.05	1.92	10.14	4.47	2.04	9.78	4.6	2.04	9.62
	150		2.13	1.02	6.46	2.33	1.38	7.23	2.52	1.46	7.26
	151		3.06	2.3	9.18	2.94	2.29	8.73	2.7	2.11	7.98
	158		3.28	1.14	8.6	3.68	1.3	8.29	3.9	1.38	8.09
	159		3.05	1.38	7.32	3.51	1.78	8.48	3.78	1.94	9.05
	160		1.23	0.8	5.74	0.98	0.78	5.41	0.9	0.88	5.7
	166		8.65	2.68	17.16	8.89	2.27	16.5	9.56	2.34	17.88
	167		7.47	3.44	16.25	9.02	3.82	18.58	9.41	4.08	19.39
	168		7.76	4.06	17.84	8.79	4.82	19.65	9.16	5.16	20.4
	169		7.69	5	21.91	7.22	5.47	21.49	6.83	5.27	19.94
	170		4.71	3.89	18.76	4.99	4.77	20.12	4.88	4.88	19.22
	175		7.68	2.65	14.84	8.79	3.11	16.76	9.61	3.27	18.67
	176		7.13	3.66	16.81	8.53	4.37	18.69	9.18	4.8	19.62
	177		7.45	3.95	17.11	7.74	4.5	18.49	7.47	4.62	18.32
	178		6.14	4.95	22.05	5.94	5.51	21.9	5.63	5.39	20.05
	2	130	4.7	2.45	14.27	5.2	2.45	14.33	5.19	2.35	13.74
	5	133	5.09	1.8	10.26	4.9	1.79	10.35	4.87	1.79	10.53
	7	135	4.41	1.28	9.56	4.2	1.47	9.68	3.88	1.5	8.86
	9	137	3.66	1.29	9.65	3.35	1.29	8.32	3.06	1.16	8.13
	11	139	3.92	1.8	10.85	3.92	1.75	10.2	3.98	1.87	10.82
	20	148	7.43	2.62	17.7	8.13	2.64	18.79	8.29	3.14	19.1
	21	149	7.36	3.15	17.75	7.38	3.19	17.26	7.5	3.17	17.72
	22	150	5.8	2.73	14.17	6.32	3.05	13.73	7.12	2.72	15.27
	23	151	11.98	5.91	23.99	12.54	5.79	24.34	12.22	5.29	22.86
	30	158	9.6	3.11	20.38	9.28	2.99	19.32	8.99	2.93	18.98
	31	159	9.33	4.29	18.85	9.33	4.97	20.77	9.43	5.26	21.37
	32	160	6.28	2.86	14.12	6.7	2.92	14.18	6.26	2.89	14.14
	38	166	30.21	13.18	55.86	29.48	11.67	54.96	30.04	10.55	57.64
	39	167	27.06	11.19	48.88	29.28	12.11	53.48	29.04	12.68	54.51
	40	168	26.96	12.66	51.42	27.45	13.79	53.07	26.1	14.2	52.78
	41	169	22.07	12.63	45.39	24.61	13	47.25	25.29	12.55	49.55



	42	170	18.96	9.48	42.46	18.54	10.62	39.15	19.93	9.44	40.76
	47	175	29.39	11.33	51.48	30.23	11.46	54.53	31.02	11.63	57.6
	48	176	26.02	12.42	49.34	27.19	13.31	51.53	26.77	13.51	52.09
	49	177	24.22	11.38	46.52	26.18	12.49	50.07	24.96	12.86	48.81
	50	178	19.86	12.07	44.51	21.23	12.28	40.06	23.46	11.43	45.44

b) Simulated sPD (W/m²) at 4 cm² averaging for back array 1 at n258.

		4 cm ² sPD (W/m ²) at 6 dBm per port, n258									
Module ID	Beam ID 1	Beam ID 2	LB			MB			HB		
0			S1	S2	S3	S1	S2	S3	S1	S2	S3
Back Array 1	0		x	3.52	1.04	x	3.6	1	x	3.63	1
	3		x	4.31	0.4	x	3.7	0.25	x	2.93	0.28
	6		x	2.68	0.62	x	3.38	0.85	x	3.91	0.92
	8		x	3.03	0.69	x	2.82	0.99	x	2.33	1.22
	10		x	2.47	0.35	x	3.12	0.36	x	3.84	0.32
	12		x	9.47	0.86	x	8.9	0.88	x	8.61	0.97
	13		x	9.43	1.76	x	8.82	1.65	x	8.28	1.41
	14		x	5.81	1.99	x	4.87	1.77	x	4.03	1.53
	15		x	4.48	0.75	x	4.24	1.25	x	4.35	1.46
	24		x	4.04	1.21	x	4.19	1.37	x	4.05	1.39
	25		x	4.36	1.41	x	4.48	1.67	x	4.44	1.82
	26		x	5.01	1.75	x	4.08	1.55	x	3.23	1.43
	33		x	16.84	6.15	x	17.66	6.97	x	18.26	7.19
	34		x	20.1	2.63	x	19.42	2.76	x	18.17	3.33
	35		x	19.95	2.97	x	19.9	2.64	x	19.04	2.33
	36		x	7.45	2.27	x	8.01	1.61	x	8	1.49
	37		x	14.97	2.65	x	14.85	2.71	x	12.71	2.5
	43		x	17.77	5.52	x	17.58	6.14	x	17.47	6.51
	44		x	23.37	1.25	x	23.3	1.59	x	21.82	1.78
	45		x	10.42	3.21	x	10.28	2.54	x	10.26	2.33
	46		x	9.69	1.89	x	11.17	2.32	x	11.1	2.22
	128		x	2.81	0.62	x	2.7	0.64	x	2.79	0.72
	131		x	2.96	0.44	x	3.22	0.42	x	3.32	0.54
	134		x	3.66	0.72	x	4.02	0.63	x	3.77	0.73
136		x	3.79	0.43	x	3.96	0.44	x	3.99	0.32	
138		x	3.23	0.41	x	2.4	0.31	x	2.28	0.21	
140		x	6.79	1.16	x	7.06	1.02	x	7.01	1.04	
141		x	9.09	0.74	x	9.05	0.52	x	8.58	0.56	
142		x	6.36	1.5	x	6.95	1.56	x	6.3	1.39	
143		x	5.44	1.5	x	6.1	1.62	x	6.97	1.65	
152		x	6.69	0.69	x	7.16	0.96	x	6.86	1.07	
153		x	6.57	1.44	x	7.16	1.36	x	6.73	1.54	



	154		x	5.7	1.69	x	6.65	1.73	x	6.41	2.04
	161		x	15.65	0.98	x	13.61	1.64	x	11.41	2.05
	162		x	19.27	1.68	x	19.77	1.44	x	18.61	1.71
	163		x	25.03	1.6	x	25.14	0.8	x	24.27	0.76
	164		x	19.06	2.44	x	18.12	1.87	x	16.47	1.66
	165		x	16.91	7.48	x	15.68	7.38	x	14.14	7.11
	171		x	16.08	1.02	x	15.41	1.24	x	13.71	1.47
	172		x	23.83	1.44	x	24.58	1.25	x	23.86	1.42
	173		x	21.05	1.56	x	20.63	1.07	x	19.37	0.59
	174		x	17.33	6.33	x	15.28	6.3	x	14.17	6.44
	0	128	x	6.65	2.04	x	6.58	1.83	x	6.83	1.85
	3	131	x	8.08	1.08	x	7.55	0.96	x	6.78	0.95
	6	134	x	6.54	1.68	x	7.57	2	x	8.08	2.24
	8	136	x	6.54	1.28	x	6.12	1.63	x	5.13	1.59
	10	138	x	6.28	1.04	x	6.91	0.9	x	8.33	0.69
	12	140	x	17.21	2.73	x	16.67	2.48	x	16.88	2.75
	13	141	x	20.4	3.57	x	20.13	3.1	x	19.66	2.61
	14	142	x	13.57	4.2	x	13.21	4.29	x	11.6	3.72
	15	143	x	10.45	2.34	x	10.92	3.65	x	11.47	3.81
	24	152	x	12.46	1.83	x	12.86	2.68	x	11.47	2.93
	25	153	x	13.19	3.48	x	13.33	3.9	x	11.76	4.38
	26	154	x	11.52	5.42	x	11.97	5.05	x	11.09	4.87
	33	161	x	34.09	8.33	x	32.94	10.91	x	31.17	10.69
	34	162	x	40.59	4.59	x	41.12	4.77	x	39.57	5.3
	35	163	x	49.93	6.98	x	48.47	4.22	x	49.89	3.86
	36	164	x	29.61	5.59	x	30.02	4.24	x	30.27	4.54
	37	165	x	34.71	13.65	x	34.21	11.78	x	28.45	10.84
	43	171	x	35.95	7.96	x	36.35	8.92	x	34.01	9.44
	44	172	x	48.36	2.98	x	49	3.09	x	48.56	4
	45	173	x	35.17	6.71	x	34.85	5.03	x	35.82	3.57
	46	174	x	31.57	11	x	28.33	10.15	x	26.29	11.7

c) Simulated sPD (W/m^2) at 4 cm^2 averaging for back array 2 at n258.

Module ID	Beam ID 1	Beam ID 2	4 cm^2 sPD (W/m^2) at 6 dBm per port, n258								
			LB			MB			HB		
0			S2	S3	S5	S2	S3	S5	S2	S3	S5
Back Array 2	1		1.43	0.16	0.2	1.41	0.2	0.12	1.59	0.24	0.15
	4		1.74	0.31	0.2	3.08	0.6	0.33	3.06	0.69	0.28
	16		3.29	0.29	0.44	4.67	0.33	0.71	4.51	0.33	0.77
	17		3.31	0.51	0.41	4.92	0.48	0.56	5.27	0.47	0.7
	18		3.34	0.69	0.57	5.37	1.05	0.67	6.07	1.25	0.56
	19		3.06	0.71	0.55	5.11	1.27	0.67	6.13	1.6	0.64
	27		3.25	0.35	0.39	4.75	0.29	0.69	4.84	0.25	0.79



	28		3.34	0.55	0.44	5	0.57	0.55	5.39	0.59	0.65
	29		3.21	0.71	0.57	5.34	1.19	0.69	6.21	1.47	0.62
	129		2.36	0.21	0.23	2.71	0.21	0.29	3.39	0.33	0.4
	132		3.09	0.24	0.21	2.62	0.16	0.18	2.67	0.19	0.29
	144		6.85	0.63	0.51	6.75	0.52	0.64	7.4	0.54	1.06
	145		7.45	0.26	0.76	7.43	0.24	0.76	7.57	0.26	0.83
	146		4.28	0.26	0.45	4.12	0.23	0.41	4.61	0.38	0.39
	147		3.45	0.6	0.39	3.21	0.48	0.45	4.57	0.77	0.76
	155		7.61	0.44	0.69	7.57	0.38	0.72	7.85	0.38	0.94
	156		6.21	0.11	0.69	6.18	0.1	0.65	6.34	0.2	0.63
	157		3.07	0.49	0.3	2.82	0.41	0.33	4	0.68	0.54
	1	129	4.1	0.5	0.58	4.29	0.4	0.53	5.23	0.55	0.61
	4	132	5.65	0.62	0.5	6.32	0.81	0.62	6.25	1.1	0.72
	16	144	13.32	1.12	1.38	13.17	0.88	1.33	13.37	0.9	1.62
	17	145	12.87	0.68	1.22	13.19	0.72	1.54	13.44	0.83	1.71
	18	146	8.81	1.01	1.11	10.14	1.35	1.11	11.82	2.1	1.08
	19	147	8.32	1.58	1.25	9.05	1.88	1.36	12.35	2.58	1.76
	27	155	13.91	0.75	1.36	14	0.65	1.5	14.17	0.66	1.77
	28	156	10.95	0.66	1.16	12.09	0.72	1.48	12.54	1.1	1.6
	29	157	8.02	1.35	1.22	8.95	1.72	1.28	11.7	2.49	1.47

d) Simulated sPD (W/m²) at 4 cm² averaging for side array at n261.

		4 cm ² sPD (W/m ²) at 6 dBm per port, n261									
Module ID	Beam ID 1	Beam ID 2	LB			MB			HB		
1			S1	S2	S4	S1	S2	S4	S1	S2	S4
Side Array	2		1.81	1	6.33	1.85	1.01	6.41	1.96	1.04	6.48
	5		1.09	0.7	3.03	1.05	0.67	2.8	1.07	0.76	2.81
	7		1.5	0.67	4.9	1.39	0.68	4.98	1.42	0.68	5.24
	9		0.9	0.48	3.8	0.85	0.5	3.71	0.8	0.49	3.23
	11		1.22	0.45	3.47	1.36	0.45	3.92	1.4	0.47	4.19
	20		3.4	1.83	7.91	3.49	1.76	7.89	3.65	1.85	8.27
	21		3.25	2.31	8.71	3.07	2.15	8.21	3.14	2.29	8.4
	22		2.74	2.38	10.12	2.51	2.33	9.76	2.42	2.38	9.49
	23		2.4	1.52	9.32	2.51	1.62	9.53	2.52	1.66	9.53
	30		1.86	0.63	6.62	2.28	0.69	7.33	1.91	0.7	6.93
	31		3.08	2.55	9.71	2.77	2.4	9.12	2.69	2.51	8.97
	32		2.36	1.86	9.72	2.39	1.93	9.75	2.39	1.94	9.62
	38		8.7	3.39	18.9	8.46	3.45	18.12	8.06	3.56	17.08
	39		7.11	3.57	16.48	7.4	3.48	16.61	6.72	3.81	16.06
	40		8.05	5.02	18.62	7.23	5.17	17.64	6.55	5.06	15.93
41		6.63	4.87	17.47	6.62	4.79	17.61	6.97	5.25	19.25	
42		6.26	6.21	23.84	6.49	6.43	24.9	6.65	6.22	24.88	



	47		7.51	3.43	16.65	7.39	3.47	16.13	7.21	3.54	15.59
	48		7.74	4.32	18.19	7.53	4.45	18.5	6.72	4.66	17.19
	49		6.83	4.92	17.34	6.25	4.82	16.64	6.21	5.02	17.02
	50		6.82	5.14	20.14	7.03	5.05	20.6	7.6	5.21	22.09
	130		1.63	0.66	4.79	1.84	0.88	5.55	1.99	1	5.82
	133		1.78	0.81	4.61	1.66	0.8	4.52	1.67	0.75	4.77
	135		1.47	0.41	3.96	1.44	0.5	3.96	1.38	0.5	3.76
	137		1.3	0.62	5.14	1.2	0.64	4.99	1.02	0.6	4.34
	139		0.53	0.34	1.92	1.1	0.51	3.68	1.19	0.58	3.98
	148		1.37	1.15	6.73	2.17	1.6	9.11	2.19	1.66	8.86
	149		3.81	1.59	8.02	4.13	1.97	9.31	4.45	2.23	10.42
	150		4.54	1.49	9.29	4.58	1.68	9.68	4.69	1.72	9.97
	151		3.64	1.3	10.09	3.49	1.27	9.99	3.42	1.16	9.65
	158		3.4	1.7	8.19	3.73	2.06	9.57	4.1	2.36	10.77
	159		3.86	1.57	8.82	3.79	1.73	9.31	3.78	1.7	9.64
	160		4.29	1.46	11.38	4.17	1.66	12.07	4.25	1.62	12.51
	166		6.84	4.38	17.63	7.36	4.73	18.3	6.98	4.78	17.12
	167		5.48	3.46	13.07	6.14	3.82	15.09	5.55	3.76	14.09
	168		6.2	3.5	15.03	7.17	4.09	17.02	7	3.89	17.15
	169		9.97	4.91	20.05	9.98	5	20.63	9.83	4.88	20.99
	170		11.86	4.29	26.96	12	4.6	28.17	11.63	4.2	27.26
	175		5.9	3.53	13.53	6.46	3.86	14.95	5.74	4	13.81
	176		5.53	3.47	13.52	6.38	3.92	15.75	5.93	3.82	14.77
	177		8.37	4.28	17.94	9	4.62	19.4	8.7	4.39	19.46
	178		11.56	5.07	23.82	11.4	5.16	24.33	11.47	5.01	24.62
	2	130	4.01	1.69	12.06	4.55	2.1	13.29	4.99	2.45	13.46
	5	133	3.87	2.1	9.54	3.7	2.09	9.01	3.58	2.05	8.6
	7	135	3.76	1.55	10.72	3.69	1.78	9.83	3.76	1.75	9.63
	9	137	2.96	1.58	10.93	2.89	1.5	10.25	2.42	1.28	7.8
	11	139	2.08	1.12	6.17	3.26	1.32	9.26	3.48	1.22	9
	20	148	4.31	2.95	14.2	5.1	3.35	15.78	5.18	3.43	15.62
	21	149	8.32	4.74	18.1	8.9	5.45	19.21	9.32	6.01	20.76
	22	150	10.24	4.95	22.4	9.3	5.45	21.79	8.89	5.72	21.63
	23	151	7.58	4.18	21.43	7.07	4.41	21.3	6.83	4.3	21.09
	30	158	6.1	2.42	14.63	6.63	2.67	16	6.44	3.03	15.41
	31	159	7.53	5.67	20.48	6.82	6.11	21.28	6.72	6.47	21.83
	32	160	8.15	4.86	23.23	7.62	5.62	24.32	7.49	5.9	25.44
	38	166	22.88	11.27	43.62	23.45	11.89	41.84	21.66	12.43	37.48
	39	167	17.27	8.83	35.17	18.8	9.44	38.57	15.27	10.73	34
	40	168	18.72	11.68	40.94	19.32	13.72	44.05	17.87	13.26	41.61
	41	169	23.71	14.24	45.43	24.68	14.85	47.42	25.15	14.71	47.95
	42	170	27.27	15.81	59.37	27.99	17.02	60.73	28.21	16.42	53.58
	47	175	17.95	8.66	34.43	18.38	9.32	35.02	16.13	10.29	32.73
	48	176	18.82	10.45	38.88	19.81	11.84	42.36	16.59	12.12	38
	49	177	20.59	13.37	42.59	21.51	14.47	45.39	20.98	14.06	44.74



	50	178	27.22	14.76	52.79	27.83	15.12	53.67	29.04	14.85	52.57
--	----	-----	-------	-------	-------	-------	-------	-------	-------	-------	-------

e) Simulated sPD (W/m^2) at 4 cm² averaging for back array 1 at n261.

Module ID	Beam ID 1	Beam ID 2	4 cm ² sPD (W/m^2) at 6 dBm per port, n261								
			LB			MB			HB		
0			S1	S2	S3	S1	S2	S3	S1	S2	S3
Back Array 1	0		x	4.04	0.49	x	4.2	0.63	x	3.79	0.7
	3		x	4.03	0.56	x	3.86	0.57	x	3.97	0.59
	6		x	2.88	0.64	x	3.07	0.62	x	3.51	0.74
	8		x	3.36	0.93	x	3.24	0.82	x	3.21	0.77
	10		x	4.29	0.32	x	4.16	0.35	x	3.95	0.32
	12		x	10.63	0.64	x	10.48	0.71	x	9.52	0.64
	13		x	10.69	1.45	x	11.01	1.66	x	10.04	1.72
	14		x	7.12	0.42	x	8.3	0.53	x	8.98	0.71
	15		x	5.68	0.6	x	5.71	0.61	x	6.18	0.67
	24		x	11.02	1.02	x	11.09	1.14	x	9.98	1.16
	25		x	7.24	1.63	x	7.64	1.46	x	8.28	1.51
	26		x	5.09	1.2	x	5.31	1.07	x	5.18	1
	33		x	18.96	4.45	x	17.52	4.12	x	16.72	4.31
	34		x	17.36	7.53	x	18.04	7.88	x	19.02	8.35
	35		x	24.21	3.24	x	25.46	3.93	x	25.02	4.09
	36		x	22.11	2.59	x	23.66	2.59	x	23.26	2.58
	37		x	12.17	1.96	x	12.17	1.99	x	12.7	1.88
	43		x	16.64	5.92	x	15.83	5.79	x	15.67	6.07
	44		x	17.48	4.94	x	18.62	5.21	x	19.03	5.63
	45		x	25.44	2.55	x	26.83	3.34	x	26.13	3.42
	46		x	16.35	2.97	x	17.09	2.88	x	17.02	2.72
	128		x	3.05	0.69	x	3.36	0.47	x	3.41	0.43
	131		x	3.44	0.63	x	3.29	0.51	x	3.28	0.52
	134		x	3.41	0.92	x	3.83	1.01	x	3.73	0.92
	136		x	3.31	0.39	x	3.32	0.34	x	3.41	0.32
	138		x	4.45	0.27	x	4.3	0.28	x	4.48	0.27
	140		x	8.84	0.39	x	9.73	0.38	x	10.26	0.27
	141		x	8.83	0.8	x	9.69	0.66	x	9.64	0.74
	142		x	8.16	1.18	x	8.39	1.12	x	7.56	1.19
	143		x	6.78	1.6	x	6.57	1.62	x	5.41	1.53
152		x	8.04	0.66	x	9.33	0.35	x	10	0.44	
153		x	8.74	0.91	x	9.36	0.83	x	8.97	0.85	
154		x	8.69	0.73	x	8.9	0.63	x	9.01	0.61	
161		x	17.75	1.8	x	19.37	1.58	x	20	1.42	
162		x	12.82	2.08	x	15.14	2.47	x	16.81	2.67	
163		x	17.34	3.15	x	18.98	3.19	x	20.02	3.59	



	164		x	18.99	0.86	x	20.27	0.5	x	19.98	0.75
	165		x	16.44	2.27	x	17.59	2.22	x	16.33	1.69
	171		x	14.51	1.73	x	16.29	1.85	x	17.53	1.8
	172		x	15.31	2.85	x	16.56	3.1	x	17.42	3.56
	173		x	18.63	2.02	x	19.8	1.91	x	20.23	2.26
	174		x	18.95	1.05	x	20.48	0.7	x	19.88	0.68
	0	128	x	7.92	1.79	x	7.95	1.49	x	7.69	1.39
	3	131	x	7.78	1.36	x	7.87	1.29	x	7.68	1.36
	6	134	x	6.64	1.79	x	7.06	1.97	x	7.41	1.86
	8	136	x	5.9	1.57	x	5.55	1.38	x	5.49	1.24
	10	138	x	9.54	0.75	x	9.3	0.67	x	9.01	0.57
	12	140	x	20.42	1.16	x	20.5	1.03	x	20.33	1.06
	13	141	x	20	2.51	x	22.1	2.59	x	21.72	3.08
	14	142	x	15.13	2.22	x	17.18	1.89	x	17.18	2.22
	15	143	x	12.41	2.96	x	12.36	2.38	x	11.29	2.28
	24	152	x	19.66	2	x	21.79	1.76	x	21.35	2.24
	25	153	x	16.62	2.63	x	18.55	2.52	x	18.35	2.89
	26	154	x	14.81	2.21	x	15.29	1.78	x	15.21	1.6
	33	161	x	36.98	7.01	x	37.38	6.09	x	38.29	5.91
	34	162	x	30.59	9.98	x	31.46	10.8	x	33.36	11.12
	35	163	x	44.69	6.65	x	47.29	7.67	x	49.48	9.43
	36	164	x	44.99	4.66	x	48.41	3.63	x	47.5	4.09
	37	165	x	29.74	4.89	x	29.95	5.41	x	29.92	4.15
	43	171	x	31.31	8.69	x	33.23	8.1	x	34.12	7.85
	44	172	x	36.62	8.24	x	38.47	8.78	x	39.84	10.87
	45	173	x	48.01	5.06	x	49.12	5.45	x	47.89	6.33
	46	174	x	37.32	5.08	x	40.04	4.71	x	39.11	3.76

f) Simulated sPD (W/m²) at 4 cm² averaging for back array 2 at n261.

Module ID	Beam ID 1	Beam ID 2	4 cm ² sPD (W/m ²) at 6 dBm per port, n261								
			LB			MB			HB		
0			S2	S3	S5	S2	S3	S5	S2	S3	S5
Back Array 2	1		3.01	0.35	0.41	2.79	0.32	0.35	2.5	0.38	0.3
	4		2.89	0.46	0.46	3.43	0.47	0.61	2.79	0.33	0.46
	16		5.07	0.59	1.1	5.83	0.75	1.17	4.52	0.71	0.88
	17		6.65	0.25	1.21	7.03	0.23	1.31	5.93	0.23	1.03
	18		7.39	0.82	1.58	7.06	0.98	1.62	6.34	0.86	1.25
	19		6.78	1.47	1.19	6.62	1.3	1.48	5.96	1.18	1.28
	27		5.07	0.59	1.1	5.83	0.75	1.17	4.52	0.71	0.88
	28		6.92	0.4	1.39	7.06	0.42	1.44	6.08	0.39	1
	29		7.34	1.18	1.46	6.97	1.22	1.62	6.3	1.08	1.34
	129		2.14	0.2	0.23	2.69	0.3	0.29	2.87	0.33	0.36
	132		3.21	0.51	0.32	3.2	0.48	0.29	3.57	0.54	0.28



	144		5.76	0.29	0.74	6.44	0.35	0.74	6.81	0.3	0.85
	145		5.07	0.57	0.6	5.74	0.38	0.72	5.77	0.46	0.65
	146		4.75	1.21	0.7	5.33	1.43	0.71	6.46	1.66	0.97
	147		5.63	0.55	0.85	6.43	0.73	0.75	7.06	0.71	0.91
	155		5.76	0.3	0.64	6.49	0.14	0.75	6.65	0.12	0.83
	156		4.5	1.03	0.6	4.91	1.08	0.57	5.6	1.33	0.68
	157		5.41	1.04	0.9	6.26	1.33	0.81	7.39	1.43	1.07
	1	129	5.47	0.63	0.73	5.65	0.77	0.8	5.46	0.75	0.78
	4	132	6.62	1.36	0.92	7	0.97	0.87	6.47	0.76	0.86
	16	144	10.99	1.3	1.77	13.03	1.35	1.88	11.92	1.25	1.89
	17	145	13.07	0.87	2	13.56	0.63	2.24	12.86	0.73	2.08
	18	146	13.78	2.42	2.57	13.04	2.02	2.46	13.74	2.2	2.56
	19	147	14.36	2.49	2.35	13.84	2.09	2.49	14.15	1.9	1.94
	27	155	11.38	1.36	1.91	13.07	1.17	2.02	12	1.06	1.97
	28	156	12.29	1.41	1.91	12.45	1.3	2.05	12.53	1.52	1.85
	29	157	15.24	2.64	2.78	14.19	2.33	2.75	14.72	2.35	2.51

g) Simulated sPD (W/m²) at 4 cm² averaging for side array at n260.

		4 cm ² sPD (W/m ²) at 6 dBm per port, n260									
Module ID	Beam ID 1	Beam ID 2	LB			MB			HB		
1			S1	S2	S4	S1	S2	S4	S1	S2	S4
Side Array	2		1.83	0.92	5.8	1.64	0.74	4.46	1.82	0.81	4.64
	5		1.07	0.69	2.83	1.42	0.77	3.47	1.19	0.63	2.81
	7		1.49	0.94	3.08	1.97	1.26	4.02	1.67	0.94	3.24
	9		1.17	0.63	3.61	1.12	0.65	3.83	1.46	0.7	3.93
	11		1.66	0.9	5.16	1.32	0.8	4.02	1.77	0.78	4.96
	20		2.34	1.42	9.2	1.69	0.99	7.86	2.95	1.1	9.4
	21		2.21	1.05	5.93	2.68	1.67	7.17	3.14	1.72	6.91
	22		3.2	1.99	7.43	3.73	2.29	7.66	3.47	1.78	6.56
	23		2.09	1.13	5.8	3.06	1.85	8.89	3.07	1.66	7.85
	30		1.95	0.85	7.06	2.12	1.29	7.53	2.93	1.45	7.78
	31		2.95	1.7	6.4	3.22	2.02	7.02	3.47	2.03	7.19
	32		2.99	1.69	8.27	3.47	2.11	8.15	3.46	1.73	7.27
	38		4.46	2.28	12.13	4.65	1.97	12.48	4.6	2.06	11.98
	39		5.11	3.45	14.88	5.85	2.88	14.13	5.93	2.78	12.58
	40		8.86	5.28	19.19	10.13	6.24	20.97	9.01	4.85	18.13
	41		9.23	5.78	20	9.35	6.04	20.69	8.69	4.82	20.04
	42		5.78	3.08	14.06	5.66	3.64	15.94	7.28	3.97	18.07
	47		4.89	3	13.48	4.62	2.15	11.3	4.86	2.28	10.84
	48		7.1	4.66	17.09	8.59	4.99	18.31	8.17	4.38	16.04
49		7.61	4.8	16.49	8.34	5.11	18.75	7.61	3.89	17.4	
50		8.85	5.45	20.86	8.82	5.75	21.17	8.57	4.77	20.73	
130		2.39	0.65	5.39	1.74	0.84	4.97	1.57	0.68	4.07	



	133		2.03	0.91	4.6	0.96	0.7	3.14	1.32	0.72	3.24
	135		2.1	0.71	4.42	0.76	0.51	2.53	0.98	0.41	2.42
	137		1.32	0.73	4.37	1.56	0.42	4.38	0.82	0.33	3.08
	139		1.8	0.71	4.73	2.21	0.55	5.26	1.44	0.59	3.76
	148		3.52	1.11	9.58	3.76	0.56	9.91	2.6	0.88	7.18
	149		3.55	2.31	8.27	2.19	1.73	6.3	2.35	1.39	5.26
	150		4.7	1.45	9.36	2	1.9	6.73	3.19	2.05	6.8
	151		4.89	0.73	10.69	3.5	1.11	9.95	3.35	1.37	8.93
	158		4.01	1.46	9.73	3.5	1	9.29	2.71	0.74	7.57
	159		4.29	1.91	8.7	1.71	2.07	5.84	2.9	2.06	5.95
	160		2.83	1.2	9.34	3.99	0.61	10.34	2.56	0.66	7.5
	166		8.8	1.8	17.62	7.92	1.83	17.91	5.3	2.19	14.7
	167		8.16	2.75	14.84	5.1	2.57	10.99	4.44	1.92	8.25
	168		8.62	6.6	19.84	5.66	4.62	14.5	6.39	4.37	13.76
	169		11.51	4.7	22.2	6.85	3.64	15.02	6.72	3.2	13.81
	170		8.44	1.43	20.61	8.36	2.13	19.16	5.94	2.24	15.72
	175		7.99	1.69	14.93	6.12	1.52	14.09	4.84	1.92	11.37
	176		7.38	5.96	17.51	5.79	4.02	13.94	4.36	2.89	10.08
	177		9.44	5.92	20.38	6.18	5.22	15.94	7.17	4.3	14.7
	178		10.26	1.53	19.23	6.88	2.29	16.19	6.93	2.71	14.26
	2	130	4.84	1.82	11.65	4.86	1.88	11.69	4.3	1.61	10.18
	5	133	4.13	2.15	8.74	3.75	1.76	8.16	3.17	1.66	7.04
	7	135	3.77	2.18	8.06	3.1	1.75	7.06	2.73	1.48	6.04
	9	137	3.07	1.62	9.39	3.63	1.16	9.07	2.51	1.14	7.32
	11	139	4.42	2.23	10.45	4.15	1.75	9.73	3.86	1.82	9.54
	20	148	8.37	4.39	21.6	7.7	2.62	19.69	7.28	2.3	18.03
	21	149	6.26	3.71	14.21	4.69	3.14	12.21	5	2.79	11.5
	22	150	8.56	4.2	18.09	7.68	5.07	17.82	7.57	4.36	15
	23	151	7.9	2.22	16.87	6.69	3.13	17.35	6.15	3.09	16.93
	30	158	6.13	2.77	14.5	5.3	2.21	14.2	5.09	2.25	13.05
	31	159	7.52	3.62	14.52	4.79	3.57	11.8	5.7	3.37	12.31
	32	160	5.32	2.34	14.83	6.8	2.61	17.37	5.31	2.23	13.35
	38	166	22.11	5.56	39.84	18.13	5.4	41.05	12.51	4.67	31.84
	39	167	17.8	8.51	36.17	17.09	7.2	36.29	13.83	5.34	25.51
	40	168	22.47	14.04	44.22	20.45	11.86	42.24	18.32	9.66	36.06
	41	169	21.17	13.04	49.05	17.23	10.09	39.14	15.99	8.32	35.74
	42	170	19.81	5.42	38.94	16.27	6.6	40.04	15.89	6.9	38.28
	47	175	19.89	5.88	35.79	16.33	4.72	34.94	12.66	4.43	27.6
	48	176	19.84	13.47	39.38	20.08	10.81	39.48	16.32	8.36	31.04
	49	177	17.42	13.34	41.69	17.09	10.71	37.77	16.05	8.95	33.9
	50	178	24.11	8.16	49.82	16.85	7.73	41.57	17.97	7.69	40.18



h) Simulated sPD (W/m²) at 4 cm² averaging for back array 1 at n260.

			4 cm ² sPD (W/m ²) at 6 dBm per port, n260								
Module ID	Beam ID 1	Beam ID 2	LB			MB			HB		
0			S1	S2	S3	S1	S2	S3	S1	S2	S3
Back Array 1	0		x	3.27	0.26	x	2.79	0.32	x	2.66	0.25
	3		x	3	0.36	x	3.57	0.37	x	3.35	0.34
	6		x	2.94	0.88	x	2.99	0.81	x	2.53	0.66
	8		x	3.01	0.56	x	3.52	0.61	x	3.06	0.53
	10		x	2.87	0.5	x	3.33	0.57	x	2.78	0.62
	12		x	5.95	0.56	x	5.7	0.71	x	5.86	0.67
	13		x	6.32	0.6	x	7.56	1.07	x	6.07	0.8
	14		x	6.42	0.73	x	6.69	0.75	x	5.77	0.78
	15		x	5.08	1.84	x	5.77	1.78	x	5.41	1.82
	24		x	5.41	2.24	x	6	2.13	x	4.77	1.74
	25		x	6.51	1.09	x	7.51	1.7	x	5.99	1.45
	26		x	5.57	1.76	x	6.06	2	x	5.55	1.89
	33		x	12.79	4.25	x	13.27	3.48	x	11.51	2.86
	34		x	9.43	2.46	x	12.33	3.52	x	9.81	2.54
	35		x	12.64	2.9	x	13.5	2.25	x	12.45	1.87
	36		x	13.46	2.95	x	15.74	3.57	x	13.17	3.34
	37		x	15.65	1.85	x	16.42	1.4	x	13.93	1.54
	43		x	11.71	2.94	x	12.72	2.58	x	11.43	1.72
	44		x	12.97	2.33	x	15.34	3.39	x	14.72	2.98
	45		x	13.02	3.3	x	14.45	3.19	x	11.61	2.79
	46		x	15.09	1.88	x	16.03	2.43	x	13.58	1.98
	128		x	3.73	0.21	x	3.15	0.17	x	2.77	0.26
	131		x	2.86	0.21	x	3.3	0.29	x	3.15	0.29
	134		x	2.84	0.41	x	3.31	0.56	x	2.51	0.66
	136		x	2.8	0.37	x	2.83	0.4	x	2.58	0.34
	138		x	2.57	0.56	x	2.88	0.68	x	2.82	0.52
	140		x	5.44	0.98	x	5.37	0.81	x	5.48	0.79
	141		x	5.15	0.78	x	5.16	0.88	x	5.19	0.62
	142		x	5.37	0.53	x	5.31	0.56	x	4.83	0.77
	143		x	6.36	0.63	x	5.86	0.64	x	5.74	0.76
152		x	7.93	0.26	x	7.72	0.22	x	6.86	0.23	
153		x	4.67	0.83	x	5.15	1.15	x	4.71	0.79	
154		x	4.87	1.08	x	5.4	1.33	x	4.8	1.14	
161		x	14.78	2.62	x	14.8	2.03	x	14.96	2.59	
162		x	14.5	0.98	x	14.54	1.09	x	12.66	1.53	
163		x	11.42	2.07	x	11.47	2.72	x	10.92	2.64	
164		x	9.13	2.27	x	9.53	2.99	x	8.3	2.81	
165		x	13.29	1.07	x	14.81	1.46	x	13.38	1.59	
171		x	15.09	2.29	x	15.15	1.98	x	13.89	2.6	



	172		x	10.12	1.57	x	11.6	2.78	x	10.7	2.22
	173		x	14.12	2.43	x	13.86	2.97	x	11.31	2.51
	174		x	12.03	1.26	x	13.01	1.74	x	10.74	1.99
	0	128	x	7.4	0.57	x	6.38	0.52	x	6	0.62
	3	131	x	7.22	0.66	x	7.56	0.64	x	7.15	0.82
	6	134	x	6.08	1.83	x	6.92	1.85	x	5.39	1.42
	8	136	x	5.98	1.11	x	6.49	1.28	x	6.02	1.3
	10	138	x	5.4	1.59	x	6.62	1.75	x	5.44	1.48
	12	140	x	12.26	2.12	x	11.12	1.92	x	10.69	1.74
	13	141	x	11.92	1.42	x	13.35	1.76	x	11.7	1.77
	14	142	x	11.57	1.33	x	12.15	1.61	x	11.88	1.75
	15	143	x	11.23	2.67	x	12.22	2.61	x	11.18	3.18
	24	152	x	10.35	2.48	x	10.65	2.51	x	9.78	1.98
	25	153	x	12.82	2.4	x	13.37	3.07	x	11.46	2.25
	26	154	x	12.62	3.81	x	13.13	4.45	x	11.55	4.35
	33	161	x	30.13	7.16	x	30.17	5.64	x	28.01	5.39
	34	162	x	27	3.56	x	28.26	5.13	x	22.99	5.22
	35	163	x	24.79	7.22	x	26.66	6.61	x	24.69	5.26
	36	164	x	25.56	6.74	x	29.11	7.86	x	23.76	6.64
	37	165	x	30.04	4.32	x	33.08	4.61	x	30.52	3.9
	43	171	x	30.69	4.56	x	27.96	3.85	x	25.88	4.74
	44	172	x	26.86	4.74	x	29.53	5.71	x	25.16	6.48
	45	173	x	23.94	7.99	x	26.5	7.3	x	23.3	6.81
	46	174	x	28.82	2.98	x	30.82	4.6	x	27.49	4.92

i) Simulated sPD (W/m^2) at 4 cm^2 averaging for back array 2 at n260.

		4 cm^2 sPD (W/m^2) at 6 dBm per port, n260									
Module ID	Beam ID 1	Beam ID 2	LB			MB			HB		
0			S2	S3	S5	S2	S3	S5	S2	S3	S5
Back Array 2	1		1.74	0.22	0.32	2.72	0.23	0.51	2.31	0.24	0.38
	4		1.39	0.2	0.18	1.6	0.19	0.19	2.19	0.18	0.25
	16		2.89	0.53	0.61	4.39	0.39	0.92	4.87	0.4	0.92
	17		2.76	0.47	0.5	3.94	0.58	0.65	3.26	0.5	0.44
	18		3.25	0.25	0.6	4.09	0.35	0.82	4.65	0.43	0.78
	19		3.04	0.44	0.67	4.41	0.38	0.94	5.38	0.36	0.98
	27		2.85	0.43	0.55	3.86	0.55	0.72	3.25	0.49	0.48
	28		3.13	0.31	0.59	3.92	0.42	0.83	3.95	0.47	0.67
	29		3.27	0.27	0.66	4.3	0.36	0.82	5.39	0.37	0.92
	129		1.98	0.3	0.25	1.82	0.2	0.36	1.99	0.14	0.3
	132		1.58	0.24	0.28	1.89	0.28	0.33	1.6	0.19	0.32
	144		3.28	0.78	0.41	3.74	0.67	0.62	3.26	0.48	0.56
	145		3.47	0.48	0.68	3.33	0.46	0.64	3.45	0.27	0.51
146		3.44	0.77	0.62	3.6	0.64	0.6	3.42	0.38	0.52	



	147		3.28	0.72	0.43	3.67	0.63	0.63	3.25	0.47	0.57
	155		3.39	0.22	0.64	3.1	0.27	0.7	3.24	0.22	0.59
	156		3.46	0.4	0.69	3.27	0.41	0.66	3.44	0.24	0.51
	157		3.35	0.93	0.53	3.89	0.73	0.66	3.34	0.47	0.52
	1	129	4.49	0.74	0.68	5.02	0.56	1.34	4.6	0.54	0.89
	4	132	3.59	0.59	0.57	3.99	0.59	0.69	4.36	0.44	0.81
	16	144	6.95	1.68	1.36	9.45	1.62	1.98	9.25	1.33	2.17
	17	145	6.87	1.32	1.28	7.98	1.13	1.81	7.15	0.92	1.26
	18	146	8	1.48	1.14	8.51	1.33	2.4	8.91	1.05	1.84
	19	147	7.24	1.6	1.5	9.2	1.63	2.09	10.15	1.29	2.31
	27	155	7.17	0.69	1.31	7.46	1.01	1.68	6.9	0.81	1.29
	28	156	7.87	1	1.31	7.85	0.99	2.19	7.58	0.82	1.61
	29	157	7.59	1.79	1.32	9.12	1.56	2.22	10.35	1.3	2.14

Scaling factor calculation: The following tables show the scaling factor results for all three different modules, at both band n258, n261 and band n260. The scaling factor is defined as the MPE internal design limit (5 W/m²) divided by the simulated averaged power density. Table a), b), and c) show the results for n258, for side, back, and front modules, respectively; table d), e), and f) show the results for n261, for side, back, and front modules, respectively; table g), h) and i) show the results for n260, for side, back, and front modules, respectively.

a) *Scaling factor for side array n258*

Beam ID 1	Beam ID 2	S LB	S MB	S HB	S
2		1.09	1.03	1.03	1.03
5		0.95	0.99	1.1	0.95
7		1.05	1.22	1.42	1.05
9		1.08	1.19	1.13	1.08
11		1.11	1.15	1.18	1.11
20		0.64	0.66	0.68	0.64
21		0.51	0.52	0.5	0.5
22		0.75	0.84	0.86	0.75
23		0.47	0.46	0.48	0.46
30		0.44	0.49	0.52	0.44
31		0.5	0.48	0.5	0.48
32		0.47	0.46	0.48	0.46
38		0.19	0.19	0.21	0.19
39		0.22	0.22	0.23	0.22
40		0.24	0.24	0.25	0.24
41		0.3	0.27	0.25	0.25
42		0.26	0.31	0.33	0.26
47		0.2	0.21	0.21	0.2
48		0.24	0.24	0.25	0.24
49		0.26	0.24	0.25	0.24



50		0.31	0.33	0.3	0.3
130		0.89	0.87	0.95	0.87
133		1.2	1.32	1.35	1.2
135		1.57	1.32	1.2	1.2
137		1.39	1.34	1.59	1.34
139		1.28	1.42	1.26	1.26
148		0.69	0.71	0.74	0.69
149		0.49	0.51	0.52	0.49
150		0.77	0.69	0.69	0.69
151		0.54	0.57	0.63	0.54
158		0.58	0.6	0.62	0.58
159		0.68	0.59	0.55	0.55
160		0.87	0.92	0.88	0.87
166		0.29	0.3	0.28	0.28
167		0.31	0.27	0.26	0.26
168		0.28	0.25	0.25	0.25
169		0.23	0.23	0.25	0.23
170		0.27	0.25	0.26	0.25
175		0.34	0.3	0.27	0.27
176		0.3	0.27	0.25	0.25
177		0.29	0.27	0.27	0.27
178		0.23	0.23	0.25	0.23
2	130	0.35	0.35	0.36	0.35
5	133	0.49	0.48	0.47	0.47
7	135	0.52	0.52	0.56	0.52
9	137	0.52	0.6	0.62	0.52
11	139	0.46	0.49	0.46	0.46
20	148	0.28	0.27	0.26	0.26
21	149	0.28	0.29	0.28	0.28
22	150	0.35	0.36	0.33	0.33
23	151	0.21	0.21	0.22	0.21
30	158	0.25	0.26	0.26	0.25
31	159	0.27	0.24	0.23	0.23
32	160	0.35	0.35	0.35	0.35
38	166	0.09	0.09	0.09	0.09
39	167	0.1	0.09	0.09	0.09
40	168	0.1	0.09	0.09	0.09
41	169	0.11	0.11	0.1	0.1
42	170	0.12	0.13	0.12	0.12
47	175	0.1	0.09	0.09	0.09
48	176	0.1	0.1	0.1	0.1
49	177	0.11	0.1	0.1	0.1
50	178	0.11	0.12	0.11	0.11



b) *Scaling factor for back array I n258*

Beam ID 1	Beam ID 2	S LB	S MB	S HB	S
0		1.42	1.39	1.38	1.38
3		1.16	1.35	1.71	1.16
6		1.87	1.48	1.28	1.28
8		1.65	1.77	2.15	1.65
10		2.02	1.6	1.3	1.3
12		0.53	0.56	0.58	0.53
13		0.53	0.57	0.6	0.53
14		0.86	1.03	1.24	0.86
15		1.12	1.18	1.15	1.12
24		1.24	1.19	1.23	1.19
25		1.15	1.12	1.13	1.12
26		1	1.23	1.55	1
33		0.3	0.28	0.27	0.27
34		0.25	0.26	0.28	0.25
35		0.25	0.25	0.26	0.25
36		0.67	0.62	0.63	0.62
37		0.33	0.34	0.39	0.33
43		0.28	0.28	0.29	0.28
44		0.21	0.21	0.23	0.21
45		0.48	0.49	0.49	0.48
46		0.52	0.45	0.45	0.45
128		1.78	1.85	1.79	1.78
131		1.69	1.55	1.51	1.51
134		1.37	1.24	1.33	1.24
136		1.32	1.26	1.25	1.25
138		1.55	2.08	2.19	1.55
140		0.74	0.71	0.71	0.71
141		0.55	0.55	0.58	0.55
142		0.79	0.72	0.79	0.72
143		0.92	0.82	0.72	0.72
152		0.75	0.7	0.73	0.7
153		0.76	0.7	0.74	0.7
154		0.88	0.75	0.78	0.75
161		0.32	0.37	0.44	0.32
162		0.26	0.25	0.27	0.25
163		0.2	0.2	0.21	0.2
164		0.26	0.28	0.3	0.26
165		0.3	0.32	0.35	0.3
171		0.31	0.32	0.36	0.31
172		0.21	0.2	0.21	0.2
173		0.24	0.24	0.26	0.24
174		0.29	0.33	0.35	0.29



0	128	0.75	0.76	0.73	0.73
3	131	0.62	0.66	0.74	0.62
6	134	0.76	0.66	0.62	0.62
8	136	0.76	0.82	0.97	0.76
10	138	0.8	0.72	0.6	0.6
12	140	0.29	0.3	0.3	0.29
13	141	0.25	0.25	0.25	0.25
14	142	0.37	0.38	0.43	0.37
15	143	0.48	0.46	0.44	0.44
24	152	0.4	0.39	0.44	0.39
25	153	0.38	0.38	0.43	0.38
26	154	0.43	0.42	0.45	0.42
33	161	0.15	0.15	0.16	0.15
34	162	0.12	0.12	0.13	0.12
35	163	0.1	0.1	0.1	0.1
36	164	0.17	0.17	0.17	0.17
37	165	0.14	0.15	0.18	0.14
43	171	0.14	0.14	0.15	0.14
44	172	0.1	0.1	0.1	0.1
45	173	0.14	0.14	0.14	0.14
46	174	0.16	0.18	0.19	0.16

c) *Scaling factor for back array 2 n258*

Beam ID 1	Beam ID 2	S LB	S MB	S HB	S
1		3.5	3.55	3.14	3.14
4		2.87	1.62	1.63	1.62
16		1.52	1.07	1.11	1.07
17		1.51	1.02	0.95	0.95
18		1.5	0.93	0.82	0.82
19		1.63	0.98	0.82	0.82
27		1.54	1.05	1.03	1.03
28		1.5	1	0.93	0.93
29		1.56	0.94	0.81	0.81
129		2.12	1.85	1.47	1.47
132		1.62	1.91	1.87	1.62
144		0.73	0.74	0.68	0.68
145		0.67	0.67	0.66	0.66
146		1.17	1.21	1.08	1.08
147		1.45	1.56	1.09	1.09
155		0.66	0.66	0.64	0.64
156		0.81	0.81	0.79	0.79
157		1.63	1.77	1.25	1.25
1	129	1.22	1.17	0.96	0.96
4	132	0.88	0.79	0.8	0.79



16	144	0.38	0.38	0.37	0.37
17	145	0.39	0.38	0.37	0.37
18	146	0.57	0.49	0.42	0.42
19	147	0.6	0.55	0.4	0.4
27	155	0.36	0.36	0.35	0.35
28	156	0.46	0.41	0.4	0.4
29	157	0.62	0.56	0.43	0.43

d) *Scaling factor for side array n261*

Beam ID 1	Beam ID 2	S LB	S MB	S HB	S
2		0.79	0.78	0.77	0.77
5		1.65	1.79	1.78	1.65
7		1.02	1	0.95	0.95
9		1.32	1.35	1.55	1.32
11		1.44	1.28	1.19	1.19
20		0.63	0.63	0.6	0.6
21		0.57	0.61	0.6	0.57
22		0.49	0.51	0.53	0.49
23		0.54	0.52	0.52	0.52
30		0.76	0.68	0.72	0.68
31		0.51	0.55	0.56	0.51
32		0.51	0.51	0.52	0.51
38		0.26	0.28	0.29	0.26
39		0.3	0.3	0.31	0.3
40		0.27	0.28	0.31	0.27
41		0.29	0.28	0.26	0.26
42		0.21	0.2	0.2	0.2
47		0.3	0.31	0.32	0.3
48		0.27	0.27	0.29	0.27
49		0.29	0.3	0.29	0.29
50		0.25	0.24	0.23	0.23
130		1.04	0.9	0.86	0.86
133		1.08	1.11	1.05	1.05
135		1.26	1.26	1.33	1.26
137		0.97	1	1.15	0.97
139		2.6	1.36	1.26	1.26
148		0.74	0.55	0.56	0.55
149		0.62	0.54	0.48	0.48
150		0.54	0.52	0.5	0.5
151		0.5	0.5	0.52	0.5
158		0.61	0.52	0.46	0.46
159		0.57	0.54	0.52	0.52
160		0.44	0.41	0.4	0.4
166		0.28	0.27	0.29	0.27



167		0.38	0.33	0.35	0.33
168		0.33	0.29	0.29	0.29
169		0.25	0.24	0.24	0.24
170		0.19	0.18	0.18	0.18
175		0.37	0.33	0.36	0.33
176		0.37	0.32	0.34	0.32
177		0.28	0.26	0.26	0.26
178		0.21	0.21	0.2	0.2
2	130	0.41	0.38	0.37	0.37
5	133	0.52	0.55	0.58	0.52
7	135	0.47	0.51	0.52	0.47
9	137	0.46	0.49	0.64	0.46
11	139	0.81	0.54	0.56	0.54
20	148	0.35	0.32	0.32	0.32
21	149	0.28	0.26	0.24	0.24
22	150	0.22	0.23	0.23	0.22
23	151	0.23	0.23	0.24	0.23
30	158	0.34	0.31	0.32	0.31
31	159	0.24	0.23	0.23	0.23
32	160	0.22	0.21	0.2	0.2
38	166	0.11	0.12	0.13	0.11
39	167	0.14	0.13	0.15	0.13
40	168	0.12	0.11	0.12	0.11
41	169	0.11	0.11	0.1	0.1
42	170	0.08	0.08	0.09	0.08
47	175	0.15	0.14	0.15	0.14
48	176	0.13	0.12	0.13	0.12
49	177	0.12	0.11	0.11	0.11
50	178	0.09	0.09	0.1	0.09

e) *Scaling factor for back array 1 n261*

Beam ID 1	Beam ID 2	S LB	S MB	S HB	S
0		1.24	1.19	1.32	1.19
3		1.24	1.3	1.26	1.24
6		1.74	1.63	1.42	1.42
8		1.49	1.54	1.56	1.49
10		1.17	1.2	1.27	1.17
12		0.47	0.48	0.53	0.47
13		0.47	0.45	0.5	0.45
14		0.7	0.6	0.56	0.56
15		0.88	0.88	0.81	0.81
24		0.45	0.45	0.5	0.45
25		0.69	0.65	0.6	0.6
26		0.98	0.94	0.97	0.94



33		0.26	0.29	0.3	0.26
34		0.29	0.28	0.26	0.26
35		0.21	0.2	0.2	0.2
36		0.23	0.21	0.21	0.21
37		0.41	0.41	0.39	0.39
43		0.3	0.32	0.32	0.3
44		0.29	0.27	0.26	0.26
45		0.2	0.19	0.19	0.19
46		0.31	0.29	0.29	0.29
128		1.64	1.49	1.47	1.47
131		1.45	1.52	1.52	1.45
134		1.47	1.31	1.34	1.31
136		1.51	1.51	1.47	1.47
138		1.12	1.16	1.12	1.12
140		0.57	0.51	0.49	0.49
141		0.57	0.52	0.52	0.52
142		0.61	0.6	0.66	0.6
143		0.74	0.76	0.92	0.74
152		0.62	0.54	0.5	0.5
153		0.57	0.53	0.56	0.53
154		0.58	0.56	0.55	0.55
161		0.28	0.26	0.25	0.25
162		0.39	0.33	0.3	0.3
163		0.29	0.26	0.25	0.25
164		0.26	0.25	0.25	0.25
165		0.3	0.28	0.31	0.28
171		0.34	0.31	0.29	0.29
172		0.33	0.3	0.29	0.29
173		0.27	0.25	0.25	0.25
174		0.26	0.24	0.25	0.24
0	128	0.63	0.63	0.65	0.63
3	131	0.64	0.64	0.65	0.64
6	134	0.75	0.71	0.67	0.67
8	136	0.85	0.9	0.91	0.85
10	138	0.52	0.54	0.55	0.52
12	140	0.24	0.24	0.25	0.24
13	141	0.25	0.23	0.23	0.23
14	142	0.33	0.29	0.29	0.29
15	143	0.4	0.4	0.44	0.4
24	152	0.25	0.23	0.23	0.23
25	153	0.3	0.27	0.27	0.27
26	154	0.34	0.33	0.33	0.33
33	161	0.14	0.13	0.13	0.13
34	162	0.16	0.16	0.15	0.15



35	163	0.11	0.11	0.1	0.1
36	164	0.11	0.1	0.11	0.1
37	165	0.17	0.17	0.17	0.17
43	171	0.16	0.15	0.15	0.15
44	172	0.14	0.13	0.13	0.13
45	173	0.1	0.1	0.1	0.1
46	174	0.13	0.12	0.13	0.12

f) *Scaling factor for back array 2 n261*

Beam ID 1	Beam ID 2	S LB	S MB	S HB	S
1		1.66	1.79	2	1.66
4		1.73	1.46	1.79	1.46
16		0.99	0.86	1.11	0.86
17		0.75	0.71	0.84	0.71
18		0.68	0.71	0.79	0.68
19		0.74	0.76	0.84	0.74
27		0.99	0.86	1.11	0.86
28		0.72	0.71	0.82	0.71
29		0.68	0.72	0.79	0.68
129		2.34	1.86	1.74	1.74
132		1.56	1.56	1.4	1.4
144		0.87	0.78	0.73	0.73
145		0.99	0.87	0.87	0.87
146		1.05	0.94	0.77	0.77
147		0.89	0.78	0.71	0.71
155		0.87	0.77	0.75	0.75
156		1.11	1.02	0.89	0.89
157		0.92	0.8	0.68	0.68
1	129	0.91	0.88	0.92	0.88
4	132	0.76	0.71	0.77	0.71
16	144	0.45	0.38	0.42	0.38
17	145	0.38	0.37	0.39	0.37
18	146	0.36	0.38	0.36	0.36
19	147	0.35	0.36	0.35	0.35
27	155	0.44	0.38	0.42	0.38
28	156	0.41	0.4	0.4	0.4
29	157	0.33	0.35	0.34	0.33

g) *Scaling factor for side array n260*

Beam ID 1	Beam ID 2	S LB	S MB	S HB	S
2		0.86	1.12	1.08	0.86
5		1.77	1.44	1.78	1.44
7		1.62	1.24	1.54	1.24
9		1.39	1.31	1.27	1.27



11		0.97	1.24	1.01	0.97
20		0.54	0.64	0.53	0.53
21		0.84	0.7	0.72	0.7
22		0.67	0.65	0.76	0.65
23		0.86	0.56	0.64	0.56
30		0.71	0.66	0.64	0.64
31		0.78	0.71	0.7	0.7
32		0.6	0.61	0.69	0.6
38		0.41	0.4	0.42	0.4
39		0.34	0.35	0.4	0.34
40		0.26	0.24	0.28	0.24
41		0.25	0.24	0.25	0.24
42		0.36	0.31	0.28	0.28
47		0.37	0.44	0.46	0.37
48		0.29	0.27	0.31	0.27
49		0.3	0.27	0.29	0.27
50		0.24	0.24	0.24	0.24
130		0.93	1.01	1.23	0.93
133		1.09	1.59	1.54	1.09
135		1.13	1.98	2.07	1.13
137		1.14	1.14	1.62	1.14
139		1.06	0.95	1.33	0.95
148		0.52	0.5	0.7	0.5
149		0.6	0.79	0.95	0.6
150		0.53	0.74	0.74	0.53
151		0.47	0.5	0.56	0.47
158		0.51	0.54	0.66	0.51
159		0.57	0.86	0.84	0.57
160		0.54	0.48	0.67	0.48
166		0.28	0.28	0.34	0.28
167		0.34	0.45	0.61	0.34
168		0.25	0.34	0.36	0.25
169		0.23	0.33	0.36	0.23
170		0.24	0.26	0.32	0.24
175		0.33	0.35	0.44	0.33
176		0.29	0.36	0.5	0.29
177		0.25	0.31	0.34	0.25
178		0.26	0.31	0.35	0.26
2	130	0.43	0.43	0.49	0.43
5	133	0.57	0.61	0.71	0.57
7	135	0.62	0.71	0.83	0.62
9	137	0.53	0.55	0.68	0.53
11	139	0.48	0.51	0.52	0.48
20	148	0.23	0.25	0.28	0.23



21	149	0.35	0.41	0.43	0.35
22	150	0.28	0.28	0.33	0.28
23	151	0.3	0.29	0.3	0.29
30	158	0.34	0.35	0.38	0.34
31	159	0.34	0.42	0.41	0.34
32	160	0.34	0.29	0.37	0.29
38	166	0.13	0.12	0.16	0.12
39	167	0.14	0.14	0.2	0.14
40	168	0.11	0.12	0.14	0.11
41	169	0.1	0.13	0.14	0.1
42	170	0.13	0.12	0.13	0.12
47	175	0.14	0.14	0.18	0.14
48	176	0.13	0.13	0.16	0.13
49	177	0.12	0.13	0.15	0.12
50	178	0.1	0.12	0.12	0.1

h) Scaling factor for back array 1 n260

Beam ID 1	Beam ID 2	S_LB	S_MB	S_HB	S
0		1.53	1.79	1.88	1.53
3		1.67	1.4	1.49	1.4
6		1.7	1.67	1.98	1.67
8		1.66	1.42	1.63	1.42
10		1.74	1.5	1.8	1.5
12		0.84	0.88	0.85	0.84
13		0.79	0.66	0.82	0.66
14		0.78	0.75	0.87	0.75
15		0.98	0.87	0.92	0.87
24		0.92	0.83	1.05	0.83
25		0.77	0.67	0.83	0.67
26		0.9	0.83	0.9	0.83
33		0.39	0.38	0.43	0.38
34		0.53	0.41	0.51	0.41
35		0.4	0.37	0.4	0.37
36		0.37	0.32	0.38	0.32
37		0.32	0.3	0.36	0.3
43		0.43	0.39	0.44	0.39
44		0.39	0.33	0.34	0.33
45		0.38	0.35	0.43	0.35
46		0.33	0.31	0.37	0.31
128		1.34	1.59	1.81	1.34
131		1.75	1.52	1.59	1.52
134		1.76	1.51	1.99	1.51
136		1.79	1.77	1.94	1.77
138		1.95	1.74	1.77	1.74



140		0.92	0.93	0.91	0.91
141		0.97	0.97	0.96	0.96
142		0.93	0.94	1.04	0.93
143		0.79	0.85	0.87	0.79
152		0.63	0.65	0.73	0.63
153		1.07	0.97	1.06	0.97
154		1.03	0.93	1.04	0.93
161		0.34	0.34	0.33	0.33
162		0.34	0.34	0.39	0.34
163		0.44	0.44	0.46	0.44
164		0.55	0.52	0.6	0.52
165		0.38	0.34	0.37	0.34
171		0.33	0.33	0.36	0.33
172		0.49	0.43	0.47	0.43
173		0.35	0.36	0.44	0.35
174		0.42	0.38	0.47	0.38
0	128	0.68	0.78	0.83	0.68
3	131	0.69	0.66	0.7	0.66
6	134	0.82	0.72	0.93	0.72
8	136	0.84	0.77	0.83	0.77
10	138	0.93	0.76	0.92	0.76
12	140	0.41	0.45	0.47	0.41
13	141	0.42	0.37	0.43	0.37
14	142	0.43	0.41	0.42	0.41
15	143	0.45	0.41	0.45	0.41
24	152	0.48	0.47	0.51	0.47
25	153	0.39	0.37	0.44	0.37
26	154	0.4	0.38	0.43	0.38
33	161	0.17	0.17	0.18	0.17
34	162	0.19	0.18	0.22	0.18
35	163	0.2	0.19	0.2	0.19
36	164	0.2	0.17	0.21	0.17
37	165	0.17	0.15	0.16	0.15
43	171	0.16	0.18	0.19	0.16
44	172	0.19	0.17	0.2	0.17
45	173	0.21	0.19	0.21	0.19
46	174	0.17	0.16	0.18	0.16

i) *Scaling factor for back array 2 n260*

Beam ID 1	Beam ID 2	S LB	S MB	S HB	S
1		2.87	1.84	2.16	1.84
4		3.6	3.13	2.28	2.28
16		1.73	1.14	1.03	1.03
17		1.81	1.27	1.53	1.27



18		1.54	1.22	1.08	1.08
19		1.64	1.13	0.93	0.93
27		1.75	1.3	1.54	1.3
28		1.6	1.28	1.27	1.27
29		1.53	1.16	0.93	0.93
129		2.53	2.75	2.51	2.51
132		3.16	2.65	3.13	2.65
144		1.52	1.34	1.53	1.34
145		1.44	1.5	1.45	1.44
146		1.45	1.39	1.46	1.39
147		1.52	1.36	1.54	1.36
155		1.47	1.61	1.54	1.47
156		1.45	1.53	1.45	1.45
157		1.49	1.29	1.5	1.29
1	129	1.11	1	1.09	1
4	132	1.39	1.25	1.15	1.15
16	144	0.72	0.53	0.54	0.53
17	145	0.73	0.63	0.7	0.63
18	146	0.63	0.59	0.56	0.56
19	147	0.69	0.54	0.49	0.49
27	155	0.7	0.67	0.72	0.67
28	156	0.64	0.64	0.66	0.64
29	157	0.66	0.55	0.48	0.48



Appendix C: MPE (sPD) Simulation Using New Guideline from Qualcomm

This document provides the changes from what we have submitted from last year, following the new guidelines from Qualcomm, that 2nd generation of Smart Transmit (Smart-Tx GEN2) is used in this year's iPhone program.

The 1st generation of Smart Transmit (GEN1) assumes all transmit antennas are co-located and RF exposure is 100% overlapped, while the 2nd generation of Smart Transmit (GEN2) operates based on pre-defined antenna groups. In this revision, the antenna grouping is based on mmW module placement.

As an example of a wireless device having three mmW antenna (i.e., back-firing antenna 1 (BF1), back-firing antenna 2 (BF2) and side-firing (SF) antenna), Figure C.1 illustrates GEN1 and GEN2 operation.




Figure C.1. Smart transmit generate illustration, (a) GEN1, and (b) GEN2

The requirement and guidelines stated for GEN1 in all previous sections apply to GEN2. The additional requirement to characterize PD for GEN2 is described in this inclusion.

- All mmW modules need to be included in each simulation model
- 2D PD plots for different surfaces are not needed for Smart-Tx GEN2

C.1 Changes in Modeling Approach Using Smart-Tx GEN2

Simulation model needs to be large enough to include all the antenna modules located inside the EUT, so that the mutual coupling can be properly calculated. Unlike GEN1, simulation of a part of the EUT (right part of Figure C.2) will not work. Instead, the entire EUT must be simulated as illustrated in the left side example in Figure C.2 for GEN2.

Additionally, the simulation domain needs to be sufficiently large for “Qualcomm MG Script” to extract valid E- and H-fields from all adjacent exposure surfaces of the EUT extended by at least 35 mm in all directions. To accomplish this, if CST is used, recommended setting for the “radiation boundary” is at least 40 mm away from EUT to well contain all adjacent exposure surfaces (S1~S6 in Figure 2).




Figure C.2. Simulation model examples.

C.2 GEN2 PD Generation Using Qualcomm MG Script

Use “Qualcomm MG script” to extract E- and H-fields from the validated simulation and to assess the mutual coupling between all the mmW modules and all the beams in the codebook to determine the backoff value for each mmW module. Note the assessment and backoff value derivation are automated with “Qualcomm MG script”. Once the script is done with assessment, it will provide the $sim.power_{limit}$ (backoff is already included) for all the beams for all three channels for the specified sPD_design_target .

C.3 Additional Verifications for GEN2

The sPD for GEN2 cannot be finalized until the additional verifications described in this section are performed and passed. The below steps are followed for verifications in the mid channel.

VERIFICATION 1: Use “Qualcomm MG script” to print the sPD plots for all the beams selected and evaluated for model validation. Compare the printed sPD plot to the corresponding



simulated/measured sPD, the printed sPD distributions should match the simulated sPD distributions as shown in Figure 7, 8 and 9 to verify that “Qualcomm MG script” is properly used.

VERIFICATION 2: “Qualcomm MG script” identifies the worst-case 4cm² sPD and its location (x,y,z). This worst-case 4cm² sPD is maximum 4cm² sPD value out of all exposure surfaces when assuming the worst beam from each of the antenna modules are active. The script will then identify the worst beam from each module that contributes the most to the worst 4cm² sPD and print their contribution factor, as well as the worst surface corresponding to the worst-case 4cm² sPD, backoff value for each antenna module and *verification.sim.powerlimit* (before backoff) value for each identified beams.

Use CST (or other EM simulation tool) to calculate the simulated contribution factor for the identified beams. The simulated contribution factor, $c_{simulated}(i,j)$, for beam i from QTM j can be computed by

$$c_{simulated}(i,j) = \frac{4cm^2 PD \text{ at } (x, y, z) \text{ at } verification.sim.powerlimit}{PD_design_target}$$

Verify:

1. the printed contribution factor, $c(i,j)$, matches the simulated contribution factor, $c_{simulated}(i,j)$, obtained from CST (or other EM simulation tool) within 2% of numerical tolerance.
2. the normalized *combined sPD* does not exceed 1.0, i.e., $normalized\ combined\ sPD = \sum(b_j * c(i,j)) \leq 1.0$
where *combined sPD* = sPD from current antenna module + sPD contributions from other antenna modules; b_j = backoff value for antenna module j , j = antenna module #; $c(i,j)$ = contribution factor of beam i from antenna module j to the worst 4cm² sPD. Both b_j and $c(i,j)$ are printed from “Qualcomm MG script”.

VERIFICATION 3: Measure power density for the beams identified by “Qualcomm MG script” on their corresponding worst surfaces printed from the script. Set the device in FTM mode, the sPD measurement should be performed at the reference power level with CW modulation. Scale the measured sPD to obtain 4cm² sPD(i,j) for beam i from antenna module j at their *input.power.limit*. Demonstrate that the *combined sPD* (i.e., $\sum[c(i,j)*sPD(i,j)]$) is less than or equal to *sPD_design_target* within the uncertainty at reference power level, i.e., $combined\ sPD = \sum[c(i,j)*measured\ 4cm^2\ sPD(i,j)] \leq sPD_design_target + \text{uncertainty at reference power level}$.

As an example of one of the iPhone programs, which contains 2 antenna modules (i.e., Module0 (back-firing array 1 and back-firing array 2) and Module1 (side-firing array)), the following verifications are for n258, n261 and n260, respectively.

1) Band n258

“Qualcomm MG script” identifies beam 154 and 151 from Module0 and Module1, respectively. The script prints below information corresponding to the identified worst-case 4cm² sPD:

- the backoff values (in linear) for Module0 and Module1: $b_0 = 0.9772$; $b_1 = 0.8913$



- the worst location coordinates (x, y, z) in meter = $(0.0378, -0.0298, -0.0058)$
- the worst-surface = S4 (right surface, see Figure C.2)
- the $verification.sim.power_{limit}$ (before backoff) for the beams 154 and 151 is 4.76 dBm and 3.58 dBm, respectively.
- worst surface for Module0 is S4 (Back); worst surface for Module1 is S4 (Right)
- the contribution factors $c(154, 0) = 0.0942$ and $c(151, 1) = 0.9991$ at the worst-case $4cm^2$ sPD location $(0.0378, -0.0298, -0.0058)$

As shown in Table C.1, the printed contribution factor matches the simulated contribution factor within 2%, and the *normalized combined sPD* is less than 1.0. Thus, the verification 2 is completed for this program.

As shown in Table C.2, the *combined* measured sPD at the worst location $\leq sPD_design_target$ uncertainty at reference power level. Thus, the verification 3 is completed for this program.

Table C.1 - Contribution factors from Qualcomm MG script and from CST for selected beams, and normalized *combined sPD* verification, for device with 2 antenna modules.

Worse-case surface					S4 (right surface)	
Worst-case location (x,y,z) in meters					$(0.0378, -0.0298, -0.0058)$	
sPD_design_target (W/m ²)					5	
Value printed by MG Script					Value by EM tool	
Module #	Beam ID	$c(i, j)$, i =beam ID, j =module #	Backoff factor b_j	$verification.sim.power_{limit}$ (before backoffs) [dBm]	Simulated $4cm^2$ sPD at $(0.0378, -0.0298, -0.0058)$ with $verification.sim.power_{limit}$ on S4 (W/m ²)	$c_{simulated}(i, j)$
0	154	0.0942	0.9772	4.76	0.4589	$0.4589/5 = 0.092$
1	151	0.9991	0.8913	3.58	4.9981	$4.9981/5 = 0.99962$
Verify 1	$u_j c(i, j) = c_{simulated}(i, j), i = 154, 151; j = 0, 1$					
Verify 2	$b_0 \times c(154,0) + b_1 \times c(151,1) = 0.9772 \times 0.0942 + 0.8913 \times 0.9991 = 0.9826 \leq 1$					



Table C.2: Measured 4cm² sPD on worst surface and *combined sPD* at worst-case location for device with 2 antenna modules.

Module#	Beam ID	Dominant Surface	Measured 4cm ² sPD at input.power.limit on dominant surface (W/m ²)
0	154	S2 (Back)	3.1042
1	151	S4 (Right)	3.5456
<i>combined sPD</i> at the worst-case location (x,y,z)			$c(154,0) \times \text{meas.4cm}^2\text{sPD}(154,0) + c(151,1) \times \text{meas.4cm}^2\text{sPD}(151,1) = 0.0942 \times 3.1042 + 0.9991 \times 3.5456 = 3.8348 \text{ W/m}^2$
<i>sPD_design_target</i> + uncertainty at reference power level of 1 dB			$= 5 \times 10^{(+1/10)} = 6.3 \text{ W/m}^2$
Verify			combined sPD < <i>sPD_design_target</i> + uncertainty at reference power level

Note $c(i,j)$ is obtained from Table C.1.

2) Band n261

“Qualcomm MG script” identifies beam 172 and 42 from Module0 and Module1, respectively. The script prints below information corresponding to the identified worst-case 4cm² sPD:

- the backoff values (in linear) for Module0 and Module1: $b_0 = 0.9772$; $b_1 = 0.9333$
- the worst location coordinates (x, y, z) in meter = (0.0378, -0.0148, -0.0048)
- the worst-surface = S4 (right surface, see Figure C.2)
- the *verification.sim.power_limit* (before backoff) for the beams 172 and 42 is 0.8 dBm and -0.97 dBm, respectively.
- worst surface for Module0 is S4 (Back); worst surface for Module1 is S4 (Right)
- the contribution factors $c(172, 0) = 0.0506$ and $c(42, 1) = 0.9984$ at the worst-case 4cm² sPD location (0.0378, -0.0148, -0.0048)

As shown in Table C.3, the printed contribution factor matches the simulated contribution factor within 2%, and the *normalized combined sPD* is less than 1.0. Thus, the verification 2 is completed for this program.

As shown in Table C.4, the *combined* measured sPD at the worst location \leq *sPD_design_target* uncertainty at reference power level. Thus, the verification 3 is completed for this program.



Table C.3 - Contribution factors from Qualcomm MG script and from CST for selected beams, and normalized *combined sPD* verification, for device with 2 antenna modules.

Worse-case surface					S4 (right surface)	
Worst-case location (x,y,z) in meters					(0.0378, -0.0148, -0.0048)	
<i>sPD_design_target</i> (W/m ²)					5	
Value printed by MG Script					Value by EM tool	
Module #	Beam ID	<i>c(i,j)</i> , <i>i</i> =beam ID, <i>j</i> =module #	Backoff factor <i>b_j</i>	<i>verification.sim.power_limit</i> (before backoffs) [dBm]	Simulated 4cm ² sPD at (0.0378, -0.0148, -0.0048) with <i>verification.sim.power_limit</i> on S4 (W/m ²)	<i>C_{simulated}(i,j)</i>
0	172	0.0506	0.9772	0.8	0.243	0.24347/5 = 0.487
1	42	0.9984	0.9333	-0.97	0.0630	5.0035/5 = 1.0007
Verify 1	$c(i,j)=C_{simulated}(i,j), i = 172, 42; j = 0, 1$					
Verify 2	$b_0 \times c(10,0) + b_1 \times c(38,1) = 0.9772 \times 0.0506 + 0.9333 \times 0.9984 = 0.9813 \leq 1$					

Table C.4 - Measured 4cm² sPD on worst surface and *combined sPD* at worst-case location for device with 2 antenna modules.

Module#	Beam ID	Dominant Surface	Measured 4cm ² sPD at input.power.limit on dominant surface (W/m ²)
0	172	S2 (Back)	5.3755
1	42	S4 (Right)	2.4310
<i>combined sPD</i> at the worst-case location (x,y,z)			$c(172,0) \times \text{meas.4cm}^2 \text{ sPD}(172,0) + c(42,1) \times \text{meas.4cm}^2 \text{ sPD}(42,1) = 0.0506 \times 5.3755 + 0.9984 \times 2.4310 = 2.699 \text{ W/m}^2$
<i>sPD_design_target</i> + uncertainty at reference power			$= 5 \times 10^{(+1/10)} = 6.3 \text{ W/m}^2$



level of 1 dB	
Verify	combined sPD < sPD_design_target + uncertainty at reference power level

Note $c(i,j)$ is obtained from Table C.3.

3) Band n260

“Qualcomm MG script” identifies beam 164 and 11 from Module0 and Module1, respectively. The script prints below information corresponding to the identified worst-case 4cm² sPD:

- the backoff values (in linear) for Module0 and Module1: $b_0 = 0.9772$; $b_1 = 0.871$
- the worst location coordinates (x, y, z) in meter = (0.0378, -0.0088, -0.0038)
- the worst-surface = S4 (right surface, see Figure C.2)
- the *verification.sim.power_{limit}* (before backoff) for the beams 164 and 11 is 3.2 dBm and 6.94 dBm, respectively.
- worst surface for Module0 is S2 (back); worst surface for Module1 is S4 (right)
- the contribution factors $c(164, 0) = 0.0657$ and $c(11, 1) = 1$ at the worst-case 4cm² sPD location (0.0378, -0.0088, -0.0038)

As shown in Table C.8, the printed contribution factor matches the simulated contribution factor within 2%, and the *normalized combined sPD* is less than 1.0. Thus, the verification 2 is completed for this program.

As shown in Table C.9, the *combined* measured sPD at the worst location \leq sPD_design_target uncertainty at reference power level. Thus, the verification 3 is completed for this program.

Table C.8 - Contribution factors from Qualcomm MG script and from CST for selected beams, and normalized *combined sPD* verification, for device with 2 antenna modules.

Worse-case surface					S4 (right surface)	
Worst-case location (x,y,z) in meters					(0.0378, -0.0088, -0.0038)	
<i>sPD_design_target</i> (W/m ²)					5	
Value printed by MG Script					Value by EM tool	
Module #	Beam ID	$c(i, j)$, i =beam ID, j =module #	Backoff factor b_j	<i>verification.sim.power_{limit}</i> (before backoffs) [dBm]	Simulated 4cm ² sPD at (0.0378, -0.0088, -0.0038) with <i>verification.sim.power_{limit}</i> on S4 (W/m ²)	$C_{simulated}(i, j)$



0	164	0.0657	0.9772	3.2	0.3243	$0.3243/5 = 0.06486$
1	11	1	0.871	6.94	4.9934	$4.9934/5 = 0.99867$
Verify 1	$c(i,j)=c_{simulated}(i,j), i = 164, 11; j = 0, 1$					
Verify 2	$b_0 \times c(164,0) + b_1 \times c(11,1) = 0.9772 \times 0.0657 + 0.871 \times 1 = 0.9352 \leq 1$					

Table C.9 - Measured 4cm² sPD on worst surface and *combined sPD* at worst-case location for device with 2 antenna modules.

Module#	Beam ID	Dominant Surface	Measured 4cm ² sPD at input.power.limit on dominant surface (W/m ²)
0	164	S2 (Back)	4.2667
1	11	S4 (Right)	3.1786
<i>combined sPD</i> at the worst-case location (x,y,z)			$c(164,0) \times \text{meas.4cm}^2 \text{ sPD}(164,0) + c(11,1) \times \text{meas.4cm}^2 \text{ sPD}(11,1) = 0.0657 \times 4.2667 + 1 \times 3.1786 = 3.4589 \text{ W/m}^2$
<i>sPD_design_target</i> + uncertainty at reference power level of 1 dB			$= 5 \times 10^{(+1/10)} = 6.3 \text{ W/m}^2$
Verify			combined sPD < <i>sPD_design_target</i> + uncertainty at reference power level

Note $c(i,j)$ is obtained from Table C.8.



References

1. *Qualcomm Module Group (MG) Script Rev B User Guide.*
2. S. Pfeifer, E. Carrasco, P. Crespo-Valero, E. Neufeld, S. Kuhn, T. Samaras, A. Christ, M. H. Capstick, and N. Kuster, "Total field reconstruction in the near field using pseudo-vector *E*-field measurement," *IEEE Trans. Electromagnetic Compatibility*, vol. 61, no. 2, pp. 476–486, Apr. 2019.
3. IEC/IEEE 62704-1:2017 "Determining the peak spatial-average specific absorption rate (SAR) in the human body from wireless communications devices, 30 MHz to 6 GHz - Part 1: General requirements for using the finite difference time-domain (FDTD) method for SAR calculations"
4. *5G mmW NR Enabled QRD SAR Char and PD Char for Qualcomm Smart Transmit PD Char Requirements for 2nd Generation of Smart Transmit (GEN2).*