




Plot 7-687. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 155)




Plot 7-690. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-688. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 155)



Plot 7-691. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-689. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-692. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 217 of 600




Plot 7-693. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-696. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)




Plot 7-694. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)



Plot 7-697. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-695. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)




Plot 7-698. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			Test Dates: 1/3/2024 - 2/28/2024




Plot 7-699. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-702. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-700. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)



Plot 7-703. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)




Plot 7-701. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-704. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 219 of 600




Plot 7-705. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-708. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-706. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)



Plot 7-709. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-707. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-710. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 220 of 600




Plot 7-711. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 209)




Plot 7-714. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-712. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 209)



Plot 7-715. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-713. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-716. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			Test Dates: 1/3/2024 - 2/28/2024




Plot 7-717. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-720. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU484 (UNII Band 8) – Ch. 211)




Plot 7-718. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)



Plot 7-721. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-719. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU484 (UNII Band 8) – Ch. 211)




Plot 7-722. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 222 of 600




Plot 7-723. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-726. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-724. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)



Plot 7-727. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 199)









Plot 7-725. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-728. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 199)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			Test Dates: 1/3/2024 - 2/28/2024



FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			Test Dates: 1/3/2024 - 2/28/2024



Plot 7-735. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)



Plot 7-736. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 225 of 600

7.4.10 SDM Diversity LPI Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Antenna 4a Power Density [dBm/MHz]	Antenna 2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]	
Band 5	5955	1	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.89	-10.18	-6.48	1.20	-5.28	-1	-4.28	
	5955	1	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-10.88	-10.52	-7.69	1.20	-6.49	-1	-5.49	
	5955	1	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.35	-9.82	-6.57	1.20	-5.37	-1	-4.37	
	6175	45	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.56	-9.32	-5.91	1.20	-4.71	-1	-3.71	
	6175	45	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.63	-9.74	-6.67	1.20	-5.47	-1	-4.47	
	6175	45	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.94	-8.97	-5.94	1.20	-4.74	-1	-3.74	
	6415	93	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.01	-7.91	-4.95	1.20	-3.75	-1	-2.75	
	6415	93	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-8.75	-8.75	-5.74	1.20	-4.54	-1	-3.54	
	6415	93	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-7.86	-8.43	-5.12	1.20	-3.92	-1	-2.92	
	5965	3	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.63	-9.27	-5.92	1.20	-4.72	-1	-3.72	
	5965	3	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.37	-8.69	-5.52	1.20	-4.32	-1	-3.32	
	5965	3	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.58	-9.38	-5.95	1.20	-4.75	-1	-3.75	
	6165	43	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.96	-8.82	-5.88	1.20	-4.68	-1	-3.68	
	6165	43	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.04	-8.98	-6.00	1.20	-4.80	-1	-3.80	
	6165	43	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.95	-8.29	-5.59	1.20	-4.39	-1	-3.39	
	6165	91	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.68	-8.01	-4.83	1.20	-3.63	-1	-2.63	
	6165	91	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.07	-7.91	-4.98	1.20	-3.78	-1	-2.78	
	6165	91	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.63	-7.74	-4.67	1.20	-3.47	-1	-2.47	
	5985	7	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.70	-9.34	-6.00	1.20	-4.80	-1	-3.80	
	5985	7	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.04	-10.18	-7.10	1.20	-5.90	-1	-4.90	
	5985	7	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.93	-8.74	-5.82	1.20	-4.62	-1	-3.62	
	6145	39	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.92	-8.70	-5.80	1.20	-4.60	-1	-3.60	
	6145	39	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.52	-10.27	-7.38	1.20	-6.18	-1	-5.18	
	6145	39	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.73	-8.86	-5.78	1.20	-4.58	-1	-3.58	
	6385	87	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.48	-7.84	-5.14	1.20	-3.94	-1	-2.94	
	6385	87	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.51	-8.77	-6.11	1.20	-4.91	-1	-3.91	
	6385	87	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-7.51	-7.92	-4.70	1.20	-3.50	-1	-2.50	
	6025	15	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.64	-9.54	-6.58	1.20	-5.38	-1	-4.38	
	6025	15	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.27	-9.65	-6.45	1.20	-5.25	-1	-4.25	
	6025	15	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.71	-9.47	-6.58	1.20	-5.37	-1	-4.37	
	6185	47	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.13	-9.22	-6.16	1.20	-4.96	-1	-3.96	
	6185	47	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.27	-8.97	-6.11	1.20	-4.91	-1	-3.91	
	6185	47	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.39	-9.48	-6.42	1.20	-5.22	-1	-4.22	
	6345	79	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.14	-7.77	-5.39	1.20	-4.19	-1	-3.19	
	6345	79	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.22	-8.86	-5.52	1.20	-4.32	-1	-3.32	
	6345	79	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-8.52	-8.53	-5.51	1.20	-4.31	-1	-3.31	
	Band 6	6345	97	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.36	-8.21	-5.27	0.83	-4.44	-1	-3.44
		6345	97	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.55	-9.90	-6.71	0.83	-5.88	-1	-4.88
		6345	97	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.58	-8.71	-5.64	0.83	-4.81	-1	-3.81
		6475	105	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.11	-8.91	-5.48	0.83	-4.65	-1	-3.65
		6475	105	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.52	-9.31	-6.40	0.83	-5.57	-1	-4.57
		6475	105	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.79	-8.95	-5.86	0.83	-5.03	-1	-4.03
		6515	113	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.14	-8.84	-5.46	0.83	-4.63	-1	-3.63
		6515	113	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-8.91	-9.65	-6.25	0.83	-5.43	-1	-4.43
		6515	113	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.62	-9.09	-5.84	0.83	-5.01	-1	-4.01
6445		99	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.12	-8.81	-5.44	0.83	-4.61	-1	-3.61	
6445		99	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.60	-8.18	-4.87	0.83	-4.04	-1	-3.04	
6445		99	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.26	-8.71	-4.91	0.83	-4.08	-1	-3.08	
6485		107	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.67	-8.36	-4.99	0.83	-4.16	-1	-3.16	
6485		107	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.84	-8.16	-4.99	0.83	-4.16	-1	-3.16	
6485		107	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.01	-8.47	-5.22	0.83	-4.39	-1	-3.39	
6525		115	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.01	-10.23	-6.57	0.83	-5.74	-1	-4.74	
6525		115	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.19	-9.21	-6.19	0.83	-5.36	-1	-4.36	
6525		115	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.67	-10.15	-6.89	0.83	-6.06	-1	-5.06	
6465		103	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.13	-8.37	-5.24	0.83	-4.41	-1	-3.41	
6465		103	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.80	-9.12	-6.44	0.83	-5.61	-1	-4.61	
6465		103	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.30	-8.44	-5.36	0.83	-4.53	-1	-3.53	
6505		111	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.62	-10.40	-6.98	0.83	-6.15	-1	-5.15	
6505		111	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.53	-10.10	-6.79	0.83	-5.97	-1	-4.97	
6505		111	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-10.78	-11.12	-7.94	0.83	-7.11	-1	-6.11	

Table 7-153. Bands 5, 6 LPI Power Spectral Density Measurements SDM Diversity (RU26)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 226 of 600

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Antenna 4a Power Density [dBm/MHz]	Antenna 2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]	
Band 7	6535	117	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-10.42	-10.33	-7.37	1.36	-6.01	-1	-5.01	
	6535	117	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-11.09	-11.40	-8.23	1.36	-6.87	-1	-5.87	
	6535	117	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.96	-10.86	-7.37	1.36	-6.02	-1	-5.02	
	6695	149	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-10.22	-9.92	-7.06	1.36	-5.70	-1	-4.70	
	6695	149	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-11.06	-10.54	-7.78	1.36	-6.43	-1	-5.43	
	6695	149	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-10.14	-10.17	-7.15	1.36	-5.79	-1	-4.79	
	6875	185	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-10.07	-10.50	-7.27	1.36	-5.91	-1	-4.91	
	6875	185	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-10.59	-11.12	-7.84	1.36	-6.48	-1	-5.48	
	6875	185	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.57	-10.64	-7.06	1.36	-5.70	-1	-4.70	
	6565	123	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-10.06	-10.55	-7.29	1.36	-5.93	-1	-4.93	
	6565	123	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.61	-10.11	-6.84	1.36	-5.49	-1	-4.49	
	6565	123	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.46	-10.51	-7.47	1.36	-6.12	-1	-5.12	
	6725	155	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.93	-9.92	-6.92	1.36	-5.56	-1	-4.56	
	6725	155	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.57	-9.72	-6.64	1.36	-5.28	-1	-4.28	
	6725	155	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.08	-9.40	-6.72	1.36	-5.36	-1	-4.36	
	6845	179	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.46	-10.00	-6.71	1.36	-5.35	-1	-4.35	
	6845	179	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.76	-10.47	-7.09	1.36	-5.73	-1	-4.73	
	6845	179	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.60	-10.22	-6.89	1.36	-5.54	-1	-4.54	
	6545	119	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.79	-9.84	-6.27	1.36	-4.92	-1	-3.92	
	6545	119	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.11	-11.29	-7.65	1.36	-6.30	-1	-5.30	
	6545	119	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-10.10	-10.04	-7.06	1.36	-5.71	-1	-4.71	
	6705	151	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-10.88	-9.83	-7.31	1.36	-5.95	-1	-4.95	
	6705	151	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.93	-10.82	-7.86	1.36	-6.51	-1	-5.51	
	6705	151	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.43	-10.46	-6.90	1.36	-5.54	-1	-4.54	
	6865	183	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.55	-9.99	-6.76	1.36	-5.40	-1	-4.40	
	6865	183	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.66	-11.25	-7.94	1.36	-6.58	-1	-5.58	
	6865	183	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.90	-10.52	-7.19	1.36	-5.83	-1	-4.83	
	6665	143	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-11.08	-11.07	-8.06	1.36	-6.71	-1	-5.71	
	6665	143	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-11.12	-10.93	-8.01	1.36	-6.65	-1	-5.65	
	6665	143	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-10.53	-10.10	-7.30	1.36	-5.94	-1	-4.94	
	6825	175	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-10.21	-10.42	-7.30	1.36	-5.95	-1	-4.95	
	6825	175	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-10.23	-10.77	-7.48	1.36	-6.12	-1	-5.12	
	6825	175	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-10.32	-11.13	-7.69	1.36	-6.34	-1	-5.34	
	Band 8	6895	189	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-10.02	-10.29	-7.14	1.73	-5.41	-1	-4.41
		6895	189	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-10.32	-11.03	-7.65	1.73	-5.92	-1	-4.92
		6895	189	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.55	-10.21	-6.86	1.73	-5.13	-1	-4.13
6995		209	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-9.60	-10.64	-7.08	1.73	-5.35	-1	-4.35	
6995		209	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-11.27	-11.23	-8.24	1.73	-6.51	-1	-5.51	
6995		209	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-10.18	-10.40	-7.28	1.73	-5.55	-1	-4.55	
7115		233	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-10.08	-9.87	-6.96	1.73	-5.23	-1	-4.23	
7115		233	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-11.00	-10.65	-7.81	1.73	-6.08	-1	-5.08	
7115		233	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-10.09	-10.04	-7.06	1.73	-5.33	-1	-4.33	
6885		187	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.82	-11.19	-7.44	1.73	-5.71	-1	-4.71	
6885		187	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.01	-10.47	-6.67	1.73	-4.94	-1	-3.94	
6885		187	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.01	-10.33	-7.16	1.73	-5.43	-1	-4.43	
7005		211	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.73	-10.68	-7.17	1.73	-5.44	-1	-4.44	
7005		211	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.17	-9.72	-6.43	1.73	-4.70	-1	-3.70	
7005		211	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.83	-10.47	-7.64	1.73	-5.91	-1	-4.91	
7085		227	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.90	-9.96	-6.92	1.73	-5.19	-1	-4.19	
7085		227	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-10.06	-10.42	-7.22	1.73	-5.49	-1	-4.49	
7085		227	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.10	-10.06	-7.07	1.73	-5.34	-1	-4.34	
6945		199	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.54	-9.88	-6.70	1.73	-4.97	-1	-3.97	
6945		199	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-11.08	-11.41	-8.23	1.73	-6.50	-1	-5.50	
6945		199	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.90	-10.51	-7.18	1.73	-5.45	-1	-4.45	
7025		215	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.84	-10.41	-7.11	1.73	-5.38	-1	-4.38	
7025		215	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-11.67	-11.14	-8.38	1.73	-6.65	-1	-5.65	
7025		215	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-10.41	-10.09	-7.23	1.73	-5.51	-1	-4.51	
6985		207	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-10.32	-10.27	-7.28	1.73	-5.55	-1	-4.55	
6985		207	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-10.63	-11.12	-7.86	1.73	-6.13	-1	-5.13	
6985		207	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.97	-10.44	-7.18	1.73	-5.46	-1	-4.46	


Table 7-154. Bands 7, 8 LPI Power Spectral Density Measurements SDM Diversity (RU26)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 227 of 600


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Antenna 4a Power Density [dBm/MHz]	Antenna 2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.59	-9.18	-5.86	1.20	-4.66	-1	-3.66
	6175	45	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.26	-8.24	-5.24	1.20	-4.04	-1	-3.04
	6415	93	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.36	-7.56	-4.45	1.20	-3.25	-1	-2.25
	5965	3	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.09	-8.05	-5.06	1.20	-3.86	-1	-2.86
	6165	43	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.73	-8.12	-4.91	1.20	-3.71	-1	-2.71
	6165	91	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.08	-7.00	-4.03	1.20	-2.83	-1	-1.83
	5985	7	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.27	-7.52	-4.39	1.20	-3.18	-1	-2.18
	6145	39	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.72	-7.33	-4.51	1.20	-3.31	-1	-2.31
	6385	87	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-6.69	-6.96	-3.82	1.20	-2.61	-1	-1.61
	6025	15	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-6.96	-8.05	-4.46	1.20	-3.26	-1	-2.26
	6185	47	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-7.69	-7.47	-4.57	1.20	-3.37	-1	-2.37
	6345	79	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-7.01	-6.94	-3.96	1.20	-2.76	-1	-1.76
	6345	97	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.00	-8.32	-5.15	0.83	-4.32	-1	-3.32
	6475	105	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.08	-8.04	-5.05	0.83	-4.22	-1	-3.22
6515	113	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.80	-8.32	-5.04	0.83	-4.21	-1	-3.21	
6445	99	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.10	-7.22	-4.15	0.83	-3.32	-1	-2.32	
6485	107	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.17	-7.44	-4.29	0.83	-3.46	-1	-2.46	
6525	115	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.75	-9.05	-5.89	0.83	-5.06	-1	-4.06	
6465	103	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-6.78	-7.39	-4.07	0.83	-3.24	-1	-2.24	
6505	111	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-8.95	-8.95	-5.94	0.83	-5.11	-1	-4.11	
6535	117	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-10.87	-9.76	-7.27	1.36	-5.91	-1	-4.91	
6695	149	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-9.04	-9.39	-6.20	1.36	-4.84	-1	-3.84	
6875	185	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-10.80	-11.84	-8.28	1.36	-6.92	-1	-5.92	
6565	123	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.97	-9.11	-6.03	1.36	-4.67	-1	-3.67	
6725	155	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.84	-8.82	-5.82	1.36	-4.46	-1	-3.46	
6845	179	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-9.14	-8.95	-6.04	1.36	-4.68	-1	-3.68	
6545	119	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.40	-8.65	-5.51	1.36	-4.16	-1	-3.16	
6705	151	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.47	-8.22	-5.33	1.36	-3.98	-1	-2.98	
6865	183	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.70	-8.75	-5.71	1.36	-4.35	-1	-3.35	
6665	143	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-8.79	-8.66	-5.71	1.36	-4.35	-1	-3.35	
6825	175	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-8.30	-8.06	-5.17	1.36	-3.81	-1	-2.81	
6895	189	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.81	-9.39	-6.08	1.73	-4.35	-1	-3.35	
6995	209	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-9.11	-9.41	-6.25	1.73	-4.52	-1	-3.52	
7115	233	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-9.17	-8.65	-5.89	1.73	-4.16	-1	-3.16	
6885	187	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.74	-9.47	-6.08	1.73	-4.35	-1	-3.35	
7005	211	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.60	-8.48	-5.53	1.73	-3.80	-1	-2.80	
7085	227	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.74	-8.83	-5.77	1.73	-4.05	-1	-3.05	
6945	199	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.93	-8.49	-5.19	1.73	-3.47	-1	-2.47	
7025	215	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.11	-8.69	-5.38	1.73	-3.65	-1	-2.65	
6985	207	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-8.21	-8.82	-5.49	1.73	-3.77	-1	-2.77	

Table 7-155. LPI Power Spectral Density Measurements SDM Diversity (Fully-loaded RU)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 228 of 600




Plot 7-737. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-740. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-738. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)



Plot 7-741. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-739. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-742. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 229 of 600




Plot 7-743. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)




Plot 7-746. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-744. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)



Plot 7-747. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-745. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-748. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 230 of 600




Plot 7-749. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-752. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)




Plot 7-750. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)



Plot 7-753. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-751. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)




Plot 7-754. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 231 of 600




Plot 7-755. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-758. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-756. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)



Plot 7-759. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 39)




Plot 7-757. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-760. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 39)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 232 of 600




Plot 7-761. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)




Plot 7-764. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)




Plot 7-762. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)



Plot 7-765. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)



Plot 7-763. LPI Power Spectral Density Plot SDM Diversity Antenna 4a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)



Plot 7-766. LPI Power Spectral Density Plot SDM Diversity Antenna 2a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			Test Dates: 1/3/2024 - 2/28/2024