

Note: Trace mode Max Hold.



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	5.96119G	-13.74	5.9686G	-43.58	-33.85	-9.73	1
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	6.42119G	-11.45	6.4019G	-40.19	-31.54	-8.65	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.96099G	-16.75	5.9681G	-45.71	-36.79	-8.92	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	6.41619G	-11.07	6.4716G	-56.51	-51.07	-5.44	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	6.14862G	-10.72	6.1426G	-37.47	-30.78	-6.69	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.41339G	-10.95	6.4716G	-56.53	-50.95	-5.58	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	6.39899G	-8.15	6.5094G	-52.85	-48.15	-4.70	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	6.39539G	-7.54	6.515G	-52.69	-47.54	-5.15	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.12782G	-10.42	6.1874G	-37.65	-30.49	-7.16	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	Pass	6.39215G	-5.46	6.5906G	-50.33	-45.46	-4.87	1
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.39295G	-5.37	6.5906G	-51.89	-45.37	-6.52	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.38976G	-8.05	6.5954G	-53.88	-48.05	-5.83	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	6.48259G	-12.29	6.5128G	-61.68	-52.29	-9.39	1
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	6.44G	-13.18	6.4G	-56.82	-51.02	-5.80	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.4399G	-16.64	6.4G	-61.54	-53.61	-7.93	2
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	6.4886G	-11.26	6.5512G	-55.50	-51.26	-4.24	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	6.4812G	-10.83	6.4G	-55.61	-50.83	-4.78	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.47741G	-11.19	6.5542G	-55.47	-51.19	-4.28	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	6.45981G	-8.05	6.5898G	-52.11	-48.05	-4.06	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	6.4698G	-7.49	6.5942G	-52.07	-47.49	-4.58	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.53141G	-10.16	6.5878G	-38.00	-30.18	-7.82	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	Pass	6.47063G	-5.43	6.7522G	-51.19	-45.43	-5.76	1
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.53697G	-5.05	6.653G	-35.28	-31.45	-3.83	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.47303G	-8.08	6.7498G	-55.07	-48.08	-6.99	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	6.69G	-14.06	6.645G	-62.42	-54.06	-8.36	1
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	6.8525G	-13.89	6.8417G	-43.36	-33.93	-9.43	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.68751G	-18.75	6.645G	-67.87	-58.75	-9.12	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	6.67701G	-11.15	6.6118G	-54.84	-51.15	-3.69	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	6.82882G	-11.27	6.7734G	-55.78	-51.27	-4.51	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.69399G	-11.24	6.6106G	-54.90	-51.24	-3.66	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	6.76902G	-9.16	6.6598G	-53.11	-49.16	-3.95	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	6.85101G	-8.51	6.8222G	-33.08	-28.55	-4.53	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.60662G	-10.90	6.583G	-37.63	-30.92	-6.71	1
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	Pass	6.81621G	-6.21	6.5778G	-50.37	-46.21	-4.16	1
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.8202G	-5.82	6.5818G	-47.94	-45.48	-2.46	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.62184G	-7.78	6.4002G	-54.68	-47.78	-6.90	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	7.0049G	-13.41	6.9818G	-42.24	-33.50	-8.74	1
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	7.08981G	-14.59	7.0819G	-42.84	-34.68	-8.16	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	7.1111G	-28.70	7.0721G	-72.59	-68.70	-3.89	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	7.07481G	-12.02	6.9914G	-58.41	-52.02	-6.39	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	6.93019G	-11.46	6.8376G	-56.99	-51.46	-5.53	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.9236G	-11.56	6.8366G	-57.05	-51.56	-5.49	2
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	7.00142G	-7.99	6.9818G	-34.07	-28.03	-6.04	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	6.9422G	-8.23	6.8118G	-54.36	-48.23	-6.13	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.95619G	-10.92	6.9022G	-38.45	-30.99	-7.46	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	Pass	6.96982G	-5.61	6.737G	-52.18	-45.61	-6.57	1
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.94984G	-5.53	6.741G	-48.65	-45.53	-3.12	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.95303G	-8.35	6.7386G	-55.73	-48.35	-7.38	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96119G	-13.74	5.9686G	-43.58	-33.85	-9.73	1
6175MHz	Pass	6.1727G	-11.77	6.1885G	-41.69	-31.79	-9.90	1
6415MHz	Pass	6.42G	-13.73	6.4285G	-44.23	-33.75	-10.48	1
6435MHz	Pass	6.4338G	-14.03	6.4722G	-63.92	-54.00	-9.92	1
6475MHz	Pass	6.48259G	-12.29	6.5128G	-61.68	-52.29	-9.39	1
6515MHz	Pass	6.52129G	-13.71	6.5017G	-43.61	-33.75	-9.86	1
6535MHz	Pass	6.5363G	-13.50	6.5715G	-62.39	-53.27	-9.12	1
6695MHz	Pass	6.69G	-14.06	6.645G	-62.42	-54.06	-8.36	1
6855MHz	Pass	6.84731G	-14.45	6.8418G	-43.53	-34.47	-9.06	1
6875MHz	Pass	6.86871G	-12.81	6.8617G	-42.06	-32.85	-9.21	1
6895MHz	Pass	6.89G	-12.61	6.8815G	-42.13	-32.63	-9.50	1
6995MHz	Pass	7.00049G	-13.41	6.9818G	-42.24	-33.50	-8.74	1
7095MHz	Pass	7.08901G	-14.58	7.0815G	-43.81	-34.48	-9.33	1
7115MHz	Pass	7.10681G	-13.29	7.1013G	-43.61	-33.36	-10.25	1
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96139G	-13.33	5.9685G	-42.99	-33.37	-9.62	2
6175MHz	Pass	6.1713G	-13.47	6.1884G	-43.20	-33.51	-9.69	2
6415MHz	Pass	6.42119G	-11.45	6.4019G	-40.19	-31.54	-8.65	2
6435MHz	Pass	6.44G	-13.18	6.4G	-56.82	-51.02	-5.80	2
6475MHz	Pass	6.4774G	-13.38	6.4885G	-43.84	-33.47	-10.37	2
6515MHz	Pass	6.5125G	-13.28	6.5282G	-42.63	-33.30	-9.33	2
6535MHz	Pass	6.5325G	-12.88	6.5483G	-42.77	-32.92	-9.85	2
6695MHz	Pass	6.7G	-13.29	6.7449G	-63.11	-53.29	-9.82	2
6855MHz	Pass	6.8525G	-13.89	6.8417G	-43.36	-33.93	-9.43	2
6875MHz	Pass	6.87G	-12.35	6.8618G	-41.83	-32.15	-9.68	2
6895MHz	Pass	6.88751G	-12.55	6.8542G	-63.40	-52.55	-10.85	2
6995MHz	Pass	7.00009G	-13.28	6.9818G	-42.06	-33.39	-8.67	2
7095MHz	Pass	7.08981G	-14.59	7.0819G	-42.84	-34.68	-8.16	2
7115MHz	Pass	7.10721G	-13.13	7.1009G	-45.51	-33.22	-12.29	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96099G	-16.75	5.9681G	-45.71	-36.79	-8.92	1
5955MHz	Pass	5.9587G	-16.86	5.9683G	-46.91	-36.66	-10.25	2
6175MHz	Pass	6.18249G	-18.33	6.1364G	-69.93	-58.33	-11.60	1
6175MHz	Pass	6.1775G	-18.67	6.1887G	-49.77	-38.76	-11.01	2
6415MHz	Pass	6.4163G	-16.73	6.4565G	-67.71	-56.73	-10.98	1
6415MHz	Pass	6.40871G	-16.84	6.4535G	-68.19	-56.84	-11.35	2
6435MHz	Pass	6.4338G	-17.04	6.4722G	-67.07	-57.01	-10.06	1
6435MHz	Pass	6.4399G	-16.64	6.4G	-61.54	-53.61	-7.93	2
6475MHz	Pass	6.46991G	-17.12	6.5129G	-66.68	-57.12	-9.56	1
6475MHz	Pass	6.4776G	-16.85	6.5129G	-66.83	-56.85	-9.98	2
6515MHz	Pass	6.5138G	-18.67	6.5544G	-68.43	-58.67	-9.76	1
6515MHz	Pass	6.52G	-18.40	6.5526G	-68.98	-58.40	-10.58	2
6535MHz	Pass	6.52871G	-18.19	6.5714G	-67.65	-57.39	-10.26	1
6535MHz	Pass	6.5337G	-18.07	6.5482G	-48.26	-38.11	-10.15	2
6695MHz	Pass	6.68751G	-18.75	6.645G	-67.87	-58.75	-9.12	1
6695MHz	Pass	6.70249G	-18.33	6.7083G	-48.69	-38.35	-10.34	2
6855MHz	Pass	6.84751G	-17.35	6.8414G	-48.52	-37.39	-11.13	1
6855MHz	Pass	6.8513G	-17.20	6.8161G	-67.69	-57.20	-10.49	2
6875MHz	Pass	6.86871G	-19.15	6.8615G	-50.05	-39.05	-11.00	1
6875MHz	Pass	6.86751G	-19.10	6.8274G	-69.56	-59.10	-10.46	2
6895MHz	Pass	6.88971G	-17.26	6.8815G	-47.89	-37.28	-10.61	1
6895MHz	Pass	6.88871G	-17.49	6.8815G	-48.26	-37.55	-10.71	2
6995MHz	Pass	7.00049G	-16.24	6.9451G	-68.80	-56.24	-12.56	1
6995MHz	Pass	7.00019G	-16.46	6.9541G	-68.43	-56.46	-11.97	2





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7095MHz	Pass	7.08761G	-17.62	7.0462G	-69.86	-57.62	-12.24	1
7095MHz	Pass	7.08631G	-17.95	7.0451G	-69.77	-57.95	-11.82	2
7115MHz	Pass	7.1111G	-28.70	7.0721G	-72.59	-68.70	-3.89	1
7115MHz	Pass	7.10881G	-26.68	7.0652G	-72.42	-66.68	-5.74	2
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97279G	-10.67	5.9878G	-37.96	-30.81	-7.15	1
6165MHz	Pass	6.15161G	-10.85	6.2418G	-58.33	-50.85	-7.48	1
6405MHz	Pass	6.41619G	-11.07	6.4716G	-56.51	-51.07	-5.44	1
6445MHz	Pass	6.45G	-11.08	6.5122G	-56.17	-51.08	-5.09	1
6485MHz	Pass	6.4886G	-11.26	6.5512G	-55.50	-51.26	-4.24	1
6525MHz	Pass	6.5298G	-10.88	6.5924G	-55.43	-50.88	-4.55	1
6565MHz	Pass	6.55121G	-10.70	6.6458G	-55.47	-50.70	-4.77	1
6685MHz	Pass	6.67701G	-11.15	6.6118G	-54.84	-51.15	-3.69	1
6845MHz	Pass	6.82882G	-11.54	6.7736G	-56.67	-51.54	-5.13	1
6885MHz	Pass	6.87261G	-11.79	6.805G	-57.06	-51.79	-5.27	1
6925MHz	Pass	6.93899G	-11.44	6.8374G	-58.09	-51.44	-6.65	1
7005MHz	Pass	7.0008G	-10.32	6.9818G	-38.84	-30.38	-8.46	1
7085MHz	Pass	7.07481G	-12.02	6.9914G	-58.41	-52.02	-6.39	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97739G	-10.35	5.9878G	-37.59	-30.46	-7.13	2
6165MHz	Pass	6.14862G	-10.72	6.1426G	-37.47	-30.78	-6.69	2
6405MHz	Pass	6.39981G	-10.75	6.4728G	-57.63	-50.75	-6.88	2
6445MHz	Pass	6.43261G	-10.71	6.5114G	-56.76	-50.71	-6.05	2
6485MHz	Pass	6.4812G	-10.83	6.4G	-55.61	-50.83	-4.78	2
6525MHz	Pass	6.53999G	-10.43	6.5898G	-56.20	-50.43	-5.77	2
6565MHz	Pass	6.54882G	-10.71	6.646G	-56.35	-50.71	-5.64	2
6685MHz	Pass	6.67381G	-10.76	6.6122G	-56.00	-50.76	-5.24	2
6845MHz	Pass	6.82882G	-11.27	6.7734G	-55.78	-51.27	-4.51	2
6885MHz	Pass	6.86882G	-11.67	6.8058G	-56.35	-51.67	-4.68	2
6925MHz	Pass	6.93019G	-11.46	6.8376G	-56.99	-51.46	-5.53	2
7005MHz	Pass	7.001G	-10.65	6.9814G	-39.32	-30.76	-8.56	2
7085MHz	Pass	7.07341G	-11.88	6.9962G	-58.32	-51.88	-6.44	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97719G	-10.66	6.034G	-58.68	-50.66	-8.02	1
5965MHz	Pass	5.97999G	-10.45	5.9884G	-39.30	-30.51	-8.79	2
6165MHz	Pass	6.15261G	-10.76	6.2406G	-58.14	-50.76	-7.38	1
6165MHz	Pass	6.15101G	-10.66	6.1418G	-39.16	-30.69	-8.47	2
6405MHz	Pass	6.41339G	-10.95	6.4716G	-56.53	-50.95	-5.58	1
6405MHz	Pass	6.4086G	-10.71	6.4716G	-57.53	-50.71	-6.82	2
6445MHz	Pass	6.45159G	-11.15	6.5116G	-56.15	-51.15	-5.00	1
6445MHz	Pass	6.42962G	-10.76	6.511G	-56.82	-50.76	-6.06	2
6485MHz	Pass	6.47741G	-11.19	6.5542G	-55.47	-51.19	-4.28	1
6485MHz	Pass	6.49039G	-10.93	6.4G	-55.62	-50.93	-4.69	2
6525MHz	Pass	6.53139G	-10.86	6.5914G	-55.40	-50.86	-4.54	1
6525MHz	Pass	6.53019G	-10.43	6.5924G	-56.23	-50.43	-5.80	2
6565MHz	Pass	6.56G	-10.67	6.6462G	-55.49	-50.67	-4.82	1
6565MHz	Pass	6.55001G	-10.65	6.6462G	-56.34	-50.65	-5.69	2
6685MHz	Pass	6.69399G	-11.24	6.6106G	-54.90	-51.24	-3.66	1
6685MHz	Pass	6.67361G	-10.83	6.7552G	-56.02	-50.83	-5.19	2
6845MHz	Pass	6.83641G	-11.63	6.772G	-56.57	-51.63	-4.94	1
6845MHz	Pass	6.82862G	-11.23	6.773G	-55.63	-51.23	-4.40	2
6885MHz	Pass	6.86742G	-11.69	6.8042G	-56.97	-51.69	-5.28	1
6885MHz	Pass	6.87641G	-11.68	6.806G	-56.21	-51.68	-4.53	2
6925MHz	Pass	6.94098G	-11.45	6.8364G	-58.13	-51.45	-6.68	1
6925MHz	Pass	6.9236G	-11.56	6.8366G	-57.05	-51.56	-5.49	2
7005MHz	Pass	7.0008G	-10.52	6.9822G	-38.11	-30.58	-7.53	1





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7005MHz	Pass	7.0008G	-10.70	6.9822G	-38.24	-30.73	-7.51	2
7085MHz	Pass	7.07441G	-11.98	6.9916G	-58.44	-51.98	-6.46	1
7085MHz	Pass	7.07581G	-12.01	7.0626G	-37.94	-32.02	-5.92	2
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99259G	-7.38	6.115G	-53.95	-47.38	-6.57	1
6145MHz	Pass	6.12862G	-7.56	6.3282G	-53.89	-47.56	-6.33	1
6385MHz	Pass	6.39899G	-8.15	6.5094G	-52.85	-48.15	-4.70	1
6465MHz	Pass	6.45981G	-8.05	6.5898G	-52.11	-48.05	-4.06	1
6545MHz	Pass	6.52702G	-7.84	6.6702G	-52.33	-47.84	-4.49	1
6625MHz	Pass	6.61981G	-8.30	6.497G	-53.76	-48.30	-5.46	1
6705MHz	Pass	6.701G	-8.58	6.5778G	-53.21	-48.58	-4.63	1
6785MHz	Pass	6.76902G	-9.16	6.6598G	-53.11	-49.16	-3.95	1
6865MHz	Pass	6.84902G	-8.77	6.7334G	-53.81	-48.77	-5.04	1
6945MHz	Pass	6.95899G	-8.02	6.9882G	-34.38	-28.09	-6.29	1
7025MHz	Pass	7.00142G	-7.99	6.9818G	-34.07	-28.03	-6.04	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99019G	-6.96	6.1134G	-53.83	-46.96	-6.87	2
6145MHz	Pass	6.12302G	-7.33	6.287G	-54.54	-47.33	-7.21	2
6385MHz	Pass	6.39539G	-7.54	6.515G	-52.69	-47.54	-5.15	2
6465MHz	Pass	6.4698G	-7.49	6.5942G	-52.07	-47.49	-4.58	2
6545MHz	Pass	6.5406G	-7.48	6.671G	-52.42	-47.48	-4.94	2
6625MHz	Pass	6.621G	-7.61	6.7498G	-52.38	-47.52	-4.86	2
6705MHz	Pass	6.68742G	-7.76	6.7478G	-32.50	-27.80	-4.70	2
6785MHz	Pass	6.79299G	-8.40	6.8278G	-33.02	-28.47	-4.55	2
6865MHz	Pass	6.85101G	-8.51	6.8222G	-33.08	-28.55	-4.53	2
6945MHz	Pass	6.9422G	-8.23	6.8118G	-54.36	-48.23	-6.13	2
7025MHz	Pass	7.00062G	-8.03	6.8954G	-55.46	-48.03	-7.43	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99699G	-10.19	6.0282G	-38.58	-30.23	-8.35	1
5985MHz	Pass	5.9886G	-10.00	6.0278G	-38.19	-30.04	-8.15	2
6145MHz	Pass	6.12182G	-10.20	6.1022G	-37.80	-30.27	-7.53	1
6145MHz	Pass	6.12782G	-10.42	6.1874G	-37.65	-30.49	-7.16	2
6385MHz	Pass	6.40338G	-10.80	6.4282G	-39.21	-30.87	-8.34	1
6385MHz	Pass	6.39219G	-10.58	6.5242G	-59.45	-50.58	-8.87	2
6465MHz	Pass	6.45141G	-10.87	6.4222G	-38.94	-30.94	-8.00	1
6465MHz	Pass	6.45821G	-10.54	6.4218G	-38.92	-30.61	-8.31	2
6545MHz	Pass	6.52942G	-10.35	6.5018G	-38.43	-30.39	-8.04	1
6545MHz	Pass	6.53141G	-10.16	6.5878G	-38.00	-30.18	-7.82	2
6625MHz	Pass	6.60662G	-10.90	6.583G	-37.63	-30.92	-6.71	1
6625MHz	Pass	6.61941G	-10.28	6.667G	-37.25	-30.30	-6.95	2
6705MHz	Pass	6.69741G	-11.07	6.6614G	-40.18	-31.11	-9.07	1
6705MHz	Pass	6.68982G	-10.42	6.6614G	-38.98	-30.49	-8.49	2
6785MHz	Pass	6.76742G	-11.75	6.7418G	-39.05	-31.79	-7.26	1
6785MHz	Pass	6.79899G	-11.17	6.7422G	-38.80	-31.19	-7.61	2
6865MHz	Pass	6.84822G	-11.37	6.8222G	-38.54	-31.39	-7.15	1
6865MHz	Pass	6.84222G	-11.18	6.8226G	-38.26	-31.22	-7.04	2
6945MHz	Pass	6.96818G	-10.64	6.9878G	-38.29	-30.66	-7.63	1
6945MHz	Pass	6.95619G	-10.92	6.9022G	-38.45	-30.99	-7.46	2
7025MHz	Pass	7.00102G	-10.54	6.9818G	-38.75	-30.61	-8.14	1
7025MHz	Pass	7.00062G	-10.60	6.981G	-39.99	-30.62	-9.37	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07695G	-5.13	6.2698G	-52.36	-45.13	-7.23	1
6185MHz	Pass	6.13385G	-4.77	6.4314G	-50.19	-44.77	-5.42	1
6345MHz	Pass	6.39215G	-5.46	6.5906G	-50.33	-45.46	-4.87	1
6505MHz	Pass	6.47063G	-5.43	6.7522G	-51.19	-45.43	-5.76	1
6665MHz	Pass	6.61865G	-5.84	6.821G	-39.22	-33.03	-6.19	1






Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6825MHz	Pass	6.81621G	-6.21	6.5778G	-50.37	-46.21	-4.16	1
6985MHz	Pass	6.96982G	-5.61	6.737G	-52.18	-45.61	-6.57	1
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99623G	-4.89	5.7786G	-54.86	-44.89	-9.97	2
6185MHz	Pass	6.13945G	-5.15	6.433G	-53.07	-45.15	-7.92	2
6345MHz	Pass	6.39295G	-5.37	6.5906G	-51.89	-45.37	-6.52	2
6505MHz	Pass	6.53697G	-5.05	6.653G	-35.28	-31.45	-3.83	2
6665MHz	Pass	6.64182G	-5.16	6.817G	-35.83	-31.96	-3.87	2
6825MHz	Pass	6.8202G	-5.82	6.5818G	-47.94	-45.48	-2.46	2
6985MHz	Pass	6.94984G	-5.53	6.741G	-48.65	-45.53	-3.12	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07615G	-7.77	6.2706G	-55.77	-47.77	-8.00	1
6025MHz	Pass	5.99143G	-7.55	6.4002G	-57.82	-47.55	-10.27	2
6185MHz	Pass	6.13545G	-7.52	6.4298G	-53.73	-47.52	-6.21	1
6185MHz	Pass	6.13785G	-7.80	6.4306G	-56.86	-47.80	-9.06	2
6345MHz	Pass	6.38976G	-8.05	6.5954G	-53.88	-48.05	-5.83	1
6345MHz	Pass	6.39135G	-8.06	6.5906G	-55.63	-48.06	-7.57	2
6505MHz	Pass	6.47303G	-8.08	6.7498G	-55.07	-48.08	-6.99	1
6505MHz	Pass	6.53537G	-7.78	6.7522G	-54.94	-47.78	-7.16	2
6665MHz	Pass	6.62024G	-8.49	6.4002G	-56.63	-48.49	-8.14	1
6665MHz	Pass	6.62184G	-7.78	6.4002G	-54.68	-47.78	-6.90	2
6825MHz	Pass	6.80982G	-9.01	6.5778G	-55.94	-49.01	-6.93	1
6825MHz	Pass	6.821G	-8.61	6.5794G	-55.54	-48.61	-6.93	2
6985MHz	Pass	7.00098G	-8.33	6.6978G	-56.30	-48.33	-7.97	1
6985MHz	Pass	6.95303G	-8.35	6.7386G	-55.73	-48.35	-7.38	2
























































































































5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6165MHz_TX

09/03/2023

CF (Hz)
6.165G

Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
60


Detector Type
RMS






Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15261G	-10.76	6.2406G	-58.14	-50.76	-7.38	1
6.15101G	-10.66	6.1418G	-39.16	-30.69	-8.47	2


































































































Note: Trace mode Max Hold.



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	5.94665G	-10.09	5.94488G	-21.3	-12.49	-8.81	1
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	5.94643G	-11.66	5.94466G	-27.36	-18.46	-8.9	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	Pass	6.40775G	-8.99	6.40466G	-25.03	-15.79	-9.24	1
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	Pass	5.94819G	-10.96	5.94488G	-22.76	-13.36	-9.4	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	Pass	6.40951G	-9.29	6.40466G	-23.89	-16.09	-7.8	1
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	Pass	5.95192G	-12.37	5.94466G	-26.88	-19.17	-7.71	2
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	6.40643G	-12.41	6.40466G	-28.24	-19.91	-8.33	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	6.40687G	-12.72	6.40466G	-28.87	-22.82	-6.05	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	6.40863G	-15.77	6.44646G	-65.32	-55.77	-9.55	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	Pass	6.38962G	-7.53	6.38388G	-41.34	-27.58	-13.76	1
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	Pass	5.96148G	-7.64	5.94388G	-41.50	-27.69	-13.81	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	5.95797G	-15.35	6.03452G	-64.52	-55.35	-9.17	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	Pass	5.97973G	-4.58	5.94364G	-28.42	-24.65	-3.77	1
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	Pass	5.97973G	-15.78	5.94364G	-39.74	-35.85	-3.89	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	Pass	5.98148G	-7.91	5.94364G	-31.54	-27.98	-3.56	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	Pass	6.00742G	-4.72	5.9442G	-25.49	-20.72	-4.77	1
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	Pass	6.00822G	-4.68	5.9442G	-25.43	-20.68	-4.75	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	Pass	6.00822G	-4.63	5.9442G	-25.30	-20.63	-4.67	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	6.42643G	-8.41	6.42488G	-19.7	-10.81	-8.89	1
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	6.42643G	-11.21	6.42466G	-27.11	-18.01	-9.1	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	Pass	6.42863G	-7.96	6.42488G	-19.7	-10.36	-9.34	1
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	Pass	6.46753G	-9.8	6.46488G	-21.34	-12.2	-9.14	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	Pass	6.43104G	-8.37	6.42466G	-23	-15.17	-7.83	1
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	Pass	6.42929G	-10.97	6.42466G	-25.66	-17.77	-7.89	2
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	6.46687G	-9.75	6.46488G	-21.01	-13.45	-7.56	1
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	6.46709G	-12.77	6.46466G	-28.8	-21.57	-7.23	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	6.42951G	-16.24	6.40024G	-64.48	-56.24	-8.24	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	Pass	6.52324G	-8.69	6.58616G	-61.47	-48.69	-12.78	1
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	Pass	6.51665G	-8.14	6.50388G	-41.31	-28.19	-13.12	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	6.43137G	-14.43	6.56336G	-63.10	-54.43	-8.67	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	Pass	6.4606G	-5.24	6.42364G	-28.56	-25.31	-3.25	1
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	Pass	6.42984G	-5.05	6.42364G	-28.30	-25.12	-3.18	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	Pass	6.43071G	-8.94	6.42364G	-32.26	-29.01	-3.25	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	Pass	6.48182G	-4.42	6.4242G	-23.86	-20.42	-3.44	1
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	Pass	6.48742G	-14.06	6.4242G	-35.17	-30.06	-5.11	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	Pass	6.47463G	-4.29	6.4242G	-23.82	-20.29	-3.53	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	6.70357G	-8.24	6.70534G	-24.31	-15.04	-9.27	1
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	Pass	6.54357G	-9.54	6.54534G	-25.24	-16.34	-8.9	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	Pass	6.70181G	-8.62	6.70534G	-24.34	-15.42	-8.92	1
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	Pass	6.54313G	-8.69	6.54512G	-20.22	-11.09	-9.13	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	Pass	6.69808G	-8.46	6.70534G	-23.08	-15.26	-7.82	1
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	Pass	6.53742G	-8.95	6.54534G	-23.6	-15.75	-7.85	2
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	6.70335G	-10.88	6.70512G	-22.15	-15.98	-6.17	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	6.70137G	-11.24	6.70534G	-27.45	-19.34	-8.11	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	6.70203G	-14.26	6.70534G	-28.72	-22.36	-6.36	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	Pass	6.89379G	-7.92	6.90612G	-41.93	-27.97	-13.96	1
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	Pass	6.56808G	-7.72	6.4G	-62.06	-47.72	-14.34	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	6.5672G	-11.26	6.4G	-62.43	-51.26	-11.17	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	Pass	6.79291G	-6.55	6.82636G	-29.81	-26.62	-3.19	1
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	Pass	6.79115G	-5.96	6.82636G	-29.04	-26.03	-3.01	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	Pass	6.79819G	-9.97	6.82636G	-33.12	-30.04	-3.08	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	Pass	6.84418G	-4.84	6.9058G	-24.45	-20.84	-3.61	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	Pass	6.84258G	-4.83	6.9058G	-24.26	-20.83	-3.43	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	Pass	6.84178G	-4.78	6.9058G	-24.15	-20.78	-3.37	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	7.10357G	-13.7	7.10512G	-24.57	-16.1	-8.47	1
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	Pass	7.12357G	-12.32	7.12512G	-23.23	-14.72	-8.51	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	Pass	7.10159G	-13.57	7.10534G	-29.19	-20.37	-8.82	1
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	Pass	6.90335G	-7.73	6.90534G	-23.52	-14.53	-8.99	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	Pass	6.90049G	-9.57	6.90534G	-24.09	-16.37	-7.72	1
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	Pass	6.90225G	-8.12	6.90534G	-22.72	-14.92	-7.8	2
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	7.00357G	-12.81	7.00512G	-24.17	-16.51	-7.66	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	7.12313G	-16.36	7.12512G	-27.76	-20.06	-7.7	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	6.90203G	-13.83	6.90534G	-28.23	-21.33	-6.9	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	Pass	7.0894G	-9.02	6.97808G	-62.80	-49.02	-13.78	1
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	Pass	7.08984G	-9.77	6.97808G	-62.77	-49.77	-13.00	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	7.08896G	-13.26	6.97588G	-63.10	-53.26	-9.84	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	Pass	7.02852G	-6.16	7.06636G	-29.74	-26.23	-3.51	1
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	Pass	7.02852G	-6.09	7.06636G	-29.86	-26.16	-3.70	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	Pass	7.02852G	-9.63	7.06636G	-32.98	-29.70	-3.28	1
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	Pass	7.00098G	-4.17	7.0658G	-24.34	-20.17	-4.17	1
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	Pass	7.00178G	-4.26	7.0658G	-24.28	-20.26	-4.02	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	Pass	7.00258G	-4.27	7.0658G	-24.23	-20.27	-3.96	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.94665G	-10.09	5.94488G	-21.3	-12.49	-8.81	1
6415MHz	Pass	6.40643G	-14.85	6.404G	-48.25	-34.85	-13.40	1
6435MHz	Pass	6.42643G	-8.41	6.42488G	-19.7	-10.81	-8.89	1
6475MHz	Pass	6.46687G	-8.08	6.46466G	-24.11	-14.88	-9.23	1
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.94643G	-11.66	5.94466G	-27.36	-18.46	-8.9	2
6415MHz	Pass	6.40665G	-10.62	6.40466G	-26.48	-17.42	-9.06	2
6435MHz	Pass	6.42643G	-11.21	6.42466G	-27.11	-18.01	-9.1	2
6475MHz	Pass	6.46665G	-10.4	6.46466G	-26.32	-17.2	-9.12	2
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.94665G	-12.97	5.94466G	-28.72	-17.17	-11.55	1
5955MHz	Pass	5.94665G	-13.85	5.94466G	-29.39	-20.05	-9.34	2
6415MHz	Pass	6.40665G	-11.31	6.40466G	-27.41	-18.81	-8.6	1
6415MHz	Pass	6.40643G	-12.41	6.40466G	-28.24	-19.91	-8.33	2
6435MHz	Pass	6.42643G	-10.27	6.42488G	-21.95	-13.37	-8.58	1
6435MHz	Pass	6.42665G	-12.86	6.42488G	-24.58	-16.56	-8.02	2
6475MHz	Pass	6.46687G	-9.75	6.46488G	-21.01	-13.45	-7.56	1
6475MHz	Pass	6.46665G	-12.32	6.46488G	-23.8	-16.02	-7.78	2
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-
6535MHz	Pass	6.54335G	-7.55	6.54512G	-19.29	-9.95	-9.34	1
6695MHz	Pass	6.70357G	-8.24	6.70534G	-24.31	-15.04	-9.27	1
6895MHz	Pass	6.90379G	-9.75	6.90512G	-21.14	-12.15	-8.99	1
6995MHz	Pass	7.00335G	-11.59	7.00534G	-27.51	-18.39	-9.12	1
7095MHz	Pass	7.10357G	-13.7	7.10512G	-24.57	-16.1	-8.47	1
7115MHz	Pass	7.12357G	-13.97	7.12512G	-24.97	-16.37	-8.6	1
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-
6535MHz	Pass	6.54357G	-9.54	6.54534G	-25.24	-16.34	-8.9	2
6695MHz	Pass	6.70357G	-8.71	6.70512G	-20.29	-11.11	-9.18	2
6895MHz	Pass	6.90335G	-8.21	6.90512G	-19.71	-10.61	-9.1	2
6995MHz	Pass	7.00335G	-10.65	7.00534G	-26.36	-17.45	-8.91	2
7095MHz	Pass	7.10335G	-12.08	7.10534G	-27.69	-18.88	-8.81	2
7115MHz	Pass	7.12357G	-12.32	7.12512G	-23.23	-14.72	-8.51	2
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-
6535MHz	Pass	6.54357G	-10.22	6.54644G	-44.9	-30.31	-14.59	1
6535MHz	Pass	6.54335G	-12.06	6.54534G	-27.88	-18.86	-9.02	2
6695MHz	Pass	6.70335G	-11.21	6.64506G	-64.71	-51.21	-13.5	1
6695MHz	Pass	6.70335G	-10.88	6.70512G	-22.15	-15.98	-6.17	2
6895MHz	Pass	6.90335G	-12.44	6.96936G	-64.38	-52.44	-11.94	1
6895MHz	Pass	6.90335G	-10.51	6.90534G	-26.41	-15.31	-11.1	2
6995MHz	Pass	7.00335G	-14.47	6.95892G	-64.43	-54.47	-9.96	1
6995MHz	Pass	7.00357G	-12.81	7.00512G	-24.17	-16.51	-7.66	2
7095MHz	Pass	7.10335G	-16.5	7.04198G	-66.48	-56.5	-9.98	1
7095MHz	Pass	7.10335G	-14.57	7.10512G	-25.34	-17.67	-7.67	2
7115MHz	Pass	7.12335G	-17.08	7.04614G	-66.74	-57.08	-9.66	1
7115MHz	Pass	7.12357G	-15.23	7.04042G	-66.88	-55.23	-11.65	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.94665G	-10.13	5.94488G	-21.93	-12.53	-9.4	1
6415MHz	Pass	6.40775G	-8.99	6.40466G	-25.03	-15.79	-9.24	1
6435MHz	Pass	6.42863G	-7.96	6.42488G	-19.7	-10.36	-9.34	1
6475MHz	Pass	6.46775G	-7.66	6.464G	-37.19	-27.66	-9.53	1
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.94819G	-10.96	5.94488G	-22.76	-13.36	-9.4	2
6415MHz	Pass	6.40687G	-9.81	6.40466G	-26.02	-16.61	-9.41	2
6435MHz	Pass	6.42775G	-10.18	6.42488G	-22.4	-12.58	-9.82	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6475MHz	Pass	6.46753G	-9.8	6.46488G	-21.34	-12.2	-9.14	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.94731G	-13.11	5.94466G	-29.09	-17.31	-11.78	1
5955MHz	Pass	5.94797G	-14.08	5.94488G	-25.63	-17.78	-7.85	2
6415MHz	Pass	6.40775G	-11.91	6.44602G	-64.79	-51.91	-12.88	1
6415MHz	Pass	6.40687G	-12.72	6.40466G	-28.87	-22.82	-6.05	2
6435MHz	Pass	6.42775G	-10.88	6.42488G	-22.58	-13.28	-9.3	1
6435MHz	Pass	6.42753G	-13.33	6.40002G	-64.41	-53.33	-11.08	2
6475MHz	Pass	6.46863G	-10.11	6.464G	-39.36	-26.81	-12.55	1
6475MHz	Pass	6.46709G	-12.77	6.46466G	-28.8	-21.57	-7.23	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-
6535MHz	Pass	6.54159G	-8.13	6.54534G	-24.17	-14.93	-9.24	1
6695MHz	Pass	6.70181G	-8.62	6.70534G	-24.34	-15.42	-8.92	1
6895MHz	Pass	6.90269G	-9.73	6.90534G	-25.68	-16.53	-9.15	1
6995MHz	Pass	7.00269G	-11.79	7.00512G	-23.2	-14.19	-9.01	1
7095MHz	Pass	7.10159G	-13.57	7.10534G	-29.19	-20.37	-8.82	1
7115MHz	Pass	7.12269G	-21.35	7.00522G	-72.33	-61.35	-10.98	1
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-
6535MHz	Pass	6.54313G	-8.69	6.54512G	-20.22	-11.09	-9.13	2
6695MHz	Pass	6.70225G	-8.23	6.70512G	-19.92	-10.63	-9.29	2
6895MHz	Pass	6.90335G	-7.73	6.90534G	-23.52	-14.53	-8.99	2
6995MHz	Pass	7.00247G	-10.05	7.00512G	-21.84	-12.45	-9.39	2
7095MHz	Pass	7.10137G	-11.61	7.10512G	-23.09	-14.01	-9.08	2
7115MHz	Pass	7.12247G	-12.32	7.12512G	-23.74	-14.72	-9.02	2
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-
6535MHz	Pass	6.54203G	-10.22	6.57086G	-64.46	-50.22	-14.24	1
6535MHz	Pass	6.54203G	-11.88	6.54534G	-28.02	-19.38	-8.64	2
6695MHz	Pass	6.70225G	-11.47	6.61074G	-64.96	-51.47	-13.49	1
6695MHz	Pass	6.70137G	-11.24	6.70534G	-27.45	-19.34	-8.11	2
6895MHz	Pass	6.90159G	-12.85	6.97178G	-64.38	-52.85	-11.53	1
6895MHz	Pass	6.90313G	-10.91	6.90534G	-26.85	-19.01	-7.84	2
6995MHz	Pass	7.00159G	-14.79	6.95826G	-64.43	-54.79	-9.64	1
6995MHz	Pass	7.00137G	-13.13	6.96266G	-64.52	-53.13	-11.39	2
7095MHz	Pass	7.10159G	-16.74	7.04G	-66.44	-56.74	-9.7	1
7095MHz	Pass	7.10137G	-14.73	7.10512G	-26.41	-18.43	-7.98	2
7115MHz	Pass	7.12291G	-18.08	7.0413G	-66.59	-58.08	-8.51	1
7115MHz	Pass	7.12313G	-16.36	7.12512G	-27.76	-20.06	-7.7	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.95148G	-11.51	5.94466G	-26.28	-18.31	-7.97	1
6415MHz	Pass	6.40951G	-9.29	6.40466G	-23.89	-16.09	-7.8	1
6435MHz	Pass	6.43104G	-8.37	6.42466G	-23	-15.17	-7.83	1
6475MHz	Pass	6.4717G	-7.98	6.46466G	-22.73	-14.78	-7.95	1
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.95192G	-12.37	5.94466G	-26.88	-19.17	-7.71	2
6415MHz	Pass	6.40753G	-10.29	6.40466G	-24.9	-17.09	-7.81	2
6435MHz	Pass	6.42929G	-10.97	6.42466G	-25.66	-17.77	-7.89	2
6475MHz	Pass	6.46929G	-10.32	6.46466G	-25.01	-17.12	-7.89	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.94907G	-14.55	6.03596G	-65.97	-54.55	-11.42	1
5955MHz	Pass	5.95192G	-15.51	6.03574G	-66.44	-55.51	-10.93	2
6415MHz	Pass	6.40973G	-14.85	6.44646G	-64.88	-54.82	-10.06	1
6415MHz	Pass	6.40863G	-15.77	6.44646G	-65.32	-55.77	-9.55	2
6435MHz	Pass	6.43236G	-13.78	6.3998G	-64.64	-53.78	-10.86	1
6435MHz	Pass	6.42951G	-16.24	6.40024G	-64.48	-56.24	-8.24	2
6475MHz	Pass	6.46753G	-13.08	6.51108G	-64.28	-53.08	-11.2	1
6475MHz	Pass	6.47258G	-15.73	6.39998G	-64.72	-55.73	-8.99	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-
6535MHz	Pass	6.53874G	-7.76	6.54534G	-22.63	-14.56	-8.07	1
6695MHz	Pass	6.69808G	-8.46	6.70534G	-23.08	-15.26	-7.82	1
6895MHz	Pass	6.90049G	-9.57	6.90534G	-24.09	-16.37	-7.72	1
6995MHz	Pass	6.99874G	-9.88	7.00534G	-26.26	-16.68	-9.58	1
7095MHz	Pass	7.0994G	-13.37	7.10534G	-28.05	-20.17	-7.88	1
7115MHz	Pass	7.1188G	-21.07	7.0653G	-75.16	-61.07	-14.09	1
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-
6535MHz	Pass	6.53742G	-8.95	6.54534G	-23.6	-15.75	-7.85	2
6695MHz	Pass	6.69984G	-8.2	6.70534G	-22.91	-15	-7.91	2
6895MHz	Pass	6.90225G	-8.12	6.90534G	-22.72	-14.92	-7.8	2
6995MHz	Pass	6.9994G	-8.48	7.00534G	-24.65	-15.28	-9.37	2
7095MHz	Pass	7.09984G	-11.39	7.10534G	-26.21	-18.19	-8.02	2
7115MHz	Pass	7.12029G	-19.47	7.0828G	-74.69	-59.47	-15.22	2
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-
6535MHz	Pass	6.53764G	-12.49	6.5702G	-64.33	-52.49	-11.84	1
6535MHz	Pass	6.53918G	-14.5	6.56888G	-64.68	-54.5	-10.18	2
6695MHz	Pass	6.70049G	-14.52	6.64286G	-64.93	-54.52	-10.41	1
6695MHz	Pass	6.70203G	-14.26	6.70534G	-28.72	-22.36	-6.36	2
6895MHz	Pass	6.90269G	-15.87	6.98102G	-64.34	-55.87	-8.47	1
6895MHz	Pass	6.90203G	-13.83	6.90534G	-28.23	-21.33	-6.9	2
6995MHz	Pass	6.99786G	-16.08	6.95892G	-64.5	-56.08	-8.42	1
6995MHz	Pass	6.99874G	-14.54	7.00534G	-30.68	-22.64	-8.04	2
7095MHz	Pass	7.0972G	-6.05	7.106G	-33.84	-26.05	-7.79	1
7095MHz	Pass	7.0973G	-6.10	7.106G	-34.68	-26.10	-8.58	2
7115MHz	Pass	7.12G	-24.26	7.0698G	-74.92	-64.26	-10.66	1
7115MHz	Pass	7.1199G	-22.52	7.0671G	-74.69	-62.52	-12.17	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.95357G	-7.90	5.94388G	-41.80	-27.95	-13.85	1
6405MHz	Pass	6.38962G	-7.53	6.38388G	-41.34	-27.58	-13.76	1
6445MHz	Pass	6.42874G	-8.48	6.5682G	-61.48	-48.48	-13.00	1
6525MHz	Pass	6.52324G	-8.69	6.58616G	-61.47	-48.69	-12.78	1
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.96148G	-7.64	5.94388G	-41.50	-27.69	-13.81	2
6405MHz	Pass	6.38742G	-7.31	6.38388G	-41.42	-27.36	-14.06	2
6445MHz	Pass	6.42962G	-7.91	6.56468G	-61.50	-47.91	-13.59	2
6525MHz	Pass	6.51665G	-8.14	6.50388G	-41.31	-28.19	-13.12	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.96236G	-14.10	6.03584G	-63.97	-54.10	-9.87	1
5965MHz	Pass	5.95797G	-15.35	6.03452G	-64.52	-55.35	-9.17	2
6405MHz	Pass	6.3883G	-10.53	6.57044G	-62.35	-50.53	-11.82	1
6405MHz	Pass	6.39401G	-10.40	6.54404G	-62.51	-50.40	-12.11	2
6445MHz	Pass	6.44016G	-11.71	6.56072G	-61.88	-51.71	-10.17	1
6445MHz	Pass	6.43137G	-14.43	6.56336G	-63.10	-54.43	-8.67	2
6525MHz	Pass	6.51401G	-10.49	6.58528G	-61.57	-50.49	-11.08	1
6525MHz	Pass	6.51885G	-12.85	6.40004G	-62.33	-52.85	-9.48	2
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-
6565MHz	Pass	6.56808G	-8.47	6.50076G	-62.54	-48.47	-14.07	1
6845MHz	Pass	6.86038G	-8.09	6.86612G	-42.21	-28.14	-14.07	1
6885MHz	Pass	6.89379G	-7.92	6.90612G	-41.93	-27.97	-13.96	1
7085MHz	Pass	7.0894G	-9.02	6.97808G	-62.80	-49.02	-13.78	1
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-
6565MHz	Pass	6.56808G	-7.72	6.4G	-62.06	-47.72	-14.34	2
6845MHz	Pass	6.86214G	-7.75	6.86612G	-42.52	-27.80	-14.72	2
6885MHz	Pass	6.88764G	-7.57	6.90612G	-42.58	-27.62	-14.96	2
7085MHz	Pass	7.08984G	-9.77	6.97808G	-62.77	-49.77	-13.00	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-
6565MHz	Pass	6.56984G	-11.48	6.50428G	-62.83	-51.48	-11.35	1
6565MHz	Pass	6.5672G	-11.26	6.4G	-62.43	-51.26	-11.17	2
6845MHz	Pass	6.85731G	-11.07	6.98272G	-63.21	-51.07	-12.14	1
6845MHz	Pass	6.86214G	-11.27	6.97216G	-63.25	-51.27	-11.98	2
6885MHz	Pass	6.90038G	-10.84	6.97608G	-63.34	-50.84	-12.50	1
6885MHz	Pass	6.88896G	-11.15	6.82428G	-63.21	-51.15	-12.06	2
7085MHz	Pass	7.09159G	-12.49	6.98644G	-63.13	-52.49	-10.64	1
7085MHz	Pass	7.08896G	-13.26	6.97588G	-63.10	-53.26	-9.84	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.97973G	-4.58	5.94364G	-28.42	-24.65	-3.77	1
6465MHz	Pass	6.4606G	-5.24	6.42364G	-28.56	-25.31	-3.25	1
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.97973G	-15.78	5.94364G	-39.74	-35.85	-3.89	2
6465MHz	Pass	6.42984G	-5.05	6.42364G	-28.30	-25.12	-3.18	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.98148G	-7.49	5.94364G	-31.32	-27.56	-3.76	1
5985MHz	Pass	5.98148G	-7.91	5.94364G	-31.54	-27.98	-3.56	2
6465MHz	Pass	6.46148G	-8.16	6.42364G	-31.86	-28.23	-3.63	1
6465MHz	Pass	6.43071G	-8.94	6.42364G	-32.26	-29.01	-3.25	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-	-	-	-	-	-	-	-
6785MHz	Pass	6.79291G	-6.55	6.82636G	-29.81	-26.62	-3.19	1
7025MHz	Pass	7.02852G	-6.16	7.06636G	-29.74	-26.23	-3.51	1
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-	-	-	-	-	-	-	-
6785MHz	Pass	6.79115G	-5.96	6.82636G	-29.04	-26.03	-3.01	2
7025MHz	Pass	7.02852G	-6.09	7.06636G	-29.86	-26.16	-3.70	2
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.79203G	-9.92	6.82636G	-33.53	-29.99	-3.54	1
6785MHz	Pass	6.79819G	-9.97	6.82636G	-33.12	-30.04	-3.08	2
7025MHz	Pass	7.02852G	-9.63	7.06636G	-32.98	-29.70	-3.28	1
7025MHz	Pass	7.02852G	-10.05	7.06636G	-34.04	-30.12	-3.92	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00742G	-4.72	5.9442G	-25.49	-20.72	-4.77	1
6505MHz	Pass	6.48182G	-4.42	6.4242G	-23.86	-20.42	-3.44	1
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00822G	-4.68	5.9442G	-25.43	-20.68	-4.75	2
6505MHz	Pass	6.48742G	-14.06	6.4242G	-35.17	-30.06	-5.11	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00822G	-4.63	5.9442G	-25.30	-20.63	-4.67	1
6025MHz	Pass	6.00822G	-4.59	5.9442G	-25.27	-20.59	-4.68	2
6505MHz	Pass	6.48102G	-4.27	6.4242G	-23.88	-20.27	-3.61	1
6505MHz	Pass	6.47463G	-4.29	6.4242G	-23.82	-20.29	-3.53	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	-	-	-	-	-	-	-	-
6825MHz	Pass	6.84418G	-4.84	6.9058G	-24.45	-20.84	-3.61	1
6985MHz	Pass	7.00098G	-4.17	7.0658G	-24.34	-20.17	-4.17	1
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	-	-	-	-	-	-	-	-
6825MHz	Pass	6.84258G	-4.83	6.9058G	-24.26	-20.83	-3.43	2
6985MHz	Pass	7.00178G	-4.26	7.0658G	-24.28	-20.26	-4.02	2
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.84098G	-4.68	6.9058G	-24.23	-20.68	-3.55	1
6825MHz	Pass	6.84178G	-4.78	6.9058G	-24.15	-20.78	-3.37	2
6985MHz	Pass	7.00258G	-4.27	7.0658G	-24.23	-20.27	-3.96	1
6985MHz	Pass	7.00178G	-4.23	7.0658G	-24.33	-20.23	-4.10	2

