


Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4873.940	44.55	6.78	51.33	74.00	-22.67	peak	
2		4873.940	30.56	6.78	37.34	54.00	-16.66	AVG	
3		7310.825	44.84	15.57	60.41	74.00	-13.59	peak	
4	*	7310.825	30.64	15.57	46.21	54.00	-7.79	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2469.250	80.35	31.40	111.75	74.00	37.75	peak	no limit
2	*	2469.250	64.24	31.40	95.64	54.00	41.64	AVG	no limit
3		2483.500	32.60	31.46	64.06	74.00	-9.94	peak	
4		2483.500	15.96	31.46	47.42	54.00	-6.58	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4924.170	44.77	6.77	51.54	74.00	-22.46	peak	
2		4924.170	30.81	6.77	37.58	54.00	-16.42	AVG	
3		7385.560	45.04	15.98	61.02	74.00	-12.98	peak	
4	*	7385.560	31.42	15.98	47.40	54.00	-6.60	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2466.250	72.00	31.39	103.39	74.00	29.39	peak	no limit
2	*	2466.250	56.77	31.39	88.16	54.00	34.16	AVG	no limit
3		2483.500	24.36	31.46	55.82	74.00	-18.18	peak	
4		2483.500	12.57	31.46	44.03	54.00	-9.97	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4923.850	44.64	6.77	51.41	74.00	-22.59	peak	
2		4923.850	30.66	6.77	37.43	54.00	-16.57	AVG	
3		7386.730	45.35	15.98	61.33	74.00	-12.67	peak	
4	*	7386.730	31.27	15.98	47.25	54.00	-6.75	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	35.77	31.02	66.79	74.00	-7.21	peak	
2		2390.000	17.62	31.02	48.64	54.00	-5.36	AVG	
3	X	2433.500	77.02	31.22	108.24	74.00	34.24	peak	no limit
4	*	2433.500	60.71	31.22	91.93	54.00	37.93	AVG	no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4843.910	43.68	6.78	50.46	74.00	-23.54	peak	
2		4843.910	30.53	6.78	37.31	54.00	-16.69	AVG	
3		7265.500	44.26	15.33	59.59	74.00	-14.41	peak	
4	*	7265.500	30.44	15.33	45.77	54.00	-8.23	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	29.43	31.02	60.45	74.00	-13.55	peak	
2		2390.000	14.27	31.02	45.29	54.00	-8.71	AVG	
3	X	2407.000	70.56	31.10	101.66	74.00	27.66	peak	no limit
4	*	2407.000	53.68	31.10	84.78	54.00	30.78	AVG	no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4844.870	44.14	6.78	50.92	74.00	-23.08	peak	
2		4844.870	30.27	6.78	37.05	54.00	-16.95	AVG	
3		7266.290	44.79	15.34	60.13	74.00	-13.87	peak	
4	*	7266.290	30.39	15.34	45.73	54.00	-8.27	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2444.500	76.64	31.28	107.92	74.00	33.92	peak	no limit
2	*	2444.500	60.10	31.28	91.38	54.00	37.38	AVG	no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4873.565	44.38	6.78	51.16	74.00	-22.84	peak	
2		4873.565	30.66	6.78	37.44	54.00	-16.56	AVG	
3		7311.725	43.82	15.58	59.40	74.00	-14.60	peak	
4	*	7311.725	30.70	15.58	46.28	54.00	-7.72	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2428.500	69.12	31.21	100.33	74.00	26.33	peak	no limit
2	*	2428.500	52.88	31.21	84.09	54.00	30.09	AVG	no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4873.175	43.77	6.78	50.55	74.00	-23.45	peak	
2		4873.175	30.39	6.78	37.17	54.00	-16.83	AVG	
3		7311.195	45.08	15.57	60.65	74.00	-13.35	peak	
4	*	7311.195	30.54	15.57	46.11	54.00	-7.89	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2445.000	76.64	31.28	107.92	74.00	33.92	peak	no limit
2	*	2445.000	60.34	31.28	91.62	54.00	37.62	AVG	no limit
3		2483.500	38.44	31.46	69.90	74.00	-4.10	peak	
4		2483.500	17.62	31.46	49.08	54.00	-4.92	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2452.035	46.27	-0.45	45.82	74.00	-28.18	peak	
2		2452.035	32.12	-0.45	31.67	54.00	-22.33	AVG	
3		4904.180	43.18	6.77	49.95	74.00	-24.05	peak	
4	*	4904.180	30.43	6.77	37.20	54.00	-16.80	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2439.500	69.39	31.25	100.64	74.00	26.64	peak	no limit
2	*	2439.500	53.07	31.25	84.32	54.00	30.32	AVG	no limit
3		2483.500	28.39	31.46	59.85	74.00	-14.15	peak	
4		2483.500	13.45	31.46	44.91	54.00	-9.09	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4903.575	44.46	6.77	51.23	74.00	-22.77	peak	
2		4903.575	30.39	6.77	37.16	54.00	-16.84	AVG	
3		7355.190	44.07	15.82	59.89	74.00	-14.11	peak	
4	*	7355.190	30.78	15.82	46.60	54.00	-7.40	AVG	

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	6.51	11.80	500	Complies
2437	7.11	11.60	500	Complies
2462	7.07	11.64	500	Complies

TX CH01




Date: 6.NOV.2014 16:09:34

TX CH06



Date: 6.NOV.2014 16:15:45

TX CH11




Date: 6.NOV.2014 16:19:34

Test Mode: TX G Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	16.45	16.52	500	Complies
2437	16.37	16.52	500	Complies
2462	16.29	16.52	500	Complies

TX CH01




Date: 6.NOV.2014 16:29:36

TX CH06



Date: 6.NOV.2014 16:53:13

TX CH11




Date: 6.NOV.2014 16:56:40

Test Mode : TX N-20MHz Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	17.72	17.68	500	Complies
2437	17.60	17.68	500	Complies
2462	17.56	17.68	500	Complies

TX CH01




Date: 10.NOV.2014 10:32:47

TX CH06



Date: 10.NOV.2014 10:40:56

TX CH11




Date: 10.NOV.2014 10:44:08

Test Mode : TX N-40MHz Mode_CH03/06/09


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2422	36.33	36.16	500	Complies
2437	36.41	36.24	500	Complies
2452	36.09	36.24	500	Complies

TX CH03




Date: 10.NOV.2014 10:58:33

TX CH06



Date: 10.NOV.2014 11:04:05

TX CH09



Date: 10.NOV.2014 11:07:26

ATTACHMENT F – MAXIMUM PEAK CONDUCTED OUTPUT POWER

Test Mode :TX B Mode_CH01/06/11_ANT 1

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	17.81	0.0604	30.00	1.00	Complies
2437	17.73	0.0593	30.00	1.00	Complies
2462	17.11	0.0514	30.00	1.00	Complies

Test Mode :TX B Mode_CH01/06/11_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	18.47	0.0703	30.00	1.00	Complies
2437	18.01	0.0632	30.00	1.00	Complies
2462	17.84	0.0608	30.00	1.00	Complies

Test Mode :TX B Mode_CH01/06/11_ANT 3

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	18.50	0.0708	30.00	1.00	Complies
2437	18.03	0.0635	30.00	1.00	Complies
2462	17.72	0.0592	30.00	1.00	Complies

Test Mode :TX B Mode_CH01/06/11_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	23.04	0.2015	30.00	1.00	Complies
2437	22.70	0.1861	30.00	1.00	Complies
2462	22.34	0.1714	30.00	1.00	Complies

Test Mode :TX G Mode_CH01/06/11_ANT 1

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	24.55	0.2851	30.00	1.00	Complies
2437	24.58	0.2871	30.00	1.00	Complies
2462	24.11	0.2576	30.00	1.00	Complies

Test Mode :TX G Mode_CH01/06/11_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	25.16	0.3281	30.00	1.00	Complies
2437	25.64	0.3664	30.00	1.00	Complies
2462	25.32	0.3404	30.00	1.00	Complies

Test Mode :TX G Mode_CH01/06/11_ANT 3

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	25.11	0.3243	30.00	1.00	Complies
2437	25.09	0.3228	30.00	1.00	Complies
2462	25.02	0.3177	30.00	1.00	Complies

Test Mode :TX G Mode_CH01/06/11_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	29.72	0.9375	30.00	1.00	Complies
2437	29.90	0.9764	30.00	1.00	Complies
2462	29.62	0.9157	30.00	1.00	Complies

Test Mode :TX N20 Mode_CH01/06/11_ANT 1

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	24.75	0.2985	30.00	1.00	Complies
2437	24.42	0.2767	30.00	1.00	Complies
2462	24.61	0.2891	30.00	1.00	Complies

Test Mode :TX N20 Mode_CH01/06/11_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	25.03	0.3184	30.00	1.00	Complies
2437	24.55	0.2851	30.00	1.00	Complies
2462	25.41	0.3475	30.00	1.00	Complies

Test Mode :TX N20 Mode_CH01/06/11_ANT 3

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	25.22	0.33	30.00	1.00	Complies
2437	24.66	0.29	30.00	1.00	Complies
2462	25.19	0.33	30.00	1.00	Complies

Test Mode :TX N20 Mode_CH01/06/11_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	29.78	0.95	30.00	1.00	Complies
2437	29.32	0.85	30.00	1.00	Complies
2462	29.85	0.97	30.00	1.00	Complies

Test Mode :TX N40 Mode_CH03/06/09_ANT 1

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	24.11	0.26	30.00	1.00	Complies
2437	24.48	0.28	30.00	1.00	Complies
2452	24.22	0.26	30.00	1.00	Complies

Test Mode :TX N40 Mode_CH03/06/09_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	25.14	0.33	30.00	1.00	Complies
2437	25.01	0.32	30.00	1.00	Complies
2452	24.81	0.30	30.00	1.00	Complies

Test Mode :TX N40 Mode_CH03/06/09_ANT 3

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	24.69	0.29	30.00	1.00	Complies
2437	24.72	0.30	30.00	1.00	Complies
2452	25.01	0.32	30.00	1.00	Complies


Test Mode :TX N40 Mode_CH03/06/09_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	29.44	0.88	30.00	1.00	Complies
2437	29.51	0.89	30.00	1.00	Complies
2452	29.46	0.88	30.00	1.00	Complies

**ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS
EMISSION**


Test Mode :	TX B Mode_ANT 1
-------------	-----------------

TX B mode CH01




Date: 6.NOV.2014 16:11:35

TX B mode CH11




Date: 6.NOV.2014 16:21:06

TX B mode CH01 (10 Harmonic of the frequency)




Date: 6.NOV.2014 16:06:55

TX B mode CH06 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:14:00


TX B mode CH11 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:17:36


Test Mode :	TX B Mode_ANT 2
-------------	-----------------

TX B mode CH01




Date: 6.NOV.2014 16:12:10

TX B mode CH11




Date: 6.NOV.2014 16:21:38

TX B mode CH01 (10 Harmonic of the frequency)




Date: 6.NOV.2014 16:07:30

TX B mode CH06 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:14:31


TX B mode CH11 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:18:12


Test Mode :	TX B Mode_ANT 3
-------------	-----------------

TX B mode CH01




Date: 6.NOV.2014 16:12:49

TX B mode CH11




Date: 6.NOV.2014 16:22:02

TX B mode CH01 (10 Harmonic of the frequency)




Date: 6.NOV.2014 16:08:16

TX B mode CH06 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:15:06


TX B mode CH11 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:18:55


Test Mode :	TX G Mode_ANT 1
-------------	-----------------

TX G mode CH01




Date: 6.NOV.2014 17:08:55

TX G mode CH11




Date: 6.NOV.2014 16:58:33

TX G mode CH01 (10 Harmonic of the frequency)




Date: 6.NOV.2014 16:26:45

TX G mode CH06 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:51:30


TX G mode CH11 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:55:05


Test Mode :	TX G Mode_ANT 2
-------------	-----------------

TX G mode CH01




Date: 6.NOV.2014 16:49:49

TX G mode CH11




Date: 6.NOV.2014 16:59:06

TX G mode CH01 (10 Harmonic of the frequency)




Date: 6.NOV.2014 16:27:11

TX G mode CH06 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:51:57


TX G mode CH11 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:55:37


Test Mode :	TX G Mode_ANT 3
--------------------	------------------------

TX G mode CH01




Date: 6.NOV.2014 16:50:31

TX G mode CH11




Date: 6.NOV.2014 17:07:53

TX G mode CH01 (10 Harmonic of the frequency)




Date: 6.NOV.2014 16:27:41

TX G mode CH06 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:52:26


TX G mode CH11 (10 Harmonic of the frequency)



Date: 6.NOV.2014 16:56:11


Test Mode :	TX N-20M Mode_ANT 1
--------------------	----------------------------

TX HT20 mode CH01




Date: 10.NOV.2014 10:34:20

TX HT20 mode CH11




Date: 10.NOV.2014 10:45:17

TX HT20 mode CH01 (10 Harmonic of the frequency)



Date: 10.NOV.2014 10:30:28

TX HT20 mode CH06 (10 Harmonic of the frequency)




Date: 10.NOV.2014 10:39:15

TX HT20 mode CH11 (10 Harmonic of the frequency)




*REW 100 kHz Marker 2 [T1]
 *VBW 300 kHz -40.63 dBm
 Ref 20 dBm *Att 30 dB SWT 2.5 s 21.654020000 GHz



Date: 10.NOV.2014 10:42:51


Test Mode :	TX N-20M Mode_ANT 2
-------------	---------------------

TX HT20 mode CH01




Date: 10.NOV.2014 10:34:44

TX HT20 mode CH11




Date: 10.NOV.2014 10:45:38

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 10.NOV.2014 10:31:39

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 10.NOV.2014 10:39:53


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 10.NOV.2014 10:43:23


Test Mode :	TX N-20M Mode_ANT 3
--------------------	----------------------------

TX HT20 mode CH01




Date: 10.NOV.2014 10:36:45

TX HT20 mode CH11




Date: 10.NOV.2014 10:46:09

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 10.NOV.2014 10:32:15

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 10.NOV.2014 10:40:31


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 10.NOV.2014 10:43:47


Test Mode :	TX N-40M Mode_ANT 1
-------------	---------------------

TX HT40 mode CH03




Date: 10.NOV.2014 11:00:00

TX HT40 mode CH09




Date: 10.NOV.2014 15:27:22

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 10.NOV.2014 10:57:03

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 10.NOV.2014 11:10:49


TX HT40 mode CH09 (10 Harmonic of the frequency)



Date: 10.NOV.2014 11:06:02


Test Mode :	TX N-40M Mode_ANT 2
-------------	---------------------

TX HT40 mode CH03




Date: 10.NOV.2014 11:00:30

TX HT40 mode CH09




Date: 10.NOV.2014 15:27:46

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 10.NOV.2014 10:57:32

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 10.NOV.2014 11:11:15


TX HT40 mode CH09 (10 Harmonic of the frequency)



Date: 10.NOV.2014 11:06:30


Test Mode :	TX N-40M Mode_ANT 3
--------------------	----------------------------

TX HT40 mode CH03




Date: 10.NOV.2014 11:00:58

TX HT40 mode CH09




Date: 10.NOV.2014 15:28:07

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 10.NOV.2014 10:58:03

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 10.NOV.2014 11:11:54

TX HT40 mode CH09 (10 Harmonic of the frequency)




Date: 10.NOV.2014 11:07:07

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11_ANT 1


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-6.76	0.21	8.00	Complies
2437	-8.75	0.13	8.00	Complies
2462	-7.64	0.17	8.00	Complies

TX CH01




Date: 21.OCT.2014 14:47:06

TX CH06



Date: 21.OCT.2014 14:51:43

TX CH11




Date: 21.OCT.2014 14:53:32

Test Mode :TX B Mode_CH01/06/11_ANT 2


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-7.24	0.19	8.00	Complies
2437	-7.38	0.18	8.00	Complies
2462	-7.28	0.19	8.00	Complies

TX CH01




Date: 21.OCT.2014 14:47:37

TX CH06



Date: 21.OCT.2014 14:52:09

TX CH11




Date: 21.OCT.2014 14:53:51

Test Mode :TX B Mode_CH01/06/11_ANT 3


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-7.19	0.19	8.00	Complies
2437	-7.85	0.16	8.00	Complies
2462	-6.88	0.21	8.00	Complies

TX CH01




Date: 21.OCT.2014 14:48:02

TX CH06



Date: 21.OCT.2014 14:52:53

TX CH11



Date: 21.OCT.2014 14:54:17


Test Mode :TX B Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-2.29	0.59	8.00	Complies
2437	-3.19	0.48	8.00	Complies
2462	-2.48	0.56	8.00	Complies

Test Mode :TX G Mode_CH01/06/11_ANT 1


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-11.83	0.07	8.00	Complies
2437	-10.66	0.09	8.00	Complies
2462	-11.18	0.08	8.00	Complies

TX CH01




Date: 21.OCT.2014 14:55:01

TX CH06



Date: 21.OCT.2014 14:56:33

TX CH11




Date: 21.OCT.2014 14:58:38

Test Mode :TX G Mode_CH01/06/11_ANT 2


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-9.99	0.10	8.00	Complies
2437	-9.80	0.10	8.00	Complies
2462	-10.76	0.08	8.00	Complies

TX CH01




Date: 21.OCT.2014 14:55:25

TX CH06



Date: 21.OCT.2014 14:56:59

TX CH11




Date: 21.OCT.2014 14:59:17

Test Mode :TX G Mode_CH01/06/11_ANT 3


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-11.61	0.07	8.00	Complies
2437	-10.62	0.09	8.00	Complies
2462	-10.72	0.08	8.00	Complies

TX CH01




Date: 21.OCT.2014 14:55:49

TX CH06



Date: 21.OCT.2014 14:57:23

TX CH11




Date: 21.OCT.2014 14:59:50

Test Mode :TX G Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-6.29	0.23	8.00	Complies
2437	-5.57	0.28	8.00	Complies
2462	-6.11	0.24	8.00	Complies


Test Mode : TX N-20M Mode_CH01/06/11_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-12.77	0.05	8.00	Complies
2437	-12.78	0.05	8.00	Complies
2462	-12.24	0.06	8.00	Complies




Date: 21.OCT.2014 15:06:25

TX CH06



Date: 21.OCT.2014 15:08:07

TX CH11




Date: 21.OCT.2014 15:10:12

Test Mode : TX N-20M Mode_CH01/06/11_ANT 2


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-11.36	0.07	8.00	Complies
2437	-12.51	0.06	8.00	Complies
2462	-11.04	0.08	8.00	Complies

TX CH01




Date: 21.OCT.2014 15:06:50

TX CH06



Date: 21.OCT.2014 15:08:35

TX CH11




Date: 21.OCT.2014 15:10:46


Test Mode : TX N-20M Mode_CH01/06/11_ANT 3

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-11.76	0.07	8.00	Complies
2437	-12.65	0.05	8.00	Complies
2462	-11.54	0.07	8.00	Complies


TX CH01



Date: 21.OCT.2014 15:07:13

TX CH06

Date: 21.OCT.2014 15:08:59

TX CH11

Date: 21.OCT.2014 15:11:20


Test Mode : TX N-20M Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-7.15	0.19	8.00	Complies
2437	-7.87	0.16	8.00	Complies
2462	-6.81	0.21	8.00	Complies

Test Mode : TX N-40M Mode_CH03/06/09_ANT 1


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-14.98	0.03	8.00	Complies
2437	-15.34	0.03	8.00	Complies
2452	-15.21	0.03	8.00	Complies

TX CH03




Date: 21.OCT.2014 15:12:19

TX CH06



Date: 21.OCT.2014 15:14:32

TX CH09




Date: 21.OCT.2014 15:17:40


Test Mode : TX N-40M Mode_CH03/06/09_ANT 2

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-15.01	0.03	8.00	Complies
2437	-14.51	0.04	8.00	Complies
2452	-14.18	0.04	8.00	Complies


TX CH03



Date: 21.OCT.2014 15:12:53

TX CH06

Date: 21.OCT.2014 15:15:09


TX CH09

Date: 21.OCT.2014 15:18:30

Test Mode : TX N-40M Mode_CH03/06/09_ANT 3


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-14.59	0.03	8.00	Complies
2437	-14.35	0.04	8.00	Complies
2452	-15.28	0.03	8.00	Complies

TX CH03




Date: 21.OCT.2014 15:13:30

TX CH06



Date: 21.OCT.2014 15:15:41

TX CH09



Date: 21.OCT.2014 15:19:05

Test Mode : TX N-40M Mode_CH03/06/09_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-10.08	0.10	8.00	Complies
2437	-9.94	0.10	8.00	Complies
2452	-10.09	0.10	8.00	Complies