




Data: 19 File: D:\Project\2007Q1\亞旭\710208\528\15C\BT\DH5\BT\_TX\_CH39.EMI (20) Date: 2006-11-30  
 Level (dBuV/m)




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : SHF-EHF HORN VERTICAL  
 EUT : PDA with GPS/EDGE+WLAN IIg+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH39;2441MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1	18531.00	48.90	-25.10	74.00	44.33	21.19	19.30	35.92	--- --- Peak

Data: 20 File: D:\Project\2007Q1\亞旭\710208\528\15C\BT\DH5\BT\_TX\_CH39.EMI (20) Date: 2006-11-30  
 Level (dBuV/m)



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : SHF-EHF HORN VERTICAL  
 EUT : PDA with GPS/EDGE+WLAN IIg+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH39;2441MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1	24508.00	49.32	-24.68	74.00	46.87	21.79	19.57	38.90	--- --- Peak


Remark: There's no more obvious spurious emission except the listings above.



- Test Mode : Mode 3
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.

Data: 1 File: D:\Project\2007Q1\5281528152815C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2007-01-12




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : LP-ANT(951121) HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	127.7	21.11	-22.39	43.50	38.38	12.18	1.64	31.09	---	---	Peak
2	136.4	21.72	-21.78	43.50	40.34	10.73	1.71	31.06	---	---	Peak
3	145.8	22.24	-21.26	43.50	41.18	10.33	1.79	31.06	---	---	Peak

Data: 2 File: D:\Project\2007Q1\5281528152815C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2007-01-12




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : LP-ANT(951121) HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	414.8	28.76	-17.24	46.00	40.39	16.02	3.19	30.85	---	---	Peak
2	526.8	37.95	-8.05	46.00	47.38	17.70	3.63	30.76	100	23	Peak
3	563.9	33.61	-12.39	46.00	42.47	18.09	3.77	30.71	---	---	Peak



Data: 3 File: D:\Project2007Q1\52815C\BT\DH5\BT TX\_CH78.EMI (18) Date: 2006-11-30




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78,2480MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2358.0	49.79	-24.21	74.00	51.26	30.24	3.71	35.42	100	0	Peak
2	2358.0	38.42	-15.58	54.00	39.89	30.24	3.71	35.42	100	8	Average
3 X	2480.0	90.54			91.89	30.29	3.86	35.51	100	0	Peak
4 @	2480.0	84.75			86.11	30.29	3.86	35.51	100	8	Average
5 !	2483.5	50.33	-3.67	54.00	51.69	30.29	3.86	35.51	100	8	Average
6	2483.5	55.84	-18.16	74.00	57.20	30.29	3.86	35.51	100	0	Peak

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project2007Q1\52815C\BT\DH5\BT TX\_CH78.EMI (18) Date: 2006-11-30



Trace: (Discrete)


Site : 08CH06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78,2480MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	4960.0	54.15	-19.85	74.00	50.98	33.47	5.93	36.23	100	0	Peak
2 !	4960.0	50.51	-3.49	54.00	47.34	33.47	5.93	36.23	100	208	Average






Data: 5 File: D:\Project\2007Q1\亞旭\710208\528\15C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2006-11-30



Trace: (Discrete)  
 Site : 03CR06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : PDA with CPBS/EDGE+WLAN IIg+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7962.00	56.72	-17.28	74.00	45.25	39.55	7.78	35.86	---	---	Peak
2	7962.00	45.37	-8.63	54.00	33.90	39.55	7.78	35.86	100	105	Average

Data: 6 File: D:\Project\2007Q1\亞旭\710208\528\15C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2006-11-30




Trace: (Discrete)  
 Site : 03CR06-HY  
 Condition : HF-ANT(B-18)-060018 HORIZONTAL  
 EUT : PDA with CPBS/EDGE+WLAN IIg+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	10911.00	37.98	-36.02	74.00	72.58	-8.34	9.81	36.08	---	---	Peak




Data: 7 File: D:\Project\2007Q1\亞旭\710208\528115C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2006-11-30



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : HF-ANT(8-18)-060918 HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN IIg+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14157.00	39.89	-34.11	74.00	69.33	-6.26	11.66	34.84	---	---	Peak

Data: 8 File: D:\Project\2007Q1\亞旭\710208\528115C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2006-11-30




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : HF-ANT(8-18)-060918 HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN IIg+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16041.00	41.89	-32.11	74.00	70.34	-4.40	11.78	35.83	---	---	Peak



Data: 17 File: D:\Project\2007Q1\亞旭\710208\528\15C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2006-11-30



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120V<sub>ac</sub>/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78,2480MHz  
 Data Rate : DHS  
 Plane : E1


	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	
1	2483.5	55.84	-18.16	74.00	57.20	30.29	3.86	35.51	100	0 Peak
2	2483.5	50.33	-3.67	54.00	51.69	30.29	3.86	35.51	100	8 Average

Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical


The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)

Site : 08CH06-HY  
 Condition : LP-ANT(951121) VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DHS  
 Plane : EI

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	
1	33.8	28.66	-11.34	40.00	42.28	16.84	0.87	31.32	100	245 Peak
2	37.8	27.82	-12.18	40.00	43.60	14.56	0.90	31.24	---	---
3	147.2	25.12	-18.38	43.50	44.02	10.36	1.81	31.06	---	---



Trace: (Discrete)


Site : 08CH06-HY  
 Condition : LP-ANT(951121) VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DHS  
 Plane : EI

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	
1	519.8	33.16	-12.84	46.00	42.70	17.63	3.60	30.77	---	---
2	526.8	34.56	-11.44	46.00	43.98	17.70	3.63	30.76	---	---
3	623.4	34.06	-11.94	46.00	42.16	18.57	3.99	30.66	---	---





Data: 11 File: D:\Project\2007Q1\528\710208\528\15C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2006-11-30




Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-ANT-060410 VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/80Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2378.0	49.75	-24.25	74.00	51.18	30.25	3.75	35.44	100	0	Peak
2	2378.0	38.45	-15.55	54.00	39.89	30.25	3.75	35.44	100	145	Average
3 @	2480.0	87.75			89.11	30.29	3.86	35.51	100	145	Average
4 X	2480.0	93.42			94.78	30.29	3.86	35.51	100	0	Peak
5	2483.5	53.64	-0.36	54.00	55.00	30.29	3.86	35.51	100	145	Average
6	2483.5	59.54	-14.46	74.00	60.90	30.29	3.86	35.51	100	0	Peak

Remark: #3 and #4 Fundamental Signal


Data: 12 File: D:\Project\2007Q1\528\710208\528\15C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2006-11-30



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-ANT-060410 VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/80Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DH5  
 Plane : E1


	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	4960.0	56.44	-17.56	74.00	53.27	33.47	5.93	36.23	100	0	Peak
2	4960.0	49.19	-4.81	54.00	46.02	33.47	5.93	36.23	100	156	Average





Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : HF-ANT-060410 VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN IIg+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	8172.00	56.42	-17.58	74.00	44.92	39.46	7.98	35.94	---	---	Peak




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : HF-ANT(8-18)-060918 VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN IIg+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78;2480MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	10812.00	37.75	-36.25	74.00	72.61	-8.38	9.72	36.21	---	---	Peak



Data: 15 File: D:\Project\2007Q1\亞旭\710208\528\15C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2006-11-30




Site : D3CR06-HY
Condition : HF-ANT(8-18)-060918 VERTICAL
EUT : PDA with CPRS/EDGE+WLAN 11g+BT
Power : 120Vac/60Hz
Model : FR 710208
Memo : Bluetooth TX\_CH78;2480MHz
Data Rate : DH5
Plane : E1

Trace: (Discrete)

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 14826.00, 39.00, -35.00, 74.00, 69.76, -6.34, 11.42, 35.84, ---, ---, Peak

Data: 16 File: D:\Project\2007Q1\亞旭\710208\528\15C\BT\DH5\BT\_TX\_CH78.EMI (18) Date: 2006-11-30




Site : D3CR06-HY
Condition : HF-ANT(8-18)-060918 VERTICAL
EUT : PDA with CPRS/EDGE+WLAN 11g+BT
Power : 120Vac/60Hz
Model : FR 710208
Memo : Bluetooth TX\_CH78;2480MHz
Data Rate : DH5
Plane : E1

Trace: (Discrete)

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 16002.00, 41.83, -32.17, 74.00, 70.37, -3.90, 11.77, 36.42, ---, ---, Peak



Data: 18 File: D:\Project\2007Q1\248\710208\528115C\BT\DH5BT\_TX\_CH78.EMI (18) Date: 2006-11-30  
 Level (dBuV/m)



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-ANT-060410 VERTICAL  
 EUT : FDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Wac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH78,2480MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2483.5	59.54	-14.46	74.00	60.90	30.29	3.86	35.51	100	0	Peak
2 @	2483.5	53.64	-0.36	54.00	55.00	30.29	3.86	35.51	100	145	Average


Remark: There's no more obvious spurious emission except the listings above.






- Test Mode : Mode 4
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : LP-ANT(951121) HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	30.0	21.54	-18.46	40.00	32.50	19.66	0.84	31.46	---	---	Peak
2	272.7	31.95	-14.05	46.00	47.68	12.69	2.54	30.96	---	---	Peak
3	299.2	33.37	-12.63	46.00	48.46	13.21	2.63	30.93	100	176	Peak




Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : LP-ANT(951121) HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	304.9	32.41	-13.59	46.00	47.34	13.33	2.66	30.93	---	---	Peak
2	334.3	32.43	-13.57	46.00	46.42	14.10	2.81	30.91	---	---	Peak
3	350.4	31.82	-14.18	46.00	45.38	14.50	2.84	30.89	---	---	Peak



Data: 3 File: D:\Project\2007Q1\529\710208\529\Part15C\BT\Tx\_CH00-DH5.EMI (18) Date: 2007-01-13




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : FDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	2386.2	48.35	-25.65	74.00	49.78	30.26	3.75	35.44	100	0 Peak
2	2386.2	38.22	-15.78	54.00	39.65	30.26	3.75	35.44	100	155 Average
3 @	2402.0	85.45			86.88	30.26	3.77	35.46	100	155 Average
4 X	2402.0	91.93			93.35	30.26	3.77	35.46	100	0 Peak
5	2494.0	38.02	-15.98	54.00	39.37	30.30	3.88	35.53	100	155 Average
6	2494.0	50.09	-23.91	74.00	51.44	30.30	3.88	35.53	100	0 Peak

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q1\529\710208\529\Part15C\BT\Tx\_CH00-DH5.EMI (18) Date: 2007-01-13




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : FDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	4804.0	44.90	-9.10	54.00	42.29	32.88	5.83	36.10	100	31 Average
2	4804.0	49.73	-24.27	74.00	47.12	32.88	5.83	36.10	100	0 Peak




Data: 5 File: D:\Project\2007Q1\5710208\529\Part15C\BT\BT Tx\_CH00-DH5.EMI (18) Date: 2007-01-13



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Wac/80Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DHS  
 Plane : E1

Data: 17 File: D:\Project\2007Q1\5710208\529\Part15C\BT\BT Tx\_CH00-DH5.EMI (18) Date: 2007-01-13



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Wac/80Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	2386.2	48.35	-25.65	74.00	49.78	30.26	3.75	35.44	100	0 Peak
2	2386.2	38.22	-15.78	54.00	39.65	30.26	3.75	35.44	100	155 Average

Remark: There's no more obvious spurious emission except the listings above.






- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.

Data: 9 File: D:\Project\2007Q1\529\710208\529\Part15C\BT\BT Tx\_CH00-DH5.EMI (18) Date: 2007-01-13




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : LP-ANT(951121) VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	33.8	28.91	-11.09	40.00	42.53	16.84	0.87	31.32	100	58	Peak
2	39.2	28.22	-11.78	40.00	44.48	14.03	0.91	31.21	---	---	Peak
3	71.6	25.32	-14.68	40.00	48.17	7.00	1.32	31.17	---	---	Peak

Data: 10 File: D:\Project\2007Q1\529\710208\529\Part15C\BT\BT Tx\_CH00-DH5.EMI (18) Date: 2007-01-13




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : LP-ANT(951121) VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	519.8	28.87	-17.13	46.00	38.41	17.63	3.60	30.77	---	---	Peak
2	710.9	28.15	-17.85	46.00	35.46	18.99	4.28	30.58	---	---	Peak
3	889.4	27.50	-18.50	46.00	32.64	20.45	4.78	30.38	---	---	Peak



Data: 11 File: D:\Project2007Q1\529\710208\529\Part15C\BT\BT Tx\_CH00-DH5.EMI (18) Date: 2007-01-13




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : HF-ANT-060410 VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark
1	2345.0	47.78	-26.22	74.00	49.26	30.24	3.71	35.42	100	0	Peak
2	2345.0	37.98	-16.02	54.00	39.46	30.24	3.71	35.42	100	329	Average
3 X	2402.0	91.44			92.87	30.26	3.77	35.46	100	0	Peak
4 @	2402.0	85.71			87.14	30.26	3.77	35.46	100	329	Average
5	2494.0	38.03	-15.97	54.00	39.38	30.30	3.88	35.53	100	329	Average
6	2494.0	49.75	-24.25	74.00	51.09	30.30	3.88	35.53	100	0	Peak

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project2007Q1\529\710208\529\Part15C\BT\BT Tx\_CH00-DH5.EMI (18) Date: 2007-01-13




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : HF-ANT-060410 VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/60Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DHS  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark
1	4804.0	51.97	-22.03	74.00	49.36	32.88	5.83	36.10	100	0	Peak
2	4804.0	46.06	-7.94	54.00	43.45	32.88	5.83	36.10	100	251	Average




Data: 13 File: D:\Project\2007Q1\200710208\529\Part15C\BT\BT Tx\_CH00-DH5.EMI (18) Date: 2007-01-13



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-ANT-060410 VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/80Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1

Data: 18 File: D:\Project\2007Q1\200710208\529\Part15C\BT\BT Tx\_CH00-DH5.EMI (19) Date: 2007-01-13



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-ANT-060410 VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN 11g+BT  
 Power : 120Vac/80Hz  
 Model : FR 710208  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2345.0	47.79	-26.21	74.00	49.26	30.24	3.71	35.42	100	0	Peak
2	2345.0	37.98	-16.02	54.00	39.46	30.24	3.71	35.42	100	329	Average


Remark: There's no more obvious spurious emission except the listings above.





- Test Mode : Mode 5
- Polarization : Horizontal


The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-ANT(951121) HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FR 710210-01  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1  
 Scanner : A2

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	45.93	28.18	-11.82	40.00	47.82	10.53	0.93	31.10	---	---	Peak
2	184.44	27.59	-15.91	43.50	47.25	9.41	1.96	31.03	---	---	Peak
3 @	207.93	28.38	-15.12	43.50	47.48	9.76	2.17	31.03	---	---	Peak




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-ANT(951121) HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FR 710210-01  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1  
 Scanner : A2

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	465.90	33.69	-12.31	46.00	44.27	16.85	3.37	30.80	---	---	Peak
2 @	516.30	32.76	-13.24	46.00	42.36	17.59	3.58	30.77	---	---	Peak
3 @	526.80	38.64	-7.36	46.00	48.07	17.70	3.63	30.76	100	246	Peak



Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A2\BT TX\_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)  
 Site : D3CR06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FR 710210-01  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1  
 Scanner : A2

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2348.00	38.06	-15.94	54.00	39.54	30.24	3.71	35.42	100	109	Average
2	2348.00	49.27	-24.73	74.00	50.75	30.24	3.71	35.42	100	0	Peak
3 @	2402.00	96.17			97.59	30.27	3.77	35.46	100	0	Peak
4 @	2402.00	89.32			90.75	30.26	3.77	35.46	100	109	Average
5	2498.00	48.84	-25.16	74.00	50.18	30.30	3.88	35.53	100	0	Peak
6	2498.00	37.78	-16.22	54.00	39.13	30.30	3.88	35.53	100	109	Average

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A2\BT TX\_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)  
 Site : D3CR06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FR 710210-01  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1  
 Scanner : A2

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5952.00	49.02	-24.98	74.00	43.75	34.05	6.93	35.71	---	---	Peak



Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A2\BT TX\_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)

Site : 03CR06-HY  
Condition : HF-ANT-060410 HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FR 710210-01  
Memo : Bluetooth TX\_CH00;2402MHz  
Data Rate : DH5  
Plane : E1  
Scanner : A2

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	8016.00	57.10	-16.90	74.00	45.57	39.59	7.81	35.86	100	0	Peak
2 @	8016.00	46.36	-7.64	54.00	34.83	39.59	7.81	35.86	100	27	Average

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A2\BT TX\_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)


Site : 03CR06-HY  
Condition : HF-ANT(8-18)-060918 HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FR 710210-01  
Memo : Bluetooth TX\_CH00;2402MHz  
Data Rate : DH5  
Plane : E1  
Scanner : A2

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	10977.00	37.65	-36.35	74.00	72.11	-8.31	9.86	36.01	---	---	Peak





Data: 7 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A2\BT TX\_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)

Site : 03CR06-HY

Condition : HF-ANT(8-18)-060918 HORIZONTAL

EUT : PDA

Power : 120Vac/60Hz

Model : FR 710210-01

Memo : Bluetooth TX\_CH00;2402MHz


Data Rate : DHS

Plane : E1

Scanner : A2

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14967.00	39.42	-34.58	74.00	70.37	-6.22	11.29	36.01	---	---	Peak

Data: 8 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A2\BT TX\_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)

Site : 03CR06-HY

Condition : HF-ANT(8-18)-060918 HORIZONTAL

EUT : PDA

Power : 120Vac/60Hz

Model : FR 710210-01


Memo : Bluetooth TX\_CH00;2402MHz

Data Rate : DHS

Plane : E1

Scanner : A2

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16452.00	41.38	-32.62	74.00	70.10	-9.48	11.87	31.11	---	---	Peak



Trace: (Discrete)  
 Site : 03CR06-HY  
 Condition : HF-ANT-060410 HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FR 710210-01  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DR5  
 Plane : E1  
 Scanner : A2


	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2347.92	49.27	-24.73	74.00	50.74	30.24	3.71	35.42	100	0	Peak
2	2347.92	38.06	-15.94	54.00	39.54	30.24	3.71	35.42	100	109	Average

Remark: There's no more obvious spurious emission except the listings above.




- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-ANT(951121) VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FR 710210-01  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1  
 Scanner : A2

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	31.89	28.06	-11.94	40.00	40.35	18.25	0.86	31.39	---	---	Peak
2 @	39.18	27.00	-13.00	40.00	43.27	14.03	0.91	31.21	---	---	Peak
3	288.39	28.44	-17.56	46.00	43.82	12.99	2.59	30.96	---	---	Peak




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-ANT(951121) VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FR 710210-01  
 Memo : Bluetooth TX\_CH00;2402MHz  
 Data Rate : DH5  
 Plane : E1  
 Scanner : A2

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	519.80	33.85	-12.15	46.00	43.39	17.63	3.60	30.77	---	---	Peak
2 @	526.80	35.34	-10.66	46.00	44.77	17.70	3.63	30.76	100	297	Peak
3	623.40	30.12	-15.88	46.00	38.22	18.57	3.99	30.66	---	---	Peak





Data: 11 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW2\BT TX\_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-ANT-060410 VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX\_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A2

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. It lists measurement data for peaks at 2344.00, 2402.00, and 2488.00 MHz.

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW2\BT TX\_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-ANT-060410 VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX\_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A2

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. It lists measurement data for a peak at 5931.00 MHz.




Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW2\BT TX\_CH00.EMI (18) Level (dBuV/m) Date: 2007-04-29



Trace: (Discrete) Site : 03CH06-HY Condition : HF-ANT-060410 VERTICAL EUT : PDA Power : 120Vac/60Hz Model : FR 710210-01 Memo : Bluetooth TX\_CH00;2402MHz Data Rate : DH5 Plane : E1 Scanner : A2

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Contains two rows of data for peak and average values at 8106.00 MHz.

Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW2\BT TX\_CH00.EMI (18) Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete) Site : 03CH06-HY Condition : HF-ANT(8-16)-060018 VERTICAL EUT : PDA Power : 120Vac/60Hz Model : FR 710210-01 Memo : Bluetooth TX\_CH00;2402MHz Data Rate : DH5 Plane : E1 Scanner : A2

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Contains one row of data for peak value at 10896.00 MHz.