




Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\2\BT TX_CH00.EMI (18) Level (dBuV/m) Date: 2007-05-01




Trace: (Discrete)

Site : 03CRO6-HY
Condition : HF-ANT(8-18)-060918 VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A2

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 14196.00, 38.66, -35.34, 74.00, 68.18, -6.30, 11.67, 34.89, ---, ---, Peak

Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\2\BT TX_CH00.EMI (18) Level (dBuV/m) Date: 2007-05-01




Trace: (Discrete)

Site : 03CRO6-HY
Condition : HF-ANT(8-18)-060918 VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A2

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 16056.00, 41.64, -32.36, 74.00, 70.33, -4.64, 11.78, 35.83, ---, ---, Peak



Data: 18 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A2\BT TX_CH00.EMI (18) Date: 2007-04-29
 Level (dBuV/m)



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A2


	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2344.32	48.73	-25.27	74.00	50.20	30.24	3.71	35.42	100	0	Peak
2 @	2344.32	38.33	-15.67	54.00	39.81	30.24	3.71	35.42	100	145	Average

Remark: There's no more obvious spurious emission except the listings above.




- Test Mode : Mode 6
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-RY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	195.24	27.13	-16.37	43.50	46.71	9.34	2.11	31.02	---	---	Peak
2 @	199.83	27.88	-15.62	43.50	47.42	9.30	2.18	31.02	---	---	Peak
3 @	207.93	27.95	-15.55	43.50	47.04	9.76	2.17	31.03	---	---	Peak




Trace: (Discrete)
 Site : 03CH06-RY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	465.90	35.84	-10.16	46.00	46.42	16.85	3.37	30.80	---	---	Peak
2 @	519.80	42.29	-3.71	46.00	51.83	17.63	3.60	30.77	100	331	Peak
3 @	526.80	35.09	-10.91	46.00	44.52	17.70	3.63	30.76	---	---	Peak



Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW5\BT TX_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2390.00	50.16	-23.84	74.00	51.61	30.26	3.75	35.46	100	0	Peak
2 @	2390.00	38.47	-15.53	54.00	39.92	30.26	3.75	35.46	100	109	Average
3 @	2402.00	96.28			97.70	30.27	3.77	35.46	100	0	Peak
4 @	2402.00	89.35			90.78	30.26	3.77	35.46	100	109	Average
5	2484.00	48.84	-25.16	74.00	50.20	30.29	3.86	35.51	100	0	Peak
6	2484.00	37.79	-16.21	54.00	39.15	30.29	3.86	35.51	100	109	Average

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW5\BT TX_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5367.00	48.84	-25.16	74.00	44.69	33.60	6.63	36.08	---	---	Peak



Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A5BT TX_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7992.00	56.80	-17.20	74.00	45.28	39.58	7.79	35.85	---	---	Peak
2 @	7992.00	46.02	-7.98	54.00	34.50	39.58	7.79	35.85	100	228	Average

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A5BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	9876.00	37.12	-36.88	74.00	74.02	-9.56	9.18	36.52	---	---	Peak



Data: 7 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A5\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14991.00	38.45	-35.55	74.00	69.42	-6.21	11.27	36.03	---	---	Peak

Data: 8 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A5\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16431.00	41.14	-32.86	74.00	69.91	-9.23	11.86	31.40	---	---	Peak



Data: 17 File: D:\Project\2007Q2\2389\710210-01\Part15C\528\BT\5\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-04-29



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.92	50.16	-23.84	74.00	51.61	30.26	3.75	35.46	100	0	Peak
2 @	2389.92	38.47	-15.53	54.00	39.92	30.26	3.75	35.46	100	109	Average


Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.

Data: 9 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A5\BT TX_CH00.EMI (18) Date: 2007-04-30




Trace: (Discrete)

Site : 03CR06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	32.43	27.31	-12.69	40.00	40.26	17.54	0.86	31.36	---	---	Peak
2 @	37.29	27.25	-12.75	40.00	43.03	14.56	0.90	31.24	---	---	Peak
3	179.04	26.10	-17.40	43.50	45.73	9.50	1.90	31.04	---	---	Peak

Data: 10 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A5\BT TX_CH00.EMI (18) Date: 2007-04-30




Trace: (Discrete)

Site : 03CR06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	455.40	34.52	-11.48	46.00	45.33	16.69	3.31	30.81	---	---	Peak
2 @	460.30	34.35	-11.65	46.00	45.04	16.77	3.34	30.80	---	---	Peak
3 @	526.80	36.11	-9.89	46.00	45.54	17.70	3.63	30.76	100	258	Peak



Data: 11 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\W5BT TX_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)

Site : D3CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	2324.00	48.97	-25.03	74.00	50.46	30.23	3.69	35.40	100	0 Peak
2	2324.00	38.07	-15.93	54.00	39.56	30.23	3.69	35.40	100	145 Average
3 @	2402.00	87.78			89.21	30.26	3.77	35.46	100	145 Average
4 @	2402.00	94.69			96.11	30.26	3.77	35.46	100	0 Peak
5	2500.00	49.01	-24.99	74.00	50.36	30.30	3.88	35.53	100	0 Peak
6	2500.00	37.73	-16.27	54.00	39.08	30.30	3.88	35.53	100	145 Average

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\W5BT TX_CH00.EMI (18) Date: 2007-04-29




Trace: (Discrete)

Site : D3CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	5961.00	48.99	-25.01	74.00	43.69	34.07	6.93	35.70	---	---




Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\W5\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-04-29



Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7992.00	57.04	-16.96	74.00	45.52	39.58	7.79	35.85	---	---	Peak
2 @	7992.00	45.72	-8.28	54.00	34.20	39.58	7.79	35.85	100	308	Average

Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\W5\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-02




Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	11997.00	37.61	-36.39	74.00	73.15	-9.60	10.64	36.58	---	---	Peak



Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A5\BT TX_CH00.EMI (18) Level (dBuV/m) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-ANT(8-18)-060918 VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A5

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 14277.00, 38.52, -35.48, 74.00, 68.30, -6.38, 11.69, 35.09, ---, ---, Peak

Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A5\BT TX_CH00.EMI (18) Level (dBuV/m) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-ANT(8-18)-060918 VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A5

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 16077.00, 42.24, -31.76, 74.00, 70.87, -4.89, 11.79, 35.53, ---, ---, Peak



Data: 18 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A5BT TX_CH00.EMI (18) Date: 2007-04-29
 Level (dBuV/m)



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A5


	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2323.76	48.97	-25.03	74.00	50.45	30.23	3.69	35.40	100	0	Peak
2 @	2323.76	38.07	-15.93	54.00	39.56	30.23	3.69	35.40	100	145	Average

Remark: There's no more obvious spurious emission except the listings above.




- Test Mode : Mode 7
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 @	163.38	31.75	-11.75	43.50	50.87	10.05	1.85	31.02	100	198 Peak
2 @	184.44	31.06	-12.44	43.50	50.72	9.41	1.96	31.03	---	---
3 @	199.83	31.42	-12.08	43.50	50.96	9.30	2.18	31.02	---	---




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 @	476.40	31.71	-14.29	46.00	42.06	17.03	3.43	30.81	---	---
2 @	514.90	33.82	-12.18	46.00	43.44	17.58	3.57	30.77	---	---
3 @	526.80	30.05	-15.95	46.00	39.48	17.70	3.63	30.76	---	---



Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2390.00	49.97	-24.03	74.00	51.42	30.26	3.75	35.46	100	0	Peak
2	2390.00	39.13	-14.87	54.00	40.58	30.26	3.75	35.46	104	90	Average
3 @	2402.00	90.79			92.22	30.26	3.77	35.46	104	90	Average
4 @	2402.00	96.42			97.84	30.26	3.77	35.46	100	0	Peak
5	2494.00	50.07	-23.93	74.00	51.42	30.30	3.88	35.53	100	0	Peak
6	2494.00	38.45	-15.55	54.00	39.80	30.30	3.88	35.53	104	90	Average

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5802.00	48.96	-25.04	74.00	43.97	33.89	6.91	35.81	---	---	Peak




Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7986.00	57.32	-16.68	74.00	45.80	39.58	7.79	35.85	100	0	Peak
2 @	7986.00	47.85	-6.15	54.00	36.33	39.58	7.79	35.85	105	221	Average

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	11007.00	37.16	-36.84	74.00	71.62	-8.37	9.88	35.98	---	---	Peak




Data: 7 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-02



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1	14952.00	38.57	-35.43	74.00	69.48	-6.24	11.31	35.98	--- --- Peak

Data: 8 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1	16026.00	41.40	-32.60	74.00	70.01	-4.27	11.78	36.13	--- --- Peak



Data: 17 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A6BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)



Trace: (Discrete)

Site : D3CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DR5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.92	49.97	-24.03	74.00	51.42	30.26	3.75	35.46	100	0	Peak
2	2389.92	39.13	-14.87	54.00	40.58	30.26	3.75	35.46	104	90	Average


Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.

Data: 9 File: D:\Project\2007Q2\蓝牙710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-04-30




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant Table	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1 @	33.24	30.39	-9.61	40.00	43.34	17.54	0.86	31.36	--- --- Peak
2 @	39.99	29.67	-10.33	40.00	46.45	13.51	0.92	31.21	--- --- Peak
3	149.34	27.56	-15.94	43.50	46.42	10.39	1.82	31.07	--- --- Peak

Data: 10 File: D:\Project\2007Q2\蓝牙710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-04-30




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant Table	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1 @	509.30	39.32	-6.68	46.00	49.03	17.52	3.55	30.78	--- --- Peak
2 @	519.80	43.46	-2.54	46.00	53.00	17.63	3.60	30.77	100 357 QP
3 @	539.40	40.26	-5.74	46.00	49.48	17.83	3.68	30.74	--- --- Peak



Data: 11 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : D3CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2390.00	49.41	-24.59	74.00	50.86	30.26	3.75	35.46	100	0	Peak
2	2390.00	39.25	-14.75	54.00	40.70	30.26	3.75	35.46	109	176	Average
3 @	2402.00	95.35			96.78	30.26	3.77	35.46	100	0	Peak
4 @	2402.00	90.81			92.24	30.26	3.77	35.46	109	176	Average
5	2498.00	49.49	-24.51	74.00	50.84	30.30	3.88	35.53	100	0	Peak
6	2498.00	38.17	-15.83	54.00	39.52	30.30	3.88	35.53	109	176	Average

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : D3CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5901.00	48.73	-25.27	74.00	43.56	34.00	6.93	35.75	---	---	Peak



Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : D3CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	8007.00	56.92	-17.08	74.00	45.37	39.60	7.81	35.86	100	0	Peak
2 @	8007.00	47.54	-6.46	54.00	35.99	39.60	7.81	35.86	100	57	Average

Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : D3CH06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	11997.00	37.43	-36.57	74.00	72.96	-9.60	10.64	36.58	---	---	Peak



Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14277.00	38.15	-35.85	74.00	67.93	-6.38	11.69	35.09	---	---	Peak

Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A6\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16032.00	41.48	-32.52	74.00	70.10	-4.27	11.78	36.13	---	---	Peak



Data: 18 File: D:\Project\2007Q2\200710210-01\Part15C\528\BTW6\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)



Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6


	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2390.00	49.41	-24.59	74.00	50.85	30.26	3.75	35.46	100	0	Peak
2 @	2390.00	39.25	-14.75	54.00	40.70	30.26	3.75	35.46	109	176	Average

Remark: There's no more obvious spurious emission except the listings above.



- Test Mode : Mode 8
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	153.39	28.03	-15.47	43.50	46.93	10.32	1.84	31.05	---	---	Peak
2	158.79	29.07	-14.43	43.50	48.09	10.16	1.86	31.03	---	---	Peak
3	163.38	28.40	-15.10	43.50	47.53	10.05	1.85	31.02	---	---	Peak



Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTM4\BT TX_CH00.EMI (18) Date: 2007-05-08




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Pos	Pos	
			dB	dBuV/m	dBuV	dB	dB	cm	deg	
1	2366.96	48.53	-25.47	74.00	50.00	30.24	3.73	35.44	100	0 Peak
2	2366.96	38.54	-15.46	54.00	40.00	30.24	3.73	35.44	100	196 Average
3 @	2402.00	89.81			91.24	30.26	3.77	35.46	100	196 Average
4 @	2402.00	97.52			98.95	30.26	3.77	35.46	100	0 Peak
5	2494.00	38.52	-15.48	54.00	39.87	30.30	3.88	35.53	100	196 Average
6	2494.00	49.44	-24.56	74.00	50.79	30.30	3.88	35.53	100	0 Peak

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTM4\BT TX_CH00.EMI (18) Date: 2007-05-08




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Pos	Pos		
			dB	dBuV/m	dBuV	dB	dB	cm	deg		
1	5937.00	49.37	-24.63	74.00	44.12	34.03	6.93	35.71	---	---	Peak



Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\4\BT TX_CH00.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	8007.00	57.41	-16.59	74.00	45.86	39.60	7.81	35.86	100	0	Peak
2	8007.00	45.03	-8.97	54.00	33.48	39.60	7.81	35.86	100	256	Average

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\4\BT TX_CH00.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT(6-16)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4



Data: 17 File: D:\Project\2007Q2\200710210-01\Part15C\528\BTM4\BT TX_CH00.EMI (18) Level (dBuV/m) Date: 2007-05-08



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	Read Antenna	Cable Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1	2366.96	48.53	-25.47	74.00	50.00	30.24	3.73	35.44	100 0 Peak
2	2366.96	38.54	-15.46	54.00	40.00	30.24	3.73	35.44	100 196 Average


Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.

Data: 9 File: D:\Project\2007Q2\200710210-01\Part15C\528\BTM4\BT TX_CH00.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant Table	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1	33.24	30.00	-10.00	40.00	42.95	17.54	0.86	31.36	--- --- Peak
2	39.18	28.21	-11.79	40.00	44.48	14.03	0.91	31.21	--- --- Peak
3	91.29	29.43	-14.07	43.50	50.00	9.23	1.33	31.12	--- --- Peak

Data: 10 File: D:\Project\2007Q2\200710210-01\Part15C\528\BTM4\BT TX_CH00.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant Table	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1 @	425.30	38.07	-7.93	46.00	49.45	16.19	3.26	30.84	100 225 Peak
2	519.80	33.37	-12.63	46.00	42.90	17.63	3.60	30.77	--- --- Peak
3	623.40	29.65	-16.35	46.00	37.75	18.57	3.99	30.66	--- --- Peak




Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTM4\BT TX_CH00.EMI (18) Date: 2007-05-08



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5496.00	48.96	-25.04	74.00	44.50	33.60	6.87	36.01	---	---	Peak

Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTM4\BT TX_CH00.EMI (18) Date: 2007-05-08




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7872.00	56.92	-17.08	74.00	45.66	39.41	7.75	35.90	100	0	Peak
2	7872.00	44.84	-9.16	54.00	33.58	39.41	7.75	35.90	100	247	Average




Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTM4\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-08



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4

Data: 18 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTM4\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-08



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : 528
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A4


	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant Table	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1	2389.76	49.50	-24.50	74.00	50.95	30.26	3.75	35.46	100 0 Peak
2	2389.76	39.24	-14.76	54.00	40.69	30.26	3.75	35.46	100 259 Average

Remark: There's no more obvious spurious emission except the listings above.




- Test Mode : Mode 9
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	155.28	39.98	-3.52	43.50	58.92	10.27	1.85	31.05	---	---	Peak
2 @	160.14	39.21	-4.29	43.50	58.25	10.13	1.86	31.03	---	---	Peak
3 !	211.44	37.93	-5.57	43.50	56.80	9.99	2.17	31.03	100	357	QP



Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	308.40	41.67	-4.33	46.00	56.47	13.43	2.69	30.93	---	---	Peak
2 !	315.40	40.02	-5.98	46.00	54.61	13.61	2.73	30.92	---	---	Peak
3	369.30	36.40	-9.60	46.00	49.32	14.99	2.97	30.89	---	---	Peak