




- Test Mode : Mode 12
- Polarization : Horizontal


The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)

Site : 03CH06-RY
 Condition : LF-ANT(851121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	267.33	33.26	-12.74	46.00	49.10	12.60	2.51	30.96	---	---	Peak
2 @	283.53	31.83	-14.17	46.00	47.33	12.90	2.58	30.97	---	---	Peak
3 @	299.19	31.73	-14.27	46.00	46.82	13.21	2.63	30.93	---	---	Peak




Trace: (Discrete)

Site : 03CH06-RY
 Condition : LF-ANT(851121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	444.90	34.63	-11.37	46.00	45.67	16.51	3.27	30.82	---	---	Peak
2 @	509.30	35.67	-10.33	46.00	45.38	17.52	3.55	30.78	---	---	Peak
3 @	519.80	39.67	-6.33	46.00	49.21	17.63	3.60	30.77	100	228	Peak



Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2386.32	48.74	-25.26	74.00	50.19	30.26	3.75	35.46	100	0	Peak
2 @	2386.32	38.84	-15.16	54.00	40.27	30.26	3.75	35.44	100	148	Average
3 @	2402.00	96.99			98.42	30.26	3.77	35.46	100	0	Peak
4 @	2402.00	89.98			91.41	30.26	3.77	35.46	100	148	Average
5	2498.00	48.47	-25.53	74.00	49.82	30.30	3.88	35.53	100	0	Peak
6	2498.00	38.34	-15.66	54.00	39.69	30.30	3.88	35.53	100	148	Average

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5901.00	48.90	-25.10	74.00	43.73	34.00	6.93	35.75	---	---	Peak



Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-ANT-060410 HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A9

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7992.00	57.16	-16.84	74.00	45.64	39.58	7.79	35.85	---	---	Peak
2 @	7992.00	46.02	-7.98	54.00	34.50	39.58	7.79	35.85	100	250	Average

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-ANT(8-18)-060018 HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A9

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	10791.00	37.20	-36.80	74.00	72.12	-8.38	9.71	36.24	---	---	Peak



Data: 7 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)

Site : 03CR06-HY

Condition : HF-ANT(8-18)-060918 HORIZONTAL

EUT : PDA

Power : 120Vac/60Hz

Model : FR 710210-01

Memo : Bluetooth TX_CH00;2402MHz


Data Rate : DH5

Plane : E1

Scanner : A9

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14901.00	39.00	-35.00	74.00	69.86	-6.28	11.34	35.93	---	---	Peak

Data: 8 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)

Site : 03CR06-HY

Condition : HF-ANT(8-18)-060918 HORIZONTAL

EUT : PDA

Power : 120Vac/60Hz

Model : FR 710210-01

Memo : Bluetooth TX_CH00;2402MHz

Data Rate : DH5


Plane : E1

Scanner : A9

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16092.00	41.21	-32.79	74.00	69.68	-5.02	11.79	35.24	---	---	Peak



Data: 17 File: D:\Project\2007Q2\200710210-01\Part15C\528\BT\A9\BT_TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2386.32	48.74	-25.26	74.00	50.17	30.26	3.75	35.44	100	0	Peak
2 @	2386.32	38.84	-15.16	54.00	40.27	30.26	3.75	35.44	100	148	Average


Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.


Data: 9 File: D:\Project\2007Q2\2402\710210-01\Part15C\528\BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Pos	Pos		
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	33.24	28.94	-11.06	40.00	41.89	17.54	0.86	31.36	---	---	Peak
2 @	39.18	28.09	-11.91	40.00	44.35	14.03	0.91	31.21	---	---	Peak
3	151.23	25.18	-18.32	43.50	44.04	10.37	1.83	31.07	---	---	Peak

Data: 10 File: D:\Project\2007Q2\2402\710210-01\Part15C\528\BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Pos	Pos		
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	507.90	35.79	-10.21	46.00	45.51	17.51	3.54	30.78	---	---	Peak
2 @	516.30	37.18	-8.82	46.00	46.78	17.59	3.58	30.77	100	304	Peak
3 @	526.80	35.94	-10.06	46.00	45.36	17.70	3.63	30.76	---	---	Peak



Data: 11 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2386.16	47.86	-26.14	74.00	49.31	30.26	3.75	35.46	100	0	Peak
2	2386.16	38.80	-15.20	54.00	40.23	30.26	3.75	35.44	108	210	Average
3 @	2402.00	94.77			96.20	30.26	3.77	35.46	100	0	Peak
4 @	2402.00	89.98			91.41	30.26	3.77	35.46	108	210	Average
5	2498.00	48.68	-25.32	74.00	50.02	30.30	3.88	35.53	100	0	Peak
6	2498.00	38.34	-15.66	54.00	39.69	30.30	3.88	35.53	108	210	Average

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A9\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5586.00	49.01	-24.99	74.00	44.39	33.69	6.88	35.95	---	---	Peak




Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTWA9\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	8016.00	57.72	-16.28	74.00	46.18	39.59	7.81	35.86	100	0	Peak
2	8016.00	47.72	-26.28	74.00	36.18	39.59	7.81	35.86	100	304	Average

Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTWA9\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(6-16)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	11976.00	36.85	-37.15	74.00	72.47	-9.69	10.63	36.56	---	---	Peak



Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A9\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14157.00	39.11	-34.89	74.00	68.55	-6.26	11.66	34.84	---	---	Peak


Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A9\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A9

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16497.00	42.16	-31.84	74.00	71.42	-10.10	11.88	31.04	---	---	Peak



Trace: (Discrete)

```

Site      : 03CR06-HY
Condition : HF-ANT-060410 VERTICAL
EUT       : PDA
Power     : 120Vac/60Hz
Model     : FR 710210-01
Memo      : Bluetooth TX_CH00;2402MHz
Data Rate : DHS
Plane     : E1
Scanner   : A9
    
```


	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2386.16	47.86	-26.14	74.00	49.29	30.26	3.75	35.44	100	0	Peak
2 @	2386.16	38.80	-15.20	54.00	40.23	30.26	3.75	35.44	108	210	Average

Remark: There's no more obvious spurious emission except the listings above.



- Test Mode : Mode 13
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(851121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	291.63	34.59	-11.41	46.00	49.88	13.06	2.60	30.96	---	---	Peak
2 @	295.14	35.31	-10.69	46.00	50.52	13.12	2.61	30.95	---	---	Peak
3 @	299.19	34.14	-11.86	46.00	49.24	13.21	2.63	30.93	---	---	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(851121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	327.30	40.09	-5.91	46.00	54.31	13.90	2.79	30.91	---	---	Peak
2 @	509.30	42.52	-3.48	46.00	52.23	17.52	3.55	30.78	100	254	Peak
3 @	532.40	42.11	-3.89	46.00	51.45	17.76	3.65	30.75	---	---	Peak



Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW11\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	2381.76	48.70	-25.30	74.00	50.15	30.26	3.75	35.46	100	0 Peak
2	2381.76	39.09	-14.91	54.00	40.53	30.25	3.75	35.44	100	100 Average
3 @	2402.00	97.50			98.92	30.26	3.77	35.46	100	0 Peak
4 @	2402.00	90.12			91.55	30.26	3.77	35.46	100	100 Average
5	2484.00	48.77	-25.23	74.00	50.13	30.29	3.86	35.51	100	0 Peak
6	2484.00	38.47	-15.53	54.00	39.83	30.29	3.86	35.51	100	100 Average

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW11\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	5511.00	49.05	-24.95	74.00	44.58	33.60	6.87	36.00	---	---



Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW11\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	8142.00	57.49	-16.51	74.00	45.97	39.49	7.96	35.93	---	---	Peak
2 @	8142.00	46.02	-7.98	54.00	34.50	39.49	7.96	35.93	100	278	Average

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW11\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT(8-16)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	10662.00	37.11	-36.89	74.00	72.33	-8.44	9.62	36.41	---	---	Peak




Data: 7 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A11\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All


	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14907.00	38.92	-35.08	74.00	69.78	-6.27	11.34	35.93	---	---	Peak

Data: 8 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A11\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16122.00	41.16	-32.84	74.00	69.69	-5.39	11.80	34.94	---	---	Peak



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DR5
 Plane : E1
 Scanner : All

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2381.76	48.70	-25.30	74.00	50.14	30.25	3.75	35.44	100	0	Peak
2 @	2381.76	39.09	-14.91	54.00	40.53	30.25	3.75	35.44	100	100	Average


Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.

Data: 9 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A11\BT_TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	33.24	29.85	-10.15	40.00	42.80	17.54	0.86	31.36	---	---	Peak
2 @	39.18	28.25	-11.75	40.00	44.51	14.03	0.91	31.21	---	---	Peak
3	174.18	27.64	-15.86	43.50	46.97	9.82	1.87	31.02	---	---	Peak

Data: 10 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A11\BT_TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	511.40	42.41	-3.59	46.00	52.09	17.54	3.56	30.78	100	299	QP
2 @	514.90	43.47	-2.53	46.00	53.09	17.58	3.57	30.77	100	345	QP
3 @	532.40	42.72	-3.28	46.00	52.06	17.76	3.65	30.75	---	---	Peak



Data: 11 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW11\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	2389.52	47.95	-26.05	74.00	49.40	30.26	3.75	35.46	100	0 Peak
2	2389.52	38.94	-15.06	54.00	40.37	30.26	3.75	35.44	108	214 Average
3 @	2402.00	94.75			96.17	30.26	3.77	35.46	100	0 Peak
4 @	2402.00	89.50			90.93	30.26	3.77	35.46	108	214 Average
5	2498.00	48.85	-25.15	74.00	50.19	30.30	3.88	35.53	100	0 Peak
6	2498.00	38.44	-15.56	54.00	39.79	30.30	3.88	35.53	108	214 Average

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW11\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	5367.00	48.96	-25.04	74.00	44.81	33.60	6.63	36.08	---	---




Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A11\BT_TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	8001.00	58.00	-16.00	74.00	46.47	39.60	7.79	35.86	---	---	Peak
2 @	8001.00	46.43	-7.57	54.00	34.90	39.60	7.79	35.86	100	264	Average

Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A11\BT_TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : All

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	11991.00	37.10	-36.90	74.00	72.70	-9.64	10.63	36.58	---	---	Peak




Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW11\BT TX_CH00.EMI (18) Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete) Site : 03CR06-HY Condition : HF-ANT(8-18)-060918 VERTICAL EUT : PDA Power : 120Vac/60Hz Model : FR 710210-01 Memo : Bluetooth TX_CH00;2402MHz Data Rate : DH5 Plane : E1 Scanner : All


Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 14967.00, 39.26, -34.74, 74.00, 70.21, -6.22, 11.29, 36.01, ---, ---, Peak

Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW11\BT TX_CH00.EMI (18) Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete) Site : 03CR06-HY Condition : HF-ANT(8-18)-060918 VERTICAL EUT : PDA Power : 120Vac/60Hz Model : FR 710210-01 Memo : Bluetooth TX_CH00;2402MHz Data Rate : DH5 Plane : E1 Scanner : All

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 16146.00, 41.73, -32.27, 74.00, 70.33, -5.76, 11.80, 34.65, ---, ---, Peak



Trace: (Discrete)

Site : 03CR06-HY

Condition : HF-ANT-060410 VERTICAL

EUT : PDA

Power : 120Vac/60Hz

Model : FR 710210-01

Memo : Bluetooth TX_CH00;2402MHz

Data Rate : DHS

Plane : E1

Scanner : All


	Freq	Level	Over Limit	Limit Line	Read Antenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.52	47.95	-26.05	74.00	49.38	30.26	3.75	35.44	100	0	Peak
2	2389.52	38.94	-15.06	54.00	40.37	30.26	3.75	35.44	108	214	Average

Remark: There's no more obvious spurious emission except the listings above.




- Test Mode : Mode 14
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	174.18	28.24	-15.26	43.50	47.57	9.82	1.87	31.02	---	---	Peak
2 @	184.44	29.27	-14.23	43.50	48.92	9.41	1.96	31.03	---	---	Peak
3 @	189.84	29.01	-14.49	43.50	48.62	9.37	2.03	31.01	---	---	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	434.40	34.98	-11.02	46.00	46.22	16.34	3.26	30.83	100	304	Peak
2 @	460.30	34.21	-11.79	46.00	44.91	16.77	3.34	30.80	---	---	Peak
3 @	495.30	33.28	-12.72	46.00	43.23	17.35	3.49	30.80	---	---	Peak



Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A12\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.52	48.65	-25.35	74.00	50.10	30.26	3.75	35.46	100	0	Peak
2 @	2389.52	39.40	-14.60	54.00	40.83	30.26	3.75	35.44	100	148	Average
3 @	2402.00	98.14			99.56	30.27	3.77	35.46	100	0	Peak
4 @	2402.00	90.88			92.31	30.26	3.77	35.46	100	148	Average
5	2494.00	49.84	-24.16	74.00	51.18	30.30	3.88	35.53	100	0	Peak
6	2494.00	38.49	-15.51	54.00	39.84	30.30	3.88	35.53	100	148	Average

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A12\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5811.00	48.97	-25.03	74.00	43.94	33.91	6.91	35.80	---	---	Peak



Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW12\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	8127.00	57.80	-16.20	74.00	46.28	39.50	7.94	35.91	---	---	Peak
2 @	8127.00	46.32	-7.68	54.00	34.80	39.50	7.94	35.91	100	188	Average

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW12\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	10911.00	37.98	-36.02	74.00	72.58	-8.34	9.81	36.08	---	---	Peak



Data: 7 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A12\BT_TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-ANT(8-18)-060918 HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A12

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 14826.00, 39.55, -34.45, 74.00, 70.32, -6.34, 11.42, 35.84, ---, ---, Peak


Data: 8 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A12\BT_TX_CH00.EMI (18) Date: 2007-05-02



Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-ANT(8-18)-060918 HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : Bluetooth TX_CH00;2402MHz
Data Rate : DH5
Plane : E1
Scanner : A12

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Row 1: 16017.00, 41.19, -32.81, 74.00, 69.69, -4.15, 11.77, 36.13, ---, ---, Peak



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.52	48.65	-25.35	74.00	50.08	30.26	3.75	35.44	100	0	Peak
2 @	2389.52	39.40	-14.60	54.00	40.83	30.26	3.75	35.44	100	148	Average


Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.


Data: 9 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A12\BT_TX_CH00.EMI (18) Date: 2007-05-02



Trace: (Discrete)
 Site : D3CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant	Table	Remark		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	33.78	27.47	-12.53	40.00	41.09	16.84	0.87	31.32	---	---	Peak
2 @	37.29	27.23	-12.77	40.00	43.01	14.56	0.90	31.24	---	---	Peak
3 @	91.29	28.78	-14.72	43.50	49.35	9.23	1.33	31.12	---	---	Peak

Data: 10 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A12\BT_TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)
 Site : D3CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant	Table	Remark		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	460.30	34.57	-11.43	46.00	45.26	16.77	3.34	30.80	---	---	Peak
2 @	505.80	35.56	-10.44	46.00	45.31	17.49	3.54	30.78	---	---	Peak
3 @	519.80	39.19	-6.81	46.00	48.73	17.63	3.60	30.77	100	117	Peak



Data: 11 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW12\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.92	48.24	-25.76	74.00	49.75	30.22	3.66	35.40	100	0	Peak
2	2389.92	39.01	-14.99	54.00	40.46	30.26	3.75	35.46	104	12	Average
3 @	2402.00	97.05			98.47	30.26	3.77	35.46	100	0	Peak
4 @	2402.00	90.67			92.10	30.26	3.77	35.46	104	12	Average
5	2488.00	50.07	-23.93	74.00	51.42	30.30	3.86	35.51	100	0	Peak
6	2488.00	38.51	-15.49	54.00	39.86	30.30	3.86	35.51	104	12	Average

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW12\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5667.00	49.03	-24.97	74.00	44.26	33.77	6.89	35.90	---	---	Peak




Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW12\BT TX_CH00.EMI (18) Date: 2007-05-02



Trace: (Discrete) Site: 03CR06-HY Condition: HF-ANT-060410 VERTICAL EUT: PDA Power: 120Vac/60Hz Model: FR 710210-01 Memo: Bluetooth TX_CH00;2402MHz Data Rate: DH5 Plane: E1 Scanner: A12

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Contains two rows of data for peak and average levels at 8067.00 MHz.

Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW12\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete) Site: 03CR06-HY Condition: HF-ANT(8-18)-060018 VERTICAL EUT: PDA Power: 120Vac/60Hz Model: FR 710210-01 Memo: Bluetooth TX_CH00;2402MHz Data Rate: DH5 Plane: E1 Scanner: A12

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Contains one row of data for peak level at 11982.00 MHz.



Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW12\BT TX_CH00.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14967.00	38.58	-35.42	74.00	69.53	-6.22	11.29	36.01	---	---	Peak

Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW12\BT TX_CH00.EMI (18) Date: 2007-05-02



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A12

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16416.00	41.40	-32.60	74.00	70.05	-9.11	11.86	31.40	---	---	Peak