



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6535MHz	Pass	6.5341G	-13.13	6.5019G	-61.34	-53.13	-8.21	3
6535MHz	Pass	6.5326G	-13.05	6.4922G	-61.13	-53.05	-8.08	4
6715MHz	Pass	6.7175G	-13.22	6.7586G	-62.20	-53.22	-8.98	1
6715MHz	Pass	6.7137G	-12.34	6.7454G	-62.18	-52.34	-9.84	2
6715MHz	Pass	6.7175G	-12.63	6.7631G	-62.20	-52.63	-9.57	3
6715MHz	Pass	6.7123G	-13.10	6.7643G	-62.24	-53.10	-9.14	4
6855MHz	Pass	6.8525G	-13.05	6.904G	-60.85	-53.05	-7.80	1
6855MHz	Pass	6.8558G	-11.98	6.9005G	-60.79	-51.98	-8.81	2
6855MHz	Pass	6.8532G	-12.50	6.9033G	-60.77	-52.50	-8.27	3
6855MHz	Pass	6.8525G	-12.12	6.9039G	-60.81	-52.12	-8.69	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8773G	-13.41	6.9112G	-60.68	-53.41	-7.27	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8762G	-12.03	6.916G	-60.74	-52.03	-8.71	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8737G	-12.74	6.9064G	-60.63	-52.74	-7.89	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8769G	-12.29	6.9244G	-60.72	-52.29	-8.43	4
6895MHz	Pass	6.8923G	-11.98	6.9446G	-60.38	-51.98	-8.40	1
6895MHz	Pass	6.8938G	-10.92	6.9269G	-60.38	-50.92	-9.46	2
6895MHz	Pass	6.8934G	-11.45	6.9442G	-60.38	-51.45	-8.93	3
6895MHz	Pass	6.897G	-11.25	6.9397G	-60.40	-51.25	-9.15	4
7015MHz	Pass	7.0126G	-12.76	6.9829G	-60.18	-52.76	-7.42	1
7015MHz	Pass	7.0156G	-11.40	6.9757G	-60.15	-51.40	-8.75	2
7015MHz	Pass	7.0137G	-11.59	6.9776G	-60.12	-51.59	-8.53	3
7015MHz	Pass	7.0141G	-11.72	6.9797G	-60.17	-51.72	-8.45	4
7095MHz	Pass	7.0928G	-13.04	7.0839G	-40.75	-33.13	-7.62	1
7095MHz	Pass	7.093G	-11.11	7.084G	-38.30	-31.11	-7.19	2
7095MHz	Pass	7.0962G	-11.70	7.084G	-39.20	-31.70	-7.50	3
7095MHz	Pass	7.0937G	-11.49	7.0838G	-38.98	-31.67	-7.31	4
7115MHz	Pass	7.1153G	-15.17	7.1632G	-60.59	-55.17	-5.42	1
7115MHz	Pass	7.1158G	-13.42	7.1501G	-60.71	-53.42	-7.29	2
7115MHz	Pass	7.1162G	-14.01	7.1576G	-60.67	-54.01	-6.66	3
7115MHz	Pass	7.1137G	-13.31	7.1624G	-60.59	-53.31	-7.28	4
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9676G	-9.82	5.9872G	-38.02	-30.33	-7.69	1
5965MHz	Pass	5.9688G	-9.25	5.9888G	-37.73	-30.43	-7.30	2
5965MHz	Pass	5.9696G	-8.65	5.9876G	-37.00	-29.32	-7.68	3
5965MHz	Pass	5.9674G	-8.82	5.9866G	-36.32	-29.07	-7.25	4
6165MHz	Pass	6.162G	-11.71	6.2446G	-59.87	-51.71	-8.16	1
6165MHz	Pass	6.1612G	-10.85	6.2462G	-59.85	-50.85	-9.00	2
6165MHz	Pass	6.1658G	-10.94	6.2484G	-59.78	-50.94	-8.84	3
6165MHz	Pass	6.1626G	-11.46	6.2604G	-59.73	-51.46	-8.27	4
6405MHz	Pass	6.4026G	-12.60	6.4936G	-59.17	-52.60	-6.57	1
6405MHz	Pass	6.4058G	-11.22	6.5026G	-59.12	-51.22	-7.90	2
6405MHz	Pass	6.4062G	-11.58	6.4888G	-59.26	-51.58	-7.68	3




Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6405MHz	Pass	6.41G	-11.08	6.5034G	-59.21	-51.08	-8.13	4
6445MHz	Pass	6.4424G	-11.91	6.509G	-59.29	-51.91	-7.38	1
6445MHz	Pass	6.4412G	-11.11	6.5098G	-59.16	-51.11	-8.05	2
6445MHz	Pass	6.4412G	-11.12	6.508G	-59.11	-51.12	-7.99	3
6445MHz	Pass	6.43861G	-10.52	6.508G	-59.34	-50.52	-8.82	4
6485MHz	Pass	6.4824G	-12.15	6.4194G	-59.50	-52.15	-7.35	1
6485MHz	Pass	6.4828G	-11.37	6.391G	-59.54	-51.37	-8.17	2
6485MHz	Pass	6.4864G	-11.55	6.3954G	-59.57	-51.55	-8.02	3
6485MHz	Pass	6.4812G	-10.66	6.4224G	-59.45	-50.66	-8.79	4
6525MHz Straddle 6.525-6.875GHz	Pass	6.5274G	-12.28	6.446G	-59.52	-52.28	-7.24	1
6525MHz Straddle 6.525-6.875GHz	Pass	6.52G	-11.05	6.4404G	-59.52	-51.05	-8.47	2
6525MHz Straddle 6.525-6.875GHz	Pass	6.5212G	-11.35	6.4592G	-59.41	-51.35	-8.06	3
6525MHz Straddle 6.525-6.875GHz	Pass	6.51981G	-11.42	6.4374G	-59.47	-51.42	-8.05	4
6565MHz	Pass	6.5624G	-12.91	6.4954G	-59.44	-52.91	-6.53	1
6565MHz	Pass	6.57G	-11.73	6.5044G	-59.33	-51.73	-7.60	2
6565MHz	Pass	6.5674G	-12.20	6.4902G	-59.44	-52.20	-7.24	3
6565MHz	Pass	6.5698G	-11.96	6.4972G	-59.30	-51.96	-7.34	4
6725MHz	Pass	6.7274G	-14.53	6.8236G	-59.88	-54.53	-5.35	1
6725MHz	Pass	6.7212G	-13.77	6.821G	-59.86	-53.77	-6.09	2
6725MHz	Pass	6.71981G	-13.81	6.8214G	-59.80	-53.81	-5.99	3
6725MHz	Pass	6.72G	-14.25	6.8238G	-59.73	-54.25	-5.48	4
6845MHz	Pass	6.84G	-12.23	6.9336G	-58.62	-52.23	-6.39	1
6845MHz	Pass	6.8432G	-11.48	6.9444G	-58.69	-51.48	-7.21	2
6845MHz	Pass	6.85119G	-12.17	6.931G	-58.70	-52.17	-6.53	3
6845MHz	Pass	6.8474G	-11.81	6.9424G	-58.69	-51.81	-6.88	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.88G	-12.59	6.959G	-58.34	-52.59	-5.75	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.8886G	-11.72	6.9838G	-58.26	-51.72	-6.54	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.8812G	-12.36	6.9824G	-58.40	-52.36	-6.04	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.8874G	-11.91	6.9802G	-58.33	-51.91	-6.42	4
6925MHz	Pass	6.9226G	-11.59	7.0084G	-57.99	-51.59	-6.40	1
6925MHz	Pass	6.9282G	-10.48	6.9918G	-58.07	-50.48	-7.59	2
6925MHz	Pass	6.9212G	-10.17	6.9888G	-58.17	-50.17	-8.00	3
6925MHz	Pass	6.9224G	-10.89	7.0004G	-58.05	-50.89	-7.16	4
7005MHz	Pass	7.0024G	-10.69	6.9382G	-58.47	-50.69	-7.78	1
7005MHz	Pass	7.0032G	-9.61	6.9434G	-58.25	-49.61	-8.64	2
7005MHz	Pass	7.0008G	-10.20	6.9384G	-58.35	-50.20	-8.15	3
7005MHz	Pass	7.0022G	-10.32	6.945G	-58.39	-50.32	-8.07	4
7085MHz	Pass	7.0812G	-9.98	6.988G	-56.03	-49.98	-6.05	1
7085MHz	Pass	7.07961G	-8.32	7.0596G	-37.22	-30.17	-7.05	2
7085MHz	Pass	7.07861G	-8.94	7.0084G	-55.84	-48.94	-6.90	3
7085MHz	Pass	7.0888G	-8.79	7.0038G	-55.98	-48.79	-7.19	4
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.99259G	-6.61	6.027G	-34.35	-26.82	-7.53	1
5985MHz	Pass	5.9806G	-6.47	6.0266G	-33.59	-26.59	-7.00	2
5985MHz	Pass	5.9886G	-5.72	6.0282G	-33.59	-26.17	-7.42	3
5985MHz	Pass	5.97701G	-6.10	6.0262G	-32.86	-26.14	-6.72	4
6145MHz	Pass	6.15219G	-6.97	6.3338G	-54.31	-46.97	-7.34	1
6145MHz	Pass	6.1406G	-6.13	6.0246G	-54.14	-46.13	-8.01	2
6145MHz	Pass	6.1478G	-6.22	6.0214G	-54.23	-46.22	-8.01	3
6145MHz	Pass	6.13421G	-6.58	6.0178G	-54.31	-46.58	-7.73	4
6385MHz	Pass	6.387G	-6.87	6.505G	-53.60	-46.87	-6.73	1
6385MHz	Pass	6.37821G	-5.60	6.5098G	-53.61	-45.60	-8.01	2
6385MHz	Pass	6.39099G	-6.07	6.507G	-53.63	-46.07	-7.56	3
6385MHz	Pass	6.3802G	-6.03	6.5058G	-53.72	-46.03	-7.69	4
6465MHz	Pass	6.4622G	-6.36	6.3422G	-53.92	-46.36	-7.56	1
6465MHz	Pass	6.45341G	-5.94	6.3374G	-53.77	-45.94	-7.83	2
6465MHz	Pass	6.4602G	-6.16	6.3418G	-53.84	-46.16	-7.68	3
6465MHz	Pass	6.4674G	-5.54	6.345G	-53.56	-45.54	-8.02	4
6545MHz Straddle 6.525-6.875GHz	Pass	6.53741G	-7.29	6.413G	-54.23	-47.29	-6.94	1
6545MHz Straddle 6.525-6.875GHz	Pass	6.5498G	-6.47	6.4222G	-54.16	-46.47	-7.69	2
6545MHz Straddle 6.525-6.875GHz	Pass	6.5482G	-6.79	6.4226G	-54.21	-46.79	-7.42	3
6545MHz Straddle 6.525-6.875GHz	Pass	6.55139G	-6.90	6.423G	-54.21	-46.90	-7.31	4
6625MHz	Pass	6.61981G	-7.39	6.503G	-53.86	-47.39	-6.47	1
6625MHz	Pass	6.61381G	-6.74	6.5026G	-53.81	-46.74	-7.07	2
6625MHz	Pass	6.623G	-6.75	6.4942G	-53.94	-46.75	-7.19	3
6625MHz	Pass	6.63139G	-6.77	6.5022G	-53.85	-46.77	-7.08	4
6705MHz	Pass	6.69941G	-6.35	6.9046G	-53.67	-46.35	-7.32	1
6705MHz	Pass	6.71339G	-6.14	6.9018G	-53.58	-46.14	-7.44	2
6705MHz	Pass	6.71339G	-6.23	6.903G	-53.53	-46.23	-7.30	3
6705MHz	Pass	6.7034G	-6.71	6.9014G	-53.61	-46.71	-6.90	4
6785MHz	Pass	6.77741G	-6.18	6.985G	-52.96	-46.18	-6.78	1
6785MHz	Pass	6.77781G	-5.77	6.9838G	-52.98	-45.77	-7.21	2
6785MHz	Pass	6.7898G	-6.29	6.9826G	-52.95	-46.29	-6.66	3
6785MHz	Pass	6.77341G	-5.53	6.9682G	-53.00	-45.53	-7.47	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.85981G	-6.47	6.9966G	-52.93	-46.47	-6.46	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.85821G	-5.78	7.0046G	-52.88	-45.78	-7.10	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.85981G	-6.41	6.9978G	-52.86	-46.41	-6.45	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.87099G	-6.68	7.001G	-52.88	-46.68	-6.20	4
6945MHz	Pass	6.93741G	-5.96	7.1446G	-53.67	-45.96	-7.71	1
6945MHz	Pass	6.9482G	-4.80	7.1442G	-53.79	-44.80	-8.99	2
6945MHz	Pass	6.93661G	-4.67	7.143G	-53.81	-44.67	-9.14	3
6945MHz	Pass	6.93341G	-5.45	7.1426G	-53.79	-45.45	-8.34	4
7025MHz	Pass	7.0274G	-5.71	6.9722G	-34.16	-28.13	-6.03	1
7025MHz	Pass	7.03059G	-4.74	6.9758G	-32.80	-26.42	-6.38	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7025MHz	Pass	7.01701G	-5.13	6.983G	-31.32	-25.34	-5.98	3
7025MHz	Pass	7.01941G	-5.66	6.9818G	-32.42	-26.11	-6.31	4
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.01621G	-3.55	6.2986G	-50.97	-43.55	-7.42	1
6025MHz	Pass	6.01141G	-3.52	6.269G	-50.97	-43.52	-7.45	2
6025MHz	Pass	6.01861G	-2.84	6.2946G	-50.87	-42.84	-8.03	3
6025MHz	Pass	6.03299G	-3.24	6.2826G	-50.98	-43.24	-7.74	4
6185MHz	Pass	6.20818G	-3.62	6.4298G	-50.22	-43.62	-6.60	1
6185MHz	Pass	6.19219G	-2.88	5.9378G	-49.93	-42.88	-7.05	2
6185MHz	Pass	6.17061G	-2.77	5.9402G	-49.96	-42.77	-7.19	3
6185MHz	Pass	6.16902G	-3.47	5.9338G	-50.50	-43.47	-7.03	4
6345MHz	Pass	6.33941G	-3.95	6.0986G	-50.84	-43.95	-6.89	1
6345MHz	Pass	6.341G	-3.26	6.1002G	-50.51	-43.26	-7.25	2
6345MHz	Pass	6.33221G	-3.42	6.089G	-50.75	-43.42	-7.33	3
6345MHz	Pass	6.33541G	-3.58	6.1002G	-50.17	-43.58	-6.59	4
6505MHz Straddle 6.525-6.875GHz	Pass	6.49061G	-3.95	6.9034G	-50.34	-43.95	-6.39	1
6505MHz Straddle 6.525-6.875GHz	Pass	6.48822G	-3.61	6.2618G	-50.05	-43.59	-6.46	2
6505MHz Straddle 6.525-6.875GHz	Pass	6.49781G	-3.66	6.261G	-50.32	-43.66	-6.66	3
6505MHz Straddle 6.525-6.875GHz	Pass	6.48822G	-3.29	6.2618G	-49.86	-43.27	-6.59	4
6665MHz	Pass	6.64902G	-3.55	7.001G	-49.70	-43.55	-6.15	1
6665MHz	Pass	6.661G	-2.82	7.0058G	-49.64	-42.82	-6.82	2
6665MHz	Pass	6.67379G	-3.19	7.0002G	-49.63	-43.19	-6.44	3
6665MHz	Pass	6.65061G	-3.38	6.9922G	-49.66	-43.38	-6.28	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.81861G	-3.53	7.217G	-50.05	-43.53	-6.52	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.829G	-3.05	7.2138G	-50.06	-43.05	-7.01	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.83059G	-3.42	7.221G	-50.05	-43.42	-6.63	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.81861G	-3.10	7.2154G	-49.99	-43.10	-6.89	4
6985MHz	Pass	6.96902G	-2.24	7.2298G	-49.20	-42.24	-6.96	1
6985MHz	Pass	6.97621G	-1.48	6.9026G	-29.21	-21.49	-7.72	2
6985MHz	Pass	6.97701G	-1.36	7.2354G	-48.99	-41.36	-7.63	3
6985MHz	Pass	6.96902G	-2.48	7.2434G	-49.15	-42.48	-6.67	4


 Port 1
Port 2
Port 3
Port 4

 CF Freq
6.175GHz
Span
100MHz
RBW
200kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS

 Port 1
Port 2
Port 3
Port 4



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6415MHz_TX

CF Freq
6.415GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4156G	-14.01	6.4468G	-61.28	-54.01	-7.27	1
6.4175G	-12.36	6.459G	-61.22	-52.36	-8.86	2
6.4162G	-12.93	6.4571G	-61.18	-52.93	-8.25	3
6.4159G	-12.06	6.4504G	-61.41	-52.06	-9.35	4

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6435MHz_TX

CF Freq
6.435GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4362G	-13.40	6.4839G	-61.26	-53.40	-7.86	1
6.4359G	-12.38	6.4733G	-61.26	-52.38	-8.88	2
6.4362G	-12.52	6.4794G	-61.24	-52.52	-8.72	3
6.4344G	-11.46	6.4707G	-61.18	-51.46	-9.72	4



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6475MHz_TX

CF Freq
6.475GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4734G	-13.39	6.5053G	-61.01	-53.39	-7.62	1
6.4759G	-12.66	6.509G	-61.17	-52.66	-8.51	2
6.4756G	-12.49	6.5085G	-60.93	-52.49	-8.44	3
6.4737G	-11.56	6.5075G	-61.06	-51.56	-9.50	4

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6515MHz_TX

CF Freq
6.515GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5137G	-13.24	6.4749G	-61.19	-53.24	-7.95	1
6.5166G	-12.09	6.4737G	-61.19	-52.09	-9.10	2
6.5159G	-12.36	6.4849G	-61.25	-52.36	-8.89	3
6.5156G	-12.33	6.4736G	-61.22	-52.33	-8.89	4



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6715MHz_TX

CF Freq
6.715GHz

Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS

Port 1

Port 2

Port 3

Port 4



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6855MHz_TX

CF Freq
6.855GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8544G	-12.70	6.9021G	-60.66	-52.70	-7.96	1
6.8556G	-11.92	6.9042G	-60.67	-51.92	-8.75	2
6.8556G	-12.76	6.8975G	-60.78	-52.76	-8.02	3
6.8572G	-12.15	6.9008G	-60.77	-52.15	-8.62	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.875GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8756G	-12.89	6.9111G	-60.68	-52.89	-7.79	1
6.8759G	-12.17	6.9216G	-60.75	-52.17	-8.58	2
6.8734G	-12.84	6.9201G	-60.60	-52.84	-7.76	3
6.8756G	-12.30	6.9236G	-60.47	-52.30	-8.17	4



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6895MHz_TX

CF Freq
6.895GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8959G	-11.07	6.9386G	-60.34	-51.07	-9.27	1
6.8962G	-10.32	6.933G	-60.38	-50.32	-10.06	2
6.8947G	-11.07	6.9373G	-60.31	-51.07	-9.24	3
6.8969G	-10.54	6.9372G	-60.30	-50.54	-9.76	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7015MHz_TX

CF Freq
7.015GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS





Port 1


Port 2


Port 3



Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0166G	-11.97	6.9813G	-60.22	-51.97	-8.25	1
7.0156G	-10.91	6.9849G	-60.02	-50.91	-9.11	2
7.0144G	-11.17	6.9848G	-59.99	-51.17	-8.82	3
7.0144G	-11.18	6.9803G	-60.14	-51.18	-8.96	4













6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

CF Freq
6.855GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8525G	-13.05	6.904G	-60.85	-53.05	-7.80	1
6.8558G	-11.98	6.9005G	-60.79	-51.98	-8.81	2
6.8532G	-12.50	6.9033G	-60.77	-52.50	-8.27	3
6.8525G	-12.12	6.9039G	-60.81	-52.12	-8.69	4

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.875GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1


Port 2


Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8773G	-13.41	6.9112G	-60.68	-53.41	-7.27	1
6.8762G	-12.03	6.916G	-60.74	-52.03	-8.71	2
6.8737G	-12.74	6.9064G	-60.63	-52.74	-7.89	3
6.8769G	-12.29	6.9244G	-60.72	-52.29	-8.43	4







5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TX

CF Freq
6.165GHz

Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.162G	-11.71	6.2446G	-59.87	-51.71	-8.16	1
6.1612G	-10.85	6.2462G	-59.85	-50.85	-9.00	2
6.1658G	-10.94	6.2484G	-59.78	-50.94	-8.84	3
6.1626G	-11.46	6.2604G	-59.73	-51.46	-8.27	4



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

CF Freq
6.485GHz


Span
200MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4824G	-12.15	6.4194G	-59.50	-52.15	-7.35	1
6.4828G	-11.37	6.391G	-59.54	-51.37	-8.17	2
6.4864G	-11.55	6.3954G	-59.57	-51.55	-8.02	3
6.4812G	-10.66	6.4224G	-59.45	-50.66	-8.79	4

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.525GHz


Span
200MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5274G	-12.28	6.446G	-59.52	-52.28	-7.24	1
6.52G	-11.05	6.4404G	-59.52	-51.05	-8.47	2
6.5212G	-11.35	6.4592G	-59.41	-51.35	-8.06	3
6.51981G	-11.42	6.4374G	-59.47	-51.42	-8.05	4



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

CF Freq
6.565GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5624G	-12.91	6.4954G	-59.44	-52.91	-6.53	1
6.57G	-11.73	6.5044G	-59.33	-51.73	-7.60	2
6.5674G	-12.20	6.4902G	-59.44	-52.20	-7.24	3
6.5698G	-11.96	6.4972G	-59.30	-51.96	-7.34	4

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6725MHz_TX

CF Freq
6.725GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1


Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7274G	-14.53	6.8236G	-59.88	-54.53	-5.35	1
6.7212G	-13.77	6.821G	-59.86	-53.77	-6.09	2
6.71981G	-13.81	6.8214G	-59.80	-53.81	-5.99	3
6.72G	-14.25	6.8238G	-59.73	-54.25	-5.48	4





6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

CF Freq
7.005GHz

Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS

Port 1

Port 2

Port 3

Port 4



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

CF Freq
7.085GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0812G	-9.98	6.988G	-56.03	-49.98	-6.05	1
7.07961G	-8.32	7.0596G	-37.22	-30.17	-7.05	2
7.07861G	-8.94	7.0084G	-55.84	-48.94	-6.90	3
7.0888G	-8.79	7.0038G	-55.98	-48.79	-7.19	4

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99259G	-6.61	6.027G	-34.35	-26.82	-7.53	1
5.9806G	-6.47	6.0266G	-33.59	-26.59	-7.00	2
5.9886G	-5.72	6.0282G	-33.59	-26.17	-7.42	3
5.97701G	-6.10	6.0262G	-32.86	-26.14	-6.72	4



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TX

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15219G	-6.97	6.3338G	-54.31	-46.97	-7.34	1
6.1406G	-6.13	6.0246G	-54.14	-46.13	-8.01	2
6.1478G	-6.22	6.0214G	-54.23	-46.22	-8.01	3
6.13421G	-6.58	6.0178G	-54.31	-46.58	-7.73	4

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

CF Freq
6.385GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.387G	-6.87	6.505G	-53.60	-46.87	-6.73	1
6.37821G	-5.60	6.5098G	-53.61	-45.60	-8.01	2
6.39099G	-6.07	6.507G	-53.63	-46.07	-7.56	3
6.3802G	-6.03	6.5058G	-53.72	-46.03	-7.69	4

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

CF Freq
6.465GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4622G	-6.36	6.3422G	-53.92	-46.36	-7.56	1
6.45341G	-5.94	6.3374G	-53.77	-45.94	-7.83	2
6.4602G	-6.16	6.3418G	-53.84	-46.16	-7.68	3
6.4674G	-5.54	6.345G	-53.56	-45.54	-8.02	4

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53741G	-7.29	6.413G	-54.23	-47.29	-6.94	1
6.5498G	-6.47	6.4222G	-54.16	-46.47	-7.69	2
6.5482G	-6.79	6.4226G	-54.21	-46.79	-7.42	3
6.55139G	-6.90	6.423G	-54.21	-46.90	-7.31	4





6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

CF Freq
6.785GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77741G	-6.18	6.985G	-52.96	-46.18	-6.78	1
6.77781G	-5.77	6.9838G	-52.98	-45.77	-7.21	2
6.7898G	-6.29	6.9826G	-52.95	-46.29	-6.66	3
6.77341G	-5.53	6.9682G	-53.00	-45.53	-7.47	4

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1



Port 2

Port 3



Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85981G	-6.47	6.9966G	-52.93	-46.47	-6.46	1
6.85821G	-5.78	7.0046G	-52.88	-45.78	-7.10	2
6.85981G	-6.41	6.9978G	-52.86	-46.41	-6.45	3
6.87099G	-6.68	7.001G	-52.88	-46.68	-6.20	4












6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

CF Freq
6.985GHz
Span
800MHz
RBW
2MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96902G	-2.24	7.2298G	-49.20	-42.24	-6.96	1
6.97621G	-1.48	6.9026G	-29.21	-21.49	-7.72	2
6.97701G	-1.36	7.2354G	-48.99	-41.36	-7.63	3
6.96902G	-2.48	7.2434G	-49.15	-42.48	-6.67	4



Beamforming mode

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.4144G	-14.02	6.4568G	-61.16	-54.02	-7.14	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.4034G	-12.88	6.4972G	-59.11	-52.88	-6.23	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.1494G	-7.35	6.2894G	-53.52	-47.35	-6.17	1
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.1882G	-3.82	6.4338G	-49.09	-43.82	-5.27	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.5146G	-14.44	6.4691G	-61.29	-54.44	-6.85	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.4812G	-13.32	6.4044G	-59.65	-53.32	-6.33	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.4602G	-6.46	6.3358G	-53.27	-46.46	-6.81	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.5363G	-14.76	6.498G	-60.89	-54.76	-6.13	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.8836G	-12.61	6.9848G	-58.02	-52.61	-5.41	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.77621G	-6.40	6.967G	-51.94	-46.40	-5.54	3
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.65861G	-3.49	7.009G	-48.03	-43.49	-4.54	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	7.1137G	-16.37	7.1587G	-60.97	-56.37	-4.60	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	7.0814G	-10.89	7.0076G	-56.39	-50.89	-5.50	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	7.01301G	-5.56	6.9682G	-34.54	-28.80	-5.74	3
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.981G	-3.28	7.2386G	-48.70	-43.28	-5.42	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9564G	-12.55	5.9661G	-40.25	-32.64	-7.61	1
5955MHz	Pass	5.9535G	-11.69	5.9661G	-39.49	-31.78	-7.71	2
5955MHz	Pass	5.9538G	-11.20	5.966G	-38.97	-31.20	-7.77	3
5955MHz	Pass	5.9529G	-10.89	5.966G	-38.81	-30.89	-7.92	4
6175MHz	Pass	6.1727G	-14.12	6.2099G	-61.82	-54.12	-7.70	1
6175MHz	Pass	6.176G	-12.87	6.2077G	-61.69	-52.87	-8.82	2
6175MHz	Pass	6.1725G	-13.13	6.2071G	-61.78	-53.13	-8.65	3
6175MHz	Pass	6.1732G	-13.56	6.2154G	-61.72	-53.56	-8.16	4
6415MHz	Pass	6.4144G	-14.02	6.4568G	-61.16	-54.02	-7.14	1
6415MHz	Pass	6.4133G	-12.38	6.4461G	-61.10	-52.38	-8.72	2
6415MHz	Pass	6.4129G	-12.93	6.4464G	-61.15	-52.93	-8.22	3
6415MHz	Pass	6.4135G	-12.37	6.4501G	-61.19	-52.37	-8.82	4
6435MHz	Pass	6.4363G	-14.00	6.476G	-61.18	-54.00	-7.18	1
6435MHz	Pass	6.4362G	-12.91	6.4802G	-61.23	-52.91	-8.32	2
6435MHz	Pass	6.4326G	-13.23	6.465G	-61.14	-53.23	-7.91	3
6435MHz	Pass	6.4337G	-12.19	6.4662G	-61.25	-52.19	-9.06	4
6475MHz	Pass	6.4745G	-14.22	6.5088G	-61.23	-54.22	-7.01	1
6475MHz	Pass	6.4762G	-13.36	6.5053G	-61.12	-53.36	-7.76	2
6475MHz	Pass	6.4728G	-13.56	6.5057G	-61.25	-53.56	-7.69	3
6475MHz	Pass	6.4736G	-12.37	6.505G	-61.10	-52.37	-8.73	4
6515MHz	Pass	6.5146G	-14.44	6.4691G	-61.29	-54.44	-6.85	1
6515MHz	Pass	6.5162G	-12.78	6.4767G	-61.17	-52.78	-8.39	2
6515MHz	Pass	6.5154G	-13.17	6.4843G	-61.27	-53.17	-8.10	3
6515MHz	Pass	6.5167G	-13.04	6.4834G	-61.25	-53.04	-8.21	4
6535MHz	Pass	6.5363G	-14.76	6.498G	-60.89	-54.76	-6.13	1
6535MHz	Pass	6.5362G	-13.34	6.4937G	-60.82	-53.34	-7.48	2
6535MHz	Pass	6.5331G	-13.81	6.4953G	-60.74	-53.81	-6.93	3
6535MHz	Pass	6.5341G	-13.29	6.5046G	-60.91	-53.29	-7.62	4
6715MHz	Pass	6.717G	-13.59	6.763G	-61.91	-53.59	-8.32	1
6715MHz	Pass	6.7162G	-12.87	6.7542G	-61.74	-52.87	-8.87	2
6715MHz	Pass	6.7162G	-12.86	6.7519G	-61.90	-52.86	-9.04	3
6715MHz	Pass	6.7137G	-13.27	6.7638G	-61.93	-53.27	-8.66	4
6855MHz	Pass	6.8528G	-13.22	6.9035G	-60.42	-53.22	-7.20	1
6855MHz	Pass	6.8562G	-12.10	6.8966G	-60.38	-52.10	-8.28	2
6855MHz	Pass	6.8566G	-12.91	6.8966G	-60.46	-52.91	-7.55	3
6855MHz	Pass	6.8536G	-12.19	6.8921G	-60.41	-52.19	-8.22	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8774G	-13.80	6.922G	-60.30	-53.80	-6.50	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8756G	-12.56	6.9206G	-60.26	-52.56	-7.70	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8737G	-13.40	6.9147G	-60.25	-53.40	-6.85	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8734G	-12.61	6.9091G	-60.28	-52.61	-7.67	4
6895MHz	Pass	6.8925G	-13.12	6.9296G	-60.93	-53.12	-7.81	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6895MHz	Pass	6.8958G	-12.26	6.9275G	-60.88	-52.26	-8.62	2
6895MHz	Pass	6.8946G	-12.79	6.9399G	-60.83	-52.79	-8.04	3
6895MHz	Pass	6.893G	-12.46	6.9294G	-60.86	-52.46	-8.40	4
7015MHz	Pass	7.0128G	-13.30	6.9748G	-60.60	-53.30	-7.30	1
7015MHz	Pass	7.0158G	-12.20	6.9838G	-60.63	-52.20	-8.43	2
7015MHz	Pass	7.0137G	-12.61	6.9849G	-60.30	-52.61	-7.69	3
7015MHz	Pass	7.0127G	-12.42	6.9835G	-60.65	-52.42	-8.23	4
7095MHz	Pass	7.0939G	-14.26	7.1443G	-61.25	-54.26	-6.99	1
7095MHz	Pass	7.0967G	-12.41	7.084G	-39.81	-32.41	-7.40	2
7095MHz	Pass	7.0926G	-13.00	7.0824G	-41.85	-34.42	-7.43	3
7095MHz	Pass	7.0937G	-12.58	7.084G	-40.47	-32.58	-7.89	4
7115MHz	Pass	7.1137G	-16.37	7.1587G	-60.97	-56.37	-4.60	1
7115MHz	Pass	7.114G	-14.88	7.1614G	-61.05	-54.88	-6.17	2
7115MHz	Pass	7.1128G	-15.53	7.1574G	-61.01	-55.53	-5.48	3
7115MHz	Pass	7.116G	-14.59	7.1556G	-61.15	-54.59	-6.56	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97019G	-10.69	6.0302G	-57.97	-50.69	-7.28	1
5965MHz	Pass	5.9676G	-10.10	5.9874G	-38.17	-30.69	-7.48	2
5965MHz	Pass	5.9676G	-9.38	5.9862G	-36.97	-29.46	-7.51	3
5965MHz	Pass	5.97159G	-9.56	5.9866G	-37.27	-29.81	-7.46	4
6165MHz	Pass	6.1686G	-12.76	6.235G	-59.80	-52.76	-7.04	1
6165MHz	Pass	6.17G	-11.42	6.2326G	-59.67	-51.42	-8.25	2
6165MHz	Pass	6.1686G	-11.70	6.2466G	-59.74	-51.70	-8.04	3
6165MHz	Pass	6.1688G	-12.11	6.2522G	-59.78	-52.11	-7.67	4
6405MHz	Pass	6.4034G	-12.88	6.4972G	-59.11	-52.88	-6.23	1
6405MHz	Pass	6.4072G	-11.49	6.5016G	-59.16	-51.49	-7.67	2
6405MHz	Pass	6.4038G	-11.74	6.5004G	-59.21	-51.74	-7.47	3
6405MHz	Pass	6.4064G	-11.43	6.4826G	-59.17	-51.43	-7.74	4
6445MHz	Pass	6.4488G	-12.84	6.5052G	-59.34	-52.84	-6.50	1
6445MHz	Pass	6.442G	-12.21	6.5096G	-59.31	-52.21	-7.10	2
6445MHz	Pass	6.43881G	-12.20	6.5066G	-59.39	-52.20	-7.19	3
6445MHz	Pass	6.4476G	-11.41	6.5078G	-59.33	-51.41	-7.92	4
6485MHz	Pass	6.4812G	-13.32	6.4044G	-59.65	-53.32	-6.33	1
6485MHz	Pass	6.4838G	-12.23	6.4146G	-59.54	-52.23	-7.31	2
6485MHz	Pass	6.4812G	-12.61	6.4002G	-59.66	-52.61	-7.05	3
6485MHz	Pass	6.4876G	-11.51	6.4028G	-59.54	-51.51	-8.03	4
6525MHz Straddle 6.525-6.875GHz	Pass	6.51861G	-12.75	6.462G	-59.17	-52.75	-6.42	1
6525MHz Straddle 6.525-6.875GHz	Pass	6.5274G	-11.46	6.458G	-59.09	-51.46	-7.63	2
6525MHz Straddle 6.525-6.875GHz	Pass	6.51921G	-11.90	6.4648G	-58.97	-51.90	-7.07	3
6525MHz Straddle 6.525-6.875GHz	Pass	6.5274G	-11.74	6.454G	-59.17	-51.74	-7.43	4
6565MHz	Pass	6.5636G	-12.86	6.4942G	-59.02	-52.86	-6.16	1
6565MHz	Pass	6.5624G	-11.70	6.4992G	-58.92	-51.70	-7.22	2




Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6565MHz	Pass	6.55941G	-11.99	6.4862G	-59.03	-51.99	-7.04	3
6565MHz	Pass	6.56G	-12.08	6.5028G	-58.91	-52.08	-6.83	4
6725MHz	Pass	6.7286G	-11.72	6.822G	-59.38	-51.72	-7.66	1
6725MHz	Pass	6.7222G	-11.03	6.822G	-59.42	-51.03	-8.39	2
6725MHz	Pass	6.7226G	-11.37	6.816G	-59.44	-51.37	-8.07	3
6725MHz	Pass	6.7276G	-11.98	6.82G	-59.45	-51.98	-7.47	4
6845MHz	Pass	6.8438G	-12.16	6.9374G	-58.21	-52.16	-6.05	1
6845MHz	Pass	6.8472G	-11.42	6.9374G	-58.24	-51.42	-6.82	2
6845MHz	Pass	6.83741G	-11.88	6.9206G	-58.30	-51.88	-6.42	3
6845MHz	Pass	6.847G	-11.46	6.935G	-58.25	-51.46	-6.79	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.8836G	-12.61	6.9848G	-58.02	-52.61	-5.41	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.8824G	-11.65	6.9738G	-58.02	-51.65	-6.37	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.888G	-12.27	6.9802G	-58.09	-52.27	-5.82	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.87721G	-11.48	6.9658G	-57.97	-51.48	-6.49	4
6925MHz	Pass	6.9214G	-12.47	6.9994G	-58.61	-52.47	-6.14	1
6925MHz	Pass	6.922G	-11.21	7.0042G	-58.46	-51.21	-7.25	2
6925MHz	Pass	6.9234G	-11.20	7.0062G	-58.43	-51.20	-7.23	3
6925MHz	Pass	6.91941G	-11.80	7.0004G	-58.55	-51.80	-6.75	4
7005MHz	Pass	6.99881G	-12.16	6.9388G	-58.94	-52.16	-6.78	1
7005MHz	Pass	7.002G	-11.10	6.9384G	-58.82	-51.10	-7.72	2
7005MHz	Pass	6.99861G	-11.39	6.9398G	-58.88	-51.39	-7.49	3
7005MHz	Pass	7.0066G	-11.56	6.937G	-58.85	-51.56	-7.29	4
7085MHz	Pass	7.0814G	-10.89	7.0076G	-56.39	-50.89	-5.50	1
7085MHz	Pass	7.0844G	-8.99	7.0542G	-40.26	-33.12	-7.14	2
7085MHz	Pass	7.0888G	-9.62	7.0016G	-56.38	-49.62	-6.76	3
7085MHz	Pass	7.0836G	-9.44	7.0088G	-56.46	-49.44	-7.02	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99659G	-6.47	6.0262G	-33.83	-26.51	-7.32	1
5985MHz	Pass	5.9802G	-6.26	6.0262G	-33.33	-26.30	-7.03	2
5985MHz	Pass	5.9882G	-5.35	6.0282G	-33.15	-25.80	-7.35	3
5985MHz	Pass	5.9894G	-5.92	6.0262G	-32.46	-25.96	-6.50	4
6145MHz	Pass	6.1494G	-7.35	6.2894G	-53.52	-47.35	-6.17	1
6145MHz	Pass	6.13781G	-6.57	6.269G	-53.53	-46.57	-6.96	2
6145MHz	Pass	6.13381G	-6.63	6.3346G	-53.56	-46.63	-6.93	3
6145MHz	Pass	6.1474G	-6.97	6.339G	-53.63	-46.97	-6.66	4
6385MHz	Pass	6.3878G	-6.72	6.509G	-52.93	-46.72	-6.21	1
6385MHz	Pass	6.39579G	-5.64	6.5058G	-52.93	-45.64	-7.29	2
6385MHz	Pass	6.3814G	-5.84	6.5066G	-52.93	-45.84	-7.09	3
6385MHz	Pass	6.3802G	-5.73	6.5062G	-52.89	-45.73	-7.16	4
6465MHz	Pass	6.4602G	-6.46	6.3358G	-53.27	-46.46	-6.81	1
6465MHz	Pass	6.45341G	-5.90	6.3406G	-53.11	-45.90	-7.21	2
6465MHz	Pass	6.45901G	-5.90	6.343G	-53.19	-45.90	-7.29	3





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6465MHz	Pass	6.4618G	-5.22	6.331G	-52.96	-45.22	-7.74	4
6545MHz Straddle 6.525-6.875GHz	Pass	6.5414G	-6.90	6.4174G	-53.15	-46.90	-6.25	1
6545MHz Straddle 6.525-6.875GHz	Pass	6.5482G	-5.75	6.4242G	-53.02	-45.75	-7.27	2
6545MHz Straddle 6.525-6.875GHz	Pass	6.53901G	-6.03	6.4206G	-53.15	-46.03	-7.12	3
6545MHz Straddle 6.525-6.875GHz	Pass	6.55699G	-6.35	6.4214G	-52.98	-46.35	-6.63	4
6625MHz	Pass	6.60982G	-7.12	6.5042G	-52.84	-47.12	-5.72	1
6625MHz	Pass	6.61701G	-6.14	6.4962G	-52.81	-46.14	-6.67	2
6625MHz	Pass	6.61701G	-6.22	6.4998G	-52.79	-46.22	-6.57	3
6625MHz	Pass	6.6226G	-6.28	6.5026G	-52.79	-46.28	-6.51	4
6705MHz	Pass	6.69741G	-6.08	6.8898G	-52.53	-46.08	-6.45	1
6705MHz	Pass	6.7022G	-5.42	6.905G	-52.43	-45.42	-7.01	2
6705MHz	Pass	6.69701G	-5.79	6.9046G	-52.48	-45.79	-6.69	3
6705MHz	Pass	6.7074G	-6.33	6.9034G	-52.54	-46.33	-6.21	4
6785MHz	Pass	6.7898G	-6.29	6.9826G	-51.94	-46.29	-5.65	1
6785MHz	Pass	6.79139G	-5.92	6.9798G	-51.93	-45.92	-6.01	2
6785MHz	Pass	6.77621G	-6.40	6.967G	-51.94	-46.40	-5.54	3
6785MHz	Pass	6.7802G	-5.64	6.9842G	-51.97	-45.64	-6.33	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.8622G	-5.93	7.0006G	-51.80	-45.93	-5.87	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.861G	-5.36	7.009G	-51.74	-45.36	-6.38	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.87299G	-5.87	7.0086G	-51.69	-45.87	-5.82	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.85901G	-5.74	7.0062G	-51.78	-45.74	-6.04	4
6945MHz	Pass	6.95019G	-6.03	7.1398G	-53.49	-46.03	-7.46	1
6945MHz	Pass	6.9482G	-5.25	7.143G	-53.36	-45.25	-8.11	2
6945MHz	Pass	6.943G	-5.05	7.1442G	-53.44	-45.05	-8.39	3
6945MHz	Pass	6.9422G	-6.02	7.1366G	-53.49	-46.02	-7.47	4
7025MHz	Pass	7.01261G	-5.81	6.9798G	-33.16	-26.67	-6.49	1
7025MHz	Pass	7.021G	-5.27	6.981G	-32.04	-25.89	-6.15	2
7025MHz	Pass	7.01301G	-5.56	6.9682G	-34.54	-28.80	-5.74	3
7025MHz	Pass	7.01461G	-5.86	6.9714G	-34.95	-28.44	-6.51	4
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0282G	-3.70	6.345G	-49.61	-43.70	-5.91	1
6025MHz	Pass	6.01781G	-3.99	6.4178G	-49.62	-43.99	-5.63	2
6025MHz	Pass	6.03219G	-3.03	6.4122G	-49.64	-43.03	-6.61	3
6025MHz	Pass	6.03139G	-3.65	6.333G	-49.69	-43.65	-6.04	4
6185MHz	Pass	6.1882G	-3.82	6.4338G	-49.09	-43.82	-5.27	1
6185MHz	Pass	6.19299G	-2.96	5.9378G	-49.00	-42.96	-6.04	2
6185MHz	Pass	6.1882G	-3.02	6.4306G	-49.01	-43.02	-5.99	3
6185MHz	Pass	6.17861G	-3.92	6.5074G	-49.31	-43.92	-5.39	4
6345MHz	Pass	6.35779G	-4.29	6.1002G	-49.87	-44.29	-5.58	1
6345MHz	Pass	6.32902G	-3.88	6.0898G	-49.70	-43.88	-5.82	2
6345MHz	Pass	6.32822G	-3.83	6.0962G	-49.77	-43.83	-5.94	3
6345MHz	Pass	6.33061G	-3.82	6.0882G	-49.32	-43.82	-5.50	4





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz Straddle 6.525-6.875GHz	Pass	6.49301G	-3.42	6.9018G	-48.74	-43.42	-5.32	1
6505MHz Straddle 6.525-6.875GHz	Pass	6.49301G	-2.84	6.261G	-48.61	-42.84	-5.77	2
6505MHz Straddle 6.525-6.875GHz	Pass	6.48022G	-3.09	6.9034G	-48.67	-43.09	-5.58	3
6505MHz Straddle 6.525-6.875GHz	Pass	6.52098G	-2.60	6.261G	-48.39	-42.60	-5.79	4
6665MHz	Pass	6.65861G	-3.49	7.009G	-48.03	-43.49	-4.54	1
6665MHz	Pass	6.67699G	-1.96	7.0066G	-48.02	-41.96	-6.06	2
6665MHz	Pass	6.65061G	-2.89	7.001G	-47.99	-42.89	-5.10	3
6665MHz	Pass	6.67539G	-3.09	6.9978G	-48.02	-43.09	-4.93	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.8282G	-3.35	7.2218G	-48.32	-43.35	-4.97	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.8282G	-2.99	7.2202G	-48.38	-42.99	-5.39	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.81701G	-2.96	7.225G	-48.38	-42.96	-5.42	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.81621G	-2.71	7.2178G	-48.38	-42.71	-5.67	4
6985MHz	Pass	6.99139G	-3.06	7.2314G	-48.61	-43.06	-5.55	1
6985MHz	Pass	6.9898G	-2.25	7.2426G	-48.65	-42.25	-6.40	2
6985MHz	Pass	6.97461G	-1.95	7.2298G	-48.52	-41.95	-6.57	3
6985MHz	Pass	6.981G	-3.28	7.2386G	-48.70	-43.28	-5.42	4











Port 1

Port 2

Port 3

Port 4

CF Freq
6.875GHz

Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms


Detector Type
RMS

Port 1

Port 2

Port 3

Port 4





6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

CF Freq
7.095GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0939G	-14.26	7.1443G	-61.25	-54.26	-6.99	1
7.0967G	-12.41	7.084G	-39.81	-32.41	-7.40	2
7.0926G	-13.00	7.0824G	-41.85	-34.42	-7.43	3
7.0937G	-12.58	7.084G	-40.47	-32.58	-7.89	4

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

CF Freq
7.115GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1


Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1137G	-16.37	7.1587G	-60.97	-56.37	-4.60	1
7.114G	-14.88	7.1614G	-61.05	-54.88	-6.17	2
7.1128G	-15.53	7.1574G	-61.01	-55.53	-5.48	3
7.116G	-14.59	7.1556G	-61.15	-54.59	-6.56	4







6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

CF Freq
6.485GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4812G	-13.32	6.4044G	-59.65	-53.32	-6.33	1
6.4838G	-12.23	6.4146G	-59.54	-52.23	-7.31	2
6.4812G	-12.61	6.4002G	-59.66	-52.61	-7.05	3
6.4876G	-11.51	6.4028G	-59.54	-51.51	-8.03	4

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.525GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1



Port 2


Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51861G	-12.75	6.462G	-59.17	-52.75	-6.42	1
6.5274G	-11.46	6.458G	-59.09	-51.46	-7.63	2
6.51921G	-11.90	6.4648G	-58.97	-51.90	-7.07	3
6.5274G	-11.74	6.454G	-59.17	-51.74	-7.43	4









6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

CF Freq
7.085GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0814G	-10.89	7.0076G	-56.39	-50.89	-5.50	1
7.0844G	-8.99	7.0542G	-40.26	-33.12	-7.14	2
7.0888G	-9.62	7.0016G	-56.38	-49.62	-6.76	3
7.0836G	-9.44	7.0088G	-56.46	-49.44	-7.02	4

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Port 1


Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99659G	-6.47	6.0262G	-33.83	-26.51	-7.32	1
5.9802G	-6.26	6.0262G	-33.33	-26.30	-7.03	2
5.9882G	-5.35	6.0282G	-33.15	-25.80	-7.35	3
5.9894G	-5.92	6.0262G	-32.46	-25.96	-6.50	4







6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

CF Freq
6.625GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60982G	-7.12	6.5042G	-52.84	-47.12	-5.72	1
6.61701G	-6.14	6.4962G	-52.81	-46.14	-6.67	2
6.61701G	-6.22	6.4998G	-52.79	-46.22	-6.57	3
6.6226G	-6.28	6.5026G	-52.79	-46.28	-6.51	4

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

CF Freq
6.705GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS





Port 1


Port 2



Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69741G	-6.08	6.8898G	-52.53	-46.08	-6.45	1
6.7022G	-5.42	6.905G	-52.43	-45.42	-7.01	2
6.69701G	-5.79	6.9046G	-52.48	-45.79	-6.69	3
6.7074G	-6.33	6.9034G	-52.54	-46.33	-6.21	4











6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

CF Freq
6.665GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65861G	-3.49	7.009G	-48.03	-43.49	-4.54	1
6.67699G	-1.96	7.0066G	-48.02	-41.96	-6.06	2
6.65061G	-2.89	7.001G	-47.99	-42.89	-5.10	3
6.67539G	-3.09	6.9978G	-48.02	-43.09	-4.93	4

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.825GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8282G	-3.35	7.2218G	-48.32	-43.35	-4.97	1
6.8282G	-2.99	7.2202G	-48.38	-42.99	-5.39	2
6.81701G	-2.96	7.225G	-48.38	-42.96	-5.42	3
6.81621G	-2.71	7.2178G	-48.38	-42.71	-5.67	4




6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

CF Freq
6.985GHz
Span
800MHz
RBW
2MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99139G	-3.06	7.2314G	-48.61	-43.06	-5.55	1
6.9898G	-2.25	7.2426G	-48.65	-42.25	-6.40	2
6.97461G	-1.95	7.2298G	-48.52	-41.95	-6.57	3
6.981G	-3.28	7.2386G	-48.70	-43.28	-5.42	4



Frequency: 6475 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-2.76	-2.92	-3.15	-3.37
T20°CVmin	-2.78	-2.92	-3.10	-3.36
T40°CVnom	-8.34	-8.61	-8.87	-8.97
T30°CVnom	-5.66	-5.94	-7.37	-7.54
T20°CVnom	-2.84	-2.93	-3.11	-3.26
T10°CVnom	-0.74	-1.31	-2.23	-2.92
T0°CVnom	1.76	1.58	1.54	1.49
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Frequency: 7015 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-2.90	-3.39	-4.44	-4.47
T20°CVmin	-2.92	-3.47	-4.28	-4.49
T40°CVnom	-5.54	-5.67	-5.86	-6.91
T30°CVnom	-4.91	-4.97	-6.19	-6.27
T20°CVnom	-3.02	-3.10	-3.26	-3.32
T10°CVnom	-0.17	-0.34	-0.41	-0.49
T0°CVnom	0.32	-0.16	-0.39	-0.43
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	



Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
ax HE20	5	6215	6214	-60.54	2.01	-62.55	-62	Ceased
				-65.34	2.01	-67.35	-62	Minimal
				-85.34	2.01	-87.35	-62	Normal
	6	6455	6454	-61.82	2.23	-64.05	-62	Ceased
				-65.82	2.23	-68.05	-62	Minimal
				-85.82	2.23	-88.05	-62	Normal
	7	6695	6694	-61.97	2.02	-63.99	-62	Ceased
				-65.97	2.02	-67.99	-62	Minimal
				-85.97	2.02	-87.99	-62	Normal
	8	7015	7014	-61.13	1.34	-62.47	-62	Ceased
				-66.13	1.34	-67.47	-62	Minimal
				-86.13	1.34	-87.47	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status	
ax HE160	5	6185	6260	-76.12	2.01	-78.13	-62	Ceased	
		6185	6260	-78.12	2.01	-80.13	-62	Minimal	
		6505	6260	-96.12	2.01	-98.13	-62	Normal	
	6	6505	6580	6580	-75.42	2.23	-77.65	-62	Ceased
			6580	6580	-79.42	2.23	-81.65	-62	Minimal
			6665	6580	-95.42	2.23	-97.65	-62	Normal
	7	6665	6740	6740	-76.33	2.02	-78.35	-62	Ceased
			6740	6740	-78.33	2.02	-80.35	-62	Minimal
			6985	6740	-96.33	2.02	-98.35	-62	Normal
	8	6985	7060	7060	-74.98	1.34	-76.32	-62	Ceased
			7060	7060	-76.48	1.34	-77.82	-62	Minimal
			0	7060	-94.98	1.34	-96.32	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)



Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
ax HE20	5	6215	6214	-60.54	-62.55	V	V	V	V	V	V	V	V	V	V	100	90
	6	6455	6454	-61.82	-64.05	V	V	V	V	V	V	V	X	V	V	90	90
	7	6695	6694	-61.97	-63.99	V	V	V	V	V	V	V	V	V	V	100	90
	8	7015	7014	-61.13	-62.47	V	V	V	V	V	V	X	V	V	V	90	90

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)	
ax HE160	5	6185	6110	-77.03	-79.04	V	V	V	V	V	V	V	V	V	V	100	90	
			6180	-79.72	-81.73	V	V	V	V	V	V	V	V	V	V	V	100	90
			6260	-76.12	-78.13	V	V	V	V	V	V	X	V	V	V	V	90	90
	6	6505	6430	-77.01	-79.24	V	V	V	V	V	V	V	V	V	V	V	100	90
			6500	-79.5	-81.73	V	V	V	V	V	V	V	V	V	V	V	100	90
			6580	-75.42	-77.65	V	V	V	V	V	V	V	X	V	V	V	90	90
	7	6665	6590	-76.98	-79	V	V	V	V	V	V	V	V	V	V	V	100	90
			6660	-79.5	-81.52	V	V	V	V	V	V	V	V	V	V	V	100	90
			6740	-76.33	-78.35	V	V	V	V	V	V	V	V	V	V	V	100	90
	8	6985	6910	-76.86	-78.2	V	V	V	V	V	V	V	V	V	V	V	100	90
			6980	-78.8	-80.14	V	V	V	V	V	V	V	V	X	V	V	90	90
			7060	-74.98	-76.32	V	V	V	V	V	V	V	V	V	V	V	100	90