



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6535MHz	Pass	6.54359G	-11.65	6.5044G	-61.15	-51.65	-9.50	3
6535MHz	Pass	6.54249G	-12.24	6.505G	-60.93	-52.24	-8.69	4
6715MHz	Pass	6.70871G	-11.67	6.7537G	-62.18	-51.67	-10.51	1
6715MHz	Pass	6.70931G	-11.86	6.7478G	-62.12	-51.86	-10.26	2
6715MHz	Pass	6.7126G	-11.36	6.7492G	-62.15	-51.36	-10.79	3
6715MHz	Pass	6.70651G	-12.28	6.7512G	-62.29	-52.28	-10.01	4
6855MHz	Pass	6.84871G	-10.96	6.9G	-60.77	-50.96	-9.81	1
6855MHz	Pass	6.8565G	-11.52	6.8923G	-60.77	-51.52	-9.25	2
6855MHz	Pass	6.8501G	-11.86	6.8892G	-60.86	-51.86	-9.00	3
6855MHz	Pass	6.86249G	-12.03	6.8912G	-60.79	-52.03	-8.76	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8704G	-10.93	6.91G	-60.48	-50.93	-9.55	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8785G	-11.67	6.9167G	-60.68	-51.67	-9.01	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.873G	-11.57	6.9245G	-60.75	-51.57	-9.18	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8722G	-11.77	6.9213G	-60.59	-51.77	-8.82	4
6895MHz	Pass	6.8964G	-10.84	6.9349G	-60.57	-50.84	-9.73	1
6895MHz	Pass	6.89G	-11.74	6.9425G	-60.44	-51.74	-8.70	2
6895MHz	Pass	6.88751G	-11.93	6.9268G	-60.51	-51.93	-8.58	3
6895MHz	Pass	6.8997G	-11.86	6.9436G	-60.44	-51.86	-8.58	4
7015MHz	Pass	7.0194G	-12.05	6.9782G	-60.15	-52.05	-8.10	1
7015MHz	Pass	7.0195G	-12.50	6.9746G	-60.33	-52.50	-7.83	2
7015MHz	Pass	7.0198G	-12.08	6.9843G	-60.18	-52.08	-8.10	3
7015MHz	Pass	7.0125G	-12.74	6.9792G	-60.32	-52.74	-7.58	4
7095MHz	Pass	7.0998G	-11.79	7.1413G	-60.77	-51.79	-8.98	1
7095MHz	Pass	7.10249G	-11.87	7.144G	-60.97	-51.87	-9.10	2
7095MHz	Pass	7.08801G	-11.65	7.1308G	-60.93	-51.65	-9.28	3
7095MHz	Pass	7.0961G	-12.25	7.1441G	-60.83	-52.25	-8.58	4
7115MHz	Pass	7.12109G	-11.42	7.1605G	-60.79	-51.42	-9.37	1
7115MHz	Pass	7.1112G	-11.84	7.1588G	-60.62	-51.84	-8.78	2
7115MHz	Pass	7.1156G	-11.50	7.1578G	-60.71	-51.50	-9.21	3
7115MHz	Pass	7.12199G	-12.30	7.1607G	-60.71	-52.30	-8.41	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98178G	-7.36	6.0286G	-57.97	-47.36	-10.61	1
5965MHz	Pass	5.98198G	-7.51	6.0304G	-58.11	-47.51	-10.60	2
5965MHz	Pass	5.98298G	-7.64	6.031G	-58.18	-47.64	-10.54	3
5965MHz	Pass	5.97119G	-7.69	6.0252G	-58.13	-47.69	-10.44	4
6165MHz	Pass	6.15001G	-7.52	6.232G	-57.82	-47.52	-10.30	1
6165MHz	Pass	6.14762G	-7.91	6.2434G	-57.94	-47.91	-10.03	2
6165MHz	Pass	6.14962G	-7.24	6.2272G	-57.65	-47.24	-10.41	3
6165MHz	Pass	6.15781G	-7.61	6.2266G	-57.91	-47.61	-10.30	4
6405MHz	Pass	6.41959G	-7.36	6.4686G	-57.28	-47.36	-9.92	1
6405MHz	Pass	6.41759G	-7.73	6.47G	-57.35	-47.73	-9.62	2
6405MHz	Pass	6.42318G	-7.59	6.4658G	-57.18	-47.59	-9.59	3



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6405MHz	Pass	6.39001G	-8.56	6.502G	-57.41	-48.56	-8.85	4
6445MHz	Pass	6.43161G	-7.35	6.5058G	-57.17	-47.35	-9.82	1
6445MHz	Pass	6.45759G	-7.08	6.508G	-57.21	-47.08	-10.13	2
6445MHz	Pass	6.45959G	-6.81	6.5066G	-56.92	-46.81	-10.11	3
6445MHz	Pass	6.43381G	-7.92	6.505G	-57.16	-47.92	-9.24	4
6485MHz	Pass	6.482G	-7.33	6.4234G	-57.41	-47.33	-10.08	1
6485MHz	Pass	6.46822G	-7.03	6.422G	-57.48	-47.03	-10.45	2
6485MHz	Pass	6.49099G	-6.49	6.4222G	-57.25	-46.49	-10.76	3
6485MHz	Pass	6.4826G	-7.78	6.4244G	-57.44	-47.78	-9.66	4
6525MHz Straddle 6.525-6.875GHz	Pass	6.54198G	-8.18	6.465G	-57.27	-48.18	-9.09	1
6525MHz Straddle 6.525-6.875GHz	Pass	6.5222G	-7.95	6.4584G	-57.43	-47.95	-9.48	2
6525MHz Straddle 6.525-6.875GHz	Pass	6.51121G	-7.38	6.4628G	-57.19	-47.38	-9.81	3
6525MHz Straddle 6.525-6.875GHz	Pass	6.54258G	-8.08	6.4596G	-57.31	-48.08	-9.23	4
6565MHz	Pass	6.57979G	-8.42	6.5044G	-57.14	-48.42	-8.72	1
6565MHz	Pass	6.55001G	-8.01	6.499G	-57.17	-48.01	-9.16	2
6565MHz	Pass	6.58318G	-7.53	6.5012G	-57.03	-47.53	-9.50	3
6565MHz	Pass	6.57999G	-8.10	6.4962G	-57.24	-48.10	-9.14	4
6725MHz	Pass	6.70682G	-7.81	6.8222G	-57.82	-47.81	-10.01	1
6725MHz	Pass	6.70742G	-8.13	6.818G	-57.84	-48.13	-9.71	2
6725MHz	Pass	6.72G	-7.50	6.8184G	-57.71	-47.50	-10.21	3
6725MHz	Pass	6.70782G	-8.40	6.8154G	-57.84	-48.40	-9.44	4
6845MHz	Pass	6.82922G	-7.36	6.9148G	-56.37	-47.36	-9.01	1
6845MHz	Pass	6.83701G	-7.75	6.9054G	-56.42	-47.75	-8.67	2
6845MHz	Pass	6.8414G	-7.92	6.9392G	-56.60	-47.92	-8.68	3
6845MHz	Pass	6.8414G	-8.20	6.939G	-56.55	-48.20	-8.35	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.90018G	-7.56	6.9504G	-56.16	-47.56	-8.60	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.89879G	-8.24	6.967G	-56.27	-48.24	-8.03	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.87001G	-8.45	6.9482G	-56.32	-48.45	-7.87	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.87021G	-8.67	6.983G	-56.27	-48.67	-7.60	4
6925MHz	Pass	6.91921G	-7.52	6.9944G	-55.97	-47.52	-8.45	1
6925MHz	Pass	6.9224G	-7.89	6.9914G	-55.92	-47.89	-8.03	2
6925MHz	Pass	6.94278G	-8.45	6.9928G	-56.16	-48.45	-7.71	3
6925MHz	Pass	6.91181G	-8.19	7.0066G	-56.12	-48.19	-7.93	4
7005MHz	Pass	7.02198G	-8.12	6.939G	-56.36	-48.12	-8.24	1
7005MHz	Pass	7.02018G	-7.87	6.9434G	-56.19	-47.87	-8.32	2
7005MHz	Pass	6.99041G	-7.53	6.9442G	-56.18	-47.53	-8.65	3
7005MHz	Pass	7.01859G	-8.55	6.9412G	-56.52	-48.55	-7.97	4
7085MHz	Pass	7.07101G	-7.79	7.005G	-56.08	-47.79	-8.29	1
7085MHz	Pass	7.06862G	-7.85	7.0096G	-56.04	-47.85	-8.19	2
7085MHz	Pass	7.06882G	-7.61	7.0086G	-56.07	-47.61	-8.46	3
7085MHz	Pass	7.10158G	-8.39	7.0072G	-56.07	-48.39	-7.68	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	6.02016G	-3.90	6.105G	-54.51	-43.78	-10.73	1
5985MHz	Pass	6.02136G	-3.89	6.1054G	-54.65	-43.89	-10.76	2
5985MHz	Pass	6.02016G	-4.51	6.1074G	-54.67	-44.51	-10.16	3
5985MHz	Pass	6.02256G	-4.29	6.1078G	-54.57	-44.29	-10.28	4
6145MHz	Pass	6.18296G	-4.57	6.2686G	-54.58	-44.57	-10.01	1
6145MHz	Pass	6.17337G	-4.85	6.2798G	-54.72	-44.85	-9.87	2
6145MHz	Pass	6.10944G	-3.78	6.2654G	-54.53	-43.78	-10.75	3
6145MHz	Pass	6.10944G	-4.52	6.2714G	-54.39	-44.52	-9.87	4
6385MHz	Pass	6.41977G	-4.03	6.5058G	-53.50	-44.03	-9.47	1
6385MHz	Pass	6.41977G	-4.35	6.5058G	-52.98	-44.35	-8.63	2
6385MHz	Pass	6.42016G	-4.13	6.2634G	-52.58	-44.13	-8.45	3
6385MHz	Pass	6.42256G	-5.07	6.263G	-53.09	-45.07	-8.02	4
6465MHz	Pass	6.42904G	-4.33	6.3386G	-54.20	-44.33	-9.87	1
6465MHz	Pass	6.50256G	-4.17	6.341G	-54.34	-44.17	-10.17	2
6465MHz	Pass	6.49977G	-4.19	6.3446G	-53.04	-44.19	-8.85	3
6465MHz	Pass	6.49977G	-4.64	6.3446G	-53.39	-44.64	-8.75	4
6545MHz Straddle 6.525-6.875GHz	Pass	6.58256G	-4.80	6.4202G	-54.17	-44.80	-9.37	1
6545MHz Straddle 6.525-6.875GHz	Pass	6.50904G	-4.82	6.4218G	-53.54	-44.82	-8.72	2
6545MHz Straddle 6.525-6.875GHz	Pass	6.58256G	-4.34	6.4226G	-53.16	-44.34	-8.82	3
6545MHz Straddle 6.525-6.875GHz	Pass	6.57617G	-4.83	6.421G	-53.30	-44.83	-8.47	4
6625MHz	Pass	6.66256G	-5.06	6.5038G	-53.98	-45.06	-8.92	1
6625MHz	Pass	6.58904G	-4.86	6.503G	-53.29	-44.86	-8.43	2
6625MHz	Pass	6.59063G	-4.72	6.5042G	-53.17	-44.72	-8.45	3
6625MHz	Pass	6.58704G	-5.35	6.5002G	-53.57	-45.35	-8.22	4
6705MHz	Pass	6.66824G	-4.71	6.9038G	-53.82	-44.71	-9.11	1
6705MHz	Pass	6.67343G	-5.39	6.9038G	-53.80	-45.39	-8.41	2
6705MHz	Pass	6.74096G	-4.61	6.8286G	-53.72	-44.61	-9.11	3
6705MHz	Pass	6.66984G	-5.37	6.903G	-53.61	-45.37	-8.24	4
6785MHz	Pass	6.75103G	-5.19	6.9806G	-53.20	-45.19	-8.01	1
6785MHz	Pass	6.75863G	-5.34	6.985G	-53.23	-45.34	-7.89	2
6785MHz	Pass	6.75223G	-5.46	6.9654G	-53.20	-45.46	-7.74	3
6785MHz	Pass	6.74784G	-5.42	6.981G	-53.10	-45.42	-7.68	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.90056G	-4.50	6.9914G	-52.75	-44.50	-8.25	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.90096G	-4.94	7.0038G	-52.96	-44.94	-8.02	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.83263G	-5.37	7.0086G	-52.95	-45.37	-7.58	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.83023G	-5.50	6.989G	-53.00	-45.50	-7.50	4
6945MHz	Pass	6.91023G	-4.88	7.1418G	-54.02	-44.88	-9.14	1
6945MHz	Pass	6.91903G	-5.43	7.141G	-54.01	-45.43	-8.58	2
6945MHz	Pass	6.91903G	-5.81	7.1434G	-54.09	-45.81	-8.28	3
6945MHz	Pass	6.98256G	-5.34	7.1442G	-54.01	-45.34	-8.67	4
7025MHz	Pass	7.06216G	-4.92	6.9026G	-53.27	-44.92	-8.35	1
7025MHz	Pass	6.99943G	-4.73	6.9046G	-53.24	-44.73	-8.51	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7025MHz	Pass	7.06216G	-4.44	7.207G	-53.31	-44.44	-8.87	3
7025MHz	Pass	6.99263G	-5.27	7.2166G	-53.39	-45.27	-8.12	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.03219G	-0.96	6.269G	-47.41	-40.96	-6.45	1
6025MHz	Pass	6.04098G	-0.76	6.2466G	-45.32	-37.46	-7.86	2
6025MHz	Pass	6.10172G	-0.12	6.2418G	-40.62	-36.12	-4.50	3
6025MHz	Pass	6.09933G	-0.88	6.2506G	-41.00	-38.17	-2.83	4
6185MHz	Pass	6.23695G	-1.71	6.4322G	-46.35	-41.71	-4.64	1
6185MHz	Pass	6.10908G	-1.78	6.4386G	-48.12	-41.78	-6.34	2
6185MHz	Pass	6.21057G	-2.04	5.9402G	-48.91	-42.04	-6.87	3
6185MHz	Pass	6.25933G	-2.05	5.9394G	-47.69	-42.05	-5.64	4
6345MHz	Pass	6.42172G	-1.96	6.5682G	-43.72	-38.90	-4.82	1
6345MHz	Pass	6.42172G	-1.78	6.5898G	-47.68	-41.78	-5.90	2
6345MHz	Pass	6.26828G	-1.75	6.5898G	-48.29	-41.75	-6.54	3
6345MHz	Pass	6.33941G	-2.55	6.0994G	-49.31	-42.55	-6.76	4
6505MHz Straddle 6.525-6.875GHz	Pass	6.43147G	-2.35	6.2514G	-50.37	-42.35	-8.02	1
6505MHz Straddle 6.525-6.875GHz	Pass	6.43147G	-2.31	6.2506G	-49.93	-42.31	-7.62	2
6505MHz Straddle 6.525-6.875GHz	Pass	6.48182G	-2.29	6.2506G	-48.69	-42.29	-6.40	3
6505MHz Straddle 6.525-6.875GHz	Pass	6.58172G	-2.60	6.2474G	-48.97	-42.60	-6.37	4
6665MHz	Pass	6.65781G	-2.40	6.913G	-49.45	-42.40	-7.05	1
6665MHz	Pass	6.58908G	-2.44	6.9146G	-49.37	-42.44	-6.93	2
6665MHz	Pass	6.58988G	-2.28	6.9106G	-48.85	-42.28	-6.57	3
6665MHz	Pass	6.59067G	-2.72	6.9098G	-49.07	-42.72	-6.35	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.75227G	-1.92	6.625G	-43.43	-35.46	-7.97	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.75627G	-1.76	6.5578G	-49.83	-41.76	-8.07	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.75147G	-2.42	7.217G	-50.26	-42.42	-7.84	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.75067G	-2.67	7.2042G	-50.25	-42.67	-7.58	4
6985MHz	Pass	7.03055G	-1.97	6.781G	-43.18	-36.08	-7.10	1
6985MHz	Pass	7.01057G	-1.48	6.777G	-42.59	-36.18	-6.41	2
6985MHz	Pass	6.91147G	-1.64	7.1826G	-43.03	-34.80	-8.23	3
6985MHz	Pass	6.91947G	-1.91	7.1818G	-42.52	-34.95	-7.57	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.2584G	-3.33	6.6362G	-45.17	-43.33	-1.84	1
6105MHz	Pass	6.2377G	-3.33	6.497G	-39.67	-35.88	-3.79	2
6105MHz	Pass	6.2345G	-3.59	6.4954G	-40.51	-36.03	-4.48	3
6105MHz	Pass	6.1146G	-3.53	6.481G	-39.97	-34.92	-5.05	4
6265MHz	Pass	6.3321G	-2.66	6.6602G	-41.37	-35.54	-5.83	1
6265MHz	Pass	6.3945G	-2.89	6.9546G	-50.19	-42.89	-7.30	2
6265MHz	Pass	6.4121G	-2.85	6.4298G	-25.87	-22.86	-3.01	3
6265MHz	Pass	6.4121G	-2.31	6.8794G	-43.09	-42.31	-0.78	4
6425MHz Straddle 6.525-6.875GHz	Pass	6.3786G	0.28	5.9738G	-40.88	-36.69	-4.19	1
6425MHz Straddle 6.525-6.875GHz	Pass	6.4378G	0.56	6.0298G	-35.21	-32.23	-2.98	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6425MHz Straddle 6.525-6.875GHz	Pass	6.473G	0.56	5.9754G	-39.58	-36.19	-3.39	3
6425MHz Straddle 6.525-6.875GHz	Pass	6.4554G	0.30	6.9562G	-41.01	-39.70	-1.31	4
6585MHz Straddle 6.525-6.875GHz	Pass	6.4348G	-0.95	6.1306G	-41.82	-38.16	-3.66	1
6585MHz Straddle 6.525-6.875GHz	Pass	6.4571G	-0.53	6.1338G	-40.22	-37.40	-2.82	2
6585MHz Straddle 6.525-6.875GHz	Pass	6.4747G	-0.29	6.1354G	-39.20	-37.04	-2.16	3
6585MHz Straddle 6.525-6.875GHz	Pass	6.4332G	-0.35	6.1306G	-39.60	-37.56	-2.04	4
6745MHz Straddle 6.525-6.875GHz	Pass	6.6779G	-0.64	6.3466G	-37.59	-33.02	-4.57	1
6745MHz Straddle 6.525-6.875GHz	Pass	6.6811G	-0.31	6.2906G	-41.74	-37.41	-4.33	2
6745MHz Straddle 6.525-6.875GHz	Pass	6.7194G	-1.15	6.1258G	-49.37	-40.96	-8.41	3
6745MHz Straddle 6.525-6.875GHz	Pass	6.5916G	-0.11	6.273G	-39.78	-38.94	-0.84	4
6905MHz Straddle 6.525-6.875GHz	Pass	6.9114G	-3.46	6.409G	-47.64	-43.46	-4.18	1
6905MHz Straddle 6.525-6.875GHz	Pass	6.9561G	-3.68	6.3898G	-48.76	-43.68	-5.08	2
6905MHz Straddle 6.525-6.875GHz	Pass	6.8507G	-3.95	6.401G	-50.74	-43.95	-6.79	3
6905MHz Straddle 6.525-6.875GHz	Pass	6.7691G	-3.98	6.401G	-50.36	-43.98	-6.38	4





5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

MASK

6415MHz\_TX

CF Freq  
6.415GHz


Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4175G	-11.14	6.4456G	-61.41	-51.14	-10.27	1
6.4128G	-11.66	6.4547G	-61.45	-51.66	-9.79	2
6.40841G	-11.68	6.4506G	-61.47	-51.68	-9.79	3
6.40751G	-12.51	6.4592G	-61.37	-52.51	-8.86	4

6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX

MASK

6435MHz\_TX

CF Freq  
6.435GHz


Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS





Port 1

Port 2


Port 3


Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44G	-11.02	6.4692G	-61.27	-51.02	-10.25	1
6.4306G	-11.10	6.4683G	-61.13	-51.10	-10.03	2
6.4362G	-10.96	6.4696G	-61.27	-50.96	-10.31	3
6.4325G	-11.68	6.4827G	-61.41	-51.68	-9.73	4











Port 1

Port 2

Port 3

Port 4

CF Freq  
7.015GHz

Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms



Detector Type  
RMS

Port 1

Port 2

Port 3

Port 4





5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

CF Freq  
5.955GHz


Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96299G	-11.70	5.9868G	-61.68	-51.70	-9.98	1
5.96139G	-11.72	5.9858G	-62.12	-51.72	-10.40	2
5.96009G	-11.42	5.9913G	-61.97	-51.42	-10.55	3
5.96289G	-11.47	5.9885G	-61.94	-51.47	-10.47	4

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6175MHz\_TX

CF Freq  
6.175GHz


Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS




Port 1



Port 2


Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1714G	-11.67	6.2101G	-61.85	-51.67	-10.18	1
6.16871G	-11.93	6.2181G	-61.93	-51.93	-10.00	2
6.16891G	-11.10	6.2057G	-61.87	-51.10	-10.77	3
6.17G	-11.48	6.2146G	-61.77	-51.48	-10.29	4











6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

**6875MHz Straddle 6.525-6.875GHz\_TX**

CF Freq  
6.875GHz

Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS

Port 1

Port 2

Port 3

Port 4



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TX

CF Freq  
6.895GHz


Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8964G	-10.84	6.9349G	-60.57	-50.84	-9.73	1
6.89G	-11.74	6.9425G	-60.44	-51.74	-8.70	2
6.88751G	-11.93	6.9268G	-60.51	-51.93	-8.58	3
6.8997G	-11.86	6.9436G	-60.44	-51.86	-8.58	4

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7015MHz\_TX

CF Freq  
7.015GHz


Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS





Port 1


Port 2



Port 3


Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0194G	-12.05	6.9782G	-60.15	-52.05	-8.10	1
7.0195G	-12.50	6.9746G	-60.33	-52.50	-7.83	2
7.0198G	-12.08	6.9843G	-60.18	-52.08	-8.10	3
7.0125G	-12.74	6.9792G	-60.32	-52.74	-7.58	4













6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

CF Freq  
6.845GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.82922G	-7.36	6.9148G	-56.37	-47.36	-9.01	1
6.83701G	-7.75	6.9054G	-56.42	-47.75	-8.67	2
6.8414G	-7.92	6.9392G	-56.60	-47.92	-8.68	3
6.8414G	-8.20	6.939G	-56.55	-48.20	-8.35	4

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TX

CF Freq  
6.885GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90018G	-7.56	6.9504G	-56.16	-47.56	-8.60	1
6.89879G	-8.24	6.967G	-56.27	-48.24	-8.03	2
6.87001G	-8.45	6.9482G	-56.32	-48.45	-7.87	3
6.87021G	-8.67	6.983G	-56.27	-48.67	-7.60	4









Port 1

Port 2

Port 3

Port 4

CF Freq  
6.385GHz

Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms


Detector Type  
RMS

Port 1


Port 2

Port 3


Port 4























6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TX

CF Freq  
6.985GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.03055G	-1.97	6.781G	-43.18	-36.08	-7.10	1
7.01057G	-1.48	6.777G	-42.59	-36.18	-6.41	2
6.91147G	-1.64	7.1826G	-43.03	-34.80	-8.23	3
6.91947G	-1.91	7.1818G	-42.52	-34.95	-7.57	4

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

CF Freq  
6.105GHz


Span  
1.6GHz

RBW  
5MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2584G	-3.33	6.6362G	-45.17	-43.33	-1.84	1
6.2377G	-3.33	6.497G	-39.67	-35.88	-3.79	2
6.2345G	-3.59	6.4954G	-40.51	-36.03	-4.48	3
6.1146G	-3.53	6.481G	-39.97	-34.92	-5.05	4






6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6585MHz Straddle 6.525-6.875GHz\_TX

CF Freq  
6.585GHz  
Span  
1.6GHz  
RBW  
5MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4348G	-0.95	6.1306G	-41.82	-38.16	-3.66	1
6.4571G	-0.53	6.1338G	-40.22	-37.40	-2.82	2
6.4747G	-0.29	6.1354G	-39.20	-37.04	-2.16	3
6.4332G	-0.35	6.1306G	-39.60	-37.56	-2.04	4

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK


6745MHz Straddle 6.525-6.875GHz\_TX

CF Freq  
6.745GHz  
Span  
1.6GHz  
RBW  
5MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6779G	-0.64	6.3466G	-37.59	-33.02	-4.57	1
6.6811G	-0.31	6.2906G	-41.74	-37.41	-4.33	2
6.7194G	-1.15	6.1258G	-49.37	-40.96	-8.41	3
6.5916G	-0.11	6.273G	-39.78	-38.94	-0.84	4





**Beamforming mode**

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.40631G	-12.95	6.4462G	-64.57	-52.95	-11.62	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.41599G	-11.12	6.4828G	-62.54	-51.12	-11.42	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.41897G	-5.67	6.2618G	-55.39	-45.67	-9.72	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.26172G	-1.52	6.4306G	-45.64	-41.52	-4.12	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.4168G	-2.63	6.873G	-42.77	-42.63	-0.14	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.50661G	-12.00	6.4828G	-64.14	-52.00	-12.14	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.44G	-10.25	6.5084G	-62.54	-50.25	-12.29	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.49977G	-4.56	6.3442G	-55.05	-44.56	-10.49	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.8713G	-12.84	6.9091G	-63.45	-52.84	-10.61	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.8826G	-10.58	6.961G	-61.20	-50.58	-10.62	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.75143G	-5.90	6.9846G	-55.79	-45.90	-9.89	3
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.59147G	-2.36	6.8818G	-45.03	-38.36	-6.67	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.3786G	0.14	6.9962G	-40.40	-39.86	-0.54	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.8913G	-12.57	6.9391G	-63.41	-52.57	-10.84	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.90882G	-10.90	6.9924G	-61.21	-50.90	-10.31	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	7.05777G	-5.84	6.9034G	-56.13	-45.84	-10.29	3
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	7.02976G	-2.06	6.7874G	-42.39	-35.22	-7.17	1



**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96239G	-11.70	5.9856G	-64.63	-51.70	-12.93	1
5955MHz	Pass	5.96249G	-11.66	5.9855G	-65.12	-51.66	-13.46	2
5955MHz	Pass	5.9574G	-11.34	5.9948G	-64.96	-51.34	-13.62	3
5955MHz	Pass	5.96349G	-11.61	5.9887G	-65.09	-51.61	-13.48	4
6175MHz	Pass	6.16981G	-11.77	6.2055G	-64.68	-51.77	-12.91	1
6175MHz	Pass	6.16781G	-12.09	6.2101G	-64.88	-52.09	-12.79	2
6175MHz	Pass	6.18399G	-11.85	6.2098G	-64.64	-51.85	-12.79	3
6175MHz	Pass	6.18109G	-11.51	6.2051G	-64.38	-51.51	-12.87	4
6415MHz	Pass	6.40751G	-11.96	6.4452G	-64.11	-51.96	-12.15	1
6415MHz	Pass	6.40751G	-11.76	6.4453G	-64.27	-51.76	-12.51	2
6415MHz	Pass	6.40751G	-12.09	6.4463G	-64.30	-52.09	-12.21	3
6415MHz	Pass	6.40631G	-12.95	6.4462G	-64.57	-52.95	-11.62	4
6435MHz	Pass	6.42671G	-11.07	6.4653G	-63.91	-51.07	-12.84	1
6435MHz	Pass	6.44229G	-11.17	6.466G	-64.29	-51.17	-13.12	2
6435MHz	Pass	6.44039G	-11.19	6.4683G	-64.16	-51.19	-12.97	3
6435MHz	Pass	6.42991G	-11.39	6.4667G	-64.10	-51.39	-12.71	4
6475MHz	Pass	6.46871G	-11.45	6.5057G	-63.83	-51.45	-12.38	1
6475MHz	Pass	6.46991G	-11.38	6.505G	-64.04	-51.38	-12.66	2
6475MHz	Pass	6.4775G	-11.17	6.5068G	-64.20	-51.17	-13.03	3
6475MHz	Pass	6.4713G	-11.97	6.505G	-64.32	-51.97	-12.35	4
6515MHz	Pass	6.50661G	-12.00	6.4828G	-64.14	-52.00	-12.14	1
6515MHz	Pass	6.50751G	-11.67	6.484G	-64.26	-51.67	-12.59	2
6515MHz	Pass	6.5118G	-11.24	6.4846G	-64.06	-51.24	-12.82	3
6515MHz	Pass	6.52229G	-12.04	6.4847G	-64.26	-52.04	-12.22	4
6535MHz	Pass	6.52711G	-11.74	6.4982G	-64.23	-51.74	-12.49	1
6535MHz	Pass	6.54009G	-11.63	6.5045G	-64.33	-51.63	-12.70	2
6535MHz	Pass	6.52681G	-11.11	6.5037G	-64.22	-51.11	-13.11	3
6535MHz	Pass	6.54349G	-11.81	6.5036G	-64.34	-51.81	-12.53	4
6715MHz	Pass	6.70651G	-12.48	6.7459G	-64.91	-52.48	-12.43	1
6715MHz	Pass	6.70701G	-11.97	6.7452G	-64.74	-51.97	-12.77	2
6715MHz	Pass	6.72369G	-12.06	6.7476G	-64.96	-52.06	-12.90	3
6715MHz	Pass	6.70731G	-12.10	6.7492G	-64.96	-52.10	-12.86	4
6855MHz	Pass	6.8591G	-12.11	6.8854G	-63.77	-52.11	-11.66	1
6855MHz	Pass	6.856G	-12.10	6.9004G	-63.81	-52.10	-11.71	2
6855MHz	Pass	6.8528G	-12.32	6.8863G	-63.79	-52.32	-11.47	3
6855MHz	Pass	6.857G	-12.55	6.8966G	-63.68	-52.55	-11.13	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.88299G	-12.29	6.9054G	-63.66	-52.29	-11.37	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.86691G	-12.12	6.9057G	-63.56	-52.12	-11.44	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.86801G	-12.32	6.9076G	-63.65	-52.32	-11.33	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8713G	-12.84	6.9091G	-63.45	-52.84	-10.61	4
6895MHz	Pass	6.8981G	-12.07	6.9258G	-63.40	-52.07	-11.33	1





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6895MHz	Pass	6.8918G	-12.02	6.9281G	-63.53	-52.02	-11.51	2
6895MHz	Pass	6.88831G	-12.59	6.9258G	-63.56	-52.59	-10.97	3
6895MHz	Pass	6.8913G	-12.57	6.9391G	-63.41	-52.57	-10.84	4
7015MHz	Pass	7.02219G	-11.83	6.9826G	-63.43	-51.83	-11.60	1
7015MHz	Pass	7.0138G	-12.62	6.9842G	-63.69	-52.62	-11.07	2
7015MHz	Pass	7.02149G	-12.66	6.985G	-63.80	-52.66	-11.14	3
7015MHz	Pass	7.00661G	-12.53	6.9831G	-63.53	-52.53	-11.00	4
7095MHz	Pass	7.08641G	-12.28	7.13G	-63.97	-52.28	-11.69	1
7095MHz	Pass	7.0922G	-12.21	7.126G	-64.04	-52.21	-11.83	2
7095MHz	Pass	7.0905G	-11.83	7.1429G	-63.90	-51.83	-12.07	3
7095MHz	Pass	7.08991G	-12.54	7.1312G	-64.12	-52.54	-11.58	4
7115MHz	Pass	7.12329G	-11.96	7.1475G	-63.83	-51.96	-11.87	1
7115MHz	Pass	7.1137G	-12.04	7.148G	-63.76	-52.04	-11.72	2
7115MHz	Pass	7.12289G	-11.93	7.1555G	-63.77	-51.93	-11.84	3
7115MHz	Pass	7.12229G	-12.69	7.1492G	-63.73	-52.69	-11.04	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98098G	-9.46	6.0274G	-62.64	-49.46	-13.18	1
5965MHz	Pass	5.97899G	-9.56	6.0254G	-62.88	-49.56	-13.32	2
5965MHz	Pass	5.98218G	-9.59	6.0248G	-62.63	-49.47	-13.16	3
5965MHz	Pass	5.97879G	-9.78	6.025G	-62.99	-49.78	-13.21	4
6165MHz	Pass	6.15361G	-10.06	6.2278G	-63.00	-50.06	-12.94	1
6165MHz	Pass	6.17999G	-10.80	6.2384G	-63.20	-50.80	-12.40	2
6165MHz	Pass	6.15861G	-9.77	6.2304G	-62.92	-49.77	-13.15	3
6165MHz	Pass	6.14922G	-9.47	6.2262G	-62.86	-49.47	-13.39	4
6405MHz	Pass	6.42298G	-10.03	6.4756G	-62.19	-50.03	-12.16	1
6405MHz	Pass	6.41919G	-9.82	6.4672G	-62.14	-49.82	-12.32	2
6405MHz	Pass	6.42258G	-10.17	6.484G	-62.36	-50.17	-12.19	3
6405MHz	Pass	6.41599G	-11.12	6.4828G	-62.54	-51.12	-11.42	4
6445MHz	Pass	6.45999G	-9.86	6.5062G	-62.58	-49.86	-12.72	1
6445MHz	Pass	6.4412G	-9.78	6.5098G	-62.56	-49.78	-12.78	2
6445MHz	Pass	6.45999G	-9.76	6.5064G	-62.49	-49.76	-12.73	3
6445MHz	Pass	6.44G	-10.25	6.5084G	-62.54	-50.25	-12.29	4
6485MHz	Pass	6.46922G	-9.82	6.4226G	-62.72	-49.82	-12.90	1
6485MHz	Pass	6.48G	-9.50	6.4238G	-62.69	-49.50	-13.19	2
6485MHz	Pass	6.49599G	-9.49	6.4244G	-62.22	-49.49	-12.73	3
6485MHz	Pass	6.48G	-10.33	6.414G	-62.77	-50.33	-12.44	4
6525MHz Straddle 6.525-6.875GHz	Pass	6.54318G	-10.81	6.4448G	-62.59	-50.81	-11.78	1
6525MHz Straddle 6.525-6.875GHz	Pass	6.51161G	-10.56	6.4612G	-62.66	-50.56	-12.10	2
6525MHz Straddle 6.525-6.875GHz	Pass	6.51881G	-9.97	6.4592G	-62.36	-49.97	-12.39	3
6525MHz Straddle 6.525-6.875GHz	Pass	6.53739G	-10.75	6.4646G	-62.69	-50.75	-11.94	4
6565MHz	Pass	6.5624G	-10.43	6.5026G	-62.23	-50.43	-11.80	1
6565MHz	Pass	6.54742G	-10.13	6.4966G	-62.43	-50.13	-12.30	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6565MHz	Pass	6.55361G	-9.72	6.5016G	-62.01	-49.72	-12.29	3
6565MHz	Pass	6.57999G	-10.49	6.5012G	-62.54	-50.49	-12.05	4
6725MHz	Pass	6.70962G	-10.46	6.824G	-62.73	-50.46	-12.27	1
6725MHz	Pass	6.74258G	-10.67	6.825G	-62.79	-50.67	-12.12	2
6725MHz	Pass	6.74118G	-10.29	6.7972G	-62.52	-50.29	-12.23	3
6725MHz	Pass	6.74178G	-10.51	6.7886G	-62.66	-50.51	-12.15	4
6845MHz	Pass	6.83541G	-10.09	6.925G	-60.90	-50.09	-10.81	1
6845MHz	Pass	6.85119G	-10.14	6.9058G	-61.30	-50.14	-11.16	2
6845MHz	Pass	6.82982G	-10.13	6.9086G	-61.36	-50.13	-11.23	3
6845MHz	Pass	6.85819G	-10.22	6.9072G	-61.36	-50.22	-11.14	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.8892G	-10.26	6.965G	-61.22	-50.26	-10.96	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.89419G	-10.59	6.9602G	-61.24	-50.59	-10.65	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.8826G	-10.58	6.961G	-61.20	-50.58	-10.62	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.88G	-10.35	6.9776G	-61.44	-50.35	-11.09	4
6925MHz	Pass	6.91021G	-10.00	6.9852G	-61.09	-50.00	-11.09	1
6925MHz	Pass	6.90922G	-10.31	6.9872G	-61.17	-50.31	-10.86	2
6925MHz	Pass	6.92G	-10.55	6.9856G	-61.16	-50.55	-10.61	3
6925MHz	Pass	6.90882G	-10.90	6.9924G	-61.21	-50.90	-10.31	4
7005MHz	Pass	6.98862G	-9.10	6.9448G	-60.83	-49.10	-11.73	1
7005MHz	Pass	7.02078G	-9.88	6.9434G	-61.25	-49.88	-11.37	2
7005MHz	Pass	6.99541G	-10.31	6.945G	-61.47	-50.31	-11.16	3
7005MHz	Pass	6.99361G	-9.91	6.9444G	-61.10	-49.91	-11.19	4
7085MHz	Pass	7.06862G	-10.59	7.0074G	-61.39	-50.59	-10.80	1
7085MHz	Pass	7.06882G	-10.28	7.0052G	-61.52	-50.28	-11.24	2
7085MHz	Pass	7.06882G	-10.53	7.1476G	-61.67	-50.53	-11.14	3
7085MHz	Pass	7.0824G	-11.06	7.0064G	-61.55	-51.06	-10.49	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02176G	-3.52	6.1074G	-54.14	-43.52	-10.62	1
5985MHz	Pass	6.02296G	-3.61	6.1054G	-55.24	-43.61	-11.63	2
5985MHz	Pass	6.02216G	-4.07	6.1074G	-55.25	-44.07	-11.18	3
5985MHz	Pass	6.01977G	-4.48	6.1054G	-56.70	-44.48	-12.22	4
6145MHz	Pass	6.10864G	-3.86	6.025G	-56.83	-43.86	-12.97	1
6145MHz	Pass	6.10904G	-4.79	6.0246G	-57.80	-44.79	-13.01	2
6145MHz	Pass	6.18216G	-4.02	6.267G	-57.36	-44.02	-13.34	3
6145MHz	Pass	6.13381G	-4.18	6.2674G	-57.10	-44.18	-12.92	4
6385MHz	Pass	6.42256G	-4.92	6.5062G	-56.63	-44.92	-11.71	1
6385MHz	Pass	6.41977G	-4.57	6.5058G	-54.91	-44.57	-10.34	2
6385MHz	Pass	6.42256G	-4.63	6.2614G	-54.60	-44.63	-9.97	3
6385MHz	Pass	6.41897G	-5.67	6.2618G	-55.39	-45.67	-9.72	4
6465MHz	Pass	6.43383G	-4.22	6.3422G	-56.74	-44.22	-12.52	1
6465MHz	Pass	6.43063G	-4.23	6.341G	-55.41	-44.23	-11.18	2
6465MHz	Pass	6.49817G	-4.07	6.343G	-54.81	-44.07	-10.74	3



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6465MHz	Pass	6.49977G	-4.56	6.3442G	-55.05	-44.56	-10.49	4
6545MHz Straddle 6.525-6.875GHz	Pass	6.50984G	-5.52	6.4246G	-57.17	-45.52	-11.65	1
6545MHz Straddle 6.525-6.875GHz	Pass	6.51143G	-5.31	6.4218G	-55.87	-45.31	-10.56	2
6545MHz Straddle 6.525-6.875GHz	Pass	6.50824G	-4.81	6.425G	-55.45	-44.81	-10.64	3
6545MHz Straddle 6.525-6.875GHz	Pass	6.58216G	-5.23	6.425G	-55.51	-45.23	-10.28	4
6625MHz	Pass	6.66056G	-5.10	6.5058G	-56.59	-44.86	-11.73	1
6625MHz	Pass	6.58744G	-5.39	6.5046G	-55.99	-45.39	-10.60	2
6625MHz	Pass	6.58744G	-4.95	6.5038G	-55.43	-44.95	-10.48	3
6625MHz	Pass	6.58824G	-5.21	6.505G	-55.88	-45.21	-10.67	4
6705MHz	Pass	6.67023G	-5.32	6.5838G	-56.19	-45.32	-10.87	1
6705MHz	Pass	6.67063G	-5.21	6.825G	-56.10	-45.21	-10.89	2
6705MHz	Pass	6.74256G	-5.35	6.8262G	-55.82	-45.35	-10.47	3
6705MHz	Pass	6.66784G	-5.55	6.831G	-56.00	-45.55	-10.45	4
6785MHz	Pass	6.74744G	-5.75	6.979G	-55.84	-45.75	-10.09	1
6785MHz	Pass	6.74984G	-5.58	6.9674G	-55.84	-45.58	-10.26	2
6785MHz	Pass	6.75143G	-5.90	6.9846G	-55.79	-45.90	-9.89	3
6785MHz	Pass	6.81857G	-5.66	6.9726G	-55.79	-45.66	-10.13	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.90056G	-5.15	6.9874G	-55.61	-45.15	-10.46	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.90136G	-5.27	6.9882G	-55.70	-45.27	-10.43	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.82864G	-5.68	6.9878G	-55.75	-45.68	-10.07	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.82984G	-5.31	6.987G	-55.68	-45.31	-10.37	4
6945MHz	Pass	6.91903G	-5.13	6.8226G	-56.54	-45.13	-11.41	1
6945MHz	Pass	6.92262G	-5.05	6.8226G	-56.69	-45.05	-11.64	2
6945MHz	Pass	6.98256G	-5.59	6.8246G	-56.68	-45.59	-11.09	3
6945MHz	Pass	6.90744G	-5.24	6.821G	-56.89	-45.24	-11.65	4
7025MHz	Pass	6.98944G	-4.75	6.9046G	-55.77	-44.75	-11.02	1
7025MHz	Pass	6.99223G	-5.48	6.9046G	-55.94	-45.48	-10.46	2
7025MHz	Pass	7.05777G	-5.84	6.9034G	-56.13	-45.84	-10.29	3
7025MHz	Pass	6.99383G	-5.38	6.9046G	-56.00	-45.38	-10.62	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.01941G	-1.34	6.2546G	-45.95	-39.33	-6.62	1
6025MHz	Pass	6.04018G	-1.61	6.241G	-45.49	-37.49	-8.00	2
6025MHz	Pass	6.06176G	-0.95	6.2466G	-44.32	-37.65	-6.67	3
6025MHz	Pass	6.09213G	-1.55	6.2426G	-42.19	-37.66	-4.53	4
6185MHz	Pass	6.26172G	-1.52	6.4306G	-45.64	-41.52	-4.12	1
6185MHz	Pass	6.10908G	-2.32	6.4314G	-49.65	-42.32	-7.33	2
6185MHz	Pass	6.10908G	-1.52	6.4306G	-49.56	-41.52	-8.04	3
6185MHz	Pass	6.10908G	-1.35	6.4018G	-43.91	-37.35	-6.56	4
6345MHz	Pass	6.42012G	-1.60	6.5626G	-42.48	-37.71	-4.77	1
6345MHz	Pass	6.40974G	-1.51	6.5754G	-45.87	-39.51	-6.36	2
6345MHz	Pass	6.27147G	-1.61	6.101G	-48.88	-41.61	-7.27	3
6345MHz	Pass	6.26828G	-2.37	6.101G	-50.51	-42.37	-8.14	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz Straddle 6.525-6.875GHz	Pass	6.42988G	-2.28	6.2514G	-52.28	-42.28	-10.00	1
6505MHz Straddle 6.525-6.875GHz	Pass	6.43947G	-2.41	6.261G	-51.93	-42.41	-9.52	2
6505MHz Straddle 6.525-6.875GHz	Pass	6.47703G	-2.05	6.2562G	-50.15	-42.05	-8.10	3
6505MHz Straddle 6.525-6.875GHz	Pass	6.57773G	-2.51	6.257G	-50.54	-42.51	-8.03	4
6665MHz	Pass	6.58908G	-2.32	6.9114G	-51.36	-42.32	-9.04	1
6665MHz	Pass	6.58828G	-2.44	6.9138G	-51.07	-42.44	-8.63	2
6665MHz	Pass	6.59227G	-2.12	6.9074G	-50.14	-41.89	-8.25	3
6665MHz	Pass	6.59147G	-2.36	6.8818G	-45.03	-38.36	-6.67	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.90092G	-2.35	6.6226G	-43.73	-36.29	-7.44	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.79063G	-2.25	6.6178G	-46.66	-36.86	-9.80	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.79783G	-2.34	7.0226G	-46.05	-35.57	-10.48	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.87055G	-2.60	7.0218G	-44.34	-35.71	-8.63	4
6985MHz	Pass	7.02976G	-2.06	6.7874G	-42.39	-35.22	-7.17	1
6985MHz	Pass	6.91067G	-2.40	6.785G	-43.64	-35.92	-7.72	2
6985MHz	Pass	7.02816G	-2.40	7.1834G	-44.59	-35.68	-8.91	3
6985MHz	Pass	6.90828G	-2.22	7.1762G	-42.25	-34.44	-7.81	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.26G	-3.44	6.6314G	-44.48	-43.44	-1.04	1
6105MHz	Pass	6.1913G	-4.19	6.9018G	-46.46	-44.19	-2.27	2
6105MHz	Pass	6.2568G	-3.86	6.8954G	-46.42	-43.86	-2.56	3
6105MHz	Pass	6.1146G	-4.08	6.9034G	-46.42	-44.08	-2.34	4
6265MHz	Pass	6.2186G	-3.44	7.0026G	-45.62	-43.44	-2.18	1
6265MHz	Pass	6.3513G	-3.47	7.0074G	-45.65	-43.47	-2.18	2
6265MHz	Pass	6.4184G	-3.21	7.0042G	-45.57	-43.21	-2.36	3
6265MHz	Pass	6.4168G	-2.63	6.873G	-42.77	-42.63	-0.14	4
6425MHz Straddle 6.525-6.875GHz	Pass	6.3786G	0.14	6.9962G	-40.40	-39.86	-0.54	1
6425MHz Straddle 6.525-6.875GHz	Pass	6.4378G	-0.52	6.9962G	-43.96	-40.52	-3.44	2
6425MHz Straddle 6.525-6.875GHz	Pass	6.4985G	-0.15	6.9754G	-42.21	-40.15	-2.06	3
6425MHz Straddle 6.525-6.875GHz	Pass	6.4602G	-0.46	7.1418G	-45.63	-40.46	-5.17	4
6585MHz Straddle 6.525-6.875GHz	Pass	6.4395G	-1.11	6.0922G	-43.99	-41.01	-2.98	1
6585MHz Straddle 6.525-6.875GHz	Pass	6.4379G	-0.50	6.0698G	-43.02	-40.50	-2.52	2
6585MHz Straddle 6.525-6.875GHz	Pass	6.5307G	-0.47	6.1354G	-38.95	-37.22	-1.73	3
6585MHz Straddle 6.525-6.875GHz	Pass	6.4395G	-0.61	6.1306G	-38.77	-37.82	-0.95	4
6745MHz Straddle 6.525-6.875GHz	Pass	6.6923G	-0.50	7.497G	-45.82	-40.50	-5.32	1
6745MHz Straddle 6.525-6.875GHz	Pass	6.7002G	0.05	6.0986G	-45.08	-39.95	-5.13	2
6745MHz Straddle 6.525-6.875GHz	Pass	6.5995G	-0.80	6.193G	-44.36	-40.80	-3.56	3
6745MHz Straddle 6.525-6.875GHz	Pass	6.6011G	-0.12	7.3962G	-44.77	-40.12	-4.65	4
6905MHz Straddle 6.525-6.875GHz	Pass	6.9913G	-1.53	6.105G	-47.02	-39.45	-7.57	1
6905MHz Straddle 6.525-6.875GHz	Pass	6.9354G	-1.02	6.4186G	-41.51	-40.45	-1.06	2
6905MHz Straddle 6.525-6.875GHz	Pass	6.8986G	-0.87	6.401G	-44.07	-40.87	-3.20	3
6905MHz Straddle 6.525-6.875GHz	Pass	6.7516G	-0.70	6.4138G	-42.90	-40.60	-2.30	4





5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

CF Freq  
6.415GHz


Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40751G	-11.96	6.4452G	-64.11	-51.96	-12.15	1
6.40751G	-11.76	6.4453G	-64.27	-51.76	-12.51	2
6.40751G	-12.09	6.4463G	-64.30	-52.09	-12.21	3
6.40631G	-12.95	6.4462G	-64.57	-52.95	-11.62	4

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TX

CF Freq  
6.435GHz


Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS




Port 1


Port 2

Port 3



Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42671G	-11.07	6.4653G	-63.91	-51.07	-12.84	1
6.44229G	-11.17	6.466G	-64.29	-51.17	-13.12	2
6.44039G	-11.19	6.4683G	-64.16	-51.19	-12.97	3
6.42991G	-11.39	6.4667G	-64.10	-51.39	-12.71	4



































6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TX

CF Freq  
6.925GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91021G	-10.00	6.9852G	-61.09	-50.00	-11.09	1
6.90922G	-10.31	6.9872G	-61.17	-50.31	-10.86	2
6.92G	-10.55	6.9856G	-61.16	-50.55	-10.61	3
6.90882G	-10.90	6.9924G	-61.21	-50.90	-10.31	4

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

CF Freq  
7.005GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98862G	-9.10	6.9448G	-60.83	-49.10	-11.73	1
7.02078G	-9.88	6.9434G	-61.25	-49.88	-11.37	2
6.99541G	-10.31	6.945G	-61.47	-50.31	-11.16	3
6.99361G	-9.91	6.9444G	-61.10	-49.91	-11.19	4



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

CF Freq  
7.085GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.06862G	-10.59	7.0074G	-61.39	-50.59	-10.80	1
7.06882G	-10.28	7.0052G	-61.52	-50.28	-11.24	2
7.06882G	-10.53	7.1476G	-61.67	-50.53	-11.14	3
7.0824G	-11.06	7.0064G	-61.55	-51.06	-10.49	4

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

CF Freq  
5.985GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS




Port 1



Port 2

Port 3



Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02176G	-3.52	6.1074G	-54.14	-43.52	-10.62	1
6.02296G	-3.61	6.1054G	-55.24	-43.61	-11.63	2
6.02216G	-4.07	6.1074G	-55.25	-44.07	-11.18	3
6.01977G	-4.48	6.1054G	-56.70	-44.48	-12.22	4



















CF Freq: 6.505GHz



Span: 800MHz

RBW: 2MHz

VBW: 10MHz

Sweep Time: 20ms

Detector Type: RMS





6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TX

CF Freq  
6.985GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.02976G	-2.06	6.7874G	-42.39	-35.22	-7.17	1
6.91067G	-2.40	6.785G	-43.64	-35.92	-7.72	2
7.02816G	-2.40	7.1834G	-44.59	-35.68	-8.91	3
6.90828G	-2.22	7.1762G	-42.25	-34.44	-7.81	4

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

CF Freq  
6.105GHz


Span  
1.6GHz

RBW  
5MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS




Port 1



Port 2


Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26G	-3.44	6.6314G	-44.48	-43.44	-1.04	1
6.1913G	-4.19	6.9018G	-46.46	-44.19	-2.27	2
6.2568G	-3.86	6.8954G	-46.42	-43.86	-2.56	3
6.1146G	-4.08	6.9034G	-46.42	-44.08	-2.34	4









Frequency: 6475 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-12.47	-12.29	-12.59	-12.26
T20°CVmin	-12.38	-11.88	-12.36	-12.13
T40°CVnom	-12.87	-12.97	-12.95	-13.12
T30°CVnom	-12.70	-12.95	-12.70	-12.62
T20°CVnom	-12.20	-12.50	-12.34	-12.01
T10°CVnom	-11.59	-11.46	-11.30	-11.80
T0°CVnom	-11.46	-11.05	-11.34	-11.65
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 93.5	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Frequency: 7015 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-11.34	-11.23	-11.64	-11.16
T20°CVmin	-10.98	-10.98	-10.86	-11.13
T40°CVnom	-11.60	-11.32	-11.17	-11.63
T30°CVnom	-11.41	-11.21	-10.93	-11.20
T20°CVnom	-11.58	-11.02	-11.15	-11.32
T10°CVnom	-10.53	-10.32	-10.39	-10.40
T0°CVnom	-10.31	-10.17	-10.59	-10.14
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 93.5	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	



Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT20	5	6195	6194	-65.04	2.745	-67.785	-62	Ceased
				-67.04	2.745	-69.785	-62	Minimal
				-85.04	2.745	-87.785	-62	Normal
	6	6475	6474	-67	2.99	-69.99	-62	Ceased
				-69	2.99	-71.99	-62	Minimal
				-87	2.99	-89.99	-62	Normal
	7	6695	6694	-66.11	2.441	-68.551	-62	Ceased
				-68.11	2.441	-70.551	-62	Minimal
				-86.11	2.441	-88.551	-62	Normal
	8	6995	6994	-66.19	2.648	-68.838	-62	Ceased
				-68.19	2.648	-70.838	-62	Minimal
				-86.19	2.648	-88.838	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT320	5	6105	5950	-66.26	2.745	-69.005	-62	Ceased
				-67.26	2.745	-70.005	-62	Minimal
				-86.26	2.745	-89.005	-62	Normal
	6 / 7	6585	6740	-67.96	2.441	-70.401	-62	Ceased
				-68.96	2.441	-71.401	-62	Minimal
				-87.96	2.441	-90.401	-62	Normal
	7 / 8	6905	7060	-68.91	2.441	-71.351	-62	Ceased
				-69.91	2.441	-72.351	-62	Minimal
				-88.91	2.441	-91.351	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)