


# **Annex A.6 Spurious Emission at Antenna Terminals**

## 1. LTE\_Band2


**1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.81	-13	Pass	2985
30	1000	0.1	RMS	847.3	-63.99	-13	Pass	9699
1000	1840	1	RMS	1840	-43.9	-13	Pass	840
1840	1920	1	RMS	1850.2	23.61	60	Pass	401
1920	3000	1	RMS	2955.959	-48.82	-13	Pass	1080
3000	12000	1	RMS	6958.483	-41.75	-13	Pass	9000
12000	20000	1	RMS	19409.926	-34.99	-13	Pass	8000




**1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2985
30	1000	0.1	RMS	831.298	-63.98	-13	Pass	9699
1000	1840	1	RMS	1840	-44.45	-13	Pass	840
1840	1920	1	RMS	1850.2	22.56	60	Pass	401
1920	3000	1	RMS	2949.954	-48.76	-13	Pass	1080
3000	12000	1	RMS	11698.627	-41.75	-13	Pass	9000
12000	20000	1	RMS	19394.924	-35.03	-13	Pass	8000




**1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.26	-13	Pass	2985
30	1000	0.1	RMS	840.199	-64.06	-13	Pass	9699
1000	1840	1	RMS	1840	-52.19	-13	Pass	840
1840	1920	1	RMS	1879.4	23.65	60	Pass	401
1920	3000	1	RMS	2957.961	-48.82	-13	Pass	1080
3000	12000	1	RMS	11694.622	-41.77	-13	Pass	9000
12000	20000	1	RMS	19399.925	-34.96	-13	Pass	8000




**1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.24	-13	Pass	2985
30	1000	0.1	RMS	846.5	-64.04	-13	Pass	9699
1000	1840	1	RMS	1840	-52.24	-13	Pass	840
1840	1920	1	RMS	1879.4	23.13	60	Pass	401
1920	3000	1	RMS	2952.956	-48.74	-13	Pass	1080
3000	12000	1	RMS	11718.652	-41.79	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.03	-13	Pass	8000




**1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2985
30	1000	0.1	RMS	837.099	-63.99	-13	Pass	9699
1000	1840	1	RMS	1840	-52.49	-13	Pass	840
1840	1920	1	RMS	1908.8	23.43	60	Pass	401
1920	3000	1	RMS	1920	-45.73	-13	Pass	1080
3000	12000	1	RMS	11702.632	-41.78	-13	Pass	9000
12000	20000	1	RMS	19396.925	-35.03	-13	Pass	8000




**1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2985
30	1000	0.1	RMS	853.706	-64.1	-13	Pass	9699
1000	1840	1	RMS	1840	-52.44	-13	Pass	840
1840	1920	1	RMS	1908.8	22.89	60	Pass	401
1920	3000	1	RMS	1920	-45.24	-13	Pass	1080
3000	12000	1	RMS	11700.629	-41.65	-13	Pass	9000
12000	20000	1	RMS	19407.926	-35.06	-13	Pass	8000



**1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-13	Pass	2985
30	1000	0.1	RMS	837.599	-64.08	-13	Pass	9699
1000	1840	1	RMS	1840	-43.68	-13	Pass	840
1840	1920	1	RMS	1850.2	23.36	60	Pass	401
1920	3000	1	RMS	2949.954	-48.84	-13	Pass	1080
3000	12000	1	RMS	11754.696	-41.78	-13	Pass	9000
12000	20000	1	RMS	19393.924	-35.07	-13	Pass	8000






**1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	845.4	-63.99	-13	Pass	9699
1000	1840	1	RMS	1838.999	-44.64	-13	Pass	840
1840	1920	1	RMS	1850.2	22.44	60	Pass	401
1920	3000	1	RMS	2956.96	-48.75	-13	Pass	1080
3000	12000	1	RMS	11701.631	-41.71	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.05	-13	Pass	8000




**1.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-13	Pass	2985
30	1000	0.1	RMS	837.999	-63.98	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.13	-13	Pass	840
1840	1920	1	RMS	1878.6	23.43	60	Pass	401
1920	3000	1	RMS	2950.955	-48.71	-13	Pass	1080
3000	12000	1	RMS	11698.627	-41.75	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.02	-13	Pass	8000




**1.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	830.798	-64.03	-13	Pass	9699
1000	1840	1	RMS	1840	-52.15	-13	Pass	840
1840	1920	1	RMS	1878.6	22.81	60	Pass	401
1920	3000	1	RMS	2949.954	-48.8	-13	Pass	1080
3000	12000	1	RMS	11693.621	-41.77	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35	-13	Pass	8000




**1.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	Pass	2985
30	1000	0.1	RMS	831.298	-64.07	-13	Pass	9699
1000	1840	1	RMS	1821.979	-52.47	-13	Pass	840
1840	1920	1	RMS	1907.2	23.42	60	Pass	401
1920	3000	1	RMS	1920	-45.86	-13	Pass	1080
3000	12000	1	RMS	11693.621	-41.72	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.06	-13	Pass	8000




**1.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	827.697	-63.88	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.52	-13	Pass	840
1840	1920	1	RMS	1907.2	22.53	60	Pass	401
1920	3000	1	RMS	1920	-46.25	-13	Pass	1080
3000	12000	1	RMS	11738.677	-41.76	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.09	-13	Pass	8000




**1.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2985
30	1000	0.1	RMS	830.698	-64.06	-13	Pass	9699
1000	1840	1	RMS	1840	-43.61	-13	Pass	840
1840	1920	1	RMS	1850.2	23.37	60	Pass	401
1920	3000	1	RMS	2950.955	-48.81	-13	Pass	1080
3000	12000	1	RMS	11716.649	-41.66	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.07	-13	Pass	8000




**1.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.06	-13	Pass	9699
1000	1840	1	RMS	1840	-44.65	-13	Pass	840
1840	1920	1	RMS	1850.2	22.21	60	Pass	401
1920	3000	1	RMS	2947.952	-48.78	-13	Pass	1080
3000	12000	1	RMS	11701.631	-41.73	-13	Pass	9000
12000	20000	1	RMS	19411.926	-35.05	-13	Pass	8000



**1.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	Pass	2985
30	1000	0.1	RMS	840.099	-64.04	-13	Pass	9699
1000	1840	1	RMS	1840	-52.1	-13	Pass	840
1840	1920	1	RMS	1877.8	23.09	60	Pass	401
1920	3000	1	RMS	2949.954	-48.8	-13	Pass	1080
3000	12000	1	RMS	11699.628	-41.74	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35	-13	Pass	8000






**1.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	Pass	2985
30	1000	0.1	RMS	856.309	-63.97	-13	Pass	9699
1000	1840	1	RMS	1840	-52.19	-13	Pass	840
1840	1920	1	RMS	1877.8	22.6	60	Pass	401
1920	3000	1	RMS	2955.959	-48.78	-13	Pass	1080
3000	12000	1	RMS	11711.643	-41.68	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.02	-13	Pass	8000




**1.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2985
30	1000	0.1	RMS	836.098	-64.06	-13	Pass	9699
1000	1840	1	RMS	1833.993	-52.5	-13	Pass	840
1840	1920	1	RMS	1905.2	23.19	60	Pass	401
1920	3000	1	RMS	1920	-48.25	-13	Pass	1080
3000	12000	1	RMS	11708.639	-41.74	-13	Pass	9000
12000	20000	1	RMS	19402.925	-35.02	-13	Pass	8000




**1.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2985
30	1000	0.1	RMS	852.905	-64.09	-13	Pass	9699
1000	1840	1	RMS	1826.985	-52.52	-13	Pass	840
1840	1920	1	RMS	1905.2	22.26	60	Pass	401
1920	3000	1	RMS	1920	-48.58	-13	Pass	1080
3000	12000	1	RMS	11693.621	-41.73	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.98	-13	Pass	8000




**1.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	Pass	2985
30	1000	0.1	RMS	846.5	-63.99	-13	Pass	9699
1000	1840	1	RMS	1840	-43.18	-13	Pass	840
1840	1920	1	RMS	1850.4	23.27	60	Pass	401
1920	3000	1	RMS	2957.961	-48.78	-13	Pass	1080
3000	12000	1	RMS	11720.654	-41.77	-13	Pass	9000
12000	20000	1	RMS	19695.962	-35.09	-13	Pass	8000




**1.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2985
30	1000	0.1	RMS	931.609	-64.19	-13	Pass	9699
1000	1840	1	RMS	1838.999	-44.38	-13	Pass	840
1840	1920	1	RMS	1850.4	22.44	60	Pass	401
1920	3000	1	RMS	2959.963	-48.77	-13	Pass	1080
3000	12000	1	RMS	11694.622	-41.72	-13	Pass	9000
12000	20000	1	RMS	19407.926	-35.05	-13	Pass	8000




**1.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2985
30	1000	0.1	RMS	829.898	-64.05	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.04	-13	Pass	840
1840	1920	1	RMS	1875.4	23.34	60	Pass	401
1920	3000	1	RMS	2951.956	-48.77	-13	Pass	1080
3000	12000	1	RMS	11724.659	-41.69	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.04	-13	Pass	8000




**1.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.43	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.08	-13	Pass	9699
1000	1840	1	RMS	1840	-52.2	-13	Pass	840
1840	1920	1	RMS	1875.4	23.1	60	Pass	401
1920	3000	1	RMS	2948.953	-48.83	-13	Pass	1080
3000	12000	1	RMS	11718.652	-41.74	-13	Pass	9000
12000	20000	1	RMS	19406.926	-35.06	-13	Pass	8000



**1.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2985
30	1000	0.1	RMS	842.499	-64.1	-13	Pass	9699
1000	1840	1	RMS	1833.993	-52.47	-13	Pass	840
1840	1920	1	RMS	1900.4	23.35	60	Pass	401
1920	3000	1	RMS	2950.955	-48.78	-13	Pass	1080
3000	12000	1	RMS	11696.625	-41.79	-13	Pass	9000
12000	20000	1	RMS	19900.988	-35.08	-13	Pass	8000






**1.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	833.598	-64.06	-13	Pass	9699
1000	1840	1	RMS	1829.988	-52.52	-13	Pass	840
1840	1920	1	RMS	1900.4	22.54	60	Pass	401
1920	3000	1	RMS	2958.962	-48.8	-13	Pass	1080
3000	12000	1	RMS	11703.633	-41.77	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.05	-13	Pass	8000




**1.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2985
30	1000	0.1	RMS	876.636	-64.03	-13	Pass	9699
1000	1840	1	RMS	1836.996	-33.15	-13	Pass	840
1840	1920	1	RMS	1850.8	23.34	60	Pass	401
1920	3000	1	RMS	2946.951	-48.82	-13	Pass	1080
3000	12000	1	RMS	11713.646	-41.81	-13	Pass	9000
12000	20000	1	RMS	19406.926	-35.04	-13	Pass	8000




**1.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.23	-13	Pass	2985
30	1000	0.1	RMS	854.407	-64.06	-13	Pass	9699
1000	1840	1	RMS	1837.998	-34.47	-13	Pass	840
1840	1920	1	RMS	1850.8	22.55	60	Pass	401
1920	3000	1	RMS	2954.958	-48.78	-13	Pass	1080
3000	12000	1	RMS	11690.617	-41.79	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.02	-13	Pass	8000




**1.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	Pass	2985
30	1000	0.1	RMS	851.403	-63.97	-13	Pass	9699
1000	1840	1	RMS	1840	-52.03	-13	Pass	840
1840	1920	1	RMS	1873.2	23.7	60	Pass	401
1920	3000	1	RMS	2954.958	-48.79	-13	Pass	1080
3000	12000	1	RMS	11692.62	-41.74	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.98	-13	Pass	8000




**1.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.62	-13	Pass	2985
30	1000	0.1	RMS	985.781	-63.99	-13	Pass	9699
1000	1840	1	RMS	1840	-52.1	-13	Pass	840
1840	1920	1	RMS	1873.2	23.11	60	Pass	401
1920	3000	1	RMS	2945.95	-48.85	-13	Pass	1080
3000	12000	1	RMS	11720.654	-41.74	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.04	-13	Pass	8000




**1.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.32	-13	Pass	2985
30	1000	0.1	RMS	851.403	-64.04	-13	Pass	9699
1000	1840	1	RMS	1840	-52.48	-13	Pass	840
1840	1920	1	RMS	1895.8	23.56	60	Pass	401
1920	3000	1	RMS	2960.964	-48.78	-13	Pass	1080
3000	12000	1	RMS	11686.612	-41.79	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.04	-13	Pass	8000




**1.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	1000	0.1	RMS	829.398	-63.97	-13	Pass	9699
1000	1840	1	RMS	1840	-52.43	-13	Pass	840
1840	1920	1	RMS	1895.8	22.47	60	Pass	401
1920	3000	1	RMS	2956.96	-48.77	-13	Pass	1080
3000	12000	1	RMS	11727.663	-41.81	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.07	-13	Pass	8000



**1.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.46	-13	Pass	2985
30	1000	0.1	RMS	829.598	-64.13	-13	Pass	9699
1000	1840	1	RMS	1832.992	-37.81	-13	Pass	840
1840	1920	1	RMS	1851	23.43	60	Pass	401
1920	3000	1	RMS	2958.962	-48.82	-13	Pass	1080
3000	12000	1	RMS	11746.686	-41.78	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.06	-13	Pass	8000






**1.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	Pass	2985
30	1000	0.1	RMS	852.004	-63.97	-13	Pass	9699
1000	1840	1	RMS	1832.992	-39.45	-13	Pass	840
1840	1920	1	RMS	1851	23.01	60	Pass	401
1920	3000	1	RMS	2950.955	-48.73	-13	Pass	1080
3000	12000	1	RMS	11711.643	-41.8	-13	Pass	9000
12000	20000	1	RMS	19405.926	-34.99	-13	Pass	8000




**1.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2985
30	1000	0.1	RMS	851.803	-64.11	-13	Pass	9699
1000	1840	1	RMS	1834.994	-47.38	-13	Pass	840
1840	1920	1	RMS	1871	23.52	60	Pass	401
1920	3000	1	RMS	2959.963	-48.79	-13	Pass	1080
3000	12000	1	RMS	11709.641	-41.69	-13	Pass	9000
12000	20000	1	RMS	19406.926	-35.07	-13	Pass	8000




**1.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	Pass	2985
30	1000	0.1	RMS	837.199	-63.9	-13	Pass	9699
1000	1840	1	RMS	1834.994	-48.9	-13	Pass	840
1840	1920	1	RMS	1871	22.51	60	Pass	401
1920	3000	1	RMS	2953.957	-48.85	-13	Pass	1080
3000	12000	1	RMS	11698.627	-41.79	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.06	-13	Pass	8000




**1.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2985
30	1000	0.1	RMS	830.098	-64.11	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.42	-13	Pass	840
1840	1920	1	RMS	1891	23.48	60	Pass	401
1920	3000	1	RMS	2956.96	-48.82	-13	Pass	1080
3000	12000	1	RMS	11700.629	-41.78	-13	Pass	9000
12000	20000	1	RMS	19414.927	-35.1	-13	Pass	8000



**1.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	Pass	2985
30	1000	0.1	RMS	830.198	-64.15	-13	Pass	9699
1000	1840	1	RMS	1840	-52.38	-13	Pass	840
1840	1920	1	RMS	1891	23.15	60	Pass	401
1920	3000	1	RMS	2951.956	-48.78	-13	Pass	1080
3000	12000	1	RMS	11699.628	-41.73	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.07	-13	Pass	8000



## 2. LTE\_Band4


**2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	1000	0.1	RMS	990.988	-64.1	-13	Pass	9699
1000	1700	1	RMS	1700	-46.36	-13	Pass	700
1700	1765	1	RMS	1710.238	22.98	60	Pass	401
1765	3000	1	RMS	2957.966	-48.78	-13	Pass	1235
3000	12000	1	RMS	11697.626	-41.78	-13	Pass	9000
12000	20000	1	RMS	19393.924	-35.07	-13	Pass	8000




**2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	Pass	2985
30	1000	0.1	RMS	831.298	-63.93	-13	Pass	9699
1000	1700	1	RMS	1700	-46.82	-13	Pass	700
1700	1765	1	RMS	1710.238	21.99	60	Pass	401
1765	3000	1	RMS	2955.964	-48.76	-13	Pass	1235
3000	12000	1	RMS	11691.618	-41.76	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.09	-13	Pass	8000



**2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2985
30	1000	0.1	RMS	850.001	-64.17	-13	Pass	9699
1000	1700	1	RMS	1700	-52.31	-13	Pass	700
1700	1765	1	RMS	1732.013	22.71	60	Pass	401
1765	3000	1	RMS	2944.955	-48.81	-13	Pass	1235
3000	12000	1	RMS	11707.638	-41.76	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.02	-13	Pass	8000






**2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2985
30	1000	0.1	RMS	836.898	-63.96	-13	Pass	9699
1000	1700	1	RMS	1700	-52.47	-13	Pass	700
1700	1765	1	RMS	1732.013	22.4	60	Pass	401
1765	3000	1	RMS	2954.964	-48.81	-13	Pass	1235
3000	12000	1	RMS	11697.626	-41.72	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.1	-13	Pass	8000




**2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	1000	0.1	RMS	851.503	-64.05	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.78	-13	Pass	700
1700	1765	1	RMS	1753.788	22.86	60	Pass	401
1765	3000	1	RMS	1765	-45.51	-13	Pass	1235
3000	12000	1	RMS	11717.651	-41.77	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.04	-13	Pass	8000




**2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2985
30	1000	0.1	RMS	855.308	-64.11	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.82	-13	Pass	700
1700	1765	1	RMS	1753.788	21.9	60	Pass	401
1765	3000	1	RMS	1766.001	-45.26	-13	Pass	1235
3000	12000	1	RMS	11698.627	-41.76	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.08	-13	Pass	8000




**2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.53	-13	Pass	2985
30	1000	0.1	RMS	837.499	-64.06	-13	Pass	9699
1000	1700	1	RMS	1700	-46.22	-13	Pass	700
1700	1765	1	RMS	1710.238	22.86	60	Pass	401
1765	3000	1	RMS	2949.959	-48.81	-13	Pass	1235
3000	12000	1	RMS	11703.633	-41.78	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.08	-13	Pass	8000




**2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.06	-13	Pass	9699
1000	1700	1	RMS	1700	-46.83	-13	Pass	700
1700	1765	1	RMS	1710.238	21.8	60	Pass	401
1765	3000	1	RMS	2956.965	-48.76	-13	Pass	1235
3000	12000	1	RMS	11721.656	-41.82	-13	Pass	9000
12000	20000	1	RMS	19394.924	-35.1	-13	Pass	8000




**2.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	Pass	2985
30	1000	0.1	RMS	853.305	-63.89	-13	Pass	9699
1000	1700	1	RMS	1700	-52.36	-13	Pass	700
1700	1765	1	RMS	1731.2	22.54	60	Pass	401
1765	3000	1	RMS	2954.964	-48.81	-13	Pass	1235
3000	12000	1	RMS	11687.613	-41.81	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.08	-13	Pass	8000




**2.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2985
30	1000	0.1	RMS	849.3	-64.17	-13	Pass	9699
1000	1700	1	RMS	1700	-52.37	-13	Pass	700
1700	1765	1	RMS	1731.2	21.82	60	Pass	401
1765	3000	1	RMS	2956.965	-48.81	-13	Pass	1235
3000	12000	1	RMS	11702.632	-41.71	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.08	-13	Pass	8000



**2.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.84	-13	Pass	2985
30	1000	0.1	RMS	857.211	-64.04	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.73	-13	Pass	700
1700	1765	1	RMS	1752.163	22.78	60	Pass	401
1765	3000	1	RMS	1765	-45.3	-13	Pass	1235
3000	12000	1	RMS	11701.631	-41.74	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.08	-13	Pass	8000






**2.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	Pass	2985
30	1000	0.1	RMS	832.398	-64.13	-13	Pass	9699
1000	1700	1	RMS	1700	-52.75	-13	Pass	700
1700	1765	1	RMS	1752.163	21.7	60	Pass	401
1765	3000	1	RMS	1765	-47.05	-13	Pass	1235
3000	12000	1	RMS	11697.626	-41.77	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.1	-13	Pass	8000




**2.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.02	-13	Pass	9699
1000	1700	1	RMS	1700	-46.27	-13	Pass	700
1700	1765	1	RMS	1710.238	22.7	60	Pass	401
1765	3000	1	RMS	2955.964	-48.85	-13	Pass	1235
3000	12000	1	RMS	11707.638	-41.75	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.03	-13	Pass	8000




**2.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.47	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-13	Pass	2985
30	1000	0.1	RMS	845.3	-64.12	-13	Pass	9699
1000	1700	1	RMS	1700	-46.82	-13	Pass	700
1700	1765	1	RMS	1710.238	21.77	60	Pass	401
1765	3000	1	RMS	2952.962	-48.83	-13	Pass	1235
3000	12000	1	RMS	11696.625	-41.73	-13	Pass	9000
12000	20000	1	RMS	19395.924	-35.05	-13	Pass	8000




**2.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	Pass	2985
30	1000	0.1	RMS	858.612	-64.09	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.36	-13	Pass	700
1700	1765	1	RMS	1730.225	22.46	60	Pass	401
1765	3000	1	RMS	2957.966	-48.88	-13	Pass	1235
3000	12000	1	RMS	11700.629	-41.75	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.05	-13	Pass	8000




**2.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2985
30	1000	0.1	RMS	849.5	-64.05	-13	Pass	9699
1000	1700	1	RMS	1700	-52.39	-13	Pass	700
1700	1765	1	RMS	1730.225	22.37	60	Pass	401
1765	3000	1	RMS	2953.963	-48.81	-13	Pass	1235
3000	12000	1	RMS	11693.621	-41.78	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.05	-13	Pass	8000




**2.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.14	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.79	-13	Pass	700
1700	1765	1	RMS	1750.213	22.75	60	Pass	401
1765	3000	1	RMS	1765	-47.04	-13	Pass	1235
3000	12000	1	RMS	11703.633	-41.8	-13	Pass	9000
12000	20000	1	RMS	19724.966	-35.1	-13	Pass	8000




**2.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2985
30	1000	0.1	RMS	850.802	-64.01	-13	Pass	9699
1000	1700	1	RMS	1700	-52.75	-13	Pass	700
1700	1765	1	RMS	1750.213	21.79	60	Pass	401
1765	3000	1	RMS	1765	-46.8	-13	Pass	1235
3000	12000	1	RMS	11718.652	-41.73	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.04	-13	Pass	8000



**2.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2985
30	1000	0.1	RMS	860.515	-64.14	-13	Pass	9699
1000	1700	1	RMS	1700	-45.71	-13	Pass	700
1700	1765	1	RMS	1710.563	22.71	60	Pass	401
1765	3000	1	RMS	2956.965	-48.8	-13	Pass	1235
3000	12000	1	RMS	11705.636	-41.74	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.05	-13	Pass	8000






**2.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	Pass	2985
30	1000	0.1	RMS	846.4	-64.15	-13	Pass	9699
1000	1700	1	RMS	1700	-47.22	-13	Pass	700
1700	1765	1	RMS	1710.563	21.91	60	Pass	401
1765	3000	1	RMS	2957.966	-48.78	-13	Pass	1235
3000	12000	1	RMS	11705.636	-41.76	-13	Pass	9000
12000	20000	1	RMS	19401.925	-34.92	-13	Pass	8000




**2.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	848.8	-64.03	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.34	-13	Pass	700
1700	1765	1	RMS	1727.95	22.89	60	Pass	401
1765	3000	1	RMS	2952.962	-48.78	-13	Pass	1235
3000	12000	1	RMS	11728.664	-41.8	-13	Pass	9000
12000	20000	1	RMS	19392.924	-35.07	-13	Pass	8000




**2.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2985
30	1000	0.1	RMS	831.098	-63.96	-13	Pass	9699
1000	1700	1	RMS	1700	-52.45	-13	Pass	700
1700	1765	1	RMS	1727.95	22.11	60	Pass	401
1765	3000	1	RMS	2946.957	-48.8	-13	Pass	1235
3000	12000	1	RMS	11700.629	-41.78	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.06	-13	Pass	8000




**2.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.1	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.7	-13	Pass	700
1700	1765	1	RMS	1745.5	22.94	60	Pass	401
1765	3000	1	RMS	2948.959	-48.85	-13	Pass	1235
3000	12000	1	RMS	11694.622	-41.8	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.05	-13	Pass	8000




**2.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2985
30	1000	0.1	RMS	834.198	-64.14	-13	Pass	9699
1000	1700	1	RMS	1700	-52.69	-13	Pass	700
1700	1765	1	RMS	1745.5	22.22	60	Pass	401
1765	3000	1	RMS	2948.959	-48.82	-13	Pass	1235
3000	12000	1	RMS	11702.632	-41.74	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.06	-13	Pass	8000




**2.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2985
30	1000	0.1	RMS	856.41	-63.88	-13	Pass	9699
1000	1700	1	RMS	1697.997	-36.43	-13	Pass	700
1700	1765	1	RMS	1710.725	22.73	60	Pass	401
1765	3000	1	RMS	2945.956	-48.78	-13	Pass	1235
3000	12000	1	RMS	11708.639	-41.76	-13	Pass	9000
12000	20000	1	RMS	19392.924	-35.04	-13	Pass	8000




**2.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2985
30	1000	0.1	RMS	854.707	-64	-13	Pass	9699
1000	1700	1	RMS	1697.997	-37.48	-13	Pass	700
1700	1765	1	RMS	1710.725	22.04	60	Pass	401
1765	3000	1	RMS	2950.96	-48.81	-13	Pass	1235
3000	12000	1	RMS	11707.638	-41.77	-13	Pass	9000
12000	20000	1	RMS	19411.926	-35.04	-13	Pass	8000



**2.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	Pass	2985
30	1000	0.1	RMS	853.606	-64.14	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.6	-13	Pass	700
1700	1765	1	RMS	1725.675	22.99	60	Pass	401
1765	3000	1	RMS	2955.964	-48.8	-13	Pass	1235
3000	12000	1	RMS	11710.642	-41.73	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.09	-13	Pass	8000






**2.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	1000	0.1	RMS	839.999	-64.12	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.86	-13	Pass	700
1700	1765	1	RMS	1725.838	22.54	60	Pass	401
1765	3000	1	RMS	2950.96	-48.84	-13	Pass	1235
3000	12000	1	RMS	11704.634	-41.75	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.06	-13	Pass	8000




**2.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2985
30	1000	0.1	RMS	853.105	-64.03	-13	Pass	9699
1000	1700	1	RMS	1700	-52.54	-13	Pass	700
1700	1765	1	RMS	1740.788	22.83	60	Pass	401
1765	3000	1	RMS	1767.002	-46.96	-13	Pass	1235
3000	12000	1	RMS	11711.643	-41.75	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.03	-13	Pass	8000




**2.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.9	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.99	-13	Pass	2985
30	1000	0.1	RMS	830.098	-64	-13	Pass	9699
1000	1700	1	RMS	1700	-52.65	-13	Pass	700
1700	1765	1	RMS	1740.788	22.06	60	Pass	401
1765	3000	1	RMS	1767.002	-47.27	-13	Pass	1235
3000	12000	1	RMS	11699.628	-41.74	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.05	-13	Pass	8000




**2.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	1000	0.1	RMS	829.498	-64.03	-13	Pass	9699
1000	1700	1	RMS	1692.99	-41.39	-13	Pass	700
1700	1765	1	RMS	1710.888	22.74	60	Pass	401
1765	3000	1	RMS	2951.961	-48.75	-13	Pass	1235
3000	12000	1	RMS	11702.632	-41.78	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.07	-13	Pass	8000




**2.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	Pass	2985
30	1000	0.1	RMS	838.199	-64.11	-13	Pass	9699
1000	1700	1	RMS	1692.99	-43.76	-13	Pass	700
1700	1765	1	RMS	1711.05	21.79	60	Pass	401
1765	3000	1	RMS	2954.964	-48.78	-13	Pass	1235
3000	12000	1	RMS	11742.682	-41.67	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.08	-13	Pass	8000




**2.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2985
30	1000	0.1	RMS	846.6	-64.09	-13	Pass	9699
1000	1700	1	RMS	1700	-51.33	-13	Pass	700
1700	1765	1	RMS	1723.563	22.94	60	Pass	401
1765	3000	1	RMS	2951.961	-48.81	-13	Pass	1235
3000	12000	1	RMS	11734.672	-41.78	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.02	-13	Pass	8000




**2.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	851.503	-64.06	-13	Pass	9699
1000	1700	1	RMS	1700	-51.58	-13	Pass	700
1700	1765	1	RMS	1723.563	22.08	60	Pass	401
1765	3000	1	RMS	2957.966	-48.78	-13	Pass	1235
3000	12000	1	RMS	11718.652	-41.73	-13	Pass	9000
12000	20000	1	RMS	19395.924	-34.99	-13	Pass	8000



**2.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2985
30	1000	0.1	RMS	855.709	-64.05	-13	Pass	9699
1000	1700	1	RMS	1700	-51.95	-13	Pass	700
1700	1765	1	RMS	1736.075	22.85	60	Pass	401
1765	3000	1	RMS	1772.006	-42.52	-13	Pass	1235
3000	12000	1	RMS	11711.643	-41.74	-13	Pass	9000
12000	20000	1	RMS	19393.924	-35.09	-13	Pass	8000





**2.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	1000	0.1	RMS	841.699	-64.06	-13	Pass	9699
1000	1700	1	RMS	1700	-52.04	-13	Pass	700
1700	1765	1	RMS	1736.075	22.01	60	Pass	401
1765	3000	1	RMS	1772.006	-43.19	-13	Pass	1235
3000	12000	1	RMS	11700.629	-41.81	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.95	-13	Pass	8000



### 3. LTE\_Band5


**3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.31	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.33	-13	Pass	2985
30	814	0.1	RMS	812.6	-56.1	-13	Pass	7840
814	860	0.1	RMS	824.222	20.26	60	Pass	460
860	1000	0.1	RMS	985.99	-64.21	-13	Pass	1400
1000	3000	1	RMS	2956.978	-48.75	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.77	-13	Pass	7000




**3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.09	-13	Pass	401
0.15	30	0.01	RMS	23.998	-67.93	-13	Pass	2985
30	814	0.1	RMS	813.5	-55.69	-13	Pass	7840
814	860	0.1	RMS	824.222	19.58	60	Pass	460
860	1000	0.1	RMS	861.801	-64.06	-13	Pass	1400
1000	3000	1	RMS	2954.977	-48.78	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.78	-13	Pass	7000




**3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.82	-13	Pass	401
0.15	30	0.01	RMS	23.768	-68.27	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.85	-13	Pass	7840
814	860	0.1	RMS	836.048	20.82	60	Pass	460
860	1000	0.1	RMS	863.102	-64.13	-13	Pass	1400
1000	3000	1	RMS	2956.978	-48.77	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.77	-13	Pass	7000




**3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-66.92	-13	Pass	401
0.15	30	0.01	RMS	23.868	-68.57	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.61	-13	Pass	7840
814	860	0.1	RMS	836.048	19.84	60	Pass	460
860	1000	0.1	RMS	983.088	-64.03	-13	Pass	1400
1000	3000	1	RMS	2953.977	-48.77	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.8	-13	Pass	7000




**3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.74	-13	Pass	401
0.15	30	0.01	RMS	23.868	-68.26	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.76	-13	Pass	7840
814	860	0.1	RMS	847.874	20.64	60	Pass	460
860	1000	0.1	RMS	860.4	-64.01	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.49	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.87	-13	Pass	7000




**3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.61	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.01	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.64	-13	Pass	7840
814	860	0.1	RMS	847.874	20.04	60	Pass	460
860	1000	0.1	RMS	860.2	-63.98	-13	Pass	1400
1000	3000	1	RMS	2958.979	-48.78	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.78	-13	Pass	7000



**3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-66.55	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.18	-13	Pass	2985
30	814	0.1	RMS	813.5	-55.48	-13	Pass	7840
814	860	0.1	RMS	824.222	20.73	60	Pass	460
860	1000	0.1	RMS	923.545	-64.18	-13	Pass	1400
1000	3000	1	RMS	2953.977	-48.72	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.8	-13	Pass	7000






**3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-65.4	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.13	-13	Pass	2985
30	814	0.1	RMS	813.5	-55.57	-13	Pass	7840
814	860	0.1	RMS	824.222	19.56	60	Pass	460
860	1000	0.1	RMS	879.214	-64.13	-13	Pass	1400
1000	3000	1	RMS	2948.974	-48.8	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.78	-13	Pass	7000




**3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-67.09	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.26	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.69	-13	Pass	7840
814	860	0.1	RMS	835.246	20.51	60	Pass	460
860	1000	0.1	RMS	865.004	-64.09	-13	Pass	1400
1000	3000	1	RMS	2953.977	-48.72	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.67	-13	Pass	7000




**3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-65.36	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.25	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.7	-13	Pass	7840
814	860	0.1	RMS	835.246	20.15	60	Pass	460
860	1000	0.1	RMS	860.901	-64.06	-13	Pass	1400
1000	3000	1	RMS	2951.976	-48.76	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.81	-13	Pass	7000




**3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-65.19	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.53	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.66	-13	Pass	7840
814	860	0.1	RMS	846.27	20.29	60	Pass	460
860	1000	0.1	RMS	936.254	-64.11	-13	Pass	1400
1000	3000	1	RMS	2954.977	-48.71	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.75	-13	Pass	7000




**3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.48	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.43	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.6	-13	Pass	7840
814	860	0.1	RMS	846.27	19.51	60	Pass	460
860	1000	0.1	RMS	865.104	-64.02	-13	Pass	1400
1000	3000	1	RMS	2950.975	-48.78	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.73	-13	Pass	7000




**3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.41	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.31	-13	Pass	2985
30	814	0.1	RMS	813.6	-55.32	-13	Pass	7840
814	860	0.1	RMS	824.322	20.09	60	Pass	460
860	1000	0.1	RMS	977.784	-64.08	-13	Pass	1400
1000	3000	1	RMS	2952.976	-48.72	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.81	-13	Pass	7000




**3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.76	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.55	-13	Pass	2985
30	814	0.1	RMS	813.5	-55.34	-13	Pass	7840
814	860	0.1	RMS	824.322	19	60	Pass	460
860	1000	0.1	RMS	956.269	-64.05	-13	Pass	1400
1000	3000	1	RMS	2950.975	-48.74	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.81	-13	Pass	7000



**3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.12	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.34	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.72	-13	Pass	7840
814	860	0.1	RMS	834.344	20.31	60	Pass	460
860	1000	0.1	RMS	862.402	-64.1	-13	Pass	1400
1000	3000	1	RMS	2952.976	-48.77	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.68	-13	Pass	7000






**3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-65.71	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.73	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.69	-13	Pass	7840
814	860	0.1	RMS	834.344	19.56	60	Pass	460
860	1000	0.1	RMS	865.304	-64.15	-13	Pass	1400
1000	3000	1	RMS	2950.975	-48.79	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.72	-13	Pass	7000




**3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-65.92	-13	Pass	401
0.15	30	0.01	RMS	23.998	-67.73	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.6	-13	Pass	7840
814	860	0.1	RMS	844.366	19.73	60	Pass	460
860	1000	0.1	RMS	963.874	-64.1	-13	Pass	1400
1000	3000	1	RMS	2954.977	-48.74	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.76	-13	Pass	7000




**3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-65.35	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.24	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.53	-13	Pass	7840
814	860	0.1	RMS	844.366	19.06	60	Pass	460
860	1000	0.1	RMS	861.901	-63.87	-13	Pass	1400
1000	3000	1	RMS	2950.975	-48.77	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.84	-13	Pass	7000




**3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-65.21	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.23	-13	Pass	2985
30	814	0.1	RMS	806.999	-52.42	-13	Pass	7840
814	860	0.1	RMS	824.623	20.1	60	Pass	460
860	1000	0.1	RMS	917.241	-64.08	-13	Pass	1400
1000	3000	1	RMS	2950.975	-48.73	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.74	-13	Pass	7000




**3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.29	-13	Pass	401
0.15	30	0.01	RMS	23.998	-67.67	-13	Pass	2985
30	814	0.1	RMS	806.899	-53.35	-13	Pass	7840
814	860	0.1	RMS	824.623	19.37	60	Pass	460
860	1000	0.1	RMS	929.75	-64.14	-13	Pass	1400
1000	3000	1	RMS	2948.974	-48.77	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.83	-13	Pass	7000




**3.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.67	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.12	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.33	-13	Pass	7840
814	860	0.1	RMS	832.139	19.91	60	Pass	460
860	1000	0.1	RMS	886.819	-64.17	-13	Pass	1400
1000	3000	1	RMS	2956.978	-48.77	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.77	-13	Pass	7000




**3.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-65.34	-13	Pass	401
0.15	30	0.01	RMS	23.998	-67.59	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.49	-13	Pass	7840
814	860	0.1	RMS	832.039	18.83	60	Pass	460
860	1000	0.1	RMS	866.705	-64.09	-13	Pass	1400
1000	3000	1	RMS	2947.974	-48.77	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.85	-13	Pass	7000



**3.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-64.92	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.69	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.69	-13	Pass	7840
814	860	0.1	RMS	839.556	20.06	60	Pass	460
860	1000	0.1	RMS	860.1	-64.07	-13	Pass	1400
1000	3000	1	RMS	2954.977	-48.72	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.8	-13	Pass	7000





**3.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-64.96	-13	Pass	401
0.15	30	0.01	RMS	23.998	-68.19	-13	Pass	2985
30	814	0.1	RMS	60.004	-56.97	-13	Pass	7840
814	860	0.1	RMS	839.556	19.28	60	Pass	460
860	1000	0.1	RMS	862.202	-64.15	-13	Pass	1400
1000	3000	1	RMS	2948.974	-48.72	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.85	-13	Pass	7000



## 4. LTE\_Band7


### 4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.31	-25	Pass	2985
30	1000	0.1	RMS	833.798	-64.08	-25	Pass	9699
1000	2490	1	RMS	2490	-43.58	-25	Pass	1490
2490	2580	1	RMS	2500.125	22.69	60	Pass	401
2580	3000	1	RMS	2956.897	-48.85	-25	Pass	420
3000	12000	1	RMS	6972.485	-51.01	-25	Pass	9000
12000	26000	1	RMS	25991.999	-37.23	-25	Pass	14000




**4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-25	Pass	2985
30	1000	0.1	RMS	844.599	-64.05	-25	Pass	9699
1000	2490	1	RMS	2488.999	-44.76	-25	Pass	1490
2490	2580	1	RMS	2500.125	21.69	60	Pass	401
2580	3000	1	RMS	2951.885	-48.83	-25	Pass	420
3000	12000	1	RMS	6970.485	-50.89	-25	Pass	9000
12000	26000	1	RMS	25994.999	-37.8	-25	Pass	14000




**4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-25	Pass	2985
30	1000	0.1	RMS	838.399	-63.98	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.44	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.68	60	Pass	401
2580	3000	1	RMS	2955.895	-48.82	-25	Pass	420
3000	12000	1	RMS	6968.484	-50.96	-25	Pass	9000
12000	26000	1	RMS	25994.999	-37.86	-25	Pass	14000




**4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-25	Pass	2985
30	1000	0.1	RMS	830.998	-64.04	-25	Pass	9699
1000	2490	1	RMS	2490	-50.41	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.17	60	Pass	401
2580	3000	1	RMS	2948.878	-48.86	-25	Pass	420
3000	12000	1	RMS	6969.485	-51.04	-25	Pass	9000
12000	26000	1	RMS	25992.999	-37.95	-25	Pass	14000




**4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.98	-25	Pass	9699
1000	2490	1	RMS	2481.995	-50.5	-25	Pass	1490
2490	2580	1	RMS	2565.15	23.05	60	Pass	401
2580	3000	1	RMS	2580	-47.45	-25	Pass	420
3000	12000	1	RMS	6971.485	-51.06	-25	Pass	9000
12000	26000	1	RMS	25988.998	-37.87	-25	Pass	14000




**4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-25	Pass	2985
30	1000	0.1	RMS	604.67	-63.18	-25	Pass	9699
1000	2490	1	RMS	2473.989	-50.51	-25	Pass	1490
2490	2580	1	RMS	2565.15	21.87	60	Pass	401
2580	3000	1	RMS	2580	-47.82	-25	Pass	420
3000	12000	1	RMS	6969.485	-50.94	-25	Pass	9000
12000	26000	1	RMS	25994.999	-37.91	-25	Pass	14000



**4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-25	Pass	2985
30	1000	0.1	RMS	846.9	-64.04	-25	Pass	9699
1000	2490	1	RMS	2490	-43.12	-25	Pass	1490
2490	2580	1	RMS	2500.575	22.58	60	Pass	401
2580	3000	1	RMS	2951.885	-48.85	-25	Pass	420
3000	12000	1	RMS	6969.485	-51.06	-25	Pass	9000
12000	26000	1	RMS	25998	-37.82	-25	Pass	14000






**4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.84	-25	Pass	2985
30	1000	0.1	RMS	847.6	-64.06	-25	Pass	9699
1000	2490	1	RMS	2490	-44.16	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.84	60	Pass	401
2580	3000	1	RMS	2950.883	-48.81	-25	Pass	420
3000	12000	1	RMS	6972.485	-50.98	-25	Pass	9000
12000	26000	1	RMS	25993.999	-37.91	-25	Pass	14000




**4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-25	Pass	2985
30	1000	0.1	RMS	832.398	-63.97	-25	Pass	9699
1000	2490	1	RMS	2490	-50.41	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.93	60	Pass	401
2580	3000	1	RMS	2953.89	-48.83	-25	Pass	420
3000	12000	1	RMS	11697.626	-51.06	-25	Pass	9000
12000	26000	1	RMS	25995.999	-37.85	-25	Pass	14000




**4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.03	-25	Pass	2985
30	1000	0.1	RMS	844.899	-64.08	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.46	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.67	60	Pass	401
2580	3000	1	RMS	2948.878	-48.81	-25	Pass	420
3000	12000	1	RMS	6970.485	-50.98	-25	Pass	9000
12000	26000	1	RMS	25998	-37.93	-25	Pass	14000




**4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-25	Pass	2985
30	1000	0.1	RMS	599.87	-62.41	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.5	-25	Pass	1490
2490	2580	1	RMS	2560.425	23.41	60	Pass	401
2580	3000	1	RMS	2956.897	-48.83	-25	Pass	420
3000	12000	1	RMS	6970.485	-51.04	-25	Pass	9000
12000	26000	1	RMS	25993.999	-37.96	-25	Pass	14000




**4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.31	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.68	-25	Pass	2985
30	1000	0.1	RMS	599.87	-63.18	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.49	-25	Pass	1490
2490	2580	1	RMS	2560.425	22.27	60	Pass	401
2580	3000	1	RMS	2953.89	-48.82	-25	Pass	420
3000	12000	1	RMS	6968.484	-50.99	-25	Pass	9000
12000	26000	1	RMS	25995.999	-37.89	-25	Pass	14000




**4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.03	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.95	-25	Pass	2985
30	1000	0.1	RMS	833.498	-64.14	-25	Pass	9699
1000	2490	1	RMS	2487.999	-32.21	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.69	60	Pass	401
2580	3000	1	RMS	2949.881	-48.84	-25	Pass	420
3000	12000	1	RMS	6968.484	-51	-25	Pass	9000
12000	26000	1	RMS	25995.999	-37.78	-25	Pass	14000




**4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.19	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.81	-25	Pass	2985
30	1000	0.1	RMS	843.599	-64.16	-25	Pass	9699
1000	2490	1	RMS	2487.999	-34.29	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.95	60	Pass	401
2580	3000	1	RMS	2948.878	-48.83	-25	Pass	420
3000	12000	1	RMS	6968.484	-50.93	-25	Pass	9000
12000	26000	1	RMS	25999	-37.91	-25	Pass	14000



**4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-25	Pass	2985
30	1000	0.1	RMS	852.404	-63.86	-25	Pass	9699
1000	2490	1	RMS	2490	-50.11	-25	Pass	1490
2490	2580	1	RMS	2528.25	23.22	60	Pass	401
2580	3000	1	RMS	2957.9	-48.86	-25	Pass	420
3000	12000	1	RMS	6969.485	-51.02	-25	Pass	9000
12000	26000	1	RMS	25999	-37.79	-25	Pass	14000






**4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-25	Pass	2985
30	1000	0.1	RMS	836.698	-64.09	-25	Pass	9699
1000	2490	1	RMS	2490	-50.31	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.71	60	Pass	401
2580	3000	1	RMS	2948.878	-48.85	-25	Pass	420
3000	12000	1	RMS	6973.485	-51.01	-25	Pass	9000
12000	26000	1	RMS	25983.997	-37.95	-25	Pass	14000




**4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.42	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.01	-25	Pass	9699
1000	2490	1	RMS	2477.992	-50.47	-25	Pass	1490
2490	2580	1	RMS	2555.7	23.16	60	Pass	401
2580	3000	1	RMS	2582.005	-37.98	-25	Pass	420
3000	12000	1	RMS	6969.485	-50.91	-25	Pass	9000
12000	26000	1	RMS	26000	-37.8	-25	Pass	14000




**4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.11	-25	Pass	9699
1000	2490	1	RMS	2470.987	-50.55	-25	Pass	1490
2490	2580	1	RMS	2555.7	22.03	60	Pass	401
2580	3000	1	RMS	2582.005	-36.22	-25	Pass	420
3000	12000	1	RMS	11716.649	-50.97	-25	Pass	9000
12000	26000	1	RMS	25992.999	-37.85	-25	Pass	14000




**4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.61	-25	Pass	2985
30	1000	0.1	RMS	851.303	-64.04	-25	Pass	9699
1000	2490	1	RMS	2482.995	-39.33	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.73	60	Pass	401
2580	3000	1	RMS	2950.883	-48.85	-25	Pass	420
3000	12000	1	RMS	6971.485	-51.03	-25	Pass	9000
12000	26000	1	RMS	25998	-37.85	-25	Pass	14000




**4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-25	Pass	2985
30	1000	0.1	RMS	841.699	-64.09	-25	Pass	9699
1000	2490	1	RMS	2482.995	-40.25	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.18	60	Pass	401
2580	3000	1	RMS	2947.876	-48.83	-25	Pass	420
3000	12000	1	RMS	6970.485	-50.93	-25	Pass	9000
12000	26000	1	RMS	25999	-37.77	-25	Pass	14000




**4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-25	Pass	2985
30	1000	0.1	RMS	850.001	-64.07	-25	Pass	9699
1000	2490	1	RMS	2490	-48.45	-25	Pass	1490
2490	2580	1	RMS	2526	23.09	60	Pass	401
2580	3000	1	RMS	2950.883	-48.83	-25	Pass	420
3000	12000	1	RMS	6969.485	-50.88	-25	Pass	9000
12000	26000	1	RMS	25991.999	-37.91	-25	Pass	14000




**4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-25	Pass	2985
30	1000	0.1	RMS	852.605	-64.08	-25	Pass	9699
1000	2490	1	RMS	2490	-49.18	-25	Pass	1490
2490	2580	1	RMS	2526	21.95	60	Pass	401
2580	3000	1	RMS	2951.885	-48.82	-25	Pass	420
3000	12000	1	RMS	6969.485	-50.89	-25	Pass	9000
12000	26000	1	RMS	25996.999	-37.75	-25	Pass	14000



**4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.65	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.58	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.11	-25	Pass	9699
1000	2490	1	RMS	2482.995	-50.48	-25	Pass	1490
2490	2580	1	RMS	2550.975	23.1	60	Pass	401
2580	3000	1	RMS	2586.014	-41.86	-25	Pass	420
3000	12000	1	RMS	6967.484	-50.86	-25	Pass	9000
12000	26000	1	RMS	25970.995	-37.86	-25	Pass	14000





**4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.02	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.61	-25	Pass	9699
1000	2490	1	RMS	2482.995	-50.5	-25	Pass	1490
2490	2580	1	RMS	2550.975	22.44	60	Pass	401
2580	3000	1	RMS	2586.014	-42.57	-25	Pass	420
3000	12000	1	RMS	6969.485	-50.94	-25	Pass	9000
12000	26000	1	RMS	25999	-37.95	-25	Pass	14000



## 5. LTE\_Band12


**5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-66.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2985
30	689	0.1	RMS	36.301	-60.39	-13	Pass	6590
689	726	0.1	RMS	699.268	20.44	60	Pass	401
726	1000	0.1	RMS	844.543	-63.78	-13	Pass	2740
1000	3000	1	RMS	2946.973	-48.7	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.73	-13	Pass	7000




**5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	689	0.1	RMS	37.101	-60.1	-13	Pass	6590
689	726	0.1	RMS	699.268	20.08	60	Pass	401
726	1000	0.1	RMS	848.245	-63.91	-13	Pass	2740
1000	3000	1	RMS	2951.976	-48.69	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.8	-13	Pass	7000




**5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.37	-13	Pass	401
0.15	30	0.01	RMS	24.338	-71.61	-13	Pass	2985
30	689	0.1	RMS	36.901	-60.12	-13	Pass	6590
689	726	0.1	RMS	707.038	20.29	60	Pass	401
726	1000	0.1	RMS	832.639	-63.75	-13	Pass	2740
1000	3000	1	RMS	2954.977	-48.66	-13	Pass	2000
3000	10000	1	RMS	6959.566	-41.8	-13	Pass	7000




**5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.28	-13	Pass	401
0.15	30	0.01	RMS	23.998	-71.28	-13	Pass	2985
30	689	0.1	RMS	37.001	-60.08	-13	Pass	6590
689	726	0.1	RMS	707.038	19.14	60	Pass	401
726	1000	0.1	RMS	843.343	-63.7	-13	Pass	2740
1000	3000	1	RMS	2948.974	-48.69	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.71	-13	Pass	7000




**5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.65	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.58	-13	Pass	2985
30	689	0.1	RMS	36.501	-60.15	-13	Pass	6590
689	726	0.1	RMS	714.808	20.06	60	Pass	401
726	1000	0.1	RMS	854.247	-63.69	-13	Pass	2740
1000	3000	1	RMS	1429.215	-45.93	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.79	-13	Pass	7000




**5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.57	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.35	-13	Pass	2985
30	689	0.1	RMS	36.901	-59.79	-13	Pass	6590
689	726	0.1	RMS	714.808	19.09	60	Pass	401
726	1000	0.1	RMS	843.943	-63.66	-13	Pass	2740
1000	3000	1	RMS	1429.215	-46.68	-13	Pass	2000
3000	10000	1	RMS	6959.566	-41.73	-13	Pass	7000



**5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-66.19	-13	Pass	401
0.15	30	0.01	RMS	23.998	-69.86	-13	Pass	2985
30	689	0.1	RMS	36.501	-60.08	-13	Pass	6590
689	726	0.1	RMS	699.268	20.24	60	Pass	401
726	1000	0.1	RMS	822.035	-63.82	-13	Pass	2740
1000	3000	1	RMS	2952.976	-48.66	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.74	-13	Pass	7000






**5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.9	-13	Pass	401
0.15	30	0.01	RMS	24.008	-70.2	-13	Pass	2985
30	689	0.1	RMS	36.901	-59.9	-13	Pass	6590
689	726	0.1	RMS	699.268	19.48	60	Pass	401
726	1000	0.1	RMS	840.942	-63.9	-13	Pass	2740
1000	3000	1	RMS	2953.977	-48.67	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.74	-13	Pass	7000




**5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-66.07	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.21	-13	Pass	2985
30	689	0.1	RMS	36.301	-59.8	-13	Pass	6590
689	726	0.1	RMS	706.205	20.19	60	Pass	401
726	1000	0.1	RMS	891.66	-63.62	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.35	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.78	-13	Pass	7000




**5.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.49	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.4	-13	Pass	2985
30	689	0.1	RMS	36.701	-59.89	-13	Pass	6590
689	726	0.1	RMS	706.205	19.58	60	Pass	401
726	1000	0.1	RMS	853.346	-63.83	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.67	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.78	-13	Pass	7000




**5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.7	-13	Pass	401
0.15	30	0.01	RMS	23.998	-69.5	-13	Pass	2985
30	689	0.1	RMS	36.901	-59.93	-13	Pass	6590
689	726	0.1	RMS	713.235	20.5	60	Pass	401
726	1000	0.1	RMS	852.146	-63.82	-13	Pass	2740
1000	3000	1	RMS	1426.213	-48.06	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.76	-13	Pass	7000




**5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.73	-13	Pass	401
0.15	30	0.01	RMS	23.998	-69.8	-13	Pass	2985
30	689	0.1	RMS	60.005	-59.53	-13	Pass	6590
689	726	0.1	RMS	713.235	19.53	60	Pass	401
726	1000	0.1	RMS	843.643	-63.75	-13	Pass	2740
1000	3000	1	RMS	2952.976	-48.71	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.78	-13	Pass	7000




**5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-66.2	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.06	-13	Pass	2985
30	689	0.1	RMS	36.301	-59.68	-13	Pass	6590
689	726	0.1	RMS	699.36	20.16	60	Pass	401
726	1000	0.1	RMS	833.339	-63.84	-13	Pass	2740
1000	3000	1	RMS	2951.976	-48.69	-13	Pass	2000
3000	10000	1	RMS	6966.567	-41.73	-13	Pass	7000




**5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.57	-13	Pass	401
0.15	30	0.01	RMS	23.998	-69.6	-13	Pass	2985
30	689	0.1	RMS	60.005	-59.6	-13	Pass	6590
689	726	0.1	RMS	699.36	19.37	60	Pass	401
726	1000	0.1	RMS	849.245	-63.84	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.72	-13	Pass	2000
3000	10000	1	RMS	6967.567	-41.81	-13	Pass	7000



**5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.9	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.93	-13	Pass	2985
30	689	0.1	RMS	37.001	-59.45	-13	Pass	6590
689	726	0.1	RMS	705.373	20.21	60	Pass	401
726	1000	0.1	RMS	846.344	-63.85	-13	Pass	2740
1000	3000	1	RMS	1410.205	-47.55	-13	Pass	2000
3000	10000	1	RMS	6959.566	-41.75	-13	Pass	7000






**5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-68.5	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.63	-13	Pass	2985
30	689	0.1	RMS	36.901	-59.63	-13	Pass	6590
689	726	0.1	RMS	705.373	19.58	60	Pass	401
726	1000	0.1	RMS	906.266	-63.77	-13	Pass	2740
1000	3000	1	RMS	1410.205	-48.01	-13	Pass	2000
3000	10000	1	RMS	6959.566	-41.73	-13	Pass	7000




**5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.88	-13	Pass	401
0.15	30	0.01	RMS	23.998	-69.95	-13	Pass	2985
30	689	0.1	RMS	60.005	-59.58	-13	Pass	6590
689	726	0.1	RMS	711.293	19.74	60	Pass	401
726	1000	0.1	RMS	950.582	-63.77	-13	Pass	2740
1000	3000	1	RMS	2955.978	-48.7	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.87	-13	Pass	7000




**5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-68.72	-13	Pass	401
0.15	30	0.01	RMS	23.998	-69.69	-13	Pass	2985
30	689	0.1	RMS	37.001	-59.53	-13	Pass	6590
689	726	0.1	RMS	711.293	18.61	60	Pass	401
726	1000	0.1	RMS	848.545	-63.85	-13	Pass	2740
1000	3000	1	RMS	2956.978	-48.7	-13	Pass	2000
3000	10000	1	RMS	6966.567	-41.88	-13	Pass	7000




**5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-66	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.42	-13	Pass	2985
30	689	0.1	RMS	36.301	-59.65	-13	Pass	6590
689	726	0.1	RMS	699.545	19.9	60	Pass	401
726	1000	0.1	RMS	850.545	-63.9	-13	Pass	2740
1000	3000	1	RMS	2946.973	-48.72	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.8	-13	Pass	7000




**5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.31	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.05	-13	Pass	2985
30	689	0.1	RMS	37.201	-59.52	-13	Pass	6590
689	726	0.1	RMS	699.545	18.9	60	Pass	401
726	1000	0.1	RMS	858.148	-63.63	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.73	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.8	-13	Pass	7000




**5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-67.57	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.7	-13	Pass	2985
30	689	0.1	RMS	36.301	-59.57	-13	Pass	6590
689	726	0.1	RMS	703.06	20.03	60	Pass	401
726	1000	0.1	RMS	827.837	-63.81	-13	Pass	2740
1000	3000	1	RMS	2951.976	-48.73	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.77	-13	Pass	7000




**5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.35	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.01	-13	Pass	2985
30	689	0.1	RMS	37.001	-59.44	-13	Pass	6590
689	726	0.1	RMS	703.06	19.76	60	Pass	401
726	1000	0.1	RMS	858.348	-63.69	-13	Pass	2740
1000	3000	1	RMS	2954.977	-48.73	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.83	-13	Pass	7000



**5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-66.02	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.41	-13	Pass	2985
30	689	0.1	RMS	36.401	-59.54	-13	Pass	6590
689	726	0.1	RMS	706.575	19.9	60	Pass	401
726	1000	0.1	RMS	834.84	-63.88	-13	Pass	2740
1000	3000	1	RMS	2951.976	-48.73	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.84	-13	Pass	7000





**5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-65.96	-13	Pass	401
0.15	30	0.01	RMS	23.998	-70.02	-13	Pass	2985
30	689	0.1	RMS	60.005	-59.45	-13	Pass	6590
689	726	0.1	RMS	706.575	19.97	60	Pass	401
726	1000	0.1	RMS	848.945	-63.67	-13	Pass	2740
1000	3000	1	RMS	2952.976	-48.76	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.8	-13	Pass	7000



## 6. LTE\_Band13


### 6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2985
30	767	0.1	RMS	766.6	-63.26	-13	Pass	7370
767	797	0.1	RMS	777.35	20.35	60	Pass	401
797	1000	0.1	RMS	848.826	-64.02	-13	Pass	2030
1000	3000	1	RMS	1554.277	-48.06	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.83	-13	Pass	7000




**6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	Pass	2985
30	767	0.1	RMS	766.6	-63.97	-13	Pass	7370
767	797	0.1	RMS	777.35	19.57	60	Pass	401
797	1000	0.1	RMS	961.781	-64.08	-13	Pass	2030
1000	3000	1	RMS	2952.976	-48.81	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.88	-13	Pass	7000




**6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	767	0.1	RMS	737.196	-64.55	-13	Pass	7370
767	797	0.1	RMS	779.825	20.69	60	Pass	401
797	1000	0.1	RMS	854.328	-64.11	-13	Pass	2030
1000	3000	1	RMS	1559.28	-47.2	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.84	-13	Pass	7000




**6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	767	0.1	RMS	744.997	-64.5	-13	Pass	7370
767	797	0.1	RMS	779.825	20.43	60	Pass	401
797	1000	0.1	RMS	865.534	-64	-13	Pass	2030
1000	3000	1	RMS	1559.28	-47.29	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.97	-13	Pass	7000




**6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.84	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.39	-13	Pass	2985
30	767	0.1	RMS	729.795	-64.48	-13	Pass	7370
767	797	0.1	RMS	782.3	20.26	60	Pass	401
797	1000	0.1	RMS	850.626	-64.05	-13	Pass	2030
1000	3000	1	RMS	1564.282	-47.78	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.86	-13	Pass	7000




**6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.65	-13	Pass	2985
30	767	0.1	RMS	753.998	-64.63	-13	Pass	7370
767	797	0.1	RMS	782.375	19.42	60	Pass	401
797	1000	0.1	RMS	828.315	-63.93	-13	Pass	2030
1000	3000	1	RMS	2955.978	-48.76	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.86	-13	Pass	7000



**6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2985
30	767	0.1	RMS	766.9	-62.8	-13	Pass	7370
767	797	0.1	RMS	777.575	20.72	60	Pass	401
797	1000	0.1	RMS	854.228	-63.83	-13	Pass	2030
1000	3000	1	RMS	2953.977	-48.8	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.86	-13	Pass	7000





**6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	Pass	2985
30	767	0.1	RMS	766.9	-63.76	-13	Pass	7370
767	797	0.1	RMS	777.575	19.57	60	Pass	401
797	1000	0.1	RMS	831.517	-63.85	-13	Pass	2030
1000	3000	1	RMS	2949.975	-48.82	-13	Pass	2000
3000	10000	1	RMS	6967.567	-41.88	-13	Pass	7000



## 7. LTE\_Band17

### 7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.66	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.53	-13	Pass	2985
30	694	0.1	RMS	694	-61.6	-13	Pass	6640
694	726	0.1	RMS	704.32	20.55	60	Pass	401
726	1000	0.1	RMS	829.838	-63.82	-13	Pass	2740
1000	3000	1	RMS	1408.204	-47.35	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.84	-13	Pass	7000



**7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	Pass	2985
30	694	0.1	RMS	694	-62.3	-13	Pass	6640
694	726	0.1	RMS	704.32	19.45	60	Pass	401
726	1000	0.1	RMS	850.645	-63.91	-13	Pass	2740
1000	3000	1	RMS	1408.204	-48.3	-13	Pass	2000
3000	10000	1	RMS	6959.566	-41.89	-13	Pass	7000

