



TEST REPORT

No.I22N02185-RF NR

for

unitech electronics co., ltd.

Rugged Handheld Computer

Model Name: PA768

FCC ID: HLEPA768BWNW

with

Hardware Version: FH09_MB_PCB_V1.3

Software Version: RAYA_V03.25b02_20221010

Issued Date: 2023-03-06

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn. www.saict.ac.cn



REPORT HISTORY

Report Number	Revision	Description	Issue Date
I22N02185-RF NR	Rev.0	1st edition	2023-03-06



CONTENTS

1. SUMMARY OF TEST REPORT	4
1.1. TEST ITEMS.....	4
1.2. TEST STANDARDS	4
1.3. TEST RESULT	4
1.4. TESTING LOCATION	4
1.5. PROJECT DATA	4
1.6. SIGNATURE.....	4
2. CLIENT INFORMATION	5
2.1. APPLICANT INFORMATION.....	5
2.2. MANUFACTURER INFORMATION.....	5
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	6
3.1. ABOUT EUT.....	6
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	6
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST.....	6
3.4. GENERAL DESCRIPTION	7
4. REFERENCE DOCUMENTS.....	8
5. LABORATORY ENVIRONMENT.....	9
6. SUMMARY OF TEST RESULTS	10
7. STATEMENT.....	13
8. TEST EQUIPMENTS UTILIZED.....	14
ANNEX A: MEASUREMENT RESULTS	15
A.1 OUTPUT POWER.....	15
A.2 FIELD STRENGTH OF SPURIOUS RADIATION.....	296
A.3 FREQUENCY STABILITY	305
A.4 OCCUPIED BANDWIDTH.....	310
A.5 EMISSION BANDWIDTH	569
A.6 BAND EDGE COMPLIANCE.....	825
A.7 CONDUCTED SPURIOUS EMISSION	859
A.8 PEAK-TO-AVERAGE POWER RATIO	865
ANNEX B CCREDITATION CERTIFICATE.....	905
ANNEX C CERTIFICATE OF BRAND AUTHORIZATION.....	906

1. SUMMARY OF TEST REPORT

1.1. Test Items

Description	Rugged Handheld Computer
Model Name	PA768
Brand Name	unitech
Applicant's name	unitech electronics co., ltd.
Manufacturer's Name	unitech electronics co., ltd.

1.2. Test Standards

FCC Part 2/22/24/27	10-1-20 Edition
ANSI C63.26	2015
KDB971168 D01	v03r01

1.3. Test Result

All test items are pass. Please refer to "6 Summary of Test Results" for detail.

1.4. Testing Location

Address: Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000

1.5. Project Data


Testing Start Date: 2022-11-19

Testing End Date: 2023-02-28

1.6. Signature



Wang Ping
(Prepared this test report)



Huang Qiuqin
(Reviewed this test report)



Zhang Hao
(Approved this test report)



2. CLIENT INFORMATION

2.1. Applicant Information

Company Name: unitech electronics co., ltd.
Address /Post: 5F., No. 136, Ln. 235, Baoqiao Rd., Xindian Dist., New Taipei City 231028 ,
Taiwan
Contact: Ben Chiang
Email: BenC@tw.ute.com
Telephone: 886-2-8912-1122
Fax: 886-2-89121391

2.2. Manufacturer Information

Company Name: unitech electronics co., ltd.
Address /Post: 5F., No. 136, Ln. 235, Baoqiao Rd., Xindian Dist., New Taipei City 231028 ,
Taiwan
Contact: Ben Chiang
Email: BenC@tw.ute.com
Telephone: 886-2-8912-1122
Fax: 886-2-89121391



3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT

(AE)

3.1. About EUT

Description	Rugged Handheld Computer
Model Name	PA768
FCC ID	HLEPA768BWNW
NR Bands	n2,n5,n41,n71,n77,n78
Antenna	Integrated
Extreme vol. Limits	3.40V to 4.40V (nominal: 3.85V)
Condition of EUT as received	No abnormality in appearance

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of SAICT.

3.2. Internal Identification of EUT used during the test

EUT ID*	SN or IMEI	HW Version	SW Version	Date of receipt
UT01aa	358585240005114	FH09_MB_PCB_V1.3	RAYA_V03.25b02_20221010	2022-10-19
UT09aa	358585240001550	FH09_MB_PCB_V1.3	RAYA_V03.25b02_20221010	2022-11-01

*EUT ID: is used to identify the test sample in the lab internally.

UT01aa is used for conduction test, UT09aa is used for radiation test.

3.3. Internal Identification of AE used during the test

AE ID*	Description	SN
AE1	dummy battery	---
AE2	RF cable	---



3.4. General Description

The Equipment Under Test (EUT) is a model Rugged Handheld Computer with PIFA antenna. It consists of normal options: lithium battery, charger. Manual and specifications of the EUT were provided to fulfil the test. Samples undergoing test were selected by the Client.

Note: NR Operating Band information as follow:

NR Bands	Uplink (UL)	Downlink (DL)	SCS (kHz)	Power Class	Bandwidths(MHz)
n2	1850 MHz-1910 MHz	1930MHz-1990MHz	15	3	5/10/15/20
n5	824 MHz-849 MHz	869 MHz-894 MHz	15	3	5/10/15/20
n41	2496MHz-2690MHz	2496MHz-2690MHz	30	2	20/40/50/60/80/90/100
n71	663 MHz-698 MHz	617 MHz-652 MHz	15	3	5/10/15/20
n77L	3450 MHz-3550 MHz	3450 MHz-3550 MHz	30	2	20/40/50/60/80/90/100
n77H	3700 MHz-3980 MHz	3700 MHz-3980 MHz	30	2	20/40/50/60/80/90/100
n78L	3450 MHz-3550 MHz	3450 MHz-3550 MHz	30	2	20/30/40/50/60/70/80/90/100
n78H	3700 MHz -3800 MHz	3700 MHz -3800 MHz	30	2	20/30/40/50/60/70/80/90/100

NR modulation: DFT-s-OFDM Pi/2 BPSK,QPSK, 16QAM, 64QAM, 256QAM; CP-OFDM QPSK, 16QAM,64QAM, 256QAM;



4. REFERENCE DOCUMENTS

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-20 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-20 Edition
FCC Part 2	FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS	10-1-20 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-20 Edition
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB971168 D01	Power Meas License Digital Systems	v03r01

5. LABORATORY ENVIRONMENT

Shielded room did not exceed following limits along the RF testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz>60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	>2 M Ω
Ground system resistance	< 4 Ω

Fully-anechoic chamber did not exceed following limits along the EMC testing

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz> 60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	> 2M Ω
Ground system resistance	< 4 Ω
Voltage Standing Wave Ratio (VSWR)	\leq 6 dB, from 1 to 18 GHz, 3 m distance
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

**6. SUMMARY OF TEST RESULTS**

Abbreviations used in this clause:		
Verdict Column	P	Pass
	F	Fail
	NA	Not applicable
	NM	Not measured

n2

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/24.232	A.1	P
2	Field Strength of Spurious Radiation	2.1053/24.238	A.2	P
3	Frequency Stability	2.1055/24.235	A.3	P
4	Occupied Bandwidth	2.1049/24.238	A.4	P
5	Emission Bandwidth	2.1049/24.238	A.5	P
6	Band Edge Compliance	2.1051/24.238	A.6	P
7	Conducted Spurious Emission	2.1051/24.238	A.7	P
8	Peak-to-Average Power Ratio	24.232/KDB971168 D01	A.8	P

n5

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/22.913	A.1	P
2	Field Strength of Spurious Radiation	2.1053/22.917	A.2	P
3	Frequency Stability	2.1055/22.355	A.3	P
4	Occupied Bandwidth	2.1049/22.917	A.4	P
5	Emission Bandwidth	2.1049/22.917	A.4	P
6	Band Edge Compliance	2.1051/22.917	A.5	P
7	Conducted Spurious Emission	2.1051/22.917	A.6	P
8	Peak-to-Average Power Ratio	KDB971168 D01	A.7	P



n41

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n71

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(c)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(g)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(g)	A.4	P
5	Emission Bandwidth	2.1049/27.53(g)	A.5	P
6	Band Edge Compliance	2.1051/27.53(g)	A.6	P
7	Conducted Spurious Emission	2.1051/27.53(g)	A.7	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971108 D01	A.8	P

n77L(3450MHz-3550MHz)

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(k)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(n)	A.3	P
4	Emission Bandwidth	2.1049/27.53(n)	A.4	P
5	Band Edge Compliance	2.1051/27.53(n)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(n)	A.6	P
7	Peak-to-Average Power Ratio	27.50(k)/ KDB971168 D01	A.7	P

**n77H(3700MHz-3980MHz)**

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(j)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(l)	A.3	P
4	Emission Bandwidth	2.1049/27.53(l)	A.4	P
5	Band Edge Compliance	2.1051/27.53(l)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(l)	A.6	P
7	Peak-to-Average Power Ratio	27.50(j)/ KDB971168 D01	A.7	P

n78L(3450MHz-3550MHz)

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(k)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(n)	A.3	P
4	Emission Bandwidth	2.1049/27.53(n)	A.4	P
5	Band Edge Compliance	2.1051/27.53(n)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(n)	A.6	P
7	Peak-to-Average Power Ratio	27.50(k)/ KDB971168 D01	A.7	P

n78H(3700MHz-3800MHz)

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(j)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(l)	A.3	P
4	Emission Bandwidth	2.1049/27.53(l)	A.4	P
5	Band Edge Compliance	2.1051/27.53(l)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(l)	A.6	P
7	Peak-to-Average Power Ratio	27.50(j)/ KDB971168 D01	A.7	P



7. STATEMENT

Since the information of samples in this report is provided by the client, the laboratory is not responsible for the authenticity of sample information.

This report takes measured values as criterion of test conclusion. The test conclusion meets the limit requirements.

8. TEST EQUIPMENTS UTILIZED

NO.	Description	TYPE	Manufacture	series number	Cal Due Date
1	Test Receiver	ESR7	R&S	101676	2023-11-23
2	BiLog Antenna	3142E	ETS-Lindgren	0224831	2024-05-27
3	Horn Antenna	3117	ETS-Lindgren	00066577	2025-04-17
4	Horn Antenna	QSH-SL-18-26-S-20	Q-par	17013	2024-01-06
5	Antenna	BBHA 9120D	Schwarzbeck	1593	2023-12-05
6	Antenna	VUBA 9117	Schwarzbeck	207	2023-07-15
7	Antenna	QWH-SL-18-40-K-SG	Q-par	15979	2024-01-06
8	preamplifier	83017A	Agilent	MY39501110	/
9	Signal Generator	SMB100A	R&S	179725	2023-11-24
10	Fully Anechoic Chamber	FACT3-2.0	ETS-Lindgren	1285	2023-05-29
11	Spectrum Analyzer	FSV40	R&S	101192	2024-01-12
12	Universal Radio Communication Tester	CMU200	R&S	114545	2024-01-12
13	Universal Radio Communication Tester	CMW500	R&S	152499	2023-07-14
14	UXM 5G Wireless Test Platform	E7515B	Keysight	MY59322022	2023-04-14
15	Universal Radio Communication Tester	MT8821C	Anritsu	6262025268	2023-03-29
16	Universal Radio Communication Tester	MT8000A	Anritsu	6261987936	2023-03-29
17	Universal Radio Communication Tester	CMW500	R&S	129146	2023-04-24
18	Spectrum Analyzer	FSW26	R&S	102197	2023-11-24
19	Temperature Chamber	SH-241	ESPEC	92007516	2023-10-15
20	DC Power Supply	U3606A	Agilent Technologies	MY50450012	2023-11-13

Test software

Item	Name	Vesion
Radiated	EMC32	V10.50.40



ANNEX A: MEASUREMENT RESULTS

A.1 OUTPUT POWER

Reference

FCC: CFR Part 2.1046, 22.913, 24.238 27.50.

A.1.1 Summary

During the process of testing, the EUT was controlled via Rhode & Schwarz Digital Radio Communication tester to ensure max power transmission and proper modulation.

This result contains peak output power and ERP/EIRP measurements for the EUT.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

A.1.2.2 Measurement result

n2

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	21.79
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.27
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.22
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	21.37
n2	5	15	1852.5	DFT	QPSK	Inner_Full	21.87
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	20.92
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	20.84
n2	5	15	1852.5	DFT	QPSK	Outer_Full	20.89
n2	5	15	1852.5	DFT	16QAM	Inner_Full	20.93
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	19.84
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	19.82
n2	5	15	1852.5	DFT	16QAM	Outer_Full	19.97
n2	5	15	1852.5	DFT	64QAM	Inner_Full	19.48
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	19.28
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	19.12
n2	5	15	1852.5	DFT	64QAM	Outer_Full	19.53
n2	5	15	1852.5	DFT	256QAM	Inner_Full	17.37
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	17.20
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	17.09
n2	5	15	1852.5	DFT	256QAM	Outer_Full	17.34
n2	5	15	1852.5	CP	QPSK	Inner_Full	20.39
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	18.87
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	18.79



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1852.5	CP	QPSK	Outer_Full	18.84
n2	5	15	1852.5	CP	16QAM	Inner_Full	20.06
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	19.33
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	19.18
n2	5	15	1852.5	CP	16QAM	Outer_Full	18.79
n2	5	15	1852.5	CP	64QAM	Inner_Full	18.17
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	18.09
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	18.02
n2	5	15	1852.5	CP	64QAM	Outer_Full	18.32
n2	5	15	1852.5	CP	256QAM	Inner_Full	15.38
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	15.06
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	14.95
n2	5	15	1852.5	CP	256QAM	Outer_Full	15.24
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	21.87
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	21.31
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	21.32
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	21.40
n2	5	15	1880	DFT	QPSK	Inner_Full	21.94
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	20.95
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	20.88
n2	5	15	1880	DFT	QPSK	Outer_Full	20.96
n2	5	15	1880	DFT	16QAM	Inner_Full	20.96
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	20.24
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	20.16
n2	5	15	1880	DFT	16QAM	Outer_Full	19.97
n2	5	15	1880	DFT	64QAM	Inner_Full	19.51
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	19.30
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	19.24
n2	5	15	1880	DFT	64QAM	Outer_Full	19.56
n2	5	15	1880	DFT	256QAM	Inner_Full	17.42
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	17.11
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	17.07
n2	5	15	1880	DFT	256QAM	Outer_Full	17.38
n2	5	15	1880	CP	QPSK	Inner_Full	20.40
n2	5	15	1880	CP	QPSK	Edge_1RB_Left	18.86
n2	5	15	1880	CP	QPSK	Edge_1RB_Right	18.76
n2	5	15	1880	CP	QPSK	Outer_Full	18.84
n2	5	15	1880	CP	16QAM	Inner_Full	20.02
n2	5	15	1880	CP	16QAM	Edge_1RB_Left	19.09
n2	5	15	1880	CP	16QAM	Edge_1RB_Right	19.00



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1880	CP	16QAM	Outer_Full	18.92
n2	5	15	1880	CP	64QAM	Inner_Full	18.28
n2	5	15	1880	CP	64QAM	Edge_1RB_Left	18.38
n2	5	15	1880	CP	64QAM	Edge_1RB_Right	18.29
n2	5	15	1880	CP	64QAM	Outer_Full	18.44
n2	5	15	1880	CP	256QAM	Inner_Full	15.51
n2	5	15	1880	CP	256QAM	Edge_1RB_Left	15.19
n2	5	15	1880	CP	256QAM	Edge_1RB_Right	15.12
n2	5	15	1880	CP	256QAM	Outer_Full	15.37
n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	21.80
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.26
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.21
n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	21.38
n2	5	15	1907.5	DFT	QPSK	Inner_Full	21.88
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	20.91
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	20.80
n2	5	15	1907.5	DFT	QPSK	Outer_Full	20.85
n2	5	15	1907.5	DFT	16QAM	Inner_Full	20.87
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	20.23
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	20.13
n2	5	15	1907.5	DFT	16QAM	Outer_Full	19.90
n2	5	15	1907.5	DFT	64QAM	Inner_Full	19.45
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	19.22
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	19.18
n2	5	15	1907.5	DFT	64QAM	Outer_Full	19.50
n2	5	15	1907.5	DFT	256QAM	Inner_Full	17.38
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	17.14
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	16.99
n2	5	15	1907.5	DFT	256QAM	Outer_Full	17.32
n2	5	15	1907.5	CP	QPSK	Inner_Full	20.34
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	18.82
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	18.72
n2	5	15	1907.5	CP	QPSK	Outer_Full	18.75
n2	5	15	1907.5	CP	16QAM	Inner_Full	19.98
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	19.30
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	19.23
n2	5	15	1907.5	CP	16QAM	Outer_Full	18.79
n2	5	15	1907.5	CP	64QAM	Inner_Full	18.29
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	18.27
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	18.11



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1907.5	CP	64QAM	Outer_Full	18.40
n2	5	15	1907.5	CP	256QAM	Inner_Full	15.43
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	15.14
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	15.02
n2	5	15	1907.5	CP	256QAM	Outer_Full	15.34
n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	21.77
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	21.26
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	21.17
n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	21.31
n2	10	15	1855	DFT	QPSK	Inner_Full	21.86
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	20.82
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	20.68
n2	10	15	1855	DFT	QPSK	Outer_Full	20.82
n2	10	15	1855	DFT	16QAM	Inner_Full	20.84
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	20.21
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	20.03
n2	10	15	1855	DFT	16QAM	Outer_Full	19.69
n2	10	15	1855	DFT	64QAM	Inner_Full	19.48
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	19.27
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	19.09
n2	10	15	1855	DFT	64QAM	Outer_Full	19.39
n2	10	15	1855	DFT	256QAM	Inner_Full	17.26
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	17.09
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	16.97
n2	10	15	1855	DFT	256QAM	Outer_Full	17.24
n2	10	15	1855	CP	QPSK	Inner_Full	20.37
n2	10	15	1855	CP	QPSK	Edge_1RB_Left	18.78
n2	10	15	1855	CP	QPSK	Edge_1RB_Right	18.67
n2	10	15	1855	CP	QPSK	Outer_Full	18.78
n2	10	15	1855	CP	16QAM	Inner_Full	19.84
n2	10	15	1855	CP	16QAM	Edge_1RB_Left	19.33
n2	10	15	1855	CP	16QAM	Edge_1RB_Right	19.11
n2	10	15	1855	CP	16QAM	Outer_Full	18.78
n2	10	15	1855	CP	64QAM	Inner_Full	18.29
n2	10	15	1855	CP	64QAM	Edge_1RB_Left	18.16
n2	10	15	1855	CP	64QAM	Edge_1RB_Right	18.08
n2	10	15	1855	CP	64QAM	Outer_Full	18.33
n2	10	15	1855	CP	256QAM	Inner_Full	15.24
n2	10	15	1855	CP	256QAM	Edge_1RB_Left	15.11
n2	10	15	1855	CP	256QAM	Edge_1RB_Right	14.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	10	15	1855	CP	256QAM	Outer_Full	15.28
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	21.93
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	21.39
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	21.28
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	21.44
n2	10	15	1880	DFT	QPSK	Inner_Full	21.95
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	20.78
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	20.88
n2	10	15	1880	DFT	QPSK	Outer_Full	20.92
n2	10	15	1880	DFT	16QAM	Inner_Full	20.98
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	20.18
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	20.17
n2	10	15	1880	DFT	16QAM	Outer_Full	19.90
n2	10	15	1880	DFT	64QAM	Inner_Full	19.58
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	19.29
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	19.30
n2	10	15	1880	DFT	64QAM	Outer_Full	19.46
n2	10	15	1880	DFT	256QAM	Inner_Full	17.37
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	17.05
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	17.10
n2	10	15	1880	DFT	256QAM	Outer_Full	17.44
n2	10	15	1880	CP	QPSK	Inner_Full	20.39
n2	10	15	1880	CP	QPSK	Edge_1RB_Left	18.85
n2	10	15	1880	CP	QPSK	Edge_1RB_Right	18.81
n2	10	15	1880	CP	QPSK	Outer_Full	18.94
n2	10	15	1880	CP	16QAM	Inner_Full	20.04
n2	10	15	1880	CP	16QAM	Edge_1RB_Left	19.31
n2	10	15	1880	CP	16QAM	Edge_1RB_Right	19.28
n2	10	15	1880	CP	16QAM	Outer_Full	18.91
n2	10	15	1880	CP	64QAM	Inner_Full	18.45
n2	10	15	1880	CP	64QAM	Edge_1RB_Left	18.21
n2	10	15	1880	CP	64QAM	Edge_1RB_Right	18.19
n2	10	15	1880	CP	64QAM	Outer_Full	18.49
n2	10	15	1880	CP	256QAM	Inner_Full	15.39
n2	10	15	1880	CP	256QAM	Edge_1RB_Left	15.08
n2	10	15	1880	CP	256QAM	Edge_1RB_Right	15.13
n2	10	15	1880	CP	256QAM	Outer_Full	15.39
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	21.84
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	21.32
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	21.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	21.40
n2	10	15	1905	DFT	QPSK	Inner_Full	21.95
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	20.96
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	20.83
n2	10	15	1905	DFT	QPSK	Outer_Full	20.88
n2	10	15	1905	DFT	16QAM	Inner_Full	20.91
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	20.33
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	20.14
n2	10	15	1905	DFT	16QAM	Outer_Full	19.85
n2	10	15	1905	DFT	64QAM	Inner_Full	19.57
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	19.36
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	19.20
n2	10	15	1905	DFT	64QAM	Outer_Full	19.48
n2	10	15	1905	DFT	256QAM	Inner_Full	17.35
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	17.19
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	17.00
n2	10	15	1905	DFT	256QAM	Outer_Full	17.38
n2	10	15	1905	CP	QPSK	Inner_Full	20.43
n2	10	15	1905	CP	QPSK	Edge_1RB_Left	18.86
n2	10	15	1905	CP	QPSK	Edge_1RB_Right	18.78
n2	10	15	1905	CP	QPSK	Outer_Full	18.89
n2	10	15	1905	CP	16QAM	Inner_Full	19.88
n2	10	15	1905	CP	16QAM	Edge_1RB_Left	19.02
n2	10	15	1905	CP	16QAM	Edge_1RB_Right	18.85
n2	10	15	1905	CP	16QAM	Outer_Full	18.85
n2	10	15	1905	CP	64QAM	Inner_Full	18.42
n2	10	15	1905	CP	64QAM	Edge_1RB_Left	18.44
n2	10	15	1905	CP	64QAM	Edge_1RB_Right	18.14
n2	10	15	1905	CP	64QAM	Outer_Full	18.48
n2	10	15	1905	CP	256QAM	Inner_Full	15.35
n2	10	15	1905	CP	256QAM	Edge_1RB_Left	15.18
n2	10	15	1905	CP	256QAM	Edge_1RB_Right	15.03
n2	10	15	1905	CP	256QAM	Outer_Full	15.27
n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	21.72
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.26
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.18
n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	21.27
n2	15	15	1857.5	DFT	QPSK	Inner_Full	21.79
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	20.82
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	20.77



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	15	15	1857.5	DFT	QPSK	Outer_Full	20.82
n2	15	15	1857.5	DFT	16QAM	Inner_Full	20.79
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	20.15
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	20.07
n2	15	15	1857.5	DFT	16QAM	Outer_Full	19.83
n2	15	15	1857.5	DFT	64QAM	Inner_Full	19.29
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	19.29
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	19.14
n2	15	15	1857.5	DFT	64QAM	Outer_Full	19.41
n2	15	15	1857.5	DFT	256QAM	Inner_Full	17.32
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	17.11
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	17.01
n2	15	15	1857.5	DFT	256QAM	Outer_Full	17.28
n2	15	15	1857.5	CP	QPSK	Inner_Full	20.27
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	18.74
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	18.62
n2	15	15	1857.5	CP	QPSK	Outer_Full	18.78
n2	15	15	1857.5	CP	16QAM	Inner_Full	19.77
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	19.07
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	19.03
n2	15	15	1857.5	CP	16QAM	Outer_Full	18.80
n2	15	15	1857.5	CP	64QAM	Inner_Full	18.32
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	18.29
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	18.23
n2	15	15	1857.5	CP	64QAM	Outer_Full	18.31
n2	15	15	1857.5	CP	256QAM	Inner_Full	15.33
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	15.12
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	15.01
n2	15	15	1857.5	CP	256QAM	Outer_Full	15.29
n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	21.85
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	21.23
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	21.28
n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	21.32
n2	15	15	1880	DFT	QPSK	Inner_Full	21.85
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	20.80
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	20.82
n2	15	15	1880	DFT	QPSK	Outer_Full	20.90
n2	15	15	1880	DFT	16QAM	Inner_Full	20.83
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	20.18
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	20.16



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	15	15	1880	DFT	16QAM	Outer_Full	19.88
n2	15	15	1880	DFT	64QAM	Inner_Full	19.43
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	19.21
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	19.25
n2	15	15	1880	DFT	64QAM	Outer_Full	19.48
n2	15	15	1880	DFT	256QAM	Inner_Full	17.35
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	17.11
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	17.15
n2	15	15	1880	DFT	256QAM	Outer_Full	17.33
n2	15	15	1880	CP	QPSK	Inner_Full	20.30
n2	15	15	1880	CP	QPSK	Edge_1RB_Left	18.79
n2	15	15	1880	CP	QPSK	Edge_1RB_Right	18.73
n2	15	15	1880	CP	QPSK	Outer_Full	18.84
n2	15	15	1880	CP	16QAM	Inner_Full	19.81
n2	15	15	1880	CP	16QAM	Edge_1RB_Left	19.29
n2	15	15	1880	CP	16QAM	Edge_1RB_Right	19.26
n2	15	15	1880	CP	16QAM	Outer_Full	18.80
n2	15	15	1880	CP	64QAM	Inner_Full	18.41
n2	15	15	1880	CP	64QAM	Edge_1RB_Left	18.19
n2	15	15	1880	CP	64QAM	Edge_1RB_Right	18.10
n2	15	15	1880	CP	64QAM	Outer_Full	18.36
n2	15	15	1880	CP	256QAM	Inner_Full	15.35
n2	15	15	1880	CP	256QAM	Edge_1RB_Left	15.10
n2	15	15	1880	CP	256QAM	Edge_1RB_Right	15.16
n2	15	15	1880	CP	256QAM	Outer_Full	15.29
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	21.75
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.10
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.15
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	21.35
n2	15	15	1902.5	DFT	QPSK	Inner_Full	21.75
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	20.82
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	20.80
n2	15	15	1902.5	DFT	QPSK	Outer_Full	20.73
n2	15	15	1902.5	DFT	16QAM	Inner_Full	20.75
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	20.07
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	20.05
n2	15	15	1902.5	DFT	16QAM	Outer_Full	19.76
n2	15	15	1902.5	DFT	64QAM	Inner_Full	19.26
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	19.10
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	19.10



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	15	15	1902.5	DFT	64QAM	Outer_Full	19.27
n2	15	15	1902.5	DFT	256QAM	Inner_Full	17.40
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	17.03
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	16.97
n2	15	15	1902.5	DFT	256QAM	Outer_Full	17.23
n2	15	15	1902.5	CP	QPSK	Inner_Full	20.23
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	18.60
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	18.65
n2	15	15	1902.5	CP	QPSK	Outer_Full	18.73
n2	15	15	1902.5	CP	16QAM	Inner_Full	19.70
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	19.15
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	19.18
n2	15	15	1902.5	CP	16QAM	Outer_Full	18.70
n2	15	15	1902.5	CP	64QAM	Inner_Full	18.25
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	18.10
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	18.03
n2	15	15	1902.5	CP	64QAM	Outer_Full	18.22
n2	15	15	1902.5	CP	256QAM	Inner_Full	15.17
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	15.01
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	15.05
n2	15	15	1902.5	CP	256QAM	Outer_Full	15.19
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	21.73
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	21.24
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	21.25
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	21.30
n2	20	15	1860	DFT	QPSK	Inner_Full	21.83
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	20.77
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	20.72
n2	20	15	1860	DFT	QPSK	Outer_Full	20.85
n2	20	15	1860	DFT	16QAM	Inner_Full	20.71
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	20.16
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	20.08
n2	20	15	1860	DFT	16QAM	Outer_Full	19.81
n2	20	15	1860	DFT	64QAM	Inner_Full	19.35
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	19.22
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	19.12
n2	20	15	1860	DFT	64QAM	Outer_Full	19.29
n2	20	15	1860	DFT	256QAM	Inner_Full	17.26
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	17.06
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	16.98



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	20	15	1860	DFT	256QAM	Outer_Full	17.34
n2	20	15	1860	CP	QPSK	Inner_Full	20.30
n2	20	15	1860	CP	QPSK	Edge_1RB_Left	18.83
n2	20	15	1860	CP	QPSK	Edge_1RB_Right	18.62
n2	20	15	1860	CP	QPSK	Outer_Full	18.78
n2	20	15	1860	CP	16QAM	Inner_Full	19.83
n2	20	15	1860	CP	16QAM	Edge_1RB_Left	18.95
n2	20	15	1860	CP	16QAM	Edge_1RB_Right	18.89
n2	20	15	1860	CP	16QAM	Outer_Full	18.79
n2	20	15	1860	CP	64QAM	Inner_Full	18.35
n2	20	15	1860	CP	64QAM	Edge_1RB_Left	18.22
n2	20	15	1860	CP	64QAM	Edge_1RB_Right	18.14
n2	20	15	1860	CP	64QAM	Outer_Full	18.31
n2	20	15	1860	CP	256QAM	Inner_Full	15.23
n2	20	15	1860	CP	256QAM	Edge_1RB_Left	15.12
n2	20	15	1860	CP	256QAM	Edge_1RB_Right	14.99
n2	20	15	1860	CP	256QAM	Outer_Full	15.28
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	21.85
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	21.24
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	21.24
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	21.38
n2	20	15	1880	DFT	QPSK	Inner_Full	21.87
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	20.82
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	20.81
n2	20	15	1880	DFT	QPSK	Outer_Full	20.85
n2	20	15	1880	DFT	16QAM	Inner_Full	20.76
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	20.18
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	20.13
n2	20	15	1880	DFT	16QAM	Outer_Full	19.86
n2	20	15	1880	DFT	64QAM	Inner_Full	19.43
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	19.17
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	19.24
n2	20	15	1880	DFT	64QAM	Outer_Full	19.42
n2	20	15	1880	DFT	256QAM	Inner_Full	17.33
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	17.10
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	17.09
n2	20	15	1880	DFT	256QAM	Outer_Full	17.37
n2	20	15	1880	CP	QPSK	Inner_Full	20.34
n2	20	15	1880	CP	QPSK	Edge_1RB_Left	18.72
n2	20	15	1880	CP	QPSK	Edge_1RB_Right	18.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	20	15	1880	CP	QPSK	Outer_Full	18.82
n2	20	15	1880	CP	16QAM	Inner_Full	19.89
n2	20	15	1880	CP	16QAM	Edge_1RB_Left	18.97
n2	20	15	1880	CP	16QAM	Edge_1RB_Right	19.03
n2	20	15	1880	CP	16QAM	Outer_Full	18.88
n2	20	15	1880	CP	64QAM	Inner_Full	18.42
n2	20	15	1880	CP	64QAM	Edge_1RB_Left	18.28
n2	20	15	1880	CP	64QAM	Edge_1RB_Right	18.26
n2	20	15	1880	CP	64QAM	Outer_Full	18.39
n2	20	15	1880	CP	256QAM	Inner_Full	15.29
n2	20	15	1880	CP	256QAM	Edge_1RB_Left	15.13
n2	20	15	1880	CP	256QAM	Edge_1RB_Right	15.17
n2	20	15	1880	CP	256QAM	Outer_Full	15.35
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	21.75
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	21.21
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	21.12
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	21.30
n2	20	15	1900	DFT	QPSK	Inner_Full	21.78
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	20.87
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	20.84
n2	20	15	1900	DFT	QPSK	Outer_Full	20.80
n2	20	15	1900	DFT	16QAM	Inner_Full	20.76
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	19.86
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	19.86
n2	20	15	1900	DFT	16QAM	Outer_Full	19.80
n2	20	15	1900	DFT	64QAM	Inner_Full	19.33
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	19.18
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	19.18
n2	20	15	1900	DFT	64QAM	Outer_Full	19.34
n2	20	15	1900	DFT	256QAM	Inner_Full	17.20
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	17.09
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	17.06
n2	20	15	1900	DFT	256QAM	Outer_Full	17.32
n2	20	15	1900	CP	QPSK	Inner_Full	20.28
n2	20	15	1900	CP	QPSK	Edge_1RB_Left	18.67
n2	20	15	1900	CP	QPSK	Edge_1RB_Right	18.69
n2	20	15	1900	CP	QPSK	Outer_Full	18.79
n2	20	15	1900	CP	16QAM	Inner_Full	19.75
n2	20	15	1900	CP	16QAM	Edge_1RB_Left	18.95
n2	20	15	1900	CP	16QAM	Edge_1RB_Right	19.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	20	15	1900	CP	16QAM	Outer_Full	18.79
n2	20	15	1900	CP	64QAM	Inner_Full	18.38
n2	20	15	1900	CP	64QAM	Edge_1RB_Left	18.20
n2	20	15	1900	CP	64QAM	Edge_1RB_Right	18.15
n2	20	15	1900	CP	64QAM	Outer_Full	18.31
n2	20	15	1900	CP	256QAM	Inner_Full	15.22
n2	20	15	1900	CP	256QAM	Edge_1RB_Left	15.12
n2	20	15	1900	CP	256QAM	Edge_1RB_Right	15.08
n2	20	15	1900	CP	256QAM	Outer_Full	15.25



n5

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	22.23
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.80
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.69
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	21.81
n5	5	15	826.5	DFT	QPSK	Inner_Full	22.29
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	21.39
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	21.29
n5	5	15	826.5	DFT	QPSK	Outer_Full	21.32
n5	5	15	826.5	DFT	16QAM	Inner_Full	21.35
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	20.73
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	20.55
n5	5	15	826.5	DFT	16QAM	Outer_Full	20.30
n5	5	15	826.5	DFT	64QAM	Inner_Full	19.84
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	19.74
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	19.61
n5	5	15	826.5	DFT	64QAM	Outer_Full	19.86
n5	5	15	826.5	DFT	256QAM	Inner_Full	17.72
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	17.59
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	17.46
n5	5	15	826.5	DFT	256QAM	Outer_Full	17.73
n5	5	15	826.5	CP	QPSK	Inner_Full	20.77
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	19.33
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	19.17
n5	5	15	826.5	CP	QPSK	Outer_Full	19.19
n5	5	15	826.5	CP	16QAM	Inner_Full	20.40
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	19.77
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	19.61
n5	5	15	826.5	CP	16QAM	Outer_Full	19.28
n5	5	15	826.5	CP	64QAM	Inner_Full	18.67
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	18.63
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	18.46
n5	5	15	826.5	CP	64QAM	Outer_Full	18.84
n5	5	15	826.5	CP	256QAM	Inner_Full	15.81
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	15.64
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	15.61
n5	5	15	826.5	CP	256QAM	Outer_Full	15.79
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.05
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.55
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	21.58
n5	5	15	836.5	DFT	QPSK	Inner_Full	22.10
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	21.12
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	21.08
n5	5	15	836.5	DFT	QPSK	Outer_Full	21.13
n5	5	15	836.5	DFT	16QAM	Inner_Full	21.13
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	20.42
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	20.35
n5	5	15	836.5	DFT	16QAM	Outer_Full	20.07
n5	5	15	836.5	DFT	64QAM	Inner_Full	19.61
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	19.46
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	19.33
n5	5	15	836.5	DFT	64QAM	Outer_Full	19.71
n5	5	15	836.5	DFT	256QAM	Inner_Full	17.54
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	17.38
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	17.23
n5	5	15	836.5	DFT	256QAM	Outer_Full	17.52
n5	5	15	836.5	CP	QPSK	Inner_Full	20.57
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	18.98
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	18.92
n5	5	15	836.5	CP	QPSK	Outer_Full	19.05
n5	5	15	836.5	CP	16QAM	Inner_Full	20.03
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	19.12
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	18.95
n5	5	15	836.5	CP	16QAM	Outer_Full	19.03
n5	5	15	836.5	CP	64QAM	Inner_Full	18.45
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	18.33
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	18.29
n5	5	15	836.5	CP	64QAM	Outer_Full	18.59
n5	5	15	836.5	CP	256QAM	Inner_Full	15.59
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	15.30
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	15.29
n5	5	15	836.5	CP	256QAM	Outer_Full	15.54
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	21.87
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.35
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.22
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	21.33
n5	5	15	846.5	DFT	QPSK	Inner_Full	21.78
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	20.88
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	20.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	846.5	DFT	QPSK	Outer_Full	20.80
n5	5	15	846.5	DFT	16QAM	Inner_Full	20.81
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	20.22
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	19.65
n5	5	15	846.5	DFT	16QAM	Outer_Full	19.80
n5	5	15	846.5	DFT	64QAM	Inner_Full	19.37
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	19.27
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	18.83
n5	5	15	846.5	DFT	64QAM	Outer_Full	19.46
n5	5	15	846.5	DFT	256QAM	Inner_Full	17.27
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	17.07
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	16.96
n5	5	15	846.5	DFT	256QAM	Outer_Full	17.22
n5	5	15	846.5	CP	QPSK	Inner_Full	20.27
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	18.77
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	18.67
n5	5	15	846.5	CP	QPSK	Outer_Full	18.73
n5	5	15	846.5	CP	16QAM	Inner_Full	19.87
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	19.34
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	19.17
n5	5	15	846.5	CP	16QAM	Outer_Full	18.74
n5	5	15	846.5	CP	64QAM	Inner_Full	18.24
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	18.07
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	18.03
n5	5	15	846.5	CP	64QAM	Outer_Full	18.29
n5	5	15	846.5	CP	256QAM	Inner_Full	15.35
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	15.17
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	15.09
n5	5	15	846.5	CP	256QAM	Outer_Full	15.30
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	22.28
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	21.72
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	21.56
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	21.75
n5	10	15	829	DFT	QPSK	Inner_Full	22.27
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	21.31
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	21.10
n5	10	15	829	DFT	QPSK	Outer_Full	21.23
n5	10	15	829	DFT	16QAM	Inner_Full	21.24
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	20.67
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	20.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	829	DFT	16QAM	Outer_Full	20.10
n5	10	15	829	DFT	64QAM	Inner_Full	19.79
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	19.64
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	19.44
n5	10	15	829	DFT	64QAM	Outer_Full	19.72
n5	10	15	829	DFT	256QAM	Inner_Full	17.69
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	17.53
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	17.31
n5	10	15	829	DFT	256QAM	Outer_Full	17.65
n5	10	15	829	CP	QPSK	Inner_Full	20.72
n5	10	15	829	CP	QPSK	Edge_1RB_Left	19.19
n5	10	15	829	CP	QPSK	Edge_1RB_Right	19.03
n5	10	15	829	CP	QPSK	Outer_Full	19.20
n5	10	15	829	CP	16QAM	Inner_Full	20.24
n5	10	15	829	CP	16QAM	Edge_1RB_Left	19.73
n5	10	15	829	CP	16QAM	Edge_1RB_Right	19.36
n5	10	15	829	CP	16QAM	Outer_Full	19.14
n5	10	15	829	CP	64QAM	Inner_Full	18.67
n5	10	15	829	CP	64QAM	Edge_1RB_Left	18.55
n5	10	15	829	CP	64QAM	Edge_1RB_Right	18.26
n5	10	15	829	CP	64QAM	Outer_Full	18.75
n5	10	15	829	CP	256QAM	Inner_Full	15.65
n5	10	15	829	CP	256QAM	Edge_1RB_Left	15.57
n5	10	15	829	CP	256QAM	Edge_1RB_Right	15.26
n5	10	15	829	CP	256QAM	Outer_Full	15.65
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.07
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.31
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	21.67
n5	10	15	836.5	DFT	QPSK	Inner_Full	22.13
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	21.12
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	20.84
n5	10	15	836.5	DFT	QPSK	Outer_Full	21.10
n5	10	15	836.5	DFT	16QAM	Inner_Full	21.12
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	20.47
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	20.22
n5	10	15	836.5	DFT	16QAM	Outer_Full	20.03
n5	10	15	836.5	DFT	64QAM	Inner_Full	19.74
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	19.49
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	19.23



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	836.5	DFT	64QAM	Outer_Full	19.60
n5	10	15	836.5	DFT	256QAM	Inner_Full	17.48
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	17.33
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	17.12
n5	10	15	836.5	DFT	256QAM	Outer_Full	17.57
n5	10	15	836.5	CP	QPSK	Inner_Full	20.57
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	19.15
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	18.84
n5	10	15	836.5	CP	QPSK	Outer_Full	19.06
n5	10	15	836.5	CP	16QAM	Inner_Full	20.10
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	19.15
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	18.94
n5	10	15	836.5	CP	16QAM	Outer_Full	19.00
n5	10	15	836.5	CP	64QAM	Inner_Full	18.56
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	18.48
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	18.26
n5	10	15	836.5	CP	64QAM	Outer_Full	18.61
n5	10	15	836.5	CP	256QAM	Inner_Full	15.52
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	15.40
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	15.10
n5	10	15	836.5	CP	256QAM	Outer_Full	15.53
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	21.88
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	21.32
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	21.25
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	21.46
n5	10	15	844	DFT	QPSK	Inner_Full	21.92
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	20.95
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	20.37
n5	10	15	844	DFT	QPSK	Outer_Full	20.94
n5	10	15	844	DFT	16QAM	Inner_Full	20.90
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	20.21
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	19.76
n5	10	15	844	DFT	16QAM	Outer_Full	19.88
n5	10	15	844	DFT	64QAM	Inner_Full	19.52
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	19.29
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	18.95
n5	10	15	844	DFT	64QAM	Outer_Full	19.41
n5	10	15	844	DFT	256QAM	Inner_Full	17.31
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	17.11
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	16.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	844	DFT	256QAM	Outer_Full	17.39
n5	10	15	844	CP	QPSK	Inner_Full	20.37
n5	10	15	844	CP	QPSK	Edge_1RB_Left	18.83
n5	10	15	844	CP	QPSK	Edge_1RB_Right	18.63
n5	10	15	844	CP	QPSK	Outer_Full	18.85
n5	10	15	844	CP	16QAM	Inner_Full	19.91
n5	10	15	844	CP	16QAM	Edge_1RB_Left	19.30
n5	10	15	844	CP	16QAM	Edge_1RB_Right	19.13
n5	10	15	844	CP	16QAM	Outer_Full	18.92
n5	10	15	844	CP	64QAM	Inner_Full	18.43
n5	10	15	844	CP	64QAM	Edge_1RB_Left	18.14
n5	10	15	844	CP	64QAM	Edge_1RB_Right	17.99
n5	10	15	844	CP	64QAM	Outer_Full	18.39
n5	10	15	844	CP	256QAM	Inner_Full	15.33
n5	10	15	844	CP	256QAM	Edge_1RB_Left	15.11
n5	10	15	844	CP	256QAM	Edge_1RB_Right	14.97
n5	10	15	844	CP	256QAM	Outer_Full	15.32
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	22.22
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.81
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.36
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	21.63
n5	15	15	831.5	DFT	QPSK	Inner_Full	22.16
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	21.43
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	21.02
n5	15	15	831.5	DFT	QPSK	Outer_Full	21.15
n5	15	15	831.5	DFT	16QAM	Inner_Full	21.12
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	20.64
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	20.23
n5	15	15	831.5	DFT	16QAM	Outer_Full	20.07
n5	15	15	831.5	DFT	64QAM	Inner_Full	19.69
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	19.70
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	19.25
n5	15	15	831.5	DFT	64QAM	Outer_Full	19.65
n5	15	15	831.5	DFT	256QAM	Inner_Full	17.65
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	17.64
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	17.22
n5	15	15	831.5	DFT	256QAM	Outer_Full	17.55
n5	15	15	831.5	CP	QPSK	Inner_Full	20.65
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	19.28
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	18.83



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	831.5	CP	QPSK	Outer_Full	19.18
n5	15	15	831.5	CP	16QAM	Inner_Full	20.11
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	19.60
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	19.15
n5	15	15	831.5	CP	16QAM	Outer_Full	19.18
n5	15	15	831.5	CP	64QAM	Inner_Full	18.61
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	18.61
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	18.20
n5	15	15	831.5	CP	64QAM	Outer_Full	18.66
n5	15	15	831.5	CP	256QAM	Inner_Full	15.63
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	15.65
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	15.21
n5	15	15	831.5	CP	256QAM	Outer_Full	15.65
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.01
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.32
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	21.55
n5	15	15	836.5	DFT	QPSK	Inner_Full	22.06
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	21.26
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	20.92
n5	15	15	836.5	DFT	QPSK	Outer_Full	21.07
n5	15	15	836.5	DFT	16QAM	Inner_Full	21.04
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	20.19
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	19.88
n5	15	15	836.5	DFT	16QAM	Outer_Full	20.02
n5	15	15	836.5	DFT	64QAM	Inner_Full	19.59
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	19.47
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	19.11
n5	15	15	836.5	DFT	64QAM	Outer_Full	19.60
n5	15	15	836.5	DFT	256QAM	Inner_Full	17.52
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	17.42
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	17.06
n5	15	15	836.5	DFT	256QAM	Outer_Full	17.46
n5	15	15	836.5	CP	QPSK	Inner_Full	20.43
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	19.05
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	18.79
n5	15	15	836.5	CP	QPSK	Outer_Full	18.95
n5	15	15	836.5	CP	16QAM	Inner_Full	20.00
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	19.41
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	19.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	836.5	CP	16QAM	Outer_Full	18.96
n5	15	15	836.5	CP	64QAM	Inner_Full	18.51
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	18.42
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	18.05
n5	15	15	836.5	CP	64QAM	Outer_Full	18.50
n5	15	15	836.5	CP	256QAM	Inner_Full	15.50
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	15.44
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	15.21
n5	15	15	836.5	CP	256QAM	Outer_Full	15.46
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	21.82
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.47
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.10
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	21.39
n5	15	15	841.5	DFT	QPSK	Inner_Full	21.85
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	21.06
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	20.41
n5	15	15	841.5	DFT	QPSK	Outer_Full	20.82
n5	15	15	841.5	DFT	16QAM	Inner_Full	20.84
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	20.35
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	19.79
n5	15	15	841.5	DFT	16QAM	Outer_Full	19.84
n5	15	15	841.5	DFT	64QAM	Inner_Full	19.34
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	19.42
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	18.99
n5	15	15	841.5	DFT	64QAM	Outer_Full	19.44
n5	15	15	841.5	DFT	256QAM	Inner_Full	17.26
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	17.31
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	16.96
n5	15	15	841.5	DFT	256QAM	Outer_Full	17.29
n5	15	15	841.5	CP	QPSK	Inner_Full	20.24
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	19.01
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	18.56
n5	15	15	841.5	CP	QPSK	Outer_Full	18.78
n5	15	15	841.5	CP	16QAM	Inner_Full	19.78
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	19.43
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	19.11
n5	15	15	841.5	CP	16QAM	Outer_Full	18.77
n5	15	15	841.5	CP	64QAM	Inner_Full	18.29
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	18.29
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	17.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	841.5	CP	64QAM	Outer_Full	18.32
n5	15	15	841.5	CP	256QAM	Inner_Full	15.31
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	15.39
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	14.99
n5	15	15	841.5	CP	256QAM	Outer_Full	15.23
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	22.09
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	21.80
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	21.34
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	21.66
n5	20	15	834	DFT	QPSK	Inner_Full	22.18
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	21.34
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	20.73
n5	20	15	834	DFT	QPSK	Outer_Full	21.13
n5	20	15	834	DFT	16QAM	Inner_Full	21.01
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	20.62
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	20.08
n5	20	15	834	DFT	16QAM	Outer_Full	20.16
n5	20	15	834	DFT	64QAM	Inner_Full	19.66
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	19.67
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	19.15
n5	20	15	834	DFT	64QAM	Outer_Full	19.63
n5	20	15	834	DFT	256QAM	Inner_Full	17.52
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	17.53
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	16.78
n5	20	15	834	DFT	256QAM	Outer_Full	17.60
n5	20	15	834	CP	QPSK	Inner_Full	20.60
n5	20	15	834	CP	QPSK	Edge_1RB_Left	19.24
n5	20	15	834	CP	QPSK	Edge_1RB_Right	18.74
n5	20	15	834	CP	QPSK	Outer_Full	19.08
n5	20	15	834	CP	16QAM	Inner_Full	20.06
n5	20	15	834	CP	16QAM	Edge_1RB_Left	19.83
n5	20	15	834	CP	16QAM	Edge_1RB_Right	19.28
n5	20	15	834	CP	16QAM	Outer_Full	19.14
n5	20	15	834	CP	64QAM	Inner_Full	18.69
n5	20	15	834	CP	64QAM	Edge_1RB_Left	18.58
n5	20	15	834	CP	64QAM	Edge_1RB_Right	18.07
n5	20	15	834	CP	64QAM	Outer_Full	18.62
n5	20	15	834	CP	256QAM	Inner_Full	15.57
n5	20	15	834	CP	256QAM	Edge_1RB_Left	15.77
n5	20	15	834	CP	256QAM	Edge_1RB_Right	15.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	834	CP	256QAM	Outer_Full	15.56
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	21.98
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.21
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	21.59
n5	20	15	836.5	DFT	QPSK	Inner_Full	22.01
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	21.25
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	20.72
n5	20	15	836.5	DFT	QPSK	Outer_Full	21.03
n5	20	15	836.5	DFT	16QAM	Inner_Full	20.95
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	20.57
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	20.05
n5	20	15	836.5	DFT	16QAM	Outer_Full	20.10
n5	20	15	836.5	DFT	64QAM	Inner_Full	19.52
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	19.63
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	19.08
n5	20	15	836.5	DFT	64QAM	Outer_Full	19.53
n5	20	15	836.5	DFT	256QAM	Inner_Full	17.42
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	17.47
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	16.77
n5	20	15	836.5	DFT	256QAM	Outer_Full	17.48
n5	20	15	836.5	CP	QPSK	Inner_Full	20.49
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	19.16
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	18.71
n5	20	15	836.5	CP	QPSK	Outer_Full	19.03
n5	20	15	836.5	CP	16QAM	Inner_Full	19.96
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	19.63
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	19.16
n5	20	15	836.5	CP	16QAM	Outer_Full	19.07
n5	20	15	836.5	CP	64QAM	Inner_Full	18.55
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	18.45
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	18.06
n5	20	15	836.5	CP	64QAM	Outer_Full	18.56
n5	20	15	836.5	CP	256QAM	Inner_Full	15.44
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	15.54
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	15.10
n5	20	15	836.5	CP	256QAM	Outer_Full	15.49
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	21.86
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	21.65
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	21.12



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	21.44
n5	20	15	839	DFT	QPSK	Inner_Full	21.95
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	21.15
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	20.42
n5	20	15	839	DFT	QPSK	Outer_Full	20.92
n5	20	15	839	DFT	16QAM	Inner_Full	20.81
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	20.39
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	19.83
n5	20	15	839	DFT	16QAM	Outer_Full	19.95
n5	20	15	839	DFT	64QAM	Inner_Full	19.40
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	19.46
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	19.02
n5	20	15	839	DFT	64QAM	Outer_Full	19.50
n5	20	15	839	DFT	256QAM	Inner_Full	17.36
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	17.44
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	16.74
n5	20	15	839	DFT	256QAM	Outer_Full	17.44
n5	20	15	839	CP	QPSK	Inner_Full	20.36
n5	20	15	839	CP	QPSK	Edge_1RB_Left	19.04
n5	20	15	839	CP	QPSK	Edge_1RB_Right	18.64
n5	20	15	839	CP	QPSK	Outer_Full	18.93
n5	20	15	839	CP	16QAM	Inner_Full	19.89
n5	20	15	839	CP	16QAM	Edge_1RB_Left	19.54
n5	20	15	839	CP	16QAM	Edge_1RB_Right	19.13
n5	20	15	839	CP	16QAM	Outer_Full	18.99
n5	20	15	839	CP	64QAM	Inner_Full	18.48
n5	20	15	839	CP	64QAM	Edge_1RB_Left	18.34
n5	20	15	839	CP	64QAM	Edge_1RB_Right	17.94
n5	20	15	839	CP	64QAM	Outer_Full	18.43
n5	20	15	839	CP	256QAM	Inner_Full	15.31
n5	20	15	839	CP	256QAM	Edge_1RB_Left	15.44
n5	20	15	839	CP	256QAM	Edge_1RB_Right	15.08
n5	20	15	839	CP	256QAM	Outer_Full	15.37



n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	24.97
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.53
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	24.48
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.04
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	21.44
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	21.41
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.01
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.02
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.32
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	21.25
n41	20	30	2506.02	DFT	16QAM	Outer_Full	22.98
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.56
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	21.01
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	20.96
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.52
n41	20	30	2506.02	DFT	256QAM	Inner_Full	20.41
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	20.40
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	20.20
n41	20	30	2506.02	DFT	256QAM	Outer_Full	20.53
n41	20	30	2506.02	CP	QPSK	Inner_Full	23.47
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	21.47
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	21.37
n41	20	30	2506.02	CP	QPSK	Outer_Full	21.96
n41	20	30	2506.02	CP	16QAM	Inner_Full	22.96
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	21.43
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	21.23
n41	20	30	2506.02	CP	16QAM	Outer_Full	21.97
n41	20	30	2506.02	CP	64QAM	Inner_Full	21.47
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	21.22
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	21.16
n41	20	30	2506.02	CP	64QAM	Outer_Full	21.44
n41	20	30	2506.02	CP	256QAM	Inner_Full	18.47
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	18.24
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	18.33
n41	20	30	2506.02	CP	256QAM	Outer_Full	18.48
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.83
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.29
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.30



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.33
n41	20	30	2592.99	DFT	QPSK	Inner_Full	24.87
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.28
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.23
n41	20	30	2592.99	DFT	QPSK	Outer_Full	23.88
n41	20	30	2592.99	DFT	16QAM	Inner_Full	23.87
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.16
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.28
n41	20	30	2592.99	DFT	16QAM	Outer_Full	22.84
n41	20	30	2592.99	DFT	64QAM	Inner_Full	22.36
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.89
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.92
n41	20	30	2592.99	DFT	64QAM	Outer_Full	22.35
n41	20	30	2592.99	DFT	256QAM	Inner_Full	20.21
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.09
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.19
n41	20	30	2592.99	DFT	256QAM	Outer_Full	20.35
n41	20	30	2592.99	CP	QPSK	Inner_Full	23.33
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	21.33
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	21.42
n41	20	30	2592.99	CP	QPSK	Outer_Full	21.86
n41	20	30	2592.99	CP	16QAM	Inner_Full	22.92
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	21.23
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	21.37
n41	20	30	2592.99	CP	16QAM	Outer_Full	21.88
n41	20	30	2592.99	CP	64QAM	Inner_Full	21.35
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	20.94
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	21.07
n41	20	30	2592.99	CP	64QAM	Outer_Full	21.38
n41	20	30	2592.99	CP	256QAM	Inner_Full	18.36
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	18.07
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	18.19
n41	20	30	2592.99	CP	256QAM	Outer_Full	18.41
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	24.85
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.42
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.48
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	24.44
n41	20	30	2679.99	DFT	QPSK	Inner_Full	24.92
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	21.20
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	21.30



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2679.99	DFT	QPSK	Outer_Full	23.92
n41	20	30	2679.99	DFT	16QAM	Inner_Full	23.89
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	21.02
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	21.11
n41	20	30	2679.99	DFT	16QAM	Outer_Full	22.86
n41	20	30	2679.99	DFT	64QAM	Inner_Full	22.43
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	20.89
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	20.97
n41	20	30	2679.99	DFT	64QAM	Outer_Full	22.41
n41	20	30	2679.99	DFT	256QAM	Inner_Full	20.41
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	20.10
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	20.22
n41	20	30	2679.99	DFT	256QAM	Outer_Full	20.34
n41	20	30	2679.99	CP	QPSK	Inner_Full	23.39
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	21.36
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	21.40
n41	20	30	2679.99	CP	QPSK	Outer_Full	21.92
n41	20	30	2679.99	CP	16QAM	Inner_Full	22.95
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	21.41
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	21.47
n41	20	30	2679.99	CP	16QAM	Outer_Full	21.94
n41	20	30	2679.99	CP	64QAM	Inner_Full	21.48
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	20.97
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	21.12
n41	20	30	2679.99	CP	64QAM	Outer_Full	21.43
n41	20	30	2679.99	CP	256QAM	Inner_Full	18.35
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	18.12
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	18.28
n41	20	30	2679.99	CP	256QAM	Outer_Full	18.52
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	24.97
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.41
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	24.41
n41	40	30	2516.01	DFT	QPSK	Inner_Full	24.90
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.49
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.36
n41	40	30	2516.01	DFT	QPSK	Outer_Full	23.90
n41	40	30	2516.01	DFT	16QAM	Inner_Full	23.85
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.22
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.14



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2516.01	DFT	16QAM	Outer_Full	22.87
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.40
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.16
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	21.05
n41	40	30	2516.01	DFT	64QAM	Outer_Full	22.38
n41	40	30	2516.01	DFT	256QAM	Inner_Full	20.44
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	20.41
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	20.33
n41	40	30	2516.01	DFT	256QAM	Outer_Full	20.43
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.37
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	21.57
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	21.51
n41	40	30	2516.01	CP	QPSK	Outer_Full	21.90
n41	40	30	2516.01	CP	16QAM	Inner_Full	22.88
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	21.45
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	21.36
n41	40	30	2516.01	CP	16QAM	Outer_Full	21.91
n41	40	30	2516.01	CP	64QAM	Inner_Full	21.43
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.21
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	21.02
n41	40	30	2516.01	CP	64QAM	Outer_Full	21.35
n41	40	30	2516.01	CP	256QAM	Inner_Full	18.39
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	18.31
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	18.11
n41	40	30	2516.01	CP	256QAM	Outer_Full	18.36
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.82
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.38
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.54
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.43
n41	40	30	2592.99	DFT	QPSK	Inner_Full	24.88
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.21
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.52
n41	40	30	2592.99	DFT	QPSK	Outer_Full	23.88
n41	40	30	2592.99	DFT	16QAM	Inner_Full	23.84
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.96
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.17
n41	40	30	2592.99	DFT	16QAM	Outer_Full	22.93
n41	40	30	2592.99	DFT	64QAM	Inner_Full	22.38
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.98
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2592.99	DFT	64QAM	Outer_Full	22.40
n41	40	30	2592.99	DFT	256QAM	Inner_Full	20.31
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.21
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.34
n41	40	30	2592.99	DFT	256QAM	Outer_Full	20.45
n41	40	30	2592.99	CP	QPSK	Inner_Full	23.39
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.39
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.34
n41	40	30	2592.99	CP	QPSK	Outer_Full	21.91
n41	40	30	2592.99	CP	16QAM	Inner_Full	22.91
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.37
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	21.35
n41	40	30	2592.99	CP	16QAM	Outer_Full	21.90
n41	40	30	2592.99	CP	64QAM	Inner_Full	21.37
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	20.89
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	21.12
n41	40	30	2592.99	CP	64QAM	Outer_Full	21.42
n41	40	30	2592.99	CP	256QAM	Inner_Full	18.42
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	18.12
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	18.35
n41	40	30	2592.99	CP	256QAM	Outer_Full	18.40
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	25.02
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	21.44
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	24.59
n41	40	30	2670	DFT	QPSK	Inner_Full	25.07
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	21.28
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	21.72
n41	40	30	2670	DFT	QPSK	Outer_Full	24.00
n41	40	30	2670	DFT	16QAM	Inner_Full	23.89
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	21.04
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	21.39
n41	40	30	2670	DFT	16QAM	Outer_Full	22.99
n41	40	30	2670	DFT	64QAM	Inner_Full	22.48
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	20.97
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.27
n41	40	30	2670	DFT	64QAM	Outer_Full	22.49
n41	40	30	2670	DFT	256QAM	Inner_Full	20.49
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	20.28
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	20.46



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2670	DFT	256QAM	Outer_Full	20.48
n41	40	30	2670	CP	QPSK	Inner_Full	23.59
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	21.29
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	21.59
n41	40	30	2670	CP	QPSK	Outer_Full	22.08
n41	40	30	2670	CP	16QAM	Inner_Full	23.01
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	21.44
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	21.80
n41	40	30	2670	CP	16QAM	Outer_Full	21.98
n41	40	30	2670	CP	64QAM	Inner_Full	21.47
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	21.13
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	21.33
n41	40	30	2670	CP	64QAM	Outer_Full	21.48
n41	40	30	2670	CP	256QAM	Inner_Full	18.54
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	18.12
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	18.44
n41	40	30	2670	CP	256QAM	Outer_Full	18.48
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	24.90
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.46
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.28
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	24.37
n41	50	30	2521.02	DFT	QPSK	Inner_Full	24.84
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	21.34
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	21.29
n41	50	30	2521.02	DFT	QPSK	Outer_Full	23.86
n41	50	30	2521.02	DFT	16QAM	Inner_Full	23.83
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21.09
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	21.01
n41	50	30	2521.02	DFT	16QAM	Outer_Full	22.85
n41	50	30	2521.02	DFT	64QAM	Inner_Full	22.37
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	20.92
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	20.94
n41	50	30	2521.02	DFT	64QAM	Outer_Full	22.40
n41	50	30	2521.02	DFT	256QAM	Inner_Full	20.40
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	20.36
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	20.27
n41	50	30	2521.02	DFT	256QAM	Outer_Full	20.34
n41	50	30	2521.02	CP	QPSK	Inner_Full	23.35
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	21.42
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	21.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2521.02	CP	QPSK	Outer_Full	21.85
n41	50	30	2521.02	CP	16QAM	Inner_Full	22.84
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	21.42
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	21.37
n41	50	30	2521.02	CP	16QAM	Outer_Full	21.84
n41	50	30	2521.02	CP	64QAM	Inner_Full	21.33
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	21.04
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	19.20
n41	50	30	2521.02	CP	64QAM	Outer_Full	21.33
n41	50	30	2521.02	CP	256QAM	Inner_Full	18.31
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	18.06
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	18.12
n41	50	30	2521.02	CP	256QAM	Outer_Full	18.32
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.82
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.23
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.45
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.37
n41	50	30	2592.99	DFT	QPSK	Inner_Full	24.86
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.09
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.41
n41	50	30	2592.99	DFT	QPSK	Outer_Full	23.84
n41	50	30	2592.99	DFT	16QAM	Inner_Full	23.83
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.14
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.45
n41	50	30	2592.99	DFT	16QAM	Outer_Full	22.91
n41	50	30	2592.99	DFT	64QAM	Inner_Full	22.34
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.02
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.01
n41	50	30	2592.99	DFT	64QAM	Outer_Full	22.38
n41	50	30	2592.99	DFT	256QAM	Inner_Full	20.27
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.03
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.30
n41	50	30	2592.99	DFT	256QAM	Outer_Full	20.35
n41	50	30	2592.99	CP	QPSK	Inner_Full	23.38
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	21.35
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	21.40
n41	50	30	2592.99	CP	QPSK	Outer_Full	21.85
n41	50	30	2592.99	CP	16QAM	Inner_Full	22.80
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.00
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.42



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2592.99	CP	16QAM	Outer_Full	21.87
n41	50	30	2592.99	CP	64QAM	Inner_Full	21.37
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	20.78
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	21.08
n41	50	30	2592.99	CP	64QAM	Outer_Full	21.36
n41	50	30	2592.99	CP	256QAM	Inner_Full	18.36
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	17.96
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	18.31
n41	50	30	2592.99	CP	256QAM	Outer_Full	18.35
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	24.97
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.22
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.62
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	24.30
n41	50	30	2664.99	DFT	QPSK	Inner_Full	24.89
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	21.14
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	21.49
n41	50	30	2664.99	DFT	QPSK	Outer_Full	23.87
n41	50	30	2664.99	DFT	16QAM	Inner_Full	23.93
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	20.85
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	21.26
n41	50	30	2664.99	DFT	16QAM	Outer_Full	22.92
n41	50	30	2664.99	DFT	64QAM	Inner_Full	22.43
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	20.82
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	21.17
n41	50	30	2664.99	DFT	64QAM	Outer_Full	22.40
n41	50	30	2664.99	DFT	256QAM	Inner_Full	20.37
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	20.05
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	20.39
n41	50	30	2664.99	DFT	256QAM	Outer_Full	20.40
n41	50	30	2664.99	CP	QPSK	Inner_Full	23.52
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	21.12
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	21.49
n41	50	30	2664.99	CP	QPSK	Outer_Full	21.91
n41	50	30	2664.99	CP	16QAM	Inner_Full	22.86
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	21.27
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	21.61
n41	50	30	2664.99	CP	16QAM	Outer_Full	21.91
n41	50	30	2664.99	CP	64QAM	Inner_Full	21.40
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	20.83
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	21.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2664.99	CP	64QAM	Outer_Full	21.37
n41	50	30	2664.99	CP	256QAM	Inner_Full	18.35
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	17.94
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	18.44
n41	50	30	2664.99	CP	256QAM	Outer_Full	18.44
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	24.90
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	21.39
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	21.28
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	24.37
n41	60	30	2526	DFT	QPSK	Inner_Full	24.85
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.34
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	21.23
n41	60	30	2526	DFT	QPSK	Outer_Full	23.85
n41	60	30	2526	DFT	16QAM	Inner_Full	23.82
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.01
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	20.97
n41	60	30	2526	DFT	16QAM	Outer_Full	22.85
n41	60	30	2526	DFT	64QAM	Inner_Full	22.34
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	20.92
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	20.88
n41	60	30	2526	DFT	64QAM	Outer_Full	22.37
n41	60	30	2526	DFT	256QAM	Inner_Full	20.29
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	20.12
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	20.08
n41	60	30	2526	DFT	256QAM	Outer_Full	20.35
n41	60	30	2526	CP	QPSK	Inner_Full	23.29
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	21.25
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	21.24
n41	60	30	2526	CP	QPSK	Outer_Full	21.85
n41	60	30	2526	CP	16QAM	Inner_Full	22.78
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	21.20
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.11
n41	60	30	2526	CP	16QAM	Outer_Full	21.84
n41	60	30	2526	CP	64QAM	Inner_Full	21.29
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.05
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	20.89
n41	60	30	2526	CP	64QAM	Outer_Full	21.31
n41	60	30	2526	CP	256QAM	Inner_Full	18.34
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	18.12
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	18.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2526	CP	256QAM	Outer_Full	18.34
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.85
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.17
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.48
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.42
n41	60	30	2592.99	DFT	QPSK	Inner_Full	24.76
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.07
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.50
n41	60	30	2592.99	DFT	QPSK	Outer_Full	23.89
n41	60	30	2592.99	DFT	16QAM	Inner_Full	23.89
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.86
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.17
n41	60	30	2592.99	DFT	16QAM	Outer_Full	22.88
n41	60	30	2592.99	DFT	64QAM	Inner_Full	22.37
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.72
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.02
n41	60	30	2592.99	DFT	64QAM	Outer_Full	22.27
n41	60	30	2592.99	DFT	256QAM	Inner_Full	20.34
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.99
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.39
n41	60	30	2592.99	DFT	256QAM	Outer_Full	20.28
n41	60	30	2592.99	CP	QPSK	Inner_Full	23.36
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	21.20
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	21.50
n41	60	30	2592.99	CP	QPSK	Outer_Full	21.90
n41	60	30	2592.99	CP	16QAM	Inner_Full	22.77
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	21.26
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	21.38
n41	60	30	2592.99	CP	16QAM	Outer_Full	21.92
n41	60	30	2592.99	CP	64QAM	Inner_Full	21.37
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	20.86
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	21.15
n41	60	30	2592.99	CP	64QAM	Outer_Full	21.32
n41	60	30	2592.99	CP	256QAM	Inner_Full	18.38
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	17.93
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	18.26
n41	60	30	2592.99	CP	256QAM	Outer_Full	18.44
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	24.93
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.09
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	24.44
n41	60	30	2659.98	DFT	QPSK	Inner_Full	24.96
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.08
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	21.48
n41	60	30	2659.98	DFT	QPSK	Outer_Full	23.93
n41	60	30	2659.98	DFT	16QAM	Inner_Full	23.93
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	20.87
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	21.27
n41	60	30	2659.98	DFT	16QAM	Outer_Full	22.94
n41	60	30	2659.98	DFT	64QAM	Inner_Full	22.45
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	20.69
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	21.16
n41	60	30	2659.98	DFT	64QAM	Outer_Full	22.39
n41	60	30	2659.98	DFT	256QAM	Inner_Full	20.44
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	19.93
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	20.41
n41	60	30	2659.98	DFT	256QAM	Outer_Full	20.40
n41	60	30	2659.98	CP	QPSK	Inner_Full	23.35
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	21.11
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	21.51
n41	60	30	2659.98	CP	QPSK	Outer_Full	21.91
n41	60	30	2659.98	CP	16QAM	Inner_Full	22.89
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	20.98
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	21.52
n41	60	30	2659.98	CP	16QAM	Outer_Full	21.93
n41	60	30	2659.98	CP	64QAM	Inner_Full	21.40
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	20.78
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	21.20
n41	60	30	2659.98	CP	64QAM	Outer_Full	21.41
n41	60	30	2659.98	CP	256QAM	Inner_Full	18.47
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	18.01
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	18.35
n41	60	30	2659.98	CP	256QAM	Outer_Full	18.43
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	24.66
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.14
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.10
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	24.15
n41	80	30	2536.02	DFT	QPSK	Inner_Full	24.61
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.07
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	21.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2536.02	DFT	QPSK	Outer_Full	23.62
n41	80	30	2536.02	DFT	16QAM	Inner_Full	23.69
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	20.84
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	20.81
n41	80	30	2536.02	DFT	16QAM	Outer_Full	22.67
n41	80	30	2536.02	DFT	64QAM	Inner_Full	22.16
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	20.75
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	20.69
n41	80	30	2536.02	DFT	64QAM	Outer_Full	22.18
n41	80	30	2536.02	DFT	256QAM	Inner_Full	20.08
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	19.99
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	19.95
n41	80	30	2536.02	DFT	256QAM	Outer_Full	20.17
n41	80	30	2536.02	CP	QPSK	Inner_Full	23.10
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	21.14
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	21.04
n41	80	30	2536.02	CP	QPSK	Outer_Full	21.64
n41	80	30	2536.02	CP	16QAM	Inner_Full	22.60
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	21.29
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	21.15
n41	80	30	2536.02	CP	16QAM	Outer_Full	21.64
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.10
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	20.88
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	20.95
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.15
n41	80	30	2536.02	CP	256QAM	Inner_Full	18.13
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	18.05
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	17.89
n41	80	30	2536.02	CP	256QAM	Outer_Full	18.13
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.63
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	20.96
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.34
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.24
n41	80	30	2592.99	DFT	QPSK	Inner_Full	24.71
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.93
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.26
n41	80	30	2592.99	DFT	QPSK	Outer_Full	23.74
n41	80	30	2592.99	DFT	16QAM	Inner_Full	23.67
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.69
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.00



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2592.99	DFT	16QAM	Outer_Full	22.65
n41	80	30	2592.99	DFT	64QAM	Inner_Full	22.08
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.45
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.95
n41	80	30	2592.99	DFT	64QAM	Outer_Full	22.14
n41	80	30	2592.99	DFT	256QAM	Inner_Full	20.16
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.80
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.16
n41	80	30	2592.99	DFT	256QAM	Outer_Full	20.21
n41	80	30	2592.99	CP	QPSK	Inner_Full	23.20
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	20.99
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.38
n41	80	30	2592.99	CP	QPSK	Outer_Full	21.73
n41	80	30	2592.99	CP	16QAM	Inner_Full	22.70
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	20.83
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	21.38
n41	80	30	2592.99	CP	16QAM	Outer_Full	21.63
n41	80	30	2592.99	CP	64QAM	Inner_Full	21.19
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	20.68
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	21.20
n41	80	30	2592.99	CP	64QAM	Outer_Full	21.16
n41	80	30	2592.99	CP	256QAM	Inner_Full	18.14
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	17.80
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	18.11
n41	80	30	2592.99	CP	256QAM	Outer_Full	18.20
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	24.72
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	20.89
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.43
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	24.25
n41	80	30	2649.99	DFT	QPSK	Inner_Full	24.76
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	20.87
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.39
n41	80	30	2649.99	DFT	QPSK	Outer_Full	23.75
n41	80	30	2649.99	DFT	16QAM	Inner_Full	23.78
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	20.75
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	21.32
n41	80	30	2649.99	DFT	16QAM	Outer_Full	22.73
n41	80	30	2649.99	DFT	64QAM	Inner_Full	22.24
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	20.44
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	21.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2649.99	DFT	64QAM	Outer_Full	22.25
n41	80	30	2649.99	DFT	256QAM	Inner_Full	20.19
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	19.70
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	20.29
n41	80	30	2649.99	DFT	256QAM	Outer_Full	20.20
n41	80	30	2649.99	CP	QPSK	Inner_Full	23.26
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	20.96
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	21.43
n41	80	30	2649.99	CP	QPSK	Outer_Full	21.75
n41	80	30	2649.99	CP	16QAM	Inner_Full	22.78
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	20.71
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	21.46
n41	80	30	2649.99	CP	16QAM	Outer_Full	21.74
n41	80	30	2649.99	CP	64QAM	Inner_Full	21.21
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	20.69
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	21.14
n41	80	30	2649.99	CP	64QAM	Outer_Full	21.25
n41	80	30	2649.99	CP	256QAM	Inner_Full	18.28
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	17.72
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	18.22
n41	80	30	2649.99	CP	256QAM	Outer_Full	18.23
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	24.71
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	21.21
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	21.19
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	24.13
n41	90	30	2541	DFT	QPSK	Inner_Full	24.65
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.18
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	21.09
n41	90	30	2541	DFT	QPSK	Outer_Full	23.73
n41	90	30	2541	DFT	16QAM	Inner_Full	23.68
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	21.23
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	21.00
n41	90	30	2541	DFT	16QAM	Outer_Full	22.63
n41	90	30	2541	DFT	64QAM	Inner_Full	22.16
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	20.72
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	20.78
n41	90	30	2541	DFT	64QAM	Outer_Full	22.16
n41	90	30	2541	DFT	256QAM	Inner_Full	20.19
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	19.94
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	19.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2541	DFT	256QAM	Outer_Full	20.18
n41	90	30	2541	CP	QPSK	Inner_Full	23.13
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.24
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	21.24
n41	90	30	2541	CP	QPSK	Outer_Full	21.68
n41	90	30	2541	CP	16QAM	Inner_Full	22.59
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.16
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	21.20
n41	90	30	2541	CP	16QAM	Outer_Full	21.65
n41	90	30	2541	CP	64QAM	Inner_Full	21.11
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	20.89
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	20.77
n41	90	30	2541	CP	64QAM	Outer_Full	21.17
n41	90	30	2541	CP	256QAM	Inner_Full	18.10
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	18.06
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	17.99
n41	90	30	2541	CP	256QAM	Outer_Full	18.15
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.69
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	20.88
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.41
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.26
n41	90	30	2592.99	DFT	QPSK	Inner_Full	24.70
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.84
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.33
n41	90	30	2592.99	DFT	QPSK	Outer_Full	23.74
n41	90	30	2592.99	DFT	16QAM	Inner_Full	23.66
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.58
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.11
n41	90	30	2592.99	DFT	16QAM	Outer_Full	22.63
n41	90	30	2592.99	DFT	64QAM	Inner_Full	22.15
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.47
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.08
n41	90	30	2592.99	DFT	64QAM	Outer_Full	22.16
n41	90	30	2592.99	DFT	256QAM	Inner_Full	20.18
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.74
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.21
n41	90	30	2592.99	DFT	256QAM	Outer_Full	20.16
n41	90	30	2592.99	CP	QPSK	Inner_Full	23.22
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	20.96
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2592.99	CP	QPSK	Outer_Full	21.76
n41	90	30	2592.99	CP	16QAM	Inner_Full	22.71
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.06
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.54
n41	90	30	2592.99	CP	16QAM	Outer_Full	21.63
n41	90	30	2592.99	CP	64QAM	Inner_Full	21.13
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	20.63
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	21.05
n41	90	30	2592.99	CP	64QAM	Outer_Full	21.18
n41	90	30	2592.99	CP	256QAM	Inner_Full	18.12
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	17.63
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	18.31
n41	90	30	2592.99	CP	256QAM	Outer_Full	18.13
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	24.69
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.82
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.48
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	24.23
n41	90	30	2644.98	DFT	QPSK	Inner_Full	24.71
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	20.79
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.43
n41	90	30	2644.98	DFT	QPSK	Outer_Full	23.76
n41	90	30	2644.98	DFT	16QAM	Inner_Full	23.71
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	20.54
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	21.22
n41	90	30	2644.98	DFT	16QAM	Outer_Full	22.77
n41	90	30	2644.98	DFT	64QAM	Inner_Full	22.25
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	20.38
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	21.13
n41	90	30	2644.98	DFT	64QAM	Outer_Full	22.22
n41	90	30	2644.98	DFT	256QAM	Inner_Full	20.14
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	19.57
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	20.34
n41	90	30	2644.98	DFT	256QAM	Outer_Full	20.23
n41	90	30	2644.98	CP	QPSK	Inner_Full	23.21
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	20.78
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	21.49
n41	90	30	2644.98	CP	QPSK	Outer_Full	21.72
n41	90	30	2644.98	CP	16QAM	Inner_Full	22.70
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	20.78
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	21.38



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2644.98	CP	16QAM	Outer_Full	21.75
n41	90	30	2644.98	CP	64QAM	Inner_Full	21.20
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	20.46
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	21.27
n41	90	30	2644.98	CP	64QAM	Outer_Full	21.20
n41	90	30	2644.98	CP	256QAM	Inner_Full	18.21
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	17.66
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	18.25
n41	90	30	2644.98	CP	256QAM	Outer_Full	18.13
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	24.73
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.19
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.25
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	24.17
n41	100	30	2546.01	DFT	QPSK	Inner_Full	24.63
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.19
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	19.46
n41	100	30	2546.01	DFT	QPSK	Outer_Full	23.65
n41	100	30	2546.01	DFT	16QAM	Inner_Full	23.64
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	20.95
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	20.88
n41	100	30	2546.01	DFT	16QAM	Outer_Full	22.66
n41	100	30	2546.01	DFT	64QAM	Inner_Full	22.14
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	20.81
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	20.77
n41	100	30	2546.01	DFT	64QAM	Outer_Full	22.16
n41	100	30	2546.01	DFT	256QAM	Inner_Full	20.22
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	19.99
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	20.08
n41	100	30	2546.01	DFT	256QAM	Outer_Full	20.20
n41	100	30	2546.01	CP	QPSK	Inner_Full	23.21
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.21
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	21.17
n41	100	30	2546.01	CP	QPSK	Outer_Full	21.64
n41	100	30	2546.01	CP	16QAM	Inner_Full	22.67
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.05
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.36
n41	100	30	2546.01	CP	16QAM	Outer_Full	21.64
n41	100	30	2546.01	CP	64QAM	Inner_Full	21.12
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	20.92
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	20.84



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2546.01	CP	64QAM	Outer_Full	21.18
n41	100	30	2546.01	CP	256QAM	Inner_Full	18.12
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	18.13
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	17.96
n41	100	30	2546.01	CP	256QAM	Outer_Full	18.13
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.72
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.01
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.47
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.16
n41	100	30	2592.99	DFT	QPSK	Inner_Full	24.62
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.93
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.41
n41	100	30	2592.99	DFT	QPSK	Outer_Full	23.64
n41	100	30	2592.99	DFT	16QAM	Inner_Full	23.66
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.65
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.34
n41	100	30	2592.99	DFT	16QAM	Outer_Full	22.66
n41	100	30	2592.99	DFT	64QAM	Inner_Full	22.17
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.48
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.01
n41	100	30	2592.99	DFT	64QAM	Outer_Full	22.16
n41	100	30	2592.99	DFT	256QAM	Inner_Full	20.20
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.77
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.29
n41	100	30	2592.99	DFT	256QAM	Outer_Full	20.09
n41	100	30	2592.99	CP	QPSK	Inner_Full	23.22
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	20.88
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	21.38
n41	100	30	2592.99	CP	QPSK	Outer_Full	21.65
n41	100	30	2592.99	CP	16QAM	Inner_Full	22.68
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	20.88
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	21.46
n41	100	30	2592.99	CP	16QAM	Outer_Full	21.67
n41	100	30	2592.99	CP	64QAM	Inner_Full	21.16
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	20.64
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	21.12
n41	100	30	2592.99	CP	64QAM	Outer_Full	21.14
n41	100	30	2592.99	CP	256QAM	Inner_Full	18.14
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	17.74
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	18.35



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2592.99	CP	256QAM	Outer_Full	18.15
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	24.75
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	20.84
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.52
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	24.19
n41	100	30	2640	DFT	QPSK	Inner_Full	24.80
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	20.87
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.48
n41	100	30	2640	DFT	QPSK	Outer_Full	23.72
n41	100	30	2640	DFT	16QAM	Inner_Full	23.74
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	20.46
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	21.26
n41	100	30	2640	DFT	16QAM	Outer_Full	22.74
n41	100	30	2640	DFT	64QAM	Inner_Full	22.28
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	20.41
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	21.19
n41	100	30	2640	DFT	64QAM	Outer_Full	22.22
n41	100	30	2640	DFT	256QAM	Inner_Full	20.22
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	19.74
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	20.41
n41	100	30	2640	DFT	256QAM	Outer_Full	20.22
n41	100	30	2640	CP	QPSK	Inner_Full	23.22
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	20.71
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.46
n41	100	30	2640	CP	QPSK	Outer_Full	21.71
n41	100	30	2640	CP	16QAM	Inner_Full	22.73
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	20.81
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	21.49
n41	100	30	2640	CP	16QAM	Outer_Full	21.72
n41	100	30	2640	CP	64QAM	Inner_Full	21.23
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	20.45
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	21.14
n41	100	30	2640	CP	64QAM	Outer_Full	21.25
n41	100	30	2640	CP	256QAM	Inner_Full	18.25
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	17.56
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	18.39
n41	100	30	2640	CP	256QAM	Outer_Full	18.18



n71

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	22.39
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.80
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.91
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	21.84
n71	5	15	665.5	DFT	QPSK	Inner_Full	22.43
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	21.41
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	21.37
n71	5	15	665.5	DFT	QPSK	Outer_Full	21.38
n71	5	15	665.5	DFT	16QAM	Inner_Full	21.36
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	20.66
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	20.69
n71	5	15	665.5	DFT	16QAM	Outer_Full	20.36
n71	5	15	665.5	DFT	64QAM	Inner_Full	19.95
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	19.59
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	19.74
n71	5	15	665.5	DFT	64QAM	Outer_Full	20.01
n71	5	15	665.5	DFT	256QAM	Inner_Full	17.85
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	17.87
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	17.54
n71	5	15	665.5	DFT	256QAM	Outer_Full	17.79
n71	5	15	665.5	CP	QPSK	Inner_Full	20.85
n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	19.26
n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	19.36
n71	5	15	665.5	CP	QPSK	Outer_Full	19.37
n71	5	15	665.5	CP	16QAM	Inner_Full	20.52
n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	19.70
n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	19.78
n71	5	15	665.5	CP	16QAM	Outer_Full	19.39
n71	5	15	665.5	CP	64QAM	Inner_Full	18.74
n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	18.43
n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	18.57
n71	5	15	665.5	CP	64QAM	Outer_Full	18.90
n71	5	15	665.5	CP	256QAM	Inner_Full	15.81
n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	15.53
n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	15.65
n71	5	15	665.5	CP	256QAM	Outer_Full	15.87
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.45
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.84
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.77



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.97
n71	5	15	680.5	DFT	QPSK	Inner_Full	22.53
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	21.49
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	21.45
n71	5	15	680.5	DFT	QPSK	Outer_Full	21.50
n71	5	15	680.5	DFT	16QAM	Inner_Full	21.50
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	20.38
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	20.44
n71	5	15	680.5	DFT	16QAM	Outer_Full	20.54
n71	5	15	680.5	DFT	64QAM	Inner_Full	20.08
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	19.74
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	19.69
n71	5	15	680.5	DFT	64QAM	Outer_Full	20.05
n71	5	15	680.5	DFT	256QAM	Inner_Full	17.93
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	17.51
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	17.57
n71	5	15	680.5	DFT	256QAM	Outer_Full	17.84
n71	5	15	680.5	CP	QPSK	Inner_Full	20.96
n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	19.26
n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	19.34
n71	5	15	680.5	CP	QPSK	Outer_Full	19.41
n71	5	15	680.5	CP	16QAM	Inner_Full	20.67
n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	19.52
n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	19.57
n71	5	15	680.5	CP	16QAM	Outer_Full	19.47
n71	5	15	680.5	CP	64QAM	Inner_Full	18.90
n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	18.95
n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	18.54
n71	5	15	680.5	CP	64QAM	Outer_Full	18.98
n71	5	15	680.5	CP	256QAM	Inner_Full	15.95
n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	15.62
n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	15.67
n71	5	15	680.5	CP	256QAM	Outer_Full	15.93
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	22.38
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.82
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	21.83
n71	5	15	695.5	DFT	QPSK	Inner_Full	22.45
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	21.41
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	21.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	5	15	695.5	DFT	QPSK	Outer_Full	21.33
n71	5	15	695.5	DFT	16QAM	Inner_Full	21.41
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	20.74
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	20.62
n71	5	15	695.5	DFT	16QAM	Outer_Full	20.36
n71	5	15	695.5	DFT	64QAM	Inner_Full	19.97
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	19.69
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	19.58
n71	5	15	695.5	DFT	64QAM	Outer_Full	20.00
n71	5	15	695.5	DFT	256QAM	Inner_Full	17.79
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	17.54
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	17.59
n71	5	15	695.5	DFT	256QAM	Outer_Full	17.79
n71	5	15	695.5	CP	QPSK	Inner_Full	20.84
n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	19.27
n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	19.35
n71	5	15	695.5	CP	QPSK	Outer_Full	19.31
n71	5	15	695.5	CP	16QAM	Inner_Full	20.56
n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	19.73
n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	19.63
n71	5	15	695.5	CP	16QAM	Outer_Full	19.36
n71	5	15	695.5	CP	64QAM	Inner_Full	18.80
n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	18.53
n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	18.49
n71	5	15	695.5	CP	64QAM	Outer_Full	18.90
n71	5	15	695.5	CP	256QAM	Inner_Full	15.90
n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	15.64
n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	15.56
n71	5	15	695.5	CP	256QAM	Outer_Full	15.83
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	22.33
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	21.83
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	21.91
n71	10	15	668	DFT	QPSK	Inner_Full	22.46
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	21.35
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	21.47
n71	10	15	668	DFT	QPSK	Outer_Full	21.47
n71	10	15	668	DFT	16QAM	Inner_Full	21.38
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	20.63
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	20.73



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	10	15	668	DFT	16QAM	Outer_Full	20.23
n71	10	15	668	DFT	64QAM	Inner_Full	20.01
n71	10	15	668	DFT	64QAM	Edge_1RB_Left	19.60
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	19.77
n71	10	15	668	DFT	64QAM	Outer_Full	19.90
n71	10	15	668	DFT	256QAM	Inner_Full	17.70
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	17.49
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	17.57
n71	10	15	668	DFT	256QAM	Outer_Full	17.79
n71	10	15	668	CP	QPSK	Inner_Full	20.84
n71	10	15	668	CP	QPSK	Edge_1RB_Left	19.13
n71	10	15	668	CP	QPSK	Edge_1RB_Right	19.30
n71	10	15	668	CP	QPSK	Outer_Full	19.35
n71	10	15	668	CP	16QAM	Inner_Full	20.38
n71	10	15	668	CP	16QAM	Edge_1RB_Left	19.45
n71	10	15	668	CP	16QAM	Edge_1RB_Right	19.62
n71	10	15	668	CP	16QAM	Outer_Full	19.41
n71	10	15	668	CP	64QAM	Inner_Full	18.86
n71	10	15	668	CP	64QAM	Edge_1RB_Left	18.50
n71	10	15	668	CP	64QAM	Edge_1RB_Right	18.62
n71	10	15	668	CP	64QAM	Outer_Full	18.87
n71	10	15	668	CP	256QAM	Inner_Full	15.82
n71	10	15	668	CP	256QAM	Edge_1RB_Left	15.57
n71	10	15	668	CP	256QAM	Edge_1RB_Right	15.66
n71	10	15	668	CP	256QAM	Outer_Full	15.80
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.47
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.01
n71	10	15	680.5	DFT	QPSK	Inner_Full	22.52
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	21.55
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	21.52
n71	10	15	680.5	DFT	QPSK	Outer_Full	21.48
n71	10	15	680.5	DFT	16QAM	Inner_Full	21.50
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	20.78
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	20.76
n71	10	15	680.5	DFT	16QAM	Outer_Full	20.40
n71	10	15	680.5	DFT	64QAM	Inner_Full	20.05
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	19.83
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	19.79



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	10	15	680.5	DFT	64QAM	Outer_Full	20.03
n71	10	15	680.5	DFT	256QAM	Inner_Full	17.82
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	17.66
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	17.63
n71	10	15	680.5	DFT	256QAM	Outer_Full	17.90
n71	10	15	680.5	CP	QPSK	Inner_Full	20.98
n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	19.44
n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	19.47
n71	10	15	680.5	CP	QPSK	Outer_Full	19.44
n71	10	15	680.5	CP	16QAM	Inner_Full	20.51
n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	19.84
n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	19.86
n71	10	15	680.5	CP	16QAM	Outer_Full	19.41
n71	10	15	680.5	CP	64QAM	Inner_Full	18.99
n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	18.60
n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	18.61
n71	10	15	680.5	CP	64QAM	Outer_Full	18.97
n71	10	15	680.5	CP	256QAM	Inner_Full	15.89
n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	15.66
n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	15.74
n71	10	15	680.5	CP	256QAM	Outer_Full	15.94
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	22.46
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	21.83
n71	10	15	693	DFT	QPSK	Inner_Full	22.39
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	21.50
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	21.35
n71	10	15	693	DFT	QPSK	Outer_Full	21.37
n71	10	15	693	DFT	16QAM	Inner_Full	21.34
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	20.69
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	20.60
n71	10	15	693	DFT	16QAM	Outer_Full	20.27
n71	10	15	693	DFT	64QAM	Inner_Full	19.92
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	19.75
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	19.63
n71	10	15	693	DFT	64QAM	Outer_Full	19.86
n71	10	15	693	DFT	256QAM	Inner_Full	17.81
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	17.60
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	17.46



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	10	15	693	DFT	256QAM	Outer_Full	17.80
n71	10	15	693	CP	QPSK	Inner_Full	20.86
n71	10	15	693	CP	QPSK	Edge_1RB_Left	19.38
n71	10	15	693	CP	QPSK	Edge_1RB_Right	19.26
n71	10	15	693	CP	QPSK	Outer_Full	19.31
n71	10	15	693	CP	16QAM	Inner_Full	20.44
n71	10	15	693	CP	16QAM	Edge_1RB_Left	19.84
n71	10	15	693	CP	16QAM	Edge_1RB_Right	19.72
n71	10	15	693	CP	16QAM	Outer_Full	19.29
n71	10	15	693	CP	64QAM	Inner_Full	18.84
n71	10	15	693	CP	64QAM	Edge_1RB_Left	18.50
n71	10	15	693	CP	64QAM	Edge_1RB_Right	18.46
n71	10	15	693	CP	64QAM	Outer_Full	18.83
n71	10	15	693	CP	256QAM	Inner_Full	15.80
n71	10	15	693	CP	256QAM	Edge_1RB_Left	15.58
n71	10	15	693	CP	256QAM	Edge_1RB_Right	15.54
n71	10	15	693	CP	256QAM	Outer_Full	15.71
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	22.29
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	21.89
n71	15	15	670.5	DFT	QPSK	Inner_Full	22.39
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	21.30
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	21.47
n71	15	15	670.5	DFT	QPSK	Outer_Full	21.40
n71	15	15	670.5	DFT	16QAM	Inner_Full	21.31
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	20.59
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	20.68
n71	15	15	670.5	DFT	16QAM	Outer_Full	20.36
n71	15	15	670.5	DFT	64QAM	Inner_Full	19.91
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	19.57
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	19.85
n71	15	15	670.5	DFT	64QAM	Outer_Full	19.92
n71	15	15	670.5	DFT	256QAM	Inner_Full	17.81
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	17.46
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	17.75
n71	15	15	670.5	DFT	256QAM	Outer_Full	17.81
n71	15	15	670.5	CP	QPSK	Inner_Full	20.83
n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	19.23
n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	19.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	15	15	670.5	CP	QPSK	Outer_Full	19.35
n71	15	15	670.5	CP	16QAM	Inner_Full	20.33
n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	19.67
n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	19.82
n71	15	15	670.5	CP	16QAM	Outer_Full	19.30
n71	15	15	670.5	CP	64QAM	Inner_Full	18.90
n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	18.51
n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	18.71
n71	15	15	670.5	CP	64QAM	Outer_Full	18.83
n71	15	15	670.5	CP	256QAM	Inner_Full	15.79
n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	15.60
n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	15.88
n71	15	15	670.5	CP	256QAM	Outer_Full	15.81
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.33
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.87
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.80
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.90
n71	15	15	680.5	DFT	QPSK	Inner_Full	22.42
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	21.39
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	21.23
n71	15	15	680.5	DFT	QPSK	Outer_Full	21.39
n71	15	15	680.5	DFT	16QAM	Inner_Full	21.37
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	20.72
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	20.56
n71	15	15	680.5	DFT	16QAM	Outer_Full	20.40
n71	15	15	680.5	DFT	64QAM	Inner_Full	19.87
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	19.69
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	19.63
n71	15	15	680.5	DFT	64QAM	Outer_Full	19.93
n71	15	15	680.5	DFT	256QAM	Inner_Full	17.82
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	17.56
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	17.59
n71	15	15	680.5	DFT	256QAM	Outer_Full	17.74
n71	15	15	680.5	CP	QPSK	Inner_Full	20.85
n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	19.31
n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	19.34
n71	15	15	680.5	CP	QPSK	Outer_Full	19.32
n71	15	15	680.5	CP	16QAM	Inner_Full	20.31
n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	19.76
n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	19.69



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	15	15	680.5	CP	16QAM	Outer_Full	19.32
n71	15	15	680.5	CP	64QAM	Inner_Full	18.88
n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	18.52
n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	18.46
n71	15	15	680.5	CP	64QAM	Outer_Full	18.90
n71	15	15	680.5	CP	256QAM	Inner_Full	15.85
n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	15.65
n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	15.73
n71	15	15	680.5	CP	256QAM	Outer_Full	15.82
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	22.28
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.74
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.67
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	21.83
n71	15	15	690.5	DFT	QPSK	Inner_Full	22.24
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	21.31
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	21.24
n71	15	15	690.5	DFT	QPSK	Outer_Full	21.33
n71	15	15	690.5	DFT	16QAM	Inner_Full	21.17
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	20.52
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	20.45
n71	15	15	690.5	DFT	16QAM	Outer_Full	20.31
n71	15	15	690.5	DFT	64QAM	Inner_Full	19.77
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	19.69
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	19.57
n71	15	15	690.5	DFT	64QAM	Outer_Full	19.80
n71	15	15	690.5	DFT	256QAM	Inner_Full	17.76
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	17.46
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	17.48
n71	15	15	690.5	DFT	256QAM	Outer_Full	17.71
n71	15	15	690.5	CP	QPSK	Inner_Full	20.78
n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	19.24
n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	19.16
n71	15	15	690.5	CP	QPSK	Outer_Full	19.30
n71	15	15	690.5	CP	16QAM	Inner_Full	20.32
n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	19.60
n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	19.64
n71	15	15	690.5	CP	16QAM	Outer_Full	19.27
n71	15	15	690.5	CP	64QAM	Inner_Full	18.86
n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	18.45
n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	18.42



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	15	15	690.5	CP	64QAM	Outer_Full	18.81
n71	15	15	690.5	CP	256QAM	Inner_Full	15.77
n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	15.53
n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	15.59
n71	15	15	690.5	CP	256QAM	Outer_Full	15.74
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	22.37
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	21.93
n71	20	15	673	DFT	QPSK	Inner_Full	22.48
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	21.28
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	21.35
n71	20	15	673	DFT	QPSK	Outer_Full	21.48
n71	20	15	673	DFT	16QAM	Inner_Full	21.37
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	20.52
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	20.61
n71	20	15	673	DFT	16QAM	Outer_Full	20.46
n71	20	15	673	DFT	64QAM	Inner_Full	19.95
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	19.53
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	19.63
n71	20	15	673	DFT	64QAM	Outer_Full	19.99
n71	20	15	673	DFT	256QAM	Inner_Full	17.83
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	17.40
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	17.54
n71	20	15	673	DFT	256QAM	Outer_Full	17.95
n71	20	15	673	CP	QPSK	Inner_Full	20.93
n71	20	15	673	CP	QPSK	Edge_1RB_Left	19.11
n71	20	15	673	CP	QPSK	Edge_1RB_Right	19.47
n71	20	15	673	CP	QPSK	Outer_Full	19.42
n71	20	15	673	CP	16QAM	Inner_Full	20.39
n71	20	15	673	CP	16QAM	Edge_1RB_Left	19.07
n71	20	15	673	CP	16QAM	Edge_1RB_Right	19.81
n71	20	15	673	CP	16QAM	Outer_Full	19.47
n71	20	15	673	CP	64QAM	Inner_Full	18.98
n71	20	15	673	CP	64QAM	Edge_1RB_Left	18.44
n71	20	15	673	CP	64QAM	Edge_1RB_Right	18.61
n71	20	15	673	CP	64QAM	Outer_Full	19.00
n71	20	15	673	CP	256QAM	Inner_Full	15.81
n71	20	15	673	CP	256QAM	Edge_1RB_Left	15.40
n71	20	15	673	CP	256QAM	Edge_1RB_Right	15.73



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	20	15	673	CP	256QAM	Outer_Full	15.92
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.32
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.72
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.91
n71	20	15	680.5	DFT	QPSK	Inner_Full	22.42
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	21.26
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	21.20
n71	20	15	680.5	DFT	QPSK	Outer_Full	21.38
n71	20	15	680.5	DFT	16QAM	Inner_Full	21.35
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	20.52
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	20.45
n71	20	15	680.5	DFT	16QAM	Outer_Full	20.36
n71	20	15	680.5	DFT	64QAM	Inner_Full	19.85
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	19.60
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	19.57
n71	20	15	680.5	DFT	64QAM	Outer_Full	19.87
n71	20	15	680.5	DFT	256QAM	Inner_Full	17.80
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	17.39
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	17.57
n71	20	15	680.5	DFT	256QAM	Outer_Full	17.86
n71	20	15	680.5	CP	QPSK	Inner_Full	20.84
n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	19.18
n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	19.32
n71	20	15	680.5	CP	QPSK	Outer_Full	19.39
n71	20	15	680.5	CP	16QAM	Inner_Full	20.36
n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	19.70
n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	19.61
n71	20	15	680.5	CP	16QAM	Outer_Full	19.40
n71	20	15	680.5	CP	64QAM	Inner_Full	18.95
n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	18.45
n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	18.43
n71	20	15	680.5	CP	64QAM	Outer_Full	18.91
n71	20	15	680.5	CP	256QAM	Inner_Full	15.76
n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	15.41
n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	15.76
n71	20	15	680.5	CP	256QAM	Outer_Full	15.87
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	22.28
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	21.89
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	21.72



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	21.78
n71	20	15	688	DFT	QPSK	Inner_Full	22.31
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	21.36
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	21.22
n71	20	15	688	DFT	QPSK	Outer_Full	21.34
n71	20	15	688	DFT	16QAM	Inner_Full	21.17
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	20.62
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	20.51
n71	20	15	688	DFT	16QAM	Outer_Full	20.31
n71	20	15	688	DFT	64QAM	Inner_Full	19.78
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	19.71
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	19.53
n71	20	15	688	DFT	64QAM	Outer_Full	19.85
n71	20	15	688	DFT	256QAM	Inner_Full	17.66
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	17.45
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	17.48
n71	20	15	688	DFT	256QAM	Outer_Full	17.77
n71	20	15	688	CP	QPSK	Inner_Full	20.73
n71	20	15	688	CP	QPSK	Edge_1RB_Left	19.28
n71	20	15	688	CP	QPSK	Edge_1RB_Right	19.21
n71	20	15	688	CP	QPSK	Outer_Full	19.34
n71	20	15	688	CP	16QAM	Inner_Full	20.24
n71	20	15	688	CP	16QAM	Edge_1RB_Left	19.71
n71	20	15	688	CP	16QAM	Edge_1RB_Right	19.69
n71	20	15	688	CP	16QAM	Outer_Full	19.27
n71	20	15	688	CP	64QAM	Inner_Full	18.85
n71	20	15	688	CP	64QAM	Edge_1RB_Left	18.55
n71	20	15	688	CP	64QAM	Edge_1RB_Right	18.48
n71	20	15	688	CP	64QAM	Outer_Full	18.82
n71	20	15	688	CP	256QAM	Inner_Full	15.69
n71	20	15	688	CP	256QAM	Edge_1RB_Left	15.55
n71	20	15	688	CP	256QAM	Edge_1RB_Right	15.64
n71	20	15	688	CP	256QAM	Outer_Full	15.78



n77L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	21.82
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	21.71
n77L	20	30	3460.02	CP	16QAM	Inner_Full	23.65
n77L	20	30	3460.02	CP	16QAM	Outer_Full	22.66
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	18.67
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	18.84
n77L	20	30	3460.02	CP	256QAM	Inner_Full	18.76
n77L	20	30	3460.02	CP	256QAM	Outer_Full	18.78
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	21.65
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	21.81
n77L	20	30	3460.02	CP	64QAM	Inner_Full	21.85
n77L	20	30	3460.02	CP	64QAM	Outer_Full	21.82
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.20
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	21.95
n77L	20	30	3460.02	CP	QPSK	Inner_Full	24.08
n77L	20	30	3460.02	CP	QPSK	Outer_Full	22.58
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	21.89
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.62
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	24.31
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	23.62
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	21.01
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	20.88
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	20.60
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	21.09
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	21.52
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	21.66
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	23.14
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	22.97
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	25.40
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	25.10
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.16
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.03
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	25.35
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	24.41
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	22.02
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	22.18
n77L	20	30	3500.01	CP	16QAM	Inner_Full	23.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	20	30	3500.01	CP	16QAM	Outer_Full	22.50
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	19.12
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	19.09
n77L	20	30	3500.01	CP	256QAM	Inner_Full	19.19
n77L	20	30	3500.01	CP	256QAM	Outer_Full	19.25
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	21.93
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	21.89
n77L	20	30	3500.01	CP	64QAM	Inner_Full	21.99
n77L	20	30	3500.01	CP	64QAM	Outer_Full	22.30
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.16
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	22.00
n77L	20	30	3500.01	CP	QPSK	Inner_Full	24.35
n77L	20	30	3500.01	CP	QPSK	Outer_Full	22.55
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.01
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.94
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	24.54
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	23.53
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.10
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.02
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	21.03
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	20.91
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.02
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.52
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	23.04
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	22.96
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.24
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.57
n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.41
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.02
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.88
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	25.89
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	24.59
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	22.07
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	22.08
n77L	20	30	3540	CP	16QAM	Inner_Full	23.50
n77L	20	30	3540	CP	16QAM	Outer_Full	22.68
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	19.11
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	18.53
n77L	20	30	3540	CP	256QAM	Inner_Full	19.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	20	30	3540	CP	256QAM	Outer_Full	19.17
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	22.04
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	22.13
n77L	20	30	3540	CP	64QAM	Inner_Full	21.94
n77L	20	30	3540	CP	64QAM	Outer_Full	22.16
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	22.37
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	22.23
n77L	20	30	3540	CP	QPSK	Inner_Full	23.93
n77L	20	30	3540	CP	QPSK	Outer_Full	22.74
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	22.03
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.40
n77L	20	30	3540	DFT	16QAM	Inner_Full	24.35
n77L	20	30	3540	DFT	16QAM	Outer_Full	23.41
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	21.15
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.85
n77L	20	30	3540	DFT	256QAM	Inner_Full	21.12
n77L	20	30	3540	DFT	256QAM	Outer_Full	21.16
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.97
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.33
n77L	20	30	3540	DFT	64QAM	Inner_Full	22.96
n77L	20	30	3540	DFT	64QAM	Outer_Full	23.27
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	22.10
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.48
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	24.99
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.09
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	21.66
n77L	20	30	3540	DFT	QPSK	Inner_Full	25.51
n77L	20	30	3540	DFT	QPSK	Outer_Full	24.73
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	21.86
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	22.12
n77L	40	30	3470.01	CP	16QAM	Inner_Full	23.65
n77L	40	30	3470.01	CP	16QAM	Outer_Full	22.71
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	19.09
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	18.63
n77L	40	30	3470.01	CP	256QAM	Inner_Full	19.14
n77L	40	30	3470.01	CP	256QAM	Outer_Full	19.24
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	21.89
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.79
n77L	40	30	3470.01	CP	64QAM	Inner_Full	21.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	40	30	3470.01	CP	64QAM	Outer_Full	22.21
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	22.27
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	21.86
n77L	40	30	3470.01	CP	QPSK	Inner_Full	24.14
n77L	40	30	3470.01	CP	QPSK	Outer_Full	22.69
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	21.99
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.60
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	24.29
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	23.69
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	20.74
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	20.73
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	20.82
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	21.18
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	21.55
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.80
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	23.14
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	23.25
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.96
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.95
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.50
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.23
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	21.92
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.16
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	25.67
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	24.69
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.23
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	22.15
n77L	40	30	3500.01	CP	16QAM	Inner_Full	23.74
n77L	40	30	3500.01	CP	16QAM	Outer_Full	22.75
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.13
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	19.04
n77L	40	30	3500.01	CP	256QAM	Inner_Full	19.25
n77L	40	30	3500.01	CP	256QAM	Outer_Full	18.99
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	21.92
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	21.86
n77L	40	30	3500.01	CP	64QAM	Inner_Full	22.36
n77L	40	30	3500.01	CP	64QAM	Outer_Full	22.05
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.09
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	22.00
n77L	40	30	3500.01	CP	QPSK	Inner_Full	24.27



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	40	30	3500.01	CP	QPSK	Outer_Full	22.80
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.92
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.98
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	24.42
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	23.71
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.12
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.93
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	21.22
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	21.29
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.91
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.85
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	23.26
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	23.31
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.24
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.56
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.11
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.84
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.09
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	25.83
n77L	40	30	3500.01	DFT	QPSK	Outer_Full	24.83
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	22.42
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	22.17
n77L	40	30	3529.98	CP	16QAM	Inner_Full	23.70
n77L	40	30	3529.98	CP	16QAM	Outer_Full	22.37
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.28
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.93
n77L	40	30	3529.98	CP	256QAM	Inner_Full	18.85
n77L	40	30	3529.98	CP	256QAM	Outer_Full	18.89
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	22.09
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.61
n77L	40	30	3529.98	CP	64QAM	Inner_Full	22.17
n77L	40	30	3529.98	CP	64QAM	Outer_Full	22.24
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	22.50
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	22.19
n77L	40	30	3529.98	CP	QPSK	Inner_Full	24.05
n77L	40	30	3529.98	CP	QPSK	Outer_Full	22.40
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	22.21
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.51
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	24.38



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	23.73
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	21.25
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	20.81
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	20.92
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	20.94
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.71
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.43
n77L	40	30	3529.98	DFT	64QAM	Inner_Full	23.18
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	22.92
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.36
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.58
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.37
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.14
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	22.03
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	25.71
n77L	40	30	3529.98	DFT	QPSK	Outer_Full	24.65
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	22.03
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	21.84
n77L	50	30	3475.02	CP	16QAM	Inner_Full	23.22
n77L	50	30	3475.02	CP	16QAM	Outer_Full	22.52
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	18.61
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	18.36
n77L	50	30	3475.02	CP	256QAM	Inner_Full	18.71
n77L	50	30	3475.02	CP	256QAM	Outer_Full	18.75
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	21.33
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	21.19
n77L	50	30	3475.02	CP	64QAM	Inner_Full	22.08
n77L	50	30	3475.02	CP	64QAM	Outer_Full	21.72
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	21.83
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.70
n77L	50	30	3475.02	CP	QPSK	Inner_Full	24.04
n77L	50	30	3475.02	CP	QPSK	Outer_Full	22.25
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	21.87
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.58
n77L	50	30	3475.02	DFT	16QAM	Inner_Full	24.17
n77L	50	30	3475.02	DFT	16QAM	Outer_Full	23.19
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	21.02
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	20.64
n77L	50	30	3475.02	DFT	256QAM	Inner_Full	21.08



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	50	30	3475.02	DFT	256QAM	Outer_Full	21.00
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	21.37
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.50
n77L	50	30	3475.02	DFT	64QAM	Inner_Full	22.94
n77L	50	30	3475.02	DFT	64QAM	Outer_Full	23.09
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.88
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.68
n77L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.54
n77L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	24.86
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	21.86
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.67
n77L	50	30	3475.02	DFT	QPSK	Inner_Full	25.19
n77L	50	30	3475.02	DFT	QPSK	Outer_Full	24.56
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	21.68
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.64
n77L	50	30	3500.01	CP	16QAM	Inner_Full	23.34
n77L	50	30	3500.01	CP	16QAM	Outer_Full	22.63
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	18.96
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	18.39
n77L	50	30	3500.01	CP	256QAM	Inner_Full	19.17
n77L	50	30	3500.01	CP	256QAM	Outer_Full	19.14
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	21.77
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	21.61
n77L	50	30	3500.01	CP	64QAM	Inner_Full	22.14
n77L	50	30	3500.01	CP	64QAM	Outer_Full	21.78
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	21.87
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	22.01
n77L	50	30	3500.01	CP	QPSK	Inner_Full	24.21
n77L	50	30	3500.01	CP	QPSK	Outer_Full	22.56
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.05
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.53
n77L	50	30	3500.01	DFT	16QAM	Inner_Full	24.33
n77L	50	30	3500.01	DFT	16QAM	Outer_Full	23.61
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.01
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.52
n77L	50	30	3500.01	DFT	256QAM	Inner_Full	21.07
n77L	50	30	3500.01	DFT	256QAM	Outer_Full	21.10
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.77
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.48
n77L	50	30	3500.01	DFT	64QAM	Inner_Full	23.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	50	30	3500.01	DFT	64QAM	Outer_Full	23.01
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.00
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.94
n77L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.44
n77L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.95
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.12
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.64
n77L	50	30	3500.01	DFT	QPSK	Inner_Full	25.62
n77L	50	30	3500.01	DFT	QPSK	Outer_Full	24.63
n77L	50	30	3525	CP	16QAM	Edge_1RB_Left	22.29
n77L	50	30	3525	CP	16QAM	Edge_1RB_Right	21.52
n77L	50	30	3525	CP	16QAM	Inner_Full	23.52
n77L	50	30	3525	CP	16QAM	Outer_Full	22.23
n77L	50	30	3525	CP	256QAM	Edge_1RB_Left	18.69
n77L	50	30	3525	CP	256QAM	Edge_1RB_Right	18.39
n77L	50	30	3525	CP	256QAM	Inner_Full	18.75
n77L	50	30	3525	CP	256QAM	Outer_Full	18.96
n77L	50	30	3525	CP	64QAM	Edge_1RB_Left	21.69
n77L	50	30	3525	CP	64QAM	Edge_1RB_Right	21.27
n77L	50	30	3525	CP	64QAM	Inner_Full	22.11
n77L	50	30	3525	CP	64QAM	Outer_Full	22.09
n77L	50	30	3525	CP	QPSK	Edge_1RB_Left	22.15
n77L	50	30	3525	CP	QPSK	Edge_1RB_Right	21.81
n77L	50	30	3525	CP	QPSK	Inner_Full	24.17
n77L	50	30	3525	CP	QPSK	Outer_Full	22.31
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Left	22.03
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.46
n77L	50	30	3525	DFT	16QAM	Inner_Full	24.61
n77L	50	30	3525	DFT	16QAM	Outer_Full	23.60
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.75
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Right	20.24
n77L	50	30	3525	DFT	256QAM	Inner_Full	20.74
n77L	50	30	3525	DFT	256QAM	Outer_Full	21.02
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.85
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.23
n77L	50	30	3525	DFT	64QAM	Inner_Full	23.09
n77L	50	30	3525	DFT	64QAM	Outer_Full	23.09
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
n77L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.68



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	25.19
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Left	22.20
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.76
n77L	50	30	3525	DFT	QPSK	Inner_Full	25.60
n77L	50	30	3525	DFT	QPSK	Outer_Full	24.28
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	21.61
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	21.86
n77L	60	30	3480	CP	16QAM	Inner_Full	23.16
n77L	60	30	3480	CP	16QAM	Outer_Full	22.56
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	18.91
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	18.74
n77L	60	30	3480	CP	256QAM	Inner_Full	18.95
n77L	60	30	3480	CP	256QAM	Outer_Full	18.63
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	21.70
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	21.29
n77L	60	30	3480	CP	64QAM	Inner_Full	22.01
n77L	60	30	3480	CP	64QAM	Outer_Full	21.93
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.07
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	21.61
n77L	60	30	3480	CP	QPSK	Inner_Full	24.03
n77L	60	30	3480	CP	QPSK	Outer_Full	22.61
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	21.81
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.67
n77L	60	30	3480	DFT	16QAM	Inner_Full	24.51
n77L	60	30	3480	DFT	16QAM	Outer_Full	23.26
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	20.85
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	20.76
n77L	60	30	3480	DFT	256QAM	Inner_Full	20.80
n77L	60	30	3480	DFT	256QAM	Outer_Full	21.12
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.37
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.20
n77L	60	30	3480	DFT	64QAM	Inner_Full	22.78
n77L	60	30	3480	DFT	64QAM	Outer_Full	22.96
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.00
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.57
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.27
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.09
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.04
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.87
n77L	60	30	3480	DFT	QPSK	Inner_Full	25.54



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	60	30	3480	DFT	QPSK	Outer_Full	24.58
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	21.92
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.81
n77L	60	30	3500.01	CP	16QAM	Inner_Full	23.63
n77L	60	30	3500.01	CP	16QAM	Outer_Full	22.39
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	18.86
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.68
n77L	60	30	3500.01	CP	256QAM	Inner_Full	18.99
n77L	60	30	3500.01	CP	256QAM	Outer_Full	19.07
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.36
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.31
n77L	60	30	3500.01	CP	64QAM	Inner_Full	22.11
n77L	60	30	3500.01	CP	64QAM	Outer_Full	22.00
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.07
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.72
n77L	60	30	3500.01	CP	QPSK	Inner_Full	24.13
n77L	60	30	3500.01	CP	QPSK	Outer_Full	22.41
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.71
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.63
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	24.52
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	23.25
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.86
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.39
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	20.85
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	21.08
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.34
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.18
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	22.89
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	22.95
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.61
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.42
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.79
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.82
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.76
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	25.59
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	24.47
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.03
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.48
n77L	60	30	3519.99	CP	16QAM	Inner_Full	23.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	60	30	3519.99	CP	16QAM	Outer_Full	22.35
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	18.91
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.54
n77L	60	30	3519.99	CP	256QAM	Inner_Full	18.74
n77L	60	30	3519.99	CP	256QAM	Outer_Full	19.08
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.62
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.39
n77L	60	30	3519.99	CP	64QAM	Inner_Full	22.09
n77L	60	30	3519.99	CP	64QAM	Outer_Full	21.77
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	22.08
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	21.65
n77L	60	30	3519.99	CP	QPSK	Inner_Full	24.02
n77L	60	30	3519.99	CP	QPSK	Outer_Full	22.56
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.82
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.36
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	24.66
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	23.56
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	20.77
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	20.53
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	21.03
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	21.04
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.40
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.11
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	23.03
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	23.07
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.81
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.61
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.75
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	25.02
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	21.86
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.34
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	25.68
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	24.30
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	21.99
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	21.35
n77L	80	30	3490.02	CP	16QAM	Inner_Full	23.19
n77L	80	30	3490.02	CP	16QAM	Outer_Full	22.32
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	18.33
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.43
n77L	80	30	3490.02	CP	256QAM	Inner_Full	18.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	80	30	3490.02	CP	256QAM	Outer_Full	18.92
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.34
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.38
n77L	80	30	3490.02	CP	64QAM	Inner_Full	21.76
n77L	80	30	3490.02	CP	64QAM	Outer_Full	21.77
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	21.66
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	21.48
n77L	80	30	3490.02	CP	QPSK	Inner_Full	23.71
n77L	80	30	3490.02	CP	QPSK	Outer_Full	22.14
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.78
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.53
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	24.09
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	23.01
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	20.60
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	20.45
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	20.56
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	20.50
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.51
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.09
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	22.52
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	22.88
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.72
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.70
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.43
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	25.01
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.50
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	21.25
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	25.11
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	24.02
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	21.62
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	21.56
n77L	80	30	3500.01	CP	16QAM	Inner_Full	23.10
n77L	80	30	3500.01	CP	16QAM	Outer_Full	22.39
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	18.70
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	18.07
n77L	80	30	3500.01	CP	256QAM	Inner_Full	18.66
n77L	80	30	3500.01	CP	256QAM	Outer_Full	18.75
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.59
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.25
n77L	80	30	3500.01	CP	64QAM	Inner_Full	21.76



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	80	30	3500.01	CP	64QAM	Outer_Full	21.93
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	21.90
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	21.64
n77L	80	30	3500.01	CP	QPSK	Inner_Full	24.01
n77L	80	30	3500.01	CP	QPSK	Outer_Full	22.22
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.42
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.16
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	24.20
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	23.29
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.60
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.32
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	20.78
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	20.89
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.45
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.15
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	22.70
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	22.57
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.47
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.32
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.73
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.83
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.51
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	25.25
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	24.21
n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	21.79
n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	21.44
n77L	80	30	3510	CP	16QAM	Inner_Full	23.39
n77L	80	30	3510	CP	16QAM	Outer_Full	22.20
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	18.67
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	18.03
n77L	80	30	3510	CP	256QAM	Inner_Full	18.57
n77L	80	30	3510	CP	256QAM	Outer_Full	18.91
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	21.12
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	21.19
n77L	80	30	3510	CP	64QAM	Inner_Full	21.96
n77L	80	30	3510	CP	64QAM	Outer_Full	21.96
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	21.98
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	21.21
n77L	80	30	3510	CP	QPSK	Inner_Full	23.78



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	80	30	3510	CP	QPSK	Outer_Full	22.37
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.27
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	20.96
n77L	80	30	3510	DFT	16QAM	Inner_Full	24.42
n77L	80	30	3510	DFT	16QAM	Outer_Full	23.16
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.72
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	20.02
n77L	80	30	3510	DFT	256QAM	Inner_Full	20.66
n77L	80	30	3510	DFT	256QAM	Outer_Full	20.65
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.27
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.16
n77L	80	30	3510	DFT	64QAM	Inner_Full	22.62
n77L	80	30	3510	DFT	64QAM	Outer_Full	22.91
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.85
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	21.36
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.44
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	24.76
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.91
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.24
n77L	80	30	3510	DFT	QPSK	Inner_Full	25.48
n77L	80	30	3510	DFT	QPSK	Outer_Full	24.35
n77L	90	30	3495	CP	16QAM	Edge_1RB_Left	21.55
n77L	90	30	3495	CP	16QAM	Edge_1RB_Right	21.49
n77L	90	30	3495	CP	16QAM	Inner_Full	23.30
n77L	90	30	3495	CP	16QAM	Outer_Full	22.39
n77L	90	30	3495	CP	256QAM	Edge_1RB_Left	18.73
n77L	90	30	3495	CP	256QAM	Edge_1RB_Right	18.42
n77L	90	30	3495	CP	256QAM	Inner_Full	18.91
n77L	90	30	3495	CP	256QAM	Outer_Full	18.89
n77L	90	30	3495	CP	64QAM	Edge_1RB_Left	21.38
n77L	90	30	3495	CP	64QAM	Edge_1RB_Right	21.32
n77L	90	30	3495	CP	64QAM	Inner_Full	21.58
n77L	90	30	3495	CP	64QAM	Outer_Full	21.86
n77L	90	30	3495	CP	QPSK	Edge_1RB_Left	21.74
n77L	90	30	3495	CP	QPSK	Edge_1RB_Right	21.79
n77L	90	30	3495	CP	QPSK	Inner_Full	23.92
n77L	90	30	3495	CP	QPSK	Outer_Full	22.45
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.65
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.04
n77L	90	30	3495	DFT	16QAM	Inner_Full	24.10



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	90	30	3495	DFT	16QAM	Outer_Full	23.03
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Left	20.73
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Right	20.27
n77L	90	30	3495	DFT	256QAM	Inner_Full	20.92
n77L	90	30	3495	DFT	256QAM	Outer_Full	20.94
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.55
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Right	21.23
n77L	90	30	3495	DFT	64QAM	Inner_Full	23.03
n77L	90	30	3495	DFT	64QAM	Outer_Full	22.50
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	21.73
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	21.62
n77L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	25.42
n77L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	24.96
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.52
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Right	21.32
n77L	90	30	3495	DFT	QPSK	Inner_Full	25.17
n77L	90	30	3495	DFT	QPSK	Outer_Full	24.11
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	21.50
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	21.59
n77L	90	30	3500.01	CP	16QAM	Inner_Full	23.44
n77L	90	30	3500.01	CP	16QAM	Outer_Full	22.47
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	18.82
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	18.50
n77L	90	30	3500.01	CP	256QAM	Inner_Full	18.99
n77L	90	30	3500.01	CP	256QAM	Outer_Full	18.96
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.49
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	21.31
n77L	90	30	3500.01	CP	64QAM	Inner_Full	21.94
n77L	90	30	3500.01	CP	64QAM	Outer_Full	21.92
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	21.76
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	21.40
n77L	90	30	3500.01	CP	QPSK	Inner_Full	23.81
n77L	90	30	3500.01	CP	QPSK	Outer_Full	22.14
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.34
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.32
n77L	90	30	3500.01	DFT	16QAM	Inner_Full	24.28
n77L	90	30	3500.01	DFT	16QAM	Outer_Full	23.43
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.74
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.27
n77L	90	30	3500.01	DFT	256QAM	Inner_Full	21.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	90	30	3500.01	DFT	256QAM	Outer_Full	20.91
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.59
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.27
n77L	90	30	3500.01	DFT	64QAM	Inner_Full	22.97
n77L	90	30	3500.01	DFT	64QAM	Outer_Full	22.95
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.61
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.64
n77L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.20
n77L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.72
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.85
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.45
n77L	90	30	3500.01	DFT	QPSK	Inner_Full	25.28
n77L	90	30	3500.01	DFT	QPSK	Outer_Full	24.50
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.91
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	21.61
n77L	90	30	3504.99	CP	16QAM	Inner_Full	23.48
n77L	90	30	3504.99	CP	16QAM	Outer_Full	22.12
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	18.35
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	18.49
n77L	90	30	3504.99	CP	256QAM	Inner_Full	19.02
n77L	90	30	3504.99	CP	256QAM	Outer_Full	18.61
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.41
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	21.33
n77L	90	30	3504.99	CP	64QAM	Inner_Full	21.70
n77L	90	30	3504.99	CP	64QAM	Outer_Full	21.94
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	21.77
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	21.36
n77L	90	30	3504.99	CP	QPSK	Inner_Full	23.81
n77L	90	30	3504.99	CP	QPSK	Outer_Full	22.10
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.71
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.40
n77L	90	30	3504.99	DFT	16QAM	Inner_Full	24.25
n77L	90	30	3504.99	DFT	16QAM	Outer_Full	23.36
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	20.47
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	20.09
n77L	90	30	3504.99	DFT	256QAM	Inner_Full	21.04
n77L	90	30	3504.99	DFT	256QAM	Outer_Full	20.56
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.57
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	21.28
n77L	90	30	3504.99	DFT	64QAM	Inner_Full	23.04



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	90	30	3504.99	DFT	64QAM	Outer_Full	23.03
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.92
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.23
n77L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.32
n77L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	24.74
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.92
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.62
n77L	90	30	3504.99	DFT	QPSK	Inner_Full	25.47
n77L	90	30	3504.99	DFT	QPSK	Outer_Full	24.44
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	21.75
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	21.38
n77L	100	30	3499.98	CP	16QAM	Inner_Full	23.34
n77L	100	30	3499.98	CP	16QAM	Outer_Full	22.40
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	18.65
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	18.14
n77L	100	30	3499.98	CP	256QAM	Inner_Full	18.75
n77L	100	30	3499.98	CP	256QAM	Outer_Full	18.70
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	21.26
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	21.11
n77L	100	30	3499.98	CP	64QAM	Inner_Full	21.71
n77L	100	30	3499.98	CP	64QAM	Outer_Full	21.71
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	21.75
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	21.52
n77L	100	30	3499.98	CP	QPSK	Inner_Full	23.68
n77L	100	30	3499.98	CP	QPSK	Outer_Full	22.21
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.66
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	21.25
n77L	100	30	3499.98	DFT	16QAM	Inner_Full	24.33
n77L	100	30	3499.98	DFT	16QAM	Outer_Full	23.41
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	20.75
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	20.43
n77L	100	30	3499.98	DFT	256QAM	Inner_Full	20.77
n77L	100	30	3499.98	DFT	256QAM	Outer_Full	20.70
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	21.34
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	21.09
n77L	100	30	3499.98	DFT	64QAM	Inner_Full	22.93
n77L	100	30	3499.98	DFT	64QAM	Outer_Full	22.67
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.36
n77L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	25.39



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	24.75
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	21.78
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	21.38
n77L	100	30	3499.98	DFT	QPSK	Inner_Full	25.36
n77L	100	30	3499.98	DFT	QPSK	Outer_Full	24.12
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.81
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.90
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.29
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.63
n77L	100	30	3500.01	CP	16QAM	Inner_Full	23.17
n77L	100	30	3500.01	CP	16QAM	Inner_Full	23.19
n77L	100	30	3500.01	CP	16QAM	Outer_Full	22.29
n77L	100	30	3500.01	CP	16QAM	Outer_Full	22.35
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.61
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.65
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.30
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.31
n77L	100	30	3500.01	CP	256QAM	Inner_Full	18.67
n77L	100	30	3500.01	CP	256QAM	Inner_Full	18.85
n77L	100	30	3500.01	CP	256QAM	Outer_Full	18.76
n77L	100	30	3500.01	CP	256QAM	Outer_Full	18.77
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.38
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.58
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.00
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.28
n77L	100	30	3500.01	CP	64QAM	Inner_Full	21.74
n77L	100	30	3500.01	CP	64QAM	Inner_Full	21.87
n77L	100	30	3500.01	CP	64QAM	Outer_Full	21.82
n77L	100	30	3500.01	CP	64QAM	Outer_Full	21.77
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	21.83
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	21.79
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.53
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.57
n77L	100	30	3500.01	CP	QPSK	Inner_Full	23.89
n77L	100	30	3500.01	CP	QPSK	Inner_Full	23.76
n77L	100	30	3500.01	CP	QPSK	Outer_Full	22.26
n77L	100	30	3500.01	CP	QPSK	Outer_Full	22.19
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.43
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.47
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.10
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	24.24
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	24.41
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	23.19
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	23.31
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.65
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.66
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.41
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.25
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	20.88
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	20.86
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	20.92
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	20.68
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.40
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.38
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.10
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.16
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	22.87
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	22.76
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	22.67
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	22.69
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.86
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.54
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.53
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.36
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.89
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.62
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.67
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.69
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.32
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.32
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	25.50
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	25.23
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	24.15
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	24.16



No. I22N02185-RF NR



n77H

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	22.04
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	22.24
n77H	20	30	3710.01	CP	16QAM	Inner_Full	23.71
n77H	20	30	3710.01	CP	16QAM	Outer_Full	22.73
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	18.60
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	19.13
n77H	20	30	3710.01	CP	256QAM	Inner_Full	19.07
n77H	20	30	3710.01	CP	256QAM	Outer_Full	18.88
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	21.77
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	22.01
n77H	20	30	3710.01	CP	64QAM	Inner_Full	22.27
n77H	20	30	3710.01	CP	64QAM	Outer_Full	21.90
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	21.79
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	22.01
n77H	20	30	3710.01	CP	QPSK	Inner_Full	23.94
n77H	20	30	3710.01	CP	QPSK	Outer_Full	22.42
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	21.68
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	22.22
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	24.75
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	23.68
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	20.57
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	21.06
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	20.79
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	20.85
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	21.50
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.79
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	23.16
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	22.93
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.00
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.11
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.45
n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	25.00
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	22.04
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.96
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	25.75
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	24.80
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	21.91
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	22.07
n77H	20	30	3840	CP	16QAM	Inner_Full	23.57



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	20	30	3840	CP	16QAM	Outer_Full	22.61
n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	18.83
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	18.88
n77H	20	30	3840	CP	256QAM	Inner_Full	18.97
n77H	20	30	3840	CP	256QAM	Outer_Full	19.11
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	21.62
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	21.61
n77H	20	30	3840	CP	64QAM	Inner_Full	21.86
n77H	20	30	3840	CP	64QAM	Outer_Full	22.10
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	22.00
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	21.96
n77H	20	30	3840	CP	QPSK	Inner_Full	23.86
n77H	20	30	3840	CP	QPSK	Outer_Full	22.34
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	21.79
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	21.80
n77H	20	30	3840	DFT	16QAM	Inner_Full	24.37
n77H	20	30	3840	DFT	16QAM	Outer_Full	23.56
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	20.89
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	20.79
n77H	20	30	3840	DFT	256QAM	Inner_Full	20.99
n77H	20	30	3840	DFT	256QAM	Outer_Full	20.96
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	21.42
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	21.65
n77H	20	30	3840	DFT	64QAM	Inner_Full	23.16
n77H	20	30	3840	DFT	64QAM	Outer_Full	23.09
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.83
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.95
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	25.61
n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	24.84
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	21.74
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	21.81
n77H	20	30	3840	DFT	QPSK	Inner_Full	25.35
n77H	20	30	3840	DFT	QPSK	Outer_Full	24.61
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	21.63
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	21.45
n77H	20	30	3969.99	CP	16QAM	Inner_Full	23.04
n77H	20	30	3969.99	CP	16QAM	Outer_Full	22.20
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	18.31
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	18.55
n77H	20	30	3969.99	CP	256QAM	Inner_Full	18.63



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	20	30	3969.99	CP	256QAM	Outer_Full	18.70
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	21.14
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	21.41
n77H	20	30	3969.99	CP	64QAM	Inner_Full	21.47
n77H	20	30	3969.99	CP	64QAM	Outer_Full	21.62
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	21.49
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	21.74
n77H	20	30	3969.99	CP	QPSK	Inner_Full	23.56
n77H	20	30	3969.99	CP	QPSK	Outer_Full	22.17
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	21.21
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	21.43
n77H	20	30	3969.99	DFT	16QAM	Inner_Full	24.14
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	22.97
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	20.53
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	20.53
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	20.59
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	20.70
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	21.09
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	21.16
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	22.46
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	22.57
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.47
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.45
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	25.07
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	24.49
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	21.69
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	21.61
n77H	20	30	3969.99	DFT	QPSK	Inner_Full	25.22
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	24.22
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	21.95
n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	22.59
n77H	40	30	3720	CP	16QAM	Inner_Full	23.81
n77H	40	30	3720	CP	16QAM	Outer_Full	22.85
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	18.98
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	19.26
n77H	40	30	3720	CP	256QAM	Inner_Full	19.37
n77H	40	30	3720	CP	256QAM	Outer_Full	19.32
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	21.93
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	22.03
n77H	40	30	3720	CP	64QAM	Inner_Full	22.39



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	40	30	3720	CP	64QAM	Outer_Full	22.05
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	22.33
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	22.52
n77H	40	30	3720	CP	QPSK	Inner_Full	24.30
n77H	40	30	3720	CP	QPSK	Outer_Full	22.83
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	21.74
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	22.48
n77H	40	30	3720	DFT	16QAM	Inner_Full	24.83
n77H	40	30	3720	DFT	16QAM	Outer_Full	23.87
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	21.09
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	20.97
n77H	40	30	3720	DFT	256QAM	Inner_Full	21.26
n77H	40	30	3720	DFT	256QAM	Outer_Full	21.28
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	21.81
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	22.13
n77H	40	30	3720	DFT	64QAM	Inner_Full	23.33
n77H	40	30	3720	DFT	64QAM	Outer_Full	22.94
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	25.63
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	25.40
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	21.89
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	22.29
n77H	40	30	3720	DFT	QPSK	Inner_Full	25.87
n77H	40	30	3720	DFT	QPSK	Outer_Full	24.69
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	21.78
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	22.13
n77H	40	30	3840	CP	16QAM	Inner_Full	23.61
n77H	40	30	3840	CP	16QAM	Outer_Full	22.42
n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	18.74
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	18.75
n77H	40	30	3840	CP	256QAM	Inner_Full	19.07
n77H	40	30	3840	CP	256QAM	Outer_Full	18.92
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	21.81
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	21.82
n77H	40	30	3840	CP	64QAM	Inner_Full	22.17
n77H	40	30	3840	CP	64QAM	Outer_Full	22.10
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	21.89
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	22.17
n77H	40	30	3840	CP	QPSK	Inner_Full	23.96



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	40	30	3840	CP	QPSK	Outer_Full	22.67
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	22.07
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	22.06
n77H	40	30	3840	DFT	16QAM	Inner_Full	24.70
n77H	40	30	3840	DFT	16QAM	Outer_Full	23.54
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	20.78
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	20.64
n77H	40	30	3840	DFT	256QAM	Inner_Full	21.03
n77H	40	30	3840	DFT	256QAM	Outer_Full	21.21
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	21.48
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	21.42
n77H	40	30	3840	DFT	64QAM	Inner_Full	22.98
n77H	40	30	3840	DFT	64QAM	Outer_Full	22.85
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.95
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.02
n77H	40	30	3840	DFT	pi/2 BPSK	Inner_Full	25.42
n77H	40	30	3840	DFT	pi/2 BPSK	Outer_Full	25.23
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	22.11
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	22.13
n77H	40	30	3840	DFT	QPSK	Inner_Full	25.42
n77H	40	30	3840	DFT	QPSK	Outer_Full	24.71
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	21.54
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	21.80
n77H	40	30	3960	CP	16QAM	Inner_Full	23.29
n77H	40	30	3960	CP	16QAM	Outer_Full	22.17
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	18.38
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	18.24
n77H	40	30	3960	CP	256QAM	Inner_Full	18.64
n77H	40	30	3960	CP	256QAM	Outer_Full	18.74
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	21.50
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	21.27
n77H	40	30	3960	CP	64QAM	Inner_Full	21.83
n77H	40	30	3960	CP	64QAM	Outer_Full	21.73
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	21.78
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	21.93
n77H	40	30	3960	CP	QPSK	Inner_Full	23.65
n77H	40	30	3960	CP	QPSK	Outer_Full	22.31
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	21.71
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	21.72
n77H	40	30	3960	DFT	16QAM	Inner_Full	24.31



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	40	30	3960	DFT	16QAM	Outer_Full	23.08
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	20.35
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	20.32
n77H	40	30	3960	DFT	256QAM	Inner_Full	20.67
n77H	40	30	3960	DFT	256QAM	Outer_Full	20.62
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	21.17
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	21.33
n77H	40	30	3960	DFT	64QAM	Inner_Full	22.84
n77H	40	30	3960	DFT	64QAM	Outer_Full	22.87
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	21.74
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
n77H	40	30	3960	DFT	pi/2 BPSK	Inner_Full	25.35
n77H	40	30	3960	DFT	pi/2 BPSK	Outer_Full	24.69
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	21.44
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	21.73
n77H	40	30	3960	DFT	QPSK	Inner_Full	25.33
n77H	40	30	3960	DFT	QPSK	Outer_Full	24.31
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	21.66
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	22.28
n77H	50	30	3725.01	CP	16QAM	Inner_Full	23.47
n77H	50	30	3725.01	CP	16QAM	Outer_Full	22.52
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	18.61
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	19.13
n77H	50	30	3725.01	CP	256QAM	Inner_Full	18.94
n77H	50	30	3725.01	CP	256QAM	Outer_Full	19.29
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	21.62
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	21.99
n77H	50	30	3725.01	CP	64QAM	Inner_Full	22.02
n77H	50	30	3725.01	CP	64QAM	Outer_Full	22.28
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	21.72
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	22.04
n77H	50	30	3725.01	CP	QPSK	Inner_Full	24.02
n77H	50	30	3725.01	CP	QPSK	Outer_Full	22.53
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	21.86
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	22.23
n77H	50	30	3725.01	DFT	16QAM	Inner_Full	24.83
n77H	50	30	3725.01	DFT	16QAM	Outer_Full	23.44
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	20.79
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	20.88
n77H	50	30	3725.01	DFT	256QAM	Inner_Full	21.25



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	50	30	3725.01	DFT	256QAM	Outer_Full	21.24
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	21.30
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	21.62
n77H	50	30	3725.01	DFT	64QAM	Inner_Full	23.02
n77H	50	30	3725.01	DFT	64QAM	Outer_Full	23.30
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.88
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.27
n77H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	25.76
n77H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	25.28
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.72
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	22.28
n77H	50	30	3725.01	DFT	QPSK	Inner_Full	25.50
n77H	50	30	3725.01	DFT	QPSK	Outer_Full	24.80
n77H	50	30	3840	CP	16QAM	Edge_1RB_Left	21.77
n77H	50	30	3840	CP	16QAM	Edge_1RB_Right	21.91
n77H	50	30	3840	CP	16QAM	Inner_Full	23.52
n77H	50	30	3840	CP	16QAM	Outer_Full	22.28
n77H	50	30	3840	CP	256QAM	Edge_1RB_Left	18.48
n77H	50	30	3840	CP	256QAM	Edge_1RB_Right	18.84
n77H	50	30	3840	CP	256QAM	Inner_Full	18.84
n77H	50	30	3840	CP	256QAM	Outer_Full	18.71
n77H	50	30	3840	CP	64QAM	Edge_1RB_Left	21.32
n77H	50	30	3840	CP	64QAM	Edge_1RB_Right	21.37
n77H	50	30	3840	CP	64QAM	Inner_Full	22.10
n77H	50	30	3840	CP	64QAM	Outer_Full	21.75
n77H	50	30	3840	CP	QPSK	Edge_1RB_Left	21.68
n77H	50	30	3840	CP	QPSK	Edge_1RB_Right	21.81
n77H	50	30	3840	CP	QPSK	Inner_Full	23.81
n77H	50	30	3840	CP	QPSK	Outer_Full	22.50
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Left	21.86
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Right	21.86
n77H	50	30	3840	DFT	16QAM	Inner_Full	24.55
n77H	50	30	3840	DFT	16QAM	Outer_Full	23.26
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Left	20.41
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Right	20.69
n77H	50	30	3840	DFT	256QAM	Inner_Full	21.03
n77H	50	30	3840	DFT	256QAM	Outer_Full	20.99
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Left	21.52
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Right	21.52
n77H	50	30	3840	DFT	64QAM	Inner_Full	22.92



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	50	30	3840	DFT	64QAM	Outer_Full	22.99
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
n77H	50	30	3840	DFT	pi/2 BPSK	Inner_Full	25.69
n77H	50	30	3840	DFT	pi/2 BPSK	Outer_Full	24.81
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Left	21.91
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Right	21.95
n77H	50	30	3840	DFT	QPSK	Inner_Full	25.62
n77H	50	30	3840	DFT	QPSK	Outer_Full	24.49
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Left	21.15
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Right	21.61
n77H	50	30	3954.48	CP	16QAM	Inner_Full	23.02
n77H	50	30	3954.48	CP	16QAM	Outer_Full	21.75
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Left	18.19
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Right	18.08
n77H	50	30	3954.48	CP	256QAM	Inner_Full	18.30
n77H	50	30	3954.48	CP	256QAM	Outer_Full	18.28
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Left	21.11
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Right	21.25
n77H	50	30	3954.48	CP	64QAM	Inner_Full	21.37
n77H	50	30	3954.48	CP	64QAM	Outer_Full	21.60
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Left	21.22
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Right	21.60
n77H	50	30	3954.48	CP	QPSK	Inner_Full	23.32
n77H	50	30	3954.48	CP	QPSK	Outer_Full	21.77
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Left	21.25
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Right	21.46
n77H	50	30	3954.48	DFT	16QAM	Inner_Full	24.09
n77H	50	30	3954.48	DFT	16QAM	Outer_Full	22.84
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Left	20.15
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Right	20.01
n77H	50	30	3954.48	DFT	256QAM	Inner_Full	20.33
n77H	50	30	3954.48	DFT	256QAM	Outer_Full	20.55
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Left	20.68
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Right	21.13
n77H	50	30	3954.48	DFT	64QAM	Inner_Full	22.39
n77H	50	30	3954.48	DFT	64QAM	Outer_Full	22.54
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	21.14
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	21.53
n77H	50	30	3954.48	DFT	pi/2 BPSK	Inner_Full	24.87



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	50	30	3954.48	DFT	pi/2 BPSK	Outer_Full	24.30
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Left	21.32
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Right	21.30
n77H	50	30	3954.48	DFT	QPSK	Inner_Full	24.96
n77H	50	30	3954.48	DFT	QPSK	Outer_Full	24.05
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	21.55
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	22.29
n77H	60	30	3730.02	CP	16QAM	Inner_Full	23.29
n77H	60	30	3730.02	CP	16QAM	Outer_Full	22.30
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	18.56
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	19.03
n77H	60	30	3730.02	CP	256QAM	Inner_Full	18.90
n77H	60	30	3730.02	CP	256QAM	Outer_Full	18.84
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	21.45
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.84
n77H	60	30	3730.02	CP	64QAM	Inner_Full	21.80
n77H	60	30	3730.02	CP	64QAM	Outer_Full	22.01
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	21.84
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	22.47
n77H	60	30	3730.02	CP	QPSK	Inner_Full	24.17
n77H	60	30	3730.02	CP	QPSK	Outer_Full	22.52
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	21.58
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.92
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	24.56
n77H	60	30	3730.02	DFT	16QAM	Outer_Full	23.60
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	20.36
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	20.89
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	20.97
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	20.78
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	21.45
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.83
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	22.92
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	23.10
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.55
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.22
n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	25.70
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	25.15
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.67
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	22.37
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	25.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	60	30	3730.02	DFT	QPSK	Outer_Full	24.39
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	21.57
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	21.98
n77H	60	30	3840	CP	16QAM	Inner_Full	23.26
n77H	60	30	3840	CP	16QAM	Outer_Full	22.25
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	18.59
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	18.37
n77H	60	30	3840	CP	256QAM	Inner_Full	18.80
n77H	60	30	3840	CP	256QAM	Outer_Full	18.79
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	21.21
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	21.36
n77H	60	30	3840	CP	64QAM	Inner_Full	21.71
n77H	60	30	3840	CP	64QAM	Outer_Full	21.71
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	21.76
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	21.91
n77H	60	30	3840	CP	QPSK	Inner_Full	23.88
n77H	60	30	3840	CP	QPSK	Outer_Full	22.50
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	21.19
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	21.61
n77H	60	30	3840	DFT	16QAM	Inner_Full	24.53
n77H	60	30	3840	DFT	16QAM	Outer_Full	23.29
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	20.36
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	20.49
n77H	60	30	3840	DFT	256QAM	Inner_Full	20.92
n77H	60	30	3840	DFT	256QAM	Outer_Full	20.77
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	21.39
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	21.49
n77H	60	30	3840	DFT	64QAM	Inner_Full	23.00
n77H	60	30	3840	DFT	64QAM	Outer_Full	22.65
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.70
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.60
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	25.24
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	24.72
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	21.46
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	21.79
n77H	60	30	3840	DFT	QPSK	Inner_Full	25.44
n77H	60	30	3840	DFT	QPSK	Outer_Full	24.39
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	21.26
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	21.65
n77H	60	30	3949.98	CP	16QAM	Inner_Full	23.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	60	30	3949.98	CP	16QAM	Outer_Full	22.02
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	17.76
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	18.54
n77H	60	30	3949.98	CP	256QAM	Inner_Full	18.64
n77H	60	30	3949.98	CP	256QAM	Outer_Full	18.46
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	20.99
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	21.26
n77H	60	30	3949.98	CP	64QAM	Inner_Full	21.67
n77H	60	30	3949.98	CP	64QAM	Outer_Full	21.70
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	21.32
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	21.66
n77H	60	30	3949.98	CP	QPSK	Inner_Full	23.67
n77H	60	30	3949.98	CP	QPSK	Outer_Full	22.16
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	21.23
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	21.46
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	24.24
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	22.93
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	20.17
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	20.33
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	20.57
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	20.52
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	20.96
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	21.30
n77H	60	30	3949.98	DFT	64QAM	Inner_Full	22.50
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	22.55
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.13
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.43
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	25.23
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	24.74
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	21.23
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	21.66
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	25.13
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	24.19
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	21.26
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	22.37
n77H	80	30	3740.01	CP	16QAM	Inner_Full	23.41
n77H	80	30	3740.01	CP	16QAM	Outer_Full	22.52
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	18.48
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	19.00
n77H	80	30	3740.01	CP	256QAM	Inner_Full	18.95



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	80	30	3740.01	CP	256QAM	Outer_Full	19.17
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	21.33
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	22.06
n77H	80	30	3740.01	CP	64QAM	Inner_Full	22.15
n77H	80	30	3740.01	CP	64QAM	Outer_Full	22.20
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	21.70
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	22.51
n77H	80	30	3740.01	CP	QPSK	Inner_Full	23.95
n77H	80	30	3740.01	CP	QPSK	Outer_Full	22.66
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	21.66
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	22.13
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	24.40
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	23.58
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	20.41
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	21.34
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	21.20
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	21.09
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	21.16
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	22.08
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	23.18
n77H	80	30	3740.01	DFT	64QAM	Outer_Full	23.15
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.70
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.36
n77H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	25.48
n77H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	25.15
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.48
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	22.39
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	25.53
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	24.69
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	21.61
n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	21.53
n77H	80	30	3840	CP	16QAM	Inner_Full	23.30
n77H	80	30	3840	CP	16QAM	Outer_Full	22.13
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	18.56
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	18.67
n77H	80	30	3840	CP	256QAM	Inner_Full	18.64
n77H	80	30	3840	CP	256QAM	Outer_Full	18.74
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	21.12
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	21.26
n77H	80	30	3840	CP	64QAM	Inner_Full	21.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	80	30	3840	CP	64QAM	Outer_Full	21.66
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	21.48
n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	21.55
n77H	80	30	3840	CP	QPSK	Inner_Full	23.81
n77H	80	30	3840	CP	QPSK	Outer_Full	22.01
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	21.55
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	21.52
n77H	80	30	3840	DFT	16QAM	Inner_Full	24.18
n77H	80	30	3840	DFT	16QAM	Outer_Full	23.16
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	20.47
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	20.15
n77H	80	30	3840	DFT	256QAM	Inner_Full	20.79
n77H	80	30	3840	DFT	256QAM	Outer_Full	20.50
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	21.25
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.00
n77H	80	30	3840	DFT	64QAM	Inner_Full	22.55
n77H	80	30	3840	DFT	64QAM	Outer_Full	22.51
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.57
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.49
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	25.09
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	24.62
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	21.60
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	21.50
n77H	80	30	3840	DFT	QPSK	Inner_Full	25.38
n77H	80	30	3840	DFT	QPSK	Outer_Full	24.14
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	20.98
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	21.42
n77H	80	30	3939.99	CP	16QAM	Inner_Full	22.93
n77H	80	30	3939.99	CP	16QAM	Outer_Full	21.92
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	18.09
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	18.19
n77H	80	30	3939.99	CP	256QAM	Inner_Full	18.28
n77H	80	30	3939.99	CP	256QAM	Outer_Full	18.28
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	20.61
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	21.42
n77H	80	30	3939.99	CP	64QAM	Inner_Full	21.54
n77H	80	30	3939.99	CP	64QAM	Outer_Full	21.44
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	21.11
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	21.62
n77H	80	30	3939.99	CP	QPSK	Inner_Full	23.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	80	30	3939.99	CP	QPSK	Outer_Full	21.90
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	21.00
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	21.46
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	23.91
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	23.02
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	19.86
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	20.25
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	20.33
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	20.39
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	20.46
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	21.10
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	22.59
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	22.32
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.08
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.52
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	25.04
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	24.51
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	20.98
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	21.49
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	25.10
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	23.77
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	21.91
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	22.89
n77H	90	30	3745.02	CP	16QAM	Inner_Full	23.87
n77H	90	30	3745.02	CP	16QAM	Outer_Full	22.58
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	18.36
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	19.31
n77H	90	30	3745.02	CP	256QAM	Inner_Full	19.14
n77H	90	30	3745.02	CP	256QAM	Outer_Full	19.37
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	21.18
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	22.13
n77H	90	30	3745.02	CP	64QAM	Inner_Full	22.02
n77H	90	30	3745.02	CP	64QAM	Outer_Full	22.39
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	21.58
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	22.88
n77H	90	30	3745.02	CP	QPSK	Inner_Full	24.36
n77H	90	30	3745.02	CP	QPSK	Outer_Full	22.82
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	21.74
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	22.36
n77H	90	30	3745.02	DFT	16QAM	Inner_Full	24.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	90	30	3745.02	DFT	16QAM	Outer_Full	23.53
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	20.58
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	21.21
n77H	90	30	3745.02	DFT	256QAM	Inner_Full	21.07
n77H	90	30	3745.02	DFT	256QAM	Outer_Full	21.31
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	21.14
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	22.13
n77H	90	30	3745.02	DFT	64QAM	Inner_Full	23.15
n77H	90	30	3745.02	DFT	64QAM	Outer_Full	23.01
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.54
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n77H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	25.91
n77H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	25.46
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	21.79
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	22.52
n77H	90	30	3745.02	DFT	QPSK	Inner_Full	25.64
n77H	90	30	3745.02	DFT	QPSK	Outer_Full	24.85
n77H	90	30	3840	CP	16QAM	Edge_1RB_Left	21.72
n77H	90	30	3840	CP	16QAM	Edge_1RB_Right	21.75
n77H	90	30	3840	CP	16QAM	Inner_Full	23.15
n77H	90	30	3840	CP	16QAM	Outer_Full	22.34
n77H	90	30	3840	CP	256QAM	Edge_1RB_Left	18.49
n77H	90	30	3840	CP	256QAM	Edge_1RB_Right	18.23
n77H	90	30	3840	CP	256QAM	Inner_Full	18.63
n77H	90	30	3840	CP	256QAM	Outer_Full	18.74
n77H	90	30	3840	CP	64QAM	Edge_1RB_Left	21.14
n77H	90	30	3840	CP	64QAM	Edge_1RB_Right	21.43
n77H	90	30	3840	CP	64QAM	Inner_Full	21.67
n77H	90	30	3840	CP	64QAM	Outer_Full	21.66
n77H	90	30	3840	CP	QPSK	Edge_1RB_Left	21.43
n77H	90	30	3840	CP	QPSK	Edge_1RB_Right	21.58
n77H	90	30	3840	CP	QPSK	Inner_Full	23.64
n77H	90	30	3840	CP	QPSK	Outer_Full	22.27
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Left	21.57
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Right	21.60
n77H	90	30	3840	DFT	16QAM	Inner_Full	24.11
n77H	90	30	3840	DFT	16QAM	Outer_Full	23.09
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Left	20.31
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Right	20.27
n77H	90	30	3840	DFT	256QAM	Inner_Full	20.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	90	30	3840	DFT	256QAM	Outer_Full	20.81
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Left	21.00
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Right	21.03
n77H	90	30	3840	DFT	64QAM	Inner_Full	22.88
n77H	90	30	3840	DFT	64QAM	Outer_Full	22.89
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.39
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.67
n77H	90	30	3840	DFT	pi/2 BPSK	Inner_Full	25.16
n77H	90	30	3840	DFT	pi/2 BPSK	Outer_Full	24.60
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Left	21.52
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Right	21.43
n77H	90	30	3840	DFT	QPSK	Inner_Full	25.22
n77H	90	30	3840	DFT	QPSK	Outer_Full	24.17
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Left	21.04
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Right	21.37
n77H	90	30	3934.98	CP	16QAM	Inner_Full	22.71
n77H	90	30	3934.98	CP	16QAM	Outer_Full	21.76
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Left	17.83
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Right	18.08
n77H	90	30	3934.98	CP	256QAM	Inner_Full	18.13
n77H	90	30	3934.98	CP	256QAM	Outer_Full	18.43
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Left	20.77
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Right	21.34
n77H	90	30	3934.98	CP	64QAM	Inner_Full	21.17
n77H	90	30	3934.98	CP	64QAM	Outer_Full	21.26
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Left	20.96
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Right	21.45
n77H	90	30	3934.98	CP	QPSK	Inner_Full	23.43
n77H	90	30	3934.98	CP	QPSK	Outer_Full	21.73
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	20.91
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	21.19
n77H	90	30	3934.98	DFT	16QAM	Inner_Full	23.72
n77H	90	30	3934.98	DFT	16QAM	Outer_Full	22.74
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	19.73
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	20.12
n77H	90	30	3934.98	DFT	256QAM	Inner_Full	20.43
n77H	90	30	3934.98	DFT	256QAM	Outer_Full	20.40
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	20.64
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	21.20
n77H	90	30	3934.98	DFT	64QAM	Inner_Full	22.31



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	90	30	3934.98	DFT	64QAM	Outer_Full	22.10
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.00
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.35
n77H	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	24.92
n77H	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	24.41
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	20.75
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	21.53
n77H	90	30	3934.98	DFT	QPSK	Inner_Full	24.81
n77H	90	30	3934.98	DFT	QPSK	Outer_Full	23.96
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	21.57
n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	22.31
n77H	100	30	3750	CP	16QAM	Inner_Full	23.66
n77H	100	30	3750	CP	16QAM	Outer_Full	22.63
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	18.29
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	19.19
n77H	100	30	3750	CP	256QAM	Inner_Full	19.04
n77H	100	30	3750	CP	256QAM	Outer_Full	19.12
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	21.27
n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	22.14
n77H	100	30	3750	CP	64QAM	Inner_Full	22.10
n77H	100	30	3750	CP	64QAM	Outer_Full	22.13
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	21.53
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	22.56
n77H	100	30	3750	CP	QPSK	Inner_Full	24.24
n77H	100	30	3750	CP	QPSK	Outer_Full	22.67
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	21.41
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	22.38
n77H	100	30	3750	DFT	16QAM	Inner_Full	24.65
n77H	100	30	3750	DFT	16QAM	Outer_Full	23.81
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	20.35
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	21.31
n77H	100	30	3750	DFT	256QAM	Inner_Full	21.09
n77H	100	30	3750	DFT	256QAM	Outer_Full	21.20
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	21.25
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	22.19
n77H	100	30	3750	DFT	64QAM	Inner_Full	23.27
n77H	100	30	3750	DFT	64QAM	Outer_Full	23.30
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.63
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.53
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	25.78



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	25.22
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	21.48
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	22.35
n77H	100	30	3750	DFT	QPSK	Inner_Full	25.75
n77H	100	30	3750	DFT	QPSK	Outer_Full	24.62
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	21.38
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	21.44
n77H	100	30	3840	CP	16QAM	Inner_Full	23.34
n77H	100	30	3840	CP	16QAM	Outer_Full	22.01
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	18.25
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	18.30
n77H	100	30	3840	CP	256QAM	Inner_Full	18.65
n77H	100	30	3840	CP	256QAM	Outer_Full	18.64
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	21.02
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	21.18
n77H	100	30	3840	CP	64QAM	Inner_Full	21.69
n77H	100	30	3840	CP	64QAM	Outer_Full	21.49
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	21.53
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	21.61
n77H	100	30	3840	CP	QPSK	Inner_Full	23.71
n77H	100	30	3840	CP	QPSK	Outer_Full	22.17
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	21.30
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	21.36
n77H	100	30	3840	DFT	16QAM	Inner_Full	24.23
n77H	100	30	3840	DFT	16QAM	Outer_Full	23.08
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	20.31
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	20.42
n77H	100	30	3840	DFT	256QAM	Inner_Full	20.68
n77H	100	30	3840	DFT	256QAM	Outer_Full	20.61
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	21.10
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	21.25
n77H	100	30	3840	DFT	64QAM	Inner_Full	22.66
n77H	100	30	3840	DFT	64QAM	Outer_Full	22.57
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.44
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.56
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	25.20
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	24.61
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	21.53
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	21.58
n77H	100	30	3840	DFT	QPSK	Inner_Full	25.24



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	100	30	3840	DFT	QPSK	Outer_Full	24.05
n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	20.91
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	21.53
n77H	100	30	3930	CP	16QAM	Inner_Full	22.86
n77H	100	30	3930	CP	16QAM	Outer_Full	21.59
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	17.76
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	18.21
n77H	100	30	3930	CP	256QAM	Inner_Full	18.16
n77H	100	30	3930	CP	256QAM	Outer_Full	18.07
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	20.70
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	21.19
n77H	100	30	3930	CP	64QAM	Inner_Full	21.32
n77H	100	30	3930	CP	64QAM	Outer_Full	21.21
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	20.94
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	21.51
n77H	100	30	3930	CP	QPSK	Inner_Full	23.28
n77H	100	30	3930	CP	QPSK	Outer_Full	21.86
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	20.84
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	21.24
n77H	100	30	3930	DFT	16QAM	Inner_Full	23.89
n77H	100	30	3930	DFT	16QAM	Outer_Full	22.79
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	19.67
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	20.35
n77H	100	30	3930	DFT	256QAM	Inner_Full	20.22
n77H	100	30	3930	DFT	256QAM	Outer_Full	20.24
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	20.58
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	20.98
n77H	100	30	3930	DFT	64QAM	Inner_Full	22.28
n77H	100	30	3930	DFT	64QAM	Outer_Full	22.18
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	20.99
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	21.42
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	24.79
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	24.32
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	20.95
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	21.60
n77H	100	30	3930	DFT	QPSK	Inner_Full	24.89
n77H	100	30	3930	DFT	QPSK	Outer_Full	23.60



No. I22N02185-RF NR



n78L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	25.47
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.90
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n78L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	24.81
n78L	20	30	3460.02	DFT	QPSK	Inner_Full	25.63
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	21.80
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	21.68
n78L	20	30	3460.02	DFT	QPSK	Outer_Full	24.65
n78L	20	30	3460.02	DFT	16QAM	Inner_Full	24.29
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	21.79
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.86
n78L	20	30	3460.02	DFT	16QAM	Outer_Full	23.58
n78L	20	30	3460.02	DFT	64QAM	Inner_Full	23.15
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	21.38
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	21.75
n78L	20	30	3460.02	DFT	64QAM	Outer_Full	22.83
n78L	20	30	3460.02	DFT	256QAM	Inner_Full	21.03
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	20.59
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	20.91
n78L	20	30	3460.02	DFT	256QAM	Outer_Full	20.95
n78L	20	30	3460.02	CP	QPSK	Inner_Full	23.76
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.07
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	22.16
n78L	20	30	3460.02	CP	QPSK	Outer_Full	22.58
n78L	20	30	3460.02	CP	16QAM	Inner_Full	23.65
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	21.66
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	21.70
n78L	20	30	3460.02	CP	16QAM	Outer_Full	22.65
n78L	20	30	3460.02	CP	64QAM	Inner_Full	22.11
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	21.45
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	21.42
n78L	20	30	3460.02	CP	64QAM	Outer_Full	22.12
n78L	20	30	3460.02	CP	256QAM	Inner_Full	18.67
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	18.96
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	18.60
n78L	20	30	3460.02	CP	256QAM	Outer_Full	19.12
n78L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.81
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.13
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.25
n78L	20	30	3500.01	DFT	QPSK	Inner_Full	25.90
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.90
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.13
n78L	20	30	3500.01	DFT	QPSK	Outer_Full	24.83
n78L	20	30	3500.01	DFT	16QAM	Inner_Full	24.47
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.80
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.15
n78L	20	30	3500.01	DFT	16QAM	Outer_Full	23.75
n78L	20	30	3500.01	DFT	64QAM	Inner_Full	23.28
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.50
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.86
n78L	20	30	3500.01	DFT	64QAM	Outer_Full	22.99
n78L	20	30	3500.01	DFT	256QAM	Inner_Full	21.21
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.08
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.05
n78L	20	30	3500.01	DFT	256QAM	Outer_Full	21.16
n78L	20	30	3500.01	CP	QPSK	Inner_Full	24.33
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.28
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	22.41
n78L	20	30	3500.01	CP	QPSK	Outer_Full	22.78
n78L	20	30	3500.01	CP	16QAM	Inner_Full	23.61
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	22.27
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	22.23
n78L	20	30	3500.01	CP	16QAM	Outer_Full	22.74
n78L	20	30	3500.01	CP	64QAM	Inner_Full	22.02
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	22.07
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	21.69
n78L	20	30	3500.01	CP	64QAM	Outer_Full	21.95
n78L	20	30	3500.01	CP	256QAM	Inner_Full	19.18
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	18.73
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	18.79
n78L	20	30	3500.01	CP	256QAM	Outer_Full	19.32
n78L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.67
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.80
n78L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	25.15
n78L	20	30	3540	DFT	QPSK	Inner_Full	25.63
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.27
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Right	22.11



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	20	30	3540	DFT	QPSK	Outer_Full	24.37
n78L	20	30	3540	DFT	16QAM	Inner_Full	24.70
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Left	22.08
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.63
n78L	20	30	3540	DFT	16QAM	Outer_Full	23.68
n78L	20	30	3540	DFT	64QAM	Inner_Full	23.14
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.85
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.34
n78L	20	30	3540	DFT	64QAM	Outer_Full	22.87
n78L	20	30	3540	DFT	256QAM	Inner_Full	20.81
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Left	20.67
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.57
n78L	20	30	3540	DFT	256QAM	Outer_Full	21.18
n78L	20	30	3540	CP	QPSK	Inner_Full	24.21
n78L	20	30	3540	CP	QPSK	Edge_1RB_Left	22.34
n78L	20	30	3540	CP	QPSK	Edge_1RB_Right	21.83
n78L	20	30	3540	CP	QPSK	Outer_Full	22.39
n78L	20	30	3540	CP	16QAM	Inner_Full	23.79
n78L	20	30	3540	CP	16QAM	Edge_1RB_Left	21.96
n78L	20	30	3540	CP	16QAM	Edge_1RB_Right	22.13
n78L	20	30	3540	CP	16QAM	Outer_Full	22.38
n78L	20	30	3540	CP	64QAM	Inner_Full	21.88
n78L	20	30	3540	CP	64QAM	Edge_1RB_Left	21.67
n78L	20	30	3540	CP	64QAM	Edge_1RB_Right	21.87
n78L	20	30	3540	CP	64QAM	Outer_Full	22.22
n78L	20	30	3540	CP	256QAM	Inner_Full	18.85
n78L	20	30	3540	CP	256QAM	Edge_1RB_Left	19.17
n78L	20	30	3540	CP	256QAM	Edge_1RB_Right	19.00
n78L	20	30	3540	CP	256QAM	Outer_Full	18.86
n78L	30	30	3465	DFT	pi/2 BPSK	Inner_Full	25.72
n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.04
n78L	30	30	3465	DFT	pi/2 BPSK	Outer_Full	24.74
n78L	30	30	3465	DFT	QPSK	Inner_Full	25.61
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Left	21.74
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Right	22.04
n78L	30	30	3465	DFT	QPSK	Outer_Full	24.64
n78L	30	30	3465	DFT	16QAM	Inner_Full	24.46
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Left	21.97
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Right	21.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	30	30	3465	DFT	16QAM	Outer_Full	23.33
n78L	30	30	3465	DFT	64QAM	Inner_Full	23.14
n78L	30	30	3465	DFT	64QAM	Edge_1RB_Left	21.82
n78L	30	30	3465	DFT	64QAM	Edge_1RB_Right	21.73
n78L	30	30	3465	DFT	64QAM	Outer_Full	22.75
n78L	30	30	3465	DFT	256QAM	Inner_Full	20.78
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Left	21.09
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Right	20.81
n78L	30	30	3465	DFT	256QAM	Outer_Full	21.13
n78L	30	30	3465	CP	QPSK	Inner_Full	24.05
n78L	30	30	3465	CP	QPSK	Edge_1RB_Left	22.13
n78L	30	30	3465	CP	QPSK	Edge_1RB_Right	22.18
n78L	30	30	3465	CP	QPSK	Outer_Full	22.60
n78L	30	30	3465	CP	16QAM	Inner_Full	23.61
n78L	30	30	3465	CP	16QAM	Edge_1RB_Left	22.24
n78L	30	30	3465	CP	16QAM	Edge_1RB_Right	22.17
n78L	30	30	3465	CP	16QAM	Outer_Full	22.25
n78L	30	30	3465	CP	64QAM	Inner_Full	21.96
n78L	30	30	3465	CP	64QAM	Edge_1RB_Left	21.91
n78L	30	30	3465	CP	64QAM	Edge_1RB_Right	21.88
n78L	30	30	3465	CP	64QAM	Outer_Full	21.83
n78L	30	30	3465	CP	256QAM	Inner_Full	18.77
n78L	30	30	3465	CP	256QAM	Edge_1RB_Left	18.97
n78L	30	30	3465	CP	256QAM	Edge_1RB_Right	18.46
n78L	30	30	3465	CP	256QAM	Outer_Full	19.15
n78L	30	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.49
n78L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.93
n78L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.01
n78L	30	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.13
n78L	30	30	3500.01	DFT	QPSK	Inner_Full	25.56
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.86
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.18
n78L	30	30	3500.01	DFT	QPSK	Outer_Full	24.38
n78L	30	30	3500.01	DFT	16QAM	Inner_Full	24.73
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.70
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.58
n78L	30	30	3500.01	DFT	16QAM	Outer_Full	23.48
n78L	30	30	3500.01	DFT	64QAM	Inner_Full	23.28
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.63
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	30	30	3500.01	DFT	64QAM	Outer_Full	23.04
n78L	30	30	3500.01	DFT	256QAM	Inner_Full	21.36
n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.16
n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.75
n78L	30	30	3500.01	DFT	256QAM	Outer_Full	20.86
n78L	30	30	3500.01	CP	QPSK	Inner_Full	24.26
n78L	30	30	3500.01	CP	QPSK	Edge_1RB_Left	22.21
n78L	30	30	3500.01	CP	QPSK	Edge_1RB_Right	22.12
n78L	30	30	3500.01	CP	QPSK	Outer_Full	22.76
n78L	30	30	3500.01	CP	16QAM	Inner_Full	23.50
n78L	30	30	3500.01	CP	16QAM	Edge_1RB_Left	21.99
n78L	30	30	3500.01	CP	16QAM	Edge_1RB_Right	22.35
n78L	30	30	3500.01	CP	16QAM	Outer_Full	22.37
n78L	30	30	3500.01	CP	64QAM	Inner_Full	22.33
n78L	30	30	3500.01	CP	64QAM	Edge_1RB_Left	21.73
n78L	30	30	3500.01	CP	64QAM	Edge_1RB_Right	21.98
n78L	30	30	3500.01	CP	64QAM	Outer_Full	22.28
n78L	30	30	3500.01	CP	256QAM	Inner_Full	18.92
n78L	30	30	3500.01	CP	256QAM	Edge_1RB_Left	19.11
n78L	30	30	3500.01	CP	256QAM	Edge_1RB_Right	19.04
n78L	30	30	3500.01	CP	256QAM	Outer_Full	19.25
n78L	30	30	3534.99	DFT	pi/2 BPSK	Inner_Full	25.77
n78L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
n78L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.09
n78L	30	30	3534.99	DFT	pi/2 BPSK	Outer_Full	25.33
n78L	30	30	3534.99	DFT	QPSK	Inner_Full	25.80
n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	22.34
n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	22.12
n78L	30	30	3534.99	DFT	QPSK	Outer_Full	24.84
n78L	30	30	3534.99	DFT	16QAM	Inner_Full	24.42
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	22.18
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	21.82
n78L	30	30	3534.99	DFT	16QAM	Outer_Full	23.81
n78L	30	30	3534.99	DFT	64QAM	Inner_Full	23.20
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	22.58
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	22.14
n78L	30	30	3534.99	DFT	64QAM	Outer_Full	23.35
n78L	30	30	3534.99	DFT	256QAM	Inner_Full	21.18
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	21.12
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	20.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	30	30	3534.99	DFT	256QAM	Outer_Full	21.15
n78L	30	30	3534.99	CP	QPSK	Inner_Full	24.08
n78L	30	30	3534.99	CP	QPSK	Edge_1RB_Left	22.45
n78L	30	30	3534.99	CP	QPSK	Edge_1RB_Right	21.93
n78L	30	30	3534.99	CP	QPSK	Outer_Full	22.44
n78L	30	30	3534.99	CP	16QAM	Inner_Full	23.62
n78L	30	30	3534.99	CP	16QAM	Edge_1RB_Left	21.95
n78L	30	30	3534.99	CP	16QAM	Edge_1RB_Right	22.09
n78L	30	30	3534.99	CP	16QAM	Outer_Full	22.82
n78L	30	30	3534.99	CP	64QAM	Inner_Full	21.95
n78L	30	30	3534.99	CP	64QAM	Edge_1RB_Left	21.67
n78L	30	30	3534.99	CP	64QAM	Edge_1RB_Right	21.34
n78L	30	30	3534.99	CP	64QAM	Outer_Full	22.14
n78L	30	30	3534.99	CP	256QAM	Inner_Full	19.31
n78L	30	30	3534.99	CP	256QAM	Edge_1RB_Left	18.81
n78L	30	30	3534.99	CP	256QAM	Edge_1RB_Right	18.86
n78L	30	30	3534.99	CP	256QAM	Outer_Full	19.06
n78L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.75
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.03
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.19
n78L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.20
n78L	40	30	3470.01	DFT	QPSK	Inner_Full	25.32
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	21.74
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	21.83
n78L	40	30	3470.01	DFT	QPSK	Outer_Full	24.32
n78L	40	30	3470.01	DFT	16QAM	Inner_Full	24.62
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	22.07
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.94
n78L	40	30	3470.01	DFT	16QAM	Outer_Full	23.69
n78L	40	30	3470.01	DFT	64QAM	Inner_Full	23.19
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	21.90
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.74
n78L	40	30	3470.01	DFT	64QAM	Outer_Full	23.19
n78L	40	30	3470.01	DFT	256QAM	Inner_Full	21.14
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	20.99
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	20.83
n78L	40	30	3470.01	DFT	256QAM	Outer_Full	21.19
n78L	40	30	3470.01	CP	QPSK	Inner_Full	24.11
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	21.90
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	22.18



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	40	30	3470.01	CP	QPSK	Outer_Full	22.25
n78L	40	30	3470.01	CP	16QAM	Inner_Full	23.29
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	22.17
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	21.96
n78L	40	30	3470.01	CP	16QAM	Outer_Full	22.64
n78L	40	30	3470.01	CP	64QAM	Inner_Full	22.17
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	21.96
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.85
n78L	40	30	3470.01	CP	64QAM	Outer_Full	21.91
n78L	40	30	3470.01	CP	256QAM	Inner_Full	19.14
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	18.90
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	19.02
n78L	40	30	3470.01	CP	256QAM	Outer_Full	18.78
n78L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.52
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.37
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.26
n78L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.35
n78L	40	30	3500.01	DFT	QPSK	Inner_Full	25.83
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.04
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.23
n78L	40	30	3500.01	DFT	QPSK	Outer_Full	24.77
n78L	40	30	3500.01	DFT	16QAM	Inner_Full	24.45
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.31
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.24
n78L	40	30	3500.01	DFT	16QAM	Outer_Full	23.80
n78L	40	30	3500.01	DFT	64QAM	Inner_Full	23.24
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.57
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.86
n78L	40	30	3500.01	DFT	64QAM	Outer_Full	23.30
n78L	40	30	3500.01	DFT	256QAM	Inner_Full	21.29
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.74
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.70
n78L	40	30	3500.01	DFT	256QAM	Outer_Full	21.31
n78L	40	30	3500.01	CP	QPSK	Inner_Full	24.12
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.38
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	22.00
n78L	40	30	3500.01	CP	QPSK	Outer_Full	22.75
n78L	40	30	3500.01	CP	16QAM	Inner_Full	23.71
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.27
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	21.95



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	40	30	3500.01	CP	16QAM	Outer_Full	22.70
n78L	40	30	3500.01	CP	64QAM	Inner_Full	22.28
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	22.11
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	22.02
n78L	40	30	3500.01	CP	64QAM	Outer_Full	21.97
n78L	40	30	3500.01	CP	256QAM	Inner_Full	18.84
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.15
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	19.09
n78L	40	30	3500.01	CP	256QAM	Outer_Full	19.28
n78L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.62
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.97
n78L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.00
n78L	40	30	3529.98	DFT	QPSK	Inner_Full	25.82
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.42
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	21.75
n78L	40	30	3529.98	DFT	QPSK	Outer_Full	24.67
n78L	40	30	3529.98	DFT	16QAM	Inner_Full	24.73
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	22.38
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.95
n78L	40	30	3529.98	DFT	16QAM	Outer_Full	23.84
n78L	40	30	3529.98	DFT	64QAM	Inner_Full	23.34
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	22.05
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.61
n78L	40	30	3529.98	DFT	64QAM	Outer_Full	23.33
n78L	40	30	3529.98	DFT	256QAM	Inner_Full	20.83
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	20.87
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	20.59
n78L	40	30	3529.98	DFT	256QAM	Outer_Full	21.33
n78L	40	30	3529.98	CP	QPSK	Inner_Full	24.00
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	22.45
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	21.80
n78L	40	30	3529.98	CP	QPSK	Outer_Full	22.77
n78L	40	30	3529.98	CP	16QAM	Inner_Full	23.50
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	22.22
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	22.28
n78L	40	30	3529.98	CP	16QAM	Outer_Full	22.81
n78L	40	30	3529.98	CP	64QAM	Inner_Full	22.20
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	21.89
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	40	30	3529.98	CP	64QAM	Outer_Full	22.31
n78L	40	30	3529.98	CP	256QAM	Inner_Full	18.91
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.11
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.47
n78L	40	30	3529.98	CP	256QAM	Outer_Full	19.31
n78L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.60
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.74
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
n78L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	25.00
n78L	50	30	3475.02	DFT	QPSK	Inner_Full	25.52
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	21.53
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.72
n78L	50	30	3475.02	DFT	QPSK	Outer_Full	24.20
n78L	50	30	3475.02	DFT	16QAM	Inner_Full	24.41
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	21.85
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.48
n78L	50	30	3475.02	DFT	16QAM	Outer_Full	23.40
n78L	50	30	3475.02	DFT	64QAM	Inner_Full	22.87
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	21.43
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.48
n78L	50	30	3475.02	DFT	64QAM	Outer_Full	22.98
n78L	50	30	3475.02	DFT	256QAM	Inner_Full	21.02
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	20.85
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	20.55
n78L	50	30	3475.02	DFT	256QAM	Outer_Full	20.98
n78L	50	30	3475.02	CP	QPSK	Inner_Full	24.08
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	21.81
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.95
n78L	50	30	3475.02	CP	QPSK	Outer_Full	22.46
n78L	50	30	3475.02	CP	16QAM	Inner_Full	23.50
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	21.94
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	22.02
n78L	50	30	3475.02	CP	16QAM	Outer_Full	22.44
n78L	50	30	3475.02	CP	64QAM	Inner_Full	22.04
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	21.71
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	21.34
n78L	50	30	3475.02	CP	64QAM	Outer_Full	21.68
n78L	50	30	3475.02	CP	256QAM	Inner_Full	19.05
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	18.71
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	18.37



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	50	30	3475.02	CP	256QAM	Outer_Full	19.00
n78L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.63
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n78L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.14
n78L	50	30	3500.01	DFT	QPSK	Inner_Full	25.75
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.96
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.92
n78L	50	30	3500.01	DFT	QPSK	Outer_Full	24.68
n78L	50	30	3500.01	DFT	16QAM	Inner_Full	24.71
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.82
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.76
n78L	50	30	3500.01	DFT	16QAM	Outer_Full	23.64
n78L	50	30	3500.01	DFT	64QAM	Inner_Full	23.22
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.71
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.55
n78L	50	30	3500.01	DFT	64QAM	Outer_Full	23.22
n78L	50	30	3500.01	DFT	256QAM	Inner_Full	20.89
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.82
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.45
n78L	50	30	3500.01	DFT	256QAM	Outer_Full	20.80
n78L	50	30	3500.01	CP	QPSK	Inner_Full	24.02
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	22.01
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	21.98
n78L	50	30	3500.01	CP	QPSK	Outer_Full	22.25
n78L	50	30	3500.01	CP	16QAM	Inner_Full	23.60
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	21.74
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.48
n78L	50	30	3500.01	CP	16QAM	Outer_Full	22.64
n78L	50	30	3500.01	CP	64QAM	Inner_Full	22.22
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	21.38
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	21.61
n78L	50	30	3500.01	CP	64QAM	Outer_Full	22.19
n78L	50	30	3500.01	CP	256QAM	Inner_Full	18.80
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	18.78
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	18.78
n78L	50	30	3500.01	CP	256QAM	Outer_Full	18.93
n78L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.69
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	22.19
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.80



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	25.10
n78L	50	30	3525	DFT	QPSK	Inner_Full	25.61
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Left	22.07
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.80
n78L	50	30	3525	DFT	QPSK	Outer_Full	24.59
n78L	50	30	3525	DFT	16QAM	Inner_Full	24.60
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.55
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.60
n78L	50	30	3525	DFT	16QAM	Outer_Full	23.39
n78L	50	30	3525	DFT	64QAM	Inner_Full	23.10
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.43
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.20
n78L	50	30	3525	DFT	64QAM	Outer_Full	23.09
n78L	50	30	3525	DFT	256QAM	Inner_Full	20.71
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.72
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Right	20.61
n78L	50	30	3525	DFT	256QAM	Outer_Full	20.96
n78L	50	30	3525	CP	QPSK	Inner_Full	24.17
n78L	50	30	3525	CP	QPSK	Edge_1RB_Left	21.97
n78L	50	30	3525	CP	QPSK	Edge_1RB_Right	21.89
n78L	50	30	3525	CP	QPSK	Outer_Full	22.54
n78L	50	30	3525	CP	16QAM	Inner_Full	23.18
n78L	50	30	3525	CP	16QAM	Edge_1RB_Left	21.89
n78L	50	30	3525	CP	16QAM	Edge_1RB_Right	21.52
n78L	50	30	3525	CP	16QAM	Outer_Full	22.16
n78L	50	30	3525	CP	64QAM	Inner_Full	21.77
n78L	50	30	3525	CP	64QAM	Edge_1RB_Left	21.41
n78L	50	30	3525	CP	64QAM	Edge_1RB_Right	21.47
n78L	50	30	3525	CP	64QAM	Outer_Full	21.74
n78L	50	30	3525	CP	256QAM	Inner_Full	18.73
n78L	50	30	3525	CP	256QAM	Edge_1RB_Left	18.48
n78L	50	30	3525	CP	256QAM	Edge_1RB_Right	18.23
n78L	50	30	3525	CP	256QAM	Outer_Full	19.05
n78L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.40
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n78L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.03
n78L	60	30	3480	DFT	QPSK	Inner_Full	25.60
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Left	21.57
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	60	30	3480	DFT	QPSK	Outer_Full	24.53
n78L	60	30	3480	DFT	16QAM	Inner_Full	24.48
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Left	21.97
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.51
n78L	60	30	3480	DFT	16QAM	Outer_Full	23.13
n78L	60	30	3480	DFT	64QAM	Inner_Full	22.65
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.48
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.33
n78L	60	30	3480	DFT	64QAM	Outer_Full	22.95
n78L	60	30	3480	DFT	256QAM	Inner_Full	20.72
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Left	20.98
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Right	20.47
n78L	60	30	3480	DFT	256QAM	Outer_Full	21.04
n78L	60	30	3480	CP	QPSK	Inner_Full	23.87
n78L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.14
n78L	60	30	3480	CP	QPSK	Edge_1RB_Right	21.63
n78L	60	30	3480	CP	QPSK	Outer_Full	22.41
n78L	60	30	3480	CP	16QAM	Inner_Full	23.53
n78L	60	30	3480	CP	16QAM	Edge_1RB_Left	21.98
n78L	60	30	3480	CP	16QAM	Edge_1RB_Right	21.52
n78L	60	30	3480	CP	16QAM	Outer_Full	22.31
n78L	60	30	3480	CP	64QAM	Inner_Full	21.78
n78L	60	30	3480	CP	64QAM	Edge_1RB_Left	21.36
n78L	60	30	3480	CP	64QAM	Edge_1RB_Right	21.48
n78L	60	30	3480	CP	64QAM	Outer_Full	22.05
n78L	60	30	3480	CP	256QAM	Inner_Full	19.07
n78L	60	30	3480	CP	256QAM	Edge_1RB_Left	18.41
n78L	60	30	3480	CP	256QAM	Edge_1RB_Right	18.71
n78L	60	30	3480	CP	256QAM	Outer_Full	18.65
n78L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.48
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
n78L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.91
n78L	60	30	3500.01	DFT	QPSK	Inner_Full	25.58
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.97
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.85
n78L	60	30	3500.01	DFT	QPSK	Outer_Full	24.61
n78L	60	30	3500.01	DFT	16QAM	Inner_Full	24.48
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.70
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.38



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	60	30	3500.01	DFT	16QAM	Outer_Full	23.68
n78L	60	30	3500.01	DFT	64QAM	Inner_Full	23.19
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.68
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.09
n78L	60	30	3500.01	DFT	64QAM	Outer_Full	23.05
n78L	60	30	3500.01	DFT	256QAM	Inner_Full	20.85
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.83
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.72
n78L	60	30	3500.01	DFT	256QAM	Outer_Full	21.01
n78L	60	30	3500.01	CP	QPSK	Inner_Full	24.06
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	21.90
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.95
n78L	60	30	3500.01	CP	QPSK	Outer_Full	22.57
n78L	60	30	3500.01	CP	16QAM	Inner_Full	23.46
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	22.12
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.98
n78L	60	30	3500.01	CP	16QAM	Outer_Full	22.62
n78L	60	30	3500.01	CP	64QAM	Inner_Full	21.66
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.78
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.44
n78L	60	30	3500.01	CP	64QAM	Outer_Full	21.71
n78L	60	30	3500.01	CP	256QAM	Inner_Full	19.10
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	18.68
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.59
n78L	60	30	3500.01	CP	256QAM	Outer_Full	18.67
n78L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.60
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.04
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.34
n78L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	24.78
n78L	60	30	3519.99	DFT	QPSK	Inner_Full	25.56
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.11
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.71
n78L	60	30	3519.99	DFT	QPSK	Outer_Full	24.25
n78L	60	30	3519.99	DFT	16QAM	Inner_Full	24.39
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.89
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.42
n78L	60	30	3519.99	DFT	16QAM	Outer_Full	23.60
n78L	60	30	3519.99	DFT	64QAM	Inner_Full	22.76
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.68
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	60	30	3519.99	DFT	64QAM	Outer_Full	22.95
n78L	60	30	3519.99	DFT	256QAM	Inner_Full	20.71
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	21.00
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	20.58
n78L	60	30	3519.99	DFT	256QAM	Outer_Full	20.97
n78L	60	30	3519.99	CP	QPSK	Inner_Full	23.91
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	21.91
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	21.57
n78L	60	30	3519.99	CP	QPSK	Outer_Full	22.38
n78L	60	30	3519.99	CP	16QAM	Inner_Full	23.47
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.13
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.48
n78L	60	30	3519.99	CP	16QAM	Outer_Full	22.55
n78L	60	30	3519.99	CP	64QAM	Inner_Full	22.09
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.90
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.49
n78L	60	30	3519.99	CP	64QAM	Outer_Full	21.96
n78L	60	30	3519.99	CP	256QAM	Inner_Full	18.97
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	19.02
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.60
n78L	60	30	3519.99	CP	256QAM	Outer_Full	19.10
n78L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	25.39
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.72
n78L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	24.61
n78L	70	30	3485.01	DFT	QPSK	Inner_Full	25.47
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	21.47
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	21.23
n78L	70	30	3485.01	DFT	QPSK	Outer_Full	24.44
n78L	70	30	3485.01	DFT	16QAM	Inner_Full	24.42
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	21.87
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.68
n78L	70	30	3485.01	DFT	16QAM	Outer_Full	23.42
n78L	70	30	3485.01	DFT	64QAM	Inner_Full	22.94
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	21.35
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	21.41
n78L	70	30	3485.01	DFT	64QAM	Outer_Full	22.77
n78L	70	30	3485.01	DFT	256QAM	Inner_Full	20.53
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	20.75
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	20.17



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	70	30	3485.01	DFT	256QAM	Outer_Full	20.97
n78L	70	30	3485.01	CP	QPSK	Inner_Full	23.80
n78L	70	30	3485.01	CP	QPSK	Edge_1RB_Left	21.61
n78L	70	30	3485.01	CP	QPSK	Edge_1RB_Right	21.79
n78L	70	30	3485.01	CP	QPSK	Outer_Full	22.38
n78L	70	30	3485.01	CP	16QAM	Inner_Full	23.04
n78L	70	30	3485.01	CP	16QAM	Edge_1RB_Left	21.53
n78L	70	30	3485.01	CP	16QAM	Edge_1RB_Right	21.73
n78L	70	30	3485.01	CP	16QAM	Outer_Full	22.06
n78L	70	30	3485.01	CP	64QAM	Inner_Full	21.59
n78L	70	30	3485.01	CP	64QAM	Edge_1RB_Left	21.54
n78L	70	30	3485.01	CP	64QAM	Edge_1RB_Right	21.29
n78L	70	30	3485.01	CP	64QAM	Outer_Full	21.84
n78L	70	30	3485.01	CP	256QAM	Inner_Full	18.91
n78L	70	30	3485.01	CP	256QAM	Edge_1RB_Left	18.31
n78L	70	30	3485.01	CP	256QAM	Edge_1RB_Right	18.63
n78L	70	30	3485.01	CP	256QAM	Outer_Full	18.48
n78L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.52
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.72
n78L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.08
n78L	70	30	3500.01	DFT	QPSK	Inner_Full	25.47
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.94
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.58
n78L	70	30	3500.01	DFT	QPSK	Outer_Full	24.32
n78L	70	30	3500.01	DFT	16QAM	Inner_Full	24.44
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.91
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.58
n78L	70	30	3500.01	DFT	16QAM	Outer_Full	23.10
n78L	70	30	3500.01	DFT	64QAM	Inner_Full	22.56
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.15
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.02
n78L	70	30	3500.01	DFT	64QAM	Outer_Full	22.83
n78L	70	30	3500.01	DFT	256QAM	Inner_Full	21.03
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.43
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.12
n78L	70	30	3500.01	DFT	256QAM	Outer_Full	20.93
n78L	70	30	3500.01	CP	QPSK	Inner_Full	23.99
n78L	70	30	3500.01	CP	QPSK	Edge_1RB_Left	21.69
n78L	70	30	3500.01	CP	QPSK	Edge_1RB_Right	21.42



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	70	30	3500.01	CP	QPSK	Outer_Full	22.30
n78L	70	30	3500.01	CP	16QAM	Inner_Full	23.49
n78L	70	30	3500.01	CP	16QAM	Edge_1RB_Left	21.56
n78L	70	30	3500.01	CP	16QAM	Edge_1RB_Right	21.38
n78L	70	30	3500.01	CP	16QAM	Outer_Full	22.40
n78L	70	30	3500.01	CP	64QAM	Inner_Full	21.55
n78L	70	30	3500.01	CP	64QAM	Edge_1RB_Left	21.73
n78L	70	30	3500.01	CP	64QAM	Edge_1RB_Right	21.48
n78L	70	30	3500.01	CP	64QAM	Outer_Full	21.92
n78L	70	30	3500.01	CP	256QAM	Inner_Full	18.80
n78L	70	30	3500.01	CP	256QAM	Edge_1RB_Left	18.58
n78L	70	30	3500.01	CP	256QAM	Edge_1RB_Right	18.08
n78L	70	30	3500.01	CP	256QAM	Outer_Full	19.02
n78L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	25.26
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.70
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.24
n78L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	24.99
n78L	70	30	3514.98	DFT	QPSK	Inner_Full	25.27
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	21.59
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	21.11
n78L	70	30	3514.98	DFT	QPSK	Outer_Full	24.50
n78L	70	30	3514.98	DFT	16QAM	Inner_Full	24.35
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.84
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.43
n78L	70	30	3514.98	DFT	16QAM	Outer_Full	23.09
n78L	70	30	3514.98	DFT	64QAM	Inner_Full	22.68
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	21.64
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	21.10
n78L	70	30	3514.98	DFT	64QAM	Outer_Full	22.57
n78L	70	30	3514.98	DFT	256QAM	Inner_Full	20.57
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	20.48
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	20.48
n78L	70	30	3514.98	DFT	256QAM	Outer_Full	20.97
n78L	70	30	3514.98	CP	QPSK	Inner_Full	24.00
n78L	70	30	3514.98	CP	QPSK	Edge_1RB_Left	22.05
n78L	70	30	3514.98	CP	QPSK	Edge_1RB_Right	21.36
n78L	70	30	3514.98	CP	QPSK	Outer_Full	22.46
n78L	70	30	3514.98	CP	16QAM	Inner_Full	23.15
n78L	70	30	3514.98	CP	16QAM	Edge_1RB_Left	21.62
n78L	70	30	3514.98	CP	16QAM	Edge_1RB_Right	21.68



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	70	30	3514.98	CP	16QAM	Outer_Full	22.21
n78L	70	30	3514.98	CP	64QAM	Inner_Full	21.66
n78L	70	30	3514.98	CP	64QAM	Edge_1RB_Left	21.77
n78L	70	30	3514.98	CP	64QAM	Edge_1RB_Right	21.37
n78L	70	30	3514.98	CP	64QAM	Outer_Full	21.86
n78L	70	30	3514.98	CP	256QAM	Inner_Full	18.96
n78L	70	30	3514.98	CP	256QAM	Edge_1RB_Left	18.83
n78L	70	30	3514.98	CP	256QAM	Edge_1RB_Right	18.26
n78L	70	30	3514.98	CP	256QAM	Outer_Full	18.91
n78L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.16
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.35
n78L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	24.78
n78L	80	30	3490.02	DFT	QPSK	Inner_Full	25.49
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.76
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	21.70
n78L	80	30	3490.02	DFT	QPSK	Outer_Full	24.33
n78L	80	30	3490.02	DFT	16QAM	Inner_Full	24.42
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.75
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.40
n78L	80	30	3490.02	DFT	16QAM	Outer_Full	23.43
n78L	80	30	3490.02	DFT	64QAM	Inner_Full	23.01
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.55
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.33
n78L	80	30	3490.02	DFT	64QAM	Outer_Full	22.76
n78L	80	30	3490.02	DFT	256QAM	Inner_Full	20.51
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	20.63
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	20.54
n78L	80	30	3490.02	DFT	256QAM	Outer_Full	20.57
n78L	80	30	3490.02	CP	QPSK	Inner_Full	23.63
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	21.69
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	21.77
n78L	80	30	3490.02	CP	QPSK	Outer_Full	22.32
n78L	80	30	3490.02	CP	16QAM	Inner_Full	23.09
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	21.74
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	21.65
n78L	80	30	3490.02	CP	16QAM	Outer_Full	22.46
n78L	80	30	3490.02	CP	64QAM	Inner_Full	21.99
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.15
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	80	30	3490.02	CP	64QAM	Outer_Full	21.58
n78L	80	30	3490.02	CP	256QAM	Inner_Full	18.64
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	18.30
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.13
n78L	80	30	3490.02	CP	256QAM	Outer_Full	19.03
n78L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.50
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.38
n78L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.80
n78L	80	30	3500.01	DFT	QPSK	Inner_Full	25.30
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.85
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.57
n78L	80	30	3500.01	DFT	QPSK	Outer_Full	24.31
n78L	80	30	3500.01	DFT	16QAM	Inner_Full	24.14
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.26
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.03
n78L	80	30	3500.01	DFT	16QAM	Outer_Full	23.41
n78L	80	30	3500.01	DFT	64QAM	Inner_Full	23.02
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.53
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.26
n78L	80	30	3500.01	DFT	64QAM	Outer_Full	22.90
n78L	80	30	3500.01	DFT	256QAM	Inner_Full	20.74
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.54
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.10
n78L	80	30	3500.01	DFT	256QAM	Outer_Full	20.66
n78L	80	30	3500.01	CP	QPSK	Inner_Full	24.01
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	21.90
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	21.75
n78L	80	30	3500.01	CP	QPSK	Outer_Full	22.39
n78L	80	30	3500.01	CP	16QAM	Inner_Full	23.37
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	21.99
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	21.35
n78L	80	30	3500.01	CP	16QAM	Outer_Full	22.00
n78L	80	30	3500.01	CP	64QAM	Inner_Full	21.90
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.24
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.47
n78L	80	30	3500.01	CP	64QAM	Outer_Full	21.91
n78L	80	30	3500.01	CP	256QAM	Inner_Full	19.01
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	18.76
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	18.01



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	80	30	3500.01	CP	256QAM	Outer_Full	18.93
n78L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.54
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.69
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	21.56
n78L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	24.85
n78L	80	30	3510	DFT	QPSK	Inner_Full	25.15
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.79
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.45
n78L	80	30	3510	DFT	QPSK	Outer_Full	24.00
n78L	80	30	3510	DFT	16QAM	Inner_Full	24.37
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.73
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.00
n78L	80	30	3510	DFT	16QAM	Outer_Full	23.04
n78L	80	30	3510	DFT	64QAM	Inner_Full	23.00
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.57
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.16
n78L	80	30	3510	DFT	64QAM	Outer_Full	22.55
n78L	80	30	3510	DFT	256QAM	Inner_Full	21.04
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.72
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Right	20.46
n78L	80	30	3510	DFT	256QAM	Outer_Full	20.64
n78L	80	30	3510	CP	QPSK	Inner_Full	23.86
n78L	80	30	3510	CP	QPSK	Edge_1RB_Left	21.90
n78L	80	30	3510	CP	QPSK	Edge_1RB_Right	21.44
n78L	80	30	3510	CP	QPSK	Outer_Full	22.30
n78L	80	30	3510	CP	16QAM	Inner_Full	23.47
n78L	80	30	3510	CP	16QAM	Edge_1RB_Left	22.03
n78L	80	30	3510	CP	16QAM	Edge_1RB_Right	21.48
n78L	80	30	3510	CP	16QAM	Outer_Full	22.16
n78L	80	30	3510	CP	64QAM	Inner_Full	21.61
n78L	80	30	3510	CP	64QAM	Edge_1RB_Left	21.82
n78L	80	30	3510	CP	64QAM	Edge_1RB_Right	21.34
n78L	80	30	3510	CP	64QAM	Outer_Full	21.98
n78L	80	30	3510	CP	256QAM	Inner_Full	18.96
n78L	80	30	3510	CP	256QAM	Edge_1RB_Left	18.74
n78L	80	30	3510	CP	256QAM	Edge_1RB_Right	18.43
n78L	80	30	3510	CP	256QAM	Outer_Full	18.79
n78L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	25.47
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	21.84
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	21.68



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	24.97
n78L	90	30	3495	DFT	QPSK	Inner_Full	25.29
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.43
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Right	21.67
n78L	90	30	3495	DFT	QPSK	Outer_Full	24.15
n78L	90	30	3495	DFT	16QAM	Inner_Full	24.17
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.87
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.42
n78L	90	30	3495	DFT	16QAM	Outer_Full	23.28
n78L	90	30	3495	DFT	64QAM	Inner_Full	22.86
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.49
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Right	21.10
n78L	90	30	3495	DFT	64QAM	Outer_Full	22.92
n78L	90	30	3495	DFT	256QAM	Inner_Full	20.70
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Left	20.20
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Right	20.53
n78L	90	30	3495	DFT	256QAM	Outer_Full	20.98
n78L	90	30	3495	CP	QPSK	Inner_Full	23.66
n78L	90	30	3495	CP	QPSK	Edge_1RB_Left	21.91
n78L	90	30	3495	CP	QPSK	Edge_1RB_Right	21.70
n78L	90	30	3495	CP	QPSK	Outer_Full	22.45
n78L	90	30	3495	CP	16QAM	Inner_Full	22.98
n78L	90	30	3495	CP	16QAM	Edge_1RB_Left	21.86
n78L	90	30	3495	CP	16QAM	Edge_1RB_Right	21.34
n78L	90	30	3495	CP	16QAM	Outer_Full	22.07
n78L	90	30	3495	CP	64QAM	Inner_Full	21.44
n78L	90	30	3495	CP	64QAM	Edge_1RB_Left	21.29
n78L	90	30	3495	CP	64QAM	Edge_1RB_Right	21.14
n78L	90	30	3495	CP	64QAM	Outer_Full	21.87
n78L	90	30	3495	CP	256QAM	Inner_Full	18.41
n78L	90	30	3495	CP	256QAM	Edge_1RB_Left	18.26
n78L	90	30	3495	CP	256QAM	Edge_1RB_Right	18.41
n78L	90	30	3495	CP	256QAM	Outer_Full	18.88
n78L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.47
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.82
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.28
n78L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.59
n78L	90	30	3500.01	DFT	QPSK	Inner_Full	25.17
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.72
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	90	30	3500.01	DFT	QPSK	Outer_Full	24.32
n78L	90	30	3500.01	DFT	16QAM	Inner_Full	24.46
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.53
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.37
n78L	90	30	3500.01	DFT	16QAM	Outer_Full	23.43
n78L	90	30	3500.01	DFT	64QAM	Inner_Full	22.52
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.32
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.88
n78L	90	30	3500.01	DFT	64QAM	Outer_Full	22.92
n78L	90	30	3500.01	DFT	256QAM	Inner_Full	20.91
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.66
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.11
n78L	90	30	3500.01	DFT	256QAM	Outer_Full	20.62
n78L	90	30	3500.01	CP	QPSK	Inner_Full	23.67
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	21.68
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	21.76
n78L	90	30	3500.01	CP	QPSK	Outer_Full	22.47
n78L	90	30	3500.01	CP	16QAM	Inner_Full	23.14
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	21.47
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	21.17
n78L	90	30	3500.01	CP	16QAM	Outer_Full	22.38
n78L	90	30	3500.01	CP	64QAM	Inner_Full	21.80
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.12
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	20.91
n78L	90	30	3500.01	CP	64QAM	Outer_Full	21.93
n78L	90	30	3500.01	CP	256QAM	Inner_Full	18.94
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	18.74
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	18.60
n78L	90	30	3500.01	CP	256QAM	Outer_Full	18.90
n78L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.28
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.58
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.43
n78L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	24.95
n78L	90	30	3504.99	DFT	QPSK	Inner_Full	25.23
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.61
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.63
n78L	90	30	3504.99	DFT	QPSK	Outer_Full	24.44
n78L	90	30	3504.99	DFT	16QAM	Inner_Full	24.48
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.28
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	90	30	3504.99	DFT	16QAM	Outer_Full	23.09
n78L	90	30	3504.99	DFT	64QAM	Inner_Full	22.57
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.07
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	20.85
n78L	90	30	3504.99	DFT	64QAM	Outer_Full	22.59
n78L	90	30	3504.99	DFT	256QAM	Inner_Full	20.75
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	20.28
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	20.45
n78L	90	30	3504.99	DFT	256QAM	Outer_Full	20.61
n78L	90	30	3504.99	CP	QPSK	Inner_Full	23.98
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	21.48
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	21.73
n78L	90	30	3504.99	CP	QPSK	Outer_Full	22.29
n78L	90	30	3504.99	CP	16QAM	Inner_Full	23.45
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.56
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	21.21
n78L	90	30	3504.99	CP	16QAM	Outer_Full	22.46
n78L	90	30	3504.99	CP	64QAM	Inner_Full	22.00
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.13
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	21.32
n78L	90	30	3504.99	CP	64QAM	Outer_Full	21.84
n78L	90	30	3504.99	CP	256QAM	Inner_Full	18.59
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	18.76
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	18.11
n78L	90	30	3504.99	CP	256QAM	Outer_Full	18.89
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.50
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.39
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.87
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	25.38
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.64
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.23
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	24.15
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	24.36
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.49
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.97
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	23.19
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	22.86
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.39
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	22.69
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	20.87
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.57
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.35
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	20.61
n78L	100	30	3500.01	CP	QPSK	Inner_Full	23.89
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	21.83
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.48
n78L	100	30	3500.01	CP	QPSK	Outer_Full	22.29
n78L	100	30	3500.01	CP	16QAM	Inner_Full	23.36
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.74
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.47
n78L	100	30	3500.01	CP	16QAM	Outer_Full	22.29
n78L	100	30	3500.01	CP	64QAM	Inner_Full	21.84
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.53
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.17
n78L	100	30	3500.01	CP	64QAM	Outer_Full	21.69
n78L	100	30	3500.01	CP	256QAM	Inner_Full	18.68
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.45
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.24
n78L	100	30	3500.01	CP	256QAM	Outer_Full	18.60
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.41
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.61
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.47
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.86
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	25.38
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.74
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.36
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	24.18
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	24.36
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.53
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.02
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	23.19
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	22.72
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.31
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.96
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	22.70
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	20.84
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.46
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.23



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	20.63
n78L	100	30	3500.01	CP	QPSK	Inner_Full	23.88
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	21.85
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.58
n78L	100	30	3500.01	CP	QPSK	Outer_Full	22.21
n78L	100	30	3500.01	CP	16QAM	Inner_Full	23.47
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.96
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.33
n78L	100	30	3500.01	CP	16QAM	Outer_Full	22.30
n78L	100	30	3500.01	CP	64QAM	Inner_Full	21.74
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.39
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.32
n78L	100	30	3500.01	CP	64QAM	Outer_Full	21.69
n78L	100	30	3500.01	CP	256QAM	Inner_Full	18.81
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.42
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.09
n78L	100	30	3500.01	CP	256QAM	Outer_Full	18.70
n78L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	25.27
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.78
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.47
n78L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	24.75
n78L	100	30	3499.98	DFT	QPSK	Inner_Full	25.46
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	21.70
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	21.20
n78L	100	30	3499.98	DFT	QPSK	Outer_Full	24.26
n78L	100	30	3499.98	DFT	16QAM	Inner_Full	24.29
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.28
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	21.12
n78L	100	30	3499.98	DFT	16QAM	Outer_Full	23.10
n78L	100	30	3499.98	DFT	64QAM	Inner_Full	22.63
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	21.38
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	20.91
n78L	100	30	3499.98	DFT	64QAM	Outer_Full	22.60
n78L	100	30	3499.98	DFT	256QAM	Inner_Full	20.68
n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	20.46
n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	20.29
n78L	100	30	3499.98	DFT	256QAM	Outer_Full	20.68
n78L	100	30	3499.98	CP	QPSK	Inner_Full	23.77
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	21.80
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	21.43



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	100	30	3499.98	CP	QPSK	Outer_Full	22.11
n78L	100	30	3499.98	CP	16QAM	Inner_Full	23.32
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	21.54
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	21.33
n78L	100	30	3499.98	CP	16QAM	Outer_Full	22.13
n78L	100	30	3499.98	CP	64QAM	Inner_Full	21.67
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	21.30
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	21.20
n78L	100	30	3499.98	CP	64QAM	Outer_Full	21.56
n78L	100	30	3499.98	CP	256QAM	Inner_Full	18.58
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	18.58
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	18.25
n78L	100	30	3499.98	CP	256QAM	Outer_Full	18.56



n78H

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.11
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.43
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.64
n78H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	24.46
n78H	20	30	3710.01	DFT	QPSK	Inner_Full	24.84
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	21.09
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.39
n78H	20	30	3710.01	DFT	QPSK	Outer_Full	24.12
n78H	20	30	3710.01	DFT	16QAM	Inner_Full	23.84
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	21.48
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	21.34
n78H	20	30	3710.01	DFT	16QAM	Outer_Full	23.00
n78H	20	30	3710.01	DFT	64QAM	Inner_Full	22.58
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	20.73
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.13
n78H	20	30	3710.01	DFT	64QAM	Outer_Full	22.27
n78H	20	30	3710.01	DFT	256QAM	Inner_Full	20.13
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	20.41
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	20.38
n78H	20	30	3710.01	DFT	256QAM	Outer_Full	20.26
n78H	20	30	3710.01	CP	QPSK	Inner_Full	23.64
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	21.64
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	21.69
n78H	20	30	3710.01	CP	QPSK	Outer_Full	22.11
n78H	20	30	3710.01	CP	16QAM	Inner_Full	22.94
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	21.48
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	21.54
n78H	20	30	3710.01	CP	16QAM	Outer_Full	21.90
n78H	20	30	3710.01	CP	64QAM	Inner_Full	21.44
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	21.15
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	21.38
n78H	20	30	3710.01	CP	64QAM	Outer_Full	21.36
n78H	20	30	3710.01	CP	256QAM	Inner_Full	18.08
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	18.29
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	18.52
n78H	20	30	3710.01	CP	256QAM	Outer_Full	18.30
n78H	20	30	3750	DFT	pi/2 BPSK	Inner_Full	25.42
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.93
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.78



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	20	30	3750	DFT	pi/2 BPSK	Outer_Full	24.67
n78H	20	30	3750	DFT	QPSK	Inner_Full	25.42
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Left	21.59
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Right	21.84
n78H	20	30	3750	DFT	QPSK	Outer_Full	24.17
n78H	20	30	3750	DFT	16QAM	Inner_Full	24.13
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Left	21.67
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Right	22.04
n78H	20	30	3750	DFT	16QAM	Outer_Full	23.24
n78H	20	30	3750	DFT	64QAM	Inner_Full	22.86
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Left	21.10
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Right	21.68
n78H	20	30	3750	DFT	64QAM	Outer_Full	22.80
n78H	20	30	3750	DFT	256QAM	Inner_Full	20.51
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Left	20.75
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Right	20.89
n78H	20	30	3750	DFT	256QAM	Outer_Full	20.86
n78H	20	30	3750	CP	QPSK	Inner_Full	23.90
n78H	20	30	3750	CP	QPSK	Edge_1RB_Left	21.78
n78H	20	30	3750	CP	QPSK	Edge_1RB_Right	22.07
n78H	20	30	3750	CP	QPSK	Outer_Full	22.32
n78H	20	30	3750	CP	16QAM	Inner_Full	23.16
n78H	20	30	3750	CP	16QAM	Edge_1RB_Left	21.94
n78H	20	30	3750	CP	16QAM	Edge_1RB_Right	22.18
n78H	20	30	3750	CP	16QAM	Outer_Full	22.40
n78H	20	30	3750	CP	64QAM	Inner_Full	21.66
n78H	20	30	3750	CP	64QAM	Edge_1RB_Left	21.21
n78H	20	30	3750	CP	64QAM	Edge_1RB_Right	21.48
n78H	20	30	3750	CP	64QAM	Outer_Full	21.86
n78H	20	30	3750	CP	256QAM	Inner_Full	18.91
n78H	20	30	3750	CP	256QAM	Edge_1RB_Left	18.81
n78H	20	30	3750	CP	256QAM	Edge_1RB_Right	19.16
n78H	20	30	3750	CP	256QAM	Outer_Full	18.90
n78H	20	30	3789.99	DFT	pi/2 BPSK	Inner_Full	25.49
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.88
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.77
n78H	20	30	3789.99	DFT	pi/2 BPSK	Outer_Full	25.08
n78H	20	30	3789.99	DFT	QPSK	Inner_Full	25.68
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Left	21.83
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Right	22.01



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	20	30	3789.99	DFT	QPSK	Outer_Full	24.50
n78H	20	30	3789.99	DFT	16QAM	Inner_Full	24.62
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Left	21.63
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Right	21.51
n78H	20	30	3789.99	DFT	16QAM	Outer_Full	23.31
n78H	20	30	3789.99	DFT	64QAM	Inner_Full	23.24
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Left	21.48
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Right	21.73
n78H	20	30	3789.99	DFT	64QAM	Outer_Full	23.21
n78H	20	30	3789.99	DFT	256QAM	Inner_Full	20.95
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Left	20.81
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Right	20.94
n78H	20	30	3789.99	DFT	256QAM	Outer_Full	21.21
n78H	20	30	3789.99	CP	QPSK	Inner_Full	24.20
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Left	22.16
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Right	22.12
n78H	20	30	3789.99	CP	QPSK	Outer_Full	22.41
n78H	20	30	3789.99	CP	16QAM	Inner_Full	23.71
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Left	21.88
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Right	22.21
n78H	20	30	3789.99	CP	16QAM	Outer_Full	22.71
n78H	20	30	3789.99	CP	64QAM	Inner_Full	22.22
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Left	21.58
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Right	21.56
n78H	20	30	3789.99	CP	64QAM	Outer_Full	22.20
n78H	20	30	3789.99	CP	256QAM	Inner_Full	19.21
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Left	18.97
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Right	18.72
n78H	20	30	3789.99	CP	256QAM	Outer_Full	18.87
n78H	30	30	3715.02	DFT	pi/2 BPSK	Inner_Full	24.94
n78H	30	30	3715.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n78H	30	30	3715.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.73
n78H	30	30	3715.02	DFT	pi/2 BPSK	Outer_Full	24.43
n78H	30	30	3715.02	DFT	QPSK	Inner_Full	24.97
n78H	30	30	3715.02	DFT	QPSK	Edge_1RB_Left	21.53
n78H	30	30	3715.02	DFT	QPSK	Edge_1RB_Right	21.58
n78H	30	30	3715.02	DFT	QPSK	Outer_Full	23.96
n78H	30	30	3715.02	DFT	16QAM	Inner_Full	24.14
n78H	30	30	3715.02	DFT	16QAM	Edge_1RB_Left	21.49
n78H	30	30	3715.02	DFT	16QAM	Edge_1RB_Right	21.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	30	30	3715.02	DFT	16QAM	Outer_Full	23.22
n78H	30	30	3715.02	DFT	64QAM	Inner_Full	22.76
n78H	30	30	3715.02	DFT	64QAM	Edge_1RB_Left	21.03
n78H	30	30	3715.02	DFT	64QAM	Edge_1RB_Right	21.38
n78H	30	30	3715.02	DFT	64QAM	Outer_Full	22.72
n78H	30	30	3715.02	DFT	256QAM	Inner_Full	20.83
n78H	30	30	3715.02	DFT	256QAM	Edge_1RB_Left	20.35
n78H	30	30	3715.02	DFT	256QAM	Edge_1RB_Right	20.72
n78H	30	30	3715.02	DFT	256QAM	Outer_Full	20.66
n78H	30	30	3715.02	CP	QPSK	Inner_Full	23.47
n78H	30	30	3715.02	CP	QPSK	Edge_1RB_Left	21.20
n78H	30	30	3715.02	CP	QPSK	Edge_1RB_Right	21.89
n78H	30	30	3715.02	CP	QPSK	Outer_Full	21.96
n78H	30	30	3715.02	CP	16QAM	Inner_Full	23.14
n78H	30	30	3715.02	CP	16QAM	Edge_1RB_Left	21.41
n78H	30	30	3715.02	CP	16QAM	Edge_1RB_Right	21.43
n78H	30	30	3715.02	CP	16QAM	Outer_Full	21.83
n78H	30	30	3715.02	CP	64QAM	Inner_Full	21.74
n78H	30	30	3715.02	CP	64QAM	Edge_1RB_Left	21.11
n78H	30	30	3715.02	CP	64QAM	Edge_1RB_Right	21.35
n78H	30	30	3715.02	CP	64QAM	Outer_Full	21.71
n78H	30	30	3715.02	CP	256QAM	Inner_Full	18.35
n78H	30	30	3715.02	CP	256QAM	Edge_1RB_Left	18.38
n78H	30	30	3715.02	CP	256QAM	Edge_1RB_Right	18.42
n78H	30	30	3715.02	CP	256QAM	Outer_Full	18.44
n78H	30	30	3750	DFT	pi/2 BPSK	Inner_Full	25.22
n78H	30	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.70
n78H	30	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.92
n78H	30	30	3750	DFT	pi/2 BPSK	Outer_Full	25.05
n78H	30	30	3750	DFT	QPSK	Inner_Full	25.17
n78H	30	30	3750	DFT	QPSK	Edge_1RB_Left	21.84
n78H	30	30	3750	DFT	QPSK	Edge_1RB_Right	22.14
n78H	30	30	3750	DFT	QPSK	Outer_Full	24.51
n78H	30	30	3750	DFT	16QAM	Inner_Full	24.22
n78H	30	30	3750	DFT	16QAM	Edge_1RB_Left	21.69
n78H	30	30	3750	DFT	16QAM	Edge_1RB_Right	21.75
n78H	30	30	3750	DFT	16QAM	Outer_Full	23.15
n78H	30	30	3750	DFT	64QAM	Inner_Full	22.59
n78H	30	30	3750	DFT	64QAM	Edge_1RB_Left	21.17
n78H	30	30	3750	DFT	64QAM	Edge_1RB_Right	21.84



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	30	30	3750	DFT	64QAM	Outer_Full	23.03
n78H	30	30	3750	DFT	256QAM	Inner_Full	21.11
n78H	30	30	3750	DFT	256QAM	Edge_1RB_Left	20.55
n78H	30	30	3750	DFT	256QAM	Edge_1RB_Right	20.77
n78H	30	30	3750	DFT	256QAM	Outer_Full	21.03
n78H	30	30	3750	CP	QPSK	Inner_Full	24.02
n78H	30	30	3750	CP	QPSK	Edge_1RB_Left	21.87
n78H	30	30	3750	CP	QPSK	Edge_1RB_Right	22.12
n78H	30	30	3750	CP	QPSK	Outer_Full	22.15
n78H	30	30	3750	CP	16QAM	Inner_Full	23.48
n78H	30	30	3750	CP	16QAM	Edge_1RB_Left	21.95
n78H	30	30	3750	CP	16QAM	Edge_1RB_Right	22.02
n78H	30	30	3750	CP	16QAM	Outer_Full	22.20
n78H	30	30	3750	CP	64QAM	Inner_Full	22.00
n78H	30	30	3750	CP	64QAM	Edge_1RB_Left	21.24
n78H	30	30	3750	CP	64QAM	Edge_1RB_Right	21.73
n78H	30	30	3750	CP	64QAM	Outer_Full	22.05
n78H	30	30	3750	CP	256QAM	Inner_Full	18.70
n78H	30	30	3750	CP	256QAM	Edge_1RB_Left	18.56
n78H	30	30	3750	CP	256QAM	Edge_1RB_Right	19.01
n78H	30	30	3750	CP	256QAM	Outer_Full	19.04
n78H	30	30	3784.98	DFT	pi/2 BPSK	Inner_Full	25.50
n78H	30	30	3784.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n78H	30	30	3784.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n78H	30	30	3784.98	DFT	pi/2 BPSK	Outer_Full	24.99
n78H	30	30	3784.98	DFT	QPSK	Inner_Full	25.51
n78H	30	30	3784.98	DFT	QPSK	Edge_1RB_Left	22.23
n78H	30	30	3784.98	DFT	QPSK	Edge_1RB_Right	21.86
n78H	30	30	3784.98	DFT	QPSK	Outer_Full	24.43
n78H	30	30	3784.98	DFT	16QAM	Inner_Full	24.74
n78H	30	30	3784.98	DFT	16QAM	Edge_1RB_Left	22.02
n78H	30	30	3784.98	DFT	16QAM	Edge_1RB_Right	22.05
n78H	30	30	3784.98	DFT	16QAM	Outer_Full	23.72
n78H	30	30	3784.98	DFT	64QAM	Inner_Full	23.32
n78H	30	30	3784.98	DFT	64QAM	Edge_1RB_Left	21.87
n78H	30	30	3784.98	DFT	64QAM	Edge_1RB_Right	21.77
n78H	30	30	3784.98	DFT	64QAM	Outer_Full	23.32
n78H	30	30	3784.98	DFT	256QAM	Inner_Full	20.91
n78H	30	30	3784.98	DFT	256QAM	Edge_1RB_Left	20.71
n78H	30	30	3784.98	DFT	256QAM	Edge_1RB_Right	20.70



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	30	30	3784.98	DFT	256QAM	Outer_Full	21.28
n78H	30	30	3784.98	CP	QPSK	Inner_Full	24.04
n78H	30	30	3784.98	CP	QPSK	Edge_1RB_Left	21.83
n78H	30	30	3784.98	CP	QPSK	Edge_1RB_Right	21.98
n78H	30	30	3784.98	CP	QPSK	Outer_Full	22.79
n78H	30	30	3784.98	CP	16QAM	Inner_Full	23.48
n78H	30	30	3784.98	CP	16QAM	Edge_1RB_Left	21.76
n78H	30	30	3784.98	CP	16QAM	Edge_1RB_Right	21.97
n78H	30	30	3784.98	CP	16QAM	Outer_Full	22.77
n78H	30	30	3784.98	CP	64QAM	Inner_Full	22.17
n78H	30	30	3784.98	CP	64QAM	Edge_1RB_Left	21.45
n78H	30	30	3784.98	CP	64QAM	Edge_1RB_Right	21.93
n78H	30	30	3784.98	CP	64QAM	Outer_Full	21.95
n78H	30	30	3784.98	CP	256QAM	Inner_Full	19.19
n78H	30	30	3784.98	CP	256QAM	Edge_1RB_Left	18.70
n78H	30	30	3784.98	CP	256QAM	Edge_1RB_Right	18.72
n78H	30	30	3784.98	CP	256QAM	Outer_Full	19.25
n78H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	25.12
n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	21.68
n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	21.65
n78H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	24.51
n78H	40	30	3720	DFT	QPSK	Inner_Full	25.26
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Left	21.39
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.94
n78H	40	30	3720	DFT	QPSK	Outer_Full	24.32
n78H	40	30	3720	DFT	16QAM	Inner_Full	24.12
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Left	21.08
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Right	21.94
n78H	40	30	3720	DFT	16QAM	Outer_Full	23.34
n78H	40	30	3720	DFT	64QAM	Inner_Full	22.69
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Left	20.86
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Right	21.57
n78H	40	30	3720	DFT	64QAM	Outer_Full	22.44
n78H	40	30	3720	DFT	256QAM	Inner_Full	20.76
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Left	20.41
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Right	20.60
n78H	40	30	3720	DFT	256QAM	Outer_Full	20.82
n78H	40	30	3720	CP	QPSK	Inner_Full	23.71
n78H	40	30	3720	CP	QPSK	Edge_1RB_Left	21.28
n78H	40	30	3720	CP	QPSK	Edge_1RB_Right	21.71



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	40	30	3720	CP	QPSK	Outer_Full	22.20
n78H	40	30	3720	CP	16QAM	Inner_Full	23.00
n78H	40	30	3720	CP	16QAM	Edge_1RB_Left	21.59
n78H	40	30	3720	CP	16QAM	Edge_1RB_Right	21.91
n78H	40	30	3720	CP	16QAM	Outer_Full	21.97
n78H	40	30	3720	CP	64QAM	Inner_Full	21.36
n78H	40	30	3720	CP	64QAM	Edge_1RB_Left	20.91
n78H	40	30	3720	CP	64QAM	Edge_1RB_Right	21.57
n78H	40	30	3720	CP	64QAM	Outer_Full	21.70
n78H	40	30	3720	CP	256QAM	Inner_Full	18.53
n78H	40	30	3720	CP	256QAM	Edge_1RB_Left	18.14
n78H	40	30	3720	CP	256QAM	Edge_1RB_Right	18.76
n78H	40	30	3720	CP	256QAM	Outer_Full	18.32
n78H	40	30	3750	DFT	pi/2 BPSK	Inner_Full	25.38
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.16
n78H	40	30	3750	DFT	pi/2 BPSK	Outer_Full	25.13
n78H	40	30	3750	DFT	QPSK	Inner_Full	25.47
n78H	40	30	3750	DFT	QPSK	Edge_1RB_Left	21.87
n78H	40	30	3750	DFT	QPSK	Edge_1RB_Right	22.07
n78H	40	30	3750	DFT	QPSK	Outer_Full	24.58
n78H	40	30	3750	DFT	16QAM	Inner_Full	24.40
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Left	21.86
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Right	22.13
n78H	40	30	3750	DFT	16QAM	Outer_Full	23.55
n78H	40	30	3750	DFT	64QAM	Inner_Full	22.99
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Left	21.14
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Right	21.82
n78H	40	30	3750	DFT	64QAM	Outer_Full	23.05
n78H	40	30	3750	DFT	256QAM	Inner_Full	20.80
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Left	20.40
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Right	21.31
n78H	40	30	3750	DFT	256QAM	Outer_Full	20.72
n78H	40	30	3750	CP	QPSK	Inner_Full	24.05
n78H	40	30	3750	CP	QPSK	Edge_1RB_Left	21.97
n78H	40	30	3750	CP	QPSK	Edge_1RB_Right	22.46
n78H	40	30	3750	CP	QPSK	Outer_Full	22.52
n78H	40	30	3750	CP	16QAM	Inner_Full	23.50
n78H	40	30	3750	CP	16QAM	Edge_1RB_Left	21.91
n78H	40	30	3750	CP	16QAM	Edge_1RB_Right	22.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	40	30	3750	CP	16QAM	Outer_Full	22.54
n78H	40	30	3750	CP	64QAM	Inner_Full	22.02
n78H	40	30	3750	CP	64QAM	Edge_1RB_Left	21.62
n78H	40	30	3750	CP	64QAM	Edge_1RB_Right	22.07
n78H	40	30	3750	CP	64QAM	Outer_Full	22.00
n78H	40	30	3750	CP	256QAM	Inner_Full	18.95
n78H	40	30	3750	CP	256QAM	Edge_1RB_Left	18.74
n78H	40	30	3750	CP	256QAM	Edge_1RB_Right	12.54
n78H	40	30	3750	CP	256QAM	Outer_Full	18.92
n78H	40	30	3780	DFT	pi/2 BPSK	Inner_Full	25.82
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Right	22.20
n78H	40	30	3780	DFT	pi/2 BPSK	Outer_Full	25.03
n78H	40	30	3780	DFT	QPSK	Inner_Full	25.84
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Left	22.09
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Right	22.38
n78H	40	30	3780	DFT	QPSK	Outer_Full	24.89
n78H	40	30	3780	DFT	16QAM	Inner_Full	24.46
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Left	22.09
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Right	22.38
n78H	40	30	3780	DFT	16QAM	Outer_Full	23.88
n78H	40	30	3780	DFT	64QAM	Inner_Full	23.33
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Left	21.38
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Right	21.88
n78H	40	30	3780	DFT	64QAM	Outer_Full	23.11
n78H	40	30	3780	DFT	256QAM	Inner_Full	20.98
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Left	21.05
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Right	20.85
n78H	40	30	3780	DFT	256QAM	Outer_Full	21.04
n78H	40	30	3780	CP	QPSK	Inner_Full	24.30
n78H	40	30	3780	CP	QPSK	Edge_1RB_Left	22.01
n78H	40	30	3780	CP	QPSK	Edge_1RB_Right	22.17
n78H	40	30	3780	CP	QPSK	Outer_Full	22.82
n78H	40	30	3780	CP	16QAM	Inner_Full	23.57
n78H	40	30	3780	CP	16QAM	Edge_1RB_Left	22.01
n78H	40	30	3780	CP	16QAM	Edge_1RB_Right	22.14
n78H	40	30	3780	CP	16QAM	Outer_Full	22.70
n78H	40	30	3780	CP	64QAM	Inner_Full	22.38
n78H	40	30	3780	CP	64QAM	Edge_1RB_Left	21.51
n78H	40	30	3780	CP	64QAM	Edge_1RB_Right	22.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	40	30	3780	CP	64QAM	Outer_Full	22.38
n78H	40	30	3780	CP	256QAM	Inner_Full	19.37
n78H	40	30	3780	CP	256QAM	Edge_1RB_Left	19.05
n78H	40	30	3780	CP	256QAM	Edge_1RB_Right	19.23
n78H	40	30	3780	CP	256QAM	Outer_Full	19.43
n78H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	25.10
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.94
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.55
n78H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	24.52
n78H	50	30	3725.01	DFT	QPSK	Inner_Full	24.76
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.18
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	21.46
n78H	50	30	3725.01	DFT	QPSK	Outer_Full	23.99
n78H	50	30	3725.01	DFT	16QAM	Inner_Full	23.84
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	20.73
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	21.23
n78H	50	30	3725.01	DFT	16QAM	Outer_Full	22.68
n78H	50	30	3725.01	DFT	64QAM	Inner_Full	22.15
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	20.62
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	21.24
n78H	50	30	3725.01	DFT	64QAM	Outer_Full	22.47
n78H	50	30	3725.01	DFT	256QAM	Inner_Full	20.18
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	19.88
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	20.54
n78H	50	30	3725.01	DFT	256QAM	Outer_Full	20.33
n78H	50	30	3725.01	CP	QPSK	Inner_Full	23.64
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	21.29
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	21.78
n78H	50	30	3725.01	CP	QPSK	Outer_Full	21.75
n78H	50	30	3725.01	CP	16QAM	Inner_Full	22.98
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	21.11
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	21.23
n78H	50	30	3725.01	CP	16QAM	Outer_Full	22.02
n78H	50	30	3725.01	CP	64QAM	Inner_Full	21.59
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	20.52
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	21.45
n78H	50	30	3725.01	CP	64QAM	Outer_Full	21.38
n78H	50	30	3725.01	CP	256QAM	Inner_Full	18.19
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	17.73
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	18.10



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	50	30	3725.01	CP	256QAM	Outer_Full	18.53
n78H	50	30	3750	DFT	pi/2 BPSK	Inner_Full	25.32
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.40
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.86
n78H	50	30	3750	DFT	pi/2 BPSK	Outer_Full	24.64
n78H	50	30	3750	DFT	QPSK	Inner_Full	25.31
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Left	21.03
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Right	21.68
n78H	50	30	3750	DFT	QPSK	Outer_Full	24.30
n78H	50	30	3750	DFT	16QAM	Inner_Full	24.21
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Left	21.42
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Right	21.75
n78H	50	30	3750	DFT	16QAM	Outer_Full	23.24
n78H	50	30	3750	DFT	64QAM	Inner_Full	22.75
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Left	20.66
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Right	21.69
n78H	50	30	3750	DFT	64QAM	Outer_Full	22.39
n78H	50	30	3750	DFT	256QAM	Inner_Full	20.62
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Left	20.08
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Right	20.54
n78H	50	30	3750	DFT	256QAM	Outer_Full	20.84
n78H	50	30	3750	CP	QPSK	Inner_Full	23.66
n78H	50	30	3750	CP	QPSK	Edge_1RB_Left	21.25
n78H	50	30	3750	CP	QPSK	Edge_1RB_Right	22.06
n78H	50	30	3750	CP	QPSK	Outer_Full	22.34
n78H	50	30	3750	CP	16QAM	Inner_Full	22.97
n78H	50	30	3750	CP	16QAM	Edge_1RB_Left	21.45
n78H	50	30	3750	CP	16QAM	Edge_1RB_Right	22.04
n78H	50	30	3750	CP	16QAM	Outer_Full	22.33
n78H	50	30	3750	CP	64QAM	Inner_Full	21.84
n78H	50	30	3750	CP	64QAM	Edge_1RB_Left	20.75
n78H	50	30	3750	CP	64QAM	Edge_1RB_Right	21.38
n78H	50	30	3750	CP	64QAM	Outer_Full	21.76
n78H	50	30	3750	CP	256QAM	Inner_Full	18.74
n78H	50	30	3750	CP	256QAM	Edge_1RB_Left	18.30
n78H	50	30	3750	CP	256QAM	Edge_1RB_Right	18.86
n78H	50	30	3750	CP	256QAM	Outer_Full	18.47
n78H	50	30	3774.99	DFT	pi/2 BPSK	Inner_Full	25.56
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.55
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.98



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	50	30	3774.99	DFT	pi/2 BPSK	Outer_Full	24.64
n78H	50	30	3774.99	DFT	QPSK	Inner_Full	25.27
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Left	21.59
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Right	21.97
n78H	50	30	3774.99	DFT	QPSK	Outer_Full	24.13
n78H	50	30	3774.99	DFT	16QAM	Inner_Full	24.19
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Left	21.45
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Right	21.68
n78H	50	30	3774.99	DFT	16QAM	Outer_Full	23.41
n78H	50	30	3774.99	DFT	64QAM	Inner_Full	22.99
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Left	21.29
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Right	21.46
n78H	50	30	3774.99	DFT	64QAM	Outer_Full	22.61
n78H	50	30	3774.99	DFT	256QAM	Inner_Full	20.77
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Left	20.47
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Right	20.82
n78H	50	30	3774.99	DFT	256QAM	Outer_Full	20.56
n78H	50	30	3774.99	CP	QPSK	Inner_Full	23.78
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Left	21.23
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Right	21.85
n78H	50	30	3774.99	CP	QPSK	Outer_Full	22.09
n78H	50	30	3774.99	CP	16QAM	Inner_Full	23.31
n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Left	21.59
n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Right	21.71
n78H	50	30	3774.99	CP	16QAM	Outer_Full	22.32
n78H	50	30	3774.99	CP	64QAM	Inner_Full	21.64
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Left	21.18
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Right	21.27
n78H	50	30	3774.99	CP	64QAM	Outer_Full	21.94
n78H	50	30	3774.99	CP	256QAM	Inner_Full	19.07
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Left	18.22
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Right	18.65
n78H	50	30	3774.99	CP	256QAM	Outer_Full	18.97
n78H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	24.85
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.13
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.59
n78H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	24.26
n78H	60	30	3730.02	DFT	QPSK	Inner_Full	24.73
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.18
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.87



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	60	30	3730.02	DFT	QPSK	Outer_Full	23.78
n78H	60	30	3730.02	DFT	16QAM	Inner_Full	23.72
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	20.80
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.46
n78H	60	30	3730.02	DFT	16QAM	Outer_Full	22.74
n78H	60	30	3730.02	DFT	64QAM	Inner_Full	22.39
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	20.80
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.26
n78H	60	30	3730.02	DFT	64QAM	Outer_Full	22.59
n78H	60	30	3730.02	DFT	256QAM	Inner_Full	20.66
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	19.65
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	20.76
n78H	60	30	3730.02	DFT	256QAM	Outer_Full	20.34
n78H	60	30	3730.02	CP	QPSK	Inner_Full	23.31
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	21.25
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	21.58
n78H	60	30	3730.02	CP	QPSK	Outer_Full	21.71
n78H	60	30	3730.02	CP	16QAM	Inner_Full	22.78
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	21.19
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	21.64
n78H	60	30	3730.02	CP	16QAM	Outer_Full	21.68
n78H	60	30	3730.02	CP	64QAM	Inner_Full	21.58
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	20.76
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.24
n78H	60	30	3730.02	CP	64QAM	Outer_Full	21.16
n78H	60	30	3730.02	CP	256QAM	Inner_Full	18.61
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	17.67
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	18.36
n78H	60	30	3730.02	CP	256QAM	Outer_Full	18.47
n78H	60	30	3750	DFT	pi/2 BPSK	Inner_Full	24.98
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.33
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n78H	60	30	3750	DFT	pi/2 BPSK	Outer_Full	24.52
n78H	60	30	3750	DFT	QPSK	Inner_Full	25.25
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Left	21.17
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Right	22.13
n78H	60	30	3750	DFT	QPSK	Outer_Full	24.04
n78H	60	30	3750	DFT	16QAM	Inner_Full	24.24
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Left	21.05
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Right	21.98



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	60	30	3750	DFT	16QAM	Outer_Full	23.16
n78H	60	30	3750	DFT	64QAM	Inner_Full	22.75
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Left	20.77
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Right	21.74
n78H	60	30	3750	DFT	64QAM	Outer_Full	22.78
n78H	60	30	3750	DFT	256QAM	Inner_Full	20.84
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Left	19.85
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Right	20.73
n78H	60	30	3750	DFT	256QAM	Outer_Full	20.76
n78H	60	30	3750	CP	QPSK	Inner_Full	23.72
n78H	60	30	3750	CP	QPSK	Edge_1RB_Left	21.13
n78H	60	30	3750	CP	QPSK	Edge_1RB_Right	21.96
n78H	60	30	3750	CP	QPSK	Outer_Full	21.96
n78H	60	30	3750	CP	16QAM	Inner_Full	23.19
n78H	60	30	3750	CP	16QAM	Edge_1RB_Left	21.47
n78H	60	30	3750	CP	16QAM	Edge_1RB_Right	22.18
n78H	60	30	3750	CP	16QAM	Outer_Full	22.18
n78H	60	30	3750	CP	64QAM	Inner_Full	21.71
n78H	60	30	3750	CP	64QAM	Edge_1RB_Left	21.11
n78H	60	30	3750	CP	64QAM	Edge_1RB_Right	21.86
n78H	60	30	3750	CP	64QAM	Outer_Full	21.57
n78H	60	30	3750	CP	256QAM	Inner_Full	18.65
n78H	60	30	3750	CP	256QAM	Edge_1RB_Left	17.98
n78H	60	30	3750	CP	256QAM	Edge_1RB_Right	19.06
n78H	60	30	3750	CP	256QAM	Outer_Full	18.82
n78H	60	30	3769.98	DFT	pi/2 BPSK	Inner_Full	25.54
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.34
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.03
n78H	60	30	3769.98	DFT	pi/2 BPSK	Outer_Full	24.84
n78H	60	30	3769.98	DFT	QPSK	Inner_Full	25.29
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Left	20.99
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Right	21.86
n78H	60	30	3769.98	DFT	QPSK	Outer_Full	24.25
n78H	60	30	3769.98	DFT	16QAM	Inner_Full	24.11
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Left	21.35
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Right	21.59
n78H	60	30	3769.98	DFT	16QAM	Outer_Full	23.07
n78H	60	30	3769.98	DFT	64QAM	Inner_Full	22.69
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Left	20.74
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Right	21.33



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	60	30	3769.98	DFT	64QAM	Outer_Full	22.67
n78H	60	30	3769.98	DFT	256QAM	Inner_Full	20.64
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Left	20.35
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Right	20.87
n78H	60	30	3769.98	DFT	256QAM	Outer_Full	20.93
n78H	60	30	3769.98	CP	QPSK	Inner_Full	23.61
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Left	21.51
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Right	22.13
n78H	60	30	3769.98	CP	QPSK	Outer_Full	22.43
n78H	60	30	3769.98	CP	16QAM	Inner_Full	23.39
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Left	21.45
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Right	21.86
n78H	60	30	3769.98	CP	16QAM	Outer_Full	22.30
n78H	60	30	3769.98	CP	64QAM	Inner_Full	21.93
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Left	21.02
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Right	21.71
n78H	60	30	3769.98	CP	64QAM	Outer_Full	21.82
n78H	60	30	3769.98	CP	256QAM	Inner_Full	18.96
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Left	17.95
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Right	18.50
n78H	60	30	3769.98	CP	256QAM	Outer_Full	18.96
n78H	70	30	3735	DFT	pi/2 BPSK	Inner_Full	24.82
n78H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Left	20.95
n78H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Right	21.71
n78H	70	30	3735	DFT	pi/2 BPSK	Outer_Full	24.60
n78H	70	30	3735	DFT	QPSK	Inner_Full	24.77
n78H	70	30	3735	DFT	QPSK	Edge_1RB_Left	20.83
n78H	70	30	3735	DFT	QPSK	Edge_1RB_Right	22.00
n78H	70	30	3735	DFT	QPSK	Outer_Full	24.15
n78H	70	30	3735	DFT	16QAM	Inner_Full	23.74
n78H	70	30	3735	DFT	16QAM	Edge_1RB_Left	21.05
n78H	70	30	3735	DFT	16QAM	Edge_1RB_Right	21.61
n78H	70	30	3735	DFT	16QAM	Outer_Full	22.75
n78H	70	30	3735	DFT	64QAM	Inner_Full	22.57
n78H	70	30	3735	DFT	64QAM	Edge_1RB_Left	20.53
n78H	70	30	3735	DFT	64QAM	Edge_1RB_Right	21.26
n78H	70	30	3735	DFT	64QAM	Outer_Full	22.61
n78H	70	30	3735	DFT	256QAM	Inner_Full	20.30
n78H	70	30	3735	DFT	256QAM	Edge_1RB_Left	19.56
n78H	70	30	3735	DFT	256QAM	Edge_1RB_Right	20.83



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	70	30	3735	DFT	256QAM	Outer_Full	20.65
n78H	70	30	3735	CP	QPSK	Inner_Full	23.48
n78H	70	30	3735	CP	QPSK	Edge_1RB_Left	20.85
n78H	70	30	3735	CP	QPSK	Edge_1RB_Right	21.99
n78H	70	30	3735	CP	QPSK	Outer_Full	21.81
n78H	70	30	3735	CP	16QAM	Inner_Full	22.99
n78H	70	30	3735	CP	16QAM	Edge_1RB_Left	20.71
n78H	70	30	3735	CP	16QAM	Edge_1RB_Right	21.94
n78H	70	30	3735	CP	16QAM	Outer_Full	22.14
n78H	70	30	3735	CP	64QAM	Inner_Full	21.23
n78H	70	30	3735	CP	64QAM	Edge_1RB_Left	20.57
n78H	70	30	3735	CP	64QAM	Edge_1RB_Right	21.31
n78H	70	30	3735	CP	64QAM	Outer_Full	21.62
n78H	70	30	3735	CP	256QAM	Inner_Full	18.65
n78H	70	30	3735	CP	256QAM	Edge_1RB_Left	17.69
n78H	70	30	3735	CP	256QAM	Edge_1RB_Right	18.42
n78H	70	30	3735	CP	256QAM	Outer_Full	18.59
n78H	70	30	3750	DFT	pi/2 BPSK	Inner_Full	25.24
n78H	70	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.18
n78H	70	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n78H	70	30	3750	DFT	pi/2 BPSK	Outer_Full	24.35
n78H	70	30	3750	DFT	QPSK	Inner_Full	24.94
n78H	70	30	3750	DFT	QPSK	Edge_1RB_Left	21.07
n78H	70	30	3750	DFT	QPSK	Edge_1RB_Right	22.02
n78H	70	30	3750	DFT	QPSK	Outer_Full	24.01
n78H	70	30	3750	DFT	16QAM	Inner_Full	24.12
n78H	70	30	3750	DFT	16QAM	Edge_1RB_Left	21.21
n78H	70	30	3750	DFT	16QAM	Edge_1RB_Right	21.45
n78H	70	30	3750	DFT	16QAM	Outer_Full	22.95
n78H	70	30	3750	DFT	64QAM	Inner_Full	22.64
n78H	70	30	3750	DFT	64QAM	Edge_1RB_Left	20.93
n78H	70	30	3750	DFT	64QAM	Edge_1RB_Right	21.45
n78H	70	30	3750	DFT	64QAM	Outer_Full	22.43
n78H	70	30	3750	DFT	256QAM	Inner_Full	20.71
n78H	70	30	3750	DFT	256QAM	Edge_1RB_Left	20.10
n78H	70	30	3750	DFT	256QAM	Edge_1RB_Right	20.53
n78H	70	30	3750	DFT	256QAM	Outer_Full	20.64
n78H	70	30	3750	CP	QPSK	Inner_Full	23.66
n78H	70	30	3750	CP	QPSK	Edge_1RB_Left	21.17
n78H	70	30	3750	CP	QPSK	Edge_1RB_Right	22.08



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	70	30	3750	CP	QPSK	Outer_Full	22.21
n78H	70	30	3750	CP	16QAM	Inner_Full	23.23
n78H	70	30	3750	CP	16QAM	Edge_1RB_Left	21.44
n78H	70	30	3750	CP	16QAM	Edge_1RB_Right	21.78
n78H	70	30	3750	CP	16QAM	Outer_Full	22.17
n78H	70	30	3750	CP	64QAM	Inner_Full	21.68
n78H	70	30	3750	CP	64QAM	Edge_1RB_Left	21.67
n78H	70	30	3750	CP	64QAM	Edge_1RB_Right	21.62
n78H	70	30	3750	CP	64QAM	Outer_Full	21.37
n78H	70	30	3750	CP	256QAM	Inner_Full	18.37
n78H	70	30	3750	CP	256QAM	Edge_1RB_Left	17.96
n78H	70	30	3750	CP	256QAM	Edge_1RB_Right	18.94
n78H	70	30	3750	CP	256QAM	Outer_Full	18.79
n78H	70	30	3765	DFT	pi/2 BPSK	Inner_Full	25.25
n78H	70	30	3765	DFT	pi/2 BPSK	Edge_1RB_Left	21.09
n78H	70	30	3765	DFT	pi/2 BPSK	Edge_1RB_Right	22.00
n78H	70	30	3765	DFT	pi/2 BPSK	Outer_Full	24.93
n78H	70	30	3765	DFT	QPSK	Inner_Full	25.24
n78H	70	30	3765	DFT	QPSK	Edge_1RB_Left	21.08
n78H	70	30	3765	DFT	QPSK	Edge_1RB_Right	21.94
n78H	70	30	3765	DFT	QPSK	Outer_Full	24.40
n78H	70	30	3765	DFT	16QAM	Inner_Full	24.14
n78H	70	30	3765	DFT	16QAM	Edge_1RB_Left	21.21
n78H	70	30	3765	DFT	16QAM	Edge_1RB_Right	21.52
n78H	70	30	3765	DFT	16QAM	Outer_Full	23.40
n78H	70	30	3765	DFT	64QAM	Inner_Full	22.62
n78H	70	30	3765	DFT	64QAM	Edge_1RB_Left	20.67
n78H	70	30	3765	DFT	64QAM	Edge_1RB_Right	21.26
n78H	70	30	3765	DFT	64QAM	Outer_Full	22.54
n78H	70	30	3765	DFT	256QAM	Inner_Full	20.66
n78H	70	30	3765	DFT	256QAM	Edge_1RB_Left	20.02
n78H	70	30	3765	DFT	256QAM	Edge_1RB_Right	20.60
n78H	70	30	3765	DFT	256QAM	Outer_Full	20.90
n78H	70	30	3765	CP	QPSK	Inner_Full	23.72
n78H	70	30	3765	CP	QPSK	Edge_1RB_Left	21.13
n78H	70	30	3765	CP	QPSK	Edge_1RB_Right	21.92
n78H	70	30	3765	CP	QPSK	Outer_Full	22.38
n78H	70	30	3765	CP	16QAM	Inner_Full	23.43
n78H	70	30	3765	CP	16QAM	Edge_1RB_Left	21.07
n78H	70	30	3765	CP	16QAM	Edge_1RB_Right	22.10



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	70	30	3765	CP	16QAM	Outer_Full	22.21
n78H	70	30	3765	CP	64QAM	Inner_Full	21.56
n78H	70	30	3765	CP	64QAM	Edge_1RB_Left	21.12
n78H	70	30	3765	CP	64QAM	Edge_1RB_Right	21.52
n78H	70	30	3765	CP	64QAM	Outer_Full	21.57
n78H	70	30	3765	CP	256QAM	Inner_Full	18.92
n78H	70	30	3765	CP	256QAM	Edge_1RB_Left	18.22
n78H	70	30	3765	CP	256QAM	Edge_1RB_Right	18.72
n78H	70	30	3765	CP	256QAM	Outer_Full	18.77
n78H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	25.02
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.85
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
n78H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	24.64
n78H	80	30	3740.01	DFT	QPSK	Inner_Full	24.86
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	20.73
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	21.66
n78H	80	30	3740.01	DFT	QPSK	Outer_Full	23.75
n78H	80	30	3740.01	DFT	16QAM	Inner_Full	23.78
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	20.77
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	21.84
n78H	80	30	3740.01	DFT	16QAM	Outer_Full	23.12
n78H	80	30	3740.01	DFT	64QAM	Inner_Full	22.58
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	20.69
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	21.73
n78H	80	30	3740.01	DFT	64QAM	Outer_Full	22.67
n78H	80	30	3740.01	DFT	256QAM	Inner_Full	20.55
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	19.94
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	20.87
n78H	80	30	3740.01	DFT	256QAM	Outer_Full	20.28
n78H	80	30	3740.01	CP	QPSK	Inner_Full	23.63
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	21.04
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	21.87
n78H	80	30	3740.01	CP	QPSK	Outer_Full	22.00
n78H	80	30	3740.01	CP	16QAM	Inner_Full	23.06
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	21.12
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	21.85
n78H	80	30	3740.01	CP	16QAM	Outer_Full	22.12
n78H	80	30	3740.01	CP	64QAM	Inner_Full	21.58
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	20.42
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	21.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	80	30	3740.01	CP	64QAM	Outer_Full	21.48
n78H	80	30	3740.01	CP	256QAM	Inner_Full	18.38
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	17.59
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	18.50
n78H	80	30	3740.01	CP	256QAM	Outer_Full	18.66
n78H	80	30	3750	DFT	pi/2 BPSK	Inner_Full	25.28
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.22
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.97
n78H	80	30	3750	DFT	pi/2 BPSK	Outer_Full	24.35
n78H	80	30	3750	DFT	QPSK	Inner_Full	25.20
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Left	21.30
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Right	21.82
n78H	80	30	3750	DFT	QPSK	Outer_Full	24.02
n78H	80	30	3750	DFT	16QAM	Inner_Full	24.29
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Left	21.27
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Right	22.03
n78H	80	30	3750	DFT	16QAM	Outer_Full	23.26
n78H	80	30	3750	DFT	64QAM	Inner_Full	22.60
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Left	20.64
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Right	21.51
n78H	80	30	3750	DFT	64QAM	Outer_Full	22.74
n78H	80	30	3750	DFT	256QAM	Inner_Full	20.82
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Left	20.17
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Right	20.93
n78H	80	30	3750	DFT	256QAM	Outer_Full	20.69
n78H	80	30	3750	CP	QPSK	Inner_Full	23.63
n78H	80	30	3750	CP	QPSK	Edge_1RB_Left	21.39
n78H	80	30	3750	CP	QPSK	Edge_1RB_Right	21.88
n78H	80	30	3750	CP	QPSK	Outer_Full	22.14
n78H	80	30	3750	CP	16QAM	Inner_Full	23.19
n78H	80	30	3750	CP	16QAM	Edge_1RB_Left	21.14
n78H	80	30	3750	CP	16QAM	Edge_1RB_Right	22.19
n78H	80	30	3750	CP	16QAM	Outer_Full	22.19
n78H	80	30	3750	CP	64QAM	Inner_Full	21.68
n78H	80	30	3750	CP	64QAM	Edge_1RB_Left	20.98
n78H	80	30	3750	CP	64QAM	Edge_1RB_Right	21.65
n78H	80	30	3750	CP	64QAM	Outer_Full	21.56
n78H	80	30	3750	CP	256QAM	Inner_Full	18.50
n78H	80	30	3750	CP	256QAM	Edge_1RB_Left	18.05
n78H	80	30	3750	CP	256QAM	Edge_1RB_Right	18.66



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	80	30	3750	CP	256QAM	Outer_Full	18.54
n78H	80	30	3759.99	DFT	pi/2 BPSK	Inner_Full	25.31
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.19
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.86
n78H	80	30	3759.99	DFT	pi/2 BPSK	Outer_Full	24.85
n78H	80	30	3759.99	DFT	QPSK	Inner_Full	25.22
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Left	21.33
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Right	21.96
n78H	80	30	3759.99	DFT	QPSK	Outer_Full	24.27
n78H	80	30	3759.99	DFT	16QAM	Inner_Full	24.15
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Left	21.22
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Right	21.39
n78H	80	30	3759.99	DFT	16QAM	Outer_Full	23.25
n78H	80	30	3759.99	DFT	64QAM	Inner_Full	22.69
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Left	20.62
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Right	21.55
n78H	80	30	3759.99	DFT	64QAM	Outer_Full	22.74
n78H	80	30	3759.99	DFT	256QAM	Inner_Full	20.69
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Left	20.04
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Right	20.85
n78H	80	30	3759.99	DFT	256QAM	Outer_Full	20.82
n78H	80	30	3759.99	CP	QPSK	Inner_Full	23.82
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Left	20.98
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Right	22.07
n78H	80	30	3759.99	CP	QPSK	Outer_Full	22.29
n78H	80	30	3759.99	CP	16QAM	Inner_Full	23.10
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Left	21.05
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Right	21.68
n78H	80	30	3759.99	CP	16QAM	Outer_Full	22.00
n78H	80	30	3759.99	CP	64QAM	Inner_Full	21.72
n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Left	20.76
n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Right	21.48
n78H	80	30	3759.99	CP	64QAM	Outer_Full	21.65
n78H	80	30	3759.99	CP	256QAM	Inner_Full	18.39
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Left	18.19
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Right	18.69
n78H	80	30	3759.99	CP	256QAM	Outer_Full	18.38
n78H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	25.26
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.20
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.04



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	24.74
n78H	90	30	3745.02	DFT	QPSK	Inner_Full	25.19
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	21.04
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	22.14
n78H	90	30	3745.02	DFT	QPSK	Outer_Full	24.20
n78H	90	30	3745.02	DFT	16QAM	Inner_Full	24.21
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	20.66
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	22.13
n78H	90	30	3745.02	DFT	16QAM	Outer_Full	23.18
n78H	90	30	3745.02	DFT	64QAM	Inner_Full	22.41
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	20.37
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	21.59
n78H	90	30	3745.02	DFT	64QAM	Outer_Full	22.48
n78H	90	30	3745.02	DFT	256QAM	Inner_Full	20.75
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	19.93
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	20.77
n78H	90	30	3745.02	DFT	256QAM	Outer_Full	20.41
n78H	90	30	3745.02	CP	QPSK	Inner_Full	23.72
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	21.17
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	22.13
n78H	90	30	3745.02	CP	QPSK	Outer_Full	22.19
n78H	90	30	3745.02	CP	16QAM	Inner_Full	23.12
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	21.20
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	22.21
n78H	90	30	3745.02	CP	16QAM	Outer_Full	22.26
n78H	90	30	3745.02	CP	64QAM	Inner_Full	21.43
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	20.53
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	21.60
n78H	90	30	3745.02	CP	64QAM	Outer_Full	21.71
n78H	90	30	3745.02	CP	256QAM	Inner_Full	18.70
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	17.94
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	18.62
n78H	90	30	3745.02	CP	256QAM	Outer_Full	18.75
n78H	90	30	3750	DFT	pi/2 BPSK	Inner_Full	25.28
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.22
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.07
n78H	90	30	3750	DFT	pi/2 BPSK	Outer_Full	24.78
n78H	90	30	3750	DFT	QPSK	Inner_Full	24.97
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Left	20.96
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Right	21.76



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	90	30	3750	DFT	QPSK	Outer_Full	24.24
n78H	90	30	3750	DFT	16QAM	Inner_Full	24.02
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Left	20.69
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Right	21.95
n78H	90	30	3750	DFT	16QAM	Outer_Full	23.12
n78H	90	30	3750	DFT	64QAM	Inner_Full	22.39
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Left	20.37
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Right	21.69
n78H	90	30	3750	DFT	64QAM	Outer_Full	22.71
n78H	90	30	3750	DFT	256QAM	Inner_Full	20.36
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Left	19.97
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Right	20.68
n78H	90	30	3750	DFT	256QAM	Outer_Full	20.28
n78H	90	30	3750	CP	QPSK	Inner_Full	23.65
n78H	90	30	3750	CP	QPSK	Edge_1RB_Left	20.86
n78H	90	30	3750	CP	QPSK	Edge_1RB_Right	21.89
n78H	90	30	3750	CP	QPSK	Outer_Full	22.20
n78H	90	30	3750	CP	16QAM	Inner_Full	23.15
n78H	90	30	3750	CP	16QAM	Edge_1RB_Left	20.73
n78H	90	30	3750	CP	16QAM	Edge_1RB_Right	22.02
n78H	90	30	3750	CP	16QAM	Outer_Full	22.23
n78H	90	30	3750	CP	64QAM	Inner_Full	21.40
n78H	90	30	3750	CP	64QAM	Edge_1RB_Left	20.69
n78H	90	30	3750	CP	64QAM	Edge_1RB_Right	21.51
n78H	90	30	3750	CP	64QAM	Outer_Full	21.43
n78H	90	30	3750	CP	256QAM	Inner_Full	18.31
n78H	90	30	3750	CP	256QAM	Edge_1RB_Left	18.06
n78H	90	30	3750	CP	256QAM	Edge_1RB_Right	18.66
n78H	90	30	3750	CP	256QAM	Outer_Full	18.74
n78H	90	30	3754.98	DFT	pi/2 BPSK	Inner_Full	24.96
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.19
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.80
n78H	90	30	3754.98	DFT	pi/2 BPSK	Outer_Full	24.69
n78H	90	30	3754.98	DFT	QPSK	Inner_Full	24.94
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Left	20.91
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Right	21.59
n78H	90	30	3754.98	DFT	QPSK	Outer_Full	24.21
n78H	90	30	3754.98	DFT	16QAM	Inner_Full	24.10
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Left	20.98
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Right	21.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	90	30	3754.98	DFT	16QAM	Outer_Full	23.19
n78H	90	30	3754.98	DFT	64QAM	Inner_Full	22.75
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Left	20.56
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Right	21.68
n78H	90	30	3754.98	DFT	64QAM	Outer_Full	22.38
n78H	90	30	3754.98	DFT	256QAM	Inner_Full	20.54
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Left	20.13
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Right	20.76
n78H	90	30	3754.98	DFT	256QAM	Outer_Full	20.33
n78H	90	30	3754.98	CP	QPSK	Inner_Full	23.67
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Left	21.30
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Right	22.05
n78H	90	30	3754.98	CP	QPSK	Outer_Full	21.92
n78H	90	30	3754.98	CP	16QAM	Inner_Full	22.90
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Left	20.76
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Right	21.69
n78H	90	30	3754.98	CP	16QAM	Outer_Full	21.95
n78H	90	30	3754.98	CP	64QAM	Inner_Full	21.37
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Left	20.51
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Right	21.71
n78H	90	30	3754.98	CP	64QAM	Outer_Full	21.67
n78H	90	30	3754.98	CP	256QAM	Inner_Full	18.69
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Left	17.94
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Right	18.94
n78H	90	30	3754.98	CP	256QAM	Outer_Full	18.73
n78H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	25.23
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.03
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
n78H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	24.43
n78H	100	30	3750	DFT	QPSK	Inner_Full	25.03
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Left	21.03
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Right	21.98
n78H	100	30	3750	DFT	QPSK	Outer_Full	24.20
n78H	100	30	3750	DFT	16QAM	Inner_Full	24.04
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Left	20.92
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Right	21.67
n78H	100	30	3750	DFT	16QAM	Outer_Full	23.11
n78H	100	30	3750	DFT	64QAM	Inner_Full	22.47
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Left	20.51
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Right	21.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	100	30	3750	DFT	64QAM	Outer_Full	22.59
n78H	100	30	3750	DFT	256QAM	Inner_Full	20.83
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Left	20.13
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Right	21.12
n78H	100	30	3750	DFT	256QAM	Outer_Full	20.72
n78H	100	30	3750	CP	QPSK	Inner_Full	23.80
n78H	100	30	3750	CP	QPSK	Edge_1RB_Left	21.17
n78H	100	30	3750	CP	QPSK	Edge_1RB_Right	22.14
n78H	100	30	3750	CP	QPSK	Outer_Full	22.22
n78H	100	30	3750	CP	16QAM	Inner_Full	23.27
n78H	100	30	3750	CP	16QAM	Edge_1RB_Left	20.92
n78H	100	30	3750	CP	16QAM	Edge_1RB_Right	21.96
n78H	100	30	3750	CP	16QAM	Outer_Full	21.99
n78H	100	30	3750	CP	64QAM	Inner_Full	21.48
n78H	100	30	3750	CP	64QAM	Edge_1RB_Left	20.71
n78H	100	30	3750	CP	64QAM	Edge_1RB_Right	21.63
n78H	100	30	3750	CP	64QAM	Outer_Full	21.65
n78H	100	30	3750	CP	256QAM	Inner_Full	18.51
n78H	100	30	3750	CP	256QAM	Edge_1RB_Left	17.71
n78H	100	30	3750	CP	256QAM	Edge_1RB_Right	18.80
n78H	100	30	3750	CP	256QAM	Outer_Full	18.49

Note: Expanded measurement uncertainty is $U = 0.90\text{dB}$, $k = 1.96$



A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

Rule Part 24.232(b) specifies, "Mobile/portable stations are limited to 2 watts e.i.r.p. Peak power" and 24.232(c) specifies that "Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage."

Rule Part 27.50(d) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP".

Rule Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP."

Rule Part 27.50(c) specifies "Portable stations (hand-held de-vices) are limited to 3 watts ERP."

Rule Part 27.50(a)(3) specifies "For mobile and portable stations transmitting in the 2305–2315 MHz band or the 2350–2360 MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth." Rule Part 90.635(b) specifies "The maximum output power of the transmitter for mobile stations is 100 watts (20 dBw)."

Rule Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts."

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = \text{PMea} + \text{GT}$$

Where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as PMea , e.g., dBm or dBW)

PMea measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)



A.1.3.3 Measurement result

n2

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	21.79	22.09
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.27	21.57
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.22	21.52
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	21.37	21.67
n2	5	15	1852.5	DFT	QPSK	Inner_Full	21.87	22.17
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	20.92	21.22
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	20.84	21.14
n2	5	15	1852.5	DFT	QPSK	Outer_Full	20.89	21.19
n2	5	15	1852.5	DFT	16QAM	Inner_Full	20.93	21.23
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	19.84	20.14
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	19.82	20.12
n2	5	15	1852.5	DFT	16QAM	Outer_Full	19.97	20.27
n2	5	15	1852.5	DFT	64QAM	Inner_Full	19.48	19.78
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	19.28	19.58
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	19.12	19.42
n2	5	15	1852.5	DFT	64QAM	Outer_Full	19.53	19.83
n2	5	15	1852.5	DFT	256QAM	Inner_Full	17.37	17.67
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	17.20	17.50
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	17.09	17.39
n2	5	15	1852.5	DFT	256QAM	Outer_Full	17.34	17.64
n2	5	15	1852.5	CP	QPSK	Inner_Full	20.39	20.69
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	18.87	19.17
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	18.79	19.09
n2	5	15	1852.5	CP	QPSK	Outer_Full	18.84	19.14
n2	5	15	1852.5	CP	16QAM	Inner_Full	20.06	20.36
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	19.33	19.63
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	19.18	19.48
n2	5	15	1852.5	CP	16QAM	Outer_Full	18.79	19.09
n2	5	15	1852.5	CP	64QAM	Inner_Full	18.17	18.47
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	18.09	18.39
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	18.02	18.32
n2	5	15	1852.5	CP	64QAM	Outer_Full	18.32	18.62
n2	5	15	1852.5	CP	256QAM	Inner_Full	15.38	15.68
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	15.06	15.36
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	14.95	15.25
n2	5	15	1852.5	CP	256QAM	Outer_Full	15.24	15.54
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	21.87	22.17



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	21.31	21.61
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	21.32	21.62
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	21.40	21.70
n2	5	15	1880	DFT	QPSK	Inner_Full	21.94	22.24
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	20.95	21.25
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	20.88	21.18
n2	5	15	1880	DFT	QPSK	Outer_Full	20.96	21.26
n2	5	15	1880	DFT	16QAM	Inner_Full	20.96	21.26
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	20.24	20.54
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	20.16	20.46
n2	5	15	1880	DFT	16QAM	Outer_Full	19.97	20.27
n2	5	15	1880	DFT	64QAM	Inner_Full	19.51	19.81
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	19.30	19.60
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	19.24	19.54
n2	5	15	1880	DFT	64QAM	Outer_Full	19.56	19.86
n2	5	15	1880	DFT	256QAM	Inner_Full	17.42	17.72
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	17.11	17.41
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	17.07	17.37
n2	5	15	1880	DFT	256QAM	Outer_Full	17.38	17.68
n2	5	15	1880	CP	QPSK	Inner_Full	20.40	20.70
n2	5	15	1880	CP	QPSK	Edge_1RB_Left	18.86	19.16
n2	5	15	1880	CP	QPSK	Edge_1RB_Right	18.76	19.06
n2	5	15	1880	CP	QPSK	Outer_Full	18.84	19.14
n2	5	15	1880	CP	16QAM	Inner_Full	20.02	20.32
n2	5	15	1880	CP	16QAM	Edge_1RB_Left	19.09	19.39
n2	5	15	1880	CP	16QAM	Edge_1RB_Right	19.00	19.30
n2	5	15	1880	CP	16QAM	Outer_Full	18.92	19.22
n2	5	15	1880	CP	64QAM	Inner_Full	18.28	18.58
n2	5	15	1880	CP	64QAM	Edge_1RB_Left	18.38	18.68
n2	5	15	1880	CP	64QAM	Edge_1RB_Right	18.29	18.59
n2	5	15	1880	CP	64QAM	Outer_Full	18.44	18.74
n2	5	15	1880	CP	256QAM	Inner_Full	15.51	15.81
n2	5	15	1880	CP	256QAM	Edge_1RB_Left	15.19	15.49
n2	5	15	1880	CP	256QAM	Edge_1RB_Right	15.12	15.42
n2	5	15	1880	CP	256QAM	Outer_Full	15.37	15.67
n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	21.80	22.10
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.26	21.56
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.21	21.51
n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	21.38	21.68
n2	5	15	1907.5	DFT	QPSK	Inner_Full	21.88	22.18



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	20.91	21.21
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	20.80	21.10
n2	5	15	1907.5	DFT	QPSK	Outer_Full	20.85	21.15
n2	5	15	1907.5	DFT	16QAM	Inner_Full	20.87	21.17
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	20.23	20.53
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	20.13	20.43
n2	5	15	1907.5	DFT	16QAM	Outer_Full	19.90	20.20
n2	5	15	1907.5	DFT	64QAM	Inner_Full	19.45	19.75
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	19.22	19.52
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	19.18	19.48
n2	5	15	1907.5	DFT	64QAM	Outer_Full	19.50	19.80
n2	5	15	1907.5	DFT	256QAM	Inner_Full	17.38	17.68
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	17.14	17.44
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	16.99	17.29
n2	5	15	1907.5	DFT	256QAM	Outer_Full	17.32	17.62
n2	5	15	1907.5	CP	QPSK	Inner_Full	20.34	20.64
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	18.82	19.12
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	18.72	19.02
n2	5	15	1907.5	CP	QPSK	Outer_Full	18.75	19.05
n2	5	15	1907.5	CP	16QAM	Inner_Full	19.98	20.28
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	19.30	19.60
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	19.23	19.53
n2	5	15	1907.5	CP	16QAM	Outer_Full	18.79	19.09
n2	5	15	1907.5	CP	64QAM	Inner_Full	18.29	18.59
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	18.27	18.57
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	18.11	18.41
n2	5	15	1907.5	CP	64QAM	Outer_Full	18.40	18.70
n2	5	15	1907.5	CP	256QAM	Inner_Full	15.43	15.73
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	15.14	15.44
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	15.02	15.32
n2	5	15	1907.5	CP	256QAM	Outer_Full	15.34	15.64
n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	21.77	22.07
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	21.26	21.56
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	21.17	21.47
n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	21.31	21.61
n2	10	15	1855	DFT	QPSK	Inner_Full	21.86	22.16
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	20.82	21.12
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	20.68	20.98
n2	10	15	1855	DFT	QPSK	Outer_Full	20.82	21.12
n2	10	15	1855	DFT	16QAM	Inner_Full	20.84	21.14



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	20.21	20.51
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	20.03	20.33
n2	10	15	1855	DFT	16QAM	Outer_Full	19.69	19.99
n2	10	15	1855	DFT	64QAM	Inner_Full	19.48	19.78
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	19.27	19.57
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	19.09	19.39
n2	10	15	1855	DFT	64QAM	Outer_Full	19.39	19.69
n2	10	15	1855	DFT	256QAM	Inner_Full	17.26	17.56
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	17.09	17.39
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	16.97	17.27
n2	10	15	1855	DFT	256QAM	Outer_Full	17.24	17.54
n2	10	15	1855	CP	QPSK	Inner_Full	20.37	20.67
n2	10	15	1855	CP	QPSK	Edge_1RB_Left	18.78	19.08
n2	10	15	1855	CP	QPSK	Edge_1RB_Right	18.67	18.97
n2	10	15	1855	CP	QPSK	Outer_Full	18.78	19.08
n2	10	15	1855	CP	16QAM	Inner_Full	19.84	20.14
n2	10	15	1855	CP	16QAM	Edge_1RB_Left	19.33	19.63
n2	10	15	1855	CP	16QAM	Edge_1RB_Right	19.11	19.41
n2	10	15	1855	CP	16QAM	Outer_Full	18.78	19.08
n2	10	15	1855	CP	64QAM	Inner_Full	18.29	18.59
n2	10	15	1855	CP	64QAM	Edge_1RB_Left	18.16	18.46
n2	10	15	1855	CP	64QAM	Edge_1RB_Right	18.08	18.38
n2	10	15	1855	CP	64QAM	Outer_Full	18.33	18.63
n2	10	15	1855	CP	256QAM	Inner_Full	15.24	15.54
n2	10	15	1855	CP	256QAM	Edge_1RB_Left	15.11	15.41
n2	10	15	1855	CP	256QAM	Edge_1RB_Right	14.94	15.24
n2	10	15	1855	CP	256QAM	Outer_Full	15.28	15.58
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	21.93	22.23
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	21.39	21.69
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	21.28	21.58
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	21.44	21.74
n2	10	15	1880	DFT	QPSK	Inner_Full	21.95	22.25
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	20.78	21.08
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	20.88	21.18
n2	10	15	1880	DFT	QPSK	Outer_Full	20.92	21.22
n2	10	15	1880	DFT	16QAM	Inner_Full	20.98	21.28
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	20.18	20.48
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	20.17	20.47
n2	10	15	1880	DFT	16QAM	Outer_Full	19.90	20.20
n2	10	15	1880	DFT	64QAM	Inner_Full	19.58	19.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	19.29	19.59
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	19.30	19.60
n2	10	15	1880	DFT	64QAM	Outer_Full	19.46	19.76
n2	10	15	1880	DFT	256QAM	Inner_Full	17.37	17.67
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	17.05	17.35
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	17.10	17.40
n2	10	15	1880	DFT	256QAM	Outer_Full	17.44	17.74
n2	10	15	1880	CP	QPSK	Inner_Full	20.39	20.69
n2	10	15	1880	CP	QPSK	Edge_1RB_Left	18.85	19.15
n2	10	15	1880	CP	QPSK	Edge_1RB_Right	18.81	19.11
n2	10	15	1880	CP	QPSK	Outer_Full	18.94	19.24
n2	10	15	1880	CP	16QAM	Inner_Full	20.04	20.34
n2	10	15	1880	CP	16QAM	Edge_1RB_Left	19.31	19.61
n2	10	15	1880	CP	16QAM	Edge_1RB_Right	19.28	19.58
n2	10	15	1880	CP	16QAM	Outer_Full	18.91	19.21
n2	10	15	1880	CP	64QAM	Inner_Full	18.45	18.75
n2	10	15	1880	CP	64QAM	Edge_1RB_Left	18.21	18.51
n2	10	15	1880	CP	64QAM	Edge_1RB_Right	18.19	18.49
n2	10	15	1880	CP	64QAM	Outer_Full	18.49	18.79
n2	10	15	1880	CP	256QAM	Inner_Full	15.39	15.69
n2	10	15	1880	CP	256QAM	Edge_1RB_Left	15.08	15.38
n2	10	15	1880	CP	256QAM	Edge_1RB_Right	15.13	15.43
n2	10	15	1880	CP	256QAM	Outer_Full	15.39	15.69
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	21.84	22.14
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	21.32	21.62
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	21.29	21.59
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	21.40	21.70
n2	10	15	1905	DFT	QPSK	Inner_Full	21.95	22.25
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	20.96	21.26
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	20.83	21.13
n2	10	15	1905	DFT	QPSK	Outer_Full	20.88	21.18
n2	10	15	1905	DFT	16QAM	Inner_Full	20.91	21.21
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	20.33	20.63
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	20.14	20.44
n2	10	15	1905	DFT	16QAM	Outer_Full	19.85	20.15
n2	10	15	1905	DFT	64QAM	Inner_Full	19.57	19.87
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	19.36	19.66
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	19.20	19.50
n2	10	15	1905	DFT	64QAM	Outer_Full	19.48	19.78
n2	10	15	1905	DFT	256QAM	Inner_Full	17.35	17.65



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	17.19	17.49
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	17.00	17.30
n2	10	15	1905	DFT	256QAM	Outer_Full	17.38	17.68
n2	10	15	1905	CP	QPSK	Inner_Full	20.43	20.73
n2	10	15	1905	CP	QPSK	Edge_1RB_Left	18.86	19.16
n2	10	15	1905	CP	QPSK	Edge_1RB_Right	18.78	19.08
n2	10	15	1905	CP	QPSK	Outer_Full	18.89	19.19
n2	10	15	1905	CP	16QAM	Inner_Full	19.88	20.18
n2	10	15	1905	CP	16QAM	Edge_1RB_Left	19.02	19.32
n2	10	15	1905	CP	16QAM	Edge_1RB_Right	18.85	19.15
n2	10	15	1905	CP	16QAM	Outer_Full	18.85	19.15
n2	10	15	1905	CP	64QAM	Inner_Full	18.42	18.72
n2	10	15	1905	CP	64QAM	Edge_1RB_Left	18.44	18.74
n2	10	15	1905	CP	64QAM	Edge_1RB_Right	18.14	18.44
n2	10	15	1905	CP	64QAM	Outer_Full	18.48	18.78
n2	10	15	1905	CP	256QAM	Inner_Full	15.35	15.65
n2	10	15	1905	CP	256QAM	Edge_1RB_Left	15.18	15.48
n2	10	15	1905	CP	256QAM	Edge_1RB_Right	15.03	15.33
n2	10	15	1905	CP	256QAM	Outer_Full	15.27	15.57
n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	21.72	22.02
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.26	21.56
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.18	21.48
n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	21.27	21.57
n2	15	15	1857.5	DFT	QPSK	Inner_Full	21.79	22.09
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	20.82	21.12
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	20.77	21.07
n2	15	15	1857.5	DFT	QPSK	Outer_Full	20.82	21.12
n2	15	15	1857.5	DFT	16QAM	Inner_Full	20.79	21.09
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	20.15	20.45
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	20.07	20.37
n2	15	15	1857.5	DFT	16QAM	Outer_Full	19.83	20.13
n2	15	15	1857.5	DFT	64QAM	Inner_Full	19.29	19.59
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	19.29	19.59
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	19.14	19.44
n2	15	15	1857.5	DFT	64QAM	Outer_Full	19.41	19.71
n2	15	15	1857.5	DFT	256QAM	Inner_Full	17.32	17.62
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	17.11	17.41
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	17.01	17.31
n2	15	15	1857.5	DFT	256QAM	Outer_Full	17.28	17.58
n2	15	15	1857.5	CP	QPSK	Inner_Full	20.27	20.57



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	18.74	19.04
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	18.62	18.92
n2	15	15	1857.5	CP	QPSK	Outer_Full	18.78	19.08
n2	15	15	1857.5	CP	16QAM	Inner_Full	19.77	20.07
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	19.07	19.37
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	19.03	19.33
n2	15	15	1857.5	CP	16QAM	Outer_Full	18.80	19.10
n2	15	15	1857.5	CP	64QAM	Inner_Full	18.32	18.62
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	18.29	18.59
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	18.23	18.53
n2	15	15	1857.5	CP	64QAM	Outer_Full	18.31	18.61
n2	15	15	1857.5	CP	256QAM	Inner_Full	15.33	15.63
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	15.12	15.42
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	15.01	15.31
n2	15	15	1857.5	CP	256QAM	Outer_Full	15.29	15.59
n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	21.85	22.15
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	21.23	21.53
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	21.28	21.58
n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	21.32	21.62
n2	15	15	1880	DFT	QPSK	Inner_Full	21.85	22.15
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	20.80	21.10
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	20.82	21.12
n2	15	15	1880	DFT	QPSK	Outer_Full	20.90	21.20
n2	15	15	1880	DFT	16QAM	Inner_Full	20.83	21.13
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	20.18	20.48
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	20.16	20.46
n2	15	15	1880	DFT	16QAM	Outer_Full	19.88	20.18
n2	15	15	1880	DFT	64QAM	Inner_Full	19.43	19.73
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	19.21	19.51
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	19.25	19.55
n2	15	15	1880	DFT	64QAM	Outer_Full	19.48	19.78
n2	15	15	1880	DFT	256QAM	Inner_Full	17.35	17.65
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	17.11	17.41
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	17.15	17.45
n2	15	15	1880	DFT	256QAM	Outer_Full	17.33	17.63
n2	15	15	1880	CP	QPSK	Inner_Full	20.30	20.60
n2	15	15	1880	CP	QPSK	Edge_1RB_Left	18.79	19.09
n2	15	15	1880	CP	QPSK	Edge_1RB_Right	18.73	19.03
n2	15	15	1880	CP	QPSK	Outer_Full	18.84	19.14
n2	15	15	1880	CP	16QAM	Inner_Full	19.81	20.11



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	15	15	1880	CP	16QAM	Edge_1RB_Left	19.29	19.59
n2	15	15	1880	CP	16QAM	Edge_1RB_Right	19.26	19.56
n2	15	15	1880	CP	16QAM	Outer_Full	18.80	19.10
n2	15	15	1880	CP	64QAM	Inner_Full	18.41	18.71
n2	15	15	1880	CP	64QAM	Edge_1RB_Left	18.19	18.49
n2	15	15	1880	CP	64QAM	Edge_1RB_Right	18.10	18.40
n2	15	15	1880	CP	64QAM	Outer_Full	18.36	18.66
n2	15	15	1880	CP	256QAM	Inner_Full	15.35	15.65
n2	15	15	1880	CP	256QAM	Edge_1RB_Left	15.10	15.40
n2	15	15	1880	CP	256QAM	Edge_1RB_Right	15.16	15.46
n2	15	15	1880	CP	256QAM	Outer_Full	15.29	15.59
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	21.75	22.05
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.10	21.40
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.15	21.45
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	21.35	21.65
n2	15	15	1902.5	DFT	QPSK	Inner_Full	21.75	22.05
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	20.82	21.12
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	20.80	21.10
n2	15	15	1902.5	DFT	QPSK	Outer_Full	20.73	21.03
n2	15	15	1902.5	DFT	16QAM	Inner_Full	20.75	21.05
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	20.07	20.37
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	20.05	20.35
n2	15	15	1902.5	DFT	16QAM	Outer_Full	19.76	20.06
n2	15	15	1902.5	DFT	64QAM	Inner_Full	19.26	19.56
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	19.10	19.40
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	19.10	19.40
n2	15	15	1902.5	DFT	64QAM	Outer_Full	19.27	19.57
n2	15	15	1902.5	DFT	256QAM	Inner_Full	17.40	17.70
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	17.03	17.33
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	16.97	17.27
n2	15	15	1902.5	DFT	256QAM	Outer_Full	17.23	17.53
n2	15	15	1902.5	CP	QPSK	Inner_Full	20.23	20.53
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	18.60	18.90
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	18.65	18.95
n2	15	15	1902.5	CP	QPSK	Outer_Full	18.73	19.03
n2	15	15	1902.5	CP	16QAM	Inner_Full	19.70	20.00
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	19.15	19.45
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	19.18	19.48
n2	15	15	1902.5	CP	16QAM	Outer_Full	18.70	19.00
n2	15	15	1902.5	CP	64QAM	Inner_Full	18.25	18.55



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	18.10	18.40
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	18.03	18.33
n2	15	15	1902.5	CP	64QAM	Outer_Full	18.22	18.52
n2	15	15	1902.5	CP	256QAM	Inner_Full	15.17	15.47
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	15.01	15.31
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	15.05	15.35
n2	15	15	1902.5	CP	256QAM	Outer_Full	15.19	15.49
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	21.73	22.03
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	21.24	21.54
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	21.25	21.55
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	21.30	21.60
n2	20	15	1860	DFT	QPSK	Inner_Full	21.83	22.13
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	20.77	21.07
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	20.72	21.02
n2	20	15	1860	DFT	QPSK	Outer_Full	20.85	21.15
n2	20	15	1860	DFT	16QAM	Inner_Full	20.71	21.01
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	20.16	20.46
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	20.08	20.38
n2	20	15	1860	DFT	16QAM	Outer_Full	19.81	20.11
n2	20	15	1860	DFT	64QAM	Inner_Full	19.35	19.65
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	19.22	19.52
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	19.12	19.42
n2	20	15	1860	DFT	64QAM	Outer_Full	19.29	19.59
n2	20	15	1860	DFT	256QAM	Inner_Full	17.26	17.56
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	17.06	17.36
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	16.98	17.28
n2	20	15	1860	DFT	256QAM	Outer_Full	17.34	17.64
n2	20	15	1860	CP	QPSK	Inner_Full	20.30	20.60
n2	20	15	1860	CP	QPSK	Edge_1RB_Left	18.83	19.13
n2	20	15	1860	CP	QPSK	Edge_1RB_Right	18.62	18.92
n2	20	15	1860	CP	QPSK	Outer_Full	18.78	19.08
n2	20	15	1860	CP	16QAM	Inner_Full	19.83	20.13
n2	20	15	1860	CP	16QAM	Edge_1RB_Left	18.95	19.25
n2	20	15	1860	CP	16QAM	Edge_1RB_Right	18.89	19.19
n2	20	15	1860	CP	16QAM	Outer_Full	18.79	19.09
n2	20	15	1860	CP	64QAM	Inner_Full	18.35	18.65
n2	20	15	1860	CP	64QAM	Edge_1RB_Left	18.22	18.52
n2	20	15	1860	CP	64QAM	Edge_1RB_Right	18.14	18.44
n2	20	15	1860	CP	64QAM	Outer_Full	18.31	18.61
n2	20	15	1860	CP	256QAM	Inner_Full	15.23	15.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	20	15	1860	CP	256QAM	Edge_1RB_Left	15.12	15.42
n2	20	15	1860	CP	256QAM	Edge_1RB_Right	14.99	15.29
n2	20	15	1860	CP	256QAM	Outer_Full	15.28	15.58
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	21.85	22.15
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	21.24	21.54
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	21.24	21.54
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	21.38	21.68
n2	20	15	1880	DFT	QPSK	Inner_Full	21.87	22.17
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	20.82	21.12
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	20.81	21.11
n2	20	15	1880	DFT	QPSK	Outer_Full	20.85	21.15
n2	20	15	1880	DFT	16QAM	Inner_Full	20.76	21.06
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	20.18	20.48
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	20.13	20.43
n2	20	15	1880	DFT	16QAM	Outer_Full	19.86	20.16
n2	20	15	1880	DFT	64QAM	Inner_Full	19.43	19.73
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	19.17	19.47
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	19.24	19.54
n2	20	15	1880	DFT	64QAM	Outer_Full	19.42	19.72
n2	20	15	1880	DFT	256QAM	Inner_Full	17.33	17.63
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	17.10	17.40
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	17.09	17.39
n2	20	15	1880	DFT	256QAM	Outer_Full	17.37	17.67
n2	20	15	1880	CP	QPSK	Inner_Full	20.34	20.64
n2	20	15	1880	CP	QPSK	Edge_1RB_Left	18.72	19.02
n2	20	15	1880	CP	QPSK	Edge_1RB_Right	18.75	19.05
n2	20	15	1880	CP	QPSK	Outer_Full	18.82	19.12
n2	20	15	1880	CP	16QAM	Inner_Full	19.89	20.19
n2	20	15	1880	CP	16QAM	Edge_1RB_Left	18.97	19.27
n2	20	15	1880	CP	16QAM	Edge_1RB_Right	19.03	19.33
n2	20	15	1880	CP	16QAM	Outer_Full	18.88	19.18
n2	20	15	1880	CP	64QAM	Inner_Full	18.42	18.72
n2	20	15	1880	CP	64QAM	Edge_1RB_Left	18.28	18.58
n2	20	15	1880	CP	64QAM	Edge_1RB_Right	18.26	18.56
n2	20	15	1880	CP	64QAM	Outer_Full	18.39	18.69
n2	20	15	1880	CP	256QAM	Inner_Full	15.29	15.59
n2	20	15	1880	CP	256QAM	Edge_1RB_Left	15.13	15.43
n2	20	15	1880	CP	256QAM	Edge_1RB_Right	15.17	15.47
n2	20	15	1880	CP	256QAM	Outer_Full	15.35	15.65
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	21.75	22.05



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	21.21	21.51
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	21.12	21.42
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	21.30	21.60
n2	20	15	1900	DFT	QPSK	Inner_Full	21.78	22.08
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	20.87	21.17
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	20.84	21.14
n2	20	15	1900	DFT	QPSK	Outer_Full	20.80	21.10
n2	20	15	1900	DFT	16QAM	Inner_Full	20.76	21.06
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	19.86	20.16
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	19.86	20.16
n2	20	15	1900	DFT	16QAM	Outer_Full	19.80	20.10
n2	20	15	1900	DFT	64QAM	Inner_Full	19.33	19.63
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	19.18	19.48
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	19.18	19.48
n2	20	15	1900	DFT	64QAM	Outer_Full	19.34	19.64
n2	20	15	1900	DFT	256QAM	Inner_Full	17.20	17.50
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	17.09	17.39
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	17.06	17.36
n2	20	15	1900	DFT	256QAM	Outer_Full	17.32	17.62
n2	20	15	1900	CP	QPSK	Inner_Full	20.28	20.58
n2	20	15	1900	CP	QPSK	Edge_1RB_Left	18.67	18.97
n2	20	15	1900	CP	QPSK	Edge_1RB_Right	18.69	18.99
n2	20	15	1900	CP	QPSK	Outer_Full	18.79	19.09
n2	20	15	1900	CP	16QAM	Inner_Full	19.75	20.05
n2	20	15	1900	CP	16QAM	Edge_1RB_Left	18.95	19.25
n2	20	15	1900	CP	16QAM	Edge_1RB_Right	19.02	19.32
n2	20	15	1900	CP	16QAM	Outer_Full	18.79	19.09
n2	20	15	1900	CP	64QAM	Inner_Full	18.38	18.68
n2	20	15	1900	CP	64QAM	Edge_1RB_Left	18.20	18.50
n2	20	15	1900	CP	64QAM	Edge_1RB_Right	18.15	18.45
n2	20	15	1900	CP	64QAM	Outer_Full	18.31	18.61
n2	20	15	1900	CP	256QAM	Inner_Full	15.22	15.52
n2	20	15	1900	CP	256QAM	Edge_1RB_Left	15.12	15.42
n2	20	15	1900	CP	256QAM	Edge_1RB_Right	15.08	15.38
n2	20	15	1900	CP	256QAM	Outer_Full	15.25	15.55



n5

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	22.23	20.03
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.8	19.6
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.69	19.49
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	21.81	19.61
n5	5	15	826.5	DFT	QPSK	Inner_Full	22.29	20.09
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	21.39	19.19
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	21.29	19.09
n5	5	15	826.5	DFT	QPSK	Outer_Full	21.32	19.12
n5	5	15	826.5	DFT	16QAM	Inner_Full	21.35	19.15
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	20.73	18.53
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	20.55	18.35
n5	5	15	826.5	DFT	16QAM	Outer_Full	20.3	18.1
n5	5	15	826.5	DFT	64QAM	Inner_Full	19.84	17.64
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	19.74	17.54
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	19.61	17.41
n5	5	15	826.5	DFT	64QAM	Outer_Full	19.86	17.66
n5	5	15	826.5	DFT	256QAM	Inner_Full	17.72	15.52
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	17.59	15.39
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	17.46	15.26
n5	5	15	826.5	DFT	256QAM	Outer_Full	17.73	15.53
n5	5	15	826.5	CP	QPSK	Inner_Full	20.77	18.57
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	19.33	17.13
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	19.17	16.97
n5	5	15	826.5	CP	QPSK	Outer_Full	19.19	16.99
n5	5	15	826.5	CP	16QAM	Inner_Full	20.4	18.2
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	19.77	17.57
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	19.61	17.41
n5	5	15	826.5	CP	16QAM	Outer_Full	19.28	17.08
n5	5	15	826.5	CP	64QAM	Inner_Full	18.67	16.47
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	18.63	16.43
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	18.46	16.26
n5	5	15	826.5	CP	64QAM	Outer_Full	18.84	16.64
n5	5	15	826.5	CP	256QAM	Inner_Full	15.81	13.61
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	15.64	13.44
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	15.61	13.41
n5	5	15	826.5	CP	256QAM	Outer_Full	15.79	13.59
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.05	19.85



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.55	19.35
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	19.25
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	21.58	19.38
n5	5	15	836.5	DFT	QPSK	Inner_Full	22.1	19.9
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	21.12	18.92
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	21.08	18.88
n5	5	15	836.5	DFT	QPSK	Outer_Full	21.13	18.93
n5	5	15	836.5	DFT	16QAM	Inner_Full	21.13	18.93
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	20.42	18.22
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	20.35	18.15
n5	5	15	836.5	DFT	16QAM	Outer_Full	20.07	17.87
n5	5	15	836.5	DFT	64QAM	Inner_Full	19.61	17.41
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	19.46	17.26
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	19.33	17.13
n5	5	15	836.5	DFT	64QAM	Outer_Full	19.71	17.51
n5	5	15	836.5	DFT	256QAM	Inner_Full	17.54	15.34
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	17.38	15.18
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	17.23	15.03
n5	5	15	836.5	DFT	256QAM	Outer_Full	17.52	15.32
n5	5	15	836.5	CP	QPSK	Inner_Full	20.57	18.37
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	18.98	16.78
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	18.92	16.72
n5	5	15	836.5	CP	QPSK	Outer_Full	19.05	16.85
n5	5	15	836.5	CP	16QAM	Inner_Full	20.03	17.83
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	19.12	16.92
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	18.95	16.75
n5	5	15	836.5	CP	16QAM	Outer_Full	19.03	16.83
n5	5	15	836.5	CP	64QAM	Inner_Full	18.45	16.25
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	18.33	16.13
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	18.29	16.09
n5	5	15	836.5	CP	64QAM	Outer_Full	18.59	16.39
n5	5	15	836.5	CP	256QAM	Inner_Full	15.59	13.39
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	15.3	13.1
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	15.29	13.09
n5	5	15	836.5	CP	256QAM	Outer_Full	15.54	13.34
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	21.87	19.67
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.35	19.15
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.22	19.02
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	21.33	19.13



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	5	15	846.5	DFT	QPSK	Inner_Full	21.78	19.58
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	20.88	18.68
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	20.26	18.06
n5	5	15	846.5	DFT	QPSK	Outer_Full	20.8	18.6
n5	5	15	846.5	DFT	16QAM	Inner_Full	20.81	18.61
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	20.22	18.02
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	19.65	17.45
n5	5	15	846.5	DFT	16QAM	Outer_Full	19.8	17.6
n5	5	15	846.5	DFT	64QAM	Inner_Full	19.37	17.17
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	19.27	17.07
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	18.83	16.63
n5	5	15	846.5	DFT	64QAM	Outer_Full	19.46	17.26
n5	5	15	846.5	DFT	256QAM	Inner_Full	17.27	15.07
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	17.07	14.87
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	16.96	14.76
n5	5	15	846.5	DFT	256QAM	Outer_Full	17.22	15.02
n5	5	15	846.5	CP	QPSK	Inner_Full	20.27	18.07
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	18.77	16.57
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	18.67	16.47
n5	5	15	846.5	CP	QPSK	Outer_Full	18.73	16.53
n5	5	15	846.5	CP	16QAM	Inner_Full	19.87	17.67
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	19.34	17.14
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	19.17	16.97
n5	5	15	846.5	CP	16QAM	Outer_Full	18.74	16.54
n5	5	15	846.5	CP	64QAM	Inner_Full	18.24	16.04
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	18.07	15.87
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	18.03	15.83
n5	5	15	846.5	CP	64QAM	Outer_Full	18.29	16.09
n5	5	15	846.5	CP	256QAM	Inner_Full	15.35	13.15
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	15.17	12.97
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	15.09	12.89
n5	5	15	846.5	CP	256QAM	Outer_Full	15.3	13.1
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	22.28	20.08
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	21.72	19.52
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	21.56	19.36
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	21.75	19.55
n5	10	15	829	DFT	QPSK	Inner_Full	22.27	20.07
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	21.31	19.11
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	21.1	18.9



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	10	15	829	DFT	QPSK	Outer_Full	21.23	19.03
n5	10	15	829	DFT	16QAM	Inner_Full	21.24	19.04
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	20.67	18.47
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	20.34	18.14
n5	10	15	829	DFT	16QAM	Outer_Full	20.1	17.9
n5	10	15	829	DFT	64QAM	Inner_Full	19.79	17.59
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	19.64	17.44
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	19.44	17.24
n5	10	15	829	DFT	64QAM	Outer_Full	19.72	17.52
n5	10	15	829	DFT	256QAM	Inner_Full	17.69	15.49
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	17.53	15.33
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	17.31	15.11
n5	10	15	829	DFT	256QAM	Outer_Full	17.65	15.45
n5	10	15	829	CP	QPSK	Inner_Full	20.72	18.52
n5	10	15	829	CP	QPSK	Edge_1RB_Left	19.19	16.99
n5	10	15	829	CP	QPSK	Edge_1RB_Right	19.03	16.83
n5	10	15	829	CP	QPSK	Outer_Full	19.2	17
n5	10	15	829	CP	16QAM	Inner_Full	20.24	18.04
n5	10	15	829	CP	16QAM	Edge_1RB_Left	19.73	17.53
n5	10	15	829	CP	16QAM	Edge_1RB_Right	19.36	17.16
n5	10	15	829	CP	16QAM	Outer_Full	19.14	16.94
n5	10	15	829	CP	64QAM	Inner_Full	18.67	16.47
n5	10	15	829	CP	64QAM	Edge_1RB_Left	18.55	16.35
n5	10	15	829	CP	64QAM	Edge_1RB_Right	18.26	16.06
n5	10	15	829	CP	64QAM	Outer_Full	18.75	16.55
n5	10	15	829	CP	256QAM	Inner_Full	15.65	13.45
n5	10	15	829	CP	256QAM	Edge_1RB_Left	15.57	13.37
n5	10	15	829	CP	256QAM	Edge_1RB_Right	15.26	13.06
n5	10	15	829	CP	256QAM	Outer_Full	15.65	13.45
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.07	19.87
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.62	19.42
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.31	19.11
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	21.67	19.47
n5	10	15	836.5	DFT	QPSK	Inner_Full	22.13	19.93
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	21.12	18.92
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	20.84	18.64
n5	10	15	836.5	DFT	QPSK	Outer_Full	21.1	18.9
n5	10	15	836.5	DFT	16QAM	Inner_Full	21.12	18.92
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	20.47	18.27



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	20.22	18.02
n5	10	15	836.5	DFT	16QAM	Outer_Full	20.03	17.83
n5	10	15	836.5	DFT	64QAM	Inner_Full	19.74	17.54
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	19.49	17.29
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	19.23	17.03
n5	10	15	836.5	DFT	64QAM	Outer_Full	19.6	17.4
n5	10	15	836.5	DFT	256QAM	Inner_Full	17.48	15.28
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	17.33	15.13
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	17.12	14.92
n5	10	15	836.5	DFT	256QAM	Outer_Full	17.57	15.37
n5	10	15	836.5	CP	QPSK	Inner_Full	20.57	18.37
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	19.15	16.95
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	18.84	16.64
n5	10	15	836.5	CP	QPSK	Outer_Full	19.06	16.86
n5	10	15	836.5	CP	16QAM	Inner_Full	20.1	17.9
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	19.15	16.95
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	18.94	16.74
n5	10	15	836.5	CP	16QAM	Outer_Full	19	16.8
n5	10	15	836.5	CP	64QAM	Inner_Full	18.56	16.36
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	18.48	16.28
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	18.26	16.06
n5	10	15	836.5	CP	64QAM	Outer_Full	18.61	16.41
n5	10	15	836.5	CP	256QAM	Inner_Full	15.52	13.32
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	15.4	13.2
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	15.1	12.9
n5	10	15	836.5	CP	256QAM	Outer_Full	15.53	13.33
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	21.88	19.68
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	21.32	19.12
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	21.25	19.05
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	21.46	19.26
n5	10	15	844	DFT	QPSK	Inner_Full	21.92	19.72
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	20.95	18.75
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	20.37	18.17
n5	10	15	844	DFT	QPSK	Outer_Full	20.94	18.74
n5	10	15	844	DFT	16QAM	Inner_Full	20.9	18.7
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	20.21	18.01
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	19.76	17.56
n5	10	15	844	DFT	16QAM	Outer_Full	19.88	17.68
n5	10	15	844	DFT	64QAM	Inner_Full	19.52	17.32



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	19.29	17.09
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	18.95	16.75
n5	10	15	844	DFT	64QAM	Outer_Full	19.41	17.21
n5	10	15	844	DFT	256QAM	Inner_Full	17.31	15.11
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	17.11	14.91
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	16.88	14.68
n5	10	15	844	DFT	256QAM	Outer_Full	17.39	15.19
n5	10	15	844	CP	QPSK	Inner_Full	20.37	18.17
n5	10	15	844	CP	QPSK	Edge_1RB_Left	18.83	16.63
n5	10	15	844	CP	QPSK	Edge_1RB_Right	18.63	16.43
n5	10	15	844	CP	QPSK	Outer_Full	18.85	16.65
n5	10	15	844	CP	16QAM	Inner_Full	19.91	17.71
n5	10	15	844	CP	16QAM	Edge_1RB_Left	19.3	17.1
n5	10	15	844	CP	16QAM	Edge_1RB_Right	19.13	16.93
n5	10	15	844	CP	16QAM	Outer_Full	18.92	16.72
n5	10	15	844	CP	64QAM	Inner_Full	18.43	16.23
n5	10	15	844	CP	64QAM	Edge_1RB_Left	18.14	15.94
n5	10	15	844	CP	64QAM	Edge_1RB_Right	17.99	15.79
n5	10	15	844	CP	64QAM	Outer_Full	18.39	16.19
n5	10	15	844	CP	256QAM	Inner_Full	15.33	13.13
n5	10	15	844	CP	256QAM	Edge_1RB_Left	15.11	12.91
n5	10	15	844	CP	256QAM	Edge_1RB_Right	14.97	12.77
n5	10	15	844	CP	256QAM	Outer_Full	15.32	13.12
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	22.22	20.02
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.81	19.61
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.36	19.16
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	21.63	19.43
n5	15	15	831.5	DFT	QPSK	Inner_Full	22.16	19.96
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	21.43	19.23
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	21.02	18.82
n5	15	15	831.5	DFT	QPSK	Outer_Full	21.15	18.95
n5	15	15	831.5	DFT	16QAM	Inner_Full	21.12	18.92
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	20.64	18.44
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	20.23	18.03
n5	15	15	831.5	DFT	16QAM	Outer_Full	20.07	17.87
n5	15	15	831.5	DFT	64QAM	Inner_Full	19.69	17.49
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	19.7	17.5
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	19.25	17.05
n5	15	15	831.5	DFT	64QAM	Outer_Full	19.65	17.45



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	15	15	831.5	DFT	256QAM	Inner_Full	17.65	15.45
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	17.64	15.44
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	17.22	15.02
n5	15	15	831.5	DFT	256QAM	Outer_Full	17.55	15.35
n5	15	15	831.5	CP	QPSK	Inner_Full	20.65	18.45
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	19.28	17.08
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	18.83	16.63
n5	15	15	831.5	CP	QPSK	Outer_Full	19.18	16.98
n5	15	15	831.5	CP	16QAM	Inner_Full	20.11	17.91
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	19.6	17.4
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	19.15	16.95
n5	15	15	831.5	CP	16QAM	Outer_Full	19.18	16.98
n5	15	15	831.5	CP	64QAM	Inner_Full	18.61	16.41
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	18.61	16.41
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	18.2	16
n5	15	15	831.5	CP	64QAM	Outer_Full	18.66	16.46
n5	15	15	831.5	CP	256QAM	Inner_Full	15.63	13.43
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	15.65	13.45
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	15.21	13.01
n5	15	15	831.5	CP	256QAM	Outer_Full	15.65	13.45
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.01	19.81
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.62	19.42
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.32	19.12
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	21.55	19.35
n5	15	15	836.5	DFT	QPSK	Inner_Full	22.06	19.86
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	21.26	19.06
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	20.92	18.72
n5	15	15	836.5	DFT	QPSK	Outer_Full	21.07	18.87
n5	15	15	836.5	DFT	16QAM	Inner_Full	21.04	18.84
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	20.19	17.99
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	19.88	17.68
n5	15	15	836.5	DFT	16QAM	Outer_Full	20.02	17.82
n5	15	15	836.5	DFT	64QAM	Inner_Full	19.59	17.39
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	19.47	17.27
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	19.11	16.91
n5	15	15	836.5	DFT	64QAM	Outer_Full	19.6	17.4
n5	15	15	836.5	DFT	256QAM	Inner_Full	17.52	15.32
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	17.42	15.22
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	17.06	14.86



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	15	15	836.5	DFT	256QAM	Outer_Full	17.46	15.26
n5	15	15	836.5	CP	QPSK	Inner_Full	20.43	18.23
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	19.05	16.85
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	18.79	16.59
n5	15	15	836.5	CP	QPSK	Outer_Full	18.95	16.75
n5	15	15	836.5	CP	16QAM	Inner_Full	20	17.8
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	19.41	17.21
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	19.02	16.82
n5	15	15	836.5	CP	16QAM	Outer_Full	18.96	16.76
n5	15	15	836.5	CP	64QAM	Inner_Full	18.51	16.31
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	18.42	16.22
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	18.05	15.85
n5	15	15	836.5	CP	64QAM	Outer_Full	18.5	16.3
n5	15	15	836.5	CP	256QAM	Inner_Full	15.5	13.3
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	15.44	13.24
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	15.21	13.01
n5	15	15	836.5	CP	256QAM	Outer_Full	15.46	13.26
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	21.82	19.62
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.47	19.27
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.1	18.9
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	21.39	19.19
n5	15	15	841.5	DFT	QPSK	Inner_Full	21.85	19.65
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	21.06	18.86
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	20.41	18.21
n5	15	15	841.5	DFT	QPSK	Outer_Full	20.82	18.62
n5	15	15	841.5	DFT	16QAM	Inner_Full	20.84	18.64
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	20.35	18.15
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	19.79	17.59
n5	15	15	841.5	DFT	16QAM	Outer_Full	19.84	17.64
n5	15	15	841.5	DFT	64QAM	Inner_Full	19.34	17.14
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	19.42	17.22
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	18.99	16.79
n5	15	15	841.5	DFT	64QAM	Outer_Full	19.44	17.24
n5	15	15	841.5	DFT	256QAM	Inner_Full	17.26	15.06
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	17.31	15.11
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	16.96	14.76
n5	15	15	841.5	DFT	256QAM	Outer_Full	17.29	15.09
n5	15	15	841.5	CP	QPSK	Inner_Full	20.24	18.04
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	19.01	16.81



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	18.56	16.36
n5	15	15	841.5	CP	QPSK	Outer_Full	18.78	16.58
n5	15	15	841.5	CP	16QAM	Inner_Full	19.78	17.58
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	19.43	17.23
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	19.11	16.91
n5	15	15	841.5	CP	16QAM	Outer_Full	18.77	16.57
n5	15	15	841.5	CP	64QAM	Inner_Full	18.29	16.09
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	18.29	16.09
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	17.97	15.77
n5	15	15	841.5	CP	64QAM	Outer_Full	18.32	16.12
n5	15	15	841.5	CP	256QAM	Inner_Full	15.31	13.11
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	15.39	13.19
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	14.99	12.79
n5	15	15	841.5	CP	256QAM	Outer_Full	15.23	13.03
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	22.09	19.89
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	21.8	19.6
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	21.34	19.14
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	21.66	19.46
n5	20	15	834	DFT	QPSK	Inner_Full	22.18	19.98
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	21.34	19.14
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	20.73	18.53
n5	20	15	834	DFT	QPSK	Outer_Full	21.13	18.93
n5	20	15	834	DFT	16QAM	Inner_Full	21.01	18.81
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	20.62	18.42
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	20.08	17.88
n5	20	15	834	DFT	16QAM	Outer_Full	20.16	17.96
n5	20	15	834	DFT	64QAM	Inner_Full	19.66	17.46
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	19.67	17.47
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	19.15	16.95
n5	20	15	834	DFT	64QAM	Outer_Full	19.63	17.43
n5	20	15	834	DFT	256QAM	Inner_Full	17.52	15.32
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	17.53	15.33
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	16.78	14.58
n5	20	15	834	DFT	256QAM	Outer_Full	17.6	15.4
n5	20	15	834	CP	QPSK	Inner_Full	20.6	18.4
n5	20	15	834	CP	QPSK	Edge_1RB_Left	19.24	17.04
n5	20	15	834	CP	QPSK	Edge_1RB_Right	18.74	16.54
n5	20	15	834	CP	QPSK	Outer_Full	19.08	16.88
n5	20	15	834	CP	16QAM	Inner_Full	20.06	17.86



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	20	15	834	CP	16QAM	Edge_1RB_Left	19.83	17.63
n5	20	15	834	CP	16QAM	Edge_1RB_Right	19.28	17.08
n5	20	15	834	CP	16QAM	Outer_Full	19.14	16.94
n5	20	15	834	CP	64QAM	Inner_Full	18.69	16.49
n5	20	15	834	CP	64QAM	Edge_1RB_Left	18.58	16.38
n5	20	15	834	CP	64QAM	Edge_1RB_Right	18.07	15.87
n5	20	15	834	CP	64QAM	Outer_Full	18.62	16.42
n5	20	15	834	CP	256QAM	Inner_Full	15.57	13.37
n5	20	15	834	CP	256QAM	Edge_1RB_Left	15.77	13.57
n5	20	15	834	CP	256QAM	Edge_1RB_Right	15.45	13.25
n5	20	15	834	CP	256QAM	Outer_Full	15.56	13.36
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	21.98	19.78
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67	19.47
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.21	19.01
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	21.59	19.39
n5	20	15	836.5	DFT	QPSK	Inner_Full	22.01	19.81
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	21.25	19.05
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	20.72	18.52
n5	20	15	836.5	DFT	QPSK	Outer_Full	21.03	18.83
n5	20	15	836.5	DFT	16QAM	Inner_Full	20.95	18.75
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	20.57	18.37
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	20.05	17.85
n5	20	15	836.5	DFT	16QAM	Outer_Full	20.1	17.9
n5	20	15	836.5	DFT	64QAM	Inner_Full	19.52	17.32
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	19.63	17.43
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	19.08	16.88
n5	20	15	836.5	DFT	64QAM	Outer_Full	19.53	17.33
n5	20	15	836.5	DFT	256QAM	Inner_Full	17.42	15.22
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	17.47	15.27
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	16.77	14.57
n5	20	15	836.5	DFT	256QAM	Outer_Full	17.48	15.28
n5	20	15	836.5	CP	QPSK	Inner_Full	20.49	18.29
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	19.16	16.96
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	18.71	16.51
n5	20	15	836.5	CP	QPSK	Outer_Full	19.03	16.83
n5	20	15	836.5	CP	16QAM	Inner_Full	19.96	17.76
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	19.63	17.43
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	19.16	16.96
n5	20	15	836.5	CP	16QAM	Outer_Full	19.07	16.87



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	20	15	836.5	CP	64QAM	Inner_Full	18.55	16.35
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	18.45	16.25
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	18.06	15.86
n5	20	15	836.5	CP	64QAM	Outer_Full	18.56	16.36
n5	20	15	836.5	CP	256QAM	Inner_Full	15.44	13.24
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	15.54	13.34
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	15.1	12.9
n5	20	15	836.5	CP	256QAM	Outer_Full	15.49	13.29
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	21.86	19.66
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	21.65	19.45
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	21.12	18.92
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	21.44	19.24
n5	20	15	839	DFT	QPSK	Inner_Full	21.95	19.75
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	21.15	18.95
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	20.42	18.22
n5	20	15	839	DFT	QPSK	Outer_Full	20.92	18.72
n5	20	15	839	DFT	16QAM	Inner_Full	20.81	18.61
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	20.39	18.19
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	19.83	17.63
n5	20	15	839	DFT	16QAM	Outer_Full	19.95	17.75
n5	20	15	839	DFT	64QAM	Inner_Full	19.4	17.2
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	19.46	17.26
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	19.02	16.82
n5	20	15	839	DFT	64QAM	Outer_Full	19.5	17.3
n5	20	15	839	DFT	256QAM	Inner_Full	17.36	15.16
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	17.44	15.24
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	16.74	14.54
n5	20	15	839	DFT	256QAM	Outer_Full	17.44	15.24
n5	20	15	839	CP	QPSK	Inner_Full	20.36	18.16
n5	20	15	839	CP	QPSK	Edge_1RB_Left	19.04	16.84
n5	20	15	839	CP	QPSK	Edge_1RB_Right	18.64	16.44
n5	20	15	839	CP	QPSK	Outer_Full	18.93	16.73
n5	20	15	839	CP	16QAM	Inner_Full	19.89	17.69
n5	20	15	839	CP	16QAM	Edge_1RB_Left	19.54	17.34
n5	20	15	839	CP	16QAM	Edge_1RB_Right	19.13	16.93
n5	20	15	839	CP	16QAM	Outer_Full	18.99	16.79
n5	20	15	839	CP	64QAM	Inner_Full	18.48	16.28
n5	20	15	839	CP	64QAM	Edge_1RB_Left	18.34	16.14
n5	20	15	839	CP	64QAM	Edge_1RB_Right	17.94	15.74



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm)
n5	20	15	839	CP	64QAM	Outer_Full	18.43	16.23
n5	20	15	839	CP	256QAM	Inner_Full	15.31	13.11
n5	20	15	839	CP	256QAM	Edge_1RB_Left	15.44	13.24
n5	20	15	839	CP	256QAM	Edge_1RB_Right	15.08	12.88
n5	20	15	839	CP	256QAM	Outer_Full	15.37	13.17



n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	24.97	24.97
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.60	21.6
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.53	21.53
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	24.48	24.48
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.04	25.04
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	21.44	21.44
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	21.41	21.41
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.01	24.01
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.02	24.02
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.32	21.32
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	21.25	21.25
n41	20	30	2506.02	DFT	16QAM	Outer_Full	22.98	22.98
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.56	22.56
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	21.01	21.01
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	20.96	20.96
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.52	22.52
n41	20	30	2506.02	DFT	256QAM	Inner_Full	20.41	20.41
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	20.40	20.4
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	20.20	20.2
n41	20	30	2506.02	DFT	256QAM	Outer_Full	20.53	20.53
n41	20	30	2506.02	CP	QPSK	Inner_Full	23.47	23.47
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	21.47	21.47
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	21.37	21.37
n41	20	30	2506.02	CP	QPSK	Outer_Full	21.96	21.96
n41	20	30	2506.02	CP	16QAM	Inner_Full	22.96	22.96
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	21.43	21.43
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	21.23	21.23
n41	20	30	2506.02	CP	16QAM	Outer_Full	21.97	21.97
n41	20	30	2506.02	CP	64QAM	Inner_Full	21.47	21.47
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	21.22	21.22
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	21.16	21.16
n41	20	30	2506.02	CP	64QAM	Outer_Full	21.44	21.44
n41	20	30	2506.02	CP	256QAM	Inner_Full	18.47	18.47
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	18.24	18.24
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	18.33	18.33
n41	20	30	2506.02	CP	256QAM	Outer_Full	18.48	18.48
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.83	24.83
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.29	21.29
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.30	21.3



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.33	24.33
n41	20	30	2592.99	DFT	QPSK	Inner_Full	24.87	24.87
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.28	21.28
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.23	21.23
n41	20	30	2592.99	DFT	QPSK	Outer_Full	23.88	23.88
n41	20	30	2592.99	DFT	16QAM	Inner_Full	23.87	23.87
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.16	21.16
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.28	21.28
n41	20	30	2592.99	DFT	16QAM	Outer_Full	22.84	22.84
n41	20	30	2592.99	DFT	64QAM	Inner_Full	22.36	22.36
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.89	20.89
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.92	20.92
n41	20	30	2592.99	DFT	64QAM	Outer_Full	22.35	22.35
n41	20	30	2592.99	DFT	256QAM	Inner_Full	20.21	20.21
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.09	20.09
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.19	20.19
n41	20	30	2592.99	DFT	256QAM	Outer_Full	20.35	20.35
n41	20	30	2592.99	CP	QPSK	Inner_Full	23.33	23.33
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	21.33	21.33
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	21.42	21.42
n41	20	30	2592.99	CP	QPSK	Outer_Full	21.86	21.86
n41	20	30	2592.99	CP	16QAM	Inner_Full	22.92	22.92
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	21.23	21.23
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	21.37	21.37
n41	20	30	2592.99	CP	16QAM	Outer_Full	21.88	21.88
n41	20	30	2592.99	CP	64QAM	Inner_Full	21.35	21.35
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	20.94	20.94
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	21.07	21.07
n41	20	30	2592.99	CP	64QAM	Outer_Full	21.38	21.38
n41	20	30	2592.99	CP	256QAM	Inner_Full	18.36	18.36
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	18.07	18.07
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	18.19	18.19
n41	20	30	2592.99	CP	256QAM	Outer_Full	18.41	18.41
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	24.85	24.85
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.42	21.42
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.48	21.48
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	24.44	24.44
n41	20	30	2679.99	DFT	QPSK	Inner_Full	24.92	24.92
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	21.20	21.2
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	21.30	21.3



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	20	30	2679.99	DFT	QPSK	Outer_Full	23.92	23.92
n41	20	30	2679.99	DFT	16QAM	Inner_Full	23.89	23.89
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	21.02	21.02
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	21.11	21.11
n41	20	30	2679.99	DFT	16QAM	Outer_Full	22.86	22.86
n41	20	30	2679.99	DFT	64QAM	Inner_Full	22.43	22.43
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	20.89	20.89
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	20.97	20.97
n41	20	30	2679.99	DFT	64QAM	Outer_Full	22.41	22.41
n41	20	30	2679.99	DFT	256QAM	Inner_Full	20.41	20.41
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	20.10	20.1
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	20.22	20.22
n41	20	30	2679.99	DFT	256QAM	Outer_Full	20.34	20.34
n41	20	30	2679.99	CP	QPSK	Inner_Full	23.39	23.39
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	21.36	21.36
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	21.40	21.4
n41	20	30	2679.99	CP	QPSK	Outer_Full	21.92	21.92
n41	20	30	2679.99	CP	16QAM	Inner_Full	22.95	22.95
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	21.41	21.41
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	21.47	21.47
n41	20	30	2679.99	CP	16QAM	Outer_Full	21.94	21.94
n41	20	30	2679.99	CP	64QAM	Inner_Full	21.48	21.48
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	20.97	20.97
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	21.12	21.12
n41	20	30	2679.99	CP	64QAM	Outer_Full	21.43	21.43
n41	20	30	2679.99	CP	256QAM	Inner_Full	18.35	18.35
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	18.12	18.12
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	18.28	18.28
n41	20	30	2679.99	CP	256QAM	Outer_Full	18.52	18.52
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	24.97	24.97
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.60	21.6
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.41	21.41
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	24.41	24.41
n41	40	30	2516.01	DFT	QPSK	Inner_Full	24.90	24.9
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.49	21.49
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.36	21.36
n41	40	30	2516.01	DFT	QPSK	Outer_Full	23.90	23.9
n41	40	30	2516.01	DFT	16QAM	Inner_Full	23.85	23.85
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.22	21.22
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.14	21.14



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	40	30	2516.01	DFT	16QAM	Outer_Full	22.87	22.87
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.40	22.4
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.16	21.16
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	21.05	21.05
n41	40	30	2516.01	DFT	64QAM	Outer_Full	22.38	22.38
n41	40	30	2516.01	DFT	256QAM	Inner_Full	20.44	20.44
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	20.41	20.41
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	20.33	20.33
n41	40	30	2516.01	DFT	256QAM	Outer_Full	20.43	20.43
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.37	23.37
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	21.57	21.57
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	21.51	21.51
n41	40	30	2516.01	CP	QPSK	Outer_Full	21.90	21.9
n41	40	30	2516.01	CP	16QAM	Inner_Full	22.88	22.88
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	21.45	21.45
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	21.36	21.36
n41	40	30	2516.01	CP	16QAM	Outer_Full	21.91	21.91
n41	40	30	2516.01	CP	64QAM	Inner_Full	21.43	21.43
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.21	21.21
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	21.02	21.02
n41	40	30	2516.01	CP	64QAM	Outer_Full	21.35	21.35
n41	40	30	2516.01	CP	256QAM	Inner_Full	18.39	18.39
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	18.31	18.31
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	18.11	18.11
n41	40	30	2516.01	CP	256QAM	Outer_Full	18.36	18.36
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.82	24.82
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.38	21.38
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.54	21.54
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.43	24.43
n41	40	30	2592.99	DFT	QPSK	Inner_Full	24.88	24.88
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.21	21.21
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.52	21.52
n41	40	30	2592.99	DFT	QPSK	Outer_Full	23.88	23.88
n41	40	30	2592.99	DFT	16QAM	Inner_Full	23.84	23.84
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.96	20.96
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.17	21.17
n41	40	30	2592.99	DFT	16QAM	Outer_Full	22.93	22.93
n41	40	30	2592.99	DFT	64QAM	Inner_Full	22.38	22.38
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.98	20.98
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.15	21.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	40	30	2592.99	DFT	64QAM	Outer_Full	22.40	22.4
n41	40	30	2592.99	DFT	256QAM	Inner_Full	20.31	20.31
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.21	20.21
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.34	20.34
n41	40	30	2592.99	DFT	256QAM	Outer_Full	20.45	20.45
n41	40	30	2592.99	CP	QPSK	Inner_Full	23.39	23.39
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.39	21.39
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.34	21.34
n41	40	30	2592.99	CP	QPSK	Outer_Full	21.91	21.91
n41	40	30	2592.99	CP	16QAM	Inner_Full	22.91	22.91
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.37	21.37
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	21.35	21.35
n41	40	30	2592.99	CP	16QAM	Outer_Full	21.90	21.9
n41	40	30	2592.99	CP	64QAM	Inner_Full	21.37	21.37
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	20.89	20.89
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	21.12	21.12
n41	40	30	2592.99	CP	64QAM	Outer_Full	21.42	21.42
n41	40	30	2592.99	CP	256QAM	Inner_Full	18.42	18.42
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	18.12	18.12
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	18.35	18.35
n41	40	30	2592.99	CP	256QAM	Outer_Full	18.40	18.4
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	25.02	25.02
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	21.44	21.44
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	21.74	21.74
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	24.59	24.59
n41	40	30	2670	DFT	QPSK	Inner_Full	25.07	25.07
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	21.28	21.28
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	21.72	21.72
n41	40	30	2670	DFT	QPSK	Outer_Full	24.00	24
n41	40	30	2670	DFT	16QAM	Inner_Full	23.89	23.89
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	21.04	21.04
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	21.39	21.39
n41	40	30	2670	DFT	16QAM	Outer_Full	22.99	22.99
n41	40	30	2670	DFT	64QAM	Inner_Full	22.48	22.48
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	20.97	20.97
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.27	21.27
n41	40	30	2670	DFT	64QAM	Outer_Full	22.49	22.49
n41	40	30	2670	DFT	256QAM	Inner_Full	20.49	20.49
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	20.28	20.28
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	20.46	20.46



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	40	30	2670	DFT	256QAM	Outer_Full	20.48	20.48
n41	40	30	2670	CP	QPSK	Inner_Full	23.59	23.59
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	21.29	21.29
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	21.59	21.59
n41	40	30	2670	CP	QPSK	Outer_Full	22.08	22.08
n41	40	30	2670	CP	16QAM	Inner_Full	23.01	23.01
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	21.44	21.44
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	21.80	21.8
n41	40	30	2670	CP	16QAM	Outer_Full	21.98	21.98
n41	40	30	2670	CP	64QAM	Inner_Full	21.47	21.47
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	21.13	21.13
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	21.33	21.33
n41	40	30	2670	CP	64QAM	Outer_Full	21.48	21.48
n41	40	30	2670	CP	256QAM	Inner_Full	18.54	18.54
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	18.12	18.12
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	18.44	18.44
n41	40	30	2670	CP	256QAM	Outer_Full	18.48	18.48
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	24.90	24.9
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.46	21.46
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.28	21.28
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	24.37	24.37
n41	50	30	2521.02	DFT	QPSK	Inner_Full	24.84	24.84
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	21.34	21.34
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	21.29	21.29
n41	50	30	2521.02	DFT	QPSK	Outer_Full	23.86	23.86
n41	50	30	2521.02	DFT	16QAM	Inner_Full	23.83	23.83
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21.09	21.09
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	21.01	21.01
n41	50	30	2521.02	DFT	16QAM	Outer_Full	22.85	22.85
n41	50	30	2521.02	DFT	64QAM	Inner_Full	22.37	22.37
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	20.92	20.92
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	20.94	20.94
n41	50	30	2521.02	DFT	64QAM	Outer_Full	22.40	22.4
n41	50	30	2521.02	DFT	256QAM	Inner_Full	20.40	20.4
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	20.36	20.36
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	20.27	20.27
n41	50	30	2521.02	DFT	256QAM	Outer_Full	20.34	20.34
n41	50	30	2521.02	CP	QPSK	Inner_Full	23.35	23.35
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	21.42	21.42
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	21.26	21.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	50	30	2521.02	CP	QPSK	Outer_Full	21.85	21.85
n41	50	30	2521.02	CP	16QAM	Inner_Full	22.84	22.84
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	21.42	21.42
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	21.37	21.37
n41	50	30	2521.02	CP	16QAM	Outer_Full	21.84	21.84
n41	50	30	2521.02	CP	64QAM	Inner_Full	21.33	21.33
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	21.04	21.04
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	19.20	19.2
n41	50	30	2521.02	CP	64QAM	Outer_Full	21.33	21.33
n41	50	30	2521.02	CP	256QAM	Inner_Full	18.31	18.31
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	18.06	18.06
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	18.12	18.12
n41	50	30	2521.02	CP	256QAM	Outer_Full	18.32	18.32
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.82	24.82
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.23	21.23
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	21.45
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.37	24.37
n41	50	30	2592.99	DFT	QPSK	Inner_Full	24.86	24.86
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.09	21.09
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.41	21.41
n41	50	30	2592.99	DFT	QPSK	Outer_Full	23.84	23.84
n41	50	30	2592.99	DFT	16QAM	Inner_Full	23.83	23.83
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.14	21.14
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.45	21.45
n41	50	30	2592.99	DFT	16QAM	Outer_Full	22.91	22.91
n41	50	30	2592.99	DFT	64QAM	Inner_Full	22.34	22.34
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.02	21.02
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.01	21.01
n41	50	30	2592.99	DFT	64QAM	Outer_Full	22.38	22.38
n41	50	30	2592.99	DFT	256QAM	Inner_Full	20.27	20.27
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.03	20.03
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.30	20.3
n41	50	30	2592.99	DFT	256QAM	Outer_Full	20.35	20.35
n41	50	30	2592.99	CP	QPSK	Inner_Full	23.38	23.38
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	21.35	21.35
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	21.40	21.4
n41	50	30	2592.99	CP	QPSK	Outer_Full	21.85	21.85
n41	50	30	2592.99	CP	16QAM	Inner_Full	22.80	22.8
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.00	21
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.42	21.42



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	50	30	2592.99	CP	16QAM	Outer_Full	21.87	21.87
n41	50	30	2592.99	CP	64QAM	Inner_Full	21.37	21.37
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	20.78	20.78
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	21.08	21.08
n41	50	30	2592.99	CP	64QAM	Outer_Full	21.36	21.36
n41	50	30	2592.99	CP	256QAM	Inner_Full	18.36	18.36
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	17.96	17.96
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	18.31	18.31
n41	50	30	2592.99	CP	256QAM	Outer_Full	18.35	18.35
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	24.97	24.97
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.22	21.22
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.62	21.62
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	24.30	24.3
n41	50	30	2664.99	DFT	QPSK	Inner_Full	24.89	24.89
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	21.14	21.14
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	21.49	21.49
n41	50	30	2664.99	DFT	QPSK	Outer_Full	23.87	23.87
n41	50	30	2664.99	DFT	16QAM	Inner_Full	23.93	23.93
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	20.85	20.85
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	21.26	21.26
n41	50	30	2664.99	DFT	16QAM	Outer_Full	22.92	22.92
n41	50	30	2664.99	DFT	64QAM	Inner_Full	22.43	22.43
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	20.82	20.82
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	21.17	21.17
n41	50	30	2664.99	DFT	64QAM	Outer_Full	22.40	22.4
n41	50	30	2664.99	DFT	256QAM	Inner_Full	20.37	20.37
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	20.05	20.05
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	20.39	20.39
n41	50	30	2664.99	DFT	256QAM	Outer_Full	20.40	20.4
n41	50	30	2664.99	CP	QPSK	Inner_Full	23.52	23.52
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	21.12	21.12
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	21.49	21.49
n41	50	30	2664.99	CP	QPSK	Outer_Full	21.91	21.91
n41	50	30	2664.99	CP	16QAM	Inner_Full	22.86	22.86
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	21.27	21.27
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	21.61	21.61
n41	50	30	2664.99	CP	16QAM	Outer_Full	21.91	21.91
n41	50	30	2664.99	CP	64QAM	Inner_Full	21.40	21.4
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	20.83	20.83
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	21.13	21.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	50	30	2664.99	CP	64QAM	Outer_Full	21.37	21.37
n41	50	30	2664.99	CP	256QAM	Inner_Full	18.35	18.35
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	17.94	17.94
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	18.44	18.44
n41	50	30	2664.99	CP	256QAM	Outer_Full	18.44	18.44
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	24.90	24.9
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	21.39	21.39
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	21.28	21.28
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	24.37	24.37
n41	60	30	2526	DFT	QPSK	Inner_Full	24.85	24.85
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.34	21.34
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	21.23	21.23
n41	60	30	2526	DFT	QPSK	Outer_Full	23.85	23.85
n41	60	30	2526	DFT	16QAM	Inner_Full	23.82	23.82
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.01	21.01
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	20.97	20.97
n41	60	30	2526	DFT	16QAM	Outer_Full	22.85	22.85
n41	60	30	2526	DFT	64QAM	Inner_Full	22.34	22.34
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	20.92	20.92
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	20.88	20.88
n41	60	30	2526	DFT	64QAM	Outer_Full	22.37	22.37
n41	60	30	2526	DFT	256QAM	Inner_Full	20.29	20.29
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	20.12	20.12
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	20.08	20.08
n41	60	30	2526	DFT	256QAM	Outer_Full	20.35	20.35
n41	60	30	2526	CP	QPSK	Inner_Full	23.29	23.29
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	21.25	21.25
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	21.24	21.24
n41	60	30	2526	CP	QPSK	Outer_Full	21.85	21.85
n41	60	30	2526	CP	16QAM	Inner_Full	22.78	22.78
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	21.20	21.2
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.11	21.11
n41	60	30	2526	CP	16QAM	Outer_Full	21.84	21.84
n41	60	30	2526	CP	64QAM	Inner_Full	21.29	21.29
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.05	21.05
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	20.89	20.89
n41	60	30	2526	CP	64QAM	Outer_Full	21.31	21.31
n41	60	30	2526	CP	256QAM	Inner_Full	18.34	18.34
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	18.12	18.12
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	18.13	18.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	60	30	2526	CP	256QAM	Outer_Full	18.34	18.34
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.85	24.85
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.17	21.17
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.48	21.48
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.42	24.42
n41	60	30	2592.99	DFT	QPSK	Inner_Full	24.76	24.76
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.07	21.07
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.50	21.5
n41	60	30	2592.99	DFT	QPSK	Outer_Full	23.89	23.89
n41	60	30	2592.99	DFT	16QAM	Inner_Full	23.89	23.89
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.86	20.86
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.17	21.17
n41	60	30	2592.99	DFT	16QAM	Outer_Full	22.88	22.88
n41	60	30	2592.99	DFT	64QAM	Inner_Full	22.37	22.37
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.72	20.72
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.02	21.02
n41	60	30	2592.99	DFT	64QAM	Outer_Full	22.27	22.27
n41	60	30	2592.99	DFT	256QAM	Inner_Full	20.34	20.34
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.99	19.99
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.39	20.39
n41	60	30	2592.99	DFT	256QAM	Outer_Full	20.28	20.28
n41	60	30	2592.99	CP	QPSK	Inner_Full	23.36	23.36
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	21.20	21.2
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	21.50	21.5
n41	60	30	2592.99	CP	QPSK	Outer_Full	21.90	21.9
n41	60	30	2592.99	CP	16QAM	Inner_Full	22.77	22.77
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	21.26	21.26
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	21.38	21.38
n41	60	30	2592.99	CP	16QAM	Outer_Full	21.92	21.92
n41	60	30	2592.99	CP	64QAM	Inner_Full	21.37	21.37
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	20.86	20.86
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	21.15	21.15
n41	60	30	2592.99	CP	64QAM	Outer_Full	21.32	21.32
n41	60	30	2592.99	CP	256QAM	Inner_Full	18.38	18.38
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	17.93	17.93
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	18.26	18.26
n41	60	30	2592.99	CP	256QAM	Outer_Full	18.44	18.44
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	24.93	24.93
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.09	21.09
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.53	21.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	24.44	24.44
n41	60	30	2659.98	DFT	QPSK	Inner_Full	24.96	24.96
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.08	21.08
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	21.48	21.48
n41	60	30	2659.98	DFT	QPSK	Outer_Full	23.93	23.93
n41	60	30	2659.98	DFT	16QAM	Inner_Full	23.93	23.93
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	20.87	20.87
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	21.27	21.27
n41	60	30	2659.98	DFT	16QAM	Outer_Full	22.94	22.94
n41	60	30	2659.98	DFT	64QAM	Inner_Full	22.45	22.45
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	20.69	20.69
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	21.16	21.16
n41	60	30	2659.98	DFT	64QAM	Outer_Full	22.39	22.39
n41	60	30	2659.98	DFT	256QAM	Inner_Full	20.44	20.44
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	19.93	19.93
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	20.41	20.41
n41	60	30	2659.98	DFT	256QAM	Outer_Full	20.40	20.4
n41	60	30	2659.98	CP	QPSK	Inner_Full	23.35	23.35
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	21.11	21.11
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	21.51	21.51
n41	60	30	2659.98	CP	QPSK	Outer_Full	21.91	21.91
n41	60	30	2659.98	CP	16QAM	Inner_Full	22.89	22.89
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	20.98	20.98
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	21.52	21.52
n41	60	30	2659.98	CP	16QAM	Outer_Full	21.93	21.93
n41	60	30	2659.98	CP	64QAM	Inner_Full	21.40	21.4
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	20.78	20.78
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	21.20	21.2
n41	60	30	2659.98	CP	64QAM	Outer_Full	21.41	21.41
n41	60	30	2659.98	CP	256QAM	Inner_Full	18.47	18.47
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	18.01	18.01
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	18.35	18.35
n41	60	30	2659.98	CP	256QAM	Outer_Full	18.43	18.43
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	24.66	24.66
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.14	21.14
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.10	21.1
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	24.15	24.15
n41	80	30	2536.02	DFT	QPSK	Inner_Full	24.61	24.61
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.07	21.07
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	21.02	21.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	80	30	2536.02	DFT	QPSK	Outer_Full	23.62	23.62
n41	80	30	2536.02	DFT	16QAM	Inner_Full	23.69	23.69
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	20.84	20.84
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	20.81	20.81
n41	80	30	2536.02	DFT	16QAM	Outer_Full	22.67	22.67
n41	80	30	2536.02	DFT	64QAM	Inner_Full	22.16	22.16
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	20.75	20.75
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	20.69	20.69
n41	80	30	2536.02	DFT	64QAM	Outer_Full	22.18	22.18
n41	80	30	2536.02	DFT	256QAM	Inner_Full	20.08	20.08
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	19.99	19.99
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	19.95	19.95
n41	80	30	2536.02	DFT	256QAM	Outer_Full	20.17	20.17
n41	80	30	2536.02	CP	QPSK	Inner_Full	23.10	23.1
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	21.14	21.14
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	21.04	21.04
n41	80	30	2536.02	CP	QPSK	Outer_Full	21.64	21.64
n41	80	30	2536.02	CP	16QAM	Inner_Full	22.60	22.6
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	21.29	21.29
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	21.15	21.15
n41	80	30	2536.02	CP	16QAM	Outer_Full	21.64	21.64
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.10	21.1
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	20.88	20.88
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	20.95	20.95
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.15	21.15
n41	80	30	2536.02	CP	256QAM	Inner_Full	18.13	18.13
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	18.05	18.05
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	17.89	17.89
n41	80	30	2536.02	CP	256QAM	Outer_Full	18.13	18.13
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.63	24.63
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	20.96	20.96
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.34	21.34
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.24	24.24
n41	80	30	2592.99	DFT	QPSK	Inner_Full	24.71	24.71
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.93	20.93
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.26	21.26
n41	80	30	2592.99	DFT	QPSK	Outer_Full	23.74	23.74
n41	80	30	2592.99	DFT	16QAM	Inner_Full	23.67	23.67
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.69	20.69
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.00	21



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	80	30	2592.99	DFT	16QAM	Outer_Full	22.65	22.65
n41	80	30	2592.99	DFT	64QAM	Inner_Full	22.08	22.08
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.45	20.45
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.95	20.95
n41	80	30	2592.99	DFT	64QAM	Outer_Full	22.14	22.14
n41	80	30	2592.99	DFT	256QAM	Inner_Full	20.16	20.16
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.80	19.8
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.16	20.16
n41	80	30	2592.99	DFT	256QAM	Outer_Full	20.21	20.21
n41	80	30	2592.99	CP	QPSK	Inner_Full	23.20	23.2
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	20.99	20.99
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.38	21.38
n41	80	30	2592.99	CP	QPSK	Outer_Full	21.73	21.73
n41	80	30	2592.99	CP	16QAM	Inner_Full	22.70	22.7
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	20.83	20.83
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	21.38	21.38
n41	80	30	2592.99	CP	16QAM	Outer_Full	21.63	21.63
n41	80	30	2592.99	CP	64QAM	Inner_Full	21.19	21.19
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	20.68	20.68
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	21.20	21.2
n41	80	30	2592.99	CP	64QAM	Outer_Full	21.16	21.16
n41	80	30	2592.99	CP	256QAM	Inner_Full	18.14	18.14
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	17.80	17.8
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	18.11	18.11
n41	80	30	2592.99	CP	256QAM	Outer_Full	18.20	18.2
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	24.72	24.72
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	20.89	20.89
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.43	21.43
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	24.25	24.25
n41	80	30	2649.99	DFT	QPSK	Inner_Full	24.76	24.76
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	20.87	20.87
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.39	21.39
n41	80	30	2649.99	DFT	QPSK	Outer_Full	23.75	23.75
n41	80	30	2649.99	DFT	16QAM	Inner_Full	23.78	23.78
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	20.75	20.75
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	21.32	21.32
n41	80	30	2649.99	DFT	16QAM	Outer_Full	22.73	22.73
n41	80	30	2649.99	DFT	64QAM	Inner_Full	22.24	22.24
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	20.44	20.44
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	21.02	21.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	80	30	2649.99	DFT	64QAM	Outer_Full	22.25	22.25
n41	80	30	2649.99	DFT	256QAM	Inner_Full	20.19	20.19
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	19.70	19.7
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	20.29	20.29
n41	80	30	2649.99	DFT	256QAM	Outer_Full	20.20	20.2
n41	80	30	2649.99	CP	QPSK	Inner_Full	23.26	23.26
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	20.96	20.96
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	21.43	21.43
n41	80	30	2649.99	CP	QPSK	Outer_Full	21.75	21.75
n41	80	30	2649.99	CP	16QAM	Inner_Full	22.78	22.78
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	20.71	20.71
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	21.46	21.46
n41	80	30	2649.99	CP	16QAM	Outer_Full	21.74	21.74
n41	80	30	2649.99	CP	64QAM	Inner_Full	21.21	21.21
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	20.69	20.69
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	21.14	21.14
n41	80	30	2649.99	CP	64QAM	Outer_Full	21.25	21.25
n41	80	30	2649.99	CP	256QAM	Inner_Full	18.28	18.28
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	17.72	17.72
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	18.22	18.22
n41	80	30	2649.99	CP	256QAM	Outer_Full	18.23	18.23
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	24.71	24.71
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	21.21	21.21
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	21.19	21.19
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	24.13	24.13
n41	90	30	2541	DFT	QPSK	Inner_Full	24.65	24.65
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.18	21.18
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	21.09	21.09
n41	90	30	2541	DFT	QPSK	Outer_Full	23.73	23.73
n41	90	30	2541	DFT	16QAM	Inner_Full	23.68	23.68
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	21.23	21.23
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	21.00	21
n41	90	30	2541	DFT	16QAM	Outer_Full	22.63	22.63
n41	90	30	2541	DFT	64QAM	Inner_Full	22.16	22.16
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	20.72	20.72
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	20.78	20.78
n41	90	30	2541	DFT	64QAM	Outer_Full	22.16	22.16
n41	90	30	2541	DFT	256QAM	Inner_Full	20.19	20.19
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	19.94	19.94
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	19.97	19.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	90	30	2541	DFT	256QAM	Outer_Full	20.18	20.18
n41	90	30	2541	CP	QPSK	Inner_Full	23.13	23.13
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.24	21.24
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	21.24	21.24
n41	90	30	2541	CP	QPSK	Outer_Full	21.68	21.68
n41	90	30	2541	CP	16QAM	Inner_Full	22.59	22.59
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.16	21.16
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	21.20	21.2
n41	90	30	2541	CP	16QAM	Outer_Full	21.65	21.65
n41	90	30	2541	CP	64QAM	Inner_Full	21.11	21.11
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	20.89	20.89
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	20.77	20.77
n41	90	30	2541	CP	64QAM	Outer_Full	21.17	21.17
n41	90	30	2541	CP	256QAM	Inner_Full	18.10	18.1
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	18.06	18.06
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	17.99	17.99
n41	90	30	2541	CP	256QAM	Outer_Full	18.15	18.15
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.69	24.69
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	20.88	20.88
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.41	21.41
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.26	24.26
n41	90	30	2592.99	DFT	QPSK	Inner_Full	24.70	24.7
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.84	20.84
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.33	21.33
n41	90	30	2592.99	DFT	QPSK	Outer_Full	23.74	23.74
n41	90	30	2592.99	DFT	16QAM	Inner_Full	23.66	23.66
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.58	20.58
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.11	21.11
n41	90	30	2592.99	DFT	16QAM	Outer_Full	22.63	22.63
n41	90	30	2592.99	DFT	64QAM	Inner_Full	22.15	22.15
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.47	20.47
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.08	21.08
n41	90	30	2592.99	DFT	64QAM	Outer_Full	22.16	22.16
n41	90	30	2592.99	DFT	256QAM	Inner_Full	20.18	20.18
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.74	19.74
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.21	20.21
n41	90	30	2592.99	DFT	256QAM	Outer_Full	20.16	20.16
n41	90	30	2592.99	CP	QPSK	Inner_Full	23.22	23.22
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	20.96	20.96
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.49	21.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	90	30	2592.99	CP	QPSK	Outer_Full	21.76	21.76
n41	90	30	2592.99	CP	16QAM	Inner_Full	22.71	22.71
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.06	21.06
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.54	21.54
n41	90	30	2592.99	CP	16QAM	Outer_Full	21.63	21.63
n41	90	30	2592.99	CP	64QAM	Inner_Full	21.13	21.13
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	20.63	20.63
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	21.05	21.05
n41	90	30	2592.99	CP	64QAM	Outer_Full	21.18	21.18
n41	90	30	2592.99	CP	256QAM	Inner_Full	18.12	18.12
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	17.63	17.63
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	18.31	18.31
n41	90	30	2592.99	CP	256QAM	Outer_Full	18.13	18.13
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	24.69	24.69
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.82	20.82
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.48	21.48
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	24.23	24.23
n41	90	30	2644.98	DFT	QPSK	Inner_Full	24.71	24.71
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	20.79	20.79
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.43	21.43
n41	90	30	2644.98	DFT	QPSK	Outer_Full	23.76	23.76
n41	90	30	2644.98	DFT	16QAM	Inner_Full	23.71	23.71
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	20.54	20.54
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	21.22	21.22
n41	90	30	2644.98	DFT	16QAM	Outer_Full	22.77	22.77
n41	90	30	2644.98	DFT	64QAM	Inner_Full	22.25	22.25
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	20.38	20.38
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	21.13	21.13
n41	90	30	2644.98	DFT	64QAM	Outer_Full	22.22	22.22
n41	90	30	2644.98	DFT	256QAM	Inner_Full	20.14	20.14
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	19.57	19.57
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	20.34	20.34
n41	90	30	2644.98	DFT	256QAM	Outer_Full	20.23	20.23
n41	90	30	2644.98	CP	QPSK	Inner_Full	23.21	23.21
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	20.78	20.78
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	21.49	21.49
n41	90	30	2644.98	CP	QPSK	Outer_Full	21.72	21.72
n41	90	30	2644.98	CP	16QAM	Inner_Full	22.70	22.7
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	20.78	20.78
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	21.38	21.38



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	90	30	2644.98	CP	16QAM	Outer_Full	21.75	21.75
n41	90	30	2644.98	CP	64QAM	Inner_Full	21.20	21.2
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	20.46	20.46
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	21.27	21.27
n41	90	30	2644.98	CP	64QAM	Outer_Full	21.20	21.2
n41	90	30	2644.98	CP	256QAM	Inner_Full	18.21	18.21
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	17.66	17.66
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	18.25	18.25
n41	90	30	2644.98	CP	256QAM	Outer_Full	18.13	18.13
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	24.73	24.73
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.19	21.19
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.25	21.25
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	24.17	24.17
n41	100	30	2546.01	DFT	QPSK	Inner_Full	24.63	24.63
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.19	21.19
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	19.46	19.46
n41	100	30	2546.01	DFT	QPSK	Outer_Full	23.65	23.65
n41	100	30	2546.01	DFT	16QAM	Inner_Full	23.64	23.64
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	20.95	20.95
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	20.88	20.88
n41	100	30	2546.01	DFT	16QAM	Outer_Full	22.66	22.66
n41	100	30	2546.01	DFT	64QAM	Inner_Full	22.14	22.14
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	20.81	20.81
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	20.77	20.77
n41	100	30	2546.01	DFT	64QAM	Outer_Full	22.16	22.16
n41	100	30	2546.01	DFT	256QAM	Inner_Full	20.22	20.22
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	19.99	19.99
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	20.08	20.08
n41	100	30	2546.01	DFT	256QAM	Outer_Full	20.20	20.2
n41	100	30	2546.01	CP	QPSK	Inner_Full	23.21	23.21
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.21	21.21
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	21.17	21.17
n41	100	30	2546.01	CP	QPSK	Outer_Full	21.64	21.64
n41	100	30	2546.01	CP	16QAM	Inner_Full	22.67	22.67
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.05	21.05
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.36	21.36
n41	100	30	2546.01	CP	16QAM	Outer_Full	21.64	21.64
n41	100	30	2546.01	CP	64QAM	Inner_Full	21.12	21.12
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	20.92	20.92
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	20.84	20.84



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	100	30	2546.01	CP	64QAM	Outer_Full	21.18	21.18
n41	100	30	2546.01	CP	256QAM	Inner_Full	18.12	18.12
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	18.13	18.13
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	17.96	17.96
n41	100	30	2546.01	CP	256QAM	Outer_Full	18.13	18.13
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.72	24.72
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.01	21.01
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.47	21.47
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.16	24.16
n41	100	30	2592.99	DFT	QPSK	Inner_Full	24.62	24.62
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.93	20.93
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.41	21.41
n41	100	30	2592.99	DFT	QPSK	Outer_Full	23.64	23.64
n41	100	30	2592.99	DFT	16QAM	Inner_Full	23.66	23.66
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.65	20.65
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.34	21.34
n41	100	30	2592.99	DFT	16QAM	Outer_Full	22.66	22.66
n41	100	30	2592.99	DFT	64QAM	Inner_Full	22.17	22.17
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.48	20.48
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.01	21.01
n41	100	30	2592.99	DFT	64QAM	Outer_Full	22.16	22.16
n41	100	30	2592.99	DFT	256QAM	Inner_Full	20.20	20.2
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.77	19.77
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.29	20.29
n41	100	30	2592.99	DFT	256QAM	Outer_Full	20.09	20.09
n41	100	30	2592.99	CP	QPSK	Inner_Full	23.22	23.22
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	20.88	20.88
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	21.38	21.38
n41	100	30	2592.99	CP	QPSK	Outer_Full	21.65	21.65
n41	100	30	2592.99	CP	16QAM	Inner_Full	22.68	22.68
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	20.88	20.88
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	21.46	21.46
n41	100	30	2592.99	CP	16QAM	Outer_Full	21.67	21.67
n41	100	30	2592.99	CP	64QAM	Inner_Full	21.16	21.16
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	20.64	20.64
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	21.12	21.12
n41	100	30	2592.99	CP	64QAM	Outer_Full	21.14	21.14
n41	100	30	2592.99	CP	256QAM	Inner_Full	18.14	18.14
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	17.74	17.74
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	18.35	18.35



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n41	100	30	2592.99	CP	256QAM	Outer_Full	18.15	18.15
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	24.75	24.75
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	20.84	20.84
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	21.52
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	24.19	24.19
n41	100	30	2640	DFT	QPSK	Inner_Full	24.80	24.8
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	20.87	20.87
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.48	21.48
n41	100	30	2640	DFT	QPSK	Outer_Full	23.72	23.72
n41	100	30	2640	DFT	16QAM	Inner_Full	23.74	23.74
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	20.46	20.46
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	21.26	21.26
n41	100	30	2640	DFT	16QAM	Outer_Full	22.74	22.74
n41	100	30	2640	DFT	64QAM	Inner_Full	22.28	22.28
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	20.41	20.41
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	21.19	21.19
n41	100	30	2640	DFT	64QAM	Outer_Full	22.22	22.22
n41	100	30	2640	DFT	256QAM	Inner_Full	20.22	20.22
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	19.74	19.74
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	20.41	20.41
n41	100	30	2640	DFT	256QAM	Outer_Full	20.22	20.22
n41	100	30	2640	CP	QPSK	Inner_Full	23.22	23.22
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	20.71	20.71
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.46	21.46
n41	100	30	2640	CP	QPSK	Outer_Full	21.71	21.71
n41	100	30	2640	CP	16QAM	Inner_Full	22.73	22.73
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	20.81	20.81
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	21.49	21.49
n41	100	30	2640	CP	16QAM	Outer_Full	21.72	21.72
n41	100	30	2640	CP	64QAM	Inner_Full	21.23	21.23
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	20.45	20.45
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	21.14	21.14
n41	100	30	2640	CP	64QAM	Outer_Full	21.25	21.25
n41	100	30	2640	CP	256QAM	Inner_Full	18.25	18.25
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	17.56	17.56
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	18.39	18.39
n41	100	30	2640	CP	256QAM	Outer_Full	18.18	18.18



n71

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	22.39	19.94
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.80	19.35
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.91	19.46
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	21.84	19.39
n71	5	15	665.5	DFT	QPSK	Inner_Full	22.43	19.98
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	21.41	18.96
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	21.37	18.92
n71	5	15	665.5	DFT	QPSK	Outer_Full	21.38	18.93
n71	5	15	665.5	DFT	16QAM	Inner_Full	21.36	18.91
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	20.66	18.21
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	20.69	18.24
n71	5	15	665.5	DFT	16QAM	Outer_Full	20.36	17.91
n71	5	15	665.5	DFT	64QAM	Inner_Full	19.95	17.50
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	19.59	17.14
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	19.74	17.29
n71	5	15	665.5	DFT	64QAM	Outer_Full	20.01	17.56
n71	5	15	665.5	DFT	256QAM	Inner_Full	17.85	15.40
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	17.87	15.42
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	17.54	15.09
n71	5	15	665.5	DFT	256QAM	Outer_Full	17.79	15.34
n71	5	15	665.5	CP	QPSK	Inner_Full	20.85	18.40
n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	19.26	16.81
n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	19.36	16.91
n71	5	15	665.5	CP	QPSK	Outer_Full	19.37	16.92
n71	5	15	665.5	CP	16QAM	Inner_Full	20.52	18.07
n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	19.70	17.25
n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	19.78	17.33
n71	5	15	665.5	CP	16QAM	Outer_Full	19.39	16.94
n71	5	15	665.5	CP	64QAM	Inner_Full	18.74	16.29
n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	18.43	15.98
n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	18.57	16.12
n71	5	15	665.5	CP	64QAM	Outer_Full	18.90	16.45
n71	5	15	665.5	CP	256QAM	Inner_Full	15.81	13.36
n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	15.53	13.08
n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	15.65	13.20
n71	5	15	665.5	CP	256QAM	Outer_Full	15.87	13.42
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.45	20.00
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.84	19.39
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.77	19.32



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.97	19.52
n71	5	15	680.5	DFT	QPSK	Inner_Full	22.53	20.08
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	21.49	19.04
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	21.45	19.00
n71	5	15	680.5	DFT	QPSK	Outer_Full	21.50	19.05
n71	5	15	680.5	DFT	16QAM	Inner_Full	21.50	19.05
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	20.38	17.93
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	20.44	17.99
n71	5	15	680.5	DFT	16QAM	Outer_Full	20.54	18.09
n71	5	15	680.5	DFT	64QAM	Inner_Full	20.08	17.63
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	19.74	17.29
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	19.69	17.24
n71	5	15	680.5	DFT	64QAM	Outer_Full	20.05	17.60
n71	5	15	680.5	DFT	256QAM	Inner_Full	17.93	15.48
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	17.51	15.06
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	17.57	15.12
n71	5	15	680.5	DFT	256QAM	Outer_Full	17.84	15.39
n71	5	15	680.5	CP	QPSK	Inner_Full	20.96	18.51
n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	19.26	16.81
n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	19.34	16.89
n71	5	15	680.5	CP	QPSK	Outer_Full	19.41	16.96
n71	5	15	680.5	CP	16QAM	Inner_Full	20.67	18.22
n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	19.52	17.07
n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	19.57	17.12
n71	5	15	680.5	CP	16QAM	Outer_Full	19.47	17.02
n71	5	15	680.5	CP	64QAM	Inner_Full	18.90	16.45
n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	18.95	16.50
n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	18.54	16.09
n71	5	15	680.5	CP	64QAM	Outer_Full	18.98	16.53
n71	5	15	680.5	CP	256QAM	Inner_Full	15.95	13.50
n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	15.62	13.17
n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	15.67	13.22
n71	5	15	680.5	CP	256QAM	Outer_Full	15.93	13.48
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	22.38	19.93
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.82	19.37
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	19.34
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	21.83	19.38
n71	5	15	695.5	DFT	QPSK	Inner_Full	22.45	20.00
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	21.41	18.96
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	21.29	18.84



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	5	15	695.5	DFT	QPSK	Outer_Full	21.33	18.88
n71	5	15	695.5	DFT	16QAM	Inner_Full	21.41	18.96
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	20.74	18.29
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	20.62	18.17
n71	5	15	695.5	DFT	16QAM	Outer_Full	20.36	17.91
n71	5	15	695.5	DFT	64QAM	Inner_Full	19.97	17.52
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	19.69	17.24
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	19.58	17.13
n71	5	15	695.5	DFT	64QAM	Outer_Full	20.00	17.55
n71	5	15	695.5	DFT	256QAM	Inner_Full	17.79	15.34
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	17.54	15.09
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	17.59	15.14
n71	5	15	695.5	DFT	256QAM	Outer_Full	17.79	15.34
n71	5	15	695.5	CP	QPSK	Inner_Full	20.84	18.39
n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	19.27	16.82
n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	19.35	16.90
n71	5	15	695.5	CP	QPSK	Outer_Full	19.31	16.86
n71	5	15	695.5	CP	16QAM	Inner_Full	20.56	18.11
n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	19.73	17.28
n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	19.63	17.18
n71	5	15	695.5	CP	16QAM	Outer_Full	19.36	16.91
n71	5	15	695.5	CP	64QAM	Inner_Full	18.80	16.35
n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	18.53	16.08
n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	18.49	16.04
n71	5	15	695.5	CP	64QAM	Outer_Full	18.90	16.45
n71	5	15	695.5	CP	256QAM	Inner_Full	15.90	13.45
n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	15.64	13.19
n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	15.56	13.11
n71	5	15	695.5	CP	256QAM	Outer_Full	15.83	13.38
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	22.33	19.88
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	21.83	19.38
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	21.96	19.51
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	21.91	19.46
n71	10	15	668	DFT	QPSK	Inner_Full	22.46	20.01
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	21.35	18.90
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	21.47	19.02
n71	10	15	668	DFT	QPSK	Outer_Full	21.47	19.02
n71	10	15	668	DFT	16QAM	Inner_Full	21.38	18.93
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	20.63	18.18
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	20.73	18.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	10	15	668	DFT	16QAM	Outer_Full	20.23	17.78
n71	10	15	668	DFT	64QAM	Inner_Full	20.01	17.56
n71	10	15	668	DFT	64QAM	Edge_1RB_Left	19.60	17.15
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	19.77	17.32
n71	10	15	668	DFT	64QAM	Outer_Full	19.90	17.45
n71	10	15	668	DFT	256QAM	Inner_Full	17.70	15.25
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	17.49	15.04
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	17.57	15.12
n71	10	15	668	DFT	256QAM	Outer_Full	17.79	15.34
n71	10	15	668	CP	QPSK	Inner_Full	20.84	18.39
n71	10	15	668	CP	QPSK	Edge_1RB_Left	19.13	16.68
n71	10	15	668	CP	QPSK	Edge_1RB_Right	19.30	16.85
n71	10	15	668	CP	QPSK	Outer_Full	19.35	16.90
n71	10	15	668	CP	16QAM	Inner_Full	20.38	17.93
n71	10	15	668	CP	16QAM	Edge_1RB_Left	19.45	17.00
n71	10	15	668	CP	16QAM	Edge_1RB_Right	19.62	17.17
n71	10	15	668	CP	16QAM	Outer_Full	19.41	16.96
n71	10	15	668	CP	64QAM	Inner_Full	18.86	16.41
n71	10	15	668	CP	64QAM	Edge_1RB_Left	18.50	16.05
n71	10	15	668	CP	64QAM	Edge_1RB_Right	18.62	16.17
n71	10	15	668	CP	64QAM	Outer_Full	18.87	16.42
n71	10	15	668	CP	256QAM	Inner_Full	15.82	13.37
n71	10	15	668	CP	256QAM	Edge_1RB_Left	15.57	13.12
n71	10	15	668	CP	256QAM	Edge_1RB_Right	15.66	13.21
n71	10	15	668	CP	256QAM	Outer_Full	15.80	13.35
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.47	20.02
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	19.54
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.98	19.53
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.01	19.56
n71	10	15	680.5	DFT	QPSK	Inner_Full	22.52	20.07
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	21.55	19.10
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	21.52	19.07
n71	10	15	680.5	DFT	QPSK	Outer_Full	21.48	19.03
n71	10	15	680.5	DFT	16QAM	Inner_Full	21.50	19.05
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	20.78	18.33
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	20.76	18.31
n71	10	15	680.5	DFT	16QAM	Outer_Full	20.40	17.95
n71	10	15	680.5	DFT	64QAM	Inner_Full	20.05	17.60
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	19.83	17.38
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	19.79	17.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	10	15	680.5	DFT	64QAM	Outer_Full	20.03	17.58
n71	10	15	680.5	DFT	256QAM	Inner_Full	17.82	15.37
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	17.66	15.21
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	17.63	15.18
n71	10	15	680.5	DFT	256QAM	Outer_Full	17.90	15.45
n71	10	15	680.5	CP	QPSK	Inner_Full	20.98	18.53
n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	19.44	16.99
n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	19.47	17.02
n71	10	15	680.5	CP	QPSK	Outer_Full	19.44	16.99
n71	10	15	680.5	CP	16QAM	Inner_Full	20.51	18.06
n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	19.84	17.39
n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	19.86	17.41
n71	10	15	680.5	CP	16QAM	Outer_Full	19.41	16.96
n71	10	15	680.5	CP	64QAM	Inner_Full	18.99	16.54
n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	18.60	16.15
n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	18.61	16.16
n71	10	15	680.5	CP	64QAM	Outer_Full	18.97	16.52
n71	10	15	680.5	CP	256QAM	Inner_Full	15.89	13.44
n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	15.66	13.21
n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	15.74	13.29
n71	10	15	680.5	CP	256QAM	Outer_Full	15.94	13.49
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	22.46	20.01
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	19.52
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	19.37
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	21.83	19.38
n71	10	15	693	DFT	QPSK	Inner_Full	22.39	19.94
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	21.50	19.05
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	21.35	18.90
n71	10	15	693	DFT	QPSK	Outer_Full	21.37	18.92
n71	10	15	693	DFT	16QAM	Inner_Full	21.34	18.89
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	20.69	18.24
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	20.60	18.15
n71	10	15	693	DFT	16QAM	Outer_Full	20.27	17.82
n71	10	15	693	DFT	64QAM	Inner_Full	19.92	17.47
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	19.75	17.30
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	19.63	17.18
n71	10	15	693	DFT	64QAM	Outer_Full	19.86	17.41
n71	10	15	693	DFT	256QAM	Inner_Full	17.81	15.36
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	17.60	15.15
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	17.46	15.01



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	10	15	693	DFT	256QAM	Outer_Full	17.80	15.35
n71	10	15	693	CP	QPSK	Inner_Full	20.86	18.41
n71	10	15	693	CP	QPSK	Edge_1RB_Left	19.38	16.93
n71	10	15	693	CP	QPSK	Edge_1RB_Right	19.26	16.81
n71	10	15	693	CP	QPSK	Outer_Full	19.31	16.86
n71	10	15	693	CP	16QAM	Inner_Full	20.44	17.99
n71	10	15	693	CP	16QAM	Edge_1RB_Left	19.84	17.39
n71	10	15	693	CP	16QAM	Edge_1RB_Right	19.72	17.27
n71	10	15	693	CP	16QAM	Outer_Full	19.29	16.84
n71	10	15	693	CP	64QAM	Inner_Full	18.84	16.39
n71	10	15	693	CP	64QAM	Edge_1RB_Left	18.50	16.05
n71	10	15	693	CP	64QAM	Edge_1RB_Right	18.46	16.01
n71	10	15	693	CP	64QAM	Outer_Full	18.83	16.38
n71	10	15	693	CP	256QAM	Inner_Full	15.80	13.35
n71	10	15	693	CP	256QAM	Edge_1RB_Left	15.58	13.13
n71	10	15	693	CP	256QAM	Edge_1RB_Right	15.54	13.09
n71	10	15	693	CP	256QAM	Outer_Full	15.71	13.26
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	22.29	19.84
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	19.32
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.96	19.51
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	21.89	19.44
n71	15	15	670.5	DFT	QPSK	Inner_Full	22.39	19.94
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	21.30	18.85
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	21.47	19.02
n71	15	15	670.5	DFT	QPSK	Outer_Full	21.40	18.95
n71	15	15	670.5	DFT	16QAM	Inner_Full	21.31	18.86
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	20.59	18.14
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	20.68	18.23
n71	15	15	670.5	DFT	16QAM	Outer_Full	20.36	17.91
n71	15	15	670.5	DFT	64QAM	Inner_Full	19.91	17.46
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	19.57	17.12
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	19.85	17.40
n71	15	15	670.5	DFT	64QAM	Outer_Full	19.92	17.47
n71	15	15	670.5	DFT	256QAM	Inner_Full	17.81	15.36
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	17.46	15.01
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	17.75	15.30
n71	15	15	670.5	DFT	256QAM	Outer_Full	17.81	15.36
n71	15	15	670.5	CP	QPSK	Inner_Full	20.83	18.38
n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	19.23	16.78
n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	19.44	16.99



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	15	15	670.5	CP	QPSK	Outer_Full	19.35	16.90
n71	15	15	670.5	CP	16QAM	Inner_Full	20.33	17.88
n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	19.67	17.22
n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	19.82	17.37
n71	15	15	670.5	CP	16QAM	Outer_Full	19.30	16.85
n71	15	15	670.5	CP	64QAM	Inner_Full	18.90	16.45
n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	18.51	16.06
n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	18.71	16.26
n71	15	15	670.5	CP	64QAM	Outer_Full	18.83	16.38
n71	15	15	670.5	CP	256QAM	Inner_Full	15.79	13.34
n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	15.60	13.15
n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	15.88	13.43
n71	15	15	670.5	CP	256QAM	Outer_Full	15.81	13.36
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.33	19.88
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.87	19.42
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.80	19.35
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.90	19.45
n71	15	15	680.5	DFT	QPSK	Inner_Full	22.42	19.97
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	21.39	18.94
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	21.23	18.78
n71	15	15	680.5	DFT	QPSK	Outer_Full	21.39	18.94
n71	15	15	680.5	DFT	16QAM	Inner_Full	21.37	18.92
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	20.72	18.27
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	20.56	18.11
n71	15	15	680.5	DFT	16QAM	Outer_Full	20.40	17.95
n71	15	15	680.5	DFT	64QAM	Inner_Full	19.87	17.42
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	19.69	17.24
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	19.63	17.18
n71	15	15	680.5	DFT	64QAM	Outer_Full	19.93	17.48
n71	15	15	680.5	DFT	256QAM	Inner_Full	17.82	15.37
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	17.56	15.11
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	17.59	15.14
n71	15	15	680.5	DFT	256QAM	Outer_Full	17.74	15.29
n71	15	15	680.5	CP	QPSK	Inner_Full	20.85	18.40
n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	19.31	16.86
n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	19.34	16.89
n71	15	15	680.5	CP	QPSK	Outer_Full	19.32	16.87
n71	15	15	680.5	CP	16QAM	Inner_Full	20.31	17.86
n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	19.76	17.31
n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	19.69	17.24



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	15	15	680.5	CP	16QAM	Outer_Full	19.32	16.87
n71	15	15	680.5	CP	64QAM	Inner_Full	18.88	16.43
n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	18.52	16.07
n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	18.46	16.01
n71	15	15	680.5	CP	64QAM	Outer_Full	18.90	16.45
n71	15	15	680.5	CP	256QAM	Inner_Full	15.85	13.40
n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	15.65	13.20
n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	15.73	13.28
n71	15	15	680.5	CP	256QAM	Outer_Full	15.82	13.37
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	22.28	19.83
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.74	19.29
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.67	19.22
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	21.83	19.38
n71	15	15	690.5	DFT	QPSK	Inner_Full	22.24	19.79
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	21.31	18.86
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	21.24	18.79
n71	15	15	690.5	DFT	QPSK	Outer_Full	21.33	18.88
n71	15	15	690.5	DFT	16QAM	Inner_Full	21.17	18.72
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	20.52	18.07
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	20.45	18.00
n71	15	15	690.5	DFT	16QAM	Outer_Full	20.31	17.86
n71	15	15	690.5	DFT	64QAM	Inner_Full	19.77	17.32
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	19.69	17.24
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	19.57	17.12
n71	15	15	690.5	DFT	64QAM	Outer_Full	19.80	17.35
n71	15	15	690.5	DFT	256QAM	Inner_Full	17.76	15.31
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	17.46	15.01
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	17.48	15.03
n71	15	15	690.5	DFT	256QAM	Outer_Full	17.71	15.26
n71	15	15	690.5	CP	QPSK	Inner_Full	20.78	18.33
n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	19.24	16.79
n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	19.16	16.71
n71	15	15	690.5	CP	QPSK	Outer_Full	19.30	16.85
n71	15	15	690.5	CP	16QAM	Inner_Full	20.32	17.87
n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	19.60	17.15
n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	19.64	17.19
n71	15	15	690.5	CP	16QAM	Outer_Full	19.27	16.82
n71	15	15	690.5	CP	64QAM	Inner_Full	18.86	16.41
n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	18.45	16.00
n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	18.42	15.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	15	15	690.5	CP	64QAM	Outer_Full	18.81	16.36
n71	15	15	690.5	CP	256QAM	Inner_Full	15.77	13.32
n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	15.53	13.08
n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	15.59	13.14
n71	15	15	690.5	CP	256QAM	Outer_Full	15.74	13.29
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	22.37	19.92
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	19.32
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	21.85	19.40
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	21.93	19.48
n71	20	15	673	DFT	QPSK	Inner_Full	22.48	20.03
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	21.28	18.83
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	21.35	18.90
n71	20	15	673	DFT	QPSK	Outer_Full	21.48	19.03
n71	20	15	673	DFT	16QAM	Inner_Full	21.37	18.92
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	20.52	18.07
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	20.61	18.16
n71	20	15	673	DFT	16QAM	Outer_Full	20.46	18.01
n71	20	15	673	DFT	64QAM	Inner_Full	19.95	17.50
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	19.53	17.08
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	19.63	17.18
n71	20	15	673	DFT	64QAM	Outer_Full	19.99	17.54
n71	20	15	673	DFT	256QAM	Inner_Full	17.83	15.38
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	17.40	14.95
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	17.54	15.09
n71	20	15	673	DFT	256QAM	Outer_Full	17.95	15.50
n71	20	15	673	CP	QPSK	Inner_Full	20.93	18.48
n71	20	15	673	CP	QPSK	Edge_1RB_Left	19.11	16.66
n71	20	15	673	CP	QPSK	Edge_1RB_Right	19.47	17.02
n71	20	15	673	CP	QPSK	Outer_Full	19.42	16.97
n71	20	15	673	CP	16QAM	Inner_Full	20.39	17.94
n71	20	15	673	CP	16QAM	Edge_1RB_Left	19.07	16.62
n71	20	15	673	CP	16QAM	Edge_1RB_Right	19.81	17.36
n71	20	15	673	CP	16QAM	Outer_Full	19.47	17.02
n71	20	15	673	CP	64QAM	Inner_Full	18.98	16.53
n71	20	15	673	CP	64QAM	Edge_1RB_Left	18.44	15.99
n71	20	15	673	CP	64QAM	Edge_1RB_Right	18.61	16.16
n71	20	15	673	CP	64QAM	Outer_Full	19.00	16.55
n71	20	15	673	CP	256QAM	Inner_Full	15.81	13.36
n71	20	15	673	CP	256QAM	Edge_1RB_Left	15.40	12.95
n71	20	15	673	CP	256QAM	Edge_1RB_Right	15.73	13.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	20	15	673	CP	256QAM	Outer_Full	15.92	13.47
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.32	19.87
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.72	19.27
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	19.34
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.91	19.46
n71	20	15	680.5	DFT	QPSK	Inner_Full	22.42	19.97
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	21.26	18.81
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	21.20	18.75
n71	20	15	680.5	DFT	QPSK	Outer_Full	21.38	18.93
n71	20	15	680.5	DFT	16QAM	Inner_Full	21.35	18.90
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	20.52	18.07
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	20.45	18.00
n71	20	15	680.5	DFT	16QAM	Outer_Full	20.36	17.91
n71	20	15	680.5	DFT	64QAM	Inner_Full	19.85	17.40
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	19.60	17.15
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	19.57	17.12
n71	20	15	680.5	DFT	64QAM	Outer_Full	19.87	17.42
n71	20	15	680.5	DFT	256QAM	Inner_Full	17.80	15.35
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	17.39	14.94
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	17.57	15.12
n71	20	15	680.5	DFT	256QAM	Outer_Full	17.86	15.41
n71	20	15	680.5	CP	QPSK	Inner_Full	20.84	18.39
n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	19.18	16.73
n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	19.32	16.87
n71	20	15	680.5	CP	QPSK	Outer_Full	19.39	16.94
n71	20	15	680.5	CP	16QAM	Inner_Full	20.36	17.91
n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	19.70	17.25
n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	19.61	17.16
n71	20	15	680.5	CP	16QAM	Outer_Full	19.40	16.95
n71	20	15	680.5	CP	64QAM	Inner_Full	18.95	16.50
n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	18.45	16.00
n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	18.43	15.98
n71	20	15	680.5	CP	64QAM	Outer_Full	18.91	16.46
n71	20	15	680.5	CP	256QAM	Inner_Full	15.76	13.31
n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	15.41	12.96
n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	15.76	13.31
n71	20	15	680.5	CP	256QAM	Outer_Full	15.87	13.42
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	22.28	19.83
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	21.89	19.44
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	21.72	19.27



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	ERP(dBm)
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	21.78	19.33
n71	20	15	688	DFT	QPSK	Inner_Full	22.31	19.86
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	21.36	18.91
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	21.22	18.77
n71	20	15	688	DFT	QPSK	Outer_Full	21.34	18.89
n71	20	15	688	DFT	16QAM	Inner_Full	21.17	18.72
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	20.62	18.17
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	20.51	18.06
n71	20	15	688	DFT	16QAM	Outer_Full	20.31	17.86
n71	20	15	688	DFT	64QAM	Inner_Full	19.78	17.33
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	19.71	17.26
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	19.53	17.08
n71	20	15	688	DFT	64QAM	Outer_Full	19.85	17.40
n71	20	15	688	DFT	256QAM	Inner_Full	17.66	15.21
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	17.45	15.00
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	17.48	15.03
n71	20	15	688	DFT	256QAM	Outer_Full	17.77	15.32
n71	20	15	688	CP	QPSK	Inner_Full	20.73	18.28
n71	20	15	688	CP	QPSK	Edge_1RB_Left	19.28	16.83
n71	20	15	688	CP	QPSK	Edge_1RB_Right	19.21	16.76
n71	20	15	688	CP	QPSK	Outer_Full	19.34	16.89
n71	20	15	688	CP	16QAM	Inner_Full	20.24	17.79
n71	20	15	688	CP	16QAM	Edge_1RB_Left	19.71	17.26
n71	20	15	688	CP	16QAM	Edge_1RB_Right	19.69	17.24
n71	20	15	688	CP	16QAM	Outer_Full	19.27	16.82
n71	20	15	688	CP	64QAM	Inner_Full	18.85	16.40
n71	20	15	688	CP	64QAM	Edge_1RB_Left	18.55	16.10
n71	20	15	688	CP	64QAM	Edge_1RB_Right	18.48	16.03
n71	20	15	688	CP	64QAM	Outer_Full	18.82	16.37
n71	20	15	688	CP	256QAM	Inner_Full	15.69	13.24
n71	20	15	688	CP	256QAM	Edge_1RB_Left	15.55	13.10
n71	20	15	688	CP	256QAM	Edge_1RB_Right	15.64	13.19
n71	20	15	688	CP	256QAM	Outer_Full	15.78	13.33



n77L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	21.82	22.82
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	21.71	22.71
n77L	20	30	3460.02	CP	16QAM	Inner_Full	23.65	24.65
n77L	20	30	3460.02	CP	16QAM	Outer_Full	22.66	23.66
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	18.67	19.67
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	18.84	19.84
n77L	20	30	3460.02	CP	256QAM	Inner_Full	18.76	19.76
n77L	20	30	3460.02	CP	256QAM	Outer_Full	18.78	19.78
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	21.65	22.65
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	21.81	22.81
n77L	20	30	3460.02	CP	64QAM	Inner_Full	21.85	22.85
n77L	20	30	3460.02	CP	64QAM	Outer_Full	21.82	22.82
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.20	23.20
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	21.95	22.95
n77L	20	30	3460.02	CP	QPSK	Inner_Full	24.08	25.08
n77L	20	30	3460.02	CP	QPSK	Outer_Full	22.58	23.58
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	21.89	22.89
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.62	22.62
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	24.31	25.31
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	23.62	24.62
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	21.01	22.01
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	20.88	21.88
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	20.60	21.60
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	21.09	22.09
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	21.52	22.52
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	21.66	22.66
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	23.14	24.14
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	22.97	23.97
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	22.97
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.85	22.85
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	25.40	26.40
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	25.10	26.10
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.16	23.16
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.03	23.03
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	25.35	26.35
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	24.41	25.41
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	22.02	23.02
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	22.18	23.18
n77L	20	30	3500.01	CP	16QAM	Inner_Full	23.86	24.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	20	30	3500.01	CP	16QAM	Outer_Full	22.50	23.50
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	19.12	20.12
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	19.09	20.09
n77L	20	30	3500.01	CP	256QAM	Inner_Full	19.19	20.19
n77L	20	30	3500.01	CP	256QAM	Outer_Full	19.25	20.25
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	21.93	22.93
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	21.89	22.89
n77L	20	30	3500.01	CP	64QAM	Inner_Full	21.99	22.99
n77L	20	30	3500.01	CP	64QAM	Outer_Full	22.30	23.30
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.16	23.16
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	22.00	23.00
n77L	20	30	3500.01	CP	QPSK	Inner_Full	24.35	25.35
n77L	20	30	3500.01	CP	QPSK	Outer_Full	22.55	23.55
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.01	23.01
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.94	22.94
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	24.54	25.54
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	23.53	24.53
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.10	22.10
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.02	22.02
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	21.03	22.03
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	20.91	21.91
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.02	23.02
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.52	22.52
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	23.04	24.04
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	22.96	23.96
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	23.25
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.24	23.24
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.57	26.57
n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.41	26.41
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.02	23.02
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.88	22.88
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	25.89	26.89
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	24.59	25.59
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	22.07	23.07
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	22.08	23.08
n77L	20	30	3540	CP	16QAM	Inner_Full	23.50	24.50
n77L	20	30	3540	CP	16QAM	Outer_Full	22.68	23.68
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	19.11	20.11
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	18.53	19.53
n77L	20	30	3540	CP	256QAM	Inner_Full	19.07	20.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	20	30	3540	CP	256QAM	Outer_Full	19.17	20.17
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	22.04	23.04
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	22.13	23.13
n77L	20	30	3540	CP	64QAM	Inner_Full	21.94	22.94
n77L	20	30	3540	CP	64QAM	Outer_Full	22.16	23.16
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	22.37	23.37
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	22.23	23.23
n77L	20	30	3540	CP	QPSK	Inner_Full	23.93	24.93
n77L	20	30	3540	CP	QPSK	Outer_Full	22.74	23.74
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	22.03	23.03
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.40	22.40
n77L	20	30	3540	DFT	16QAM	Inner_Full	24.35	25.35
n77L	20	30	3540	DFT	16QAM	Outer_Full	23.41	24.41
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	21.15	22.15
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.85	21.85
n77L	20	30	3540	DFT	256QAM	Inner_Full	21.12	22.12
n77L	20	30	3540	DFT	256QAM	Outer_Full	21.16	22.16
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.97	22.97
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.33	22.33
n77L	20	30	3540	DFT	64QAM	Inner_Full	22.96	23.96
n77L	20	30	3540	DFT	64QAM	Outer_Full	23.27	24.27
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	22.10	23.10
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	22.99
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.48	26.48
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	24.99	25.99
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.09	23.09
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	21.66	22.66
n77L	20	30	3540	DFT	QPSK	Inner_Full	25.51	26.51
n77L	20	30	3540	DFT	QPSK	Outer_Full	24.73	25.73
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	21.86	22.86
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	22.12	23.12
n77L	40	30	3470.01	CP	16QAM	Inner_Full	23.65	24.65
n77L	40	30	3470.01	CP	16QAM	Outer_Full	22.71	23.71
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	19.09	20.09
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	18.63	19.63
n77L	40	30	3470.01	CP	256QAM	Inner_Full	19.14	20.14
n77L	40	30	3470.01	CP	256QAM	Outer_Full	19.24	20.24
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	21.89	22.89
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.79	22.79
n77L	40	30	3470.01	CP	64QAM	Inner_Full	21.86	22.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	40	30	3470.01	CP	64QAM	Outer_Full	22.21	23.21
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	22.27	23.27
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	21.86	22.86
n77L	40	30	3470.01	CP	QPSK	Inner_Full	24.14	25.14
n77L	40	30	3470.01	CP	QPSK	Outer_Full	22.69	23.69
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	21.99	22.99
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.60	22.60
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	24.29	25.29
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	23.69	24.69
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	20.74	21.74
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	20.73	21.73
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	20.82	21.82
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	21.18	22.18
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	21.55	22.55
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.80	22.80
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	23.14	24.14
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	23.25	24.25
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.96	22.96
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.95	22.95
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.50	26.50
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.23	26.23
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	21.92	22.92
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.16	23.16
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	25.67	26.67
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	24.69	25.69
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.23	23.23
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	22.15	23.15
n77L	40	30	3500.01	CP	16QAM	Inner_Full	23.74	24.74
n77L	40	30	3500.01	CP	16QAM	Outer_Full	22.75	23.75
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.13	20.13
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	19.04	20.04
n77L	40	30	3500.01	CP	256QAM	Inner_Full	19.25	20.25
n77L	40	30	3500.01	CP	256QAM	Outer_Full	18.99	19.99
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	21.92	22.92
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	21.86	22.86
n77L	40	30	3500.01	CP	64QAM	Inner_Full	22.36	23.36
n77L	40	30	3500.01	CP	64QAM	Outer_Full	22.05	23.05
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.09	23.09
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	22.00	23.00
n77L	40	30	3500.01	CP	QPSK	Inner_Full	24.27	25.27



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	40	30	3500.01	CP	QPSK	Outer_Full	22.80	23.80
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.92	22.92
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.98	22.98
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	24.42	25.42
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	23.71	24.71
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.12	22.12
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.93	21.93
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	21.22	22.22
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	21.29	22.29
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.91	22.91
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.85	22.85
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	23.26	24.26
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	23.31	24.31
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	22.98
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.24	23.24
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.56	26.56
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.11	26.11
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.84	22.84
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.09	23.09
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	25.83	26.83
n77L	40	30	3500.01	DFT	QPSK	Outer_Full	24.83	25.83
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	22.42	23.42
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	22.17	23.17
n77L	40	30	3529.98	CP	16QAM	Inner_Full	23.70	24.70
n77L	40	30	3529.98	CP	16QAM	Outer_Full	22.37	23.37
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.28	20.28
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.93	19.93
n77L	40	30	3529.98	CP	256QAM	Inner_Full	18.85	19.85
n77L	40	30	3529.98	CP	256QAM	Outer_Full	18.89	19.89
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	22.09	23.09
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.61	22.61
n77L	40	30	3529.98	CP	64QAM	Inner_Full	22.17	23.17
n77L	40	30	3529.98	CP	64QAM	Outer_Full	22.24	23.24
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	22.50	23.50
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	22.19	23.19
n77L	40	30	3529.98	CP	QPSK	Inner_Full	24.05	25.05
n77L	40	30	3529.98	CP	QPSK	Outer_Full	22.40	23.40
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	22.21	23.21
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.51	22.51
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	24.38	25.38



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	23.73	24.73
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	21.25	22.25
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	20.81	21.81
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	20.92	21.92
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	20.94	21.94
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.71	22.71
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.43	22.43
n77L	40	30	3529.98	DFT	64QAM	Inner_Full	23.18	24.18
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	22.92	23.92
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.36	23.36
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	22.99
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.58	26.58
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.37	26.37
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.14	23.14
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	22.03	23.03
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	25.71	26.71
n77L	40	30	3529.98	DFT	QPSK	Outer_Full	24.65	25.65
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	22.03	23.03
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	21.84	22.84
n77L	50	30	3475.02	CP	16QAM	Inner_Full	23.22	24.22
n77L	50	30	3475.02	CP	16QAM	Outer_Full	22.52	23.52
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	18.61	19.61
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	18.36	19.36
n77L	50	30	3475.02	CP	256QAM	Inner_Full	18.71	19.71
n77L	50	30	3475.02	CP	256QAM	Outer_Full	18.75	19.75
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	21.33	22.33
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	21.19	22.19
n77L	50	30	3475.02	CP	64QAM	Inner_Full	22.08	23.08
n77L	50	30	3475.02	CP	64QAM	Outer_Full	21.72	22.72
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	21.83	22.83
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.70	22.70
n77L	50	30	3475.02	CP	QPSK	Inner_Full	24.04	25.04
n77L	50	30	3475.02	CP	QPSK	Outer_Full	22.25	23.25
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	21.87	22.87
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.58	22.58
n77L	50	30	3475.02	DFT	16QAM	Inner_Full	24.17	25.17
n77L	50	30	3475.02	DFT	16QAM	Outer_Full	23.19	24.19
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	21.02	22.02
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	20.64	21.64
n77L	50	30	3475.02	DFT	256QAM	Inner_Full	21.08	22.08



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	50	30	3475.02	DFT	256QAM	Outer_Full	21.00	22.00
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	21.37	22.37
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.50	22.50
n77L	50	30	3475.02	DFT	64QAM	Inner_Full	22.94	23.94
n77L	50	30	3475.02	DFT	64QAM	Outer_Full	23.09	24.09
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.88	22.88
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.68	22.68
n77L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.54	26.54
n77L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	24.86	25.86
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	21.86	22.86
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.67	22.67
n77L	50	30	3475.02	DFT	QPSK	Inner_Full	25.19	26.19
n77L	50	30	3475.02	DFT	QPSK	Outer_Full	24.56	25.56
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	21.68	22.68
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.64	22.64
n77L	50	30	3500.01	CP	16QAM	Inner_Full	23.34	24.34
n77L	50	30	3500.01	CP	16QAM	Outer_Full	22.63	23.63
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	18.96	19.96
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	18.39	19.39
n77L	50	30	3500.01	CP	256QAM	Inner_Full	19.17	20.17
n77L	50	30	3500.01	CP	256QAM	Outer_Full	19.14	20.14
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	21.77	22.77
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	21.61	22.61
n77L	50	30	3500.01	CP	64QAM	Inner_Full	22.14	23.14
n77L	50	30	3500.01	CP	64QAM	Outer_Full	21.78	22.78
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	21.87	22.87
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	22.01	23.01
n77L	50	30	3500.01	CP	QPSK	Inner_Full	24.21	25.21
n77L	50	30	3500.01	CP	QPSK	Outer_Full	22.56	23.56
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.05	23.05
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.53	22.53
n77L	50	30	3500.01	DFT	16QAM	Inner_Full	24.33	25.33
n77L	50	30	3500.01	DFT	16QAM	Outer_Full	23.61	24.61
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.01	22.01
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.52	21.52
n77L	50	30	3500.01	DFT	256QAM	Inner_Full	21.07	22.07
n77L	50	30	3500.01	DFT	256QAM	Outer_Full	21.10	22.10
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.77	22.77
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.48	22.48
n77L	50	30	3500.01	DFT	64QAM	Inner_Full	23.13	24.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	50	30	3500.01	DFT	64QAM	Outer_Full	23.01	24.01
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.00	23.00
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.94	22.94
n77L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.44	26.44
n77L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.95	25.95
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.12	23.12
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.64	22.64
n77L	50	30	3500.01	DFT	QPSK	Inner_Full	25.62	26.62
n77L	50	30	3500.01	DFT	QPSK	Outer_Full	24.63	25.63
n77L	50	30	3525	CP	16QAM	Edge_1RB_Left	22.29	23.29
n77L	50	30	3525	CP	16QAM	Edge_1RB_Right	21.52	22.52
n77L	50	30	3525	CP	16QAM	Inner_Full	23.52	24.52
n77L	50	30	3525	CP	16QAM	Outer_Full	22.23	23.23
n77L	50	30	3525	CP	256QAM	Edge_1RB_Left	18.69	19.69
n77L	50	30	3525	CP	256QAM	Edge_1RB_Right	18.39	19.39
n77L	50	30	3525	CP	256QAM	Inner_Full	18.75	19.75
n77L	50	30	3525	CP	256QAM	Outer_Full	18.96	19.96
n77L	50	30	3525	CP	64QAM	Edge_1RB_Left	21.69	22.69
n77L	50	30	3525	CP	64QAM	Edge_1RB_Right	21.27	22.27
n77L	50	30	3525	CP	64QAM	Inner_Full	22.11	23.11
n77L	50	30	3525	CP	64QAM	Outer_Full	22.09	23.09
n77L	50	30	3525	CP	QPSK	Edge_1RB_Left	22.15	23.15
n77L	50	30	3525	CP	QPSK	Edge_1RB_Right	21.81	22.81
n77L	50	30	3525	CP	QPSK	Inner_Full	24.17	25.17
n77L	50	30	3525	CP	QPSK	Outer_Full	22.31	23.31
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Left	22.03	23.03
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.46	22.46
n77L	50	30	3525	DFT	16QAM	Inner_Full	24.61	25.61
n77L	50	30	3525	DFT	16QAM	Outer_Full	23.60	24.60
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.75	21.75
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Right	20.24	21.24
n77L	50	30	3525	DFT	256QAM	Inner_Full	20.74	21.74
n77L	50	30	3525	DFT	256QAM	Outer_Full	21.02	22.02
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.85	22.85
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.23	22.23
n77L	50	30	3525	DFT	64QAM	Inner_Full	23.09	24.09
n77L	50	30	3525	DFT	64QAM	Outer_Full	23.09	24.09
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	23.25
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.74	22.74
n77L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.68	26.68



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	25.19	26.19
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Left	22.20	23.20
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.76	22.76
n77L	50	30	3525	DFT	QPSK	Inner_Full	25.60	26.60
n77L	50	30	3525	DFT	QPSK	Outer_Full	24.28	25.28
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	21.61	22.61
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	21.86	22.86
n77L	60	30	3480	CP	16QAM	Inner_Full	23.16	24.16
n77L	60	30	3480	CP	16QAM	Outer_Full	22.56	23.56
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	18.91	19.91
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	18.74	19.74
n77L	60	30	3480	CP	256QAM	Inner_Full	18.95	19.95
n77L	60	30	3480	CP	256QAM	Outer_Full	18.63	19.63
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	21.70	22.70
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	21.29	22.29
n77L	60	30	3480	CP	64QAM	Inner_Full	22.01	23.01
n77L	60	30	3480	CP	64QAM	Outer_Full	21.93	22.93
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.07	23.07
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	21.61	22.61
n77L	60	30	3480	CP	QPSK	Inner_Full	24.03	25.03
n77L	60	30	3480	CP	QPSK	Outer_Full	22.61	23.61
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	21.81	22.81
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.67	22.67
n77L	60	30	3480	DFT	16QAM	Inner_Full	24.51	25.51
n77L	60	30	3480	DFT	16QAM	Outer_Full	23.26	24.26
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	20.85	21.85
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	20.76	21.76
n77L	60	30	3480	DFT	256QAM	Inner_Full	20.80	21.80
n77L	60	30	3480	DFT	256QAM	Outer_Full	21.12	22.12
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.37	22.37
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.20	22.20
n77L	60	30	3480	DFT	64QAM	Inner_Full	22.78	23.78
n77L	60	30	3480	DFT	64QAM	Outer_Full	22.96	23.96
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.00	23.00
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.57	22.57
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.27	26.27
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.09	26.09
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.04	23.04
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.87	22.87
n77L	60	30	3480	DFT	QPSK	Inner_Full	25.54	26.54



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	60	30	3480	DFT	QPSK	Outer_Full	24.58	25.58
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	21.92	22.92
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.81	22.81
n77L	60	30	3500.01	CP	16QAM	Inner_Full	23.63	24.63
n77L	60	30	3500.01	CP	16QAM	Outer_Full	22.39	23.39
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	18.86	19.86
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.68	19.68
n77L	60	30	3500.01	CP	256QAM	Inner_Full	18.99	19.99
n77L	60	30	3500.01	CP	256QAM	Outer_Full	19.07	20.07
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.36	22.36
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.31	22.31
n77L	60	30	3500.01	CP	64QAM	Inner_Full	22.11	23.11
n77L	60	30	3500.01	CP	64QAM	Outer_Full	22.00	23.00
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.07	23.07
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.72	22.72
n77L	60	30	3500.01	CP	QPSK	Inner_Full	24.13	25.13
n77L	60	30	3500.01	CP	QPSK	Outer_Full	22.41	23.41
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.71	22.71
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.63	22.63
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	24.52	25.52
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	23.25	24.25
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.86	21.86
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.39	21.39
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	20.85	21.85
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	21.08	22.08
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.34	22.34
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.18	22.18
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	22.89	23.89
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	22.95	23.95
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	22.97
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.61	22.61
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.42	26.42
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.79	25.79
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.82	22.82
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.76	22.76
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	25.59	26.59
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	24.47	25.47
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.03	23.03
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.48	22.48
n77L	60	30	3519.99	CP	16QAM	Inner_Full	23.64	24.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	60	30	3519.99	CP	16QAM	Outer_Full	22.35	23.35
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	18.91	19.91
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.54	19.54
n77L	60	30	3519.99	CP	256QAM	Inner_Full	18.74	19.74
n77L	60	30	3519.99	CP	256QAM	Outer_Full	19.08	20.08
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.62	22.62
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.39	22.39
n77L	60	30	3519.99	CP	64QAM	Inner_Full	22.09	23.09
n77L	60	30	3519.99	CP	64QAM	Outer_Full	21.77	22.77
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	22.08	23.08
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	21.65	22.65
n77L	60	30	3519.99	CP	QPSK	Inner_Full	24.02	25.02
n77L	60	30	3519.99	CP	QPSK	Outer_Full	22.56	23.56
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.82	22.82
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.36	22.36
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	24.66	25.66
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	23.56	24.56
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	20.77	21.77
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	20.53	21.53
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	21.03	22.03
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	21.04	22.04
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.40	22.40
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.11	22.11
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	23.03	24.03
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	23.07	24.07
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.81	22.81
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.61	22.61
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.75	26.75
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	25.02	26.02
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	21.86	22.86
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.34	22.34
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	25.68	26.68
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	24.30	25.30
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	21.99	22.99
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	21.35	22.35
n77L	80	30	3490.02	CP	16QAM	Inner_Full	23.19	24.19
n77L	80	30	3490.02	CP	16QAM	Outer_Full	22.32	23.32
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	18.33	19.33
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.43	19.43
n77L	80	30	3490.02	CP	256QAM	Inner_Full	18.50	19.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	80	30	3490.02	CP	256QAM	Outer_Full	18.92	19.92
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.34	22.34
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.38	22.38
n77L	80	30	3490.02	CP	64QAM	Inner_Full	21.76	22.76
n77L	80	30	3490.02	CP	64QAM	Outer_Full	21.77	22.77
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	21.66	22.66
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	21.48	22.48
n77L	80	30	3490.02	CP	QPSK	Inner_Full	23.71	24.71
n77L	80	30	3490.02	CP	QPSK	Outer_Full	22.14	23.14
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.78	22.78
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.53	22.53
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	24.09	25.09
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	23.01	24.01
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	20.60	21.60
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	20.45	21.45
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	20.56	21.56
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	20.50	21.50
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.51	22.51
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.09	22.09
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	22.52	23.52
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	22.88	23.88
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.72	22.72
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.70	22.70
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.43	26.43
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	25.01	26.01
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.50	22.50
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	21.25	22.25
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	25.11	26.11
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	24.02	25.02
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	21.62	22.62
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	21.56	22.56
n77L	80	30	3500.01	CP	16QAM	Inner_Full	23.10	24.10
n77L	80	30	3500.01	CP	16QAM	Outer_Full	22.39	23.39
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	18.70	19.70
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	18.07	19.07
n77L	80	30	3500.01	CP	256QAM	Inner_Full	18.66	19.66
n77L	80	30	3500.01	CP	256QAM	Outer_Full	18.75	19.75
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.59	22.59
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.25	22.25
n77L	80	30	3500.01	CP	64QAM	Inner_Full	21.76	22.76



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	80	30	3500.01	CP	64QAM	Outer_Full	21.93	22.93
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	21.90	22.90
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	21.64	22.64
n77L	80	30	3500.01	CP	QPSK	Inner_Full	24.01	25.01
n77L	80	30	3500.01	CP	QPSK	Outer_Full	22.22	23.22
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.42	22.42
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.16	22.16
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	24.20	25.20
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	23.29	24.29
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.60	21.60
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.32	21.32
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	20.78	21.78
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	20.89	21.89
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.45	22.45
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.15	22.15
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	22.70	23.70
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	22.57	23.57
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	22.77
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.47	22.47
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.32	26.32
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.73	25.73
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.83	22.83
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.51	22.51
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	25.25	26.25
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	24.21	25.21
n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	21.79	22.79
n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	21.44	22.44
n77L	80	30	3510	CP	16QAM	Inner_Full	23.39	24.39
n77L	80	30	3510	CP	16QAM	Outer_Full	22.20	23.20
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	18.67	19.67
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	18.03	19.03
n77L	80	30	3510	CP	256QAM	Inner_Full	18.57	19.57
n77L	80	30	3510	CP	256QAM	Outer_Full	18.91	19.91
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	21.12	22.12
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	21.19	22.19
n77L	80	30	3510	CP	64QAM	Inner_Full	21.96	22.96
n77L	80	30	3510	CP	64QAM	Outer_Full	21.96	22.96
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	21.98	22.98
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	21.21	22.21
n77L	80	30	3510	CP	QPSK	Inner_Full	23.78	24.78



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	80	30	3510	CP	QPSK	Outer_Full	22.37	23.37
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.27	22.27
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	20.96	21.96
n77L	80	30	3510	DFT	16QAM	Inner_Full	24.42	25.42
n77L	80	30	3510	DFT	16QAM	Outer_Full	23.16	24.16
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.72	21.72
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	20.02	21.02
n77L	80	30	3510	DFT	256QAM	Inner_Full	20.66	21.66
n77L	80	30	3510	DFT	256QAM	Outer_Full	20.65	21.65
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.27	22.27
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.16	22.16
n77L	80	30	3510	DFT	64QAM	Inner_Full	22.62	23.62
n77L	80	30	3510	DFT	64QAM	Outer_Full	22.91	23.91
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.85	22.85
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	21.36	22.36
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.44	26.44
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	24.76	25.76
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.91	22.91
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.24	22.24
n77L	80	30	3510	DFT	QPSK	Inner_Full	25.48	26.48
n77L	80	30	3510	DFT	QPSK	Outer_Full	24.35	25.35
n77L	90	30	3495	CP	16QAM	Edge_1RB_Left	21.55	22.55
n77L	90	30	3495	CP	16QAM	Edge_1RB_Right	21.49	22.49
n77L	90	30	3495	CP	16QAM	Inner_Full	23.30	24.30
n77L	90	30	3495	CP	16QAM	Outer_Full	22.39	23.39
n77L	90	30	3495	CP	256QAM	Edge_1RB_Left	18.73	19.73
n77L	90	30	3495	CP	256QAM	Edge_1RB_Right	18.42	19.42
n77L	90	30	3495	CP	256QAM	Inner_Full	18.91	19.91
n77L	90	30	3495	CP	256QAM	Outer_Full	18.89	19.89
n77L	90	30	3495	CP	64QAM	Edge_1RB_Left	21.38	22.38
n77L	90	30	3495	CP	64QAM	Edge_1RB_Right	21.32	22.32
n77L	90	30	3495	CP	64QAM	Inner_Full	21.58	22.58
n77L	90	30	3495	CP	64QAM	Outer_Full	21.86	22.86
n77L	90	30	3495	CP	QPSK	Edge_1RB_Left	21.74	22.74
n77L	90	30	3495	CP	QPSK	Edge_1RB_Right	21.79	22.79
n77L	90	30	3495	CP	QPSK	Inner_Full	23.92	24.92
n77L	90	30	3495	CP	QPSK	Outer_Full	22.45	23.45
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.65	22.65
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.04	22.04
n77L	90	30	3495	DFT	16QAM	Inner_Full	24.10	25.10



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	90	30	3495	DFT	16QAM	Outer_Full	23.03	24.03
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Left	20.73	21.73
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Right	20.27	21.27
n77L	90	30	3495	DFT	256QAM	Inner_Full	20.92	21.92
n77L	90	30	3495	DFT	256QAM	Outer_Full	20.94	21.94
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.55	22.55
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Right	21.23	22.23
n77L	90	30	3495	DFT	64QAM	Inner_Full	23.03	24.03
n77L	90	30	3495	DFT	64QAM	Outer_Full	22.50	23.50
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	21.73	22.73
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	21.62	22.62
n77L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	25.42	26.42
n77L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	24.96	25.96
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.52	22.52
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Right	21.32	22.32
n77L	90	30	3495	DFT	QPSK	Inner_Full	25.17	26.17
n77L	90	30	3495	DFT	QPSK	Outer_Full	24.11	25.11
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	21.50	22.50
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	21.59	22.59
n77L	90	30	3500.01	CP	16QAM	Inner_Full	23.44	24.44
n77L	90	30	3500.01	CP	16QAM	Outer_Full	22.47	23.47
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	18.82	19.82
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	18.50	19.50
n77L	90	30	3500.01	CP	256QAM	Inner_Full	18.99	19.99
n77L	90	30	3500.01	CP	256QAM	Outer_Full	18.96	19.96
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.49	22.49
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	21.31	22.31
n77L	90	30	3500.01	CP	64QAM	Inner_Full	21.94	22.94
n77L	90	30	3500.01	CP	64QAM	Outer_Full	21.92	22.92
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	21.76	22.76
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	21.40	22.40
n77L	90	30	3500.01	CP	QPSK	Inner_Full	23.81	24.81
n77L	90	30	3500.01	CP	QPSK	Outer_Full	22.14	23.14
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.34	22.34
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.32	22.32
n77L	90	30	3500.01	DFT	16QAM	Inner_Full	24.28	25.28
n77L	90	30	3500.01	DFT	16QAM	Outer_Full	23.43	24.43
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.74	21.74
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.27	21.27
n77L	90	30	3500.01	DFT	256QAM	Inner_Full	21.07	22.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	90	30	3500.01	DFT	256QAM	Outer_Full	20.91	21.91
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.59	22.59
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.27	22.27
n77L	90	30	3500.01	DFT	64QAM	Inner_Full	22.97	23.97
n77L	90	30	3500.01	DFT	64QAM	Outer_Full	22.95	23.95
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.61	22.61
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.64	22.64
n77L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.20	26.20
n77L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.72	25.72
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.85	22.85
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.45	22.45
n77L	90	30	3500.01	DFT	QPSK	Inner_Full	25.28	26.28
n77L	90	30	3500.01	DFT	QPSK	Outer_Full	24.50	25.50
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.91	22.91
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	21.61	22.61
n77L	90	30	3504.99	CP	16QAM	Inner_Full	23.48	24.48
n77L	90	30	3504.99	CP	16QAM	Outer_Full	22.12	23.12
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	18.35	19.35
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	18.49	19.49
n77L	90	30	3504.99	CP	256QAM	Inner_Full	19.02	20.02
n77L	90	30	3504.99	CP	256QAM	Outer_Full	18.61	19.61
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.41	22.41
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	21.33	22.33
n77L	90	30	3504.99	CP	64QAM	Inner_Full	21.70	22.70
n77L	90	30	3504.99	CP	64QAM	Outer_Full	21.94	22.94
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	21.77	22.77
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	21.36	22.36
n77L	90	30	3504.99	CP	QPSK	Inner_Full	23.81	24.81
n77L	90	30	3504.99	CP	QPSK	Outer_Full	22.10	23.10
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.71	22.71
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.40	22.40
n77L	90	30	3504.99	DFT	16QAM	Inner_Full	24.25	25.25
n77L	90	30	3504.99	DFT	16QAM	Outer_Full	23.36	24.36
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	20.47	21.47
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	20.09	21.09
n77L	90	30	3504.99	DFT	256QAM	Inner_Full	21.04	22.04
n77L	90	30	3504.99	DFT	256QAM	Outer_Full	20.56	21.56
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.57	22.57
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	21.28	22.28
n77L	90	30	3504.99	DFT	64QAM	Inner_Full	23.04	24.04



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	90	30	3504.99	DFT	64QAM	Outer_Full	23.03	24.03
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.92	22.92
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.23	22.23
n77L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.32	26.32
n77L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	24.74	25.74
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.92	22.92
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.62	22.62
n77L	90	30	3504.99	DFT	QPSK	Inner_Full	25.47	26.47
n77L	90	30	3504.99	DFT	QPSK	Outer_Full	24.44	25.44
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	21.75	22.75
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	21.38	22.38
n77L	100	30	3499.98	CP	16QAM	Inner_Full	23.34	24.34
n77L	100	30	3499.98	CP	16QAM	Outer_Full	22.40	23.40
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	18.65	19.65
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	18.14	19.14
n77L	100	30	3499.98	CP	256QAM	Inner_Full	18.75	19.75
n77L	100	30	3499.98	CP	256QAM	Outer_Full	18.70	19.70
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	21.26	22.26
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	21.11	22.11
n77L	100	30	3499.98	CP	64QAM	Inner_Full	21.71	22.71
n77L	100	30	3499.98	CP	64QAM	Outer_Full	21.71	22.71
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	21.75	22.75
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	21.52	22.52
n77L	100	30	3499.98	CP	QPSK	Inner_Full	23.68	24.68
n77L	100	30	3499.98	CP	QPSK	Outer_Full	22.21	23.21
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.66	22.66
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	21.25	22.25
n77L	100	30	3499.98	DFT	16QAM	Inner_Full	24.33	25.33
n77L	100	30	3499.98	DFT	16QAM	Outer_Full	23.41	24.41
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	20.75	21.75
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	20.43	21.43
n77L	100	30	3499.98	DFT	256QAM	Inner_Full	20.77	21.77
n77L	100	30	3499.98	DFT	256QAM	Outer_Full	20.70	21.70
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	21.34	22.34
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	21.09	22.09
n77L	100	30	3499.98	DFT	64QAM	Inner_Full	22.93	23.93
n77L	100	30	3499.98	DFT	64QAM	Outer_Full	22.67	23.67
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	22.77
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.36	22.36
n77L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	25.39	26.39



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	24.75	25.75
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	21.78	22.78
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	21.38	22.38
n77L	100	30	3499.98	DFT	QPSK	Inner_Full	25.36	26.36
n77L	100	30	3499.98	DFT	QPSK	Outer_Full	24.12	25.12
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.81	22.81
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.90	22.90
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.29	22.29
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.63	22.63
n77L	100	30	3500.01	CP	16QAM	Inner_Full	23.17	24.17
n77L	100	30	3500.01	CP	16QAM	Inner_Full	23.19	24.19
n77L	100	30	3500.01	CP	16QAM	Outer_Full	22.29	23.29
n77L	100	30	3500.01	CP	16QAM	Outer_Full	22.35	23.35
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.61	19.61
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.65	19.65
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.30	19.30
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.31	19.31
n77L	100	30	3500.01	CP	256QAM	Inner_Full	18.67	19.67
n77L	100	30	3500.01	CP	256QAM	Inner_Full	18.85	19.85
n77L	100	30	3500.01	CP	256QAM	Outer_Full	18.76	19.76
n77L	100	30	3500.01	CP	256QAM	Outer_Full	18.77	19.77
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.38	22.38
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.58	22.58
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.00	22.00
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.28	22.28
n77L	100	30	3500.01	CP	64QAM	Inner_Full	21.74	22.74
n77L	100	30	3500.01	CP	64QAM	Inner_Full	21.87	22.87
n77L	100	30	3500.01	CP	64QAM	Outer_Full	21.82	22.82
n77L	100	30	3500.01	CP	64QAM	Outer_Full	21.77	22.77
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	21.83	22.83
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	21.79	22.79
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.53	22.53
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.57	22.57
n77L	100	30	3500.01	CP	QPSK	Inner_Full	23.89	24.89
n77L	100	30	3500.01	CP	QPSK	Inner_Full	23.76	24.76
n77L	100	30	3500.01	CP	QPSK	Outer_Full	22.26	23.26
n77L	100	30	3500.01	CP	QPSK	Outer_Full	22.19	23.19
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.43	22.43
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.47	22.47
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.26	22.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.10	22.10
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	24.24	25.24
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	24.41	25.41
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	23.19	24.19
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	23.31	24.31
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.65	21.65
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.66	21.66
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.41	21.41
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.25	21.25
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	20.88	21.88
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	20.86	21.86
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	20.92	21.92
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	20.68	21.68
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.40	22.40
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.38	22.38
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.10	22.10
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.16	22.16
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	22.87	23.87
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	22.76	23.76
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	22.67	23.67
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	22.69	23.69
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.86	22.86
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	22.71
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.54	22.54
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.50	22.50
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.53	26.53
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.36	26.36
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.89	25.89
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.62	25.62
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.67	22.67
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.69	22.69
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.32	22.32
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.32	22.32
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	25.50	26.50
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	25.23	26.23
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	24.15	25.15
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	24.16	25.16



n77H

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	22.04	23.04
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	22.24	23.24
n77H	20	30	3710.01	CP	16QAM	Inner_Full	23.71	24.71
n77H	20	30	3710.01	CP	16QAM	Outer_Full	22.73	23.73
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	18.60	19.60
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	19.13	20.13
n77H	20	30	3710.01	CP	256QAM	Inner_Full	19.07	20.07
n77H	20	30	3710.01	CP	256QAM	Outer_Full	18.88	19.88
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	21.77	22.77
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	22.01	23.01
n77H	20	30	3710.01	CP	64QAM	Inner_Full	22.27	23.27
n77H	20	30	3710.01	CP	64QAM	Outer_Full	21.90	22.90
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	21.79	22.79
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	22.01	23.01
n77H	20	30	3710.01	CP	QPSK	Inner_Full	23.94	24.94
n77H	20	30	3710.01	CP	QPSK	Outer_Full	22.42	23.42
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	21.68	22.68
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	22.22	23.22
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	24.75	25.75
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	23.68	24.68
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	20.57	21.57
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	21.06	22.06
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	20.79	21.79
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	20.85	21.85
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	21.50	22.50
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.79	22.79
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	23.16	24.16
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	22.93	23.93
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.00	23.00
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.11	23.11
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.45	26.45
n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	25.00	26.00
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	22.04	23.04
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.96	22.96
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	25.75	26.75
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	24.80	25.80
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	21.91	22.91
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	22.07	23.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	20	30	3840	CP	16QAM	Inner_Full	23.57	24.57
n77H	20	30	3840	CP	16QAM	Outer_Full	22.61	23.61
n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	18.83	19.83
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	18.88	19.88
n77H	20	30	3840	CP	256QAM	Inner_Full	18.97	19.97
n77H	20	30	3840	CP	256QAM	Outer_Full	19.11	20.11
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	21.62	22.62
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	21.61	22.61
n77H	20	30	3840	CP	64QAM	Inner_Full	21.86	22.86
n77H	20	30	3840	CP	64QAM	Outer_Full	22.10	23.10
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	22.00	23.00
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	21.96	22.96
n77H	20	30	3840	CP	QPSK	Inner_Full	23.86	24.86
n77H	20	30	3840	CP	QPSK	Outer_Full	22.34	23.34
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	21.79	22.79
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	21.80	22.80
n77H	20	30	3840	DFT	16QAM	Inner_Full	24.37	25.37
n77H	20	30	3840	DFT	16QAM	Outer_Full	23.56	24.56
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	20.89	21.89
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	20.79	21.79
n77H	20	30	3840	DFT	256QAM	Inner_Full	20.99	21.99
n77H	20	30	3840	DFT	256QAM	Outer_Full	20.96	21.96
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	21.42	22.42
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	21.65	22.65
n77H	20	30	3840	DFT	64QAM	Inner_Full	23.16	24.16
n77H	20	30	3840	DFT	64QAM	Outer_Full	23.09	24.09
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.83	22.83
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.95	22.95
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	25.61	26.61
n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	24.84	25.84
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	21.74	22.74
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	21.81	22.81
n77H	20	30	3840	DFT	QPSK	Inner_Full	25.35	26.35
n77H	20	30	3840	DFT	QPSK	Outer_Full	24.61	25.61
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	21.63	22.63
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	21.45	22.45
n77H	20	30	3969.99	CP	16QAM	Inner_Full	23.04	24.04
n77H	20	30	3969.99	CP	16QAM	Outer_Full	22.20	23.20
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	18.31	19.31
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	18.55	19.55



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	20	30	3969.99	CP	256QAM	Inner_Full	18.63	19.63
n77H	20	30	3969.99	CP	256QAM	Outer_Full	18.70	19.70
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	21.14	22.14
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	21.41	22.41
n77H	20	30	3969.99	CP	64QAM	Inner_Full	21.47	22.47
n77H	20	30	3969.99	CP	64QAM	Outer_Full	21.62	22.62
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	21.49	22.49
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	21.74	22.74
n77H	20	30	3969.99	CP	QPSK	Inner_Full	23.56	24.56
n77H	20	30	3969.99	CP	QPSK	Outer_Full	22.17	23.17
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	21.21	22.21
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	21.43	22.43
n77H	20	30	3969.99	DFT	16QAM	Inner_Full	24.14	25.14
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	22.97	23.97
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	20.53	21.53
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	20.53	21.53
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	20.59	21.59
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	20.70	21.70
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	21.09	22.09
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	21.16	22.16
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	22.46	23.46
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	22.57	23.57
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.47	22.47
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	22.45
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	25.07	26.07
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	24.49	25.49
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	21.69	22.69
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	21.61	22.61
n77H	20	30	3969.99	DFT	QPSK	Inner_Full	25.22	26.22
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	24.22	25.22
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	21.95	22.95
n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	22.59	23.59
n77H	40	30	3720	CP	16QAM	Inner_Full	23.81	24.81
n77H	40	30	3720	CP	16QAM	Outer_Full	22.85	23.85
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	18.98	19.98
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	19.26	20.26
n77H	40	30	3720	CP	256QAM	Inner_Full	19.37	20.37
n77H	40	30	3720	CP	256QAM	Outer_Full	19.32	20.32
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	21.93	22.93
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	22.03	23.03



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	40	30	3720	CP	64QAM	Inner_Full	22.39	23.39
n77H	40	30	3720	CP	64QAM	Outer_Full	22.05	23.05
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	22.33	23.33
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	22.52	23.52
n77H	40	30	3720	CP	QPSK	Inner_Full	24.30	25.30
n77H	40	30	3720	CP	QPSK	Outer_Full	22.83	23.83
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	21.74	22.74
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	22.48	23.48
n77H	40	30	3720	DFT	16QAM	Inner_Full	24.83	25.83
n77H	40	30	3720	DFT	16QAM	Outer_Full	23.87	24.87
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	21.09	22.09
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	20.97	21.97
n77H	40	30	3720	DFT	256QAM	Inner_Full	21.26	22.26
n77H	40	30	3720	DFT	256QAM	Outer_Full	21.28	22.28
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	21.81	22.81
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	22.13	23.13
n77H	40	30	3720	DFT	64QAM	Inner_Full	23.33	24.33
n77H	40	30	3720	DFT	64QAM	Outer_Full	22.94	23.94
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	23.09
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	23.42
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	25.63	26.63
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	25.40	26.40
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	21.89	22.89
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	22.29	23.29
n77H	40	30	3720	DFT	QPSK	Inner_Full	25.87	26.87
n77H	40	30	3720	DFT	QPSK	Outer_Full	24.69	25.69
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	21.78	22.78
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	22.13	23.13
n77H	40	30	3840	CP	16QAM	Inner_Full	23.61	24.61
n77H	40	30	3840	CP	16QAM	Outer_Full	22.42	23.42
n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	18.74	19.74
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	18.75	19.75
n77H	40	30	3840	CP	256QAM	Inner_Full	19.07	20.07
n77H	40	30	3840	CP	256QAM	Outer_Full	18.92	19.92
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	21.81	22.81
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	21.82	22.82
n77H	40	30	3840	CP	64QAM	Inner_Full	22.17	23.17
n77H	40	30	3840	CP	64QAM	Outer_Full	22.10	23.10
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	21.89	22.89
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	22.17	23.17



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	40	30	3840	CP	QPSK	Inner_Full	23.96	24.96
n77H	40	30	3840	CP	QPSK	Outer_Full	22.67	23.67
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	22.07	23.07
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	22.06	23.06
n77H	40	30	3840	DFT	16QAM	Inner_Full	24.70	25.70
n77H	40	30	3840	DFT	16QAM	Outer_Full	23.54	24.54
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	20.78	21.78
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	20.64	21.64
n77H	40	30	3840	DFT	256QAM	Inner_Full	21.03	22.03
n77H	40	30	3840	DFT	256QAM	Outer_Full	21.21	22.21
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	21.48	22.48
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	21.42	22.42
n77H	40	30	3840	DFT	64QAM	Inner_Full	22.98	23.98
n77H	40	30	3840	DFT	64QAM	Outer_Full	22.85	23.85
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.95	22.95
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.02	23.02
n77H	40	30	3840	DFT	pi/2 BPSK	Inner_Full	25.42	26.42
n77H	40	30	3840	DFT	pi/2 BPSK	Outer_Full	25.23	26.23
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	22.11	23.11
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	22.13	23.13
n77H	40	30	3840	DFT	QPSK	Inner_Full	25.42	26.42
n77H	40	30	3840	DFT	QPSK	Outer_Full	24.71	25.71
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	21.54	22.54
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	21.80	22.80
n77H	40	30	3960	CP	16QAM	Inner_Full	23.29	24.29
n77H	40	30	3960	CP	16QAM	Outer_Full	22.17	23.17
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	18.38	19.38
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	18.24	19.24
n77H	40	30	3960	CP	256QAM	Inner_Full	18.64	19.64
n77H	40	30	3960	CP	256QAM	Outer_Full	18.74	19.74
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	21.50	22.50
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	21.27	22.27
n77H	40	30	3960	CP	64QAM	Inner_Full	21.83	22.83
n77H	40	30	3960	CP	64QAM	Outer_Full	21.73	22.73
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	21.78	22.78
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	21.93	22.93
n77H	40	30	3960	CP	QPSK	Inner_Full	23.65	24.65
n77H	40	30	3960	CP	QPSK	Outer_Full	22.31	23.31
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	21.71	22.71
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	21.72	22.72



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	40	30	3960	DFT	16QAM	Inner_Full	24.31	25.31
n77H	40	30	3960	DFT	16QAM	Outer_Full	23.08	24.08
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	20.35	21.35
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	20.32	21.32
n77H	40	30	3960	DFT	256QAM	Inner_Full	20.67	21.67
n77H	40	30	3960	DFT	256QAM	Outer_Full	20.62	21.62
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	21.17	22.17
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	21.33	22.33
n77H	40	30	3960	DFT	64QAM	Inner_Full	22.84	23.84
n77H	40	30	3960	DFT	64QAM	Outer_Full	22.87	23.87
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	21.74	22.74
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	21.85	22.85
n77H	40	30	3960	DFT	pi/2 BPSK	Inner_Full	25.35	26.35
n77H	40	30	3960	DFT	pi/2 BPSK	Outer_Full	24.69	25.69
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	21.44	22.44
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	21.73	22.73
n77H	40	30	3960	DFT	QPSK	Inner_Full	25.33	26.33
n77H	40	30	3960	DFT	QPSK	Outer_Full	24.31	25.31
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	21.66	22.66
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	22.28	23.28
n77H	50	30	3725.01	CP	16QAM	Inner_Full	23.47	24.47
n77H	50	30	3725.01	CP	16QAM	Outer_Full	22.52	23.52
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	18.61	19.61
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	19.13	20.13
n77H	50	30	3725.01	CP	256QAM	Inner_Full	18.94	19.94
n77H	50	30	3725.01	CP	256QAM	Outer_Full	19.29	20.29
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	21.62	22.62
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	21.99	22.99
n77H	50	30	3725.01	CP	64QAM	Inner_Full	22.02	23.02
n77H	50	30	3725.01	CP	64QAM	Outer_Full	22.28	23.28
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	21.72	22.72
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	22.04	23.04
n77H	50	30	3725.01	CP	QPSK	Inner_Full	24.02	25.02
n77H	50	30	3725.01	CP	QPSK	Outer_Full	22.53	23.53
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	21.86	22.86
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	22.23	23.23
n77H	50	30	3725.01	DFT	16QAM	Inner_Full	24.83	25.83
n77H	50	30	3725.01	DFT	16QAM	Outer_Full	23.44	24.44
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	20.79	21.79
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	20.88	21.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	50	30	3725.01	DFT	256QAM	Inner_Full	21.25	22.25
n77H	50	30	3725.01	DFT	256QAM	Outer_Full	21.24	22.24
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	21.30	22.30
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	21.62	22.62
n77H	50	30	3725.01	DFT	64QAM	Inner_Full	23.02	24.02
n77H	50	30	3725.01	DFT	64QAM	Outer_Full	23.30	24.30
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.88	22.88
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.27	23.27
n77H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	25.76	26.76
n77H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	25.28	26.28
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.72	22.72
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	22.28	23.28
n77H	50	30	3725.01	DFT	QPSK	Inner_Full	25.50	26.50
n77H	50	30	3725.01	DFT	QPSK	Outer_Full	24.80	25.80
n77H	50	30	3840	CP	16QAM	Edge_1RB_Left	21.77	22.77
n77H	50	30	3840	CP	16QAM	Edge_1RB_Right	21.91	22.91
n77H	50	30	3840	CP	16QAM	Inner_Full	23.52	24.52
n77H	50	30	3840	CP	16QAM	Outer_Full	22.28	23.28
n77H	50	30	3840	CP	256QAM	Edge_1RB_Left	18.48	19.48
n77H	50	30	3840	CP	256QAM	Edge_1RB_Right	18.84	19.84
n77H	50	30	3840	CP	256QAM	Inner_Full	18.84	19.84
n77H	50	30	3840	CP	256QAM	Outer_Full	18.71	19.71
n77H	50	30	3840	CP	64QAM	Edge_1RB_Left	21.32	22.32
n77H	50	30	3840	CP	64QAM	Edge_1RB_Right	21.37	22.37
n77H	50	30	3840	CP	64QAM	Inner_Full	22.10	23.10
n77H	50	30	3840	CP	64QAM	Outer_Full	21.75	22.75
n77H	50	30	3840	CP	QPSK	Edge_1RB_Left	21.68	22.68
n77H	50	30	3840	CP	QPSK	Edge_1RB_Right	21.81	22.81
n77H	50	30	3840	CP	QPSK	Inner_Full	23.81	24.81
n77H	50	30	3840	CP	QPSK	Outer_Full	22.50	23.50
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Left	21.86	22.86
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Right	21.86	22.86
n77H	50	30	3840	DFT	16QAM	Inner_Full	24.55	25.55
n77H	50	30	3840	DFT	16QAM	Outer_Full	23.26	24.26
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Left	20.41	21.41
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Right	20.69	21.69
n77H	50	30	3840	DFT	256QAM	Inner_Full	21.03	22.03
n77H	50	30	3840	DFT	256QAM	Outer_Full	20.99	21.99
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Left	21.52	22.52
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Right	21.52	22.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	50	30	3840	DFT	64QAM	Inner_Full	22.92	23.92
n77H	50	30	3840	DFT	64QAM	Outer_Full	22.99	23.99
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	22.71
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.96	22.96
n77H	50	30	3840	DFT	pi/2 BPSK	Inner_Full	25.69	26.69
n77H	50	30	3840	DFT	pi/2 BPSK	Outer_Full	24.81	25.81
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Left	21.91	22.91
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Right	21.95	22.95
n77H	50	30	3840	DFT	QPSK	Inner_Full	25.62	26.62
n77H	50	30	3840	DFT	QPSK	Outer_Full	24.49	25.49
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Left	21.15	22.15
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Right	21.61	22.61
n77H	50	30	3954.48	CP	16QAM	Inner_Full	23.02	24.02
n77H	50	30	3954.48	CP	16QAM	Outer_Full	21.75	22.75
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Left	18.19	19.19
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Right	18.08	19.08
n77H	50	30	3954.48	CP	256QAM	Inner_Full	18.30	19.30
n77H	50	30	3954.48	CP	256QAM	Outer_Full	18.28	19.28
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Left	21.11	22.11
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Right	21.25	22.25
n77H	50	30	3954.48	CP	64QAM	Inner_Full	21.37	22.37
n77H	50	30	3954.48	CP	64QAM	Outer_Full	21.60	22.60
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Left	21.22	22.22
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Right	21.60	22.60
n77H	50	30	3954.48	CP	QPSK	Inner_Full	23.32	24.32
n77H	50	30	3954.48	CP	QPSK	Outer_Full	21.77	22.77
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Left	21.25	22.25
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Right	21.46	22.46
n77H	50	30	3954.48	DFT	16QAM	Inner_Full	24.09	25.09
n77H	50	30	3954.48	DFT	16QAM	Outer_Full	22.84	23.84
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Left	20.15	21.15
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Right	20.01	21.01
n77H	50	30	3954.48	DFT	256QAM	Inner_Full	20.33	21.33
n77H	50	30	3954.48	DFT	256QAM	Outer_Full	20.55	21.55
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Left	20.68	21.68
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Right	21.13	22.13
n77H	50	30	3954.48	DFT	64QAM	Inner_Full	22.39	23.39
n77H	50	30	3954.48	DFT	64QAM	Outer_Full	22.54	23.54
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	21.14	22.14
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	21.53	22.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	50	30	3954.48	DFT	pi/2 BPSK	Inner_Full	24.87	25.87
n77H	50	30	3954.48	DFT	pi/2 BPSK	Outer_Full	24.30	25.30
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Left	21.32	22.32
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Right	21.30	22.30
n77H	50	30	3954.48	DFT	QPSK	Inner_Full	24.96	25.96
n77H	50	30	3954.48	DFT	QPSK	Outer_Full	24.05	25.05
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	21.55	22.55
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	22.29	23.29
n77H	60	30	3730.02	CP	16QAM	Inner_Full	23.29	24.29
n77H	60	30	3730.02	CP	16QAM	Outer_Full	22.30	23.30
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	18.56	19.56
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	19.03	20.03
n77H	60	30	3730.02	CP	256QAM	Inner_Full	18.90	19.90
n77H	60	30	3730.02	CP	256QAM	Outer_Full	18.84	19.84
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	21.45	22.45
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.84	22.84
n77H	60	30	3730.02	CP	64QAM	Inner_Full	21.80	22.80
n77H	60	30	3730.02	CP	64QAM	Outer_Full	22.01	23.01
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	21.84	22.84
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	22.47	23.47
n77H	60	30	3730.02	CP	QPSK	Inner_Full	24.17	25.17
n77H	60	30	3730.02	CP	QPSK	Outer_Full	22.52	23.52
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	21.58	22.58
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.92	22.92
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	24.56	25.56
n77H	60	30	3730.02	DFT	16QAM	Outer_Full	23.60	24.60
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	20.36	21.36
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	20.89	21.89
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	20.97	21.97
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	20.78	21.78
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	21.45	22.45
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.83	22.83
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	22.92	23.92
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	23.10	24.10
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.55	22.55
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.22	23.22
n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	25.70	26.70
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	25.15	26.15
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.67	22.67
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	22.37	23.37



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	25.45	26.45
n77H	60	30	3730.02	DFT	QPSK	Outer_Full	24.39	25.39
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	21.57	22.57
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	21.98	22.98
n77H	60	30	3840	CP	16QAM	Inner_Full	23.26	24.26
n77H	60	30	3840	CP	16QAM	Outer_Full	22.25	23.25
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	18.59	19.59
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	18.37	19.37
n77H	60	30	3840	CP	256QAM	Inner_Full	18.80	19.80
n77H	60	30	3840	CP	256QAM	Outer_Full	18.79	19.79
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	21.21	22.21
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	21.36	22.36
n77H	60	30	3840	CP	64QAM	Inner_Full	21.71	22.71
n77H	60	30	3840	CP	64QAM	Outer_Full	21.71	22.71
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	21.76	22.76
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	21.91	22.91
n77H	60	30	3840	CP	QPSK	Inner_Full	23.88	24.88
n77H	60	30	3840	CP	QPSK	Outer_Full	22.50	23.50
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	21.19	22.19
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	21.61	22.61
n77H	60	30	3840	DFT	16QAM	Inner_Full	24.53	25.53
n77H	60	30	3840	DFT	16QAM	Outer_Full	23.29	24.29
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	20.36	21.36
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	20.49	21.49
n77H	60	30	3840	DFT	256QAM	Inner_Full	20.92	21.92
n77H	60	30	3840	DFT	256QAM	Outer_Full	20.77	21.77
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	21.39	22.39
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	21.49	22.49
n77H	60	30	3840	DFT	64QAM	Inner_Full	23.00	24.00
n77H	60	30	3840	DFT	64QAM	Outer_Full	22.65	23.65
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.70	22.70
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.60	22.60
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	25.24	26.24
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	24.72	25.72
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	21.46	22.46
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	21.79	22.79
n77H	60	30	3840	DFT	QPSK	Inner_Full	25.44	26.44
n77H	60	30	3840	DFT	QPSK	Outer_Full	24.39	25.39
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	21.26	22.26
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	21.65	22.65



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	60	30	3949.98	CP	16QAM	Inner_Full	23.26	24.26
n77H	60	30	3949.98	CP	16QAM	Outer_Full	22.02	23.02
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	17.76	18.76
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	18.54	19.54
n77H	60	30	3949.98	CP	256QAM	Inner_Full	18.64	19.64
n77H	60	30	3949.98	CP	256QAM	Outer_Full	18.46	19.46
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	20.99	21.99
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	21.26	22.26
n77H	60	30	3949.98	CP	64QAM	Inner_Full	21.67	22.67
n77H	60	30	3949.98	CP	64QAM	Outer_Full	21.70	22.70
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	21.32	22.32
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	21.66	22.66
n77H	60	30	3949.98	CP	QPSK	Inner_Full	23.67	24.67
n77H	60	30	3949.98	CP	QPSK	Outer_Full	22.16	23.16
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	21.23	22.23
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	21.46	22.46
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	24.24	25.24
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	22.93	23.93
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	20.17	21.17
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	20.33	21.33
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	20.57	21.57
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	20.52	21.52
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	20.96	21.96
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	21.30	22.30
n77H	60	30	3949.98	DFT	64QAM	Inner_Full	22.50	23.50
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	22.55	23.55
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.13	22.13
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.43	22.43
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	25.23	26.23
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	24.74	25.74
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	21.23	22.23
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	21.66	22.66
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	25.13	26.13
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	24.19	25.19
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	21.26	22.26
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	22.37	23.37
n77H	80	30	3740.01	CP	16QAM	Inner_Full	23.41	24.41
n77H	80	30	3740.01	CP	16QAM	Outer_Full	22.52	23.52
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	18.48	19.48
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	19.00	20.00



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	80	30	3740.01	CP	256QAM	Inner_Full	18.95	19.95
n77H	80	30	3740.01	CP	256QAM	Outer_Full	19.17	20.17
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	21.33	22.33
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	22.06	23.06
n77H	80	30	3740.01	CP	64QAM	Inner_Full	22.15	23.15
n77H	80	30	3740.01	CP	64QAM	Outer_Full	22.20	23.20
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	21.70	22.70
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	22.51	23.51
n77H	80	30	3740.01	CP	QPSK	Inner_Full	23.95	24.95
n77H	80	30	3740.01	CP	QPSK	Outer_Full	22.66	23.66
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	21.66	22.66
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	22.13	23.13
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	24.40	25.40
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	23.58	24.58
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	20.41	21.41
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	21.34	22.34
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	21.20	22.20
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	21.09	22.09
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	21.16	22.16
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	22.08	23.08
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	23.18	24.18
n77H	80	30	3740.01	DFT	64QAM	Outer_Full	23.15	24.15
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.70	22.70
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.36	23.36
n77H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	25.48	26.48
n77H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	25.15	26.15
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.48	22.48
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	22.39	23.39
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	25.53	26.53
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	24.69	25.69
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	21.61	22.61
n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	21.53	22.53
n77H	80	30	3840	CP	16QAM	Inner_Full	23.30	24.30
n77H	80	30	3840	CP	16QAM	Outer_Full	22.13	23.13
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	18.56	19.56
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	18.67	19.67
n77H	80	30	3840	CP	256QAM	Inner_Full	18.64	19.64
n77H	80	30	3840	CP	256QAM	Outer_Full	18.74	19.74
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	21.12	22.12
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	21.26	22.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	80	30	3840	CP	64QAM	Inner_Full	21.50	22.50
n77H	80	30	3840	CP	64QAM	Outer_Full	21.66	22.66
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	21.48	22.48
n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	21.55	22.55
n77H	80	30	3840	CP	QPSK	Inner_Full	23.81	24.81
n77H	80	30	3840	CP	QPSK	Outer_Full	22.01	23.01
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	21.55	22.55
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	21.52	22.52
n77H	80	30	3840	DFT	16QAM	Inner_Full	24.18	25.18
n77H	80	30	3840	DFT	16QAM	Outer_Full	23.16	24.16
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	20.47	21.47
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	20.15	21.15
n77H	80	30	3840	DFT	256QAM	Inner_Full	20.79	21.79
n77H	80	30	3840	DFT	256QAM	Outer_Full	20.50	21.50
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	21.25	22.25
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.00	22.00
n77H	80	30	3840	DFT	64QAM	Inner_Full	22.55	23.55
n77H	80	30	3840	DFT	64QAM	Outer_Full	22.51	23.51
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.57	22.57
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.49	22.49
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	25.09	26.09
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	24.62	25.62
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	21.60	22.60
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	21.50	22.50
n77H	80	30	3840	DFT	QPSK	Inner_Full	25.38	26.38
n77H	80	30	3840	DFT	QPSK	Outer_Full	24.14	25.14
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	20.98	21.98
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	21.42	22.42
n77H	80	30	3939.99	CP	16QAM	Inner_Full	22.93	23.93
n77H	80	30	3939.99	CP	16QAM	Outer_Full	21.92	22.92
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	18.09	19.09
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	18.19	19.19
n77H	80	30	3939.99	CP	256QAM	Inner_Full	18.28	19.28
n77H	80	30	3939.99	CP	256QAM	Outer_Full	18.28	19.28
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	20.61	21.61
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	21.42	22.42
n77H	80	30	3939.99	CP	64QAM	Inner_Full	21.54	22.54
n77H	80	30	3939.99	CP	64QAM	Outer_Full	21.44	22.44
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	21.11	22.11
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	21.62	22.62



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	80	30	3939.99	CP	QPSK	Inner_Full	23.50	24.50
n77H	80	30	3939.99	CP	QPSK	Outer_Full	21.90	22.90
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	21.00	22.00
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	21.46	22.46
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	23.91	24.91
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	23.02	24.02
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	19.86	20.86
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	20.25	21.25
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	20.33	21.33
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	20.39	21.39
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	20.46	21.46
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	21.10	22.10
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	22.59	23.59
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	22.32	23.32
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.08	22.08
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	22.52
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	25.04	26.04
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	24.51	25.51
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	20.98	21.98
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	21.49	22.49
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	25.10	26.10
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	23.77	24.77
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	21.91	22.91
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	22.89	23.89
n77H	90	30	3745.02	CP	16QAM	Inner_Full	23.87	24.87
n77H	90	30	3745.02	CP	16QAM	Outer_Full	22.58	23.58
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	18.36	19.36
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	19.31	20.31
n77H	90	30	3745.02	CP	256QAM	Inner_Full	19.14	20.14
n77H	90	30	3745.02	CP	256QAM	Outer_Full	19.37	20.37
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	21.18	22.18
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	22.13	23.13
n77H	90	30	3745.02	CP	64QAM	Inner_Full	22.02	23.02
n77H	90	30	3745.02	CP	64QAM	Outer_Full	22.39	23.39
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	21.58	22.58
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	22.88	23.88
n77H	90	30	3745.02	CP	QPSK	Inner_Full	24.36	25.36
n77H	90	30	3745.02	CP	QPSK	Outer_Full	22.82	23.82
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	21.74	22.74
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	22.36	23.36



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	90	30	3745.02	DFT	16QAM	Inner_Full	24.50	25.50
n77H	90	30	3745.02	DFT	16QAM	Outer_Full	23.53	24.53
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	20.58	21.58
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	21.21	22.21
n77H	90	30	3745.02	DFT	256QAM	Inner_Full	21.07	22.07
n77H	90	30	3745.02	DFT	256QAM	Outer_Full	21.31	22.31
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	21.14	22.14
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	22.13	23.13
n77H	90	30	3745.02	DFT	64QAM	Inner_Full	23.15	24.15
n77H	90	30	3745.02	DFT	64QAM	Outer_Full	23.01	24.01
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.54	22.54
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	23.76
n77H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	25.91	26.91
n77H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	25.46	26.46
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	21.79	22.79
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	22.52	23.52
n77H	90	30	3745.02	DFT	QPSK	Inner_Full	25.64	26.64
n77H	90	30	3745.02	DFT	QPSK	Outer_Full	24.85	25.85
n77H	90	30	3840	CP	16QAM	Edge_1RB_Left	21.72	22.72
n77H	90	30	3840	CP	16QAM	Edge_1RB_Right	21.75	22.75
n77H	90	30	3840	CP	16QAM	Inner_Full	23.15	24.15
n77H	90	30	3840	CP	16QAM	Outer_Full	22.34	23.34
n77H	90	30	3840	CP	256QAM	Edge_1RB_Left	18.49	19.49
n77H	90	30	3840	CP	256QAM	Edge_1RB_Right	18.23	19.23
n77H	90	30	3840	CP	256QAM	Inner_Full	18.63	19.63
n77H	90	30	3840	CP	256QAM	Outer_Full	18.74	19.74
n77H	90	30	3840	CP	64QAM	Edge_1RB_Left	21.14	22.14
n77H	90	30	3840	CP	64QAM	Edge_1RB_Right	21.43	22.43
n77H	90	30	3840	CP	64QAM	Inner_Full	21.67	22.67
n77H	90	30	3840	CP	64QAM	Outer_Full	21.66	22.66
n77H	90	30	3840	CP	QPSK	Edge_1RB_Left	21.43	22.43
n77H	90	30	3840	CP	QPSK	Edge_1RB_Right	21.58	22.58
n77H	90	30	3840	CP	QPSK	Inner_Full	23.64	24.64
n77H	90	30	3840	CP	QPSK	Outer_Full	22.27	23.27
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Left	21.57	22.57
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Right	21.60	22.60
n77H	90	30	3840	DFT	16QAM	Inner_Full	24.11	25.11
n77H	90	30	3840	DFT	16QAM	Outer_Full	23.09	24.09
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Left	20.31	21.31
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Right	20.27	21.27



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	90	30	3840	DFT	256QAM	Inner_Full	20.53	21.53
n77H	90	30	3840	DFT	256QAM	Outer_Full	20.81	21.81
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Left	21.00	22.00
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Right	21.03	22.03
n77H	90	30	3840	DFT	64QAM	Inner_Full	22.88	23.88
n77H	90	30	3840	DFT	64QAM	Outer_Full	22.89	23.89
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.39	22.39
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.67	22.67
n77H	90	30	3840	DFT	pi/2 BPSK	Inner_Full	25.16	26.16
n77H	90	30	3840	DFT	pi/2 BPSK	Outer_Full	24.60	25.60
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Left	21.52	22.52
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Right	21.43	22.43
n77H	90	30	3840	DFT	QPSK	Inner_Full	25.22	26.22
n77H	90	30	3840	DFT	QPSK	Outer_Full	24.17	25.17
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Left	21.04	22.04
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Right	21.37	22.37
n77H	90	30	3934.98	CP	16QAM	Inner_Full	22.71	23.71
n77H	90	30	3934.98	CP	16QAM	Outer_Full	21.76	22.76
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Left	17.83	18.83
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Right	18.08	19.08
n77H	90	30	3934.98	CP	256QAM	Inner_Full	18.13	19.13
n77H	90	30	3934.98	CP	256QAM	Outer_Full	18.43	19.43
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Left	20.77	21.77
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Right	21.34	22.34
n77H	90	30	3934.98	CP	64QAM	Inner_Full	21.17	22.17
n77H	90	30	3934.98	CP	64QAM	Outer_Full	21.26	22.26
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Left	20.96	21.96
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Right	21.45	22.45
n77H	90	30	3934.98	CP	QPSK	Inner_Full	23.43	24.43
n77H	90	30	3934.98	CP	QPSK	Outer_Full	21.73	22.73
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	20.91	21.91
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	21.19	22.19
n77H	90	30	3934.98	DFT	16QAM	Inner_Full	23.72	24.72
n77H	90	30	3934.98	DFT	16QAM	Outer_Full	22.74	23.74
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	19.73	20.73
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	20.12	21.12
n77H	90	30	3934.98	DFT	256QAM	Inner_Full	20.43	21.43
n77H	90	30	3934.98	DFT	256QAM	Outer_Full	20.40	21.40
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	20.64	21.64
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	21.20	22.20



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	90	30	3934.98	DFT	64QAM	Inner_Full	22.31	23.31
n77H	90	30	3934.98	DFT	64QAM	Outer_Full	22.10	23.10
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.00	22.00
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.35	22.35
n77H	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	24.92	25.92
n77H	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	24.41	25.41
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	20.75	21.75
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	21.53	22.53
n77H	90	30	3934.98	DFT	QPSK	Inner_Full	24.81	25.81
n77H	90	30	3934.98	DFT	QPSK	Outer_Full	23.96	24.96
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	21.57	22.57
n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	22.31	23.31
n77H	100	30	3750	CP	16QAM	Inner_Full	23.66	24.66
n77H	100	30	3750	CP	16QAM	Outer_Full	22.63	23.63
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	18.29	19.29
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	19.19	20.19
n77H	100	30	3750	CP	256QAM	Inner_Full	19.04	20.04
n77H	100	30	3750	CP	256QAM	Outer_Full	19.12	20.12
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	21.27	22.27
n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	22.14	23.14
n77H	100	30	3750	CP	64QAM	Inner_Full	22.10	23.10
n77H	100	30	3750	CP	64QAM	Outer_Full	22.13	23.13
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	21.53	22.53
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	22.56	23.56
n77H	100	30	3750	CP	QPSK	Inner_Full	24.24	25.24
n77H	100	30	3750	CP	QPSK	Outer_Full	22.67	23.67
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	21.41	22.41
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	22.38	23.38
n77H	100	30	3750	DFT	16QAM	Inner_Full	24.65	25.65
n77H	100	30	3750	DFT	16QAM	Outer_Full	23.81	24.81
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	20.35	21.35
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	21.31	22.31
n77H	100	30	3750	DFT	256QAM	Inner_Full	21.09	22.09
n77H	100	30	3750	DFT	256QAM	Outer_Full	21.20	22.20
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	21.25	22.25
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	22.19	23.19
n77H	100	30	3750	DFT	64QAM	Inner_Full	23.27	24.27
n77H	100	30	3750	DFT	64QAM	Outer_Full	23.30	24.30
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.63	22.63
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.53	23.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	25.78	26.78
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	25.22	26.22
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	21.48	22.48
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	22.35	23.35
n77H	100	30	3750	DFT	QPSK	Inner_Full	25.75	26.75
n77H	100	30	3750	DFT	QPSK	Outer_Full	24.62	25.62
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	21.38	22.38
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	21.44	22.44
n77H	100	30	3840	CP	16QAM	Inner_Full	23.34	24.34
n77H	100	30	3840	CP	16QAM	Outer_Full	22.01	23.01
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	18.25	19.25
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	18.30	19.30
n77H	100	30	3840	CP	256QAM	Inner_Full	18.65	19.65
n77H	100	30	3840	CP	256QAM	Outer_Full	18.64	19.64
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	21.02	22.02
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	21.18	22.18
n77H	100	30	3840	CP	64QAM	Inner_Full	21.69	22.69
n77H	100	30	3840	CP	64QAM	Outer_Full	21.49	22.49
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	21.53	22.53
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	21.61	22.61
n77H	100	30	3840	CP	QPSK	Inner_Full	23.71	24.71
n77H	100	30	3840	CP	QPSK	Outer_Full	22.17	23.17
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	21.30	22.30
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	21.36	22.36
n77H	100	30	3840	DFT	16QAM	Inner_Full	24.23	25.23
n77H	100	30	3840	DFT	16QAM	Outer_Full	23.08	24.08
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	20.31	21.31
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	20.42	21.42
n77H	100	30	3840	DFT	256QAM	Inner_Full	20.68	21.68
n77H	100	30	3840	DFT	256QAM	Outer_Full	20.61	21.61
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	21.10	22.10
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	21.25	22.25
n77H	100	30	3840	DFT	64QAM	Inner_Full	22.66	23.66
n77H	100	30	3840	DFT	64QAM	Outer_Full	22.57	23.57
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.44	22.44
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.56	22.56
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	25.20	26.20
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	24.61	25.61
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	21.53	22.53
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	21.58	22.58



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n77H	100	30	3840	DFT	QPSK	Inner_Full	25.24	26.24
n77H	100	30	3840	DFT	QPSK	Outer_Full	24.05	25.05
n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	20.91	21.91
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	21.53	22.53
n77H	100	30	3930	CP	16QAM	Inner_Full	22.86	23.86
n77H	100	30	3930	CP	16QAM	Outer_Full	21.59	22.59
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	17.76	18.76
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	18.21	19.21
n77H	100	30	3930	CP	256QAM	Inner_Full	18.16	19.16
n77H	100	30	3930	CP	256QAM	Outer_Full	18.07	19.07
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	20.70	21.70
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	21.19	22.19
n77H	100	30	3930	CP	64QAM	Inner_Full	21.32	22.32
n77H	100	30	3930	CP	64QAM	Outer_Full	21.21	22.21
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	20.94	21.94
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	21.51	22.51
n77H	100	30	3930	CP	QPSK	Inner_Full	23.28	24.28
n77H	100	30	3930	CP	QPSK	Outer_Full	21.86	22.86
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	20.84	21.84
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	21.24	22.24
n77H	100	30	3930	DFT	16QAM	Inner_Full	23.89	24.89
n77H	100	30	3930	DFT	16QAM	Outer_Full	22.79	23.79
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	19.67	20.67
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	20.35	21.35
n77H	100	30	3930	DFT	256QAM	Inner_Full	20.22	21.22
n77H	100	30	3930	DFT	256QAM	Outer_Full	20.24	21.24
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	20.58	21.58
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	20.98	21.98
n77H	100	30	3930	DFT	64QAM	Inner_Full	22.28	23.28
n77H	100	30	3930	DFT	64QAM	Outer_Full	22.18	23.18
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	20.99	21.99
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	21.42	22.42
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	24.79	25.79
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	24.32	25.32
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	20.95	21.95
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	21.60	22.60
n77H	100	30	3930	DFT	QPSK	Inner_Full	24.89	25.89
n77H	100	30	3930	DFT	QPSK	Outer_Full	23.60	24.60



n78L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	25.47	26.47
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.90	22.90
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	22.82
n78L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	24.81	25.81
n78L	20	30	3460.02	DFT	QPSK	Inner_Full	25.63	26.63
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	21.80	22.80
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	21.68	22.68
n78L	20	30	3460.02	DFT	QPSK	Outer_Full	24.65	25.65
n78L	20	30	3460.02	DFT	16QAM	Inner_Full	24.29	25.29
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	21.79	22.79
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.86	22.86
n78L	20	30	3460.02	DFT	16QAM	Outer_Full	23.58	24.58
n78L	20	30	3460.02	DFT	64QAM	Inner_Full	23.15	24.15
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	21.38	22.38
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	21.75	22.75
n78L	20	30	3460.02	DFT	64QAM	Outer_Full	22.83	23.83
n78L	20	30	3460.02	DFT	256QAM	Inner_Full	21.03	22.03
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	20.59	21.59
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	20.91	21.91
n78L	20	30	3460.02	DFT	256QAM	Outer_Full	20.95	21.95
n78L	20	30	3460.02	CP	QPSK	Inner_Full	23.76	24.76
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.07	23.07
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	22.16	23.16
n78L	20	30	3460.02	CP	QPSK	Outer_Full	22.58	23.58
n78L	20	30	3460.02	CP	16QAM	Inner_Full	23.65	24.65
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	21.66	22.66
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	21.70	22.70
n78L	20	30	3460.02	CP	16QAM	Outer_Full	22.65	23.65
n78L	20	30	3460.02	CP	64QAM	Inner_Full	22.11	23.11
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	21.45	22.45
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	21.42	22.42
n78L	20	30	3460.02	CP	64QAM	Outer_Full	22.12	23.12
n78L	20	30	3460.02	CP	256QAM	Inner_Full	18.67	19.67
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	18.96	19.96
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	18.60	19.60
n78L	20	30	3460.02	CP	256QAM	Outer_Full	19.12	20.12
n78L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.81	26.81
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.13	23.13
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.13	23.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.25	26.25
n78L	20	30	3500.01	DFT	QPSK	Inner_Full	25.90	26.90
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.90	22.90
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.13	23.13
n78L	20	30	3500.01	DFT	QPSK	Outer_Full	24.83	25.83
n78L	20	30	3500.01	DFT	16QAM	Inner_Full	24.47	25.47
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.80	22.80
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.15	23.15
n78L	20	30	3500.01	DFT	16QAM	Outer_Full	23.75	24.75
n78L	20	30	3500.01	DFT	64QAM	Inner_Full	23.28	24.28
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.50	22.50
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.86	22.86
n78L	20	30	3500.01	DFT	64QAM	Outer_Full	22.99	23.99
n78L	20	30	3500.01	DFT	256QAM	Inner_Full	21.21	22.21
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.08	22.08
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.05	22.05
n78L	20	30	3500.01	DFT	256QAM	Outer_Full	21.16	22.16
n78L	20	30	3500.01	CP	QPSK	Inner_Full	24.33	25.33
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.28	23.28
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	22.41	23.41
n78L	20	30	3500.01	CP	QPSK	Outer_Full	22.78	23.78
n78L	20	30	3500.01	CP	16QAM	Inner_Full	23.61	24.61
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	22.27	23.27
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	22.23	23.23
n78L	20	30	3500.01	CP	16QAM	Outer_Full	22.74	23.74
n78L	20	30	3500.01	CP	64QAM	Inner_Full	22.02	23.02
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	22.07	23.07
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	21.69	22.69
n78L	20	30	3500.01	CP	64QAM	Outer_Full	21.95	22.95
n78L	20	30	3500.01	CP	256QAM	Inner_Full	19.18	20.18
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	18.73	19.73
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	18.79	19.79
n78L	20	30	3500.01	CP	256QAM	Outer_Full	19.32	20.32
n78L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.67	26.67
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	22.97
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.80	22.80
n78L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	25.15	26.15
n78L	20	30	3540	DFT	QPSK	Inner_Full	25.63	26.63
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.27	23.27
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Right	22.11	23.11



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	20	30	3540	DFT	QPSK	Outer_Full	24.37	25.37
n78L	20	30	3540	DFT	16QAM	Inner_Full	24.70	25.70
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Left	22.08	23.08
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.63	22.63
n78L	20	30	3540	DFT	16QAM	Outer_Full	23.68	24.68
n78L	20	30	3540	DFT	64QAM	Inner_Full	23.14	24.14
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.85	22.85
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.34	22.34
n78L	20	30	3540	DFT	64QAM	Outer_Full	22.87	23.87
n78L	20	30	3540	DFT	256QAM	Inner_Full	20.81	21.81
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Left	20.67	21.67
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.57	21.57
n78L	20	30	3540	DFT	256QAM	Outer_Full	21.18	22.18
n78L	20	30	3540	CP	QPSK	Inner_Full	24.21	25.21
n78L	20	30	3540	CP	QPSK	Edge_1RB_Left	22.34	23.34
n78L	20	30	3540	CP	QPSK	Edge_1RB_Right	21.83	22.83
n78L	20	30	3540	CP	QPSK	Outer_Full	22.39	23.39
n78L	20	30	3540	CP	16QAM	Inner_Full	23.79	24.79
n78L	20	30	3540	CP	16QAM	Edge_1RB_Left	21.96	22.96
n78L	20	30	3540	CP	16QAM	Edge_1RB_Right	22.13	23.13
n78L	20	30	3540	CP	16QAM	Outer_Full	22.38	23.38
n78L	20	30	3540	CP	64QAM	Inner_Full	21.88	22.88
n78L	20	30	3540	CP	64QAM	Edge_1RB_Left	21.67	22.67
n78L	20	30	3540	CP	64QAM	Edge_1RB_Right	21.87	22.87
n78L	20	30	3540	CP	64QAM	Outer_Full	22.22	23.22
n78L	20	30	3540	CP	256QAM	Inner_Full	18.85	19.85
n78L	20	30	3540	CP	256QAM	Edge_1RB_Left	19.17	20.17
n78L	20	30	3540	CP	256QAM	Edge_1RB_Right	19.00	20.00
n78L	20	30	3540	CP	256QAM	Outer_Full	18.86	19.86
n78L	30	30	3465	DFT	pi/2 BPSK	Inner_Full	25.72	26.72
n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	23.17
n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.04	23.04
n78L	30	30	3465	DFT	pi/2 BPSK	Outer_Full	24.74	25.74
n78L	30	30	3465	DFT	QPSK	Inner_Full	25.61	26.61
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Left	21.74	22.74
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Right	22.04	23.04
n78L	30	30	3465	DFT	QPSK	Outer_Full	24.64	25.64
n78L	30	30	3465	DFT	16QAM	Inner_Full	24.46	25.46
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Left	21.97	22.97
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Right	21.75	22.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	30	30	3465	DFT	16QAM	Outer_Full	23.33	24.33
n78L	30	30	3465	DFT	64QAM	Inner_Full	23.14	24.14
n78L	30	30	3465	DFT	64QAM	Edge_1RB_Left	21.82	22.82
n78L	30	30	3465	DFT	64QAM	Edge_1RB_Right	21.73	22.73
n78L	30	30	3465	DFT	64QAM	Outer_Full	22.75	23.75
n78L	30	30	3465	DFT	256QAM	Inner_Full	20.78	21.78
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Left	21.09	22.09
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Right	20.81	21.81
n78L	30	30	3465	DFT	256QAM	Outer_Full	21.13	22.13
n78L	30	30	3465	CP	QPSK	Inner_Full	24.05	25.05
n78L	30	30	3465	CP	QPSK	Edge_1RB_Left	22.13	23.13
n78L	30	30	3465	CP	QPSK	Edge_1RB_Right	22.18	23.18
n78L	30	30	3465	CP	QPSK	Outer_Full	22.60	23.60
n78L	30	30	3465	CP	16QAM	Inner_Full	23.61	24.61
n78L	30	30	3465	CP	16QAM	Edge_1RB_Left	22.24	23.24
n78L	30	30	3465	CP	16QAM	Edge_1RB_Right	22.17	23.17
n78L	30	30	3465	CP	16QAM	Outer_Full	22.25	23.25
n78L	30	30	3465	CP	64QAM	Inner_Full	21.96	22.96
n78L	30	30	3465	CP	64QAM	Edge_1RB_Left	21.91	22.91
n78L	30	30	3465	CP	64QAM	Edge_1RB_Right	21.88	22.88
n78L	30	30	3465	CP	64QAM	Outer_Full	21.83	22.83
n78L	30	30	3465	CP	256QAM	Inner_Full	18.77	19.77
n78L	30	30	3465	CP	256QAM	Edge_1RB_Left	18.97	19.97
n78L	30	30	3465	CP	256QAM	Edge_1RB_Right	18.46	19.46
n78L	30	30	3465	CP	256QAM	Outer_Full	19.15	20.15
n78L	30	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.49	26.49
n78L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.93	22.93
n78L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	23.01
n78L	30	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.13	26.13
n78L	30	30	3500.01	DFT	QPSK	Inner_Full	25.56	26.56
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.86	22.86
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.18	23.18
n78L	30	30	3500.01	DFT	QPSK	Outer_Full	24.38	25.38
n78L	30	30	3500.01	DFT	16QAM	Inner_Full	24.73	25.73
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.70	22.70
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.58	22.58
n78L	30	30	3500.01	DFT	16QAM	Outer_Full	23.48	24.48
n78L	30	30	3500.01	DFT	64QAM	Inner_Full	23.28	24.28
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.63	22.63
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.64	22.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	30	30	3500.01	DFT	64QAM	Outer_Full	23.04	24.04
n78L	30	30	3500.01	DFT	256QAM	Inner_Full	21.36	22.36
n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.16	22.16
n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.75	21.75
n78L	30	30	3500.01	DFT	256QAM	Outer_Full	20.86	21.86
n78L	30	30	3500.01	CP	QPSK	Inner_Full	24.26	25.26
n78L	30	30	3500.01	CP	QPSK	Edge_1RB_Left	22.21	23.21
n78L	30	30	3500.01	CP	QPSK	Edge_1RB_Right	22.12	23.12
n78L	30	30	3500.01	CP	QPSK	Outer_Full	22.76	23.76
n78L	30	30	3500.01	CP	16QAM	Inner_Full	23.50	24.50
n78L	30	30	3500.01	CP	16QAM	Edge_1RB_Left	21.99	22.99
n78L	30	30	3500.01	CP	16QAM	Edge_1RB_Right	22.35	23.35
n78L	30	30	3500.01	CP	16QAM	Outer_Full	22.37	23.37
n78L	30	30	3500.01	CP	64QAM	Inner_Full	22.33	23.33
n78L	30	30	3500.01	CP	64QAM	Edge_1RB_Left	21.73	22.73
n78L	30	30	3500.01	CP	64QAM	Edge_1RB_Right	21.98	22.98
n78L	30	30	3500.01	CP	64QAM	Outer_Full	22.28	23.28
n78L	30	30	3500.01	CP	256QAM	Inner_Full	18.92	19.92
n78L	30	30	3500.01	CP	256QAM	Edge_1RB_Left	19.11	20.11
n78L	30	30	3500.01	CP	256QAM	Edge_1RB_Right	19.04	20.04
n78L	30	30	3500.01	CP	256QAM	Outer_Full	19.25	20.25
n78L	30	30	3534.99	DFT	pi/2 BPSK	Inner_Full	25.77	26.77
n78L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.35	23.35
n78L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.09	23.09
n78L	30	30	3534.99	DFT	pi/2 BPSK	Outer_Full	25.33	26.33
n78L	30	30	3534.99	DFT	QPSK	Inner_Full	25.80	26.80
n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	22.34	23.34
n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	22.12	23.12
n78L	30	30	3534.99	DFT	QPSK	Outer_Full	24.84	25.84
n78L	30	30	3534.99	DFT	16QAM	Inner_Full	24.42	25.42
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	22.18	23.18
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	21.82	22.82
n78L	30	30	3534.99	DFT	16QAM	Outer_Full	23.81	24.81
n78L	30	30	3534.99	DFT	64QAM	Inner_Full	23.20	24.20
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	22.58	23.58
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	22.14	23.14
n78L	30	30	3534.99	DFT	64QAM	Outer_Full	23.35	24.35
n78L	30	30	3534.99	DFT	256QAM	Inner_Full	21.18	22.18
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	21.12	22.12
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	20.97	21.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	30	30	3534.99	DFT	256QAM	Outer_Full	21.15	22.15
n78L	30	30	3534.99	CP	QPSK	Inner_Full	24.08	25.08
n78L	30	30	3534.99	CP	QPSK	Edge_1RB_Left	22.45	23.45
n78L	30	30	3534.99	CP	QPSK	Edge_1RB_Right	21.93	22.93
n78L	30	30	3534.99	CP	QPSK	Outer_Full	22.44	23.44
n78L	30	30	3534.99	CP	16QAM	Inner_Full	23.62	24.62
n78L	30	30	3534.99	CP	16QAM	Edge_1RB_Left	21.95	22.95
n78L	30	30	3534.99	CP	16QAM	Edge_1RB_Right	22.09	23.09
n78L	30	30	3534.99	CP	16QAM	Outer_Full	22.82	23.82
n78L	30	30	3534.99	CP	64QAM	Inner_Full	21.95	22.95
n78L	30	30	3534.99	CP	64QAM	Edge_1RB_Left	21.67	22.67
n78L	30	30	3534.99	CP	64QAM	Edge_1RB_Right	21.34	22.34
n78L	30	30	3534.99	CP	64QAM	Outer_Full	22.14	23.14
n78L	30	30	3534.99	CP	256QAM	Inner_Full	19.31	20.31
n78L	30	30	3534.99	CP	256QAM	Edge_1RB_Left	18.81	19.81
n78L	30	30	3534.99	CP	256QAM	Edge_1RB_Right	18.86	19.86
n78L	30	30	3534.99	CP	256QAM	Outer_Full	19.06	20.06
n78L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.75	26.75
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.03	23.03
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.19	23.19
n78L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.20	26.20
n78L	40	30	3470.01	DFT	QPSK	Inner_Full	25.32	26.32
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	21.74	22.74
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	21.83	22.83
n78L	40	30	3470.01	DFT	QPSK	Outer_Full	24.32	25.32
n78L	40	30	3470.01	DFT	16QAM	Inner_Full	24.62	25.62
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	22.07	23.07
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.94	22.94
n78L	40	30	3470.01	DFT	16QAM	Outer_Full	23.69	24.69
n78L	40	30	3470.01	DFT	64QAM	Inner_Full	23.19	24.19
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	21.90	22.90
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.74	22.74
n78L	40	30	3470.01	DFT	64QAM	Outer_Full	23.19	24.19
n78L	40	30	3470.01	DFT	256QAM	Inner_Full	21.14	22.14
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	20.99	21.99
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	20.83	21.83
n78L	40	30	3470.01	DFT	256QAM	Outer_Full	21.19	22.19
n78L	40	30	3470.01	CP	QPSK	Inner_Full	24.11	25.11
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	21.90	22.90
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	22.18	23.18



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	40	30	3470.01	CP	QPSK	Outer_Full	22.25	23.25
n78L	40	30	3470.01	CP	16QAM	Inner_Full	23.29	24.29
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	22.17	23.17
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	21.96	22.96
n78L	40	30	3470.01	CP	16QAM	Outer_Full	22.64	23.64
n78L	40	30	3470.01	CP	64QAM	Inner_Full	22.17	23.17
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	21.96	22.96
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.85	22.85
n78L	40	30	3470.01	CP	64QAM	Outer_Full	21.91	22.91
n78L	40	30	3470.01	CP	256QAM	Inner_Full	19.14	20.14
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	18.90	19.90
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	19.02	20.02
n78L	40	30	3470.01	CP	256QAM	Outer_Full	18.78	19.78
n78L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.52	26.52
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.37	23.37
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.26	23.26
n78L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.35	26.35
n78L	40	30	3500.01	DFT	QPSK	Inner_Full	25.83	26.83
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.04	23.04
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.23	23.23
n78L	40	30	3500.01	DFT	QPSK	Outer_Full	24.77	25.77
n78L	40	30	3500.01	DFT	16QAM	Inner_Full	24.45	25.45
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.31	23.31
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.24	23.24
n78L	40	30	3500.01	DFT	16QAM	Outer_Full	23.80	24.80
n78L	40	30	3500.01	DFT	64QAM	Inner_Full	23.24	24.24
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.57	22.57
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.86	22.86
n78L	40	30	3500.01	DFT	64QAM	Outer_Full	23.30	24.30
n78L	40	30	3500.01	DFT	256QAM	Inner_Full	21.29	22.29
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.74	21.74
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.70	21.70
n78L	40	30	3500.01	DFT	256QAM	Outer_Full	21.31	22.31
n78L	40	30	3500.01	CP	QPSK	Inner_Full	24.12	25.12
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.38	23.38
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	22.00	23.00
n78L	40	30	3500.01	CP	QPSK	Outer_Full	22.75	23.75
n78L	40	30	3500.01	CP	16QAM	Inner_Full	23.71	24.71
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.27	23.27
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	21.95	22.95



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	40	30	3500.01	CP	16QAM	Outer_Full	22.70	23.70
n78L	40	30	3500.01	CP	64QAM	Inner_Full	22.28	23.28
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	22.11	23.11
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	22.02	23.02
n78L	40	30	3500.01	CP	64QAM	Outer_Full	21.97	22.97
n78L	40	30	3500.01	CP	256QAM	Inner_Full	18.84	19.84
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.15	20.15
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	19.09	20.09
n78L	40	30	3500.01	CP	256QAM	Outer_Full	19.28	20.28
n78L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.62	26.62
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	23.15
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.97	22.97
n78L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.00	26.00
n78L	40	30	3529.98	DFT	QPSK	Inner_Full	25.82	26.82
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.42	23.42
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	21.75	22.75
n78L	40	30	3529.98	DFT	QPSK	Outer_Full	24.67	25.67
n78L	40	30	3529.98	DFT	16QAM	Inner_Full	24.73	25.73
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	22.38	23.38
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.95	22.95
n78L	40	30	3529.98	DFT	16QAM	Outer_Full	23.84	24.84
n78L	40	30	3529.98	DFT	64QAM	Inner_Full	23.34	24.34
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	22.05	23.05
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.61	22.61
n78L	40	30	3529.98	DFT	64QAM	Outer_Full	23.33	24.33
n78L	40	30	3529.98	DFT	256QAM	Inner_Full	20.83	21.83
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	20.87	21.87
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	20.59	21.59
n78L	40	30	3529.98	DFT	256QAM	Outer_Full	21.33	22.33
n78L	40	30	3529.98	CP	QPSK	Inner_Full	24.00	25.00
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	22.45	23.45
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	21.80	22.80
n78L	40	30	3529.98	CP	QPSK	Outer_Full	22.77	23.77
n78L	40	30	3529.98	CP	16QAM	Inner_Full	23.50	24.50
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	22.22	23.22
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	22.28	23.28
n78L	40	30	3529.98	CP	16QAM	Outer_Full	22.81	23.81
n78L	40	30	3529.98	CP	64QAM	Inner_Full	22.20	23.20
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	21.89	22.89
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.56	22.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	40	30	3529.98	CP	64QAM	Outer_Full	22.31	23.31
n78L	40	30	3529.98	CP	256QAM	Inner_Full	18.91	19.91
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.11	20.11
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.47	19.47
n78L	40	30	3529.98	CP	256QAM	Outer_Full	19.31	20.31
n78L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.60	26.60
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.74	22.74
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	22.99
n78L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	25.00	26.00
n78L	50	30	3475.02	DFT	QPSK	Inner_Full	25.52	26.52
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	21.53	22.53
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.72	22.72
n78L	50	30	3475.02	DFT	QPSK	Outer_Full	24.20	25.20
n78L	50	30	3475.02	DFT	16QAM	Inner_Full	24.41	25.41
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	21.85	22.85
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.48	22.48
n78L	50	30	3475.02	DFT	16QAM	Outer_Full	23.40	24.40
n78L	50	30	3475.02	DFT	64QAM	Inner_Full	22.87	23.87
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	21.43	22.43
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.48	22.48
n78L	50	30	3475.02	DFT	64QAM	Outer_Full	22.98	23.98
n78L	50	30	3475.02	DFT	256QAM	Inner_Full	21.02	22.02
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	20.85	21.85
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	20.55	21.55
n78L	50	30	3475.02	DFT	256QAM	Outer_Full	20.98	21.98
n78L	50	30	3475.02	CP	QPSK	Inner_Full	24.08	25.08
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	21.81	22.81
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.95	22.95
n78L	50	30	3475.02	CP	QPSK	Outer_Full	22.46	23.46
n78L	50	30	3475.02	CP	16QAM	Inner_Full	23.50	24.50
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	21.94	22.94
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	22.02	23.02
n78L	50	30	3475.02	CP	16QAM	Outer_Full	22.44	23.44
n78L	50	30	3475.02	CP	64QAM	Inner_Full	22.04	23.04
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	21.71	22.71
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	21.34	22.34
n78L	50	30	3475.02	CP	64QAM	Outer_Full	21.68	22.68
n78L	50	30	3475.02	CP	256QAM	Inner_Full	19.05	20.05
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	18.71	19.71
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	18.37	19.37



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	50	30	3475.02	CP	256QAM	Outer_Full	19.00	20.00
n78L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.63	26.63
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	22.97
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	22.90
n78L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.14	26.14
n78L	50	30	3500.01	DFT	QPSK	Inner_Full	25.75	26.75
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.96	22.96
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.92	22.92
n78L	50	30	3500.01	DFT	QPSK	Outer_Full	24.68	25.68
n78L	50	30	3500.01	DFT	16QAM	Inner_Full	24.71	25.71
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.82	22.82
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.76	22.76
n78L	50	30	3500.01	DFT	16QAM	Outer_Full	23.64	24.64
n78L	50	30	3500.01	DFT	64QAM	Inner_Full	23.22	24.22
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.71	22.71
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.55	22.55
n78L	50	30	3500.01	DFT	64QAM	Outer_Full	23.22	24.22
n78L	50	30	3500.01	DFT	256QAM	Inner_Full	20.89	21.89
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.82	21.82
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.45	21.45
n78L	50	30	3500.01	DFT	256QAM	Outer_Full	20.80	21.80
n78L	50	30	3500.01	CP	QPSK	Inner_Full	24.02	25.02
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	22.01	23.01
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	21.98	22.98
n78L	50	30	3500.01	CP	QPSK	Outer_Full	22.25	23.25
n78L	50	30	3500.01	CP	16QAM	Inner_Full	23.60	24.60
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	21.74	22.74
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.48	22.48
n78L	50	30	3500.01	CP	16QAM	Outer_Full	22.64	23.64
n78L	50	30	3500.01	CP	64QAM	Inner_Full	22.22	23.22
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	21.38	22.38
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	21.61	22.61
n78L	50	30	3500.01	CP	64QAM	Outer_Full	22.19	23.19
n78L	50	30	3500.01	CP	256QAM	Inner_Full	18.80	19.80
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	18.78	19.78
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	18.78	19.78
n78L	50	30	3500.01	CP	256QAM	Outer_Full	18.93	19.93
n78L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.69	26.69
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	23.19
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.80	22.80



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	25.10	26.10
n78L	50	30	3525	DFT	QPSK	Inner_Full	25.61	26.61
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Left	22.07	23.07
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.80	22.80
n78L	50	30	3525	DFT	QPSK	Outer_Full	24.59	25.59
n78L	50	30	3525	DFT	16QAM	Inner_Full	24.60	25.60
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.55	22.55
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.60	22.60
n78L	50	30	3525	DFT	16QAM	Outer_Full	23.39	24.39
n78L	50	30	3525	DFT	64QAM	Inner_Full	23.10	24.10
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.43	22.43
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.20	22.20
n78L	50	30	3525	DFT	64QAM	Outer_Full	23.09	24.09
n78L	50	30	3525	DFT	256QAM	Inner_Full	20.71	21.71
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.72	21.72
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Right	20.61	21.61
n78L	50	30	3525	DFT	256QAM	Outer_Full	20.96	21.96
n78L	50	30	3525	CP	QPSK	Inner_Full	24.17	25.17
n78L	50	30	3525	CP	QPSK	Edge_1RB_Left	21.97	22.97
n78L	50	30	3525	CP	QPSK	Edge_1RB_Right	21.89	22.89
n78L	50	30	3525	CP	QPSK	Outer_Full	22.54	23.54
n78L	50	30	3525	CP	16QAM	Inner_Full	23.18	24.18
n78L	50	30	3525	CP	16QAM	Edge_1RB_Left	21.89	22.89
n78L	50	30	3525	CP	16QAM	Edge_1RB_Right	21.52	22.52
n78L	50	30	3525	CP	16QAM	Outer_Full	22.16	23.16
n78L	50	30	3525	CP	64QAM	Inner_Full	21.77	22.77
n78L	50	30	3525	CP	64QAM	Edge_1RB_Left	21.41	22.41
n78L	50	30	3525	CP	64QAM	Edge_1RB_Right	21.47	22.47
n78L	50	30	3525	CP	64QAM	Outer_Full	21.74	22.74
n78L	50	30	3525	CP	256QAM	Inner_Full	18.73	19.73
n78L	50	30	3525	CP	256QAM	Edge_1RB_Left	18.48	19.48
n78L	50	30	3525	CP	256QAM	Edge_1RB_Right	18.23	19.23
n78L	50	30	3525	CP	256QAM	Outer_Full	19.05	20.05
n78L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.40	26.40
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	23.09
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	22.79
n78L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.03	26.03
n78L	60	30	3480	DFT	QPSK	Inner_Full	25.60	26.60
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Left	21.57	22.57
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.45	22.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	60	30	3480	DFT	QPSK	Outer_Full	24.53	25.53
n78L	60	30	3480	DFT	16QAM	Inner_Full	24.48	25.48
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Left	21.97	22.97
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.51	22.51
n78L	60	30	3480	DFT	16QAM	Outer_Full	23.13	24.13
n78L	60	30	3480	DFT	64QAM	Inner_Full	22.65	23.65
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.48	22.48
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.33	22.33
n78L	60	30	3480	DFT	64QAM	Outer_Full	22.95	23.95
n78L	60	30	3480	DFT	256QAM	Inner_Full	20.72	21.72
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Left	20.98	21.98
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Right	20.47	21.47
n78L	60	30	3480	DFT	256QAM	Outer_Full	21.04	22.04
n78L	60	30	3480	CP	QPSK	Inner_Full	23.87	24.87
n78L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.14	23.14
n78L	60	30	3480	CP	QPSK	Edge_1RB_Right	21.63	22.63
n78L	60	30	3480	CP	QPSK	Outer_Full	22.41	23.41
n78L	60	30	3480	CP	16QAM	Inner_Full	23.53	24.53
n78L	60	30	3480	CP	16QAM	Edge_1RB_Left	21.98	22.98
n78L	60	30	3480	CP	16QAM	Edge_1RB_Right	21.52	22.52
n78L	60	30	3480	CP	16QAM	Outer_Full	22.31	23.31
n78L	60	30	3480	CP	64QAM	Inner_Full	21.78	22.78
n78L	60	30	3480	CP	64QAM	Edge_1RB_Left	21.36	22.36
n78L	60	30	3480	CP	64QAM	Edge_1RB_Right	21.48	22.48
n78L	60	30	3480	CP	64QAM	Outer_Full	22.05	23.05
n78L	60	30	3480	CP	256QAM	Inner_Full	19.07	20.07
n78L	60	30	3480	CP	256QAM	Edge_1RB_Left	18.41	19.41
n78L	60	30	3480	CP	256QAM	Edge_1RB_Right	18.71	19.71
n78L	60	30	3480	CP	256QAM	Outer_Full	18.65	19.65
n78L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.48	26.48
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	22.98
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.85	22.85
n78L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.91	25.91
n78L	60	30	3500.01	DFT	QPSK	Inner_Full	25.58	26.58
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.97	22.97
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.85	22.85
n78L	60	30	3500.01	DFT	QPSK	Outer_Full	24.61	25.61
n78L	60	30	3500.01	DFT	16QAM	Inner_Full	24.48	25.48
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.70	22.70
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.38	22.38



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	60	30	3500.01	DFT	16QAM	Outer_Full	23.68	24.68
n78L	60	30	3500.01	DFT	64QAM	Inner_Full	23.19	24.19
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.68	22.68
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.09	22.09
n78L	60	30	3500.01	DFT	64QAM	Outer_Full	23.05	24.05
n78L	60	30	3500.01	DFT	256QAM	Inner_Full	20.85	21.85
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.83	21.83
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.72	21.72
n78L	60	30	3500.01	DFT	256QAM	Outer_Full	21.01	22.01
n78L	60	30	3500.01	CP	QPSK	Inner_Full	24.06	25.06
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	21.90	22.90
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.95	22.95
n78L	60	30	3500.01	CP	QPSK	Outer_Full	22.57	23.57
n78L	60	30	3500.01	CP	16QAM	Inner_Full	23.46	24.46
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	22.12	23.12
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.98	22.98
n78L	60	30	3500.01	CP	16QAM	Outer_Full	22.62	23.62
n78L	60	30	3500.01	CP	64QAM	Inner_Full	21.66	22.66
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.78	22.78
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.44	22.44
n78L	60	30	3500.01	CP	64QAM	Outer_Full	21.71	22.71
n78L	60	30	3500.01	CP	256QAM	Inner_Full	19.10	20.10
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	18.68	19.68
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.59	19.59
n78L	60	30	3500.01	CP	256QAM	Outer_Full	18.67	19.67
n78L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.60	26.60
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.04	23.04
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.34	22.34
n78L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	24.78	25.78
n78L	60	30	3519.99	DFT	QPSK	Inner_Full	25.56	26.56
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.11	23.11
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.71	22.71
n78L	60	30	3519.99	DFT	QPSK	Outer_Full	24.25	25.25
n78L	60	30	3519.99	DFT	16QAM	Inner_Full	24.39	25.39
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.89	22.89
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.42	22.42
n78L	60	30	3519.99	DFT	16QAM	Outer_Full	23.60	24.60
n78L	60	30	3519.99	DFT	64QAM	Inner_Full	22.76	23.76
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.68	22.68
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.15	22.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	60	30	3519.99	DFT	64QAM	Outer_Full	22.95	23.95
n78L	60	30	3519.99	DFT	256QAM	Inner_Full	20.71	21.71
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	21.00	22.00
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	20.58	21.58
n78L	60	30	3519.99	DFT	256QAM	Outer_Full	20.97	21.97
n78L	60	30	3519.99	CP	QPSK	Inner_Full	23.91	24.91
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	21.91	22.91
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	21.57	22.57
n78L	60	30	3519.99	CP	QPSK	Outer_Full	22.38	23.38
n78L	60	30	3519.99	CP	16QAM	Inner_Full	23.47	24.47
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.13	23.13
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.48	22.48
n78L	60	30	3519.99	CP	16QAM	Outer_Full	22.55	23.55
n78L	60	30	3519.99	CP	64QAM	Inner_Full	22.09	23.09
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.90	22.90
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.49	22.49
n78L	60	30	3519.99	CP	64QAM	Outer_Full	21.96	22.96
n78L	60	30	3519.99	CP	256QAM	Inner_Full	18.97	19.97
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	19.02	20.02
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.60	19.60
n78L	60	30	3519.99	CP	256QAM	Outer_Full	19.10	20.10
n78L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	25.39	26.39
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	22.77
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.72	22.72
n78L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	24.61	25.61
n78L	70	30	3485.01	DFT	QPSK	Inner_Full	25.47	26.47
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	21.47	22.47
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	21.23	22.23
n78L	70	30	3485.01	DFT	QPSK	Outer_Full	24.44	25.44
n78L	70	30	3485.01	DFT	16QAM	Inner_Full	24.42	25.42
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	21.87	22.87
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.68	22.68
n78L	70	30	3485.01	DFT	16QAM	Outer_Full	23.42	24.42
n78L	70	30	3485.01	DFT	64QAM	Inner_Full	22.94	23.94
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	21.35	22.35
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	21.41	22.41
n78L	70	30	3485.01	DFT	64QAM	Outer_Full	22.77	23.77
n78L	70	30	3485.01	DFT	256QAM	Inner_Full	20.53	21.53
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	20.75	21.75
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	20.17	21.17



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	70	30	3485.01	DFT	256QAM	Outer_Full	20.97	21.97
n78L	70	30	3485.01	CP	QPSK	Inner_Full	23.80	24.80
n78L	70	30	3485.01	CP	QPSK	Edge_1RB_Left	21.61	22.61
n78L	70	30	3485.01	CP	QPSK	Edge_1RB_Right	21.79	22.79
n78L	70	30	3485.01	CP	QPSK	Outer_Full	22.38	23.38
n78L	70	30	3485.01	CP	16QAM	Inner_Full	23.04	24.04
n78L	70	30	3485.01	CP	16QAM	Edge_1RB_Left	21.53	22.53
n78L	70	30	3485.01	CP	16QAM	Edge_1RB_Right	21.73	22.73
n78L	70	30	3485.01	CP	16QAM	Outer_Full	22.06	23.06
n78L	70	30	3485.01	CP	64QAM	Inner_Full	21.59	22.59
n78L	70	30	3485.01	CP	64QAM	Edge_1RB_Left	21.54	22.54
n78L	70	30	3485.01	CP	64QAM	Edge_1RB_Right	21.29	22.29
n78L	70	30	3485.01	CP	64QAM	Outer_Full	21.84	22.84
n78L	70	30	3485.01	CP	256QAM	Inner_Full	18.91	19.91
n78L	70	30	3485.01	CP	256QAM	Edge_1RB_Left	18.31	19.31
n78L	70	30	3485.01	CP	256QAM	Edge_1RB_Right	18.63	19.63
n78L	70	30	3485.01	CP	256QAM	Outer_Full	18.48	19.48
n78L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.52	26.52
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	22.71
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.72	22.72
n78L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.08	26.08
n78L	70	30	3500.01	DFT	QPSK	Inner_Full	25.47	26.47
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.94	22.94
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.58	22.58
n78L	70	30	3500.01	DFT	QPSK	Outer_Full	24.32	25.32
n78L	70	30	3500.01	DFT	16QAM	Inner_Full	24.44	25.44
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.91	22.91
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.58	22.58
n78L	70	30	3500.01	DFT	16QAM	Outer_Full	23.10	24.10
n78L	70	30	3500.01	DFT	64QAM	Inner_Full	22.56	23.56
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.15	22.15
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.02	22.02
n78L	70	30	3500.01	DFT	64QAM	Outer_Full	22.83	23.83
n78L	70	30	3500.01	DFT	256QAM	Inner_Full	21.03	22.03
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.43	21.43
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.12	21.12
n78L	70	30	3500.01	DFT	256QAM	Outer_Full	20.93	21.93
n78L	70	30	3500.01	CP	QPSK	Inner_Full	23.99	24.99
n78L	70	30	3500.01	CP	QPSK	Edge_1RB_Left	21.69	22.69
n78L	70	30	3500.01	CP	QPSK	Edge_1RB_Right	21.42	22.42



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	70	30	3500.01	CP	QPSK	Outer_Full	22.30	23.30
n78L	70	30	3500.01	CP	16QAM	Inner_Full	23.49	24.49
n78L	70	30	3500.01	CP	16QAM	Edge_1RB_Left	21.56	22.56
n78L	70	30	3500.01	CP	16QAM	Edge_1RB_Right	21.38	22.38
n78L	70	30	3500.01	CP	16QAM	Outer_Full	22.40	23.40
n78L	70	30	3500.01	CP	64QAM	Inner_Full	21.55	22.55
n78L	70	30	3500.01	CP	64QAM	Edge_1RB_Left	21.73	22.73
n78L	70	30	3500.01	CP	64QAM	Edge_1RB_Right	21.48	22.48
n78L	70	30	3500.01	CP	64QAM	Outer_Full	21.92	22.92
n78L	70	30	3500.01	CP	256QAM	Inner_Full	18.80	19.80
n78L	70	30	3500.01	CP	256QAM	Edge_1RB_Left	18.58	19.58
n78L	70	30	3500.01	CP	256QAM	Edge_1RB_Right	18.08	19.08
n78L	70	30	3500.01	CP	256QAM	Outer_Full	19.02	20.02
n78L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	25.26	26.26
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.70	22.70
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.24	22.24
n78L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	24.99	25.99
n78L	70	30	3514.98	DFT	QPSK	Inner_Full	25.27	26.27
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	21.59	22.59
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	21.11	22.11
n78L	70	30	3514.98	DFT	QPSK	Outer_Full	24.50	25.50
n78L	70	30	3514.98	DFT	16QAM	Inner_Full	24.35	25.35
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.84	22.84
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.43	22.43
n78L	70	30	3514.98	DFT	16QAM	Outer_Full	23.09	24.09
n78L	70	30	3514.98	DFT	64QAM	Inner_Full	22.68	23.68
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	21.64	22.64
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	21.10	22.10
n78L	70	30	3514.98	DFT	64QAM	Outer_Full	22.57	23.57
n78L	70	30	3514.98	DFT	256QAM	Inner_Full	20.57	21.57
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	20.48	21.48
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	20.48	21.48
n78L	70	30	3514.98	DFT	256QAM	Outer_Full	20.97	21.97
n78L	70	30	3514.98	CP	QPSK	Inner_Full	24.00	25.00
n78L	70	30	3514.98	CP	QPSK	Edge_1RB_Left	22.05	23.05
n78L	70	30	3514.98	CP	QPSK	Edge_1RB_Right	21.36	22.36
n78L	70	30	3514.98	CP	QPSK	Outer_Full	22.46	23.46
n78L	70	30	3514.98	CP	16QAM	Inner_Full	23.15	24.15
n78L	70	30	3514.98	CP	16QAM	Edge_1RB_Left	21.62	22.62
n78L	70	30	3514.98	CP	16QAM	Edge_1RB_Right	21.68	22.68



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	70	30	3514.98	CP	16QAM	Outer_Full	22.21	23.21
n78L	70	30	3514.98	CP	64QAM	Inner_Full	21.66	22.66
n78L	70	30	3514.98	CP	64QAM	Edge_1RB_Left	21.77	22.77
n78L	70	30	3514.98	CP	64QAM	Edge_1RB_Right	21.37	22.37
n78L	70	30	3514.98	CP	64QAM	Outer_Full	21.86	22.86
n78L	70	30	3514.98	CP	256QAM	Inner_Full	18.96	19.96
n78L	70	30	3514.98	CP	256QAM	Edge_1RB_Left	18.83	19.83
n78L	70	30	3514.98	CP	256QAM	Edge_1RB_Right	18.26	19.26
n78L	70	30	3514.98	CP	256QAM	Outer_Full	18.91	19.91
n78L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.16	26.16
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	22.76
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.35	22.35
n78L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	24.78	25.78
n78L	80	30	3490.02	DFT	QPSK	Inner_Full	25.49	26.49
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.76	22.76
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	21.70	22.70
n78L	80	30	3490.02	DFT	QPSK	Outer_Full	24.33	25.33
n78L	80	30	3490.02	DFT	16QAM	Inner_Full	24.42	25.42
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.75	22.75
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.40	22.40
n78L	80	30	3490.02	DFT	16QAM	Outer_Full	23.43	24.43
n78L	80	30	3490.02	DFT	64QAM	Inner_Full	23.01	24.01
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.55	22.55
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.33	22.33
n78L	80	30	3490.02	DFT	64QAM	Outer_Full	22.76	23.76
n78L	80	30	3490.02	DFT	256QAM	Inner_Full	20.51	21.51
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	20.63	21.63
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	20.54	21.54
n78L	80	30	3490.02	DFT	256QAM	Outer_Full	20.57	21.57
n78L	80	30	3490.02	CP	QPSK	Inner_Full	23.63	24.63
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	21.69	22.69
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	21.77	22.77
n78L	80	30	3490.02	CP	QPSK	Outer_Full	22.32	23.32
n78L	80	30	3490.02	CP	16QAM	Inner_Full	23.09	24.09
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	21.74	22.74
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	21.65	22.65
n78L	80	30	3490.02	CP	16QAM	Outer_Full	22.46	23.46
n78L	80	30	3490.02	CP	64QAM	Inner_Full	21.99	22.99
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.15	22.15
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.07	22.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	80	30	3490.02	CP	64QAM	Outer_Full	21.58	22.58
n78L	80	30	3490.02	CP	256QAM	Inner_Full	18.64	19.64
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	18.30	19.30
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.13	19.13
n78L	80	30	3490.02	CP	256QAM	Outer_Full	19.03	20.03
n78L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.50	26.50
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.60	22.60
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.38	22.38
n78L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.80	25.80
n78L	80	30	3500.01	DFT	QPSK	Inner_Full	25.30	26.30
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.85	22.85
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.57	22.57
n78L	80	30	3500.01	DFT	QPSK	Outer_Full	24.31	25.31
n78L	80	30	3500.01	DFT	16QAM	Inner_Full	24.14	25.14
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.26	22.26
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.03	22.03
n78L	80	30	3500.01	DFT	16QAM	Outer_Full	23.41	24.41
n78L	80	30	3500.01	DFT	64QAM	Inner_Full	23.02	24.02
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.53	22.53
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.26	22.26
n78L	80	30	3500.01	DFT	64QAM	Outer_Full	22.90	23.90
n78L	80	30	3500.01	DFT	256QAM	Inner_Full	20.74	21.74
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.54	21.54
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.10	21.10
n78L	80	30	3500.01	DFT	256QAM	Outer_Full	20.66	21.66
n78L	80	30	3500.01	CP	QPSK	Inner_Full	24.01	25.01
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	21.90	22.90
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	21.75	22.75
n78L	80	30	3500.01	CP	QPSK	Outer_Full	22.39	23.39
n78L	80	30	3500.01	CP	16QAM	Inner_Full	23.37	24.37
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	21.99	22.99
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	21.35	22.35
n78L	80	30	3500.01	CP	16QAM	Outer_Full	22.00	23.00
n78L	80	30	3500.01	CP	64QAM	Inner_Full	21.90	22.90
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.24	22.24
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.47	22.47
n78L	80	30	3500.01	CP	64QAM	Outer_Full	21.91	22.91
n78L	80	30	3500.01	CP	256QAM	Inner_Full	19.01	20.01
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	18.76	19.76
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	18.01	19.01



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	80	30	3500.01	CP	256QAM	Outer_Full	18.93	19.93
n78L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.54	26.54
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	22.69
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	21.56	22.56
n78L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	24.85	25.85
n78L	80	30	3510	DFT	QPSK	Inner_Full	25.15	26.15
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.79	22.79
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.45	22.45
n78L	80	30	3510	DFT	QPSK	Outer_Full	24.00	25.00
n78L	80	30	3510	DFT	16QAM	Inner_Full	24.37	25.37
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.73	22.73
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.00	22.00
n78L	80	30	3510	DFT	16QAM	Outer_Full	23.04	24.04
n78L	80	30	3510	DFT	64QAM	Inner_Full	23.00	24.00
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.57	22.57
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.16	22.16
n78L	80	30	3510	DFT	64QAM	Outer_Full	22.55	23.55
n78L	80	30	3510	DFT	256QAM	Inner_Full	21.04	22.04
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.72	21.72
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Right	20.46	21.46
n78L	80	30	3510	DFT	256QAM	Outer_Full	20.64	21.64
n78L	80	30	3510	CP	QPSK	Inner_Full	23.86	24.86
n78L	80	30	3510	CP	QPSK	Edge_1RB_Left	21.90	22.90
n78L	80	30	3510	CP	QPSK	Edge_1RB_Right	21.44	22.44
n78L	80	30	3510	CP	QPSK	Outer_Full	22.30	23.30
n78L	80	30	3510	CP	16QAM	Inner_Full	23.47	24.47
n78L	80	30	3510	CP	16QAM	Edge_1RB_Left	22.03	23.03
n78L	80	30	3510	CP	16QAM	Edge_1RB_Right	21.48	22.48
n78L	80	30	3510	CP	16QAM	Outer_Full	22.16	23.16
n78L	80	30	3510	CP	64QAM	Inner_Full	21.61	22.61
n78L	80	30	3510	CP	64QAM	Edge_1RB_Left	21.82	22.82
n78L	80	30	3510	CP	64QAM	Edge_1RB_Right	21.34	22.34
n78L	80	30	3510	CP	64QAM	Outer_Full	21.98	22.98
n78L	80	30	3510	CP	256QAM	Inner_Full	18.96	19.96
n78L	80	30	3510	CP	256QAM	Edge_1RB_Left	18.74	19.74
n78L	80	30	3510	CP	256QAM	Edge_1RB_Right	18.43	19.43
n78L	80	30	3510	CP	256QAM	Outer_Full	18.79	19.79
n78L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	25.47	26.47
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	21.84	22.84
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	21.68	22.68



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	24.97	25.97
n78L	90	30	3495	DFT	QPSK	Inner_Full	25.29	26.29
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.43	22.43
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Right	21.67	22.67
n78L	90	30	3495	DFT	QPSK	Outer_Full	24.15	25.15
n78L	90	30	3495	DFT	16QAM	Inner_Full	24.17	25.17
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.87	22.87
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.42	22.42
n78L	90	30	3495	DFT	16QAM	Outer_Full	23.28	24.28
n78L	90	30	3495	DFT	64QAM	Inner_Full	22.86	23.86
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.49	22.49
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Right	21.10	22.10
n78L	90	30	3495	DFT	64QAM	Outer_Full	22.92	23.92
n78L	90	30	3495	DFT	256QAM	Inner_Full	20.70	21.70
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Left	20.20	21.20
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Right	20.53	21.53
n78L	90	30	3495	DFT	256QAM	Outer_Full	20.98	21.98
n78L	90	30	3495	CP	QPSK	Inner_Full	23.66	24.66
n78L	90	30	3495	CP	QPSK	Edge_1RB_Left	21.91	22.91
n78L	90	30	3495	CP	QPSK	Edge_1RB_Right	21.70	22.70
n78L	90	30	3495	CP	QPSK	Outer_Full	22.45	23.45
n78L	90	30	3495	CP	16QAM	Inner_Full	22.98	23.98
n78L	90	30	3495	CP	16QAM	Edge_1RB_Left	21.86	22.86
n78L	90	30	3495	CP	16QAM	Edge_1RB_Right	21.34	22.34
n78L	90	30	3495	CP	16QAM	Outer_Full	22.07	23.07
n78L	90	30	3495	CP	64QAM	Inner_Full	21.44	22.44
n78L	90	30	3495	CP	64QAM	Edge_1RB_Left	21.29	22.29
n78L	90	30	3495	CP	64QAM	Edge_1RB_Right	21.14	22.14
n78L	90	30	3495	CP	64QAM	Outer_Full	21.87	22.87
n78L	90	30	3495	CP	256QAM	Inner_Full	18.41	19.41
n78L	90	30	3495	CP	256QAM	Edge_1RB_Left	18.26	19.26
n78L	90	30	3495	CP	256QAM	Edge_1RB_Right	18.41	19.41
n78L	90	30	3495	CP	256QAM	Outer_Full	18.88	19.88
n78L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.47	26.47
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.82	22.82
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.28	22.28
n78L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.59	25.59
n78L	90	30	3500.01	DFT	QPSK	Inner_Full	25.17	26.17
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.72	22.72
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.29	22.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	90	30	3500.01	DFT	QPSK	Outer_Full	24.32	25.32
n78L	90	30	3500.01	DFT	16QAM	Inner_Full	24.46	25.46
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.53	22.53
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.37	22.37
n78L	90	30	3500.01	DFT	16QAM	Outer_Full	23.43	24.43
n78L	90	30	3500.01	DFT	64QAM	Inner_Full	22.52	23.52
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.32	22.32
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.88	21.88
n78L	90	30	3500.01	DFT	64QAM	Outer_Full	22.92	23.92
n78L	90	30	3500.01	DFT	256QAM	Inner_Full	20.91	21.91
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.66	21.66
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.11	21.11
n78L	90	30	3500.01	DFT	256QAM	Outer_Full	20.62	21.62
n78L	90	30	3500.01	CP	QPSK	Inner_Full	23.67	24.67
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	21.68	22.68
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	21.76	22.76
n78L	90	30	3500.01	CP	QPSK	Outer_Full	22.47	23.47
n78L	90	30	3500.01	CP	16QAM	Inner_Full	23.14	24.14
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	21.47	22.47
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	21.17	22.17
n78L	90	30	3500.01	CP	16QAM	Outer_Full	22.38	23.38
n78L	90	30	3500.01	CP	64QAM	Inner_Full	21.80	22.80
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.12	22.12
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	20.91	21.91
n78L	90	30	3500.01	CP	64QAM	Outer_Full	21.93	22.93
n78L	90	30	3500.01	CP	256QAM	Inner_Full	18.94	19.94
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	18.74	19.74
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	18.60	19.60
n78L	90	30	3500.01	CP	256QAM	Outer_Full	18.90	19.90
n78L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.28	26.28
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.58	22.58
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.43	22.43
n78L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	24.95	25.95
n78L	90	30	3504.99	DFT	QPSK	Inner_Full	25.23	26.23
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.61	22.61
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.63	22.63
n78L	90	30	3504.99	DFT	QPSK	Outer_Full	24.44	25.44
n78L	90	30	3504.99	DFT	16QAM	Inner_Full	24.48	25.48
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.28	22.28
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.64	22.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	90	30	3504.99	DFT	16QAM	Outer_Full	23.09	24.09
n78L	90	30	3504.99	DFT	64QAM	Inner_Full	22.57	23.57
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.07	22.07
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	20.85	21.85
n78L	90	30	3504.99	DFT	64QAM	Outer_Full	22.59	23.59
n78L	90	30	3504.99	DFT	256QAM	Inner_Full	20.75	21.75
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	20.28	21.28
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	20.45	21.45
n78L	90	30	3504.99	DFT	256QAM	Outer_Full	20.61	21.61
n78L	90	30	3504.99	CP	QPSK	Inner_Full	23.98	24.98
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	21.48	22.48
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	21.73	22.73
n78L	90	30	3504.99	CP	QPSK	Outer_Full	22.29	23.29
n78L	90	30	3504.99	CP	16QAM	Inner_Full	23.45	24.45
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.56	22.56
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	21.21	22.21
n78L	90	30	3504.99	CP	16QAM	Outer_Full	22.46	23.46
n78L	90	30	3504.99	CP	64QAM	Inner_Full	22.00	23.00
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.13	22.13
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	21.32	22.32
n78L	90	30	3504.99	CP	64QAM	Outer_Full	21.84	22.84
n78L	90	30	3504.99	CP	256QAM	Inner_Full	18.59	19.59
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	18.76	19.76
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	18.11	19.11
n78L	90	30	3504.99	CP	256QAM	Outer_Full	18.89	19.89
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.50	26.50
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	22.71
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.39	22.39
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.87	25.87
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	25.38	26.38
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.64	22.64
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.23	22.23
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	24.15	25.15
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	24.36	25.36
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.49	22.49
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.97	21.97
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	23.19	24.19
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	22.86	23.86
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.39	22.39
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.97	21.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	22.69	23.69
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	20.87	21.87
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.57	21.57
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.35	21.35
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	20.61	21.61
n78L	100	30	3500.01	CP	QPSK	Inner_Full	23.89	24.89
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	21.83	22.83
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.48	22.48
n78L	100	30	3500.01	CP	QPSK	Outer_Full	22.29	23.29
n78L	100	30	3500.01	CP	16QAM	Inner_Full	23.36	24.36
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.74	22.74
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.47	22.47
n78L	100	30	3500.01	CP	16QAM	Outer_Full	22.29	23.29
n78L	100	30	3500.01	CP	64QAM	Inner_Full	21.84	22.84
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.53	22.53
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.17	22.17
n78L	100	30	3500.01	CP	64QAM	Outer_Full	21.69	22.69
n78L	100	30	3500.01	CP	256QAM	Inner_Full	18.68	19.68
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.45	19.45
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.24	19.24
n78L	100	30	3500.01	CP	256QAM	Outer_Full	18.60	19.60
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.41	26.41
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.61	22.61
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.47	22.47
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.86	25.86
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	25.38	26.38
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.74	22.74
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.36	22.36
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	24.18	25.18
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	24.36	25.36
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.53	22.53
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.02	22.02
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	23.19	24.19
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	22.72	23.72
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.31	22.31
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.96	21.96
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	22.70	23.70
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	20.84	21.84
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.46	21.46
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.23	21.23



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	20.63	21.63
n78L	100	30	3500.01	CP	QPSK	Inner_Full	23.88	24.88
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	21.85	22.85
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	21.58	22.58
n78L	100	30	3500.01	CP	QPSK	Outer_Full	22.21	23.21
n78L	100	30	3500.01	CP	16QAM	Inner_Full	23.47	24.47
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	21.96	22.96
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	21.33	22.33
n78L	100	30	3500.01	CP	16QAM	Outer_Full	22.30	23.30
n78L	100	30	3500.01	CP	64QAM	Inner_Full	21.74	22.74
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	21.39	22.39
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	21.32	22.32
n78L	100	30	3500.01	CP	64QAM	Outer_Full	21.69	22.69
n78L	100	30	3500.01	CP	256QAM	Inner_Full	18.81	19.81
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	18.42	19.42
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	18.09	19.09
n78L	100	30	3500.01	CP	256QAM	Outer_Full	18.70	19.70
n78L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	25.27	26.27
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.78	22.78
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.47	22.47
n78L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	24.75	25.75
n78L	100	30	3499.98	DFT	QPSK	Inner_Full	25.46	26.46
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	21.70	22.70
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	21.20	22.20
n78L	100	30	3499.98	DFT	QPSK	Outer_Full	24.26	25.26
n78L	100	30	3499.98	DFT	16QAM	Inner_Full	24.29	25.29
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.28	22.28
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	21.12	22.12
n78L	100	30	3499.98	DFT	16QAM	Outer_Full	23.10	24.10
n78L	100	30	3499.98	DFT	64QAM	Inner_Full	22.63	23.63
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	21.38	22.38
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	20.91	21.91
n78L	100	30	3499.98	DFT	64QAM	Outer_Full	22.60	23.60
n78L	100	30	3499.98	DFT	256QAM	Inner_Full	20.68	21.68
n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	20.46	21.46
n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	20.29	21.29
n78L	100	30	3499.98	DFT	256QAM	Outer_Full	20.68	21.68
n78L	100	30	3499.98	CP	QPSK	Inner_Full	23.77	24.77
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	21.80	22.80
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	21.43	22.43



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78L	100	30	3499.98	CP	QPSK	Outer_Full	22.11	23.11
n78L	100	30	3499.98	CP	16QAM	Inner_Full	23.32	24.32
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	21.54	22.54
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	21.33	22.33
n78L	100	30	3499.98	CP	16QAM	Outer_Full	22.13	23.13
n78L	100	30	3499.98	CP	64QAM	Inner_Full	21.67	22.67
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	21.30	22.30
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	21.20	22.20
n78L	100	30	3499.98	CP	64QAM	Outer_Full	21.56	22.56
n78L	100	30	3499.98	CP	256QAM	Inner_Full	18.58	19.58
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	18.58	19.58
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	18.25	19.25
n78L	100	30	3499.98	CP	256QAM	Outer_Full	18.56	19.56

n78H

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.11	26.11
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.43	22.43
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.64	22.64
n78H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	24.46	25.46
n78H	20	30	3710.01	DFT	QPSK	Inner_Full	24.84	25.84
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	21.09	22.09
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.39	22.39
n78H	20	30	3710.01	DFT	QPSK	Outer_Full	24.12	25.12
n78H	20	30	3710.01	DFT	16QAM	Inner_Full	23.84	24.84
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	21.48	22.48
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	21.34	22.34
n78H	20	30	3710.01	DFT	16QAM	Outer_Full	23.00	24.00
n78H	20	30	3710.01	DFT	64QAM	Inner_Full	22.58	23.58
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	20.73	21.73
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.13	22.13
n78H	20	30	3710.01	DFT	64QAM	Outer_Full	22.27	23.27
n78H	20	30	3710.01	DFT	256QAM	Inner_Full	20.13	21.13
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	20.41	21.41
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	20.38	21.38
n78H	20	30	3710.01	DFT	256QAM	Outer_Full	20.26	21.26
n78H	20	30	3710.01	CP	QPSK	Inner_Full	23.64	24.64
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	21.64	22.64
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	21.69	22.69



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	20	30	3710.01	CP	QPSK	Outer_Full	22.11	23.11
n78H	20	30	3710.01	CP	16QAM	Inner_Full	22.94	23.94
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	21.48	22.48
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	21.54	22.54
n78H	20	30	3710.01	CP	16QAM	Outer_Full	21.90	22.90
n78H	20	30	3710.01	CP	64QAM	Inner_Full	21.44	22.44
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	21.15	22.15
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	21.38	22.38
n78H	20	30	3710.01	CP	64QAM	Outer_Full	21.36	22.36
n78H	20	30	3710.01	CP	256QAM	Inner_Full	18.08	19.08
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	18.29	19.29
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	18.52	19.52
n78H	20	30	3710.01	CP	256QAM	Outer_Full	18.30	19.30
n78H	20	30	3750	DFT	pi/2 BPSK	Inner_Full	25.42	26.42
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.93	22.93
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.78	22.78
n78H	20	30	3750	DFT	pi/2 BPSK	Outer_Full	24.67	25.67
n78H	20	30	3750	DFT	QPSK	Inner_Full	25.42	26.42
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Left	21.59	22.59
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Right	21.84	22.84
n78H	20	30	3750	DFT	QPSK	Outer_Full	24.17	25.17
n78H	20	30	3750	DFT	16QAM	Inner_Full	24.13	25.13
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Left	21.67	22.67
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Right	22.04	23.04
n78H	20	30	3750	DFT	16QAM	Outer_Full	23.24	24.24
n78H	20	30	3750	DFT	64QAM	Inner_Full	22.86	23.86
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Left	21.10	22.10
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Right	21.68	22.68
n78H	20	30	3750	DFT	64QAM	Outer_Full	22.80	23.80
n78H	20	30	3750	DFT	256QAM	Inner_Full	20.51	21.51
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Left	20.75	21.75
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Right	20.89	21.89
n78H	20	30	3750	DFT	256QAM	Outer_Full	20.86	21.86
n78H	20	30	3750	CP	QPSK	Inner_Full	23.90	24.90
n78H	20	30	3750	CP	QPSK	Edge_1RB_Left	21.78	22.78
n78H	20	30	3750	CP	QPSK	Edge_1RB_Right	22.07	23.07
n78H	20	30	3750	CP	QPSK	Outer_Full	22.32	23.32
n78H	20	30	3750	CP	16QAM	Inner_Full	23.16	24.16
n78H	20	30	3750	CP	16QAM	Edge_1RB_Left	21.94	22.94
n78H	20	30	3750	CP	16QAM	Edge_1RB_Right	22.18	23.18



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	20	30	3750	CP	16QAM	Outer_Full	22.40	23.40
n78H	20	30	3750	CP	64QAM	Inner_Full	21.66	22.66
n78H	20	30	3750	CP	64QAM	Edge_1RB_Left	21.21	22.21
n78H	20	30	3750	CP	64QAM	Edge_1RB_Right	21.48	22.48
n78H	20	30	3750	CP	64QAM	Outer_Full	21.86	22.86
n78H	20	30	3750	CP	256QAM	Inner_Full	18.91	19.91
n78H	20	30	3750	CP	256QAM	Edge_1RB_Left	18.81	19.81
n78H	20	30	3750	CP	256QAM	Edge_1RB_Right	19.16	20.16
n78H	20	30	3750	CP	256QAM	Outer_Full	18.90	19.90
n78H	20	30	3789.99	DFT	pi/2 BPSK	Inner_Full	25.49	26.49
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.88	22.88
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.77	22.77
n78H	20	30	3789.99	DFT	pi/2 BPSK	Outer_Full	25.08	26.08
n78H	20	30	3789.99	DFT	QPSK	Inner_Full	25.68	26.68
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Left	21.83	22.83
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Right	22.01	23.01
n78H	20	30	3789.99	DFT	QPSK	Outer_Full	24.50	25.50
n78H	20	30	3789.99	DFT	16QAM	Inner_Full	24.62	25.62
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Left	21.63	22.63
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Right	21.51	22.51
n78H	20	30	3789.99	DFT	16QAM	Outer_Full	23.31	24.31
n78H	20	30	3789.99	DFT	64QAM	Inner_Full	23.24	24.24
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Left	21.48	22.48
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Right	21.73	22.73
n78H	20	30	3789.99	DFT	64QAM	Outer_Full	23.21	24.21
n78H	20	30	3789.99	DFT	256QAM	Inner_Full	20.95	21.95
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Left	20.81	21.81
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Right	20.94	21.94
n78H	20	30	3789.99	DFT	256QAM	Outer_Full	21.21	22.21
n78H	20	30	3789.99	CP	QPSK	Inner_Full	24.20	25.20
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Left	22.16	23.16
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Right	22.12	23.12
n78H	20	30	3789.99	CP	QPSK	Outer_Full	22.41	23.41
n78H	20	30	3789.99	CP	16QAM	Inner_Full	23.71	24.71
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Left	21.88	22.88
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Right	22.21	23.21
n78H	20	30	3789.99	CP	16QAM	Outer_Full	22.71	23.71
n78H	20	30	3789.99	CP	64QAM	Inner_Full	22.22	23.22
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Left	21.58	22.58
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Right	21.56	22.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	20	30	3789.99	CP	64QAM	Outer_Full	22.20	23.20
n78H	20	30	3789.99	CP	256QAM	Inner_Full	19.21	20.21
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Left	18.97	19.97
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Right	18.72	19.72
n78H	20	30	3789.99	CP	256QAM	Outer_Full	18.87	19.87
n78H	30	30	3715.02	DFT	pi/2 BPSK	Inner_Full	24.94	25.94
n78H	30	30	3715.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.60	22.60
n78H	30	30	3715.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.73	22.73
n78H	30	30	3715.02	DFT	pi/2 BPSK	Outer_Full	24.43	25.43
n78H	30	30	3715.02	DFT	QPSK	Inner_Full	24.97	25.97
n78H	30	30	3715.02	DFT	QPSK	Edge_1RB_Left	21.53	22.53
n78H	30	30	3715.02	DFT	QPSK	Edge_1RB_Right	21.58	22.58
n78H	30	30	3715.02	DFT	QPSK	Outer_Full	23.96	24.96
n78H	30	30	3715.02	DFT	16QAM	Inner_Full	24.14	25.14
n78H	30	30	3715.02	DFT	16QAM	Edge_1RB_Left	21.49	22.49
n78H	30	30	3715.02	DFT	16QAM	Edge_1RB_Right	21.44	22.44
n78H	30	30	3715.02	DFT	16QAM	Outer_Full	23.22	24.22
n78H	30	30	3715.02	DFT	64QAM	Inner_Full	22.76	23.76
n78H	30	30	3715.02	DFT	64QAM	Edge_1RB_Left	21.03	22.03
n78H	30	30	3715.02	DFT	64QAM	Edge_1RB_Right	21.38	22.38
n78H	30	30	3715.02	DFT	64QAM	Outer_Full	22.72	23.72
n78H	30	30	3715.02	DFT	256QAM	Inner_Full	20.83	21.83
n78H	30	30	3715.02	DFT	256QAM	Edge_1RB_Left	20.35	21.35
n78H	30	30	3715.02	DFT	256QAM	Edge_1RB_Right	20.72	21.72
n78H	30	30	3715.02	DFT	256QAM	Outer_Full	20.66	21.66
n78H	30	30	3715.02	CP	QPSK	Inner_Full	23.47	24.47
n78H	30	30	3715.02	CP	QPSK	Edge_1RB_Left	21.20	22.20
n78H	30	30	3715.02	CP	QPSK	Edge_1RB_Right	21.89	22.89
n78H	30	30	3715.02	CP	QPSK	Outer_Full	21.96	22.96
n78H	30	30	3715.02	CP	16QAM	Inner_Full	23.14	24.14
n78H	30	30	3715.02	CP	16QAM	Edge_1RB_Left	21.41	22.41
n78H	30	30	3715.02	CP	16QAM	Edge_1RB_Right	21.43	22.43
n78H	30	30	3715.02	CP	16QAM	Outer_Full	21.83	22.83
n78H	30	30	3715.02	CP	64QAM	Inner_Full	21.74	22.74
n78H	30	30	3715.02	CP	64QAM	Edge_1RB_Left	21.11	22.11
n78H	30	30	3715.02	CP	64QAM	Edge_1RB_Right	21.35	22.35
n78H	30	30	3715.02	CP	64QAM	Outer_Full	21.71	22.71
n78H	30	30	3715.02	CP	256QAM	Inner_Full	18.35	19.35
n78H	30	30	3715.02	CP	256QAM	Edge_1RB_Left	18.38	19.38
n78H	30	30	3715.02	CP	256QAM	Edge_1RB_Right	18.42	19.42



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	30	30	3715.02	CP	256QAM	Outer_Full	18.44	19.44
n78H	30	30	3750	DFT	pi/2 BPSK	Inner_Full	25.22	26.22
n78H	30	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.70	22.70
n78H	30	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.92	22.92
n78H	30	30	3750	DFT	pi/2 BPSK	Outer_Full	25.05	26.05
n78H	30	30	3750	DFT	QPSK	Inner_Full	25.17	26.17
n78H	30	30	3750	DFT	QPSK	Edge_1RB_Left	21.84	22.84
n78H	30	30	3750	DFT	QPSK	Edge_1RB_Right	22.14	23.14
n78H	30	30	3750	DFT	QPSK	Outer_Full	24.51	25.51
n78H	30	30	3750	DFT	16QAM	Inner_Full	24.22	25.22
n78H	30	30	3750	DFT	16QAM	Edge_1RB_Left	21.69	22.69
n78H	30	30	3750	DFT	16QAM	Edge_1RB_Right	21.75	22.75
n78H	30	30	3750	DFT	16QAM	Outer_Full	23.15	24.15
n78H	30	30	3750	DFT	64QAM	Inner_Full	22.59	23.59
n78H	30	30	3750	DFT	64QAM	Edge_1RB_Left	21.17	22.17
n78H	30	30	3750	DFT	64QAM	Edge_1RB_Right	21.84	22.84
n78H	30	30	3750	DFT	64QAM	Outer_Full	23.03	24.03
n78H	30	30	3750	DFT	256QAM	Inner_Full	21.11	22.11
n78H	30	30	3750	DFT	256QAM	Edge_1RB_Left	20.55	21.55
n78H	30	30	3750	DFT	256QAM	Edge_1RB_Right	20.77	21.77
n78H	30	30	3750	DFT	256QAM	Outer_Full	21.03	22.03
n78H	30	30	3750	CP	QPSK	Inner_Full	24.02	25.02
n78H	30	30	3750	CP	QPSK	Edge_1RB_Left	21.87	22.87
n78H	30	30	3750	CP	QPSK	Edge_1RB_Right	22.12	23.12
n78H	30	30	3750	CP	QPSK	Outer_Full	22.15	23.15
n78H	30	30	3750	CP	16QAM	Inner_Full	23.48	24.48
n78H	30	30	3750	CP	16QAM	Edge_1RB_Left	21.95	22.95
n78H	30	30	3750	CP	16QAM	Edge_1RB_Right	22.02	23.02
n78H	30	30	3750	CP	16QAM	Outer_Full	22.20	23.20
n78H	30	30	3750	CP	64QAM	Inner_Full	22.00	23.00
n78H	30	30	3750	CP	64QAM	Edge_1RB_Left	21.24	22.24
n78H	30	30	3750	CP	64QAM	Edge_1RB_Right	21.73	22.73
n78H	30	30	3750	CP	64QAM	Outer_Full	22.05	23.05
n78H	30	30	3750	CP	256QAM	Inner_Full	18.70	19.70
n78H	30	30	3750	CP	256QAM	Edge_1RB_Left	18.56	19.56
n78H	30	30	3750	CP	256QAM	Edge_1RB_Right	19.01	20.01
n78H	30	30	3750	CP	256QAM	Outer_Full	19.04	20.04
n78H	30	30	3784.98	DFT	pi/2 BPSK	Inner_Full	25.50	26.50
n78H	30	30	3784.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	22.98
n78H	30	30	3784.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.98	22.98



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	30	30	3784.98	DFT	pi/2 BPSK	Outer_Full	24.99	25.99
n78H	30	30	3784.98	DFT	QPSK	Inner_Full	25.51	26.51
n78H	30	30	3784.98	DFT	QPSK	Edge_1RB_Left	22.23	23.23
n78H	30	30	3784.98	DFT	QPSK	Edge_1RB_Right	21.86	22.86
n78H	30	30	3784.98	DFT	QPSK	Outer_Full	24.43	25.43
n78H	30	30	3784.98	DFT	16QAM	Inner_Full	24.74	25.74
n78H	30	30	3784.98	DFT	16QAM	Edge_1RB_Left	22.02	23.02
n78H	30	30	3784.98	DFT	16QAM	Edge_1RB_Right	22.05	23.05
n78H	30	30	3784.98	DFT	16QAM	Outer_Full	23.72	24.72
n78H	30	30	3784.98	DFT	64QAM	Inner_Full	23.32	24.32
n78H	30	30	3784.98	DFT	64QAM	Edge_1RB_Left	21.87	22.87
n78H	30	30	3784.98	DFT	64QAM	Edge_1RB_Right	21.77	22.77
n78H	30	30	3784.98	DFT	64QAM	Outer_Full	23.32	24.32
n78H	30	30	3784.98	DFT	256QAM	Inner_Full	20.91	21.91
n78H	30	30	3784.98	DFT	256QAM	Edge_1RB_Left	20.71	21.71
n78H	30	30	3784.98	DFT	256QAM	Edge_1RB_Right	20.70	21.70
n78H	30	30	3784.98	DFT	256QAM	Outer_Full	21.28	22.28
n78H	30	30	3784.98	CP	QPSK	Inner_Full	24.04	25.04
n78H	30	30	3784.98	CP	QPSK	Edge_1RB_Left	21.83	22.83
n78H	30	30	3784.98	CP	QPSK	Edge_1RB_Right	21.98	22.98
n78H	30	30	3784.98	CP	QPSK	Outer_Full	22.79	23.79
n78H	30	30	3784.98	CP	16QAM	Inner_Full	23.48	24.48
n78H	30	30	3784.98	CP	16QAM	Edge_1RB_Left	21.76	22.76
n78H	30	30	3784.98	CP	16QAM	Edge_1RB_Right	21.97	22.97
n78H	30	30	3784.98	CP	16QAM	Outer_Full	22.77	23.77
n78H	30	30	3784.98	CP	64QAM	Inner_Full	22.17	23.17
n78H	30	30	3784.98	CP	64QAM	Edge_1RB_Left	21.45	22.45
n78H	30	30	3784.98	CP	64QAM	Edge_1RB_Right	21.93	22.93
n78H	30	30	3784.98	CP	64QAM	Outer_Full	21.95	22.95
n78H	30	30	3784.98	CP	256QAM	Inner_Full	19.19	20.19
n78H	30	30	3784.98	CP	256QAM	Edge_1RB_Left	18.70	19.70
n78H	30	30	3784.98	CP	256QAM	Edge_1RB_Right	18.72	19.72
n78H	30	30	3784.98	CP	256QAM	Outer_Full	19.25	20.25
n78H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	25.12	26.12
n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	21.68	22.68
n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	21.65	22.65
n78H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	24.51	25.51
n78H	40	30	3720	DFT	QPSK	Inner_Full	25.26	26.26
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Left	21.39	22.39
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.94	22.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	40	30	3720	DFT	QPSK	Outer_Full	24.32	25.32
n78H	40	30	3720	DFT	16QAM	Inner_Full	24.12	25.12
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Left	21.08	22.08
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Right	21.94	22.94
n78H	40	30	3720	DFT	16QAM	Outer_Full	23.34	24.34
n78H	40	30	3720	DFT	64QAM	Inner_Full	22.69	23.69
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Left	20.86	21.86
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Right	21.57	22.57
n78H	40	30	3720	DFT	64QAM	Outer_Full	22.44	23.44
n78H	40	30	3720	DFT	256QAM	Inner_Full	20.76	21.76
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Left	20.41	21.41
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Right	20.60	21.60
n78H	40	30	3720	DFT	256QAM	Outer_Full	20.82	21.82
n78H	40	30	3720	CP	QPSK	Inner_Full	23.71	24.71
n78H	40	30	3720	CP	QPSK	Edge_1RB_Left	21.28	22.28
n78H	40	30	3720	CP	QPSK	Edge_1RB_Right	21.71	22.71
n78H	40	30	3720	CP	QPSK	Outer_Full	22.20	23.20
n78H	40	30	3720	CP	16QAM	Inner_Full	23.00	24.00
n78H	40	30	3720	CP	16QAM	Edge_1RB_Left	21.59	22.59
n78H	40	30	3720	CP	16QAM	Edge_1RB_Right	21.91	22.91
n78H	40	30	3720	CP	16QAM	Outer_Full	21.97	22.97
n78H	40	30	3720	CP	64QAM	Inner_Full	21.36	22.36
n78H	40	30	3720	CP	64QAM	Edge_1RB_Left	20.91	21.91
n78H	40	30	3720	CP	64QAM	Edge_1RB_Right	21.57	22.57
n78H	40	30	3720	CP	64QAM	Outer_Full	21.70	22.70
n78H	40	30	3720	CP	256QAM	Inner_Full	18.53	19.53
n78H	40	30	3720	CP	256QAM	Edge_1RB_Left	18.14	19.14
n78H	40	30	3720	CP	256QAM	Edge_1RB_Right	18.76	19.76
n78H	40	30	3720	CP	256QAM	Outer_Full	18.32	19.32
n78H	40	30	3750	DFT	pi/2 BPSK	Inner_Full	25.38	26.38
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.60	22.60
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.16	23.16
n78H	40	30	3750	DFT	pi/2 BPSK	Outer_Full	25.13	26.13
n78H	40	30	3750	DFT	QPSK	Inner_Full	25.47	26.47
n78H	40	30	3750	DFT	QPSK	Edge_1RB_Left	21.87	22.87
n78H	40	30	3750	DFT	QPSK	Edge_1RB_Right	22.07	23.07
n78H	40	30	3750	DFT	QPSK	Outer_Full	24.58	25.58
n78H	40	30	3750	DFT	16QAM	Inner_Full	24.40	25.40
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Left	21.86	22.86
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Right	22.13	23.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	40	30	3750	DFT	16QAM	Outer_Full	23.55	24.55
n78H	40	30	3750	DFT	64QAM	Inner_Full	22.99	23.99
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Left	21.14	22.14
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Right	21.82	22.82
n78H	40	30	3750	DFT	64QAM	Outer_Full	23.05	24.05
n78H	40	30	3750	DFT	256QAM	Inner_Full	20.80	21.80
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Left	20.40	21.40
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Right	21.31	22.31
n78H	40	30	3750	DFT	256QAM	Outer_Full	20.72	21.72
n78H	40	30	3750	CP	QPSK	Inner_Full	24.05	25.05
n78H	40	30	3750	CP	QPSK	Edge_1RB_Left	21.97	22.97
n78H	40	30	3750	CP	QPSK	Edge_1RB_Right	22.46	23.46
n78H	40	30	3750	CP	QPSK	Outer_Full	22.52	23.52
n78H	40	30	3750	CP	16QAM	Inner_Full	23.50	24.50
n78H	40	30	3750	CP	16QAM	Edge_1RB_Left	21.91	22.91
n78H	40	30	3750	CP	16QAM	Edge_1RB_Right	22.44	23.44
n78H	40	30	3750	CP	16QAM	Outer_Full	22.54	23.54
n78H	40	30	3750	CP	64QAM	Inner_Full	22.02	23.02
n78H	40	30	3750	CP	64QAM	Edge_1RB_Left	21.62	22.62
n78H	40	30	3750	CP	64QAM	Edge_1RB_Right	22.07	23.07
n78H	40	30	3750	CP	64QAM	Outer_Full	22.00	23.00
n78H	40	30	3750	CP	256QAM	Inner_Full	18.95	19.95
n78H	40	30	3750	CP	256QAM	Edge_1RB_Left	18.74	19.74
n78H	40	30	3750	CP	256QAM	Edge_1RB_Right	12.54	13.54
n78H	40	30	3750	CP	256QAM	Outer_Full	18.92	19.92
n78H	40	30	3780	DFT	pi/2 BPSK	Inner_Full	25.82	26.82
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	23.27
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Right	22.20	23.20
n78H	40	30	3780	DFT	pi/2 BPSK	Outer_Full	25.03	26.03
n78H	40	30	3780	DFT	QPSK	Inner_Full	25.84	26.84
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Left	22.09	23.09
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Right	22.38	23.38
n78H	40	30	3780	DFT	QPSK	Outer_Full	24.89	25.89
n78H	40	30	3780	DFT	16QAM	Inner_Full	24.46	25.46
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Left	22.09	23.09
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Right	22.38	23.38
n78H	40	30	3780	DFT	16QAM	Outer_Full	23.88	24.88
n78H	40	30	3780	DFT	64QAM	Inner_Full	23.33	24.33
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Left	21.38	22.38
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Right	21.88	22.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	40	30	3780	DFT	64QAM	Outer_Full	23.11	24.11
n78H	40	30	3780	DFT	256QAM	Inner_Full	20.98	21.98
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Left	21.05	22.05
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Right	20.85	21.85
n78H	40	30	3780	DFT	256QAM	Outer_Full	21.04	22.04
n78H	40	30	3780	CP	QPSK	Inner_Full	24.30	25.30
n78H	40	30	3780	CP	QPSK	Edge_1RB_Left	22.01	23.01
n78H	40	30	3780	CP	QPSK	Edge_1RB_Right	22.17	23.17
n78H	40	30	3780	CP	QPSK	Outer_Full	22.82	23.82
n78H	40	30	3780	CP	16QAM	Inner_Full	23.57	24.57
n78H	40	30	3780	CP	16QAM	Edge_1RB_Left	22.01	23.01
n78H	40	30	3780	CP	16QAM	Edge_1RB_Right	22.14	23.14
n78H	40	30	3780	CP	16QAM	Outer_Full	22.70	23.70
n78H	40	30	3780	CP	64QAM	Inner_Full	22.38	23.38
n78H	40	30	3780	CP	64QAM	Edge_1RB_Left	21.51	22.51
n78H	40	30	3780	CP	64QAM	Edge_1RB_Right	22.02	23.02
n78H	40	30	3780	CP	64QAM	Outer_Full	22.38	23.38
n78H	40	30	3780	CP	256QAM	Inner_Full	19.37	20.37
n78H	40	30	3780	CP	256QAM	Edge_1RB_Left	19.05	20.05
n78H	40	30	3780	CP	256QAM	Edge_1RB_Right	19.23	20.23
n78H	40	30	3780	CP	256QAM	Outer_Full	19.43	20.43
n78H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	25.10	26.10
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.94	21.94
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.55	22.55
n78H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	24.52	25.52
n78H	50	30	3725.01	DFT	QPSK	Inner_Full	24.76	25.76
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.18	22.18
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	21.46	22.46
n78H	50	30	3725.01	DFT	QPSK	Outer_Full	23.99	24.99
n78H	50	30	3725.01	DFT	16QAM	Inner_Full	23.84	24.84
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	20.73	21.73
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	21.23	22.23
n78H	50	30	3725.01	DFT	16QAM	Outer_Full	22.68	23.68
n78H	50	30	3725.01	DFT	64QAM	Inner_Full	22.15	23.15
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	20.62	21.62
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	21.24	22.24
n78H	50	30	3725.01	DFT	64QAM	Outer_Full	22.47	23.47
n78H	50	30	3725.01	DFT	256QAM	Inner_Full	20.18	21.18
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	19.88	20.88
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	20.54	21.54



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	50	30	3725.01	DFT	256QAM	Outer_Full	20.33	21.33
n78H	50	30	3725.01	CP	QPSK	Inner_Full	23.64	24.64
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	21.29	22.29
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	21.78	22.78
n78H	50	30	3725.01	CP	QPSK	Outer_Full	21.75	22.75
n78H	50	30	3725.01	CP	16QAM	Inner_Full	22.98	23.98
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	21.11	22.11
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	21.23	22.23
n78H	50	30	3725.01	CP	16QAM	Outer_Full	22.02	23.02
n78H	50	30	3725.01	CP	64QAM	Inner_Full	21.59	22.59
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	20.52	21.52
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	21.45	22.45
n78H	50	30	3725.01	CP	64QAM	Outer_Full	21.38	22.38
n78H	50	30	3725.01	CP	256QAM	Inner_Full	18.19	19.19
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	17.73	18.73
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	18.10	19.10
n78H	50	30	3725.01	CP	256QAM	Outer_Full	18.53	19.53
n78H	50	30	3750	DFT	pi/2 BPSK	Inner_Full	25.32	26.32
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.40	22.40
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.86	22.86
n78H	50	30	3750	DFT	pi/2 BPSK	Outer_Full	24.64	25.64
n78H	50	30	3750	DFT	QPSK	Inner_Full	25.31	26.31
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Left	21.03	22.03
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Right	21.68	22.68
n78H	50	30	3750	DFT	QPSK	Outer_Full	24.30	25.30
n78H	50	30	3750	DFT	16QAM	Inner_Full	24.21	25.21
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Left	21.42	22.42
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Right	21.75	22.75
n78H	50	30	3750	DFT	16QAM	Outer_Full	23.24	24.24
n78H	50	30	3750	DFT	64QAM	Inner_Full	22.75	23.75
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Left	20.66	21.66
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Right	21.69	22.69
n78H	50	30	3750	DFT	64QAM	Outer_Full	22.39	23.39
n78H	50	30	3750	DFT	256QAM	Inner_Full	20.62	21.62
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Left	20.08	21.08
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Right	20.54	21.54
n78H	50	30	3750	DFT	256QAM	Outer_Full	20.84	21.84
n78H	50	30	3750	CP	QPSK	Inner_Full	23.66	24.66
n78H	50	30	3750	CP	QPSK	Edge_1RB_Left	21.25	22.25
n78H	50	30	3750	CP	QPSK	Edge_1RB_Right	22.06	23.06



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	50	30	3750	CP	QPSK	Outer_Full	22.34	23.34
n78H	50	30	3750	CP	16QAM	Inner_Full	22.97	23.97
n78H	50	30	3750	CP	16QAM	Edge_1RB_Left	21.45	22.45
n78H	50	30	3750	CP	16QAM	Edge_1RB_Right	22.04	23.04
n78H	50	30	3750	CP	16QAM	Outer_Full	22.33	23.33
n78H	50	30	3750	CP	64QAM	Inner_Full	21.84	22.84
n78H	50	30	3750	CP	64QAM	Edge_1RB_Left	20.75	21.75
n78H	50	30	3750	CP	64QAM	Edge_1RB_Right	21.38	22.38
n78H	50	30	3750	CP	64QAM	Outer_Full	21.76	22.76
n78H	50	30	3750	CP	256QAM	Inner_Full	18.74	19.74
n78H	50	30	3750	CP	256QAM	Edge_1RB_Left	18.30	19.30
n78H	50	30	3750	CP	256QAM	Edge_1RB_Right	18.86	19.86
n78H	50	30	3750	CP	256QAM	Outer_Full	18.47	19.47
n78H	50	30	3774.99	DFT	pi/2 BPSK	Inner_Full	25.56	26.56
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.55	22.55
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.98	22.98
n78H	50	30	3774.99	DFT	pi/2 BPSK	Outer_Full	24.64	25.64
n78H	50	30	3774.99	DFT	QPSK	Inner_Full	25.27	26.27
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Left	21.59	22.59
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Right	21.97	22.97
n78H	50	30	3774.99	DFT	QPSK	Outer_Full	24.13	25.13
n78H	50	30	3774.99	DFT	16QAM	Inner_Full	24.19	25.19
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Left	21.45	22.45
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Right	21.68	22.68
n78H	50	30	3774.99	DFT	16QAM	Outer_Full	23.41	24.41
n78H	50	30	3774.99	DFT	64QAM	Inner_Full	22.99	23.99
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Left	21.29	22.29
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Right	21.46	22.46
n78H	50	30	3774.99	DFT	64QAM	Outer_Full	22.61	23.61
n78H	50	30	3774.99	DFT	256QAM	Inner_Full	20.77	21.77
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Left	20.47	21.47
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Right	20.82	21.82
n78H	50	30	3774.99	DFT	256QAM	Outer_Full	20.56	21.56
n78H	50	30	3774.99	CP	QPSK	Inner_Full	23.78	24.78
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Left	21.23	22.23
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Right	21.85	22.85
n78H	50	30	3774.99	CP	QPSK	Outer_Full	22.09	23.09
n78H	50	30	3774.99	CP	16QAM	Inner_Full	23.31	24.31
n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Left	21.59	22.59
n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Right	21.71	22.71



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	50	30	3774.99	CP	16QAM	Outer_Full	22.32	23.32
n78H	50	30	3774.99	CP	64QAM	Inner_Full	21.64	22.64
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Left	21.18	22.18
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Right	21.27	22.27
n78H	50	30	3774.99	CP	64QAM	Outer_Full	21.94	22.94
n78H	50	30	3774.99	CP	256QAM	Inner_Full	19.07	20.07
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Left	18.22	19.22
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Right	18.65	19.65
n78H	50	30	3774.99	CP	256QAM	Outer_Full	18.97	19.97
n78H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	24.85	25.85
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.13	22.13
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.59	22.59
n78H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	24.26	25.26
n78H	60	30	3730.02	DFT	QPSK	Inner_Full	24.73	25.73
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.18	22.18
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.87	22.87
n78H	60	30	3730.02	DFT	QPSK	Outer_Full	23.78	24.78
n78H	60	30	3730.02	DFT	16QAM	Inner_Full	23.72	24.72
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	20.80	21.80
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.46	22.46
n78H	60	30	3730.02	DFT	16QAM	Outer_Full	22.74	23.74
n78H	60	30	3730.02	DFT	64QAM	Inner_Full	22.39	23.39
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	20.80	21.80
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.26	22.26
n78H	60	30	3730.02	DFT	64QAM	Outer_Full	22.59	23.59
n78H	60	30	3730.02	DFT	256QAM	Inner_Full	20.66	21.66
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	19.65	20.65
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	20.76	21.76
n78H	60	30	3730.02	DFT	256QAM	Outer_Full	20.34	21.34
n78H	60	30	3730.02	CP	QPSK	Inner_Full	23.31	24.31
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	21.25	22.25
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	21.58	22.58
n78H	60	30	3730.02	CP	QPSK	Outer_Full	21.71	22.71
n78H	60	30	3730.02	CP	16QAM	Inner_Full	22.78	23.78
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	21.19	22.19
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	21.64	22.64
n78H	60	30	3730.02	CP	16QAM	Outer_Full	21.68	22.68
n78H	60	30	3730.02	CP	64QAM	Inner_Full	21.58	22.58
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	20.76	21.76
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.24	22.24



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	60	30	3730.02	CP	64QAM	Outer_Full	21.16	22.16
n78H	60	30	3730.02	CP	256QAM	Inner_Full	18.61	19.61
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	17.67	18.67
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	18.36	19.36
n78H	60	30	3730.02	CP	256QAM	Outer_Full	18.47	19.47
n78H	60	30	3750	DFT	pi/2 BPSK	Inner_Full	24.98	25.98
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.33	22.33
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.10	23.10
n78H	60	30	3750	DFT	pi/2 BPSK	Outer_Full	24.52	25.52
n78H	60	30	3750	DFT	QPSK	Inner_Full	25.25	26.25
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Left	21.17	22.17
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Right	22.13	23.13
n78H	60	30	3750	DFT	QPSK	Outer_Full	24.04	25.04
n78H	60	30	3750	DFT	16QAM	Inner_Full	24.24	25.24
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Left	21.05	22.05
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Right	21.98	22.98
n78H	60	30	3750	DFT	16QAM	Outer_Full	23.16	24.16
n78H	60	30	3750	DFT	64QAM	Inner_Full	22.75	23.75
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Left	20.77	21.77
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Right	21.74	22.74
n78H	60	30	3750	DFT	64QAM	Outer_Full	22.78	23.78
n78H	60	30	3750	DFT	256QAM	Inner_Full	20.84	21.84
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Left	19.85	20.85
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Right	20.73	21.73
n78H	60	30	3750	DFT	256QAM	Outer_Full	20.76	21.76
n78H	60	30	3750	CP	QPSK	Inner_Full	23.72	24.72
n78H	60	30	3750	CP	QPSK	Edge_1RB_Left	21.13	22.13
n78H	60	30	3750	CP	QPSK	Edge_1RB_Right	21.96	22.96
n78H	60	30	3750	CP	QPSK	Outer_Full	21.96	22.96
n78H	60	30	3750	CP	16QAM	Inner_Full	23.19	24.19
n78H	60	30	3750	CP	16QAM	Edge_1RB_Left	21.47	22.47
n78H	60	30	3750	CP	16QAM	Edge_1RB_Right	22.18	23.18
n78H	60	30	3750	CP	16QAM	Outer_Full	22.18	23.18
n78H	60	30	3750	CP	64QAM	Inner_Full	21.71	22.71
n78H	60	30	3750	CP	64QAM	Edge_1RB_Left	21.11	22.11
n78H	60	30	3750	CP	64QAM	Edge_1RB_Right	21.86	22.86
n78H	60	30	3750	CP	64QAM	Outer_Full	21.57	22.57
n78H	60	30	3750	CP	256QAM	Inner_Full	18.65	19.65
n78H	60	30	3750	CP	256QAM	Edge_1RB_Left	17.98	18.98
n78H	60	30	3750	CP	256QAM	Edge_1RB_Right	19.06	20.06



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	60	30	3750	CP	256QAM	Outer_Full	18.82	19.82
n78H	60	30	3769.98	DFT	pi/2 BPSK	Inner_Full	25.54	26.54
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.34	22.34
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.03	23.03
n78H	60	30	3769.98	DFT	pi/2 BPSK	Outer_Full	24.84	25.84
n78H	60	30	3769.98	DFT	QPSK	Inner_Full	25.29	26.29
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Left	20.99	21.99
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Right	21.86	22.86
n78H	60	30	3769.98	DFT	QPSK	Outer_Full	24.25	25.25
n78H	60	30	3769.98	DFT	16QAM	Inner_Full	24.11	25.11
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Left	21.35	22.35
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Right	21.59	22.59
n78H	60	30	3769.98	DFT	16QAM	Outer_Full	23.07	24.07
n78H	60	30	3769.98	DFT	64QAM	Inner_Full	22.69	23.69
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Left	20.74	21.74
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Right	21.33	22.33
n78H	60	30	3769.98	DFT	64QAM	Outer_Full	22.67	23.67
n78H	60	30	3769.98	DFT	256QAM	Inner_Full	20.64	21.64
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Left	20.35	21.35
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Right	20.87	21.87
n78H	60	30	3769.98	DFT	256QAM	Outer_Full	20.93	21.93
n78H	60	30	3769.98	CP	QPSK	Inner_Full	23.61	24.61
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Left	21.51	22.51
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Right	22.13	23.13
n78H	60	30	3769.98	CP	QPSK	Outer_Full	22.43	23.43
n78H	60	30	3769.98	CP	16QAM	Inner_Full	23.39	24.39
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Left	21.45	22.45
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Right	21.86	22.86
n78H	60	30	3769.98	CP	16QAM	Outer_Full	22.30	23.30
n78H	60	30	3769.98	CP	64QAM	Inner_Full	21.93	22.93
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Left	21.02	22.02
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Right	21.71	22.71
n78H	60	30	3769.98	CP	64QAM	Outer_Full	21.82	22.82
n78H	60	30	3769.98	CP	256QAM	Inner_Full	18.96	19.96
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Left	17.95	18.95
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Right	18.50	19.50
n78H	60	30	3769.98	CP	256QAM	Outer_Full	18.96	19.96
n78H	70	30	3735	DFT	pi/2 BPSK	Inner_Full	24.82	25.82
n78H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Left	20.95	21.95
n78H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Right	21.71	22.71



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	70	30	3735	DFT	pi/2 BPSK	Outer_Full	24.60	25.60
n78H	70	30	3735	DFT	QPSK	Inner_Full	24.77	25.77
n78H	70	30	3735	DFT	QPSK	Edge_1RB_Left	20.83	21.83
n78H	70	30	3735	DFT	QPSK	Edge_1RB_Right	22.00	23.00
n78H	70	30	3735	DFT	QPSK	Outer_Full	24.15	25.15
n78H	70	30	3735	DFT	16QAM	Inner_Full	23.74	24.74
n78H	70	30	3735	DFT	16QAM	Edge_1RB_Left	21.05	22.05
n78H	70	30	3735	DFT	16QAM	Edge_1RB_Right	21.61	22.61
n78H	70	30	3735	DFT	16QAM	Outer_Full	22.75	23.75
n78H	70	30	3735	DFT	64QAM	Inner_Full	22.57	23.57
n78H	70	30	3735	DFT	64QAM	Edge_1RB_Left	20.53	21.53
n78H	70	30	3735	DFT	64QAM	Edge_1RB_Right	21.26	22.26
n78H	70	30	3735	DFT	64QAM	Outer_Full	22.61	23.61
n78H	70	30	3735	DFT	256QAM	Inner_Full	20.30	21.30
n78H	70	30	3735	DFT	256QAM	Edge_1RB_Left	19.56	20.56
n78H	70	30	3735	DFT	256QAM	Edge_1RB_Right	20.83	21.83
n78H	70	30	3735	DFT	256QAM	Outer_Full	20.65	21.65
n78H	70	30	3735	CP	QPSK	Inner_Full	23.48	24.48
n78H	70	30	3735	CP	QPSK	Edge_1RB_Left	20.85	21.85
n78H	70	30	3735	CP	QPSK	Edge_1RB_Right	21.99	22.99
n78H	70	30	3735	CP	QPSK	Outer_Full	21.81	22.81
n78H	70	30	3735	CP	16QAM	Inner_Full	22.99	23.99
n78H	70	30	3735	CP	16QAM	Edge_1RB_Left	20.71	21.71
n78H	70	30	3735	CP	16QAM	Edge_1RB_Right	21.94	22.94
n78H	70	30	3735	CP	16QAM	Outer_Full	22.14	23.14
n78H	70	30	3735	CP	64QAM	Inner_Full	21.23	22.23
n78H	70	30	3735	CP	64QAM	Edge_1RB_Left	20.57	21.57
n78H	70	30	3735	CP	64QAM	Edge_1RB_Right	21.31	22.31
n78H	70	30	3735	CP	64QAM	Outer_Full	21.62	22.62
n78H	70	30	3735	CP	256QAM	Inner_Full	18.65	19.65
n78H	70	30	3735	CP	256QAM	Edge_1RB_Left	17.69	18.69
n78H	70	30	3735	CP	256QAM	Edge_1RB_Right	18.42	19.42
n78H	70	30	3735	CP	256QAM	Outer_Full	18.59	19.59
n78H	70	30	3750	DFT	pi/2 BPSK	Inner_Full	25.24	26.24
n78H	70	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.18	22.18
n78H	70	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.98	22.98
n78H	70	30	3750	DFT	pi/2 BPSK	Outer_Full	24.35	25.35
n78H	70	30	3750	DFT	QPSK	Inner_Full	24.94	25.94
n78H	70	30	3750	DFT	QPSK	Edge_1RB_Left	21.07	22.07
n78H	70	30	3750	DFT	QPSK	Edge_1RB_Right	22.02	23.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	70	30	3750	DFT	QPSK	Outer_Full	24.01	25.01
n78H	70	30	3750	DFT	16QAM	Inner_Full	24.12	25.12
n78H	70	30	3750	DFT	16QAM	Edge_1RB_Left	21.21	22.21
n78H	70	30	3750	DFT	16QAM	Edge_1RB_Right	21.45	22.45
n78H	70	30	3750	DFT	16QAM	Outer_Full	22.95	23.95
n78H	70	30	3750	DFT	64QAM	Inner_Full	22.64	23.64
n78H	70	30	3750	DFT	64QAM	Edge_1RB_Left	20.93	21.93
n78H	70	30	3750	DFT	64QAM	Edge_1RB_Right	21.45	22.45
n78H	70	30	3750	DFT	64QAM	Outer_Full	22.43	23.43
n78H	70	30	3750	DFT	256QAM	Inner_Full	20.71	21.71
n78H	70	30	3750	DFT	256QAM	Edge_1RB_Left	20.10	21.10
n78H	70	30	3750	DFT	256QAM	Edge_1RB_Right	20.53	21.53
n78H	70	30	3750	DFT	256QAM	Outer_Full	20.64	21.64
n78H	70	30	3750	CP	QPSK	Inner_Full	23.66	24.66
n78H	70	30	3750	CP	QPSK	Edge_1RB_Left	21.17	22.17
n78H	70	30	3750	CP	QPSK	Edge_1RB_Right	22.08	23.08
n78H	70	30	3750	CP	QPSK	Outer_Full	22.21	23.21
n78H	70	30	3750	CP	16QAM	Inner_Full	23.23	24.23
n78H	70	30	3750	CP	16QAM	Edge_1RB_Left	21.44	22.44
n78H	70	30	3750	CP	16QAM	Edge_1RB_Right	21.78	22.78
n78H	70	30	3750	CP	16QAM	Outer_Full	22.17	23.17
n78H	70	30	3750	CP	64QAM	Inner_Full	21.68	22.68
n78H	70	30	3750	CP	64QAM	Edge_1RB_Left	21.67	22.67
n78H	70	30	3750	CP	64QAM	Edge_1RB_Right	21.62	22.62
n78H	70	30	3750	CP	64QAM	Outer_Full	21.37	22.37
n78H	70	30	3750	CP	256QAM	Inner_Full	18.37	19.37
n78H	70	30	3750	CP	256QAM	Edge_1RB_Left	17.96	18.96
n78H	70	30	3750	CP	256QAM	Edge_1RB_Right	18.94	19.94
n78H	70	30	3750	CP	256QAM	Outer_Full	18.79	19.79
n78H	70	30	3765	DFT	pi/2 BPSK	Inner_Full	25.25	26.25
n78H	70	30	3765	DFT	pi/2 BPSK	Edge_1RB_Left	21.09	22.09
n78H	70	30	3765	DFT	pi/2 BPSK	Edge_1RB_Right	22.00	23.00
n78H	70	30	3765	DFT	pi/2 BPSK	Outer_Full	24.93	25.93
n78H	70	30	3765	DFT	QPSK	Inner_Full	25.24	26.24
n78H	70	30	3765	DFT	QPSK	Edge_1RB_Left	21.08	22.08
n78H	70	30	3765	DFT	QPSK	Edge_1RB_Right	21.94	22.94
n78H	70	30	3765	DFT	QPSK	Outer_Full	24.40	25.40
n78H	70	30	3765	DFT	16QAM	Inner_Full	24.14	25.14
n78H	70	30	3765	DFT	16QAM	Edge_1RB_Left	21.21	22.21
n78H	70	30	3765	DFT	16QAM	Edge_1RB_Right	21.52	22.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	70	30	3765	DFT	16QAM	Outer_Full	23.40	24.40
n78H	70	30	3765	DFT	64QAM	Inner_Full	22.62	23.62
n78H	70	30	3765	DFT	64QAM	Edge_1RB_Left	20.67	21.67
n78H	70	30	3765	DFT	64QAM	Edge_1RB_Right	21.26	22.26
n78H	70	30	3765	DFT	64QAM	Outer_Full	22.54	23.54
n78H	70	30	3765	DFT	256QAM	Inner_Full	20.66	21.66
n78H	70	30	3765	DFT	256QAM	Edge_1RB_Left	20.02	21.02
n78H	70	30	3765	DFT	256QAM	Edge_1RB_Right	20.60	21.60
n78H	70	30	3765	DFT	256QAM	Outer_Full	20.90	21.90
n78H	70	30	3765	CP	QPSK	Inner_Full	23.72	24.72
n78H	70	30	3765	CP	QPSK	Edge_1RB_Left	21.13	22.13
n78H	70	30	3765	CP	QPSK	Edge_1RB_Right	21.92	22.92
n78H	70	30	3765	CP	QPSK	Outer_Full	22.38	23.38
n78H	70	30	3765	CP	16QAM	Inner_Full	23.43	24.43
n78H	70	30	3765	CP	16QAM	Edge_1RB_Left	21.07	22.07
n78H	70	30	3765	CP	16QAM	Edge_1RB_Right	22.10	23.10
n78H	70	30	3765	CP	16QAM	Outer_Full	22.21	23.21
n78H	70	30	3765	CP	64QAM	Inner_Full	21.56	22.56
n78H	70	30	3765	CP	64QAM	Edge_1RB_Left	21.12	22.12
n78H	70	30	3765	CP	64QAM	Edge_1RB_Right	21.52	22.52
n78H	70	30	3765	CP	64QAM	Outer_Full	21.57	22.57
n78H	70	30	3765	CP	256QAM	Inner_Full	18.92	19.92
n78H	70	30	3765	CP	256QAM	Edge_1RB_Left	18.22	19.22
n78H	70	30	3765	CP	256QAM	Edge_1RB_Right	18.72	19.72
n78H	70	30	3765	CP	256QAM	Outer_Full	18.77	19.77
n78H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	25.02	26.02
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.85	21.85
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.96	22.96
n78H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	24.64	25.64
n78H	80	30	3740.01	DFT	QPSK	Inner_Full	24.86	25.86
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	20.73	21.73
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	21.66	22.66
n78H	80	30	3740.01	DFT	QPSK	Outer_Full	23.75	24.75
n78H	80	30	3740.01	DFT	16QAM	Inner_Full	23.78	24.78
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	20.77	21.77
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	21.84	22.84
n78H	80	30	3740.01	DFT	16QAM	Outer_Full	23.12	24.12
n78H	80	30	3740.01	DFT	64QAM	Inner_Full	22.58	23.58
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	20.69	21.69
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	21.73	22.73



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	80	30	3740.01	DFT	64QAM	Outer_Full	22.67	23.67
n78H	80	30	3740.01	DFT	256QAM	Inner_Full	20.55	21.55
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	19.94	20.94
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	20.87	21.87
n78H	80	30	3740.01	DFT	256QAM	Outer_Full	20.28	21.28
n78H	80	30	3740.01	CP	QPSK	Inner_Full	23.63	24.63
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	21.04	22.04
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	21.87	22.87
n78H	80	30	3740.01	CP	QPSK	Outer_Full	22.00	23.00
n78H	80	30	3740.01	CP	16QAM	Inner_Full	23.06	24.06
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	21.12	22.12
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	21.85	22.85
n78H	80	30	3740.01	CP	16QAM	Outer_Full	22.12	23.12
n78H	80	30	3740.01	CP	64QAM	Inner_Full	21.58	22.58
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	20.42	21.42
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	21.44	22.44
n78H	80	30	3740.01	CP	64QAM	Outer_Full	21.48	22.48
n78H	80	30	3740.01	CP	256QAM	Inner_Full	18.38	19.38
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	17.59	18.59
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	18.50	19.50
n78H	80	30	3740.01	CP	256QAM	Outer_Full	18.66	19.66
n78H	80	30	3750	DFT	pi/2 BPSK	Inner_Full	25.28	26.28
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.22	22.22
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.97	22.97
n78H	80	30	3750	DFT	pi/2 BPSK	Outer_Full	24.35	25.35
n78H	80	30	3750	DFT	QPSK	Inner_Full	25.20	26.20
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Left	21.30	22.30
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Right	21.82	22.82
n78H	80	30	3750	DFT	QPSK	Outer_Full	24.02	25.02
n78H	80	30	3750	DFT	16QAM	Inner_Full	24.29	25.29
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Left	21.27	22.27
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Right	22.03	23.03
n78H	80	30	3750	DFT	16QAM	Outer_Full	23.26	24.26
n78H	80	30	3750	DFT	64QAM	Inner_Full	22.60	23.60
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Left	20.64	21.64
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Right	21.51	22.51
n78H	80	30	3750	DFT	64QAM	Outer_Full	22.74	23.74
n78H	80	30	3750	DFT	256QAM	Inner_Full	20.82	21.82
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Left	20.17	21.17
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Right	20.93	21.93



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	80	30	3750	DFT	256QAM	Outer_Full	20.69	21.69
n78H	80	30	3750	CP	QPSK	Inner_Full	23.63	24.63
n78H	80	30	3750	CP	QPSK	Edge_1RB_Left	21.39	22.39
n78H	80	30	3750	CP	QPSK	Edge_1RB_Right	21.88	22.88
n78H	80	30	3750	CP	QPSK	Outer_Full	22.14	23.14
n78H	80	30	3750	CP	16QAM	Inner_Full	23.19	24.19
n78H	80	30	3750	CP	16QAM	Edge_1RB_Left	21.14	22.14
n78H	80	30	3750	CP	16QAM	Edge_1RB_Right	22.19	23.19
n78H	80	30	3750	CP	16QAM	Outer_Full	22.19	23.19
n78H	80	30	3750	CP	64QAM	Inner_Full	21.68	22.68
n78H	80	30	3750	CP	64QAM	Edge_1RB_Left	20.98	21.98
n78H	80	30	3750	CP	64QAM	Edge_1RB_Right	21.65	22.65
n78H	80	30	3750	CP	64QAM	Outer_Full	21.56	22.56
n78H	80	30	3750	CP	256QAM	Inner_Full	18.50	19.50
n78H	80	30	3750	CP	256QAM	Edge_1RB_Left	18.05	19.05
n78H	80	30	3750	CP	256QAM	Edge_1RB_Right	18.66	19.66
n78H	80	30	3750	CP	256QAM	Outer_Full	18.54	19.54
n78H	80	30	3759.99	DFT	pi/2 BPSK	Inner_Full	25.31	26.31
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.19	22.19
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.86	22.86
n78H	80	30	3759.99	DFT	pi/2 BPSK	Outer_Full	24.85	25.85
n78H	80	30	3759.99	DFT	QPSK	Inner_Full	25.22	26.22
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Left	21.33	22.33
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Right	21.96	22.96
n78H	80	30	3759.99	DFT	QPSK	Outer_Full	24.27	25.27
n78H	80	30	3759.99	DFT	16QAM	Inner_Full	24.15	25.15
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Left	21.22	22.22
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Right	21.39	22.39
n78H	80	30	3759.99	DFT	16QAM	Outer_Full	23.25	24.25
n78H	80	30	3759.99	DFT	64QAM	Inner_Full	22.69	23.69
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Left	20.62	21.62
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Right	21.55	22.55
n78H	80	30	3759.99	DFT	64QAM	Outer_Full	22.74	23.74
n78H	80	30	3759.99	DFT	256QAM	Inner_Full	20.69	21.69
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Left	20.04	21.04
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Right	20.85	21.85
n78H	80	30	3759.99	DFT	256QAM	Outer_Full	20.82	21.82
n78H	80	30	3759.99	CP	QPSK	Inner_Full	23.82	24.82
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Left	20.98	21.98
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Right	22.07	23.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	80	30	3759.99	CP	QPSK	Outer_Full	22.29	23.29
n78H	80	30	3759.99	CP	16QAM	Inner_Full	23.10	24.10
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Left	21.05	22.05
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Right	21.68	22.68
n78H	80	30	3759.99	CP	16QAM	Outer_Full	22.00	23.00
n78H	80	30	3759.99	CP	64QAM	Inner_Full	21.72	22.72
n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Left	20.76	21.76
n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Right	21.48	22.48
n78H	80	30	3759.99	CP	64QAM	Outer_Full	21.65	22.65
n78H	80	30	3759.99	CP	256QAM	Inner_Full	18.39	19.39
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Left	18.19	19.19
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Right	18.69	19.69
n78H	80	30	3759.99	CP	256QAM	Outer_Full	18.38	19.38
n78H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	25.26	26.26
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.20	22.20
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.04	23.04
n78H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	24.74	25.74
n78H	90	30	3745.02	DFT	QPSK	Inner_Full	25.19	26.19
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	21.04	22.04
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	22.14	23.14
n78H	90	30	3745.02	DFT	QPSK	Outer_Full	24.20	25.20
n78H	90	30	3745.02	DFT	16QAM	Inner_Full	24.21	25.21
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	20.66	21.66
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	22.13	23.13
n78H	90	30	3745.02	DFT	16QAM	Outer_Full	23.18	24.18
n78H	90	30	3745.02	DFT	64QAM	Inner_Full	22.41	23.41
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	20.37	21.37
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	21.59	22.59
n78H	90	30	3745.02	DFT	64QAM	Outer_Full	22.48	23.48
n78H	90	30	3745.02	DFT	256QAM	Inner_Full	20.75	21.75
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	19.93	20.93
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	20.77	21.77
n78H	90	30	3745.02	DFT	256QAM	Outer_Full	20.41	21.41
n78H	90	30	3745.02	CP	QPSK	Inner_Full	23.72	24.72
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	21.17	22.17
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	22.13	23.13
n78H	90	30	3745.02	CP	QPSK	Outer_Full	22.19	23.19
n78H	90	30	3745.02	CP	16QAM	Inner_Full	23.12	24.12
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	21.20	22.20
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	22.21	23.21



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	90	30	3745.02	CP	16QAM	Outer_Full	22.26	23.26
n78H	90	30	3745.02	CP	64QAM	Inner_Full	21.43	22.43
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	20.53	21.53
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	21.60	22.60
n78H	90	30	3745.02	CP	64QAM	Outer_Full	21.71	22.71
n78H	90	30	3745.02	CP	256QAM	Inner_Full	18.70	19.70
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	17.94	18.94
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	18.62	19.62
n78H	90	30	3745.02	CP	256QAM	Outer_Full	18.75	19.75
n78H	90	30	3750	DFT	pi/2 BPSK	Inner_Full	25.28	26.28
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.22	22.22
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.07	23.07
n78H	90	30	3750	DFT	pi/2 BPSK	Outer_Full	24.78	25.78
n78H	90	30	3750	DFT	QPSK	Inner_Full	24.97	25.97
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Left	20.96	21.96
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Right	21.76	22.76
n78H	90	30	3750	DFT	QPSK	Outer_Full	24.24	25.24
n78H	90	30	3750	DFT	16QAM	Inner_Full	24.02	25.02
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Left	20.69	21.69
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Right	21.95	22.95
n78H	90	30	3750	DFT	16QAM	Outer_Full	23.12	24.12
n78H	90	30	3750	DFT	64QAM	Inner_Full	22.39	23.39
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Left	20.37	21.37
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Right	21.69	22.69
n78H	90	30	3750	DFT	64QAM	Outer_Full	22.71	23.71
n78H	90	30	3750	DFT	256QAM	Inner_Full	20.36	21.36
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Left	19.97	20.97
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Right	20.68	21.68
n78H	90	30	3750	DFT	256QAM	Outer_Full	20.28	21.28
n78H	90	30	3750	CP	QPSK	Inner_Full	23.65	24.65
n78H	90	30	3750	CP	QPSK	Edge_1RB_Left	20.86	21.86
n78H	90	30	3750	CP	QPSK	Edge_1RB_Right	21.89	22.89
n78H	90	30	3750	CP	QPSK	Outer_Full	22.20	23.20
n78H	90	30	3750	CP	16QAM	Inner_Full	23.15	24.15
n78H	90	30	3750	CP	16QAM	Edge_1RB_Left	20.73	21.73
n78H	90	30	3750	CP	16QAM	Edge_1RB_Right	22.02	23.02
n78H	90	30	3750	CP	16QAM	Outer_Full	22.23	23.23
n78H	90	30	3750	CP	64QAM	Inner_Full	21.40	22.40
n78H	90	30	3750	CP	64QAM	Edge_1RB_Left	20.69	21.69
n78H	90	30	3750	CP	64QAM	Edge_1RB_Right	21.51	22.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	90	30	3750	CP	64QAM	Outer_Full	21.43	22.43
n78H	90	30	3750	CP	256QAM	Inner_Full	18.31	19.31
n78H	90	30	3750	CP	256QAM	Edge_1RB_Left	18.06	19.06
n78H	90	30	3750	CP	256QAM	Edge_1RB_Right	18.66	19.66
n78H	90	30	3750	CP	256QAM	Outer_Full	18.74	19.74
n78H	90	30	3754.98	DFT	pi/2 BPSK	Inner_Full	24.96	25.96
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.19	22.19
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.80	22.80
n78H	90	30	3754.98	DFT	pi/2 BPSK	Outer_Full	24.69	25.69
n78H	90	30	3754.98	DFT	QPSK	Inner_Full	24.94	25.94
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Left	20.91	21.91
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Right	21.59	22.59
n78H	90	30	3754.98	DFT	QPSK	Outer_Full	24.21	25.21
n78H	90	30	3754.98	DFT	16QAM	Inner_Full	24.10	25.10
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Left	20.98	21.98
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Right	21.86	22.86
n78H	90	30	3754.98	DFT	16QAM	Outer_Full	23.19	24.19
n78H	90	30	3754.98	DFT	64QAM	Inner_Full	22.75	23.75
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Left	20.56	21.56
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Right	21.68	22.68
n78H	90	30	3754.98	DFT	64QAM	Outer_Full	22.38	23.38
n78H	90	30	3754.98	DFT	256QAM	Inner_Full	20.54	21.54
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Left	20.13	21.13
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Right	20.76	21.76
n78H	90	30	3754.98	DFT	256QAM	Outer_Full	20.33	21.33
n78H	90	30	3754.98	CP	QPSK	Inner_Full	23.67	24.67
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Left	21.30	22.30
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Right	22.05	23.05
n78H	90	30	3754.98	CP	QPSK	Outer_Full	21.92	22.92
n78H	90	30	3754.98	CP	16QAM	Inner_Full	22.90	23.90
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Left	20.76	21.76
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Right	21.69	22.69
n78H	90	30	3754.98	CP	16QAM	Outer_Full	21.95	22.95
n78H	90	30	3754.98	CP	64QAM	Inner_Full	21.37	22.37
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Left	20.51	21.51
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Right	21.71	22.71
n78H	90	30	3754.98	CP	64QAM	Outer_Full	21.67	22.67
n78H	90	30	3754.98	CP	256QAM	Inner_Full	18.69	19.69
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Left	17.94	18.94
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Right	18.94	19.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm)
n78H	90	30	3754.98	CP	256QAM	Outer_Full	18.73	19.73
n78H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	25.23	26.23
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.03	22.03
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.85	22.85
n78H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	24.43	25.43
n78H	100	30	3750	DFT	QPSK	Inner_Full	25.03	26.03
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Left	21.03	22.03
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Right	21.98	22.98
n78H	100	30	3750	DFT	QPSK	Outer_Full	24.20	25.20
n78H	100	30	3750	DFT	16QAM	Inner_Full	24.04	25.04
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Left	20.92	21.92
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Right	21.67	22.67
n78H	100	30	3750	DFT	16QAM	Outer_Full	23.11	24.11
n78H	100	30	3750	DFT	64QAM	Inner_Full	22.47	23.47
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Left	20.51	21.51
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Right	21.51	22.51
n78H	100	30	3750	DFT	64QAM	Outer_Full	22.59	23.59
n78H	100	30	3750	DFT	256QAM	Inner_Full	20.83	21.83
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Left	20.13	21.13
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Right	21.12	22.12
n78H	100	30	3750	DFT	256QAM	Outer_Full	20.72	21.72
n78H	100	30	3750	CP	QPSK	Inner_Full	23.80	24.80
n78H	100	30	3750	CP	QPSK	Edge_1RB_Left	21.17	22.17
n78H	100	30	3750	CP	QPSK	Edge_1RB_Right	22.14	23.14
n78H	100	30	3750	CP	QPSK	Outer_Full	22.22	23.22
n78H	100	30	3750	CP	16QAM	Inner_Full	23.27	24.27
n78H	100	30	3750	CP	16QAM	Edge_1RB_Left	20.92	21.92
n78H	100	30	3750	CP	16QAM	Edge_1RB_Right	21.96	22.96
n78H	100	30	3750	CP	16QAM	Outer_Full	21.99	22.99
n78H	100	30	3750	CP	64QAM	Inner_Full	21.48	22.48
n78H	100	30	3750	CP	64QAM	Edge_1RB_Left	20.71	21.71
n78H	100	30	3750	CP	64QAM	Edge_1RB_Right	21.63	22.63
n78H	100	30	3750	CP	64QAM	Outer_Full	21.65	22.65
n78H	100	30	3750	CP	256QAM	Inner_Full	18.51	19.51
n78H	100	30	3750	CP	256QAM	Edge_1RB_Left	17.71	18.71
n78H	100	30	3750	CP	256QAM	Edge_1RB_Right	18.80	19.80
n78H	100	30	3750	CP	256QAM	Outer_Full	18.49	19.49

Note: Expanded measurement uncertainty is U = 0.90dB, k = 1.96



No. I22N02185-RF NR

A.2 FIELD STRENGTH OF SPURIOUS RADIATION

Reference

FCC: CFR 2.1053, 22.917, 24.238, 27.53.


A.2.1 Measurement Method

This measurement is carried out in fully-anechoic chamber FAC-3.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz as outlined in Part 22.917, 24.238, 27.53(h) . The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of the NR Band.

The procedure of radiated spurious emissions is as follows:

1. For radiated emissions measurements performed at frequencies less than or equal to 1 GHz, EUT was placed on a 80 cm high non-conductive stand at a 3 meter test distance from the receive antenna. For radiated measurements performed at frequencies above 1 GHz, EUT was placed on a 1.5 meter high non-conductive stand at a 3 meter test distance from the receive antenna. Receiving antenna was placed on the antenna mast 3 meters from the EUT. For emission measurements. The receiving antenna shall be varied from 1 m to 4 m in height above the reference ground in a search for the relative positioning that produces the maximum radiated signal level. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and adjusting the receiving antenna polarization. The radiated emission measurements of all transmit frequencies in three channels (High, Middle, Low) were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, an substitution antenna for the frequency band of interest is placed at the

reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna and adjusts the level of the signal generator output until the value of the receiver reaches the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss (P_{pl}) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain(dBi) (G_a) should be recorded after test.

An amplifier should be connected in for the test.

The Path loss (P_{pl}) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} - P_{pl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15\text{dB}$.

A.2.2 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of the NR Band. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of the NR Band into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this.

Only worst case result is given below.

n2, 5MHz,DFT-OFDM, QPSK, Channel 370500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2823.60	-60.97	1.00	10.70	-51.27	-13.00	V
4511.20	-59.88	1.20	12.50	-48.58	-13.00	V
6982.80	-53.42	1.80	12.40	-42.82	-13.00	H
8074.70	-65.51	2.00	11.30	-56.21	-13.00	H
11649.70	-59.64	2.60	11.00	-51.24	-13.00	V
14771.50	-56.51	2.50	11.20	-47.81	-13.00	H

n2, 5MHz,DFT-OFDM, QPSK, Channel 376000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2788.00	-60.80	1.00	10.70	-51.10	-13.00	H
3937.20	-59.95	1.30	12.20	-49.05	-13.00	H
6971.20	-53.11	1.80	12.40	-42.51	-13.00	H
7545.60	-65.93	1.80	11.30	-56.43	-13.00	H
11051.30	-59.29	2.30	10.50	-51.09	-13.00	H
14783.60	-56.32	2.50	11.20	-47.62	-13.00	H

n2, 5MHz,DFT-OFDM, QPSK, Channel 381500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2780.00	-61.21	1.00	10.70	-51.51	-13.00	V
4909.20	-57.53	1.40	12.50	-46.43	-13.00	H
6925.20	-53.50	1.80	12.40	-42.90	-13.00	H
7320.10	-66.54	1.70	12.00	-56.24	-13.00	H
11661.80	-59.69	2.60	11.00	-51.29	-13.00	V
14756.10	-57.12	2.50	11.20	-48.42	-13.00	V

n5, 5MHz,DFT-OFDM, QPSK, Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1378.60	-63.92	0.70	6.00	-60.77	-13.00	V
2604.80	-63.03	0.90	10.70	-55.38	-13.00	V
2963.60	-61.81	1.00	10.70	-54.26	-13.00	H
3563.20	-76.19	1.20	12.20	-67.34	-13.00	V
4928.80	-74.18	1.30	12.50	-65.13	-13.00	H
7309.60	-68.40	1.90	12.00	-60.45	-13.00	H

n5, 5MHz,DFT-OFDM, QPSK, Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
2966.00	-61.72	1.00	10.70	-54.17	-13.00	H
1385.00	-63.85	0.70	6.00	-60.70	-13.00	V
2029.80	-65.67	0.80	9.80	-58.82	-13.00	H
3221.60	-75.77	1.10	11.50	-67.52	-13.00	H
4812.00	-74.04	1.30	12.50	-64.99	-13.00	H
6086.40	-72.60	1.60	13.10	-63.25	-13.00	H

n5, 5MHz,DFT-OFDM, QPSK, Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1369.80	-63.91	0.70	6.00	-60.76	-13.00	V
1746.40	-65.69	0.80	8.10	-60.54	-13.00	H
2964.20	-61.70	1.00	10.70	-54.15	-13.00	H
3513.60	-76.27	1.10	12.20	-67.32	-13.00	H
4538.80	-74.95	1.30	12.50	-65.90	-13.00	H
6084.40	-72.70	1.60	13.10	-63.35	-13.00	H

n41, 100MHz,DFT-OFDM, QPSK, Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2560.40	-61.73	1.00	10.70	-52.03	-25.00	V
5018.40	-54.24	1.30	12.50	-43.04	-25.00	H
6938.00	-53.71	1.80	12.40	-43.11	-25.00	H
7865.70	-65.93	1.70	11.30	-56.33	-25.00	H
11283.40	-59.36	2.60	10.50	-51.46	-25.00	V
14814.40	-56.11	2.50	11.20	-47.41	-25.00	H

n41, 100MHz,DFT-OFDM, QPSK, Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2649.20	-61.82	1.00	10.70	-52.12	-25.00	H
5490.80	-57.27	1.40	12.50	-46.17	-25.00	H
6955.60	-52.89	1.80	12.40	-42.29	-25.00	H
8086.80	-65.89	1.80	11.30	-56.39	-25.00	H
10239.50	-62.14	2.20	11.30	-53.04	-25.00	V
14757.20	-56.37	2.50	11.20	-47.67	-25.00	V

n41, 10MHz,DFT-OFDM, QPSK, Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2670.40	-60.57	1.00	10.70	-50.87	-25.00	H
5506.00	-57.44	1.40	13.10	-45.74	-25.00	H
6932.80	-53.56	1.80	12.40	-42.96	-25.00	H
8036.20	-66.01	2.00	11.30	-56.71	-25.00	H
11323.00	-59.03	2.60	10.50	-51.13	-25.00	V
14828.70	-56.14	2.70	11.20	-47.64	-25.00	V

n71, 5MHz,DFT-OFDM, QPSK, Channel 133100

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1336.80	-59.76	0.70	6.00	-56.61	-13.00	V
1687.40	-64.47	0.80	8.10	-59.32	-13.00	H
2174.20	-64.47	0.90	9.80	-57.72	-13.00	V
2962.00	-61.81	1.00	10.70	-54.26	-13.00	H
4812.00	-74.05	1.30	12.50	-65.00	-13.00	H
5638.40	-73.87	1.30	13.10	-64.22	-13.00	H

n71, 5MHz,DFT-OFDM, QPSK, Channel 136100

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1336.80	-59.89	0.70	6.00	-56.74	-13.00	V
2024.60	-65.57	0.80	9.80	-58.72	-13.00	H
2965.80	-61.80	1.00	10.70	-54.25	-13.00	H
3567.20	-76.04	1.20	12.20	-67.19	-13.00	H
3917.60	-75.60	1.30	12.20	-66.85	-13.00	H
4928.80	-74.22	1.30	12.50	-65.17	-13.00	H

n71, 5MHz,DFT-OFDM, QPSK, Channel 139100

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1336.40	-61.65	0.70	6.00	-58.50	-13.00	V
2029.80	-65.67	0.80	9.80	-58.82	-13.00	H
2402.80	-62.57	0.90	9.80	-55.82	-13.00	V
3368.80	-75.65	1.10	11.50	-67.40	-13.00	H
4469.60	-74.85	1.20	12.40	-65.80	-13.00	H
5064.80	-74.47	1.20	12.50	-65.32	-13.00	H

n77L, 100MHz,DFT-OFDM, QPSK, Channel 630668

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4534.80	-59.11	1.20	12.50	-47.81	-13.00	H
6378.40	-55.70	1.60	13.10	-44.20	-13.00	H
7547.80	-66.07	1.80	11.30	-56.57	-13.00	V
9832.50	-62.75	2.30	11.20	-53.85	-13.00	V
12794.80	-61.26	2.70	13.80	-50.16	-13.00	V
15078.40	-57.24	2.40	12.40	-47.24	-13.00	H

n77L, 100MHz,DFT-OFDM, QPSK, Channel 633334

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4541.20	-59.85	1.30	12.50	-48.65	-13.00	H
6020.40	-56.50	1.50	13.10	-44.90	-13.00	H
6990.80	-53.56	1.80	12.40	-42.96	-13.00	H
7839.30	-65.87	1.80	11.30	-56.37	-13.00	H
11788.30	-59.19	2.60	11.00	-50.79	-13.00	V
15100.40	-57.37	2.40	12.40	-47.37	-13.00	H

n77L, 100MHz,DFT-OFDM, QPSK, Channel 636000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4549.60	-59.15	1.30	12.50	-47.95	-13.00	V
5503.20	-57.93	1.40	13.10	-46.23	-13.00	H
6923.20	-53.67	1.80	12.40	-43.07	-13.00	H
8073.60	-65.71	2.00	11.30	-56.41	-13.00	V
12849.80	-60.70	2.70	13.80	-49.60	-13.00	V
14772.60	-55.83	2.50	11.20	-47.13	-13.00	H

n77H, 100MHz,DFT-OFDM, QPSK, Channel 647334

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4979.60	-57.37	1.30	12.50	-46.17	-13.00	H
6942.40	-53.75	1.80	12.40	-43.15	-13.00	V
10234.00	-61.80	2.20	11.30	-52.70	-13.00	V
14771.50	-56.60	2.50	11.20	-47.90	-13.00	V
17252.00	-59.18	3.20	14.50	-47.88	-13.00	H
17984.60	-56.35	3.20	12.80	-46.75	-13.00	H

n77H, 100MHz,DFT-OFDM, QPSK, Channel 656000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4909.20	-58.02	1.40	12.50	-46.92	-13.00	H
6948.00	-53.46	1.80	12.40	-42.86	-13.00	H
7493.90	-66.75	1.90	12.00	-56.65	-13.00	H
10239.50	-61.87	2.20	11.30	-52.77	-13.00	H
12280.00	-59.65	2.60	12.60	-49.65	-13.00	V
14775.90	-56.11	2.50	11.20	-47.41	-13.00	V

n77H, 100MHz,DFT-OFDM, QPSK, Channel 664668

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4918.80	-58.06	1.30	12.50	-46.86	-13.00	H
6980.00	-53.64	1.80	12.40	-43.04	-13.00	H
7627.00	-65.49	1.80	11.30	-55.99	-13.00	H
9820.40	-62.80	2.30	11.20	-53.90	-13.00	V
12800.30	-61.18	2.70	13.80	-50.08	-13.00	V
14771.50	-56.49	2.50	11.20	-47.79	-13.00	H

n78L, 100MHz,DFT-OFDM, QPSK, Channel 630668

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5042.80	-58.29	1.30	12.50	-47.09	-25.00	H
6918.00	-53.27	1.80	12.40	-42.67	-25.00	H
8003.20	-66.19	2.00	11.30	-56.89	-25.00	H
10225.20	-62.40	2.20	11.30	-53.30	-25.00	V
12830.00	-61.06	2.70	13.80	-49.96	-25.00	V
14826.50	-56.87	2.50	11.20	-48.17	-25.00	H

n78L, 100MHz,DFT-OFDM, QPSK, Channel 633334

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4959.60	-57.96	1.30	12.50	-46.76	-25.00	H
6361.20	-55.90	1.60	13.10	-44.40	-25.00	H
6942.00	-53.30	1.80	12.40	-42.70	-25.00	H
7884.40	-65.87	1.70	11.30	-56.27	-25.00	H
12843.20	-60.75	2.70	13.80	-49.65	-25.00	V
14825.40	-56.23	2.50	11.20	-47.53	-25.00	H

n78L, 100MHz,DFT-OFDM, QPSK, Channel 636000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4435.20	-59.68	1.30	12.40	-48.58	-25.00	H
5500.40	-57.90	1.40	13.10	-46.20	-25.00	H
6936.40	-53.53	1.80	12.40	-42.93	-25.00	H
8145.10	-65.49	1.80	11.30	-55.99	-25.00	H
11250.40	-58.58	2.60	10.50	-50.68	-25.00	V
14769.30	-56.71	2.50	11.20	-48.01	-25.00	V

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 2.87\text{dB}(30\text{MHz}-3\text{GHz})/3.35\text{dB}(3\text{GHz}-18\text{GHz})/2.68\text{dB}(18\text{GHz}-40\text{GHz})$, $k = 2$



A.3 FREQUENCY STABILITY

Reference

FCC: CFR Part 2.1055, 22.355, 24.235, 27.54.

A.3.1 Method of Measurement

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of DIGITAL RADIO COMMUNICATION TESTER.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on mid channel of all bands, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Remeasure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments remeasuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1 1/2 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.

A.3.2 Measurement results
n2
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1850.256	1908.656		
50				15.50	0.0082
40				36.80	0.0196
30				31.50	0.0168
10				35.70	0.0190
0				19.00	0.0101
-10				32.60	0.0173
-20				36.00	0.0191
-30				33.60	0.0179

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.40	20	1850.256	1908.656	37.30	0.0198
4.40				25.50	0.0136

 Expanded measurement uncertainty is 10Hz, $k = 2$
n5
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	824.256	847.656		
50				0.60	0.0007
40				-6.00	0.0072
30				-8.20	0.0098
10				3.80	0.0045
0				4.60	0.0055
-10				2.40	0.0029
-20				8.00	0.0096
-30				-4.70	0.0056

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.40	20	824.256	847.656	1.70	0.0020
4.40				0.80	0.0010

 Expanded measurement uncertainty is 10Hz, $k = 2$



n41

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	2496.768	2688.096	26.40	0.0102
50					
40					
30					
10					
0					
-10					
-20					
-30					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.40	20	2496.768	2688.096	31.30	0.0121
4.40				19.20	0.0074

Expanded measurement uncertainty is 10Hz, $k = 2$

n71

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	663.416	696.480	-2.90	0.0043
50					
40					
30					
10					
0					
-10					
-20					
-30					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.40	20	663.416	696.480	0.90	0.0013
4.40				-1.60	0.0024



n77L

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3450.736	3548.096		
50				-1.10	0.0003
40				3.70	0.0011
30				30.10	0.0086
10				6.80	0.0019
0				-16.60	0.0047
-10				3.10	0.0009
-20				30.70	0.0088
-30				-3.60	0.0010

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.40	20	3450.736	3548.096	25.80	0.0074
4.40				30.70	0.0088

n77H

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3700.464	3978.368		
50				70.80	0.0184
40				38.10	0.0099
30				38.40	0.0100
10				70.10	0.0183
0				66.50	0.0173
-10				34.80	0.0091
-20				77.50	0.0202
-30				29.40	0.0077

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.40	20	3700.464	3978.368	44.70	0.0116
4.40				83.00	0.0216



n78L

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3450.736	3548.096		
50				-38.10	0.0109
40				-26.60	0.0076
30				-9.90	0.0028
10				-43.80	0.0125
0				-37.40	0.0107
-10				-33.30	0.0095
-20				-10.80	0.0031
-30				-40.40	0.0115

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.40	20	3450.736	3548.096	-39.80	0.0114
4.40				-33.60	0.0096

n78H

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3700.464	3798.384		
50				-7.20	0.0019
40				-30.80	0.0082
30				-33.20	0.0089
10				-39.80	0.0106
0				-41.10	0.0110
-10				-25.50	0.0068
-20				-33.80	0.0090
-30				-6.20	0.0017

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.40	20	3700.464	3798.384	-31.40	0.0084
4.40				-5.10	0.0014

A.4 OCCUPIED BANDWIDTH

Reference

FCC: CFR Part 2.1049, 22.917, 24.238, 27.53.

A.4.1 Occupied Bandwidth Results

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the extreme and mid frequencies of the US Cellular/PCS frequency bands. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts (i.e., two to five times the OBW).
- b) The nominal IF filter bandwidth (3 dB RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
- c) Set the reference level of the instrument as required to keep the signal from exceeding the maximum input mixer level for linear operation. In general, the peak of the spectral envelope must be at least $10\log(\text{OBW} / \text{RBW})$ below the reference level.
- d) Set the detection mode to peak, and the trace mode to max hold.
- e) Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

A.4.2 Emission Bandwidth Results


The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

n2


n2,5MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)								
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM	CP-256QAM
1880	4.505	4.517	4.500	4.524	4.497	4.504	4.506	4.501	4.525


n2,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n2,5MHz Bandwidth,DFT-s-QPSK (99% BW)




n2,5MHz Bandwidth, DFT-s-16QAM (99% BW)



n2,5MHz Bandwidth, DFT-s-64QAM (99% BW)



n2,5MHz Bandwidth, DFT-s-256QAM (99% BW)



n2,5MHz Bandwidth, CP-QPSK (99% BW)

