


## Appendix I: Duty Cycle

### Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2402	2.90	6.25	46.45	---	PASS
		2441	2.90	6.25	46.45	---	PASS
		2480	2.90	6.25	46.47	---	PASS
2DH5	Ant1	2402	2.91	6.25	46.60	---	PASS
		2441	2.91	6.25	46.60	---	PASS
		2480	2.91	6.25	46.57	---	PASS
3DH5	Ant1	2402	2.91	6.25	46.60	---	PASS
		2441	2.91	6.25	46.58	---	PASS
		2480	2.91	6.25	46.58	---	PASS

### Test Graphs






2DH5\_Ant1\_2441




2DH5\_Ant1\_2480










## Appendix J: Conducted emission AC power port

PVX10

Mode:	BT	Voltage:	120V
-------	----	----------	------


### Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.2069	10.25	51.75	63.33	11.58	51.64	53.33	1.69	L	PASS
2	0.3448	10.25	35.87	59.09	23.22	35.62	49.09	13.47	L	PASS
3	0.4824	10.27	26.06	56.30	30.24	26.19	46.30	20.11	L	PASS
4	7.7218	10.47	35.74	60.00	24.26	34.63	50.00	15.37	L	PASS
5	11.0316	10.55	22.97	60.00	37.03	22.86	50.00	27.14	L	PASS
6	23.7203	10.78	37.61	60.00	22.39	31.77	50.00	18.23	L	PASS

Mode:	BT	Voltage:	120V
-------	----	----------	------

### Test Graph




Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.2068	10.25	48.46	63.33	14.87	47.15	53.33	6.18	N	PASS
2	0.3445	10.25	34.78	59.09	24.31	34.41	49.09	14.68	N	PASS
3	0.4826	10.27	26.56	56.29	29.73	26.66	46.29	19.63	N	PASS
4	7.7910	10.42	30.42	60.00	29.58	29.93	50.00	20.07	N	PASS
5	11.4446	10.51	21.84	60.00	38.16	21.24	50.00	28.76	N	PASS
6	23.5811	10.75	36.90	60.00	23.10	32.10	50.00	17.90	N	PASS

**PVX15**

Mode:	BT	Voltage:	120v
-------	----	----------	------


**Test Graph**



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.2475	10.25	38.40	61.84	23.44	38.34	51.84	13.50	L	PASS
2	0.3104	10.25	29.98	59.96	29.98	25.93	49.96	24.03	L	PASS
3	0.3466	10.25	28.94	59.04	30.10	29.03	49.04	20.01	L	PASS
4	13.3671	10.60	27.18	60.00	32.82	16.80	50.00	33.20	L	PASS
5	20.9399	10.74	37.74	60.00	22.26	27.37	50.00	22.63	L	PASS
6	25.3210	10.80	38.85	60.00	21.15	25.66	50.00	24.34	L	PASS

Mode:	BT	Voltage:	120v
-------	----	----------	------

### Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.2476	10.25	31.92	61.84	29.92	31.67	51.84	20.17	N	PASS
2	0.3094	10.25	30.45	59.99	29.54	26.98	49.99	23.01	N	PASS
3	0.4457	10.27	17.95	56.96	39.01	17.50	46.96	29.46	N	PASS
4	16.7387	10.64	32.59	60.00	27.41	20.89	50.00	29.11	N	PASS
5	19.9494	10.70	36.91	60.00	23.09	24.57	50.00	25.43	N	PASS
6	24.6290	10.76	39.66	60.00	20.34	29.24	50.00	20.76	N	PASS

## Appendix K: Radiated emissions for transmitter

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz

**PVX10**


Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------

### Test Graph




QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	22.75	40.00	17.25	Horizontal	PASS
2	93.1131	-20.99	27.28	43.50	16.22	Horizontal	PASS
3	125.155	-18.04	22.91	43.50	20.59	Horizontal	PASS
4	267.887	-16.74	39.75	46.00	6.25	Horizontal	PASS
5	422.272	-13.09	34.52	46.00	11.48	Horizontal	PASS
6	565.976	-10.08	30.41	46.00	15.59	Horizontal	PASS

Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.2121	-15.53	24.19	40.00	15.81	Vertical	PASS
2	89.2292	-21.31	32.64	43.50	10.86	Vertical	PASS
3	125.155	-18.04	31.57	43.50	11.93	Vertical	PASS
4	164.965	-16.03	32.35	43.50	11.15	Vertical	PASS
5	233.903	-18.00	38.51	46.00	7.49	Vertical	PASS
6	269.829	-16.63	40.22	46.00	5.78	Vertical	PASS

Mode:	DH5-2441	Voltage:	120V/60Hz
-------	----------	----------	-----------


**Test Graph**


QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	22.05	40.00	17.95	Horizontal	PASS
2	89.2292	-21.31	18.10	43.50	25.40	Horizontal	PASS
3	125.155	-18.04	23.75	43.50	19.75	Horizontal	PASS
4	265.945	-16.84	40.06	46.00	5.94	Horizontal	PASS
5	421.301	-13.11	33.81	46.00	12.19	Horizontal	PASS
6	526.166	-10.91	29.68	46.00	16.32	Horizontal	PASS



Mode:	DH5-2441	Voltage:	120V/60Hz
-------	----------	----------	-----------

### Test Graph




### QP Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.5024	-15.52	24.07	40.00	15.93	Vertical	PASS
2	89.2292	-21.31	33.53	43.50	9.97	Vertical	PASS
3	168.848	-16.37	33.87	43.50	9.63	Vertical	PASS
4	245.555	-17.39	40.15	46.00	5.85	Vertical	PASS
5	341.681	-14.78	33.96	46.00	12.04	Vertical	PASS
6	526.166	-10.91	28.37	46.00	17.63	Vertical	PASS

Mode:	DH5-2480	Voltage:	120V/60Hz
-------	----------	----------	-----------

### Test Graph




### QP Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	22.33	40.00	17.67	Horizontal	PASS
2	125.155	-18.04	23.01	43.50	20.49	Horizontal	PASS
3	196.036	-18.66	26.85	43.50	16.65	Horizontal	PASS
4	267.887	-16.74	38.51	46.00	7.49	Horizontal	PASS
5	305.755	-15.54	36.01	46.00	9.99	Horizontal	PASS
6	418.388	-13.17	33.33	46.00	12.67	Horizontal	PASS

Mode:	DH5-2480	Voltage:	120V/60Hz
-------	----------	----------	-----------


### Test Graph



### QP Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.2219	-15.53	24.19	40.00	15.81	Vertical	PASS
2	89.2292	-21.31	32.78	43.50	10.72	Vertical	PASS
3	125.155	-18.04	34.64	43.50	8.86	Vertical	PASS
4	196.036	-18.66	35.78	43.50	7.72	Vertical	PASS
5	233.903	-18.00	39.10	46.00	6.90	Vertical	PASS
6	262.062	-17.06	40.04	46.00	5.96	Vertical	PASS


Mode:	2-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	22.13	40.00	17.87	Horizontal	PASS
2	89.2292	-21.31	15.83	43.50	27.67	Horizontal	PASS
3	125.155	-18.04	22.14	43.50	21.36	Horizontal	PASS
4	196.036	-18.66	27.87	43.50	15.63	Horizontal	PASS
5	266.916	-16.79	40.37	46.00	5.63	Horizontal	PASS
6	417.417	-13.19	34.10	46.00	11.90	Horizontal	PASS


Mode:	2-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------

### Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.2156	-15.53	24.51	40.00	15.49	Vertical	PASS
2	89.2292	-21.31	33.10	43.50	10.40	Vertical	PASS
3	125.155	-18.04	32.72	43.50	10.78	Vertical	PASS
4	196.036	-18.66	35.60	43.50	7.90	Vertical	PASS
5	262.062	-17.06	40.48	46.00	5.52	Vertical	PASS
6	341.681	-14.78	33.21	46.00	12.79	Vertical	PASS


Mode:	2-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**


QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	22.64	40.00	17.36	Horizontal	PASS
2	125.155	-18.04	24.21	43.50	19.29	Horizontal	PASS
3	196.036	-18.66	28.22	43.50	15.28	Horizontal	PASS
4	267.887	-16.74	40.21	46.00	5.79	Horizontal	PASS
5	415.475	-13.23	33.81	46.00	12.19	Horizontal	PASS
6	525.195	-10.93	29.28	46.00	16.72	Horizontal	PASS


Mode:	2-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------

### Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.5353	-15.52	24.42	40.00	15.58	Vertical	PASS
2	59.1291	-16.18	32.05	40.00	7.95	Vertical	PASS
3	89.2292	-21.31	33.40	43.50	10.10	Vertical	PASS
4	196.036	-18.66	35.09	43.50	8.41	Vertical	PASS
5	269.829	-16.63	40.35	46.00	5.65	Vertical	PASS
6	341.681	-14.78	34.02	46.00	11.98	Vertical	PASS


Mode:	2-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	34.78	40.00	5.22	Horizontal	PASS
2	91.1712	-21.23	22.24	43.50	21.26	Horizontal	PASS
3	196.036	-18.66	27.76	43.50	15.74	Horizontal	PASS
4	266.916	-16.79	39.15	46.00	6.85	Horizontal	PASS
5	417.417	-13.19	33.85	46.00	12.15	Horizontal	PASS
6	565.005	-10.10	28.63	46.00	17.37	Horizontal	PASS




Mode:	2-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4954	-15.53	24.25	40.00	15.75	Vertical	PASS
2	59.1291	-16.18	31.53	40.00	8.47	Vertical	PASS
3	89.2292	-21.31	33.64	43.50	9.86	Vertical	PASS
4	194.094	-18.50	35.57	43.50	7.93	Vertical	PASS
5	269.829	-16.63	41.75	46.00	4.25	Vertical	PASS
6	528.108	-10.87	27.99	46.00	18.01	Vertical	PASS


Mode:	3-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	22.16	40.00	17.84	Horizontal	PASS
2	125.155	-18.04	25.23	43.50	18.27	Horizontal	PASS
3	169.819	-16.45	25.79	43.50	17.71	Horizontal	PASS
4	266.916	-16.79	39.36	46.00	6.64	Horizontal	PASS
5	408.678	-13.38	34.15	46.00	11.85	Horizontal	PASS
6	517.427	-11.09	29.71	46.00	16.29	Horizontal	PASS


Mode:	3-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------

### Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	37.7678	-16.19	35.32	40.00	4.68	Vertical	PASS
2	48.2913	-15.53	25.16	40.00	14.84	Vertical	PASS
3	60.1001	-16.27	30.73	40.00	9.27	Vertical	PASS
4	94.0841	-20.87	28.86	43.50	14.64	Vertical	PASS
5	196.036	-18.66	34.70	43.50	8.80	Vertical	PASS
6	257.207	-17.21	39.92	46.00	6.08	Vertical	PASS


Mode:	3-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	24.86	40.00	15.14	Horizontal	PASS
2	125.155	-18.04	23.66	43.50	19.84	Horizontal	PASS
3	196.036	-18.66	28.86	43.50	14.64	Horizontal	PASS
4	265.945	-16.84	40.43	46.00	5.57	Horizontal	PASS
5	411.591	-13.32	33.09	46.00	12.91	Horizontal	PASS
6	567.917	-10.04	27.89	46.00	18.11	Horizontal	PASS


Mode:	3-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------

### Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	23.13	40.00	16.87	Vertical	PASS
2	48.4954	-15.53	25.98	40.00	14.02	Vertical	PASS
3	61.0711	-16.46	27.54	40.00	12.46	Vertical	PASS
4	125.155	-18.04	33.72	43.50	9.78	Vertical	PASS
5	254.294	-17.26	40.51	46.00	5.49	Vertical	PASS
6	332.942	-14.97	34.31	46.00	11.69	Vertical	PASS


Mode:	3-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	25.45	40.00	14.55	Horizontal	PASS
2	125.155	-18.04	24.58	43.50	18.92	Horizontal	PASS
3	196.036	-18.66	28.01	43.50	15.49	Horizontal	PASS
4	266.916	-16.79	40.14	46.00	5.86	Horizontal	PASS
5	407.707	-13.40	33.33	46.00	12.67	Horizontal	PASS
6	568.888	-10.02	28.32	46.00	17.68	Horizontal	PASS

Mode:	3-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------

### Test Graph




### QP Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	37.7678	-16.19	29.03	40.00	10.97	Vertical	PASS
2	48.2331	-15.53	26.19	40.00	13.81	Vertical	PASS
3	63.9840	-17.03	28.09	40.00	11.91	Vertical	PASS
4	97.9680	-20.40	31.07	43.50	12.43	Vertical	PASS
5	196.036	-18.66	36.11	43.50	7.39	Vertical	PASS
6	255.265	-17.24	40.77	46.00	5.23	Vertical	PASS

PVX15

Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	24.45	40.00	15.55	Horizontal	PASS
2	217.397	-19.16	31.39	46.00	14.61	Horizontal	PASS
3	266.916	-16.79	39.85	46.00	6.15	Horizontal	PASS
4	406.736	-13.42	35.52	46.00	10.48	Horizontal	PASS
5	520.340	-11.03	28.42	46.00	17.58	Horizontal	PASS
6	659.189	-8.79	27.41	46.00	18.59	Horizontal	PASS




Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------

**Test Graph**

**QP Final Data List**


NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.2668	-15.53	26.18	40.00	13.82	Vertical	PASS
2	258.178	-17.20	40.32	46.00	5.68	Vertical	PASS
3	305.755	-15.54	35.01	46.00	10.99	Vertical	PASS
4	355.275	-14.50	30.86	46.00	15.14	Vertical	PASS
5	522.282	-10.99	25.09	46.00	20.91	Vertical	PASS
6	804.834	-6.42	25.18	46.00	20.82	Vertical	PASS

Mode:	DH5-2441	Voltage:	120V/60Hz
-------	----------	----------	-----------

**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	24.27	40.00	15.73	Horizontal	PASS
2	125.155	-18.04	21.41	43.50	22.09	Horizontal	PASS
3	196.036	-18.66	28.59	43.50	14.91	Horizontal	PASS
4	269.829	-16.63	41.14	46.00	4.86	Horizontal	PASS
5	305.755	-15.54	35.18	46.00	10.82	Horizontal	PASS
6	405.765	-13.44	33.45	46.00	12.55	Horizontal	PASS

Mode:	DH5-2441	Voltage:	120V/60Hz
-------	----------	----------	-----------

**Test Graph**

**QP Final Data List**


NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.3173	-15.53	26.23	40.00	13.77	Vertical	PASS
2	125.155	-18.04	29.06	43.50	14.44	Vertical	PASS
3	196.036	-18.66	35.96	43.50	7.54	Vertical	PASS
4	255.265	-17.24	39.53	46.00	6.47	Vertical	PASS
5	354.304	-14.52	29.52	46.00	16.48	Vertical	PASS
6	558.208	-10.25	24.06	46.00	21.94	Vertical	PASS

Mode:	DH5-2480	Voltage:	120V/60Hz
-------	----------	----------	-----------

**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	24.61	40.00	15.39	Horizontal	PASS
2	63.0130	-16.84	15.49	40.00	24.51	Horizontal	PASS
3	125.155	-18.04	22.03	43.50	21.47	Horizontal	PASS
4	196.036	-18.66	27.94	43.50	15.56	Horizontal	PASS
5	266.916	-16.79	39.64	46.00	6.36	Horizontal	PASS
6	409.649	-13.36	32.88	46.00	13.12	Horizontal	PASS

Mode:	DH5-2480	Voltage:	120V
-------	----------	----------	------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	34.65	40.00	5.35	Vertical	PASS
2	62.0420	-16.65	29.04	40.00	10.96	Vertical	PASS
3	125.155	-18.04	30.94	43.50	12.56	Vertical	PASS
4	196.036	-18.66	36.83	43.50	6.67	Vertical	PASS
5	254.294	-17.26	39.69	46.00	6.31	Vertical	PASS
6	305.755	-15.54	34.60	46.00	11.40	Vertical	PASS


Mode:	2DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	24.55	40.00	15.45	Horizontal	PASS
2	191.181	-18.26	26.24	43.50	17.26	Horizontal	PASS
3	265.945	-16.84	39.92	46.00	6.08	Horizontal	PASS
4	418.388	-13.17	32.59	46.00	13.41	Horizontal	PASS
5	562.092	-10.16	28.47	46.00	17.53	Horizontal	PASS
6	688.318	-8.51	25.38	46.00	20.62	Horizontal	PASS

Mode:	2DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------


### Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.2353	-15.53	25.76	40.00	14.24	Vertical	PASS
2	94.0841	-20.87	27.64	43.50	15.86	Vertical	PASS
3	125.155	-18.04	32.50	43.50	11.00	Vertical	PASS
4	196.036	-18.66	37.37	43.50	6.13	Vertical	PASS
5	256.236	-17.23	40.08	46.00	5.92	Vertical	PASS
6	305.755	-15.54	35.21	46.00	10.79	Vertical	PASS

Mode:	2DH5-2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------


### Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	24.01	40.00	15.99	Horizontal	PASS
2	125.155	-18.04	22.21	43.50	21.29	Horizontal	PASS
3	196.036	-18.66	28.60	43.50	14.90	Horizontal	PASS
4	269.829	-16.63	40.95	46.00	5.05	Horizontal	PASS
5	409.649	-13.36	33.25	46.00	12.75	Horizontal	PASS
6	565.005	-10.10	28.46	46.00	17.54	Horizontal	PASS




Mode:	2DH5-2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.2310	-15.53	25.44	40.00	14.56	Vertical	PASS
2	77.5776	-20.02	26.65	40.00	13.35	Vertical	PASS
3	125.155	-18.04	29.84	43.50	13.66	Vertical	PASS
4	166.906	-16.20	28.70	43.50	14.80	Vertical	PASS
5	196.036	-18.66	36.14	43.50	7.36	Vertical	PASS
6	256.236	-17.23	39.39	46.00	6.61	Vertical	PASS

Mode:	2DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------


### Test Graph



### QP Final Data List


NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	25.57	40.00	14.43	Horizontal	PASS
2	125.155	-18.04	23.68	43.50	19.82	Horizontal	PASS
3	194.094	-18.50	27.99	43.50	15.51	Horizontal	PASS
4	269.829	-16.63	40.32	46.00	5.68	Horizontal	PASS
5	411.591	-13.32	32.87	46.00	13.13	Horizontal	PASS
6	561.121	-10.18	28.02	46.00	17.98	Horizontal	PASS

Mode:	2DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

**QP Final Data List**


NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.3432	-15.53	26.09	40.00	13.91	Vertical	PASS
2	62.0420	-16.65	28.88	40.00	11.12	Vertical	PASS
3	125.155	-18.04	32.39	43.50	11.11	Vertical	PASS
4	196.036	-18.66	37.62	43.50	5.88	Vertical	PASS
5	257.207	-17.21	39.99	46.00	6.01	Vertical	PASS
6	332.942	-14.97	33.91	46.00	12.09	Vertical	PASS

Mode:	3DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

**QP Final Data List**


NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	24.31	40.00	15.69	Horizontal	PASS
2	191.181	-18.26	26.72	43.50	16.78	Horizontal	PASS
3	269.829	-16.63	40.16	46.00	5.84	Horizontal	PASS
4	418.388	-13.17	32.44	46.00	13.56	Horizontal	PASS
5	560.150	-10.20	28.25	46.00	17.75	Horizontal	PASS
6	688.318	-8.51	24.18	46.00	21.82	Horizontal	PASS

Mode:	3DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.2977	-15.53	25.49	40.00	14.51	Vertical	PASS
2	95.0551	-20.76	27.85	43.50	15.65	Vertical	PASS
3	125.155	-18.04	32.69	43.50	10.81	Vertical	PASS
4	196.036	-18.66	36.35	43.50	7.15	Vertical	PASS
5	256.236	-17.23	39.44	46.00	6.56	Vertical	PASS
6	341.681	-14.78	32.25	46.00	13.75	Vertical	PASS


Mode:	3DH5-2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	24.90	40.00	15.10	Horizontal	PASS
2	125.155	-18.04	23.34	43.50	20.16	Horizontal	PASS
3	196.036	-18.66	29.77	43.50	13.73	Horizontal	PASS
4	265.945	-16.84	39.66	46.00	6.34	Horizontal	PASS
5	404.794	-13.46	32.46	46.00	13.54	Horizontal	PASS
6	486.356	-11.74	28.10	46.00	17.90	Horizontal	PASS


Mode:	3DH5-2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------

### Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.2745	-15.53	26.04	40.00	13.96	Vertical	PASS
2	62.0420	-16.65	28.20	40.00	11.80	Vertical	PASS
3	125.155	-18.04	32.87	43.50	10.63	Vertical	PASS
4	257.207	-17.21	39.58	46.00	6.42	Vertical	PASS
5	305.755	-15.54	33.75	46.00	12.25	Vertical	PASS
6	498.979	-11.47	27.04	46.00	18.96	Vertical	PASS


Mode:	3DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**


QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	24.61	40.00	15.39	Horizontal	PASS
2	125.155	-18.04	21.92	43.50	21.58	Horizontal	PASS
3	194.094	-18.50	27.09	43.50	16.41	Horizontal	PASS
4	267.887	-16.74	39.53	46.00	6.47	Horizontal	PASS
5	411.591	-13.32	33.42	46.00	12.58	Horizontal	PASS
6	522.282	-10.99	28.37	46.00	17.63	Horizontal	PASS



Mode:	3DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

**QP Final Data List**

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.2479	-15.53	26.05	40.00	13.95	Vertical	PASS
2	63.0130	-16.84	29.25	40.00	10.75	Vertical	PASS
3	125.155	-18.04	33.07	43.50	10.43	Vertical	PASS
4	196.036	-18.66	37.06	43.50	6.44	Vertical	PASS
5	256.236	-17.23	39.56	46.00	6.44	Vertical	PASS
6	331.972	-14.99	32.69	46.00	13.31	Vertical	PASS

Above 1GHz

Mode:	DH5 2402	Voltage:	120V/60Hz
-------	----------	----------	-----------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.00	75.49	-14.85	60.64	74.00	13.36	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.00	61.32	-14.85	46.47	54.00	7.53	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.98	75.50	-14.85	60.65	74.00	13.35	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.98	61.26	-14.85	46.41	54.00	7.59	Vertical	PASS

Mode:	DH5 2441	Voltage:	120V/60Hz
-------	----------	----------	-----------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4882.58	73.63	-14.91	58.72	74.00	15.28	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4882.58	60.29	-14.91	45.38	54.00	8.62	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4881.83	74.98	-14.90	60.08	74.00	13.92	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4881.83	60.6	-14.90	45.70	54.00	8.30	Vertical	PASS

Mode:	DH5 2480	Voltage:	120V/60Hz
-------	----------	----------	-----------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4960.02	74.65	-14.58	60.07	74.00	13.93	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4960.02	60.86	-14.58	46.28	54.00	7.72	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4959.97	73.87	-14.58	59.29	74.00	14.71	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4959.97	60.56	-14.58	45.98	54.00	8.02	Vertical	PASS

Mode:	2DH5 2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.53	72.77	-14.85	57.92	74.00	16.08	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.53	57.71	-14.85	42.86	54.00	11.14	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.13	73.58	-14.85	58.73	74.00	15.27	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.13	57.91	-14.85	43.06	54.00	10.94	Vertical	PASS

Mode:	2DH5 2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4882.23	72.87	-14.90	57.97	74.00	16.03	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4882.23	58.09	-14.90	43.19	54.00	10.81	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4882.30	72.62	-14.90	57.72	74.00	16.28	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4882.30	57.55	-14.90	42.65	54.00	11.35	Vertical	PASS

Mode:	2DH5 2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4959.54	73.38	-14.59	58.79	74.00	15.21	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4959.54	57.9	-14.59	43.31	54.00	10.69	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4959.72	71.49	-14.58	56.91	74.00	17.09	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4959.72	56.38	-14.58	41.80	54.00	12.20	Vertical	PASS

Mode:	3DH5 2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.42	73.63	-14.85	58.78	74.00	15.22	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.42	58.51	-14.85	43.66	54.00	10.34	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.41	72.70	-14.86	57.84	74.00	16.16	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.41	57.75	-14.86	42.89	54.00	11.11	Vertical	PASS



Mode:	3DH5 2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4882.82	70.42	-14.91	55.51	74.00	18.49	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4882.82	56.69	-14.91	41.78	54.00	12.22	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4882.05	73.81	-14.90	58.91	74.00	15.09	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4882.05	58.17	-14.90	43.27	54.00	10.73	Vertical	PASS

Mode:	3DH5 2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4959.77	75.15	-14.58	60.57	74.00	13.43	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4959.77	59.7	-14.58	45.12	54.00	8.88	Horizontal	PASS


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4959.87	73.97	-14.58	59.39	74.00	14.61	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4959.87	58.9	-14.58	44.32	54.00	9.68	Vertical	PASS

Band edge


Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------

### Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2336.55	66.85	45.78	-21.07	74.00	28.22	Horizontal	PASS
2	2336.61	66.37	45.30	-21.07	74.00	28.70	Vertical	PASS
3	2390.00	65.15	44.18	-20.97	74.00	29.82	Horizontal	PASS
4	2390.00	64.06	43.09	-20.97	74.00	30.91	Vertical	PASS


Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------

**Test Graph**


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	74.29	-20.80	53.49	74.00	20.51	Vertical	PASS
2	2483.50	77.50	-20.80	56.70	74.00	17.30	Horizontal	PASS


AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	59.25	-20.80	38.45	54.00	15.55	Vertical	PASS
2	2483.50	63.35	-20.80	42.55	54.00	11.45	Horizontal	PASS

Mode:	2DH5 2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**

**PK Final Data List**

NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2354.76	66.82	45.78	-21.04	74.00	28.22	Vertical	PASS
2	2368.19	67.13	46.11	-21.02	74.00	27.89	Horizontal	PASS
3	2390.00	63.49	42.52	-20.97	74.00	31.48	Horizontal	PASS
4	2390.00	63.99	43.02	-20.97	74.00	30.98	Vertical	PASS


Mode:	2DH5 2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	88.47	-20.80	67.67	74.00	6.33	Horizontal	PASS
2	2483.50	74.43	-20.80	53.63	74.00	20.37	Vertical	PASS
3	2483.82	73.26	-20.80	52.46	74.00	21.54	Vertical	PASS
4	2483.88	84.60	-20.80	63.80	74.00	10.20	Horizontal	PASS
5	2484.31	81.07	-20.80	60.27	74.00	13.73	Horizontal	PASS


AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	58.99	-20.80	38.19	54.00	15.81	Horizontal	PASS
2	2483.50	54.22	-20.80	33.42	54.00	20.58	Vertical	PASS
3	2483.82	53.5	-20.80	32.70	54.00	21.30	Vertical	PASS
4	2483.88	57.01	-20.80	36.21	54.00	17.79	Horizontal	PASS
5	2484.31	55.04	-20.80	34.24	54.00	19.76	Horizontal	PASS

Mode:	3DH5 2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2343.31	66.20	45.14	-21.06	74.00	28.86	Vertical	PASS
2	2360.88	66.67	45.64	-21.03	74.00	28.36	Horizonta	PASS
3	2390.00	63.31	42.34	-20.97	74.00	31.66	Horizonta	PASS
4	2390.00	64.00	43.03	-20.97	74.00	30.97	Vertical	PASS

Mode:	3DH5 2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

**Test Graph**


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	91.26	-20.80	70.46	74.00	3.54	Horizontal	PASS
2	2483.50	74.80	-20.80	54.00	74.00	20.00	Vertical	PASS
3	2484.04	86.60	-20.80	65.80	74.00	8.20	Horizontal	PASS
4	2484.51	72.24	-20.80	51.44	74.00	22.56	Vertical	PASS
5	2484.74	81.70	-20.80	60.90	74.00	13.10	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	59.27	-20.80	38.47	54.00	15.53	Horizontal	PASS
2	2483.50	54.56	-20.80	33.76	54.00	20.24	Vertical	PASS
3	2484.04	56.77	-20.80	35.97	54.00	18.03	Horizontal	PASS
4	2484.51	52.72	-20.80	31.92	54.00	22.08	Vertical	PASS
5	2484.74	54.5	-20.80	33.70	54.00	20.30	Horizontal	PASS