



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	23.562M	19.46M	19M5D1D	22.242M	19.07M
802.11be EHT40_Nss4,(MCS0)_4TX	45.012M	38.201M	38M2D1D	43.164M	38.081M
802.11be EHT80_Nss4,(MCS0)_4TX	89.76M	77.961M	78MOD1D	87.912M	77.721M
802.11be EHT160_Nss4,(MCS0)_4TX	174.24M	157.361M	157MD1D	169.488M	156.882M
802.11be EHT320_Nss4,(MCS0)_4TX	342.144M	315.831M	316MD1D	335.808M	315.126M
6.425-6.525GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	23.496M	19.16M	19M2D1D	22.308M	19.07M
802.11be EHT40_Nss4,(MCS0)_4TX	45.408M	38.141M	38M1D1D	43.692M	38.081M
802.11be EHT80_Nss4,(MCS0)_4TX	91.08M	78.081M	78M1D1D	87.912M	77.721M
802.11be EHT160_Nss4,(MCS0)_4TX	173.184M	157.361M	157MD1D	171.072M	156.882M
802.11be EHT320_Nss4,(MCS0)_4TX	337.92M	315.458M	315MD1D	335.808M	315.149M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	23.166M	19.13M	19M1D1D	22.374M	19.07M
802.11be EHT40_Nss4,(MCS0)_4TX	45.54M	38.201M	38M2D1D	43.824M	38.021M
802.11be EHT80_Nss4,(MCS0)_4TX	91.872M	77.961M	78MOD1D	88.176M	77.721M
802.11be EHT160_Nss4,(MCS0)_4TX	174.24M	157.361M	157MD1D	170.544M	157.121M
6.875-7.125GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	23.562M	19.16M	19M2D1D	22.242M	19.07M
802.11be EHT40_Nss4,(MCS0)_4TX	45.408M	38.201M	38M2D1D	43.428M	38.081M
802.11be EHT80_Nss4,(MCS0)_4TX	90.816M	78.081M	78M1D1D	86.856M	77.721M
802.11be EHT160_Nss4,(MCS0)_4TX	174.24M	157.361M	157MD1D	168.96M	156.642M
802.11be EHT320_Nss4,(MCS0)_4TX	338.976M	315.798M	316MD1D	334.752M	314.988M

Max-N dB = Maximum 26dB down bandwidth
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 26dB down bandwidth
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	Inf	23.562M	19.16M	22.638M	19.13M	22.44M	19.13M	22.968M	19.16M
5955MHz	Pass	Inf	22.242M	19.46M	22.77M	19.13M	23.166M	19.1M	23.298M	19.07M
6175MHz	Pass	Inf	23.496M	19.1M	22.836M	19.1M	23.034M	19.13M	23.364M	19.07M
6415MHz	Pass	Inf	22.77M	19.07M	22.77M	19.13M	23.166M	19.07M	23.232M	19.13M
6435MHz	Pass	Inf	22.968M	19.1M	22.704M	19.07M	23.496M	19.16M	22.638M	19.1M
6475MHz	Pass	Inf	22.506M	19.1M	22.308M	19.1M	22.836M	19.13M	22.77M	19.13M
6515MHz	Pass	Inf	22.506M	19.13M	22.374M	19.07M	22.836M	19.1M	23.166M	19.13M
6535MHz	Pass	Inf	22.968M	19.13M	22.572M	19.13M	23.034M	19.13M	23.166M	19.1M
6715MHz	Pass	Inf	22.902M	19.13M	22.704M	19.13M	22.968M	19.07M	22.704M	19.13M
6855MHz	Pass	Inf	22.704M	19.1M	22.374M	19.1M	22.638M	19.1M	23.1M	19.13M
6875MHz Straddle 6.875-7.125GHz	Pass	Inf	23.298M	19.13M	22.902M	19.1M	23.562M	19.1M	23.364M	19.1M
6895MHz	Pass	Inf	23.034M	19.13M	22.242M	19.16M	22.902M	19.13M	23.298M	19.1M
7015MHz	Pass	Inf	22.374M	19.13M	22.77M	19.13M	22.77M	19.16M	22.968M	19.16M
7095MHz	Pass	Inf	23.298M	19.13M	22.638M	19.07M	22.902M	19.1M	22.77M	19.1M
7115MHz	Pass	Inf	22.968M	19.13M	23.034M	19.13M	23.034M	19.13M	23.43M	19.1M
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	Inf	44.088M	38.141M	43.692M	38.081M	44.22M	38.141M	43.824M	38.081M
6165MHz	Pass	Inf	44.352M	38.201M	44.22M	38.141M	43.56M	38.141M	44.88M	38.141M
6405MHz	Pass	Inf	44.88M	38.081M	45.012M	38.141M	43.164M	38.141M	43.428M	38.141M
6445MHz	Pass	Inf	45.408M	38.141M	44.22M	38.081M	44.22M	38.141M	43.692M	38.081M
6485MHz	Pass	Inf	43.824M	38.141M	43.956M	38.141M	43.692M	38.141M	43.956M	38.081M
6525MHz Straddle 6.425-6.525GHz	Pass	Inf	43.824M	38.141M	44.484M	38.141M	43.824M	38.081M	44.088M	38.141M
6565MHz	Pass	Inf	44.88M	38.201M	44.352M	38.141M	44.352M	38.141M	43.956M	38.081M
6725MHz	Pass	Inf	45.012M	38.081M	44.22M	38.141M	44.352M	38.141M	44.616M	38.081M
6845MHz	Pass	Inf	45.54M	38.141M	45.012M	38.021M	44.484M	38.141M	43.824M	38.081M
6885MHz Straddle 6.875-7.125GHz	Pass	Inf	44.088M	38.081M	43.428M	38.141M	44.088M	38.081M	44.088M	38.081M
6925MHz	Pass	Inf	44.748M	38.141M	45.276M	38.201M	43.692M	38.141M	43.824M	38.081M
7005MHz	Pass	Inf	43.956M	38.141M	45.408M	38.081M	43.428M	38.141M	44.352M	38.141M
7085MHz	Pass	Inf	44.22M	38.141M	43.56M	38.141M	44.22M	38.141M	44.22M	38.081M
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	Inf	88.44M	77.841M	88.176M	77.721M	88.704M	77.841M	88.968M	77.841M
6145MHz	Pass	Inf	89.496M	77.841M	88.44M	77.841M	88.968M	77.841M	87.912M	77.841M
6385MHz	Pass	Inf	89.76M	77.961M	87.912M	77.961M	88.176M	77.961M	88.968M	77.841M
6465MHz	Pass	Inf	88.704M	77.961M	88.704M	77.721M	91.08M	77.961M	88.44M	78.081M
6545MHz Straddle 6.425-6.525GHz	Pass	Inf	87.912M	77.961M	90.288M	77.961M	89.496M	77.841M	88.704M	77.961M



Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
6625MHz	Pass	Inf	89.76M	77.961M	88.176M	77.841M	90.552M	77.961M	89.76M	77.841M
6705MHz	Pass	Inf	90.024M	77.961M	89.496M	77.841M	88.704M	77.841M	91.872M	77.961M
6785MHz	Pass	Inf	88.176M	77.961M	90.288M	77.961M	88.968M	77.961M	88.176M	77.721M
6865MHz Straddle 6.875-7.125GHz	Pass	Inf	89.232M	77.841M	86.856M	77.841M	88.176M	77.841M	88.968M	77.961M
6945MHz	Pass	Inf	90.816M	77.961M	89.232M	77.721M	90.288M	77.841M	89.232M	77.841M
7025MHz	Pass	Inf	88.44M	77.961M	90.552M	77.961M	88.44M	77.961M	88.704M	78.081M
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	Inf	174.24M	157.361M	171.6M	157.121M	171.6M	156.882M	169.488M	157.361M
6185MHz	Pass	Inf	173.712M	157.361M	169.488M	157.361M	171.6M	157.121M	170.544M	157.121M
6345MHz	Pass	Inf	174.24M	157.361M	171.6M	157.361M	172.656M	157.121M	172.128M	157.121M
6505MHz Straddle 6.425-6.525GHz	Pass	Inf	173.184M	157.361M	172.128M	157.121M	171.072M	156.882M	172.656M	157.121M
6665MHz	Pass	Inf	173.712M	157.361M	170.544M	157.121M	174.24M	157.121M	172.656M	157.361M
6825MHz Straddle 6.875-7.125GHz	Pass	Inf	174.24M	157.361M	172.128M	156.882M	172.128M	157.121M	171.6M	157.121M
6985MHz	Pass	Inf	172.128M	156.882M	173.184M	156.642M	171.072M	156.882M	168.96M	156.642M
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	Inf	336.864M	315.429M	338.976M	315.23M	335.808M	315.352M	336.864M	315.126M
6265MHz	Pass	Inf	342.144M	315.799M	338.976M	315.567M	337.92M	315.831M	336.864M	315.74M
6425MHz Straddle 5.925-6.425GHz	Pass	Inf	335.808M	315.491M	335.808M	315.232M	337.92M	315.212M	337.92M	315.3M
6585MHz Straddle 6.425-6.525GHz	Pass	Inf	335.808M	315.39M	337.92M	315.149M	337.92M	315.458M	337.92M	315.378M
6745MHz Straddle 6.875-7.125GHz	Pass	Inf	337.92M	314.988M	338.976M	315.111M	334.752M	315.791M	336.864M	315.798M
6905MHz Straddle 6.875-7.125GHz	Pass	Inf	337.92M	315.454M	334.752M	315.714M	335.808M	315.473M	337.92M	315.134M

Port X-N dB = 26dB down bandwidth

Port X-OBW = Port X 99% occupied bandwidth




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

5935MHz

CF
5.935GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.935GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
23.562M	5.923318G	5.94688G	19.16M	5.925435G	5.944595G	Inf	1
22.638M	5.923714G	5.946352G	19.13M	5.925435G	5.944565G	Inf	2
22.44M	5.923912G	5.946352G	19.13M	5.925465G	5.944595G	Inf	3
22.968M	5.923714G	5.946682G	19.16M	5.925405G	5.944565G	Inf	4

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

5955MHz

CF
5.955GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.955GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.242M	5.943912G	5.966154G	19.46M	5.945105G	5.964565G	Inf	1
22.77M	5.943714G	5.966484G	19.13M	5.945465G	5.964595G	Inf	2
23.166M	5.943582G	5.966748G	19.1M	5.945465G	5.964565G	Inf	3
23.298M	5.943912G	5.96721G	19.07M	5.945465G	5.964535G	Inf	4




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

6175MHz

CF: 6.175GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.175GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
23.496M	6.163252G	6.186748G	19.1M	6.165435G	6.184535G	Inf	1
22.836M	6.163648G	6.186484G	19.1M	6.165435G	6.184535G	Inf	2
23.034M	6.163384G	6.186418G	19.13M	6.165405G	6.184535G	Inf	3
23.364M	6.163054G	6.186418G	19.07M	6.165465G	6.184535G	Inf	4

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

6415MHz

CF: 6.415GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.415GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.77M	6.403714G	6.426484G	19.07M	6.405465G	6.424535G	Inf	1
22.77M	6.403582G	6.426352G	19.13M	6.405435G	6.424565G	Inf	2
23.166M	6.403582G	6.426748G	19.07M	6.405465G	6.424535G	Inf	3
23.232M	6.403648G	6.42688G	19.13M	6.405435G	6.424565G	Inf	4




6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

6435MHz

CF
6.435GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.435GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.968M	6.423582G	6.44655G	19.1M	6.425435G	6.444535G	Inf	1
22.704M	6.423648G	6.446352G	19.07M	6.425465G	6.444535G	Inf	2
23.496M	6.423252G	6.446748G	19.16M	6.425405G	6.444565G	Inf	3
22.638M	6.42378G	6.446418G	19.1M	6.425465G	6.444565G	Inf	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

6475MHz

CF
6.475GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.475GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.506M	6.463846G	6.486352G	19.1M	6.465435G	6.484535G	Inf	1
22.308M	6.464044G	6.486352G	19.1M	6.465435G	6.484535G	Inf	2
22.836M	6.463516G	6.486352G	19.13M	6.465405G	6.484535G	Inf	3
22.77M	6.46345G	6.48622G	19.13M	6.465435G	6.484565G	Inf	4




6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

6515MHz

CF
6.515GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.515GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.506M	6.503582G	6.526088G	19.13M	6.505435G	6.524565G	Inf	1
22.374M	6.503714G	6.526088G	19.07M	6.505465G	6.524535G	Inf	2
22.836M	6.50378G	6.526616G	19.1M	6.505435G	6.524535G	Inf	3
23.166M	6.503912G	6.527078G	19.13M	6.505405G	6.524535G	Inf	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

6535MHz

CF
6.535GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.535GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.968M	6.52345G	6.546418G	19.13M	6.525405G	6.544535G	Inf	1
22.572M	6.523912G	6.546484G	19.13M	6.525435G	6.544565G	Inf	2
23.034M	6.523714G	6.546748G	19.13M	6.525435G	6.544565G	Inf	3
23.166M	6.523516G	6.546682G	19.1M	6.525435G	6.544535G	Inf	4




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

6715MHz

CF
6.715GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.715GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.902M	6.703252G	6.726154G	19.13M	6.705435G	6.724565G	Inf	1
22.704M	6.703648G	6.726352G	19.13M	6.705435G	6.724565G	Inf	2
22.968M	6.703846G	6.726814G	19.07M	6.705465G	6.724535G	Inf	3
22.704M	6.703714G	6.726418G	19.13M	6.705405G	6.724535G	Inf	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

6855MHz

CF
6.855GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.855GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.704M	6.843714G	6.866418G	19.1M	6.845435G	6.864535G	Inf	1
22.374M	6.843714G	6.866088G	19.1M	6.845435G	6.864535G	Inf	2
22.638M	6.843384G	6.866022G	19.1M	6.845435G	6.864535G	Inf	3
23.1M	6.843582G	6.866682G	19.13M	6.845435G	6.864565G	Inf	4



6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW


6875MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

6895MHz






6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW


7015MHz



6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

7095MHz






6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX


EBW

7115MHz

CF
7.115GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.115GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.968M	7.103582G	7.12655G	19.13M	7.105435G	7.124565G	Inf	1
23.034M	7.10345G	7.126484G	19.13M	7.105435G	7.124565G	Inf	2
23.034M	7.103648G	7.126682G	19.13M	7.105435G	7.124565G	Inf	3
23.43M	7.103516G	7.126946G	19.1M	7.105465G	7.124565G	Inf	4

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX


EBW

5965MHz

CF
5.965GHz
Span
264MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.965GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
44.088M	5.942956G	5.987044G	38.141M	5.94593G	5.98407G	Inf	1
43.692M	5.943484G	5.987176G	38.081M	5.94599G	5.98407G	Inf	2
44.22M	5.942956G	5.987176G	38.141M	5.94593G	5.98407G	Inf	3
43.824M	5.94322G	5.987044G	38.081M	5.94599G	5.98407G	Inf	4




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX


EBW

6165MHz

CF: 6.165GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.165GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
44.352M	6.142956G	6.187308G	38.201M	6.14587G	6.18407G	Inf	1
44.22M	6.14256G	6.18678G	38.141M	6.14593G	6.18407G	Inf	2
43.56M	6.143484G	6.187044G	38.141M	6.14593G	6.18407G	Inf	3
44.88M	6.142428G	6.187308G	38.141M	6.14593G	6.18407G	Inf	4

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX


EBW

6405MHz

CF: 6.405GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.405GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
44.88M	6.382296G	6.427176G	38.081M	6.38593G	6.42401G	Inf	1
45.012M	6.3819G	6.426912G	38.141M	6.38593G	6.42407G	Inf	2
43.164M	6.383352G	6.426516G	38.141M	6.38593G	6.42407G	Inf	3
43.428M	6.383352G	6.42678G	38.141M	6.38593G	6.42407G	Inf	4




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX


EBW

6445MHz

CF
6.445GHz
Span
264MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.445GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
45.408M	6.422428G	6.467836G	38.141M	6.42593G	6.46407G	Inf	1
44.22M	6.422692G	6.466912G	38.081M	6.42599G	6.46407G	Inf	2
44.22M	6.42256G	6.46678G	38.141M	6.42593G	6.46407G	Inf	3
43.692M	6.422824G	6.466516G	38.081M	6.42593G	6.46401G	Inf	4

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX


EBW

6485MHz

CF
6.485GHz
Span
264MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.485GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
43.824M	6.462692G	6.506516G	38.141M	6.46593G	6.50407G	Inf	1
43.956M	6.463088G	6.507044G	38.141M	6.46593G	6.50407G	Inf	2
43.692M	6.463484G	6.507176G	38.141M	6.46593G	6.50407G	Inf	3
43.956M	6.462956G	6.506912G	38.081M	6.46593G	6.50401G	Inf	4



6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW


6525MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

6565MHz






6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX


EBW

6725MHz

CF
6.725GHz
Span
264MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.725GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
45.012M	6.702956G	6.747968G	38.081M	6.70593G	6.74401G	Inf	1
44.22M	6.702692G	6.746912G	38.141M	6.70593G	6.74407G	Inf	2
44.352M	6.702824G	6.747176G	38.141M	6.70593G	6.74407G	Inf	3
44.616M	6.70256G	6.747176G	38.081M	6.70593G	6.74401G	Inf	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX


EBW

6845MHz

CF
6.845GHz
Span
264MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.845GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
45.54M	6.82256G	6.8681G	38.141M	6.82593G	6.86407G	Inf	1
45.012M	6.8219G	6.866912G	38.021M	6.82599G	6.86401G	Inf	2
44.484M	6.82256G	6.867044G	38.141M	6.82593G	6.86407G	Inf	3
43.824M	6.822956G	6.86678G	38.081M	6.82593G	6.86401G	Inf	4



6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW


6885MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

6925MHz






6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW


7005MHz



6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

7085MHz






5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX


EBW

5985MHz

CF: 5.985GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.985GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
88.44M	5.940912G	6.029352G	77.841M	5.946139G	6.023981G	Inf	1
88.176M	5.94144G	6.029616G	77.721M	5.946259G	6.023981G	Inf	2
88.704M	5.94144G	6.030144G	77.841M	5.946139G	6.023981G	Inf	3
88.968M	5.940912G	6.02988G	77.841M	5.946139G	6.023981G	Inf	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX


EBW

6145MHz

CF: 6.145GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.145GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
89.496M	6.100648G	6.190144G	77.841M	6.106019G	6.183861G	Inf	1
88.44M	6.10012G	6.18856G	77.841M	6.106019G	6.183861G	Inf	2
88.968M	6.100912G	6.18988G	77.841M	6.106019G	6.183861G	Inf	3
87.912M	6.100384G	6.188296G	77.841M	6.106019G	6.183861G	Inf	4




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX


EBW

6385MHz

CF
6.385GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.385GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
89.76M	6.339064G	6.428824G	77.961M	6.346019G	6.423981G	Inf	1
87.912M	6.341176G	6.429088G	77.961M	6.346019G	6.423981G	Inf	2
88.176M	6.340912G	6.429088G	77.961M	6.346019G	6.423981G	Inf	3
88.968M	6.340384G	6.429352G	77.841M	6.346139G	6.423981G	Inf	4

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

6465MHz

CF
6.465GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.465GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
88.704M	6.420384G	6.509088G	77.961M	6.426019G	6.503981G	Inf	1
88.704M	6.420912G	6.509616G	77.721M	6.426139G	6.503861G	Inf	2
91.08M	6.42012G	6.5112G	77.961M	6.426019G	6.503981G	Inf	3
88.44M	6.420912G	6.509352G	78.081M	6.4259G	6.503981G	Inf	4



6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

6625MHz






6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX


EBW

6705MHz

CF
6.705GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.705GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
90.024M	6.66012G	6.750144G	77.961M	6.666019G	6.743981G	Inf	1
89.496M	6.659592G	6.749088G	77.841M	6.666019G	6.743861G	Inf	2
88.704M	6.66012G	6.748824G	77.841M	6.666139G	6.743981G	Inf	3
91.872M	6.658536G	6.750408G	77.961M	6.666019G	6.743981G	Inf	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX


EBW

6785MHz

CF
6.785GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.785GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
88.176M	6.740912G	6.829088G	77.961M	6.7459G	6.823861G	Inf	1
90.288M	6.738536G	6.828824G	77.961M	6.746019G	6.823981G	Inf	2
88.968M	6.740648G	6.829616G	77.961M	6.746019G	6.823981G	Inf	3
88.176M	6.741176G	6.829352G	77.721M	6.746139G	6.823861G	Inf	4



6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW


6865MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

6945MHz






6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX


EBW

7025MHz

CF: 7.025GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 7.025GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
88.44M	6.979856G	7.068296G	77.961M	6.98578G	7.063741G	Inf	1
90.552M	6.978008G	7.06856G	77.961M	6.98566G	7.063621G	Inf	2
88.44M	6.979856G	7.068296G	77.961M	6.98578G	7.063741G	Inf	3
88.704M	6.98012G	7.068824G	78.081M	6.98578G	7.063861G	Inf	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


EBW

6025MHz

CF: 6.025GHz
 Span: 1.056GHz
 RBW: 2MHz
 VBW: 10MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.025GHz
 Span: 480MHz
 RBW: 2MHz
 VBW: 10MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
174.24M	5.93788G	6.11212G	157.361M	5.946319G	6.103681G	Inf	1
171.6M	5.939464G	6.111064G	157.121M	5.946599G	6.103681G	Inf	2
171.6M	5.939992G	6.111592G	156.882M	5.946799G	6.103681G	Inf	3
169.488M	5.939992G	6.10948G	157.361M	5.946319G	6.103681G	Inf	4




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


EBW

6185MHz

CF
6.185GHz
Span
1.056GHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.185GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
173.712M	6.09788G	6.271592G	157.361M	6.106319G	6.263681G	Inf	1
169.488M	6.09992G	6.26948G	157.361M	6.106319G	6.263681G	Inf	2
171.6M	6.098936G	6.270536G	157.121M	6.106319G	6.263441G	Inf	3
170.544M	6.099464G	6.270008G	157.121M	6.106319G	6.263441G	Inf	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


EBW

6345MHz

CF
6.345GHz
Span
1.056GHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.345GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
174.24M	6.25788G	6.43212G	157.361M	6.266319G	6.423681G	Inf	1
171.6M	6.258936G	6.430536G	157.361M	6.266319G	6.423681G	Inf	2
172.656M	6.25788G	6.430536G	157.121M	6.266559G	6.423681G	Inf	3
172.128M	6.258408G	6.430536G	157.121M	6.266559G	6.423681G	Inf	4



6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW


6505MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

6665MHz






6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW


6825MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

6985MHz






5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX


EBW

6105MHz

CF
6.105GHz
Span
2.112GHz
RBW
4MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.105GHz
Span
960MHz
RBW
5MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
336.864M	5.93604G	6.272904G	315.429M	5.94738G	6.262808G	Inf	1
338.976M	5.93604G	6.275016G	315.23M	5.947534G	6.262764G	Inf	2
335.808M	5.937096G	6.272904G	315.352M	5.94724G	6.262593G	Inf	3
336.864M	5.934984G	6.271848G	315.126M	5.947458G	6.262584G	Inf	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX


EBW

6265MHz

CF
6.265GHz
Span
2.112GHz
RBW
4MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.265GHz
Span
960MHz
RBW
5MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
342.144M	6.093928G	6.436072G	315.799M	6.107183G	6.422981G	Inf	1
338.976M	6.094984G	6.43396G	315.567M	6.107349G	6.422916G	Inf	2
337.92M	6.09604G	6.43396G	315.831M	6.107001G	6.422831G	Inf	3
336.864M	6.097096G	6.43396G	315.74M	6.107279G	6.423019G	Inf	4



5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

EBW


6425MHz Straddle 5.925-6.425GHz



6.425-6.525GHz_802.11be EHT320_Nss4,(MCS0)_4TX

EBW

6585MHz Straddle 6.425-6.525GHz






6.875-7.125GHz_802.11be EHT320_Nss4,(MCS0)_4TX

EBW


6745MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT320_Nss4,(MCS0)_4TX

EBW

6905MHz Straddle 6.875-7.125GHz





Non-beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	10.62	0.01153	18.03	0.06353
802.11be EHT40_Nss4,(MCS0)_4TX	13.41	0.02193	20.82	0.12078
802.11be EHT80_Nss4,(MCS0)_4TX	16.46	0.04426	23.87	0.24378
802.11be EHT160_Nss4,(MCS0)_4TX	19.02	0.07980	26.43	0.43954
802.11be EHT320_Nss4,(MCS0)_4TX	21.54	0.14256	28.95	0.78524
6.425-6.525GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	11.16	0.01306	18.17	0.06561
802.11be EHT40_Nss4,(MCS0)_4TX	14.18	0.02618	21.19	0.13152
802.11be EHT80_Nss4,(MCS0)_4TX	16.82	0.04808	23.83	0.24155
802.11be EHT160_Nss4,(MCS0)_4TX	19.32	0.08551	26.33	0.42954
802.11be EHT320_Nss4,(MCS0)_4TX	21.87	0.15382	28.88	0.77268
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	11.25	0.01334	18.26	0.06699
802.11be EHT40_Nss4,(MCS0)_4TX	14.08	0.02559	21.09	0.12853
802.11be EHT80_Nss4,(MCS0)_4TX	17.00	0.05012	24.01	0.25177
802.11be EHT160_Nss4,(MCS0)_4TX	19.44	0.08790	26.45	0.44157
6.875-7.125GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	11.26	0.01337	18.05	0.06383
802.11be EHT40_Nss4,(MCS0)_4TX	14.03	0.02529	20.82	0.12078
802.11be EHT80_Nss4,(MCS0)_4TX	16.97	0.04977	23.76	0.23768
802.11be EHT160_Nss4,(MCS0)_4TX	19.50	0.08913	26.29	0.42560
802.11be EHT320_Nss4,(MCS0)_4TX	21.97	0.15740	28.76	0.75162



Conducted Output Power(Average)

Appendix B.1

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	7.41	2.15	2.22	1.7	1.96	8.03	Inf	15.44	30.00
5955MHz	Pass	7.41	4.18	5.01	4.43	4.39	10.53	Inf	17.94	30.00
6175MHz	Pass	7.41	4.14	5.15	4.44	4.59	10.62	Inf	18.03	30.00
6415MHz	Pass	7.41	3.65	4.66	4.42	4.72	10.40	Inf	17.81	30.00
6435MHz	Pass	7.01	4.14	5.17	5.03	5.25	10.94	Inf	17.95	30.00
6475MHz	Pass	7.01	4.74	5.23	4.85	4.91	10.96	Inf	17.97	30.00
6515MHz	Pass	7.01	4.48	5.58	5.22	5.21	11.16	Inf	18.17	30.00
6535MHz	Pass	7.01	4.95	5.54	5.15	5.23	11.24	Inf	18.25	30.00
6715MHz	Pass	7.01	5.12	5.27	5.02	5.01	11.13	Inf	18.14	30.00
6855MHz	Pass	7.01	4.93	5.33	5.26	5.39	11.25	Inf	18.26	30.00
6875MHz Straddle 6.875-7.125GHz	Pass	6.79	4.77	5.21	5.13	5.26	11.12	Inf	17.91	30.00
6895MHz	Pass	6.79	5.01	5.23	5.11	5.21	11.16	Inf	17.95	30.00
7015MHz	Pass	6.79	5.22	5.55	5.04	5.15	11.26	Inf	18.05	30.00
7095MHz	Pass	6.79	4.65	5.03	5.05	5.23	11.02	Inf	17.81	30.00
7115MHz	Pass	6.79	-0.73	-0.81	-0.64	-0.65	5.31	Inf	12.10	30.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.41	7.06	7.85	7.28	7.33	13.41	Inf	20.82	30.00
6165MHz	Pass	7.41	6.88	7.55	7.1	7.52	13.29	Inf	20.70	30.00
6405MHz	Pass	7.41	6.78	7.83	7.15	7.65	13.39	Inf	20.80	30.00
6445MHz	Pass	7.01	7.65	8.22	8.39	8.32	14.18	Inf	21.19	30.00
6485MHz	Pass	7.01	7.65	8.2	8.25	8.43	14.16	Inf	21.17	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	7.01	7.66	8.1	8.09	8.16	14.03	Inf	21.04	30.00
6565MHz	Pass	7.01	7.71	8.18	7.93	7.8	13.93	Inf	20.94	30.00
6725MHz	Pass	7.01	7.69	8.19	7.79	7.56	13.83	Inf	20.84	30.00
6845MHz	Pass	7.01	7.6	8.11	8.23	8.26	14.08	Inf	21.09	30.00
6885MHz Straddle 6.875-7.125GHz	Pass	6.79	7.52	7.82	7.93	7.91	13.82	Inf	20.61	30.00
6925MHz	Pass	6.79	7.44	7.93	7.83	7.55	13.71	Inf	20.50	30.00
7005MHz	Pass	6.79	8.18	8.19	8.05	7.58	14.03	Inf	20.82	30.00
7085MHz	Pass	6.79	7.63	7.72	8.14	7.95	13.89	Inf	20.68	30.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.41	9.95	10.79	10.45	10.51	16.46	Inf	23.87	30.00
6145MHz	Pass	7.41	9.62	10.57	9.83	10.15	16.08	Inf	23.49	30.00
6385MHz	Pass	7.41	9.75	10.37	10.29	10.56	16.27	Inf	23.68	30.00
6465MHz	Pass	7.01	10.41	10.95	10.75	11.05	16.82	Inf	23.83	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	7.01	10.41	10.87	10.69	10.84	16.73	Inf	23.74	30.00



Conducted Output Power(Average)

Appendix B.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6625MHz	Pass	7.01	10.35	10.89	10.78	10.86	16.75	Inf	23.76	30.00
6705MHz	Pass	7.01	10.86	11.09	11.02	10.95	17.00	Inf	24.01	30.00
6785MHz	Pass	7.01	10.85	11.05	11.02	10.83	16.96	Inf	23.97	30.00
6865MHz Straddle 6.875-7.125GHz	Pass	6.79	10.72	10.94	10.93	10.82	16.87	Inf	23.66	30.00
6945MHz	Pass	6.79	10.63	10.88	10.91	10.66	16.79	Inf	23.58	30.00
7025MHz	Pass	6.79	10.73	10.98	11.11	10.96	16.97	Inf	23.76	30.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.41	12.43	13.19	12.78	13.04	18.89	Inf	26.30	30.00
6185MHz	Pass	7.41	12.41	13.11	12.64	12.7	18.74	Inf	26.15	30.00
6345MHz	Pass	7.41	12.82	13.09	12.95	13.15	19.02	Inf	26.43	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	7.01	13.09	13.47	13.19	13.43	19.32	Inf	26.33	30.00
6665MHz	Pass	7.01	13.13	13.62	13.47	13.43	19.44	Inf	26.45	30.00
6825MHz Straddle 6.875-7.125GHz	Pass	6.79	13.21	13.59	13.61	13.49	19.50	Inf	26.29	30.00
6985MHz	Pass	6.79	12.78	13.35	13.36	13.33	19.23	Inf	26.02	30.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.41	15.25	15.77	15.49	15.57	21.54	Inf	28.95	30.00
6265MHz	Pass	7.41	15.21	15.65	15.53	15.31	21.45	Inf	28.86	30.00
6425MHz Straddle 5.925-6.425GHz	Pass	7.41	15.08	15.53	15.31	15.65	21.42	Inf	28.83	30.00
6585MHz Straddle 6.425-6.525GHz	Pass	7.01	15.72	15.85	15.92	15.91	21.87	Inf	28.88	30.00
6745MHz Straddle 6.875-7.125GHz	Pass	6.79	15.81	15.89	15.91	15.72	21.85	Inf	28.64	30.00
6905MHz Straddle 6.875-7.125GHz	Pass	6.79	15.76	15.95	16.15	15.91	21.97	Inf	28.76	30.00

DG = Directional Gain; Port X = Port X output power
Directional Gain

Antenna	Antenna Gain (dBi)			
	5150 ~ 5250 MHz	5250 ~ 5350 MHz	5470 ~ 5725 MHz	5725 ~ 5850 MHz
11	6.47	7.53	7.53	6.4
12	6.19	5.7	5.7	5.73
13	7.37	6.86	6.86	6.75
14	7.9	7.64	7.64	6.91
15	9.01	7.16	7.16	7.8
16	7.16	6.89	6.89	7.85
Directional Gain (Antenna 11/12/13/15)	7.41	6.86	6.86	6.74
Directional Gain** (Antenna 11/12/14/16)	6.98	7.01	7.01	6.79

Note 1: Directional gain = $10 \log[(10^{G1/10} + 10^{G2/10} + \dots + 10^{Gn/10})/N_{ANT}]$



Beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20-BF_Nss4,(MCS0)_4TX	4.60	0.00288	12.00	0.01585
802.11be EHT40-BF_Nss4,(MCS0)_4TX	7.39	0.00548	14.79	0.03013
802.11be EHT80-BF_Nss4,(MCS0)_4TX	10.44	0.01107	17.84	0.06081
802.11be EHT160-BF_Nss4,(MCS0)_4TX	13.00	0.01995	20.40	0.10965
802.11be EHT320-BF_Nss4,(MCS0)_4TX	15.52	0.03565	22.92	0.19588
6.425-6.525GHz	-	-	-	-
802.11be EHT20-BF_Nss4,(MCS0)_4TX	5.14	0.00327	12.15	0.01641
802.11be EHT40-BF_Nss4,(MCS0)_4TX	8.16	0.00655	15.17	0.03289
802.11be EHT80-BF_Nss4,(MCS0)_4TX	10.80	0.01202	17.81	0.06039
802.11be EHT160-BF_Nss4,(MCS0)_4TX	13.30	0.02138	20.31	0.10740
802.11be EHT320-BF_Nss4,(MCS0)_4TX	15.85	0.03846	22.86	0.19320
6.525-6.875GHz	-	-	-	-
802.11be EHT20-BF_Nss4,(MCS0)_4TX	5.23	0.00333	12.24	0.01675
802.11be EHT40-BF_Nss4,(MCS0)_4TX	8.06	0.00640	15.07	0.03214
802.11be EHT80-BF_Nss4,(MCS0)_4TX	10.98	0.01253	17.99	0.06295
802.11be EHT160-BF_Nss4,(MCS0)_4TX	13.42	0.02198	20.43	0.11041
6.875-7.125GHz	-	-	-	-
802.11be EHT20-BF_Nss4,(MCS0)_4TX	5.24	0.00334	12.03	0.01596
802.11be EHT40-BF_Nss4,(MCS0)_4TX	8.01	0.00632	14.80	0.03020
802.11be EHT80-BF_Nss4,(MCS0)_4TX	10.95	0.01245	17.74	0.05943
802.11be EHT160-BF_Nss4,(MCS0)_4TX	13.48	0.02228	20.27	0.10641
802.11be EHT320-BF_Nss4,(MCS0)_4TX	15.95	0.03936	22.74	0.18793



Conducted Output Power(Average)

Appendix B.2

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	7.40	-3.87	-3.8	-4.32	-4.06	2.01	Inf	9.41	30.00
5955MHz	Pass	7.40	-1.84	-1.01	-1.59	-1.63	4.51	Inf	11.91	30.00
6175MHz	Pass	7.40	-1.88	-0.87	-1.58	-1.43	4.60	Inf	12.00	30.00
6415MHz	Pass	7.40	-2.37	-1.36	-1.6	-1.3	4.38	Inf	11.78	30.00
6435MHz	Pass	7.01	-1.88	-0.85	-0.99	-0.77	4.92	Inf	11.93	30.00
6475MHz	Pass	7.01	-1.28	-0.79	-1.17	-1.11	4.94	Inf	11.95	30.00
6515MHz	Pass	7.01	-1.54	-0.44	-0.8	-0.81	5.14	Inf	12.15	30.00
6535MHz	Pass	7.01	-1.07	-0.48	-0.87	-0.79	5.22	Inf	12.23	30.00
6715MHz	Pass	7.01	-0.9	-0.75	-1	-1.01	5.11	Inf	12.12	30.00
6855MHz	Pass	7.01	-1.09	-0.69	-0.76	-0.63	5.23	Inf	12.24	30.00
6875MHz Straddle 6.875-7.125GHz	Pass	6.79	-1.25	-0.81	-0.89	-0.76	5.10	Inf	11.89	30.00
6895MHz	Pass	6.79	-1.01	-0.79	-0.91	-0.81	5.14	Inf	11.93	30.00
7015MHz	Pass	6.79	-0.8	-0.47	-0.98	-0.87	5.24	Inf	12.03	30.00
7095MHz	Pass	6.79	-1.37	-0.99	-0.97	-0.79	5.00	Inf	11.79	30.00
7115MHz	Pass	6.79	-6.75	-6.83	-6.66	-6.67	-0.71	Inf	6.08	30.00
802.11be EHT40-BF_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.40	1.04	1.83	1.26	1.31	7.39	Inf	14.79	30.00
6165MHz	Pass	7.40	0.86	1.53	1.08	1.5	7.27	Inf	14.67	30.00
6405MHz	Pass	7.40	0.76	1.81	1.13	1.63	7.37	Inf	14.77	30.00
6445MHz	Pass	7.01	1.63	2.2	2.37	2.3	8.16	Inf	15.17	30.00
6485MHz	Pass	7.01	1.63	2.18	2.23	2.41	8.14	Inf	15.15	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	7.01	1.64	2.08	2.07	2.14	8.01	Inf	15.02	30.00
6565MHz	Pass	7.01	1.69	2.16	1.91	1.78	7.91	Inf	14.92	30.00
6725MHz	Pass	7.01	1.67	2.17	1.77	1.54	7.81	Inf	14.82	30.00
6845MHz	Pass	7.01	1.58	2.09	2.21	2.24	8.06	Inf	15.07	30.00
6885MHz Straddle 6.875-7.125GHz	Pass	6.79	1.5	1.8	1.91	1.89	7.80	Inf	14.59	30.00
6925MHz	Pass	6.79	1.42	1.91	1.81	1.53	7.69	Inf	14.48	30.00
7005MHz	Pass	6.79	2.16	2.17	2.03	1.56	8.01	Inf	14.80	30.00
7085MHz	Pass	6.79	1.61	1.7	2.12	1.93	7.87	Inf	14.66	30.00
802.11be EHT80-BF_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.40	3.93	4.77	4.43	4.49	10.44	Inf	17.84	30.00
6145MHz	Pass	7.40	3.6	4.55	3.81	4.13	10.06	Inf	17.46	30.00
6385MHz	Pass	7.40	3.73	4.35	4.27	4.54	10.25	Inf	17.65	30.00
6465MHz	Pass	7.01	4.39	4.93	4.73	5.03	10.80	Inf	17.81	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	7.01	4.39	4.85	4.67	4.82	10.71	Inf	17.72	30.00



Conducted Output Power(Average)

Appendix B.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6625MHz	Pass	7.01	4.33	4.87	4.76	4.84	10.73	Inf	17.74	30.00
6705MHz	Pass	7.01	4.84	5.07	5	4.93	10.98	Inf	17.99	30.00
6785MHz	Pass	7.01	4.83	5.03	5	4.81	10.94	Inf	17.95	30.00
6865MHz Straddle 6.875-7.125GHz	Pass	6.79	4.7	4.92	4.91	4.8	10.85	Inf	17.64	30.00
6945MHz	Pass	6.79	4.61	4.86	4.89	4.64	10.77	Inf	17.56	30.00
7025MHz	Pass	6.79	4.71	4.96	5.09	4.94	10.95	Inf	17.74	30.00
802.11be EHT160-BF_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.40	6.41	7.17	6.76	7.02	12.87	Inf	20.27	30.00
6185MHz	Pass	7.40	6.39	7.09	6.62	6.68	12.72	Inf	20.12	30.00
6345MHz	Pass	7.40	6.8	7.07	6.93	7.13	13.00	Inf	20.40	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	7.01	7.07	7.45	7.17	7.41	13.30	Inf	20.31	30.00
6665MHz	Pass	7.01	7.11	7.6	7.45	7.41	13.42	Inf	20.43	30.00
6825MHz Straddle 6.875-7.125GHz	Pass	6.79	7.19	7.57	7.59	7.47	13.48	Inf	20.27	30.00
6985MHz	Pass	6.79	6.76	7.33	7.34	7.31	13.21	Inf	20.00	30.00
802.11be EHT320-BF_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.40	9.23	9.75	9.47	9.55	15.52	Inf	22.92	30.00
6265MHz	Pass	7.40	9.19	9.63	9.51	9.29	15.43	Inf	22.83	30.00
6425MHz Straddle 5.925-6.425GHz	Pass	7.40	9.06	9.51	9.29	9.63	15.40	Inf	22.80	30.00
6585MHz Straddle 6.425-6.525GHz	Pass	7.01	9.7	9.83	9.9	9.89	15.85	Inf	22.86	30.00
6745MHz Straddle 6.875-7.125GHz	Pass	6.79	9.79	9.87	9.89	9.7	15.83	Inf	22.62	30.00
6905MHz Straddle 6.875-7.125GHz	Pass	6.79	9.74	9.93	10.13	9.89	15.95	Inf	22.74	30.00

DG = Directional Gain; Port X = Port X output power
Directional Gain

Antenna	Antenna Gain (dBi)			
	5150 ~ 5250 MHz	5250 ~ 5350 MHz	5470 ~ 5725 MHz	5725 ~ 5850 MHz
11	6.47	7.53	7.53	6.4
12	6.19	5.7	5.7	5.73
13	7.37	6.86	6.86	6.75
14	7.9	7.64	7.64	6.91
15	9.01	7.16	7.16	7.8
16	7.16	6.89	6.89	7.85
Directional Gain (Antenna 11/12/13/15)	7.41	6.86	6.86	6.74
Directional Gain** (Antenna 11/12/14/16)	6.98	7.01	7.01	6.79

Note 1: Directional gain = $10 \log[(10^{G1/10} + 10^{G2/10} + \dots + 10^{Gn/10})/N_{ANT}]$



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	-3.17	4.24
802.11be EHT40_Nss4,(MCS0)_4TX	-3.17	4.24
802.11be EHT80_Nss4,(MCS0)_4TX	-3.06	4.35
802.11be EHT160_Nss4,(MCS0)_4TX	-3.10	4.31
802.11be EHT320_Nss4,(MCS0)_4TX	-3.08	4.33
6.425-6.525GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	-2.44	4.57
802.11be EHT40_Nss4,(MCS0)_4TX	-2.48	4.53
802.11be EHT80_Nss4,(MCS0)_4TX	-2.73	4.28
802.11be EHT160_Nss4,(MCS0)_4TX	-2.80	4.21
802.11be EHT320_Nss4,(MCS0)_4TX	-2.70	4.31
6.525-6.875GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	-2.46	4.55
802.11be EHT40_Nss4,(MCS0)_4TX	-2.50	4.51
802.11be EHT80_Nss4,(MCS0)_4TX	-2.44	4.57
802.11be EHT160_Nss4,(MCS0)_4TX	-2.59	4.42
6.875-7.125GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	-2.48	4.31
802.11be EHT40_Nss4,(MCS0)_4TX	-2.53	4.26
802.11be EHT80_Nss4,(MCS0)_4TX	-2.48	4.31
802.11be EHT160_Nss4,(MCS0)_4TX	-2.56	4.23
802.11be EHT320_Nss4,(MCS0)_4TX	-2.65	4.14

RBW = 1MHz



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	7.41	-11.44	-10.82	-11.90	-12.00	-5.73	Inf	1.68	5.00
5955MHz	Pass	7.41	-9.02	-8.66	-9.02	-9.40	-3.19	Inf	4.22	5.00
6175MHz	Pass	7.41	-9.37	-8.41	-9.04	-8.97	-3.17	Inf	4.24	5.00
6415MHz	Pass	7.41	-9.62	-9.00	-9.16	-8.69	-3.38	Inf	4.03	5.00
6435MHz	Pass	7.01	-8.88	-8.47	-8.62	-8.14	-2.68	Inf	4.33	5.00
6475MHz	Pass	7.01	-8.82	-8.40	-8.59	-8.36	-2.73	Inf	4.28	5.00
6515MHz	Pass	7.01	-8.48	-7.96	-8.36	-8.19	-2.44	Inf	4.57	5.00
6535MHz	Pass	7.01	-8.28	-8.10	-8.53	-8.09	-2.46	Inf	4.55	5.00
6715MHz	Pass	7.01	-8.45	-8.23	-8.62	-8.69	-2.66	Inf	4.35	5.00
6855MHz	Pass	7.01	-8.63	-8.23	-8.43	-8.18	-2.54	Inf	4.47	5.00
6875MHz Straddle 6.875-7.125GHz	Pass	6.79	-9.05	-8.09	-8.29	-8.44	-2.64	Inf	4.15	5.00
6895MHz	Pass	6.79	-9.07	-8.15	-8.54	-8.27	-2.61	Inf	4.18	5.00
7015MHz	Pass	6.79	-8.38	-8.04	-8.61	-8.50	-2.48	Inf	4.31	5.00
7095MHz	Pass	6.79	-9.23	-8.54	-8.45	-8.41	-2.72	Inf	4.07	5.00
7115MHz	Pass	6.79	-14.15	-14.22	-14.24	-14.32	-8.27	Inf	-1.48	5.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.41	-8.80	-8.77	-9.14	-8.93	-3.17	Inf	4.24	5.00
6165MHz	Pass	7.41	-9.38	-9.10	-9.31	-8.70	-3.31	Inf	4.10	5.00
6405MHz	Pass	7.41	-9.70	-8.70	-8.42	-8.30	-3.31	Inf	4.10	5.00
6445MHz	Pass	7.01	-9.21	-7.47	-8.28	-7.85	-2.52	Inf	4.49	5.00
6485MHz	Pass	7.01	-9.39	-8.10	-8.44	-7.44	-2.55	Inf	4.46	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	7.01	-8.18	-8.02	-7.96	-8.67	-2.48	Inf	4.53	5.00
6565MHz	Pass	7.01	-8.91	-8.26	-8.35	-8.33	-2.59	Inf	4.42	5.00
6725MHz	Pass	7.01	-8.45	-7.99	-8.72	-9.04	-2.76	Inf	4.25	5.00
6845MHz	Pass	7.01	-8.66	-7.77	-8.30	-8.43	-2.50	Inf	4.51	5.00
6885MHz Straddle 6.875-7.125GHz	Pass	6.79	-8.30	-8.65	-8.72	-8.21	-2.72	Inf	4.07	5.00
6925MHz	Pass	6.79	-8.81	-8.12	-8.44	-9.35	-2.85	Inf	3.94	5.00
7005MHz	Pass	6.79	-8.49	-8.18	-8.35	-8.70	-2.53	Inf	4.26	5.00
7085MHz	Pass	6.79	-8.66	-8.84	-8.41	-8.72	-2.75	Inf	4.04	5.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.41	-9.44	-8.47	-8.74	-8.76	-3.06	Inf	4.35	5.00
6145MHz	Pass	7.41	-9.71	-8.83	-9.34	-9.15	-3.39	Inf	4.02	5.00
6385MHz	Pass	7.41	-9.84	-8.74	-9.02	-8.80	-3.31	Inf	4.10	5.00
6465MHz	Pass	7.01	-8.91	-8.43	-8.49	-8.37	-2.77	Inf	4.24	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	7.01	-8.50	-8.40	-8.63	-8.41	-2.73	Inf	4.28	5.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6625MHz	Pass	7.01	-8.96	-8.32	-8.53	-8.32	-2.71	Inf	4.30	5.00
6705MHz	Pass	7.01	-8.55	-7.89	-8.27	-8.19	-2.51	Inf	4.50	5.00
6785MHz	Pass	7.01	-8.48	-7.77	-8.25	-8.30	-2.44	Inf	4.57	5.00
6865MHz Straddle 6.875-7.125GHz	Pass	6.79	-8.42	-8.24	-8.30	-8.19	-2.59	Inf	4.20	5.00
6945MHz	Pass	6.79	-8.63	-8.39	-8.53	-8.91	-2.68	Inf	4.11	5.00
7025MHz	Pass	6.79	-8.52	-8.24	-8.21	-8.47	-2.48	Inf	4.31	5.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.41	-9.42	-8.50	-8.83	-8.81	-3.26	Inf	4.15	5.00
6185MHz	Pass	7.41	-9.30	-8.71	-9.14	-9.06	-3.34	Inf	4.07	5.00
6345MHz	Pass	7.41	-9.27	-8.78	-8.75	-8.71	-3.10	Inf	4.31	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	7.01	-8.89	-8.41	-8.65	-8.44	-2.80	Inf	4.21	5.00
6665MHz	Pass	7.01	-8.86	-8.03	-8.53	-8.14	-2.59	Inf	4.42	5.00
6825MHz Straddle 6.875-7.125GHz	Pass	6.79	-8.63	-7.91	-8.22	-8.66	-2.56	Inf	4.23	5.00
6985MHz	Pass	6.79	-9.06	-8.38	-8.70	-8.75	-2.83	Inf	3.96	5.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.41	-9.02	-8.74	-8.81	-8.85	-3.08	Inf	4.33	5.00
6265MHz	Pass	7.41	-9.12	-8.08	-8.14	-8.74	-3.30	Inf	4.11	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	7.41	-9.37	-8.93	-8.83	-8.75	-3.20	Inf	4.21	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	7.01	-8.36	-7.98	-8.27	-8.54	-2.70	Inf	4.31	5.00
6745MHz Straddle 6.875-7.125GHz	Pass	6.79	-8.47	-7.78	-8.54	-8.31	-2.65	Inf	4.14	5.00
6905MHz Straddle 6.875-7.125GHz	Pass	6.79	-8.45	-8.21	-8.44	-8.95	-2.79	Inf	4.00	5.00

DG = Directional Gain; RBW = 1MHz

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density; Directional Gain

Antenna	Antenna Gain (dBi)			
	5150 ~ 5250 MHz	5250 ~ 5350 MHz	5470 ~ 5725 MHz	5725 ~ 5850 MHz
11	6.47	7.53	7.53	6.4
12	6.19	5.7	5.7	5.73
13	7.37	6.86	6.86	6.75
14	7.9	7.64	7.64	6.91
15	9.01	7.16	7.16	7.8
16	7.16	6.89	6.89	7.85
Directional Gain (Antenna 11/12/13/15)	7.41	6.86	6.86	6.74
Directional Gain** (Antenna 11/12/14/16)	6.98	7.01	7.01	6.79

Note: Directional gain = $10 \log_{10} \left(\frac{10^{G1/10} + 10^{G2/10} + \dots + 10^{Gn/10}}{N_{ANT}} \right)$

