




### B7\_N25(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




### B7\_N25(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




### B7\_N25(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### B7\_N25(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### B7\_N25(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




### B7\_N25(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




B7\_N25(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



B7\_N25(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




B7\_N25(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




B7\_N25(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




B7\_N25(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




B7\_N25(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




B7\_N25(40M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




B7\_N25(40M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH



B7\_N25(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



B7\_N25(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



B7\_N25(40M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH



B7\_N25(40M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH



# FR1 N26\_ANT 0

## Transmitter Conducted Output Power And ERP, (G<sub>T</sub> - L<sub>C</sub>)=-4dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	ERP (dBm)	ERP (W)
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@1	22.56	16.41	0.0438
26	15	5	165300	826.5	DFT-s-OFDM 16 QAM	1@1	22.18	16.03	0.0401
26	15	5	167300	836.5	DFT-s-OFDM QPSK	1@1	22.98	16.83	0.0482
26	15	5	167300	836.5	DFT-s-OFDM 16 QAM	1@1	22.79	16.64	0.0461
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@1	23.29	17.14	0.0518
26	15	5	169300	846.5	DFT-s-OFDM 16 QAM	1@1	22.9	16.75	0.0473
26	15	10	165800	829	DFT-s-OFDM QPSK	1@1	22.5	16.35	0.0432
26	15	10	165800	829	DFT-s-OFDM 16 QAM	1@1	22.2	16.05	0.0403
26	15	10	167300	836.5	DFT-s-OFDM QPSK	1@1	22.84	16.69	0.0467
26	15	10	167300	836.5	DFT-s-OFDM 16 QAM	1@1	22.6	16.45	0.0442
26	15	10	168800	844	DFT-s-OFDM QPSK	1@1	23.18	17.03	0.0505
26	15	10	168800	844	DFT-s-OFDM 16 QAM	1@1	22.91	16.76	0.0474
26	15	15	166300	831.5	DFT-s-OFDM QPSK	1@1	22.59	16.44	0.0441
26	15	15	166300	831.5	DFT-s-OFDM 16 QAM	1@1	22.26	16.11	0.0408
26	15	15	167300	836.5	DFT-s-OFDM QPSK	1@1	22.97	16.82	0.0481
26	15	15	167300	836.5	DFT-s-OFDM 16 QAM	1@1	22.56	16.41	0.0438
26	15	15	168300	841.5	DFT-s-OFDM QPSK	1@1	23.11	16.96	0.0497
26	15	15	168300	841.5	DFT-s-OFDM 16 QAM	1@1	22.81	16.66	0.0463
26	15	20	166800	834	DFT-s-OFDM PI/2 BPSK	50@25	23.06	16.91	0.0491
26	15	20	166800	834	DFT-s-OFDM PI/2 BPSK	1@1	22.56	16.41	0.0438
26	15	20	166800	834	DFT-s-OFDM PI/2 BPSK	1@104	23.18	17.03	0.0505
26	15	20	166800	834	DFT-s-OFDM QPSK	50@25	23.1	16.95	0.0495
26	15	20	166800	834	DFT-s-OFDM QPSK	1@1	22.55	16.4	0.0437
26	15	20	166800	834	DFT-s-OFDM QPSK	1@104	23.23	17.08	0.0511
26	15	20	166800	834	DFT-s-OFDM 16 QAM	50@25	22.71	16.56	0.0453
26	15	20	166800	834	DFT-s-OFDM 16 QAM	1@1	22.31	16.16	0.0413
26	15	20	166800	834	DFT-s-OFDM 16 QAM	1@104	23.05	16.9	0.0490
26	15	20	166800	834	DFT-s-OFDM 64 QAM	50@25	21.8	15.65	0.0367
26	15	20	166800	834	DFT-s-OFDM 64 QAM	1@1	21.41	15.26	0.0336

26	15	20	166800	834	DFT-s-OFDM 64 QAM	1@104	22.13	15.98	0.0396
26	15	20	166800	834	DFT-s-OFDM 256 QAM	50@25	19.78	13.63	0.0231
26	15	20	166800	834	DFT-s-OFDM 256 QAM	1@1	19.03	12.88	0.0194
26	15	20	166800	834	DFT-s-OFDM 256 QAM	1@104	19.8	13.65	0.0232
26	15	20	166800	834	CP-OFDM QPSK	53@26	22.8	16.65	0.0462
26	15	20	166800	834	CP-OFDM QPSK	1@1	21.99	15.84	0.0384
26	15	20	166800	834	CP-OFDM QPSK	1@104	22.68	16.53	0.0450
26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	50@25	23.16	17.01	0.0502
26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	1@1	22.69	16.54	0.0451
26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	1@104	23.12	16.97	0.0498
26	15	20	167300	836.5	DFT-s-OFDM QPSK	50@25	23.14	16.99	0.0500
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@1	22.82	16.67	0.0465
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@104	23.2	17.05	0.0507
26	15	20	167300	836.5	DFT-s-OFDM 16 QAM	50@25	22.71	16.56	0.0453
26	15	20	167300	836.5	DFT-s-OFDM 16 QAM	1@1	22.53	16.38	0.0435
26	15	20	167300	836.5	DFT-s-OFDM 16 QAM	1@104	23	16.85	0.0484
26	15	20	167300	836.5	DFT-s-OFDM 64 QAM	50@25	21.89	15.74	0.0375
26	15	20	167300	836.5	DFT-s-OFDM 64 QAM	1@1	21.63	15.48	0.0353
26	15	20	167300	836.5	DFT-s-OFDM 64 QAM	1@104	22.17	16.02	0.0400
26	15	20	167300	836.5	DFT-s-OFDM 256 QAM	50@25	19.85	13.7	0.0234
26	15	20	167300	836.5	DFT-s-OFDM 256 QAM	1@1	19.28	13.13	0.0206
26	15	20	167300	836.5	DFT-s-OFDM 256 QAM	1@104	19.78	13.63	0.0231
26	15	20	167300	836.5	CP-OFDM QPSK	53@26	22.88	16.73	0.0471
26	15	20	167300	836.5	CP-OFDM QPSK	1@1	22.18	16.03	0.0401
26	15	20	167300	836.5	CP-OFDM QPSK	1@104	22.61	16.46	0.0443
26	15	20	167800	839	DFT-s-OFDM PI/2 BPSK	50@25	23.45	17.3	0.0537
26	15	20	167800	839	DFT-s-OFDM PI/2 BPSK	1@1	22.99	16.84	0.0483
26	15	20	167800	839	DFT-s-OFDM PI/2 BPSK	1@104	23.32	17.17	0.0521
26	15	20	167800	839	DFT-s-OFDM QPSK	50@25	23.36	17.21	0.0526
26	15	20	167800	839	DFT-s-OFDM QPSK	1@1	23.08	16.93	0.0493
26	15	20	167800	839	DFT-s-OFDM QPSK	1@104	23.4	17.25	0.0531
26	15	20	167800	839	DFT-s-OFDM 16 QAM	50@25	22.77	16.62	0.0459
26	15	20	167800	839	DFT-s-OFDM 16 QAM	1@1	22.58	16.43	0.0440
26	15	20	167800	839	DFT-s-OFDM 16 QAM	1@104	23.04	16.89	0.0489
26	15	20	167800	839	DFT-s-OFDM 64 QAM	50@25	21.95	15.8	0.0380

26	15	20	167800	839	DFT-s-OFDM 64 QAM	1@1	21.68	15.53	0.0357
26	15	20	167800	839	DFT-s-OFDM 64 QAM	1@104	22.14	15.99	0.0397
26	15	20	167800	839	DFT-s-OFDM 256 QAM	50@25	19.81	13.66	0.0232
26	15	20	167800	839	DFT-s-OFDM 256 QAM	1@1	19.35	13.2	0.0209
26	15	20	167800	839	DFT-s-OFDM 256 QAM	1@104	19.82	13.67	0.0233
26	15	20	167800	839	CP-OFDM QPSK	53@26	22.98	16.83	0.0482
26	15	20	167800	839	CP-OFDM QPSK	1@1	22.65	16.5	0.0447
26	15	20	167800	839	CP-OFDM QPSK	1@104	22.65	16.5	0.0447

## Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0041	PASS	NV
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0065	PASS	LV
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0053	PASS	HV
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0040	PASS	-30°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0032	PASS	-20°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0037	PASS	-10°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0030	PASS	0°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0057	PASS	10°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0041	PASS	20°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0070	PASS	30°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0057	PASS	40°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0065	PASS	50°C


# Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	100@0	4.16	13	PASS
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	5.09	13	PASS

N26(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH



N26(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH







## Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
26	15	5	167300	836.5	CP-OFDM QPSK	25@0	4.4692	5.043
26	15	5	167300	836.5	CP-OFDM 16 QAM	25@0	4.5003	5.282
26	15	5	167300	836.5	CP-OFDM 64 QAM	25@0	4.4646	5.026
26	15	5	167300	836.5	CP-OFDM 256 QAM	25@0	4.4788	5.073
26	15	10	167300	836.5	CP-OFDM QPSK	52@0	9.2774	10.1
26	15	10	167300	836.5	CP-OFDM 16 QAM	52@0	9.2747	10.01
26	15	10	167300	836.5	CP-OFDM 64 QAM	52@0	9.2655	9.845
26	15	10	167300	836.5	CP-OFDM 256 QAM	52@0	9.2745	9.942
26	15	15	167300	836.5	CP-OFDM QPSK	79@0	14.091	14.93
26	15	15	167300	836.5	CP-OFDM 16 QAM	79@0	14.08	14.88
26	15	15	167300	836.5	CP-OFDM 64 QAM	79@0	14.093	14.87
26	15	15	167300	836.5	CP-OFDM 256 QAM	79@0	14.083	14.87
26	15	20	167300	836.5	CP-OFDM QPSK	106@0	18.874	19.99
26	15	20	167300	836.5	CP-OFDM 16 QAM	106@0	18.924	19.82
26	15	20	167300	836.5	CP-OFDM 64 QAM	106@0	18.848	19.69
26	15	20	167300	836.5	CP-OFDM 256 QAM	106@0	18.881	19.73

### N26(5M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### N26(5M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N26(5M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### N26(5M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




### N26(10M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N26(10M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N26(10M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N26(10M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N26(15M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N26(15M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### N26(15M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N26(15M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH



### N26(20M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### N26(20M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



### N26(20M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH



### N26(20M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




## Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
26	15	5	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	5	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
26	15	5	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	5	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
26	15	10	165800	829.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	10	165800	829.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
26	15	10	165800	829.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	10	165800	829.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
26	15	10	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	10	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
26	15	10	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	10	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
26	15	10	168800	844.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	10	168800	844.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>

26	15	10	168800	844.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	10	168800	844.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
26	15	20	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	20	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>


### N26(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



### N26(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### N26(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




### N26(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### N26(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




### N26(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




N26(10M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N26(10M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N26(10M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



N26(10M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



N26(10M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




N26(10M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH







### N26(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### N26(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### N26(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




### N26(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



### N26(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



### N26(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




## Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	100@0	see graph	PASS

N26(5M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



N26(5M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N26(5M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_Low\_CH




N26(5M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH



N26(5M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



N26(5M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




N26(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH



N26(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




N26(10M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N26(10M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PA SS



N26(10M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N26(10M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




N26(10M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH



N26(10M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




N26(10M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




N26(10M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH




N26(10M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH




N26(20M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



N26(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N26(20M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_Low\_CH




N26(20M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




N26(20M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




N26(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



N26(20M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH



# N26(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH



# FR1 N71\_ANT 0

## Transmitter Conducted Output Power And ERP, (G<sub>T</sub> - L<sub>C</sub>)=-5.5dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	ERP (dBm)	ERP (W)
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@1	22.61	14.96	0.0313
71	15	5	133100	665.5	DFT-s-OFDM 16 QAM	1@1	22.27	14.62	0.0290
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@1	23.37	15.72	0.0373
71	15	5	136100	680.5	DFT-s-OFDM 16 QAM	1@1	22.95	15.3	0.0339
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@1	23.89	16.24	0.0421
71	15	5	139100	695.5	DFT-s-OFDM 16 QAM	1@1	23.7	16.05	0.0403
71	15	10	133600	668	DFT-s-OFDM QPSK	1@1	22.62	14.97	0.0314
71	15	10	133600	668	DFT-s-OFDM 16 QAM	1@1	22.3	14.65	0.0292
71	15	10	136100	680.5	DFT-s-OFDM QPSK	1@1	23.22	15.57	0.0361
71	15	10	136100	680.5	DFT-s-OFDM 16 QAM	1@1	22.89	15.24	0.0334
71	15	10	138600	693	DFT-s-OFDM QPSK	1@1	23.85	16.2	0.0417
71	15	10	138600	693	DFT-s-OFDM 16 QAM	1@1	23.6	15.95	0.0394
71	15	15	134100	670.5	DFT-s-OFDM QPSK	1@1	22.7	15.05	0.0320
71	15	15	134100	670.5	DFT-s-OFDM 16 QAM	1@1	22.29	14.64	0.0291
71	15	15	136100	680.5	DFT-s-OFDM QPSK	1@1	23.07	15.42	0.0348
71	15	15	136100	680.5	DFT-s-OFDM 16 QAM	1@1	22.77	15.12	0.0325
71	15	15	138100	690.5	DFT-s-OFDM QPSK	1@1	23.64	15.99	0.0397
71	15	15	138100	690.5	DFT-s-OFDM 16 QAM	1@1	23.39	15.74	0.0375
71	15	20	134600	673	DFT-s-OFDM QPSK	1@1	22.67	15.02	0.0318
71	15	20	134600	673	DFT-s-OFDM 16 QAM	1@1	22.26	14.61	0.0289
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@1	22.76	15.11	0.0324
71	15	20	136100	680.5	DFT-s-OFDM 16 QAM	1@1	22.54	14.89	0.0308
71	15	20	137600	688	DFT-s-OFDM QPSK	1@1	23.32	15.67	0.0369
71	15	20	137600	688	DFT-s-OFDM 16 QAM	1@1	23.17	15.52	0.0356
71	15	25	135100	675.5	DFT-s-OFDM QPSK	1@1	22.72	15.07	0.0321
71	15	25	135100	675.5	DFT-s-OFDM 16 QAM	1@1	22.58	14.93	0.0311
71	15	25	136100	680.5	DFT-s-OFDM QPSK	1@1	22.86	15.21	0.0332
71	15	25	136100	680.5	DFT-s-OFDM 16 QAM	1@1	22.47	14.82	0.0303
71	15	25	137100	685.5	DFT-s-OFDM QPSK	1@1	23.19	15.54	0.0358



71	15	25	137100	685.5	DFT-s-OFDM 16 QAM	1@1	22.89	15.24	0.0334
71	15	30	135600	678	DFT-s-OFDM PI/2 BPSK	80@40	23.45	15.8	0.0380
71	15	30	135600	678	DFT-s-OFDM PI/2 BPSK	1@1	22.64	14.99	0.0316
71	15	30	135600	678	DFT-s-OFDM PI/2 BPSK	1@158	23.92	16.27	0.0424
71	15	30	135600	678	DFT-s-OFDM QPSK	80@40	23.5	15.85	0.0385
71	15	30	135600	678	DFT-s-OFDM QPSK	1@1	22.73	15.08	0.0322
71	15	30	135600	678	DFT-s-OFDM QPSK	1@158	23.91	16.26	0.0423
71	15	30	135600	678	DFT-s-OFDM 16 QAM	80@40	23.04	15.39	0.0346
71	15	30	135600	678	DFT-s-OFDM 16 QAM	1@1	22.57	14.92	0.0310
71	15	30	135600	678	DFT-s-OFDM 16 QAM	1@158	23.72	16.07	0.0405
71	15	30	135600	678	DFT-s-OFDM 64 QAM	80@40	22.42	14.77	0.0300
71	15	30	135600	678	DFT-s-OFDM 64 QAM	1@1	21.83	14.18	0.0262
71	15	30	135600	678	DFT-s-OFDM 64 QAM	1@158	23.37	15.72	0.0373
71	15	30	135600	678	DFT-s-OFDM 256 QAM	80@40	20.42	12.77	0.0189
71	15	30	135600	678	DFT-s-OFDM 256 QAM	1@1	19.51	11.86	0.0153
71	15	30	135600	678	DFT-s-OFDM 256 QAM	1@158	21.11	13.46	0.0222
71	15	30	135600	678	CP-OFDM QPSK	80@40	23.35	15.7	0.0372
71	15	30	135600	678	CP-OFDM QPSK	1@1	22.57	14.92	0.0310
71	15	30	135600	678	CP-OFDM QPSK	1@158	23.78	16.13	0.0410
71	15	30	136100	680.5	DFT-s-OFDM PI/2 BPSK	80@40	23.6	15.95	0.0394
71	15	30	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	22.71	15.06	0.0321
71	15	30	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@158	23.89	16.24	0.0421
71	15	30	136100	680.5	DFT-s-OFDM QPSK	80@40	23.62	15.97	0.0395
71	15	30	136100	680.5	DFT-s-OFDM QPSK	1@1	22.83	15.18	0.0330
71	15	30	136100	680.5	DFT-s-OFDM QPSK	1@158	23.87	16.22	0.0419
71	15	30	136100	680.5	DFT-s-OFDM 16 QAM	80@40	23.21	15.56	0.0360
71	15	30	136100	680.5	DFT-s-OFDM 16 QAM	1@1	22.48	14.83	0.0304
71	15	30	136100	680.5	DFT-s-OFDM 16 QAM	1@158	23.71	16.06	0.0404
71	15	30	136100	680.5	DFT-s-OFDM 64 QAM	80@40	22.56	14.91	0.0310
71	15	30	136100	680.5	DFT-s-OFDM 64 QAM	1@1	21.88	14.23	0.0265
71	15	30	136100	680.5	DFT-s-OFDM 64 QAM	1@158	23.28	15.63	0.0366
71	15	30	136100	680.5	DFT-s-OFDM 256 QAM	80@40	20.59	12.94	0.0197
71	15	30	136100	680.5	DFT-s-OFDM 256 QAM	1@1	19.54	11.89	0.0155
71	15	30	136100	680.5	DFT-s-OFDM 256 QAM	1@158	21.08	13.43	0.0220
71	15	30	136100	680.5	CP-OFDM QPSK	80@40	23.48	15.83	0.0383

71	15	30	136100	680.5	CP-OFDM QPSK	1@1	22.27	14.62	0.0290
71	15	30	136100	680.5	CP-OFDM QPSK	1@158	23.93	16.28	0.0425
71	15	30	136600	683	DFT-s-OFDM PI/2 BPSK	80@40	23.7	16.05	0.0403
71	15	30	136600	683	DFT-s-OFDM PI/2 BPSK	1@1	22.85	15.2	0.0331
71	15	30	136600	683	DFT-s-OFDM PI/2 BPSK	1@158	23.83	16.18	0.0415
71	15	30	136600	683	DFT-s-OFDM QPSK	80@40	23.81	16.16	0.0413
71	15	30	136600	683	DFT-s-OFDM QPSK	1@1	22.96	15.31	0.0340
71	15	30	136600	683	DFT-s-OFDM QPSK	1@158	23.88	16.23	0.0420
71	15	30	136600	683	DFT-s-OFDM 16 QAM	80@40	23.32	15.67	0.0369
71	15	30	136600	683	DFT-s-OFDM 16 QAM	1@1	22.55	14.9	0.0309
71	15	30	136600	683	DFT-s-OFDM 16 QAM	1@158	23.73	16.08	0.0406
71	15	30	136600	683	DFT-s-OFDM 64 QAM	80@40	22.63	14.98	0.0315
71	15	30	136600	683	DFT-s-OFDM 64 QAM	1@1	21.89	14.24	0.0265
71	15	30	136600	683	DFT-s-OFDM 64 QAM	1@158	23.38	15.73	0.0374
71	15	30	136600	683	DFT-s-OFDM 256 QAM	80@40	20.85	13.2	0.0209
71	15	30	136600	683	DFT-s-OFDM 256 QAM	1@1	19.71	12.06	0.0161
71	15	30	136600	683	DFT-s-OFDM 256 QAM	1@158	21.22	13.57	0.0228
71	15	30	136600	683	CP-OFDM QPSK	80@40	23.59	15.94	0.0393
71	15	30	136600	683	CP-OFDM QPSK	1@1	22.78	15.13	0.0326
71	15	30	136600	683	CP-OFDM QPSK	1@158	23.62	15.97	0.0395


## Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0022	PASS	NV
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0047	PASS	LV
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0034	PASS	HV
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0028	PASS	-30°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0021	PASS	-20°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0023	PASS	-10°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0027	PASS	0°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0025	PASS	10°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0022	PASS	20°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0035	PASS	30°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0043	PASS	40°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0066	PASS	50°C


# Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
71	15	20	136100	680.5	DFT-s-OFDM PI/2 BPSK	100@0	4.18	13	PASS
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	5.21	13	PASS

N71(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




N71(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




## Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
71	15	5	136100	680.5	CP-OFDM QPSK	25@0	4.4711	5.078
71	15	5	136100	680.5	CP-OFDM 16 QAM	25@0	4.4873	5.146
71	15	5	136100	680.5	CP-OFDM 64 QAM	25@0	4.466	5.008
71	15	5	136100	680.5	CP-OFDM 256 QAM	25@0	4.4862	5.024
71	15	10	136100	680.5	CP-OFDM QPSK	52@0	9.2827	10.07
71	15	10	136100	680.5	CP-OFDM 16 QAM	52@0	9.2957	9.945
71	15	10	136100	680.5	CP-OFDM 64 QAM	52@0	9.2585	10.03
71	15	10	136100	680.5	CP-OFDM 256 QAM	52@0	9.2808	9.994
71	15	15	136100	680.5	CP-OFDM QPSK	79@0	14.097	14.89
71	15	15	136100	680.5	CP-OFDM 16 QAM	79@0	14.097	14.94
71	15	15	136100	680.5	CP-OFDM 64 QAM	79@0	14.075	14.85
71	15	15	136100	680.5	CP-OFDM 256 QAM	79@0	14.067	14.78
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	18.912	19.85
71	15	20	136100	680.5	CP-OFDM 16 QAM	106@0	18.911	19.86
71	15	20	136100	680.5	CP-OFDM 64 QAM	106@0	18.833	19.7
71	15	20	136100	680.5	CP-OFDM 256 QAM	106@0	18.899	19.88
71	15	25	136100	680.5	CP-OFDM QPSK	133@0	23.731	24.9
71	15	25	136100	680.5	CP-OFDM 16 QAM	133@0	23.719	24.76
71	15	25	136100	680.5	CP-OFDM 64 QAM	133@0	23.73	25.03
71	15	25	136100	680.5	CP-OFDM 256 QAM	133@0	23.666	24.84
71	15	30	136100	680.5	CP-OFDM QPSK	160@0	28.515	29.66
71	15	30	136100	680.5	CP-OFDM 16 QAM	160@0	28.563	31.14
71	15	30	136100	680.5	CP-OFDM 64 QAM	160@0	28.548	29.59
71	15	30	136100	680.5	CP-OFDM 256 QAM	160@0	28.546	29.69

### N71(5M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N71(5M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N71(5M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### N71(5M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




### N71(10M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N71(10M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N71(10M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N71(10M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N71(15M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N71(15M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### N71(15M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N71(15M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N71(20M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### N71(20M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### N71(20M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N71(20M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH



### N71(25M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N71(25M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH







### N71(25M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N71(25M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N71(30M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N71(30M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH



### N71(30M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH



### N71(30M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH



## Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
71	15	5	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
71	15	20	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>

71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
71	15	30	135600	678.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	30	135600	678.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	30	135600	678.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	30	135600	678.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
71	15	30	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	30	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	30	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	30	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
71	15	30	136600	683.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	30	136600	683.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	30	136600	683.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	30	136600	683.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>