

**Appendix
for
DC_38A_n78A
(3450-3550)**

Catalogue

1.	EFFECTIVE ISOTROPIC RADIATED POWER	3
1.1.	TEST RESULTS @ ANT5@PA0 (ANTENNA GAIN=-1.30dBi).....	3
2.	PEAK-TO-AVERAGE RATIO	5
2.1.	TEST RESULTS	5
2.2.	TEST PLOTS.....	5
3.	MODULATION CHARACTERISTICS	6
3.1.	TEST PLOTS.....	6
4.	99% OCCUPIED BANDWIDTH & 26DB EMISSION BANDWIDTH	8
4.1.	TEST RESULTS	8
4.2.	TEST PLOTS.....	9
5.	CONDUCTED BAND EDGES	18
5.1.	TEST PLOTS.....	18
6.	CONDUCTED SPURIOUS EMISSION	30
6.1.	TEST PLOTS.....	30
7.	FREQUENCY STABILITY	38
7.1.	TEST RESULTS	38

1. Effective Isotropic Radiated Power

1.1. Test Results @ Ant5@PA0 (Antenna Gain=-1.30dBi)

SCS	Bandwidth	Channel	Modulation	Conducted Result (dBm)			Max EIRP (dBm)	Limit (dBm)	Verdict
				Inner_1RB_Left	Inner_1RB_Right	Inner_Full			
30KHz	20MHz	LCH	DFT-Pi2BPSK	22.96	22.91	22.89	21.66	30.00	Pass
30KHz	20MHz	LCH	DFT-QPSK	22.93	22.89	22.91	21.63	30.00	Pass
30KHz	20MHz	LCH	DFT-16QAM	21.93	21.83	22.02	20.72	30.00	Pass
30KHz	20MHz	LCH	DFT-64QAM	20.36	20.32	20.54	19.24	30.00	Pass
30KHz	20MHz	LCH	DFT-256QAM	18.33	18.32	18.44	17.14	30.00	Pass
30KHz	20MHz	LCH	CP-QPSK	21.62	21.52	21.38	20.32	30.00	Pass
30KHz	20MHz	MCH	DFT-Pi2BPSK	23.12	23.10	23.07	21.82	30.00	Pass
30KHz	20MHz	MCH	DFT-QPSK	23.10	23.04	22.98	21.80	30.00	Pass
30KHz	20MHz	MCH	DFT-16QAM	22.05	22.09	22.11	20.81	30.00	Pass
30KHz	20MHz	MCH	DFT-64QAM	20.52	20.60	20.66	19.36	30.00	Pass
30KHz	20MHz	MCH	DFT-256QAM	18.42	18.47	18.56	17.26	30.00	Pass
30KHz	20MHz	MCH	CP-QPSK	21.67	21.75	21.56	20.45	30.00	Pass
30KHz	20MHz	HCH	DFT-Pi2BPSK	23.54	23.29	23.46	22.24	30.00	Pass
30KHz	20MHz	HCH	DFT-QPSK	23.49	23.71	23.49	22.41	30.00	Pass
30KHz	20MHz	HCH	DFT-16QAM	22.49	22.39	22.67	21.37	30.00	Pass
30KHz	20MHz	HCH	DFT-64QAM	20.94	20.80	21.00	19.70	30.00	Pass
30KHz	20MHz	HCH	DFT-256QAM	19.00	18.86	18.94	17.70	30.00	Pass
30KHz	20MHz	HCH	CP-QPSK	22.15	22.03	22.01	20.85	30.00	Pass
30KHz	30MHz	LCH	DFT-Pi2BPSK	23.02	22.99	22.86	21.72	30.00	Pass
30KHz	30MHz	LCH	DFT-QPSK	22.94	22.92	22.96	21.66	30.00	Pass
30KHz	30MHz	LCH	DFT-16QAM	21.99	21.89	22.00	20.70	30.00	Pass
30KHz	30MHz	LCH	DFT-64QAM	20.33	20.29	20.38	19.08	30.00	Pass
30KHz	30MHz	LCH	DFT-256QAM	18.55	18.41	18.45	17.25	30.00	Pass
30KHz	30MHz	LCH	CP-QPSK	21.55	21.64	21.46	20.34	30.00	Pass
30KHz	30MHz	MCH	DFT-Pi2BPSK	22.91	22.90	22.73	21.61	30.00	Pass
30KHz	30MHz	MCH	DFT-QPSK	22.93	22.96	22.79	21.66	30.00	Pass
30KHz	30MHz	MCH	DFT-16QAM	22.02	21.81	21.83	20.72	30.00	Pass
30KHz	30MHz	MCH	DFT-64QAM	20.36	20.25	20.23	19.06	30.00	Pass
30KHz	30MHz	MCH	DFT-256QAM	18.58	18.35	18.40	17.28	30.00	Pass
30KHz	30MHz	MCH	CP-QPSK	21.58	21.51	21.26	20.28	30.00	Pass
30KHz	30MHz	HCH	DFT-Pi2BPSK	23.11	23.16	23.31	22.01	30.00	Pass
30KHz	30MHz	HCH	DFT-QPSK	23.07	23.12	23.25	21.95	30.00	Pass
30KHz	30MHz	HCH	DFT-16QAM	22.29	22.15	22.11	20.99	30.00	Pass
30KHz	30MHz	HCH	DFT-64QAM	20.46	20.63	20.83	19.53	30.00	Pass
30KHz	30MHz	HCH	DFT-256QAM	18.60	18.69	18.70	17.40	30.00	Pass
30KHz	30MHz	HCH	CP-QPSK	21.72	21.81	21.82	20.52	30.00	Pass
30KHz	40MHz	LCH	DFT-Pi2BPSK	23.11	22.94	22.82	21.81	30.00	Pass
30KHz	40MHz	LCH	DFT-QPSK	23.05	22.96	22.93	21.75	30.00	Pass
30KHz	40MHz	LCH	DFT-16QAM	22.09	21.90	21.96	20.79	30.00	Pass
30KHz	40MHz	LCH	DFT-64QAM	20.51	20.30	20.37	19.21	30.00	Pass
30KHz	40MHz	LCH	DFT-256QAM	18.65	18.43	18.46	17.35	30.00	Pass
30KHz	40MHz	LCH	CP-QPSK	21.76	21.48	21.43	20.46	30.00	Pass
30KHz	40MHz	MCH	DFT-Pi2BPSK	23.06	23.05	22.71	21.76	30.00	Pass
30KHz	40MHz	MCH	DFT-QPSK	23.04	23.11	22.79	21.81	30.00	Pass
30KHz	40MHz	MCH	DFT-16QAM	22.02	22.10	21.85	20.80	30.00	Pass
30KHz	40MHz	MCH	DFT-64QAM	20.36	20.45	20.26	19.15	30.00	Pass
30KHz	40MHz	MCH	DFT-256QAM	18.40	18.44	18.38	17.14	30.00	Pass
30KHz	40MHz	MCH	CP-QPSK	21.68	21.68	21.24	20.38	30.00	Pass
30KHz	40MHz	HCH	DFT-Pi2BPSK	22.95	23.24	23.08	21.94	30.00	Pass
30KHz	40MHz	HCH	DFT-QPSK	23.13	23.20	23.06	21.90	30.00	Pass
30KHz	40MHz	HCH	DFT-16QAM	22.11	22.17	22.12	20.87	30.00	Pass
30KHz	40MHz	HCH	DFT-64QAM	20.50	20.59	20.59	19.29	30.00	Pass
30KHz	40MHz	HCH	DFT-256QAM	18.44	18.57	18.67	17.37	30.00	Pass
30KHz	40MHz	HCH	CP-QPSK	21.62	21.86	21.66	20.56	30.00	Pass
30KHz	50MHz	LCH	DFT-Pi2BPSK	22.83	22.60	22.85	21.55	30.00	Pass
30KHz	50MHz	LCH	DFT-QPSK	22.98	22.64	22.94	21.68	30.00	Pass
30KHz	50MHz	LCH	DFT-16QAM	21.86	21.53	21.87	20.57	30.00	Pass
30KHz	50MHz	LCH	DFT-64QAM	20.35	19.86	20.42	19.12	30.00	Pass

30KHz	50MHz	LCH	DFT-256QAM	18.34	17.94	18.40	17.10	30.00	Pass
30KHz	50MHz	LCH	CP-QPSK	21.56	21.21	21.38	20.26	30.00	Pass
30KHz	50MHz	MCH	DFT-Pi2BPSK	22.80	22.77	22.68	21.50	30.00	Pass
30KHz	50MHz	MCH	DFT-QPSK	22.87	22.90	22.59	21.60	30.00	Pass
30KHz	50MHz	MCH	DFT-16QAM	21.95	21.87	21.67	20.65	30.00	Pass
30KHz	50MHz	MCH	DFT-64QAM	20.22	20.16	20.22	18.92	30.00	Pass
30KHz	50MHz	MCH	DFT-256QAM	18.23	18.34	18.19	17.04	30.00	Pass
30KHz	50MHz	MCH	CP-QPSK	21.48	21.51	21.12	20.21	30.00	Pass
30KHz	50MHz	HCH	DFT-Pi2BPSK	22.63	22.73	22.85	21.55	30.00	Pass
30KHz	50MHz	HCH	DFT-QPSK	22.66	22.81	22.88	21.58	30.00	Pass
30KHz	50MHz	HCH	DFT-16QAM	21.56	21.62	21.86	20.56	30.00	Pass
30KHz	50MHz	HCH	DFT-64QAM	19.96	20.10	20.44	19.14	30.00	Pass
30KHz	50MHz	HCH	DFT-256QAM	17.96	18.12	18.42	17.12	30.00	Pass
30KHz	50MHz	HCH	CP-QPSK	21.22	21.40	21.40	20.10	30.00	Pass
30KHz	60MHz	LCH	DFT-Pi2BPSK	22.86	22.57	22.75	21.56	30.00	Pass
30KHz	60MHz	LCH	DFT-QPSK	23.04	22.58	22.83	21.74	30.00	Pass
30KHz	60MHz	LCH	DFT-16QAM	21.93	21.51	21.68	20.63	30.00	Pass
30KHz	60MHz	LCH	DFT-64QAM	20.35	20.02	20.35	19.05	30.00	Pass
30KHz	60MHz	LCH	DFT-256QAM	18.18	18.14	18.38	17.08	30.00	Pass
30KHz	60MHz	LCH	CP-QPSK	21.54	21.28	21.30	20.24	30.00	Pass
30KHz	60MHz	MCH	DFT-Pi2BPSK	22.85	22.87	22.67	21.57	30.00	Pass
30KHz	60MHz	MCH	DFT-QPSK	22.93	22.80	22.60	21.63	30.00	Pass
30KHz	60MHz	MCH	DFT-16QAM	21.96	21.87	21.68	20.66	30.00	Pass
30KHz	60MHz	MCH	DFT-64QAM	20.29	20.18	20.25	18.99	30.00	Pass
30KHz	60MHz	MCH	DFT-256QAM	18.40	18.41	18.11	17.11	30.00	Pass
30KHz	60MHz	MCH	CP-QPSK	21.51	21.51	21.17	20.21	30.00	Pass
30KHz	60MHz	HCH	DFT-Pi2BPSK	22.67	22.77	22.86	21.56	30.00	Pass
30KHz	60MHz	HCH	DFT-QPSK	22.63	22.82	22.92	21.62	30.00	Pass
30KHz	60MHz	HCH	DFT-16QAM	21.81	21.77	21.93	20.63	30.00	Pass
30KHz	60MHz	HCH	DFT-64QAM	20.08	20.15	20.35	19.05	30.00	Pass
30KHz	60MHz	HCH	DFT-256QAM	18.16	18.19	18.34	17.04	30.00	Pass
30KHz	60MHz	HCH	CP-QPSK	21.20	21.35	21.32	20.05	30.00	Pass
30KHz	70MHz	LCH	DFT-Pi2BPSK	22.89	22.49	22.59	21.59	30.00	Pass
30KHz	70MHz	LCH	DFT-QPSK	22.88	22.64	22.62	21.58	30.00	Pass
30KHz	70MHz	LCH	DFT-16QAM	21.91	21.67	21.65	20.61	30.00	Pass
30KHz	70MHz	LCH	DFT-64QAM	20.17	19.83	20.12	18.87	30.00	Pass
30KHz	70MHz	LCH	DFT-256QAM	18.26	17.96	18.00	16.96	30.00	Pass
30KHz	70MHz	LCH	CP-QPSK	21.49	21.14	21.17	20.19	30.00	Pass
30KHz	70MHz	MCH	DFT-Pi2BPSK	22.88	22.86	22.56	21.58	30.00	Pass
30KHz	70MHz	MCH	DFT-QPSK	22.89	22.95	22.55	21.65	30.00	Pass
30KHz	70MHz	MCH	DFT-16QAM	21.80	21.81	21.58	20.51	30.00	Pass
30KHz	70MHz	MCH	DFT-64QAM	20.21	20.11	20.05	18.91	30.00	Pass
30KHz	70MHz	MCH	DFT-256QAM	18.44	18.31	18.04	17.14	30.00	Pass
30KHz	70MHz	MCH	CP-QPSK	21.51	21.51	21.13	20.21	30.00	Pass
30KHz	70MHz	HCH	DFT-Pi2BPSK	22.74	22.76	22.79	21.49	30.00	Pass
30KHz	70MHz	HCH	DFT-QPSK	22.80	22.75	22.69	21.50	30.00	Pass
30KHz	70MHz	HCH	DFT-16QAM	21.77	21.73	21.68	20.47	30.00	Pass
30KHz	70MHz	HCH	DFT-64QAM	20.11	20.14	20.15	18.85	30.00	Pass
30KHz	70MHz	HCH	DFT-256QAM	18.19	18.14	18.19	16.89	30.00	Pass
30KHz	70MHz	HCH	CP-QPSK	21.39	21.31	21.12	20.09	30.00	Pass
30KHz	80MHz	LCH	DFT-Pi2BPSK	22.88	22.85	22.53	21.58	30.00	Pass
30KHz	80MHz	LCH	DFT-QPSK	22.86	22.78	22.56	21.56	30.00	Pass
30KHz	80MHz	LCH	DFT-16QAM	21.81	21.88	21.61	20.58	30.00	Pass
30KHz	80MHz	LCH	DFT-64QAM	20.32	20.41	20.11	19.11	30.00	Pass
30KHz	80MHz	LCH	DFT-256QAM	18.20	18.32	18.08	17.02	30.00	Pass
30KHz	80MHz	LCH	CP-QPSK	21.49	21.46	21.10	20.19	30.00	Pass
30KHz	80MHz	MCH	DFT-Pi2BPSK	22.85	22.76	22.59	21.55	30.00	Pass
30KHz	80MHz	MCH	DFT-QPSK	22.91	22.87	22.63	21.61	30.00	Pass
30KHz	80MHz	MCH	DFT-16QAM	21.85	22.14	21.53	20.84	30.00	Pass
30KHz	80MHz	MCH	DFT-64QAM	20.40	20.26	20.03	19.10	30.00	Pass
30KHz	80MHz	MCH	DFT-256QAM	18.45	18.40	17.95	17.15	30.00	Pass
30KHz	80MHz	MCH	CP-QPSK	21.43	21.50	21.12	20.20	30.00	Pass


30KHz	80MHz	HCH	DFT-Pi2BPSK	22.79	22.91	22.58	21.61	30.00	Pass
30KHz	80MHz	HCH	DFT-QPSK	22.84	22.93	22.59	21.63	30.00	Pass
30KHz	80MHz	HCH	DFT-16QAM	21.87	21.81	21.60	20.57	30.00	Pass
30KHz	80MHz	HCH	DFT-64QAM	20.27	20.18	20.10	18.97	30.00	Pass
30KHz	80MHz	HCH	DFT-256QAM	18.32	18.23	18.14	17.02	30.00	Pass
30KHz	80MHz	HCH	CP-QPSK	21.47	21.49	21.17	20.19	30.00	Pass
30KHz	90MHz	LCH	DFT-Pi2BPSK	22.73	22.96	22.59	21.66	30.00	Pass
30KHz	90MHz	LCH	DFT-QPSK	22.94	22.88	22.60	21.64	30.00	Pass
30KHz	90MHz	LCH	DFT-16QAM	21.80	21.77	21.57	20.50	30.00	Pass
30KHz	90MHz	LCH	DFT-64QAM	20.08	20.31	20.12	19.01	30.00	Pass
30KHz	90MHz	LCH	DFT-256QAM	18.37	18.24	17.97	17.07	30.00	Pass
30KHz	90MHz	LCH	CP-QPSK	21.50	21.42	21.17	20.20	30.00	Pass
30KHz	90MHz	MCH	DFT-Pi2BPSK	22.95	22.91	22.54	21.65	30.00	Pass
30KHz	90MHz	MCH	DFT-QPSK	22.93	22.95	22.60	21.65	30.00	Pass
30KHz	90MHz	MCH	DFT-16QAM	21.83	22.04	21.64	20.74	30.00	Pass
30KHz	90MHz	MCH	DFT-64QAM	20.21	20.35	20.10	19.05	30.00	Pass
30KHz	90MHz	MCH	DFT-256QAM	18.27	18.32	18.24	17.02	30.00	Pass
30KHz	90MHz	MCH	CP-QPSK	21.50	21.57	21.09	20.27	30.00	Pass
30KHz	90MHz	HCH	DFT-Pi2BPSK	22.73	22.95	22.55	21.65	30.00	Pass
30KHz	90MHz	HCH	DFT-QPSK	22.84	22.85	22.67	21.55	30.00	Pass
30KHz	90MHz	HCH	DFT-16QAM	21.80	21.77	21.69	20.50	30.00	Pass
30KHz	90MHz	HCH	DFT-64QAM	20.34	20.26	20.20	19.04	30.00	Pass
30KHz	90MHz	HCH	DFT-256QAM	18.47	18.32	18.23	17.17	30.00	Pass
30KHz	90MHz	HCH	CP-QPSK	21.39	21.54	21.12	20.24	30.00	Pass
30KHz	100MHz	MCH	DFT-Pi2BPSK	22.83	23.01	22.67	21.71	30.00	Pass
30KHz	100MHz	MCH	DFT-QPSK	22.91	22.87	22.67	21.61	30.00	Pass
30KHz	100MHz	MCH	DFT-16QAM	21.70	21.82	21.64	20.52	30.00	Pass
30KHz	100MHz	MCH	DFT-64QAM	20.28	20.26	20.13	18.98	30.00	Pass
30KHz	100MHz	MCH	DFT-256QAM	18.18	18.24	17.99	16.94	30.00	Pass
30KHz	100MHz	MCH	CP-QPSK	21.48	21.49	21.10	20.19	30.00	Pass

2. Peak-to-Average Ratio

2.1. Test Results


SCS	Bandwidth	Channel	Modulation	Result (dB)		Limit (dB)	Verdict
				DFT-Pi2BPSK	DFT-QPSK		
30KHz	100MHz	MCH	Outer_Full	8.47	8.07	13.00	Pass


2.2. Test Plots



3. Modulation Characteristics

3.1. Test Plots






4. 99% Occupied Bandwidth & 26dB Emission Bandwidth

4.1. Test Results


SCS	Bandwidth	Modulation	RB Config	99% Occupied Bandwidth (MHz)	26dB Emission Bandwidth (MHz)	Verdict
30KHz	20MHz	DFT-Pi2BPSK	Outer_Full	17.82	19.12	Pass
30KHz	20MHz	DFT-QPSK	Outer_Full	17.82	19.12	Pass
30KHz	20MHz	CP-QPSK	Outer_Full	18.18	19.48	Pass
30KHz	20MHz	CP-16QAM	Outer_Full	18.22	19.44	Pass
30KHz	20MHz	CP-64QAM	Outer_Full	18.22	19.52	Pass
30KHz	20MHz	CP-256QAM	Outer_Full	18.18	19.60	Pass
30KHz	30MHz	DFT-Pi2BPSK	Outer_Full	26.79	28.44	Pass
30KHz	30MHz	DFT-QPSK	Outer_Full	26.85	28.32	Pass
30KHz	30MHz	CP-QPSK	Outer_Full	27.81	29.58	Pass
30KHz	30MHz	CP-16QAM	Outer_Full	27.87	29.46	Pass
30KHz	30MHz	CP-64QAM	Outer_Full	27.81	29.34	Pass
30KHz	30MHz	CP-256QAM	Outer_Full	27.87	29.40	Pass
30KHz	40MHz	DFT-Pi2BPSK	Outer_Full	35.64	37.60	Pass
30KHz	40MHz	DFT-QPSK	Outer_Full	35.72	37.68	Pass
30KHz	40MHz	CP-QPSK	Outer_Full	37.80	39.76	Pass
30KHz	40MHz	CP-16QAM	Outer_Full	37.80	39.68	Pass
30KHz	40MHz	CP-64QAM	Outer_Full	37.80	39.84	Pass
30KHz	40MHz	CP-256QAM	Outer_Full	37.88	39.84	Pass
30KHz	50MHz	DFT-Pi2BPSK	Outer_Full	45.65	47.70	Pass
30KHz	50MHz	DFT-QPSK	Outer_Full	45.65	47.70	Pass
30KHz	50MHz	CP-QPSK	Outer_Full	47.45	49.30	Pass
30KHz	50MHz	CP-16QAM	Outer_Full	47.45	49.50	Pass
30KHz	50MHz	CP-64QAM	Outer_Full	47.45	49.40	Pass
30KHz	50MHz	CP-256QAM	Outer_Full	47.45	49.40	Pass
30KHz	60MHz	DFT-Pi2BPSK	Outer_Full	57.78	60.00	Pass
30KHz	60MHz	DFT-QPSK	Outer_Full	57.66	60.00	Pass
30KHz	60MHz	CP-QPSK	Outer_Full	57.66	59.88	Pass
30KHz	60MHz	CP-16QAM	Outer_Full	57.78	59.88	Pass
30KHz	60MHz	CP-64QAM	Outer_Full	57.66	60.00	Pass
30KHz	60MHz	CP-256QAM	Outer_Full	57.66	59.64	Pass
30KHz	70MHz	DFT-Pi2BPSK	Outer_Full	64.20	66.36	Pass
30KHz	70MHz	DFT-QPSK	Outer_Full	64.34	66.36	Pass
30KHz	70MHz	CP-QPSK	Outer_Full	67.41	69.58	Pass
30KHz	70MHz	CP-16QAM	Outer_Full	67.55	69.58	Pass
30KHz	70MHz	CP-64QAM	Outer_Full	67.27	69.58	Pass
30KHz	70MHz	CP-256QAM	Outer_Full	67.41	69.58	Pass
30KHz	80MHz	DFT-Pi2BPSK	Outer_Full	77.04	79.84	Pass
30KHz	80MHz	DFT-QPSK	Outer_Full	77.20	80.16	Pass
30KHz	80MHz	CP-QPSK	Outer_Full	77.68	80.64	Pass
30KHz	80MHz	CP-16QAM	Outer_Full	77.52	80.32	Pass
30KHz	80MHz	CP-64QAM	Outer_Full	77.52	80.48	Pass
30KHz	80MHz	CP-256QAM	Outer_Full	77.36	80.64	Pass
30KHz	90MHz	DFT-Pi2BPSK	Outer_Full	86.49	89.64	Pass
30KHz	90MHz	DFT-QPSK	Outer_Full	86.67	89.82	Pass
30KHz	90MHz	CP-QPSK	Outer_Full	87.21	90.54	Pass
30KHz	90MHz	CP-16QAM	Outer_Full	87.21	90.72	Pass
30KHz	90MHz	CP-64QAM	Outer_Full	87.39	90.54	Pass
30KHz	90MHz	CP-256QAM	Outer_Full	87.39	90.54	Pass
30KHz	100MHz	DFT-Pi2BPSK	Outer_Full	96.30	99.60	Pass
30KHz	100MHz	DFT-QPSK	Outer_Full	96.10	99.60	Pass
30KHz	100MHz	CP-QPSK	Outer_Full	97.30	100.40	Pass
30KHz	100MHz	CP-16QAM	Outer_Full	97.10	100.60	Pass
30KHz	100MHz	CP-64QAM	Outer_Full	97.30	100.60	Pass
30KHz	100MHz	CP-256QAM	Outer_Full	97.50	100.60	Pass

4.2. Test Plots




DC_38A_n78A / 30KHz / 30MHz

MCH_DFT-Pi2BPSK / Outer_Full




Date: 13.NOV.2023 17:13:39

MCH_DFT-QPSK / Outer_Full




Date: 13.NOV.2023 17:13:54

MCH_CP-QPSK / Outer_Full




Date: 13.NOV.2023 17:14:08

MCH_CP-16QAM / Outer_Full




Date: 13.NOV.2023 17:14:18

MCH_CP-64QAM / Outer_Full



Date: 13.NOV.2023 17:14:29


MCH_CP-256QAM / Outer_Full



Date: 13.NOV.2023 17:14:42


DC_38A_n78A / 30KHz / 40MHz

MCH_DFT-Pi2BPSK / Outer_Full




Date: 13.NOV.2023 17:14:58

MCH_DFT-QPSK / Outer_Full




Date: 13.NOV.2023 17:15:14

MCH_CP-QPSK / Outer_Full




Date: 13.NOV.2023 17:15:28

MCH_CP-16QAM / Outer_Full




Date: 13.NOV.2023 17:15:38

MCH_CP-64QAM / Outer_Full



Date: 13.NOV.2023 17:15:49


MCH_CP-256QAM / Outer_Full



Date: 13.NOV.2023 17:16:01


DC_38A_n78A / 30KHz / 50MHz

MCH_DFT-Pi2BPSK / Outer_Full




Date: 13.NOV.2023 17:16:17

MCH_DFT-QPSK / Outer_Full




Date: 13.NOV.2023 17:16:32

MCH_CP-QPSK / Outer_Full




Date: 13.NOV.2023 17:16:44

MCH_CP-16QAM / Outer_Full




Date: 13.NOV.2023 17:16:55

MCH_CP-64QAM / Outer_Full



Date: 13.NOV.2023 17:17:07


MCH_CP-256QAM / Outer_Full



Date: 13.NOV.2023 17:17:19


DC_38A_n78A / 30KHz / 60MHz

MCH_DFT-Pi2BPSK / Outer_Full




Date: 13.NOV.2023 17:17:35

MCH_DFT-QPSK / Outer_Full




Date: 13.NOV.2023 17:17:50

MCH_CP-QPSK / Outer_Full




Date: 13.NOV.2023 17:18:02

MCH_CP-16QAM / Outer_Full




Date: 13.NOV.2023 17:18:14

MCH_CP-64QAM / Outer_Full



Date: 13.NOV.2023 17:18:25


MCH_CP-256QAM / Outer_Full



Date: 13.NOV.2023 17:18:37


DC_38A_n78A / 30KHz / 70MHz

MCH_DFT-Pi2BPSK / Outer_Full




Date: 13.NOV.2023 17:18:53

MCH_DFT-QPSK / Outer_Full




Date: 13.NOV.2023 17:19:08

MCH_CP-QPSK / Outer_Full




Date: 13.NOV.2023 17:19:20

MCH_CP-16QAM / Outer_Full




Date: 13.NOV.2023 17:19:32

MCH_CP-64QAM / Outer_Full



Date: 13.NOV.2023 17:19:44


MCH_CP-256QAM / Outer_Full



Date: 13.NOV.2023 17:19:56


DC_38A_n78A / 30KHz / 80MHz

MCH_DFT-Pi2BPSK / Outer_Full




Date: 13.NOV.2023 17:20:12

MCH_DFT-QPSK / Outer_Full




Date: 13.NOV.2023 17:20:28

MCH_CP-QPSK / Outer_Full




Date: 13.NOV.2023 17:20:41

MCH_CP-16QAM / Outer_Full




Date: 13.NOV.2023 17:20:53

MCH_CP-64QAM / Outer_Full



Date: 13.NOV.2023 17:21:05


MCH_CP-256QAM / Outer_Full



Date: 13.NOV.2023 17:21:18


DC_38A_n78A / 30KHz / 90MHz

MCH_DFT-Pi2BPSK / Outer_Full




Date: 13.NOV.2023 17:21:35

MCH_DFT-QPSK / Outer_Full




Date: 13.NOV.2023 17:21:51

MCH_CP-QPSK / Outer_Full




Date: 13.NOV.2023 17:22:03

MCH_CP-16QAM / Outer_Full




Date: 13.NOV.2023 17:22:15

MCH_CP-64QAM / Outer_Full



Date: 13.NOV.2023 17:22:28


MCH_CP-256QAM / Outer_Full



Date: 13.NOV.2023 17:22:39


DC_38A_n78A / 30KHz / 100MHz

MCH_DFT-Pi2BPSK / Outer_Full




Date: 13.NOV.2023 17:22:56

MCH_DFT-QPSK / Outer_Full




Date: 13.NOV.2023 17:23:12

MCH_CP-QPSK / Outer_Full




Date: 13.NOV.2023 17:23:25

MCH_CP-16QAM / Outer_Full




Date: 13.NOV.2023 17:23:37

MCH_CP-64QAM / Outer_Full



Date: 13.NOV.2023 17:23:48


MCH_CP-256QAM / Outer_Full









Date: 13.NOV.2023 17:24:00


5. Conducted Band Edges

5.1. Test Plots









DC_38A_n78A / 30KHz / 50MHz

LCH_DFT-Pi2BPSK / Edge_1RB_Left




Date: 13.NOV.2023 17.31.07

HCH_DFT-Pi2BPSK / Edge_1RB_Right



Date: 13.NOV.2023 17.32.08

LCH_DFT-Pi2BPSK / Outer_Full




Date: 13.NOV.2023 17.31.23

HCH_DFT-Pi2BPSK / Outer_Full



Date: 13.NOV.2023 17.32.22

LCH_DFT-QPSK / Edge_1RB_Left



Date: 13.NOV.2023 17.31.37

HCH_DFT-QPSK / Edge_1RB_Right



Date: 13.NOV.2023 17.32.36