



FR1 N26(ANT0)

Transmitter Conducted Output Power and ERP, (G_T - L_C)=-3.8dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	ERP (dBm)	ERP (W)
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@1	23.28	17.33	0.0541
26	15	5	165300	826.5	DFT-s-OFDM 16 QAM	1@1	22.33	16.38	0.0435
26	15	5	167300	836.5	DFT-s-OFDM QPSK	1@1	23.26	17.31	0.0538
26	15	5	167300	836.5	DFT-s-OFDM 16 QAM	1@1	22.25	16.3	0.0427
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@1	23.3	17.35	0.0543
26	15	5	169300	846.5	DFT-s-OFDM 16 QAM	1@1	22.19	16.24	0.0421
26	15	10	165800	829	DFT-s-OFDM QPSK	1@1	23.2	17.25	0.0531
26	15	10	165800	829	DFT-s-OFDM 16 QAM	1@1	22.03	16.08	0.0406
26	15	10	167300	836.5	DFT-s-OFDM QPSK	1@1	23.38	17.43	0.0553
26	15	10	167300	836.5	DFT-s-OFDM 16 QAM	1@1	22.23	16.28	0.0425
26	15	10	168800	844	DFT-s-OFDM QPSK	1@1	23.31	17.36	0.0545
26	15	10	168800	844	DFT-s-OFDM 16 QAM	1@1	22.24	16.29	0.0426
26	15	15	166300	831.5	DFT-s-OFDM QPSK	1@1	23.24	17.29	0.0536
26	15	15	166300	831.5	DFT-s-OFDM 16 QAM	1@1	22.05	16.1	0.0407
26	15	15	167300	836.5	DFT-s-OFDM QPSK	1@1	23.33	17.38	0.0547
26	15	15	167300	836.5	DFT-s-OFDM 16 QAM	1@1	22.43	16.48	0.0445
26	15	15	168300	841.5	DFT-s-OFDM QPSK	1@1	23.38	17.43	0.0553
26	15	15	168300	841.5	DFT-s-OFDM 16 QAM	1@1	22.27	16.32	0.0429
26	15	20	166800	834	DFT-s-OFDM PI/2 BPSK	50@25	23.41	17.46	0.0557
26	15	20	166800	834	DFT-s-OFDM PI/2 BPSK	1@1	23.54	17.59	0.0574
26	15	20	166800	834	DFT-s-OFDM PI/2 BPSK	1@104	23.06	17.11	0.0514
26	15	20	166800	834	DFT-s-OFDM QPSK	50@25	23.34	17.39	0.0548
26	15	20	166800	834	DFT-s-OFDM QPSK	1@1	23.55	17.6	0.0575
26	15	20	166800	834	DFT-s-OFDM QPSK	1@104	23.09	17.14	0.0518
26	15	20	166800	834	DFT-s-OFDM 16 QAM	50@25	22.37	16.42	0.0439
26	15	20	166800	834	DFT-s-OFDM 16 QAM	1@1	22.56	16.61	0.0458
26	15	20	166800	834	DFT-s-OFDM 16 QAM	1@104	22.33	16.38	0.0435
26	15	20	166800	834	DFT-s-OFDM 64 QAM	50@25	20.88	14.93	0.0311
26	15	20	166800	834	DFT-s-OFDM 64 QAM	1@1	20.72	14.77	0.0300
26	15	20	166800	834	DFT-s-OFDM 64 QAM	1@104	20.41	14.46	0.0279
26	15	20	166800	834	DFT-s-OFDM 256 QAM	50@25	18.79	12.84	0.0192
26	15	20	166800	834	DFT-s-OFDM 256 QAM	1@1	18.89	12.94	0.0197
26	15	20	166800	834	DFT-s-OFDM 256 QAM	1@104	18.55	12.6	0.0182
26	15	20	166800	834	CP-OFDM QPSK	53@26	21.81	15.86	0.0385
26	15	20	166800	834	CP-OFDM QPSK	1@1	21.74	15.79	0.0379
26	15	20	166800	834	CP-OFDM QPSK	1@104	21.54	15.59	0.0362
26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	50@25	23.36	17.41	0.0551



26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	1@1	23.51	17.56	0.0570
26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	1@104	23.08	17.13	0.0516
26	15	20	167300	836.5	DFT-s-OFDM QPSK	50@25	23.34	17.39	0.0548
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@1	23.54	17.59	0.0574
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@104	23.04	17.09	0.0512
26	15	20	167300	836.5	DFT-s-OFDM 16 QAM	50@25	22.43	16.48	0.0445
26	15	20	167300	836.5	DFT-s-OFDM 16 QAM	1@1	22.63	16.68	0.0466
26	15	20	167300	836.5	DFT-s-OFDM 16 QAM	1@104	22.32	16.37	0.0434
26	15	20	167300	836.5	DFT-s-OFDM 64 QAM	50@25	20.84	14.89	0.0308
26	15	20	167300	836.5	DFT-s-OFDM 64 QAM	1@1	20.73	14.78	0.0301
26	15	20	167300	836.5	DFT-s-OFDM 64 QAM	1@104	20.41	14.46	0.0279
26	15	20	167300	836.5	DFT-s-OFDM 256 QAM	50@25	18.85	12.9	0.0195
26	15	20	167300	836.5	DFT-s-OFDM 256 QAM	1@1	18.84	12.89	0.0195
26	15	20	167300	836.5	DFT-s-OFDM 256 QAM	1@104	18.51	12.56	0.0180
26	15	20	167300	836.5	CP-OFDM QPSK	53@26	21.81	15.86	0.0385
26	15	20	167300	836.5	CP-OFDM QPSK	1@1	21.71	15.76	0.0377
26	15	20	167300	836.5	CP-OFDM QPSK	1@104	21.5	15.55	0.0359
26	15	20	167800	839	DFT-s-OFDM PI/2 BPSK	50@25	23.39	17.44	0.0555
26	15	20	167800	839	DFT-s-OFDM PI/2 BPSK	1@1	23.52	17.57	0.0571
26	15	20	167800	839	DFT-s-OFDM PI/2 BPSK	1@104	23.1	17.15	0.0519
26	15	20	167800	839	DFT-s-OFDM QPSK	50@25	23.36	17.41	0.0551
26	15	20	167800	839	DFT-s-OFDM QPSK	1@1	23.49	17.54	0.0568
26	15	20	167800	839	DFT-s-OFDM QPSK	1@104	23.05	17.1	0.0513
26	15	20	167800	839	DFT-s-OFDM 16 QAM	50@25	22.41	16.46	0.0443
26	15	20	167800	839	DFT-s-OFDM 16 QAM	1@1	22.59	16.64	0.0461
26	15	20	167800	839	DFT-s-OFDM 16 QAM	1@104	22.3	16.35	0.0432
26	15	20	167800	839	DFT-s-OFDM 64 QAM	50@25	20.88	14.93	0.0311
26	15	20	167800	839	DFT-s-OFDM 64 QAM	1@1	20.74	14.79	0.0301
26	15	20	167800	839	DFT-s-OFDM 64 QAM	1@104	20.42	14.47	0.0280
26	15	20	167800	839	DFT-s-OFDM 256 QAM	50@25	18.8	12.85	0.0193
26	15	20	167800	839	DFT-s-OFDM 256 QAM	1@1	18.91	12.96	0.0198
26	15	20	167800	839	DFT-s-OFDM 256 QAM	1@104	18.58	12.63	0.0183
26	15	20	167800	839	CP-OFDM QPSK	53@26	21.79	15.84	0.0384
26	15	20	167800	839	CP-OFDM QPSK	1@1	21.73	15.78	0.0378
26	15	20	167800	839	CP-OFDM QPSK	1@104	21.52	15.57	0.0361



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0055	PASS	NV
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0048	PASS	LV
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0027	PASS	HV
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0051	PASS	-30°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0046	PASS	-20°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0029	PASS	-10°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0056	PASS	0°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0065	PASS	10°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0055	PASS	20°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0041	PASS	30°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0026	PASS	40°C
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	0.0050	PASS	50°C



Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	100@0	4.41	13	PASS
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	5.41	13	PASS

N26(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH






Occupied Bandwidth


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
26	15	5	167300	836.5	CP-OFDM QPSK	25@0	4.4616	4.819
26	15	5	167300	836.5	CP-OFDM 16 QAM	25@0	4.4789	4.83
26	15	5	167300	836.5	CP-OFDM 64 QAM	25@0	4.4788	4.822
26	15	5	167300	836.5	CP-OFDM 256 QAM	25@0	4.4682	4.781
26	15	10	167300	836.5	CP-OFDM QPSK	52@0	9.2722	9.714
26	15	10	167300	836.5	CP-OFDM 16 QAM	52@0	9.2874	9.763
26	15	10	167300	836.5	CP-OFDM 64 QAM	52@0	9.2896	9.66
26	15	10	167300	836.5	CP-OFDM 256 QAM	52@0	9.2655	9.678
26	15	15	167300	836.5	CP-OFDM QPSK	79@0	14.116	14.65
26	15	15	167300	836.5	CP-OFDM 16 QAM	79@0	14.108	14.73
26	15	15	167300	836.5	CP-OFDM 64 QAM	79@0	14.124	14.7
26	15	15	167300	836.5	CP-OFDM 256 QAM	79@0	14.085	14.64
26	15	20	167300	836.5	CP-OFDM QPSK	106@0	18.902	19.74
26	15	20	167300	836.5	CP-OFDM 16 QAM	106@0	18.895	19.59
26	15	20	167300	836.5	CP-OFDM 64 QAM	106@0	18.896	19.64
26	15	20	167300	836.5	CP-OFDM 256 QAM	106@0	18.894	19.68




N26(5M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N26(5M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N26(5M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N26(5M)_CP-OFDM_256QAM_Outer_Full_Mid_CH



N26(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



N26(10M)_CP-OFDM_16QAM_Outer_Full_Mid_CH






N26(10M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N26(10M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N26(15M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N26(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N26(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N26(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH






N26(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N26(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N26(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N26(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH





Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	5	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	5	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	5	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	10	165800	829.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	10	165800	829.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	10	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	10	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	10	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	10	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	10	168800	844.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM QPSK	1@0	see graph	---




26	15	10	168800	844.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	20	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@0	see graph	PASS




N26(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N26(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N26(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N26(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N26(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH






N26(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N26(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N26(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N26(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N26(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH






N26(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N26(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N26(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N26(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N26(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH






Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	100@0	see graph	PASS




N26(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N26(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N26(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N26(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N26(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH







N26(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N26(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N26(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N26(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N26(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH






N26(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N26(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N26(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N26(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N26(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH







N26(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N26(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N26(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N26(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N26(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N26(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH





FR1 N66(ANT0)

Transmitter Conducted Output Power and EIRP, (G_T - L_c)=-2.5dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	23.48	20.98	0.1253
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	22.42	19.92	0.0982
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@1	23.09	20.59	0.1146
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.17	19.67	0.0927
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@1	23.33	20.83	0.1211
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@1	22.5	20	0.1000
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	23.48	20.98	0.1253
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	22.45	19.95	0.0989
66	15	10	349000	1745	DFT-s-OFDM QPSK	1@1	22.97	20.47	0.1114
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.11	19.61	0.0914
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@1	23.44	20.94	0.1242
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	22.54	20.04	0.1009
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	23.51	21.01	0.1262
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	22.47	19.97	0.0993
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@1	22.9	20.4	0.1096
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.01	19.51	0.0893
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	23.43	20.93	0.1239
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	22.73	20.23	0.1054
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	23.49	20.99	0.1256
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	22.47	19.97	0.0993
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	22.83	20.33	0.1079
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.02	19.52	0.0895
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@1	23.44	20.94	0.1242
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	22.78	20.28	0.1067
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@1	23.12	20.62	0.1153
66	15	25	344500	1722.5	DFT-s-OFDM 16 QAM	1@1	22.26	19.76	0.0946
66	15	25	349000	1745	DFT-s-OFDM QPSK	1@1	22.74	20.24	0.1057
66	15	25	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.82	19.32	0.0855
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@1	23.47	20.97	0.1250
66	15	25	353500	1767.5	DFT-s-OFDM 16 QAM	1@1	22.54	20.04	0.1009
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	23.4	20.9	0.1230
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	22.38	19.88	0.0973
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@1	22.74	20.24	0.1057
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.84	19.34	0.0859
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@1	23.3	20.8	0.1202
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	22.44	19.94	0.0986
66	15	35	345500	1727.5	DFT-s-OFDM QPSK	1@1	23.38	20.88	0.1225



66	15	35	345500	1727.5	DFT-s-OFDM 16 QAM	1@1	22.35	19.85	0.0966
66	15	35	349000	1745	DFT-s-OFDM QPSK	1@1	22.59	20.09	0.1021
66	15	35	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.82	19.32	0.0855
66	15	35	352500	1762.5	DFT-s-OFDM QPSK	1@1	23.08	20.58	0.1143
66	15	35	352500	1762.5	DFT-s-OFDM 16 QAM	1@1	22.15	19.65	0.0923
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	23.38	20.88	0.1225
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	22.33	19.83	0.0962
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@1	22.88	20.38	0.1091
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.89	19.39	0.0869
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@1	22.91	20.41	0.1099
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	21.99	19.49	0.0889
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	120@60	22.95	20.45	0.1109
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	1@1	23.36	20.86	0.1219
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	1@240	23.43	20.93	0.1239
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	120@60	22.97	20.47	0.1114
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	1@1	23.34	20.84	0.1213
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	1@240	23.44	20.94	0.1242
66	15	45	346500	1732.5	DFT-s-OFDM 16 QAM	120@60	22.07	19.57	0.0906
66	15	45	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	22.54	20.04	0.1009
66	15	45	346500	1732.5	DFT-s-OFDM 16 QAM	1@240	22.71	20.21	0.1050
66	15	45	346500	1732.5	DFT-s-OFDM 64 QAM	120@60	20.58	18.08	0.0643
66	15	45	346500	1732.5	DFT-s-OFDM 64 QAM	1@1	20.64	18.14	0.0652
66	15	45	346500	1732.5	DFT-s-OFDM 64 QAM	1@240	20.89	18.39	0.0690
66	15	45	346500	1732.5	DFT-s-OFDM 256 QAM	120@60	18.56	16.06	0.0404
66	15	45	346500	1732.5	DFT-s-OFDM 256 QAM	1@1	18.83	16.33	0.0430
66	15	45	346500	1732.5	DFT-s-OFDM 256 QAM	1@240	19.05	16.55	0.0452
66	15	45	346500	1732.5	CP-OFDM QPSK	121@60	21.58	19.08	0.0809
66	15	45	346500	1732.5	CP-OFDM QPSK	1@1	21.99	19.49	0.0889
66	15	45	346500	1732.5	CP-OFDM QPSK	1@240	22.09	19.59	0.0910
66	15	45	349000	1745	DFT-s-OFDM PI/2 BPSK	120@60	23.25	20.75	0.1189
66	15	45	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	22.84	20.34	0.1081
66	15	45	349000	1745	DFT-s-OFDM PI/2 BPSK	1@240	23.44	20.94	0.1242
66	15	45	349000	1745	DFT-s-OFDM QPSK	120@60	23.23	20.73	0.1183
66	15	45	349000	1745	DFT-s-OFDM QPSK	1@1	22.78	20.28	0.1067
66	15	45	349000	1745	DFT-s-OFDM QPSK	1@240	23.52	21.02	0.1265
66	15	45	349000	1745	DFT-s-OFDM 16 QAM	120@60	22.4	19.9	0.0977
66	15	45	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.14	19.64	0.0920
66	15	45	349000	1745	DFT-s-OFDM 16 QAM	1@240	22.96	20.46	0.1112
66	15	45	349000	1745	DFT-s-OFDM 64 QAM	120@60	20.9	18.4	0.0692
66	15	45	349000	1745	DFT-s-OFDM 64 QAM	1@1	20.26	17.76	0.0597
66	15	45	349000	1745	DFT-s-OFDM 64 QAM	1@240	21.11	18.61	0.0726
66	15	45	349000	1745	DFT-s-OFDM 256 QAM	120@60	18.9	16.4	0.0437
66	15	45	349000	1745	DFT-s-OFDM 256 QAM	1@1	18.52	16.02	0.0400
66	15	45	349000	1745	DFT-s-OFDM 256 QAM	1@240	19.32	16.82	0.0481
66	15	45	349000	1745	CP-OFDM QPSK	121@60	21.91	19.41	0.0873



66	15	45	349000	1745	CP-OFDM QPSK	1@1	21.45	18.95	0.0785
66	15	45	349000	1745	CP-OFDM QPSK	1@240	22.3	19.8	0.0955
66	15	45	351500	1757.5	DFT-s-OFDM PI/2 BPSK	120@60	23.45	20.95	0.1245
66	15	45	351500	1757.5	DFT-s-OFDM PI/2 BPSK	1@1	22.74	20.24	0.1057
66	15	45	351500	1757.5	DFT-s-OFDM PI/2 BPSK	1@240	23.32	20.82	0.1208
66	15	45	351500	1757.5	DFT-s-OFDM QPSK	120@60	23.42	20.92	0.1236
66	15	45	351500	1757.5	DFT-s-OFDM QPSK	1@1	22.76	20.26	0.1062
66	15	45	351500	1757.5	DFT-s-OFDM QPSK	1@240	23.41	20.91	0.1233
66	15	45	351500	1757.5	DFT-s-OFDM 16 QAM	120@60	22.78	20.28	0.1067
66	15	45	351500	1757.5	DFT-s-OFDM 16 QAM	1@1	22.14	19.64	0.0920
66	15	45	351500	1757.5	DFT-s-OFDM 16 QAM	1@240	22.65	20.15	0.1035
66	15	45	351500	1757.5	DFT-s-OFDM 64 QAM	120@60	21.29	18.79	0.0757
66	15	45	351500	1757.5	DFT-s-OFDM 64 QAM	1@1	20.3	17.8	0.0603
66	15	45	351500	1757.5	DFT-s-OFDM 64 QAM	1@240	20.85	18.35	0.0684
66	15	45	351500	1757.5	DFT-s-OFDM 256 QAM	120@60	19.26	16.76	0.0474
66	15	45	351500	1757.5	DFT-s-OFDM 256 QAM	1@1	18.45	15.95	0.0394
66	15	45	351500	1757.5	DFT-s-OFDM 256 QAM	1@240	19.03	16.53	0.0450
66	15	45	351500	1757.5	CP-OFDM QPSK	121@60	22.28	19.78	0.0951
66	15	45	351500	1757.5	CP-OFDM QPSK	1@1	21.45	18.95	0.0785
66	15	45	351500	1757.5	CP-OFDM QPSK	1@240	22.03	19.53	0.0897



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0070	PASS	NV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0046	PASS	LV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0043	PASS	HV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0049	PASS	-30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0034	PASS	-20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0070	PASS	-10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0041	PASS	0°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0057	PASS	10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0070	PASS	20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0050	PASS	30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0061	PASS	40°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0069	PASS	50°C



Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	349000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	4.24	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	5.19	13	PASS

N66(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH





Occupied Bandwidth


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
66	15	5	349000	1745.0	CP-OFDM QPSK	25@0	4.4586	4.83
66	15	5	349000	1745.0	CP-OFDM 16 QAM	25@0	4.4694	4.753
66	15	5	349000	1745.0	CP-OFDM 64 QAM	25@0	4.4773	4.782
66	15	5	349000	1745.0	CP-OFDM 256 QAM	25@0	4.4631	4.805
66	15	10	349000	1745.0	CP-OFDM QPSK	52@0	9.2676	9.686
66	15	10	349000	1745.0	CP-OFDM 16 QAM	52@0	9.264	9.715
66	15	10	349000	1745.0	CP-OFDM 64 QAM	52@0	9.2788	9.677
66	15	10	349000	1745.0	CP-OFDM 256 QAM	52@0	9.2466	9.715
66	15	15	349000	1745.0	CP-OFDM QPSK	79@0	14.106	14.84
66	15	15	349000	1745.0	CP-OFDM 16 QAM	79@0	14.093	14.75
66	15	15	349000	1745.0	CP-OFDM 64 QAM	79@0	14.128	14.69
66	15	15	349000	1745.0	CP-OFDM 256 QAM	79@0	14.072	14.67
66	15	20	349000	1745.0	CP-OFDM QPSK	106@0	18.913	19.71
66	15	20	349000	1745.0	CP-OFDM 16 QAM	106@0	18.913	19.71
66	15	20	349000	1745.0	CP-OFDM 64 QAM	106@0	18.93	19.6
66	15	20	349000	1745.0	CP-OFDM 256 QAM	106@0	18.902	19.7
66	15	25	349000	1745.0	CP-OFDM QPSK	133@0	23.719	24.64
66	15	25	349000	1745.0	CP-OFDM 16 QAM	133@0	23.755	24.76
66	15	25	349000	1745.0	CP-OFDM 64 QAM	133@0	23.701	24.67
66	15	25	349000	1745.0	CP-OFDM 256 QAM	133@0	23.707	24.65
66	15	30	349000	1745.0	CP-OFDM QPSK	160@0	28.59	29.61
66	15	30	349000	1745.0	CP-OFDM 16 QAM	160@0	28.561	29.57
66	15	30	349000	1745.0	CP-OFDM 64 QAM	160@0	28.582	29.57
66	15	30	349000	1745.0	CP-OFDM 256 QAM	160@0	28.54	29.55
66	15	35	349000	1745.0	CP-OFDM QPSK	188@0	33.606	34.81
66	15	35	349000	1745.0	CP-OFDM 16 QAM	188@0	33.544	34.72



66	15	35	349000	1745.0	CP-OFDM 64 QAM	188@0	33.56	34.78
66	15	35	349000	1745.0	CP-OFDM 256 QAM	188@0	33.545	34.83
66	15	40	349000	1745.0	CP-OFDM QPSK	216@0	38.526	39.86
66	15	40	349000	1745.0	CP-OFDM 16 QAM	216@0	38.528	39.87
66	15	40	349000	1745.0	CP-OFDM 64 QAM	216@0	38.594	39.94
66	15	40	349000	1745.0	CP-OFDM 256 QAM	216@0	38.56	39.85
66	15	45	349000	1745.0	CP-OFDM QPSK	242@0	43.196	44.7
66	15	45	349000	1745.0	CP-OFDM 16 QAM	242@0	43.26	44.67
66	15	45	349000	1745.0	CP-OFDM 64 QAM	242@0	43.132	44.71
66	15	45	349000	1745.0	CP-OFDM 256 QAM	242@0	43.173	44.63




N66(5M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



N66(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH







N66(10M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N66(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH






N66(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



N66(25M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



N66(25M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH







N66(25M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(25M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N66(30M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH







N66(35M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(35M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(35M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(35M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



N66(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(40M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH







N66(40M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(40M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(45M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(45M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N66(45M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N66(45M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH





Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	25	344500	1722.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	25	344500	1722.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	25	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	25	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	25	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	25	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	25	353500	1767.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	25	353500	1767.5	DFT-s-OFDM BPSK	1@0	see graph	PASS



66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	45	346500	1732.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	45	346500	1732.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	45	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	45	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	45	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	45	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	45	351500	1757.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	45	351500	1757.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	45	351500	1757.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	45	351500	1757.5	DFT-s-OFDM QPSK	1@0	see graph	PASS