

FR1 N7

LTE Band: 2, LTE BW: 20M, LTE ARFCN: Mid

Transmitter Conducted Output Power And ERP/EIRP, (G_T - L_C)=-1dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
7	15	5	524500	2502.5	DFT-s-OFDM PI/2 BPSK	12@6	22.78	21.78	0.1507
7	15	5	524500	2502.5	DFT-s-OFDM PI/2 BPSK	1@1	22.73	21.73	0.1489
7	15	5	524500	2502.5	DFT-s-OFDM PI/2 BPSK	1@23	22.78	21.78	0.1507
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	12@6	22.86	21.86	0.1535
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@1	23.06	22.06	0.1607
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@23	23.1	22.1	0.1622
7	15	5	524500	2502.5	DFT-s-OFDM 16 QAM	12@6	21.97	20.97	0.125
7	15	5	524500	2502.5	DFT-s-OFDM 16 QAM	1@1	22.02	21.02	0.1265
7	15	5	524500	2502.5	DFT-s-OFDM 16 QAM	1@23	22.09	21.09	0.1285
7	15	5	524500	2502.5	DFT-s-OFDM 64 QAM	12@6	20.42	19.42	0.0875
7	15	5	524500	2502.5	DFT-s-OFDM 64 QAM	1@1	20.26	19.26	0.0843
7	15	5	524500	2502.5	DFT-s-OFDM 64 QAM	1@23	20.33	19.33	0.0857
7	15	5	524500	2502.5	DFT-s-OFDM 256 QAM	12@6	18.32	17.32	0.054
7	15	5	524500	2502.5	DFT-s-OFDM 256 QAM	1@1	17.88	16.88	0.0488
7	15	5	524500	2502.5	DFT-s-OFDM 256 QAM	1@23	17.95	16.95	0.0495
7	15	5	524500	2502.5	CP-OFDM QPSK	13@6	21.45	20.45	0.1109
7	15	5	524500	2502.5	CP-OFDM QPSK	1@1	21.28	20.28	0.1067
7	15	5	524500	2502.5	CP-OFDM QPSK	1@23	21.36	20.36	0.1086
7	15	5	531000	2535.0	DFT-s-OFDM PI/2 BPSK	12@6	23.03	22.03	0.1596

7	15	5	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@1	22.99	21.99	0.1581
7	15	5	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@23	23.0	22.0	0.1585
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	12@6	23.07	22.07	0.1611
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	1@1	23.33	22.33	0.171
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	1@23	23.3	22.3	0.1698
7	15	5	531000	2535.0	DFT-s-OFDM 16 QAM	12@6	22.16	21.16	0.1306
7	15	5	531000	2535.0	DFT-s-OFDM 16 QAM	1@1	22.21	21.21	0.1321
7	15	5	531000	2535.0	DFT-s-OFDM 16 QAM	1@23	22.27	21.27	0.134
7	15	5	531000	2535.0	DFT-s-OFDM 64 QAM	12@6	20.66	19.66	0.0925
7	15	5	531000	2535.0	DFT-s-OFDM 64 QAM	1@1	20.48	19.48	0.0887
7	15	5	531000	2535.0	DFT-s-OFDM 64 QAM	1@23	20.5	19.5	0.0891
7	15	5	531000	2535.0	DFT-s-OFDM 256 QAM	12@6	18.59	17.59	0.0574
7	15	5	531000	2535.0	DFT-s-OFDM 256 QAM	1@1	18.12	17.12	0.0515
7	15	5	531000	2535.0	DFT-s-OFDM 256 QAM	1@23	18.1	17.1	0.0513
7	15	5	531000	2535.0	CP-OFDM QPSK	13@6	21.66	20.66	0.1164
7	15	5	531000	2535.0	CP-OFDM QPSK	1@1	21.53	20.53	0.113
7	15	5	531000	2535.0	CP-OFDM QPSK	1@23	21.52	20.52	0.1127
7	15	5	537500	2567.5	DFT-s-OFDM PI/2 BPSK	12@6	22.96	21.96	0.157
7	15	5	537500	2567.5	DFT-s-OFDM PI/2 BPSK	1@1	22.82	21.82	0.1521
7	15	5	537500	2567.5	DFT-s-OFDM PI/2 BPSK	1@23	22.86	21.86	0.1535
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	12@6	22.99	21.99	0.1581
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@1	23.19	22.19	0.1656
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@23	23.16	22.16	0.1644
7	15	5	537500	2567.5	DFT-s-OFDM 16 QAM	12@6	22.09	21.09	0.1285

7	15	5	537500	2567.5	DFT-s-OFDM 16 QAM	1@1	22.21	21.21	0.1321
7	15	5	537500	2567.5	DFT-s-OFDM 16 QAM	1@23	22.18	21.18	0.1312
7	15	5	537500	2567.5	DFT-s-OFDM 64 QAM	12@6	20.46	19.46	0.0883
7	15	5	537500	2567.5	DFT-s-OFDM 64 QAM	1@1	19.82	18.82	0.0762
7	15	5	537500	2567.5	DFT-s-OFDM 64 QAM	1@23	20.33	19.33	0.0857
7	15	5	537500	2567.5	DFT-s-OFDM 256 QAM	12@6	18.41	17.41	0.0551
7	15	5	537500	2567.5	DFT-s-OFDM 256 QAM	1@1	17.99	16.99	0.05
7	15	5	537500	2567.5	DFT-s-OFDM 256 QAM	1@23	17.94	16.94	0.0494
7	15	5	537500	2567.5	CP-OFDM QPSK	13@6	21.58	20.58	0.1143
7	15	5	537500	2567.5	CP-OFDM QPSK	1@1	21.32	20.32	0.1076
7	15	5	537500	2567.5	CP-OFDM QPSK	1@23	21.33	20.33	0.1079
7	15	10	525000	2505.0	DFT-s-OFDM PI/2 BPSK	25@12	22.83	21.83	0.1524
7	15	10	525000	2505.0	DFT-s-OFDM PI/2 BPSK	1@1	22.68	21.68	0.1472
7	15	10	525000	2505.0	DFT-s-OFDM PI/2 BPSK	1@50	22.79	21.79	0.151
7	15	10	525000	2505.0	DFT-s-OFDM QPSK	25@12	22.81	21.81	0.1517
7	15	10	525000	2505.0	DFT-s-OFDM QPSK	1@1	22.42	21.42	0.1387
7	15	10	525000	2505.0	DFT-s-OFDM QPSK	1@50	22.97	21.97	0.1574
7	15	10	525000	2505.0	DFT-s-OFDM 16 QAM	25@12	21.84	20.84	0.1213
7	15	10	525000	2505.0	DFT-s-OFDM 16 QAM	1@1	21.44	20.44	0.1107
7	15	10	525000	2505.0	DFT-s-OFDM 16 QAM	1@50	21.52	20.52	0.1127
7	15	10	525000	2505.0	DFT-s-OFDM 64 QAM	25@12	20.34	19.34	0.0859
7	15	10	525000	2505.0	DFT-s-OFDM 64 QAM	1@1	20.18	19.18	0.0828
7	15	10	525000	2505.0	DFT-s-OFDM 64 QAM	1@50	20.27	19.27	0.0845
7	15	10	525000	2505.0	DFT-s-OFDM 256 QAM	25@12	18.39	17.39	0.0548

7	15	10	525000	2505.0	DFT-s-OFDM 256 QAM	1@1	17.77	16.77	0.0475
7	15	10	525000	2505.0	DFT-s-OFDM 256 QAM	1@50	17.94	16.94	0.0494
7	15	10	525000	2505.0	CP-OFDM QPSK	26@13	21.37	20.37	0.1089
7	15	10	525000	2505.0	CP-OFDM QPSK	1@1	21.23	20.23	0.1054
7	15	10	525000	2505.0	CP-OFDM QPSK	1@50	20.88	19.88	0.0973
7	15	10	531000	2535.0	DFT-s-OFDM PI/2 BPSK	25@12	22.94	21.94	0.1563
7	15	10	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@1	22.85	21.85	0.1531
7	15	10	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@50	22.91	21.91	0.1552
7	15	10	531000	2535.0	DFT-s-OFDM QPSK	25@12	22.99	21.99	0.1581
7	15	10	531000	2535.0	DFT-s-OFDM QPSK	1@1	22.54	21.54	0.1426
7	15	10	531000	2535.0	DFT-s-OFDM QPSK	1@50	22.6	21.6	0.1445
7	15	10	531000	2535.0	DFT-s-OFDM 16 QAM	25@12	22.01	21.01	0.1262
7	15	10	531000	2535.0	DFT-s-OFDM 16 QAM	1@1	21.65	20.65	0.1161
7	15	10	531000	2535.0	DFT-s-OFDM 16 QAM	1@50	21.64	20.64	0.1159
7	15	10	531000	2535.0	DFT-s-OFDM 64 QAM	25@12	20.48	19.48	0.0887
7	15	10	531000	2535.0	DFT-s-OFDM 64 QAM	1@1	19.86	18.86	0.0769
7	15	10	531000	2535.0	DFT-s-OFDM 64 QAM	1@50	19.84	18.84	0.0766
7	15	10	531000	2535.0	DFT-s-OFDM 256 QAM	25@12	18.53	17.53	0.0566
7	15	10	531000	2535.0	DFT-s-OFDM 256 QAM	1@1	17.97	16.97	0.0498
7	15	10	531000	2535.0	DFT-s-OFDM 256 QAM	1@50	17.99	16.99	0.05
7	15	10	531000	2535.0	CP-OFDM QPSK	26@13	21.56	20.56	0.1138
7	15	10	531000	2535.0	CP-OFDM QPSK	1@1	20.92	19.92	0.0982
7	15	10	531000	2535.0	CP-OFDM QPSK	1@50	20.97	19.97	0.0993
7	15	10	537000	2565.0	DFT-s-OFDM PI/2 BPSK	25@12	22.84	21.84	0.1528

7	15	10	537000	2565.0	DFT-s-OFDM PI/2 BPSK	1@1	22.25	21.25	0.1334
7	15	10	537000	2565.0	DFT-s-OFDM PI/2 BPSK	1@50	22.23	21.23	0.1327
7	15	10	537000	2565.0	DFT-s-OFDM QPSK	25@12	22.89	21.89	0.1545
7	15	10	537000	2565.0	DFT-s-OFDM QPSK	1@1	22.48	21.48	0.1406
7	15	10	537000	2565.0	DFT-s-OFDM QPSK	1@50	22.41	21.41	0.1384
7	15	10	537000	2565.0	DFT-s-OFDM 16 QAM	25@12	21.95	20.95	0.1245
7	15	10	537000	2565.0	DFT-s-OFDM 16 QAM	1@1	21.42	20.42	0.1102
7	15	10	537000	2565.0	DFT-s-OFDM 16 QAM	1@50	21.46	20.46	0.1112
7	15	10	537000	2565.0	DFT-s-OFDM 64 QAM	25@12	20.39	19.39	0.0869
7	15	10	537000	2565.0	DFT-s-OFDM 64 QAM	1@1	19.73	18.73	0.0746
7	15	10	537000	2565.0	DFT-s-OFDM 64 QAM	1@50	19.75	18.75	0.075
7	15	10	537000	2565.0	DFT-s-OFDM 256 QAM	25@12	18.43	17.43	0.0553
7	15	10	537000	2565.0	DFT-s-OFDM 256 QAM	1@1	17.85	16.85	0.0484
7	15	10	537000	2565.0	DFT-s-OFDM 256 QAM	1@50	17.84	16.84	0.0483
7	15	10	537000	2565.0	CP-OFDM QPSK	26@13	21.37	20.37	0.1089
7	15	10	537000	2565.0	CP-OFDM QPSK	1@1	20.75	19.75	0.0944
7	15	10	537000	2565.0	CP-OFDM QPSK	1@50	20.81	19.81	0.0957
7	15	15	525500	2507.5	DFT-s-OFDM PI/2 BPSK	36@18	23.01	22.01	0.1589
7	15	15	525500	2507.5	DFT-s-OFDM PI/2 BPSK	1@1	22.32	21.32	0.1355
7	15	15	525500	2507.5	DFT-s-OFDM PI/2 BPSK	1@77	22.42	21.42	0.1387
7	15	15	525500	2507.5	DFT-s-OFDM QPSK	36@18	23.06	22.06	0.1607
7	15	15	525500	2507.5	DFT-s-OFDM QPSK	1@1	22.5	21.5	0.1413
7	15	15	525500	2507.5	DFT-s-OFDM QPSK	1@77	22.58	21.58	0.1439
7	15	15	525500	2507.5	DFT-s-OFDM 16 QAM	36@18	22.11	21.11	0.1291

7	15	15	525500	2507.5	DFT-s-OFDM 16 QAM	1@1	21.55	20.55	0.1135
7	15	15	525500	2507.5	DFT-s-OFDM 16 QAM	1@77	21.58	20.58	0.1143
7	15	15	525500	2507.5	DFT-s-OFDM 64 QAM	36@18	20.58	19.58	0.0908
7	15	15	525500	2507.5	DFT-s-OFDM 64 QAM	1@1	19.74	18.74	0.0748
7	15	15	525500	2507.5	DFT-s-OFDM 64 QAM	1@77	19.86	18.86	0.0769
7	15	15	525500	2507.5	DFT-s-OFDM 256 QAM	36@18	18.54	17.54	0.0568
7	15	15	525500	2507.5	DFT-s-OFDM 256 QAM	1@1	17.87	16.87	0.0486
7	15	15	525500	2507.5	DFT-s-OFDM 256 QAM	1@77	18.03	17.03	0.0505
7	15	15	525500	2507.5	CP-OFDM QPSK	39@191	19.95	18.95	0.0785
7	15	15	525500	2507.5	CP-OFDM QPSK	1@1	20.86	19.86	0.0968
7	15	15	525500	2507.5	CP-OFDM QPSK	1@77	20.96	19.96	0.0991
7	15	15	531000	2535.0	DFT-s-OFDM PI/2 BPSK	36@18	23.07	22.07	0.1611
7	15	15	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@1	22.5	21.5	0.1413
7	15	15	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@77	22.45	21.45	0.1396
7	15	15	531000	2535.0	DFT-s-OFDM QPSK	36@18	23.16	22.16	0.1644
7	15	15	531000	2535.0	DFT-s-OFDM QPSK	1@1	22.75	21.75	0.1496
7	15	15	531000	2535.0	DFT-s-OFDM QPSK	1@77	22.69	21.69	0.1476
7	15	15	531000	2535.0	DFT-s-OFDM 16 QAM	36@18	22.23	21.23	0.1327
7	15	15	531000	2535.0	DFT-s-OFDM 16 QAM	1@1	21.74	20.74	0.1186
7	15	15	531000	2535.0	DFT-s-OFDM 16 QAM	1@77	21.72	20.72	0.118
7	15	15	531000	2535.0	DFT-s-OFDM 64 QAM	36@18	20.7	19.7	0.0933
7	15	15	531000	2535.0	DFT-s-OFDM 64 QAM	1@1	19.99	18.99	0.0793
7	15	15	531000	2535.0	DFT-s-OFDM 64 QAM	1@77	19.87	18.87	0.0771
7	15	15	531000	2535.0	DFT-s-OFDM 256 QAM	36@18	18.64	17.64	0.0581

7	15	15	531000	2535.0	DFT-s-OFDM 256 QAM	1@1	18.13	17.13	0.0516
7	15	15	531000	2535.0	DFT-s-OFDM 256 QAM	1@77	18.09	17.09	0.0512
7	15	15	531000	2535.0	CP-OFDM QPSK	39@191	20.14	19.14	0.082
7	15	15	531000	2535.0	CP-OFDM QPSK	1@1	21.05	20.05	0.1012
7	15	15	531000	2535.0	CP-OFDM QPSK	1@77	21.04	20.04	0.1009
7	15	15	536500	2562.5	DFT-s-OFDM PI/2 BPSK	36@18	23.02	22.02	0.1592
7	15	15	536500	2562.5	DFT-s-OFDM PI/2 BPSK	1@1	22.41	21.41	0.1384
7	15	15	536500	2562.5	DFT-s-OFDM PI/2 BPSK	1@77	22.31	21.31	0.1352
7	15	15	536500	2562.5	DFT-s-OFDM QPSK	36@18	23.05	22.05	0.1603
7	15	15	536500	2562.5	DFT-s-OFDM QPSK	1@1	22.56	21.56	0.1432
7	15	15	536500	2562.5	DFT-s-OFDM QPSK	1@77	22.52	21.52	0.1419
7	15	15	536500	2562.5	DFT-s-OFDM 16 QAM	36@18	22.06	21.06	0.1276
7	15	15	536500	2562.5	DFT-s-OFDM 16 QAM	1@1	21.65	20.65	0.1161
7	15	15	536500	2562.5	DFT-s-OFDM 16 QAM	1@77	21.54	20.54	0.1132
7	15	15	536500	2562.5	DFT-s-OFDM 64 QAM	36@18	20.61	19.61	0.0914
7	15	15	536500	2562.5	DFT-s-OFDM 64 QAM	1@1	19.86	18.86	0.0769
7	15	15	536500	2562.5	DFT-s-OFDM 64 QAM	1@77	19.81	18.81	0.076
7	15	15	536500	2562.5	DFT-s-OFDM 256 QAM	36@18	18.55	17.55	0.0569
7	15	15	536500	2562.5	DFT-s-OFDM 256 QAM	1@1	17.99	16.99	0.05
7	15	15	536500	2562.5	DFT-s-OFDM 256 QAM	1@77	17.97	16.97	0.0498
7	15	15	536500	2562.5	CP-OFDM QPSK	39@191	20.04	19.04	0.0802
7	15	15	536500	2562.5	CP-OFDM QPSK	1@1	20.88	19.88	0.0973
7	15	15	536500	2562.5	CP-OFDM QPSK	1@77	20.87	19.87	0.0971
7	15	20	526000	2510.0	DFT-s-OFDM PI/2 BPSK	50@25	23.07	22.07	0.1611

7	15	20	526000	2510.0	DFT-s-OFDM PI/2 BPSK	1@1	22.28	21.28	0.1343
7	15	20	526000	2510.0	DFT-s-OFDM PI/2 BPSK	1@104	22.46	21.46	0.14
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	50@25	23.13	22.13	0.1633
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@1	22.45	21.45	0.1396
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@104	22.57	21.57	0.1435
7	15	20	526000	2510.0	DFT-s-OFDM 16 QAM	50@25	22.09	21.09	0.1285
7	15	20	526000	2510.0	DFT-s-OFDM 16 QAM	1@1	21.48	20.48	0.1117
7	15	20	526000	2510.0	DFT-s-OFDM 16 QAM	1@104	21.68	20.68	0.1169
7	15	20	526000	2510.0	DFT-s-OFDM 64 QAM	50@25	20.62	19.62	0.0916
7	15	20	526000	2510.0	DFT-s-OFDM 64 QAM	1@1	19.78	18.78	0.0755
7	15	20	526000	2510.0	DFT-s-OFDM 64 QAM	1@104	20.11	19.11	0.0815
7	15	20	526000	2510.0	DFT-s-OFDM 256 QAM	50@25	18.5	17.5	0.0562
7	15	20	526000	2510.0	DFT-s-OFDM 256 QAM	1@1	17.92	16.92	0.0492
7	15	20	526000	2510.0	DFT-s-OFDM 256 QAM	1@104	18.0	17.0	0.0501
7	15	20	526000	2510.0	CP-OFDM QPSK	53@26	21.57	20.57	0.114
7	15	20	526000	2510.0	CP-OFDM QPSK	1@1	20.77	19.77	0.0948
7	15	20	526000	2510.0	CP-OFDM QPSK	1@104	21.04	20.04	0.1009
7	15	20	531000	2535.0	DFT-s-OFDM PI/2 BPSK	50@25	23.12	22.12	0.1629
7	15	20	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@1	22.52	21.52	0.1419
7	15	20	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@104	22.43	21.43	0.139
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	50@25	23.17	22.17	0.1648
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@1	22.7	21.7	0.1479
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@104	22.58	21.58	0.1439
7	15	20	531000	2535.0	DFT-s-OFDM 16 QAM	50@25	22.26	21.26	0.1337

7	15	20	531000	2535.0	DFT-s-OFDM 16 QAM	1@1	21.78	20.78	0.1197
7	15	20	531000	2535.0	DFT-s-OFDM 16 QAM	1@104	21.57	20.57	0.114
7	15	20	531000	2535.0	DFT-s-OFDM 64 QAM	50@25	20.76	19.76	0.0946
7	15	20	531000	2535.0	DFT-s-OFDM 64 QAM	1@1	19.93	18.93	0.0782
7	15	20	531000	2535.0	DFT-s-OFDM 64 QAM	1@104	19.88	18.88	0.0773
7	15	20	531000	2535.0	DFT-s-OFDM 256 QAM	50@25	18.63	17.63	0.0579
7	15	20	531000	2535.0	DFT-s-OFDM 256 QAM	1@1	18.94	17.94	0.0622
7	15	20	531000	2535.0	DFT-s-OFDM 256 QAM	1@104	18.04	17.04	0.0506
7	15	20	531000	2535.0	CP-OFDM QPSK	53@26	21.76	20.76	0.1191
7	15	20	531000	2535.0	CP-OFDM QPSK	1@1	20.97	19.97	0.0993
7	15	20	531000	2535.0	CP-OFDM QPSK	1@104	21.02	20.02	0.1005
7	15	20	536000	2560.0	DFT-s-OFDM PI/2 BPSK	50@25	23.09	22.09	0.1618
7	15	20	536000	2560.0	DFT-s-OFDM PI/2 BPSK	1@1	22.36	21.36	0.1368
7	15	20	536000	2560.0	DFT-s-OFDM PI/2 BPSK	1@104	22.34	21.34	0.1361
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	50@25	23.12	22.12	0.1629
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@1	22.58	21.58	0.1439
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@104	22.52	21.52	0.1419
7	15	20	536000	2560.0	DFT-s-OFDM 16 QAM	50@25	22.16	21.16	0.1306
7	15	20	536000	2560.0	DFT-s-OFDM 16 QAM	1@1	21.64	20.64	0.1159
7	15	20	536000	2560.0	DFT-s-OFDM 16 QAM	1@104	21.55	20.55	0.1135
7	15	20	536000	2560.0	DFT-s-OFDM 64 QAM	50@25	20.63	19.63	0.0918
7	15	20	536000	2560.0	DFT-s-OFDM 64 QAM	1@1	20.01	19.01	0.0796
7	15	20	536000	2560.0	DFT-s-OFDM 64 QAM	1@104	19.82	18.82	0.0762
7	15	20	536000	2560.0	DFT-s-OFDM 256 QAM	50@25	18.57	17.57	0.0571

7	15	20	536000	2560.0	DFT-s-OFDM 256 QAM	1@1	18.01	17.01	0.0502
7	15	20	536000	2560.0	DFT-s-OFDM 256 QAM	1@104	18.02	17.02	0.0504
7	15	20	536000	2560.0	CP-OFDM QPSK	53@26	21.62	20.62	0.1153
7	15	20	536000	2560.0	CP-OFDM QPSK	1@1	20.88	19.88	0.0973
7	15	20	536000	2560.0	CP-OFDM QPSK	1@104	20.93	19.93	0.0984

Software Version: 21.02.052301

LTE Band: 2, LTE BW: 20M, LTE ARFCN: Mid

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00426	PASS	NV
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00544	PASS	LV
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00321	PASS	HV
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00328	PASS	-30°C
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00551	PASS	-20°C
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00565	PASS	-10°C
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00307	PASS	0°C
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00367	PASS	10°C
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00555	PASS	20°C
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00593	PASS	30°C
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00576	PASS	40°C
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	-0.00436	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
7	15	20	526000	2510.0	DFT-s-OFDM PI/2 BPSK	100@0	4.19	13	PASS
7	15	20	526000	2510.0	DFT-s-OFDM PI/2 BPSK	1@0	3.63	13	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	100@0	5.44	13	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@0	5.93	13	PASS
7	15	20	531000	2535.0	DFT-s-OFDM PI/2 BPSK	100@0	4.17	13	PASS
7	15	20	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@0	3.63	13	PASS
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	5.46	13	PASS
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@0	5.95	13	PASS
7	15	20	536000	2560.0	DFT-s-OFDM PI/2 BPSK	100@0	4.09	13	PASS
7	15	20	536000	2560.0	DFT-s-OFDM PI/2 BPSK	1@0	3.57	13	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	5.3	13	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@0	5.78	13	PASS

B2_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



B2_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH




B2_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B2_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B2_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



B2_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B2_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH



B2_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



B2_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
7	15	5	531000	2535.0	DFT-s-OFDM PI/2 BPSK	25@0	4.4649	4.819
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	25@0	4.4713	4.799
7	15	5	531000	2535.0	CP-OFDM QPSK	25@0	4.4652	4.791
7	15	5	531000	2535.0	CP-OFDM 16 QAM	25@0	4.4691	4.844
7	15	5	531000	2535.0	CP-OFDM 64 QAM	25@0	4.4662	4.853
7	15	5	531000	2535.0	CP-OFDM 256 QAM	25@0	4.4597	4.765
7	15	10	531000	2535.0	DFT-s-OFDM PI/2 BPSK	50@0	8.9208	9.401
7	15	10	531000	2535.0	DFT-s-OFDM QPSK	50@0	8.9271	9.578
7	15	10	531000	2535.0	CP-OFDM QPSK	52@0	9.2924	9.897
7	15	10	531000	2535.0	CP-OFDM 16 QAM	52@0	9.2756	9.881
7	15	10	531000	2535.0	CP-OFDM 64 QAM	52@0	9.2935	9.814
7	15	10	531000	2535.0	CP-OFDM 256 QAM	52@0	9.2636	9.856
7	15	15	531000	2535.0	DFT-s-OFDM PI/2 BPSK	75@0	13.368	14.08
7	15	15	531000	2535.0	DFT-s-OFDM QPSK	75@0	13.384	14.15
7	15	15	531000	2535.0	CP-OFDM QPSK	79@0	14.067	14.77
7	15	15	531000	2535.0	CP-OFDM 16 QAM	79@0	14.081	14.77
7	15	15	531000	2535.0	CP-OFDM 64 QAM	79@0	14.088	14.77
7	15	15	531000	2535.0	CP-OFDM 256 QAM	79@0	14.078	14.71
7	15	20	531000	2535.0	DFT-s-OFDM PI/2 BPSK	100@0	17.841	18.8
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	17.855	18.93
7	15	20	531000	2535.0	CP-OFDM QPSK	106@0	18.869	19.88
7	15	20	531000	2535.0	CP-OFDM 16 QAM	106@0	18.896	19.92
7	15	20	531000	2535.0	CP-OFDM 64 QAM	106@0	18.896	19.87
7	15	20	531000	2535.0	CP-OFDM 256 QAM	106@0	18.898	19.84


B2_N7(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B2_N7(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B2_N7(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B2_N7(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B2_N7(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B2_N7(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B2_N7(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B2_N7(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B2_N7(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B2_N7(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B2_N7(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B2_N7(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B2_N7(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B2_N7(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B2_N7(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B2_N7(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B2_N7(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B2_N7(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B2_N7(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B2_N7(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B2_N7(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B2_N7(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B2_N7(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B2_N7(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
7	15	5	524500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	5	524500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	524500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	5	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	5	537500	2567.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	10	525000	2505.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	10	525000	2505.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	10	525000	2505.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	10	525000	2505.0	DFT-s-OFDM QPSK	1@0	see graph	---


7	15	10	525000	2505.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	10	525000	2505.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	10	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	10	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	10	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	10	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	10	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	10	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	10	537000	2565.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	10	537000	2565.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	10	537000	2565.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	10	537000	2565.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	10	537000	2565.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	10	537000	2565.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	20	526000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	20	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	---

7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	20	536000	2560.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@0	see graph	PASS

B2_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B2_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B2_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B2_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B2_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B2_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B2_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B2_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B2_N7(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N7(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N7(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N7(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N7(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B2_N7(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B2_N7(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B2_N7(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B2_N7(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B2_N7(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B2_N7(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B2_N7(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B2_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B2_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B2_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B2_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
7	15	5	524500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	524500	2502.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
7	15	10	525000	2505.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	10	525000	2505.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	10	525000	2505.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
7	15	10	525000	2505.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
7	15	10	537000	2565.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
7	15	10	537000	2565.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
7	15	10	537000	2565.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
7	15	10	537000	2565.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@105	see graph	PASS

7	15	20	536000	2560.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	see graph	PASS


B2_N7(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N7(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N7(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




B2_N7(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




B2_N7(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




B2_N7(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




B2_N7(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




B2_N7(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




B2_N7(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N7(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N7(10M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




B2_N7(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




B2_N7(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B2_N7(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B2_N7(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B2_N7(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B2_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N7(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B2_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B2_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



B2_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



B2_N7(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B2_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH

