










BUREAU
VERITAS





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5144.37	60.77 PK	74	-13.23	-41.85	-47.71	6.36	-34.49
2	5150	46.04 AV	54	-7.96	-58.58	-58.6	6.36	-49.22


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11a - Channel 48
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3495.31	58.12 PK	68.2	-10.08	-47.93	-48.74	8.17	-37.14
2	#6976.56	58.97 PK	68.2	-9.23	-47.14	-47.83	8.17	-36.29
3	#10476.56	59.22 PK	68.2	-8.98	-45.64	-49.73	8.17	-36.04
4	15739.62	49.06 PK	74	-24.94	-56.63	-58.3	8.17	-46.20
5	15720.93	40.03 AV	54	-13.97	-66.71	-66.13	8.17	-55.23
6	7335.93	61.57 PK	74	-12.43	-44.25	-45.6	8.17	-33.69
7	7337.5	51.21 AV	54	-2.79	-54.41	-56.25	8.17	-44.05
8	#6287.5	60.89 PK	68.2	-7.31	-48.84	-43.7	8.17	-34.37







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




BUREAU VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5090.52	59.6 PK	74	-14.4	-46.91	-43.73	6.36	-35.66
2	5149.9	42.69 AV	54	-11.31	-62.45	-61.49	6.36	-52.57


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11a - Channel 52

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3517.18	57.79 PK	74	-16.21	-47.17	-50.9	8.17	-37.47
2	3520.31	47.09 AV	54	-6.91	-59.42	-59.28	8.17	-48.17
3	#7018.75	59.01 PK	68.2	-9.19	-47.09	-47.8	8.17	-36.25
4	#10500	59.54 PK	68.2	-8.66	-46.73	-47.08	8.17	-35.72
5	15787.06	49.15 PK	74	-24.85	-57.85	-56.79	8.17	-46.11
6	15779.87	39.7 AV	54	-14.3	-67.05	-66.45	8.17	-55.56
7	7367.18	62.94 PK	74	-11.06	-43.37	-43.64	8.17	-32.32
8	7362.5	53.05 AV	54	-0.95	-51.9	-55.69	8.17	-42.21
1	3517.18	57.79 PK	74	-16.21	-47.17	-50.9	8.17	-37.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5363.35	57.49 PK	74	-16.51	-48.83	-46.03	6.43	-37.77
2	5350.02	41.93 AV	54	-12.07	-63	-62.55	6.43	-53.33


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1









802.11a - Channel 60
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3539.06	58.11 PK	74	-15.89	-48.28	-48.39	8.17	-37.15
2	3548.43	47.24 AV	54	-6.76	-59.26	-59.15	8.17	-48.02
3	#7073.43	59.42 PK	68.2	-8.78	-47.19	-46.86	8.17	-35.84
4	10607.81	59.88 PK	74	-14.12	-46.77	-46.36	8.17	-35.38
5	10601.56	48.79 AV	54	-5.21	-57.72	-57.58	8.17	-46.47
6	15881.93	49.13 PK	74	-24.87	-58.53	-56.36	8.17	-46.13
7	15899.18	39.56 AV	54	-14.44	-67.13	-66.64	8.17	-55.70
8	7418.75	61.81 PK	74	-12.19	-44.24	-45.07	8.17	-33.45
9	7418.75	52.1 AV	54	-1.9	-53.14	-56	8.17	-43.16

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5355.77	59.1 PK	74	-14.9	-47.53	-44.27	6.43	-36.16
2	5350	45.48 AV	54	-8.52	-59.35	-59.09	6.43	-49.78


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11a - Channel 64
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3564.06	58.26 PK	74	-15.74	-49.04	-47.46	8.17	-37.00
2	3542.18	47.26 AV	54	-6.74	-59.11	-59.25	8.17	-48.00
3	#7101.56	59.53 PK	68.2	-8.67	-48.98	-45.51	8.17	-35.73
4	10642.18	59.45 PK	74	-14.55	-48.27	-46	8.17	-35.81
5	10635.93	48.85 AV	54	-5.15	-57.65	-57.53	8.17	-46.41
6	15966.75	50.3 PK	74	-23.7	-56.55	-55.76	8.17	-44.96
7	15962.43	40.03 AV	54	-13.97	-66.7	-66.13	8.17	-55.23
8	7448.43	61.34 PK	74	-12.66	-43.06	-49.08	8.17	-33.92
9	7446.87	50.53 AV	54	-3.47	-55.16	-56.82	8.17	-44.73

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.22	63.89 PK	74	-10.11	-42.07	-39.84	6.43	-31.37
2	5350	51.06 AV	54	-2.94	-53.36	-53.94	6.43	-44.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1









802.11a - Channel 100
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3678.12	59.68 PK	74	-14.32	-46.59	-46.93	8.17	-35.58
2	3681.25	49.27 AV	54	-4.73	-57.12	-57.22	8.17	-45.99
3	7351.56	59.25 PK	74	-14.75	-47.61	-46.81	8.17	-36.01
4	7321.87	48.25 AV	54	-5.75	-58.16	-58.23	8.17	-47.01
5	10993.75	59.64 PK	74	-14.36	-47.16	-46.47	8.17	-35.62
6	10995.31	48.63 AV	54	-5.37	-57.8	-57.82	8.17	-46.63
7	#16488.56	49.41 PK	68.2	-18.79	-59.72	-55.38	8.17	-45.85
8	#6600	59.78 PK	68.2	-8.42	-49.99	-44.8	8.17	-35.48

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5458.21	61.81 PK	74	-12.19	-45.38	-43.4	7.82	-33.45
2	5460	47.44 AV	54	-6.56	-59.79	-57.75	7.82	-47.82
3	#5469.31	67 PK	68.2	-1.2	-41.43	-37.58	7.82	-28.26


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1









802.11a - Channel 116
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3726.56	61.05 PK	74	-12.95	-44.7	-46.22	8.17	-34.21
2	3739.06	49.94 AV	54	-4.06	-56.44	-56.56	8.17	-45.32
3	7421.87	58.55 PK	74	-15.45	-47.2	-48.7	8.17	-36.71
4	7432.81	47.39 AV	54	-6.61	-59.05	-59.06	8.17	-47.87
5	11146.87	59.64 PK	74	-14.36	-46.59	-47.03	8.17	-35.62
6	11146.87	48.42 AV	54	-5.58	-57.74	-58.31	8.17	-46.84
7	#16750.18	49.53 PK	68.2	-18.67	-57.4	-56.47	8.17	-45.73
8	#6696.87	59.99 PK	68.2	-8.21	-49.47	-44.68	8.17	-35.27

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5420.46	59.06 PK	74	-14.94	-49.96	-45.29	7.82	-36.20
2	5460	42.44 AV	54	-11.56	-64.51	-62.94	7.82	-52.82
3	#5461	58.49 PK	68.2	-9.71	-47.72	-47.49	7.82	-36.77


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1









802.11a - Channel 140
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3800	61.61 PK	74	-12.39	-44.03	-45.81	8.17	-33.65
2	3798.43	50.25 AV	54	-3.75	-56.11	-56.28	8.17	-45.01
3	7582.81	58.68 PK	74	-15.32	-48.1	-47.44	8.17	-36.58
4	7609.37	48.07 AV	54	-5.93	-58.31	-58.44	8.17	-47.19
5	11398.43	60.26 PK	74	-13.74	-45.58	-46.88	8.17	-35.00
6	11412.5	48.61 AV	54	-5.39	-57.83	-57.83	8.17	-46.65
7	#17103.81	51.04 PK	68.2	-17.16	-57.68	-53.92	8.17	-44.22
8	#6840.62	60.6 PK	68.2	-7.6	-46.78	-45.07	8.17	-34.66

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.55	62.9 PK	68.2	-5.3	-44.23	-42.35	7.82	-32.36


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 144
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3825	62.28 PK	74	-11.72	-44.42	-43.92	8.17	-32.98
2	3814.06	50.45 AV	54	-3.55	-56.07	-55.92	8.17	-44.81
3	7631.25	58.95 PK	74	-15.05	-47.87	-47.15	8.17	-36.31
4	7634.37	48.17 AV	54	-5.83	-58.19	-58.35	8.17	-47.09
5	11440.62	59.05 PK	74	-14.95	-47.59	-47.19	8.17	-36.21
6	11453.12	48.64 AV	54	-5.36	-57.74	-57.86	8.17	-46.62
7	#17168.5	49.98 PK	68.2	-18.22	-57.81	-55.43	8.17	-45.28
8	#6864.06	60.62 PK	68.2	-7.58	-47.44	-44.64	8.17	-34.64

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5877.7	59.21 PK	68.2	-8.99	-47.45	-46.37	7.82	-36.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a – Channel 149







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3837.5	61.05 PK	74	-12.95	-45.9	-44.93	8.17	-34.21
2	3812.5	50.43 AV	54	-3.57	-56.13	-55.9	8.17	-44.83
3	7651.56	59.57 PK	74	-14.43	-47.36	-46.43	8.17	-35.69
4	7664.06	48.44 AV	54	-5.56	-58.22	-57.8	8.17	-46.82
5	11506.25	59.68 PK	74	-14.32	-46.51	-47.03	8.17	-35.58
6	11473.43	49 AV	54	-5	-57.48	-57.41	8.17	-46.26
7	#17234.62	48.84 PK	68.2	-19.36	-57.62	-57.58	8.17	-46.42
8	#6893.75	60.52 PK	68.2	-7.68	-46.24	-45.63	8.17	-34.74

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11a – Channel 157







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3857.81	60.38 PK	74	-13.62	-46.59	-45.58	8.17	-34.88
2	3862.5	50.15 AV	54	-3.85	-56.33	-56.26	8.17	-45.11
3	7729.68	58.78 PK	74	-15.22	-47.27	-48.08	8.17	-36.48
4	7714.06	48.39 AV	54	-5.61	-58.07	-58.03	8.17	-46.87
5	11589.06	59.36 PK	74	-14.64	-46.29	-48.05	8.17	-35.90
6	11551.56	48.57 AV	54	-5.43	-57.78	-57.96	8.17	-46.69
7	#17348.18	50.02 PK	68.2	-18.18	-57.42	-55.61	8.17	-45.24

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11a – Channel 165

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3878.12	60.57 PK	74	-13.43	-45.93	-45.81	8.17	-34.69
2	3867.18	49.87 AV	54	-4.13	-56.47	-56.67	8.17	-45.39
3	#7753.12	59.04 PK	68.2	-9.16	-46.18	-49.1	8.17	-36.22
4	11660.93	58.96 PK	74	-15.04	-47.19	-47.79	8.17	-36.30
5	11651.56	48.44 AV	54	-5.56	-58.05	-57.95	8.17	-46.82
6	#17489.06	50.3 PK	68.2	-17.9	-57.79	-54.95	8.17	-44.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) - Channel 36

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3456.25	58.22 PK	68.2	-9.98	-49.22	-47.41	8.17	-37.04
2	#6910.93	58.9 PK	68.2	-9.3	-46.93	-48.25	8.17	-36.36
3	#10362.5	59.07 PK	68.2	-9.13	-47.54	-47.2	8.17	-36.19
4	15549.87	51.06 PK	74	-22.94	-56.23	-54.67	8.17	-44.20
5	15538.37	40.81 AV	54	-13.19	-65.08	-66.27	8.17	-54.45
6	#6215.62	60.33 PK	68.2	-7.87	-48.54	-44.56	8.17	-34.93

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.92	63.7 PK	74	-10.3	-38.87	-45.01	6.36	-31.56
2	5150	51.16 AV	54	-2.84	-51.62	-56.78	6.36	-44.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 40







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3457.81	58.11 PK	68.2	-10.09	-48.72	-47.98	8.17	-37.15
2	#6914.06	58.28 PK	68.2	-9.92	-50.25	-46.75	8.17	-36.98
3	#10396.87	59.01 PK	68.2	-9.19	-47.51	-47.35	8.17	-36.25
4	15603.06	49.56 PK	74	-24.44	-56.86	-56.9	8.17	-45.70
5	15598.75	40.74 AV	54	-13.26	-65.19	-66.29	8.17	-54.52
6	#6239.06	59.35 PK	68.2	-8.85	-48.08	-46.28	8.17	-35.91

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.77	66.65 PK	74	-7.35	-35.92	-42.05	6.36	-28.61
2	5150	52.37 AV	54	-1.63	-51.08	-53.88	6.36	-42.89


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 48







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3512.5	57.71 PK	74	-16.29	-48.41	-49.07	8.17	-37.55
2	3510.93	46.98 AV	54	-7.02	-59.4	-59.52	8.17	-48.28
3	#6993.75	58.61 PK	68.2	-9.59	-47.88	-47.79	8.17	-36.65
4	#10496.87	59.02 PK	68.2	-9.18	-47.85	-47.03	8.17	-36.24
5	15716.62	50.49 PK	74	-23.51	-55.24	-56.79	8.17	-44.77
6	15719.5	41.48 AV	54	-12.52	-65.9	-64.19	8.17	-53.78
7	#6287.5	60.07 PK	68.2	-8.13	-47.86	-45.26	8.17	-35.19

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5143.3	59.76 PK	74	-14.24	-44.25	-45.6	6.36	-35.50
2	5149.45	43.41 AV	54	-10.59	-60.87	-61.61	6.36	-51.85


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 52







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3500	57.14 PK	74	-16.86	-48.4	-50.43	8.17	-38.12
2	#7001.56	58.66 PK	68.2	-9.54	-47.03	-48.68	8.17	-36.60
3	#10535.93	59.98 PK	68.2	-8.22	-47.5	-45.62	8.17	-35.28
4	15782.75	49.29 PK	74	-24.71	-58.3	-56.25	8.17	-45.97
5	15775.56	39.78 AV	54	-14.22	-66.74	-66.58	8.17	-55.48
6	#6310.93	60.55 PK	68.2	-7.65	-46.36	-45.46	8.17	-34.71

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5362.47	57.35 PK	74	-16.65	-48.55	-46.41	6.43	-37.91
2	5350	42.06 AV	54	-11.94	-62.81	-62.47	6.43	-53.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 60







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3523.43	57.71 PK	74	-16.29	-49.68	-47.95	8.17	-37.55
2	3542.18	47.13 AV	54	-6.87	-59.41	-59.21	8.17	-48.13
3	#7075	58.75 PK	68.2	-9.45	-47.16	-48.29	8.17	-36.51
4	10612.5	59.35 PK	74	-14.65	-46.05	-48.45	8.17	-35.91
5	10617.18	48.75 AV	54	-5.25	-57.49	-57.89	8.17	-46.51
6	15902.06	48.8 PK	74	-25.2	-57.81	-57.47	8.17	-46.46
7	15897.75	39.64 AV	54	-14.36	-66.34	-67.31	8.17	-55.62
8	#6359.37	60.18 PK	68.2	-8.02	-46.66	-45.89	8.17	-35.08

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350	66.95 PK	74	-7.05	-39.02	-36.77	6.43	-28.31
2	5350	51.28 AV	54	-2.72	-53.28	-53.56	6.43	-43.98


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 64







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3550	58.15 PK	74	-15.85	-47.75	-48.91	8.17	-37.11
2	3564.06	47.2 AV	54	-6.8	-59.23	-59.26	8.17	-48.06
3	#7101.56	59.03 PK	68.2	-9.17	-48.46	-46.57	8.17	-36.23
4	10643.75	59.65 PK	74	-14.35	-45.97	-47.8	8.17	-35.61
5	10628.12	48.92 AV	54	-5.08	-57.47	-57.57	8.17	-46.34
6	15958.12	51.59 PK	74	-22.41	-54.94	-54.76	8.17	-43.67
7	15956.68	40.36 AV	54	-13.64	-66.01	-66.15	8.17	-54.90
8	#6384.37	59.6 PK	68.2	-8.6	-48.48	-45.66	8.17	-35.66

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.97	64.6 PK	74	-9.4	-38.95	-41.68	6.43	-30.66
2	5350	52.84 AV	54	-1.16	-50.95	-53.01	6.43	-42.42


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 100







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3682.81	60.09 PK	74	-13.91	-45.12	-48.08	8.17	-35.17
2	3685.93	49.38 AV	54	-4.62	-56.98	-57.15	8.17	-45.88
3	7332.81	59.09 PK	74	-14.91	-46.74	-48.06	8.17	-36.17
4	7340.62	48.18 AV	54	-5.82	-58.62	-57.93	8.17	-47.08
5	11009.37	60.39 PK	74	-13.61	-44.74	-47.95	8.17	-34.87
6	11003.12	48.79 AV	54	-5.21	-57.51	-57.8	8.17	-46.47
7	#16481.37	48.42 PK	68.2	-19.78	-57.12	-59.15	8.17	-46.84
8	#6600	61.3 PK	68.2	-6.9	-49.27	-43.06	8.17	-33.96

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5458.56	60.64 PK	74	-13.36	-47.66	-43.99	7.82	-34.62
2	5460	47.48 AV	54	-6.52	-57.92	-59.42	7.82	-47.78
3	#5469.84	65.76 PK	68.2	-2.44	-40.09	-40.59	7.82	-29.50


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 116
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3728.12	60.61 PK	74	-13.39	-45.61	-46.07	8.17	-34.65
2	3725	49.91 AV	54	-4.09	-56.86	-56.23	8.17	-45.35
3	7457.81	58.61 PK	74	-15.39	-47.04	-48.79	8.17	-36.65
4	7421.87	47.53 AV	54	-6.47	-58.98	-58.85	8.17	-47.73
5	11171.87	59.26 PK	74	-14.74	-45.87	-49.06	8.17	-36.00
6	11171.87	48.52 AV	54	-5.48	-57.9	-57.94	8.17	-46.74
7	#16725.75	49.08 PK	68.2	-19.12	-56.11	-59.11	8.17	-46.18
8	#6696.87	58.63 PK	68.2	-9.57	-48.97	-46.89	8.17	-36.63

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5436.68	58.88 PK	74	-15.12	-47.46	-46.97	7.82	-36.38
2	5460	42.4 AV	54	-11.6	-64.52	-63	7.82	-52.86
3	#5468.25	59.34 PK	68.2	-8.86	-47	-46.52	7.82	-35.92


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 140
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3781.25	61.4 PK	74	-12.6	-44.75	-45.36	8.17	-33.86
2	3806.25	50.21 AV	54	-3.79	-56.11	-56.35	8.17	-45.05
3	7600	58.96 PK	74	-15.04	-46.57	-48.64	8.17	-36.30
4	7618.75	48.07 AV	54	-5.93	-58.35	-58.39	8.17	-47.19
5	11409.37	59.7 PK	74	-14.3	-45.3	-48.9	8.17	-35.56
6	11409.37	48.57 AV	54	-5.43	-57.74	-58	8.17	-46.69
7	#17118.18	49.55 PK	68.2	-18.65	-55.96	-58.08	8.17	-45.71
8	#6840.62	61.48 PK	68.2	-6.72	-47.2	-43.49	8.17	-33.78

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.07	65.63 PK	68.2	-2.57	-38.75	-43.31	7.82	-29.63

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 1









802.11be (EHT20) - Channel 144
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3812.5	61.59 PK	74	-12.41	-45.16	-44.56	8.17	-33.67
2	3798.43	50.24 AV	54	-3.76	-55.99	-56.42	8.17	-45.02
3	7637.5	59.22 PK	74	-14.78	-47.58	-46.89	8.17	-36.04
4	7642.18	48.16 AV	54	-5.84	-58.39	-58.18	8.17	-47.10
5	11425	60.14 PK	74	-13.86	-46.99	-45.7	8.17	-35.12
6	11448.43	48.7 AV	54	-5.3	-57.62	-57.87	8.17	-46.56
7	#17178.56	49.49 PK	68.2	-18.71	-58.62	-55.74	8.17	-45.77
8	#6864.06	60.8 PK	68.2	-7.4	-47.92	-44.15	8.17	-34.46

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5903.16	59.63 PK	68.2	-8.57	-46.32	-46.61	7.82	-35.63

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1

