

## 802.11be (EHT20) – Channel 149







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3843.75	61.14 PK	74	-12.86	-44.36	-46.5	8.17	-34.12
2	3815.62	50.24 AV	54	-3.76	-56.09	-56.32	8.17	-45.02
3	7660.93	59.61 PK	74	-14.39	-45.73	-48.3	8.17	-35.65
4	7679.68	48.29 AV	54	-5.71	-58.18	-58.13	8.17	-46.97
5	11506.25	59.77 PK	74	-14.23	-45.69	-47.95	8.17	-35.49
6	11507.81	48.88 AV	54	-5.12	-57.52	-57.6	8.17	-46.38
7	#17249	48.75 PK	68.2	-19.45	-58.73	-56.86	8.17	-46.51
8	#6893.75	61.2 PK	68.2	-7	-47.93	-43.59	8.17	-34.06

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0






### Chain 1






### Bandedge table





Chain 1



### 802.11be (EHT20) – Channel 157







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3870.31	61.72 PK	74	-12.28	-45.26	-44.24	8.17	-33.54
2	3837.5	50.13 AV	54	-3.87	-56.35	-56.27	8.17	-45.13
3	7712.5	58.57 PK	74	-15.43	-47.44	-48.35	8.17	-36.69
4	7714.06	48.43 AV	54	-5.57	-58.18	-57.85	8.17	-46.83
5	11559.37	59.15 PK	74	-14.85	-48.05	-46.64	8.17	-36.11
6	11551.56	48.61 AV	54	-5.39	-57.67	-58	8.17	-46.65
7	#17359.68	49.39 PK	68.2	-18.81	-57.21	-56.9	8.17	-45.87

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1









### Bandedge table

#### Chain 0





Chain 1



## 802.11be (EHT20) – Channel 165







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3870.31	61.12 PK	74	-12.88	-46.02	-44.72	8.17	-34.14
2	3864.06	49.89 AV	54	-4.11	-56.52	-56.59	8.17	-45.37
3	11632.81	59.43 PK	74	-14.57	-47.16	-46.87	8.17	-35.83
4	11645.31	48.5 AV	54	-5.5	-57.86	-58.03	8.17	-46.76
5	#17489.06	49.3 PK	68.2	-18.9	-55.76	-59.18	8.17	-45.96

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0






### Chain 1






### Bandedge table

#### Chain 0





Chain 1



## 802.11be (EHT40) - Channel 38

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3457.81	57.28 PK	68.2	-10.92	-49.05	-49.27	8.17	-37.98
2	#6901.56	59.01 PK	68.2	-9.19	-46.79	-48.19	8.17	-36.25
3	#10398.43	58.46 PK	68.2	-9.74	-49.25	-47	8.17	-36.80
4	15588.68	49.07 PK	74	-24.93	-57.02	-57.76	8.17	-46.19
5	15571.43	39.73 AV	54	-14.27	-66.42	-67.02	8.17	-55.53
6	#6228.12	61.88 PK	68.2	-6.32	-47.25	-42.91	8.17	-33.38

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5145.02	64.8 PK	74	-9.2	-38.27	-42.28	6.36	-30.46
2	5149.92	51.87 AV	54	-2.13	-51.06	-55.61	6.36	-43.39


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



## 802.11be (EHT40) - Channel 46

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3492.18	57.5 PK	68.2	-10.7	-48.41	-49.54	8.17	-37.76
2	#6975	58.56 PK	68.2	-9.64	-46.67	-49.56	8.17	-36.70
3	#10453.12	59.38 PK	68.2	-8.82	-48.24	-46.13	8.17	-35.88
4	15674.93	49.58 PK	74	-24.42	-56.17	-57.67	8.17	-45.68
5	15670.62	39.58 AV	54	-14.42	-66.71	-67.02	8.17	-55.68
6	#6276.56	60.67 PK	68.2	-7.53	-48.07	-44.27	8.17	-34.59

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.42	68.4 PK	74	-5.6	-40.35	-34.15	6.36	-26.86
2	5150	52.94 AV	54	-1.06	-52.08	-51.34	6.36	-42.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

#### Chain 0



#### Chain 1



### 802.11be (EHT40) - Channel 54

#### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3517.18	57.15 PK	74	-16.85	-48.87	-49.76	8.17	-38.11
2	3506.25	46.92 AV	54	-7.08	-59.61	-59.43	8.17	-48.34
3	#7039.06	58.82 PK	68.2	-9.38	-46.96	-48.39	8.17	-36.44
4	#10531.25	59.42 PK	68.2	-8.78	-47.12	-46.93	8.17	-35.84
5	15817.25	48.88 PK	74	-25.12	-58.56	-56.75	8.17	-46.38
6	15810.06	39.52 AV	54	-14.48	-66.75	-67.09	8.17	-55.74
7	#6325	59.92 PK	68.2	-8.28	-47.88	-45.49	8.17	-35.34

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5354	65.5 PK	74	-8.5	-40.06	-38.48	6.43	-29.76
2	5350	51.81 AV	54	-2.19	-51.82	-54.3	6.43	-43.45


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



## 802.11be (EHT40) - Channel 62







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3559.37	57.83 PK	74	-16.17	-49.28	-48.03	8.17	-37.43
2	3559.37	47.24 AV	54	-6.76	-59.21	-59.2	8.17	-48.02
3	#7092.18	59.55 PK	68.2	-8.65	-46.58	-47.22	8.17	-35.71
4	10601.56	59.5 PK	74	-14.5	-47.23	-46.66	8.17	-35.76
5	10637.5	48.76 AV	54	-5.24	-57.9	-57.48	8.17	-46.50
6	15919.31	49.25 PK	74	-24.75	-57.89	-56.58	8.17	-46.01
7	15917.87	39.32 AV	54	-14.68	-67.02	-67.23	8.17	-55.94
8	#6371.87	59.92 PK	68.2	-8.28	-47.8	-45.53	8.17	-35.34

#### Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5353.2	64.24 PK	74	-9.76	-38.38	-44.62	6.43	-31.02
2	5350	51.58 AV	54	-2.42	-52.61	-53.69	6.43	-43.68


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



**802.11be (EHT40) - Channel 102**
**Conducted spurious emission table**







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3692.18	60.79 PK	74	-13.21	-46.64	-44.85	8.17	-34.47
2	3689.06	49.45 AV	54	-4.55	-57.09	-56.9	8.17	-45.81
3	7356.25	58.43 PK	74	-15.57	-48.16	-47.86	8.17	-36.83
4	7328.12	47.98 AV	54	-6.02	-58.64	-58.28	8.17	-47.28
5	11023.43	59.86 PK	74	-14.14	-45.57	-47.9	8.17	-35.40
6	11028.12	48.73 AV	54	-5.27	-57.73	-57.69	8.17	-46.53
7	#16537.43	49.13 PK	68.2	-19.07	-56.42	-58.42	8.17	-46.13
8	#6612.5	60.09 PK	68.2	-8.11	-49.73	-44.47	8.17	-35.17

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5457.43	64.47 PK	74	-9.53	-40.09	-44	7.82	-30.79
2	5460	50.73 AV	54	-3.27	-53.7	-58.07	7.82	-44.53
3	#5460.18	65.63 PK	68.2	-2.57	-38.14	-45.81	7.82	-29.63


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



## 802.11be (EHT40) - Channel 110







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3707.81	60.63 PK	74	-13.37	-45.4	-46.26	8.17	-34.63
2	3718.75	49.85 AV	54	-4.15	-56.62	-56.57	8.17	-45.41
3	7412.5	59.04 PK	74	-14.96	-47.64	-47.18	8.17	-36.22
4	7401.56	47.59 AV	54	-6.41	-58.97	-58.73	8.17	-47.67
5	11093.75	59.53 PK	74	-14.47	-46.2	-47.76	8.17	-35.73
6	11084.37	48.81 AV	54	-5.19	-57.62	-57.64	8.17	-46.45
7	#16638.06	49.72 PK	68.2	-18.48	-58.17	-55.63	8.17	-45.54
8	#6659.37	59.67 PK	68.2	-8.53	-50.15	-44.89	8.17	-35.59

#### Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5452.4	64.61 PK	74	-9.39	-44.71	-39.65	7.82	-30.65
2	5452.87	51.6 AV	54	-2.4	-55.59	-53.62	7.82	-43.66
3	#5463.12	66.77 PK	68.2	-1.43	-44.88	-36.96	7.82	-28.49


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



## 802.11be (EHT40) - Channel 134

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3768.75	61.83 PK	74	-12.17	-45.03	-44.22	8.17	-33.43
2	3792.18	50.33 AV	54	-3.67	-56.21	-56.01	8.17	-44.93
3	7550	58.72 PK	74	-15.28	-47.71	-47.73	8.17	-36.54
4	7570.31	47.96 AV	54	-6.04	-58.43	-58.54	8.17	-47.30
5	11350	58.71 PK	74	-15.29	-47.84	-47.62	8.17	-36.55
6	11351.56	48.33 AV	54	-5.67	-58.1	-58.12	8.17	-46.93
7	#17024.75	48.46 PK	68.2	-19.74	-56.84	-59.52	8.17	-46.80
8	#6804.68	61.45 PK	68.2	-6.75	-49.05	-42.93	8.17	-33.81

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.02	65.92 PK	68.2	-2.28	-40.33	-40.02	7.82	-29.34


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1









**802.11be (EHT40) - Channel 142**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3821.87	61.06 PK	74	-12.94	-45.88	-44.93	8.17	-34.20
2	3803.12	50.22 AV	54	-3.78	-56.31	-56.14	8.17	-45.04
3	7593.75	58.7 PK	74	-15.3	-48.13	-47.39	8.17	-36.56
4	7615.62	48.2 AV	54	-5.8	-58.41	-58.07	8.17	-47.06
5	11425	59.03 PK	74	-14.97	-47.01	-47.86	8.17	-36.23
6	11437.5	48.67 AV	54	-5.33	-57.88	-57.66	8.17	-46.59
7	#17149.81	49.73 PK	68.2	-18.47	-57.87	-55.8	8.17	-45.53
8	#6851.56	60.79 PK	68.2	-7.41	-48.05	-44.12	8.17	-34.47

**Remarks:**


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5855.01	61.91 PK	68.2	-6.29	-46.68	-42.61	7.82	-33.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

#### Chain 0



#### Chain 1



## 802.11be (EHT40) – Channel 151

### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3832.81	61.21 PK	74	-12.79	-45.43	-45.03	8.17	-34.05
2	3829.68	50.32 AV	54	-3.68	-56.27	-55.97	8.17	-44.94
3	7682.81	58.69 PK	74	-15.31	-47.86	-47.64	8.17	-36.57
4	7684.37	48.27 AV	54	-5.73	-58.3	-58.05	8.17	-46.99
5	11515.62	59.7 PK	74	-14.3	-46.72	-46.76	8.17	-35.56
6	11493.75	48.81 AV	54	-5.19	-57.5	-57.77	8.17	-46.45
7	#17261.93	48.98 PK	68.2	-19.22	-57.25	-57.69	8.17	-46.28

#### Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






BUREAU  
VERITAS

### Chain 0






### Chain 1






### Bandedge table

#### Chain 0





Chain 1



### 802.11be (EHT40) – Channel 159







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3853.12	60.6 PK	74	-13.4	-47.04	-44.9	8.17	-34.66
2	3848.43	50 AV	54	-4	-56.34	-56.55	8.17	-45.26
3	7710.93	59.71 PK	74	-14.29	-45.86	-47.81	8.17	-35.55
4	7723.43	48.37 AV	54	-5.63	-58.17	-57.97	8.17	-46.89
5	11598.43	58.71 PK	74	-15.29	-47.6	-47.87	8.17	-36.55
6	11606.25	48.54 AV	54	-5.46	-57.93	-57.87	8.17	-46.72
7	#17387	49.42 PK	68.2	-18.78	-57.96	-56.25	8.17	-45.84

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0






### Chain 1



### Bandedge table


#### Chain 0







Chain 1



## 802.11be (EHT80) - Channel 42







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3492.18	57.32 PK	68.2	-10.88	-48.83	-49.44	8.17	-37.94
2	#6942.18	58.79 PK	68.2	-9.41	-49.03	-46.61	8.17	-36.47
3	#10407.81	59.71 PK	68.2	-8.49	-45.9	-47.76	8.17	-35.55
4	15621.75	49.21 PK	74	-24.79	-56.49	-58.13	8.17	-46.05
5	15624.62	39.26 AV	54	-14.74	-67.37	-67	8.17	-56.00
6	#6251.56	61.27 PK	68.2	-6.93	-49.15	-43.13	8.17	-33.99

#### Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.5	72.72 PK	74	-1.28	-28.99	-45.75	6.36	-22.54
2	5149.77	51.2 AV	54	-2.8	-52.02	-55.52	6.36	-44.06


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**









**802.11be (EHT80) - Channel 58**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3534.37	57.45 PK	74	-16.55	-49.58	-48.47	8.17	-37.81
2	3529.68	47.1 AV	54	-6.9	-59.38	-59.31	8.17	-48.16
3	#7059.37	58.6 PK	68.2	-9.6	-47.48	-48.24	8.17	-36.66
4	#10596.87	59.15 PK	68.2	-9.05	-49.02	-46.05	8.17	-36.11
5	15871.87	49.9 PK	74	-24.1	-56.71	-56.37	8.17	-45.36
6	15873.31	38.95 AV	54	-15.05	-67.53	-67.46	8.17	-56.31
7	#6348.43	61.14 PK	68.2	-7.06	-47.95	-43.66	8.17	-34.12
8	#6382.81	59.4 PK	68.2	-8.8	-46.82	-47.28	8.17	-35.86

**Remarks:**


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1






### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5363.42	64.05 PK	74	-9.95	-43.55	-38.93	6.43	-31.21
2	5350	51.79 AV	54	-2.21	-52.24	-53.7	6.43	-43.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

#### Chain 0



#### Chain 1



## 802.11be (EHT80) - Channel 106

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3706.25	60.92 PK	74	-13.08	-44.37	-47.08	8.17	-34.34
2	3701.56	49.6 AV	54	-4.4	-56.92	-56.77	8.17	-45.66
3	7371.87	58.23 PK	74	-15.77	-48.82	-47.68	8.17	-37.03
4	7356.25	48.01 AV	54	-5.99	-58.45	-58.42	8.17	-47.25
5	11059.37	59.16 PK	74	-14.84	-46.51	-48.21	8.17	-36.10
6	11065.62	48.75 AV	54	-5.25	-57.85	-57.53	8.17	-46.51
7	#16576.25	48.61 PK	68.2	-19.59	-56.36	-60.06	8.17	-46.65
8	#6635.93	60.77 PK	68.2	-7.43	-46.78	-44.79	8.17	-34.49

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5456.62	64.49 PK	74	-9.51	-45.18	-39.66	7.82	-30.77
2	5460	52.56 AV	54	-1.44	-53.73	-53.33	7.82	-42.70
3	#5468.43	66.18 PK	68.2	-2.02	-41.53	-38.73	7.82	-29.08


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



## 802.11be (EHT80) - Channel 122

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3721.87	60.5 PK	74	-13.5	-46.51	-45.43	8.17	-34.76
2	3756.25	50.14 AV	54	-3.86	-56.09	-56.52	8.17	-45.12
3	7475	58.45 PK	74	-15.55	-46.71	-49.81	8.17	-36.81
4	7490.62	47.57 AV	54	-6.43	-59.08	-58.67	8.17	-47.69
5	11206.25	58.73 PK	74	-15.27	-48.99	-46.73	8.17	-36.53
6	11209.37	48.33 AV	54	-5.67	-58.26	-57.96	8.17	-46.93
7	#16846.5	48 PK	68.2	-20.2	-57.16	-60.27	8.17	-47.26
8	#6732.81	62.19 PK	68.2	-6.01	-48.53	-42.14	8.17	-33.07

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1






**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5734.55	66.89 PK	68.2	-1.31	-45.59	-36.72	7.82	-28.37


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



## 802.11be (EHT80) - Channel 138

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3754.68	60.85 PK	74	-13.15	-45.56	-45.62	8.17	-34.41
2	3751.56	50.09 AV	54	-3.91	-56.35	-56.35	8.17	-45.17
3	7464.06	58.12 PK	74	-15.88	-48.67	-47.99	8.17	-37.14
4	7495.31	47.51 AV	54	-6.49	-58.97	-58.9	8.17	-47.75
5	11229.68	60.19 PK	74	-13.81	-47.85	-45.08	8.17	-35.07
6	11212.5	48.22 AV	54	-5.78	-58.41	-58.03	8.17	-47.04
7	#16840.75	48.95 PK	68.2	-19.25	-56.7	-58.46	8.17	-46.31
8	#6828.12	62.78 PK	68.2	-5.42	-49.21	-41.3	8.17	-32.48

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5872.03	60.93 PK	68.2	-7.27	-46	-44.45	7.82	-34.33


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



## 802.11be (EHT80) – Channel 155







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3842.18	61.46 PK	74	-12.54	-44.93	-45.03	8.17	-33.80
2	3832.81	50.11 AV	54	-3.89	-56.32	-56.34	8.17	-45.15
3	7682.81	58.97 PK	74	-15.03	-47.58	-47.36	8.17	-36.29
4	7710.93	48.45 AV	54	-5.55	-58	-57.99	8.17	-46.81
5	11557.81	59.37 PK	74	-14.63	-48.32	-46.1	8.17	-35.89
6	11542.18	48.78 AV	54	-5.22	-57.5	-57.83	8.17	-46.48
7	#17322.31	49.42 PK	68.2	-18.78	-55.66	-59.02	8.17	-45.84

#### Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1









### Bandedge table

#### Chain 0





Chain 1



## 802.11be (EHT160) - Channel 50

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3504.68	58.12 PK	74	-15.88	-48.89	-47.82	8.17	-37.14
2	3509.37	47.05 AV	54	-6.95	-59.56	-59.22	8.17	-48.21
3	#6989.06	59.18 PK	68.2	-9.02	-49.33	-45.86	8.17	-36.08
4	#10500	58.94 PK	68.2	-9.26	-47.2	-47.83	8.17	-36.32
5	15755.43	48.75 PK	74	-25.25	-56.62	-59.11	8.17	-46.51
6	15735.31	39.05 AV	54	-14.95	-67.34	-67.44	8.17	-56.21
7	#6300	61.88 PK	68.2	-6.32	-47.24	-42.91	8.17	-33.38

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5365.82	66.63 PK	74	-7.37	-35.65	-44.04	6.43	-28.63
2	5407.42	51.93 AV	54	-2.07	-51.98	-53.74	6.43	-43.33

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0





### Chain 1



### 802.11be (EHT160) – Channel 114

#### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3725	60.97 PK	74	-13.03	-45.47	-45.48	8.17	-34.29
2	3732.81	49.91 AV	54	-4.09	-56.66	-56.41	8.17	-45.35
3	7440.62	58.45 PK	74	-15.55	-47.79	-48.2	8.17	-36.81
4	7417.18	47.48 AV	54	-6.52	-59	-58.93	8.17	-47.78
5	11143.75	60.59 PK	74	-13.41	-46.92	-45	8.17	-34.67
6	11150	48.61 AV	54	-5.39	-57.68	-57.99	8.17	-46.65
7	#16725.75	48.29 PK	68.2	-19.91	-60.55	-56.62	8.17	-46.97
8	#6684.37	60.87 PK	68.2	-7.33	-50.9	-43.25	8.17	-34.39

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5463.09	65.61 PK	68.2	-2.59	-49.06	-37.78	7.82	-29.65

Remarks:





1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 36

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3443.75	57.89 PK	68.2	-10.31	-47.94	-49.26	8.17	-37.37
2	#6890.62	58.97 PK	68.2	-9.23	-48.51	-46.63	8.17	-36.29
3	#10368.75	59.32 PK	68.2	-8.88	-47.85	-46.5	8.17	-35.94
4	15542.68	49.7 PK	74	-24.3	-58.52	-55.48	8.17	-45.56
5	15557.06	39.18 AV	54	-14.82	-67.04	-67.5	8.17	-56.08
6	#6215.62	59.73 PK	68.2	-8.47	-48.62	-45.39	8.17	-35.53

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### Chain 0





### Chain 1

