





Chain 1




Bandedge table

Chain 0



Chain 1



802.11be (EHT20) - Channel 173

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3920.31	60.25 PK	74	-13.75	-45.3	-47.3	8.17	-35.01
2	3893.75	49.57 AV	54	-4.43	-57	-56.74	8.17	-45.69
3	#7800	58.77 PK	68.2	-9.43	-47.37	-47.99	8.17	-36.49
4	11728.12	59.1 PK	74	-14.9	-46.39	-48.56	8.17	-36.16
5	11728.12	48.42 AV	54	-5.58	-57.91	-58.14	8.17	-46.84
6	#17595.43	48.85 PK	68.2	-19.35	-58.76	-56.67	8.17	-46.41

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0







Chain 1





Bandedge table



Chain 0



Peak

Average

Chain 1



Peak

Average

802.11be (EHT20) - Channel 177

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3921.87	60.01 PK	74	-13.99	-46.03	-46.88	8.17	-35.25
2	3907.81	49.24 AV	54	-4.76	-57.26	-57.14	8.17	-46.02
3	#7829.68	58.85 PK	68.2	-9.35	-47.11	-48.13	8.17	-36.41
4	11757.81	59.02 PK	74	-14.98	-46.78	-48.18	8.17	-36.24
5	11779.68	48.5 AV	54	-5.5	-57.93	-57.95	8.17	-46.76
6	#17661.56	49.67 PK	68.2	-18.53	-56.72	-56.82	8.17	-45.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0






Chain 1




Bandedge table

Chain 0



Chain 1



802.11be (EHT40) - Channel 167







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3881.25	60.12 PK	74	-13.88	-45.48	-47.36	8.17	-35.14
2	3881.25	49.73 AV	54	-4.27	-56.85	-56.58	8.17	-45.53
3	#7770.31	58.6 PK	68.2	-9.6	-49.92	-46.44	8.17	-36.66
4	11662.5	59.73 PK	74	-14.27	-45.48	-48.42	8.17	-35.53
5	11684.37	48.33 AV	54	-5.67	-58	-58.22	8.17	-46.93
6	#17496.25	48.96 PK	68.2	-19.24	-57.19	-57.79	8.17	-46.30

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1






Bandedge table

Chain 0



Chain 1



802.11be (EHT40) - Channel 175


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3915.62	60.44 PK	74	-13.56	-45.56	-46.48	8.17	-34.82
2	3898.43	49.65 AV	54	-4.35	-56.8	-56.78	8.17	-45.61
3	#7828.12	59.04 PK	68.2	-9.16	-48.05	-46.83	8.17	-36.22
4	11754.68	59.46 PK	74	-14.54	-46.71	-47.26	8.17	-35.80
5	11748.43	48.45 AV	54	-5.55	-58.1	-57.89	8.17	-46.81
6	#17628.5	49.24 PK	68.2	-18.96	-58.17	-56.41	8.17	-46.02

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0







Chain 1







Bandedge table

Chain 0



Chain 1



802.11be (EHT80) - Channel 171

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3896.87	60.69 PK	74	-13.31	-45.93	-45.58	8.17	-34.57
2	3896.87	50.01 AV	54	-3.99	-56.22	-56.65	8.17	-45.25
3	#7787.5	59.41 PK	68.2	-8.79	-47.14	-46.93	8.17	-35.85
4	11704.68	60.23 PK	74	-13.77	-46.41	-46.01	8.17	-35.03
5	11721.87	48.79 AV	54	-5.21	-57.26	-58.09	8.17	-46.47
6	#17556.62	49.73 PK	68.2	-18.47	-55.47	-58.45	8.17	-45.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0






Chain 1






Bandedge table

Chain 0



Chain 1



802.11be (EHT160) - Channel 163

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3862.5	60.56 PK	74	-13.44	-45.3	-46.55	8.17	-34.70
2	3859.37	50.53 AV	54	-3.47	-55.73	-56.09	8.17	-44.73
3	11626.56	59.95 PK	74	-14.05	-47.41	-45.74	8.17	-35.31
4	11631.25	48.73 AV	54	-5.27	-57.84	-57.58	8.17	-46.53
5	#17430.12	49.9 PK	68.2	-18.3	-56.02	-57.14	8.17	-45.36

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0




Chain 1






Bandedge table

Chain 0



Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 171
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3467.18	57.86 PK	68.2	-10.34	-48.82	-48.36	8.17	-37.40
2	#6893.75	59 PK	68.2	-9.2	-46.98	-47.95	8.17	-36.26
3	#10375	59.5 PK	68.2	-8.7	-46	-48.13	8.17	-35.76
4	15535.5	49.73 PK	74	-24.27	-55.91	-57.69	8.17	-45.53
5	15555.62	38.96 AV	54	-15.04	-67.59	-67.38	8.17	-56.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0







Chain 1



Bandedge table



Chain 0



Peak

Average

Chain 1



Peak

Average

802.11be (EHT160) 996+484-tone MRU - Channel 163







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3454.68	57.62 PK	68.2	-10.58	-48.64	-49	8.17	-37.64
2	#6918.75	58.22 PK	68.2	-9.98	-47.43	-49.18	8.17	-37.04
3	#10359.37	59.05 PK	68.2	-9.15	-48.18	-46.73	8.17	-36.21
4	15551.31	49.62 PK	74	-24.38	-57.79	-56.03	8.17	-45.64
5	15547	39.02 AV	54	-14.98	-67.65	-67.2	8.17	-56.24

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0







Chain 1







Bandedge table

Chain 0



Chain 1



EHT80 SU Punctured by 20 MHz - Channel 171

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3445.31	58.3 PK	68.2	-9.9	-46.87	-49.94	8.17	-36.96
2	#6904.68	58.2 PK	68.2	-10	-48.52	-47.98	8.17	-37.06
3	#10351.56	58.8 PK	68.2	-9.4	-47.14	-48.21	8.17	-36.46
4	15542.68	47.99 PK	74	-26.01	-59.73	-57.46	8.17	-47.27
5	15557.06	39.26 AV	54	-14.74	-67.19	-67.17	8.17	-56.00

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1




Bandedge table

Chain 0



Chain 1



EHT160 SU Punctured by 20 MHz - Channel 163


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3459.37	57.77 PK	68.2	-10.43	-48.48	-48.87	8.17	-37.49
2	#6914.06	59.59 PK	68.2	-8.61	-46.49	-47.24	8.17	-35.67
3	#10354.68	59.33 PK	68.2	-8.87	-47.05	-47.18	8.17	-35.93
4	15522.56	48.94 PK	74	-25.06	-57.53	-57.48	8.17	-46.32
5	15541.25	39.26 AV	54	-14.74	-66.92	-67.45	8.17	-56.00

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1




Bandedge table

Chain 0



Chain 1



EHT160 SU Punctured by 40 MHz - Channel 163


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3448.43	57.43 PK	68.2	-10.77	-49.51	-48.57	8.17	-37.83
2	#6892.18	58.26 PK	68.2	-9.94	-47.52	-48.96	8.17	-37.00
3	#10379.68	58.72 PK	68.2	-9.48	-48.01	-47.45	8.17	-36.54
4	15522.56	48.54 PK	74	-25.46	-57.43	-58.42	8.17	-46.72
5	15551.31	39.34 AV	54	-14.66	-67.16	-67.04	8.17	-55.92

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1




Bandedge table

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 169







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3442.18	57.6 PK	68.2	-10.6	-49	-48.69	8.17	-37.66
2	#6921.87	58.46 PK	68.2	-9.74	-46.75	-49.7	8.17	-36.80
3	#10348.43	59.28 PK	68.2	-8.92	-47.12	-47.2	8.17	-35.98
4	15534.06	49.51 PK	74	-24.49	-56.83	-57.04	8.17	-45.75
5	15558.5	39.12 AV	54	-14.88	-67.42	-67.22	8.17	-56.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.


Chain 0





BUREAU
VERITAS


Chain 1






Bandedge table

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 173


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3464.06	58.16 PK	68.2	-10.04	-47.24	-49.66	8.17	-37.10
2	#6942.18	58.7 PK	68.2	-9.5	-48.89	-46.83	8.17	-36.56
3	#10387.5	59.1 PK	68.2	-9.1	-47.71	-47	8.17	-36.16
4	15601.62	49.62 PK	74	-24.38	-57.97	-55.91	8.17	-45.64
5	15607.37	39.21 AV	54	-14.79	-67.32	-67.15	8.17	-56.05

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1




Bandedge table

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 177
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3492.18	59 PK	68.2	-9.2	-45.86	-49.94	8.17	-36.26
2	#6978.12	58.92 PK	68.2	-9.28	-46.74	-48.46	8.17	-36.34
3	#10467.18	59.66 PK	68.2	-8.54	-47.96	-45.86	8.17	-35.60
4	15725.25	49.74 PK	74	-24.26	-58.76	-55.31	8.17	-45.52
5	15720.93	39.37 AV	54	-14.63	-67.32	-66.84	8.17	-55.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0






Chain 1





Bandedge table

Chain 0



802.11be (EHT20) 52-tone RU - Channel 169

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3437.5	57.47 PK	68.2	-10.73	-49.29	-48.68	8.17	-37.79
2	#6903.12	58.68 PK	68.2	-9.52	-47.41	-48.14	8.17	-36.58
3	#10357.81	60.37 PK	68.2	-7.83	-46.76	-45.47	8.17	-34.89
4	15547	49.49 PK	74	-24.51	-57.52	-56.44	8.17	-45.77
5	15535.5	39.09 AV	54	-14.91	-67.22	-67.49	8.17	-56.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1




Bandedge table

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 173

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3454.68	57.4 PK	68.2	-10.8	-49.69	-48.47	8.17	-37.86
2	#6917.18	58.86 PK	68.2	-9.34	-48.99	-46.51	8.17	-36.40
3	#10390.62	59.5 PK	68.2	-8.7	-45.43	-49.29	8.17	-35.76
4	15581.5	49.21 PK	74	-24.79	-56.98	-57.5	8.17	-46.05
5	15595.87	39.25 AV	54	-14.75	-67.24	-67.15	8.17	-56.01

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0






Chain 1






Bandedge table

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 177

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3485.93	57.69 PK	68.2	-10.51	-51.04	-47.26	8.17	-37.57
2	#6978.12	60.14 PK	68.2	-8.06	-47.38	-45.43	8.17	-35.12
3	#10493.75	59.39 PK	68.2	-8.81	-47.13	-46.97	8.17	-35.87
4	15729.56	49.29 PK	74	-24.71	-57.24	-57.07	8.17	-45.97
5	15722.37	39.14 AV	54	-14.86	-67.18	-67.42	8.17	-56.12

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0







Chain 1







Bandedge table

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 169

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3437.5	57.47 PK	68.2	-10.73	-49.29	-48.68	8.17	-37.79
2	#6903.12	58.68 PK	68.2	-9.52	-47.41	-48.14	8.17	-36.58
3	#10357.81	60.37 PK	68.2	-7.83	-46.76	-45.47	8.17	-34.89
4	15547	49.49 PK	74	-24.51	-57.52	-56.44	8.17	-45.77
5	15535.5	39.09 AV	54	-14.91	-67.22	-67.49	8.17	-56.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 173

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3454.68	57.4 PK	68.2	-10.8	-49.69	-48.47	8.17	-37.86
2	#6917.18	58.86 PK	68.2	-9.34	-48.99	-46.51	8.17	-36.40
3	#10390.62	59.5 PK	68.2	-8.7	-45.43	-49.29	8.17	-35.76
4	15581.5	49.21 PK	74	-24.79	-56.98	-57.5	8.17	-46.05
5	15595.87	39.25 AV	54	-14.75	-67.24	-67.15	8.17	-56.01

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1




Bandedge table

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 177
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3485.93	57.69 PK	68.2	-10.51	-51.04	-47.26	8.17	-37.57
2	#6978.12	60.14 PK	68.2	-8.06	-47.38	-45.43	8.17	-35.12
3	#10493.75	59.39 PK	68.2	-8.81	-47.13	-46.97	8.17	-35.87
4	15729.56	49.29 PK	74	-24.71	-57.24	-57.07	8.17	-45.97
5	15722.37	39.14 AV	54	-14.86	-67.18	-67.42	8.17	-56.12

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0







Chain 1







Bandedge table

Chain 0



Chain 1




Mode B

RF Mode	802.11a	Channel	CH 169 : 5845 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11690.00	47.6 PK	74.0	-26.4	1.03 H	187	35.2	12.4
2	11690.00	35.8 AV	54.0	-18.2	1.03 H	187	23.4	12.4
3	#17535.00	49.9 PK	88.2	-38.3	1.23 H	215	30.7	19.2
4	#17535.00	39.0 AV	68.2	-29.2	1.23 H	215	19.8	19.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # " : The radiated frequency is out of the restricted band.




RF Mode	802.11a	Channel	CH 169 : 5845 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11690.00	47.1 PK	74.0	-26.9	1.11 V	183	34.7	12.4
2	11690.00	35.5 AV	54.0	-18.5	1.11 V	183	23.1	12.4
3	#17535.00	49.7 PK	88.2	-38.5	1.09 V	178	30.5	19.2
4	#17535.00	38.6 AV	68.2	-29.6	1.09 V	178	19.4	19.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # " : The radiated frequency is out of the restricted band.




RF Mode	802.11a	Channel	CH 173 : 5865 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11730.00	47.3 PK	74.0	-26.7	1.02 H	188	35.1	12.2
2	11730.00	35.6 AV	54.0	-18.4	1.02 H	188	23.4	12.2
3	#17595.00	49.9 PK	88.2	-38.3	1.22 H	226	30.2	19.7
4	#17595.00	38.6 AV	68.2	-29.6	1.22 H	226	18.9	19.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.




RF Mode	802.11a	Channel	CH 173 : 5865 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11730.00	46.9 PK	74.0	-27.1	1.14 V	181	34.7	12.2
2	11730.00	35.3 AV	54.0	-18.7	1.14 V	181	23.1	12.2
3	#17595.00	49.8 PK	88.2	-38.4	1.08 V	185	30.1	19.7
4	#17595.00	38.9 AV	68.2	-29.3	1.08 V	185	19.2	19.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.




RF Mode	802.11a	Channel	CH 177 : 5885 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11770.00	47.3 PK	74.0	-26.7	1.04 H	173	35.1	12.2
2	11770.00	35.7 AV	54.0	-18.3	1.04 H	173	23.5	12.2
3	#17655.00	50.0 PK	88.2	-38.2	1.26 H	213	30.0	20.0
4	#17655.00	38.7 AV	68.2	-29.5	1.26 H	213	18.7	20.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.




RF Mode	802.11a	Channel	CH 177 : 5885 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11770.00	47.1 PK	74.0	-26.9	1.14 V	185	34.9	12.2
2	11770.00	35.5 AV	54.0	-18.5	1.14 V	185	23.3	12.2
3	#17655.00	50.1 PK	88.2	-38.1	1.12 V	190	30.1	20.0
4	#17655.00	39.1 AV	68.2	-29.1	1.12 V	190	19.1	20.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # " : The radiated frequency is out of the restricted band.




RF Mode	802.11be (EHT20)	Channel	CH 169 : 5845 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11690.00	47.0 PK	74.0	-27.0	1.04 H	180	34.6	12.4
2	11690.00	35.6 AV	54.0	-18.4	1.04 H	180	23.2	12.4
3	#17535.00	49.4 PK	88.2	-38.8	1.29 H	206	30.2	19.2
4	#17535.00	38.6 AV	68.2	-29.6	1.29 H	206	19.4	19.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # " : The radiated frequency is out of the restricted band.




RF Mode	802.11be (EHT20)	Channel	CH 169 : 5845 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11690.00	47.4 PK	74.0	-26.6	1.07 V	184	35.0	12.4
2	11690.00	35.9 AV	54.0	-18.1	1.07 V	184	23.5	12.4
3	#17535.00	49.4 PK	88.2	-38.8	1.06 V	193	30.2	19.2
4	#17535.00	38.4 AV	68.2	-29.8	1.06 V	193	19.2	19.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # " : The radiated frequency is out of the restricted band.




RF Mode	802.11be (EHT20)	Channel	CH 173 : 5865 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11730.00	47.1 PK	74.0	-26.9	1.00 H	174	34.9	12.2
2	11730.00	35.5 AV	54.0	-18.5	1.00 H	174	23.3	12.2
3	#17595.00	50.1 PK	88.2	-38.1	1.24 H	205	30.4	19.7
4	#17595.00	38.8 AV	68.2	-29.4	1.24 H	205	19.1	19.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # " : The radiated frequency is out of the restricted band.




RF Mode	802.11be (EHT20)	Channel	CH 173 : 5865 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11730.00	47.0 PK	74.0	-27.0	1.17 V	181	34.8	12.2
2	11730.00	35.6 AV	54.0	-18.4	1.17 V	181	23.4	12.2
3	#17595.00	49.7 PK	88.2	-38.5	1.03 V	187	30.0	19.7
4	#17595.00	38.8 AV	68.2	-29.4	1.03 V	187	19.1	19.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # " : The radiated frequency is out of the restricted band.




RF Mode	802.11be (EHT20)	Channel	CH 177 : 5885 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11770.00	46.4 PK	74.0	-27.6	1.08 H	177	34.2	12.2
2	11770.00	35.0 AV	54.0	-19.0	1.08 H	177	22.8	12.2
3	#17655.00	50.0 PK	88.2	-38.2	1.28 H	228	30.0	20.0
4	#17655.00	38.8 AV	68.2	-29.4	1.28 H	228	18.8	20.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11be (EHT20)	Channel	CH 177 : 5885 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 67% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11770.00	46.9 PK	74.0	-27.1	1.11 V	188	34.7	12.2
2	11770.00	35.0 AV	54.0	-19.0	1.11 V	188	22.8	12.2
3	#17655.00	49.3 PK	88.2	-38.9	1.13 V	162	29.3	20.0
4	#17655.00	38.5 AV	68.2	-29.7	1.13 V	162	18.5	20.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.

