


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5441.25	58.28 PK	74	-15.72	-48.88	-46.96	7.82	-36.98
2	5459.62	47.19 AV	54	-6.81	-58.91	-58.89	7.82	-48.07
3	#5465.87	58.66 PK	68.2	-9.54	-45.91	-49.8	7.82	-36.60


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 140

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3803.12	61.19 PK	74	-12.81	-45.33	-45.17	8.17	-34.07
2	3784.37	50.17 AV	54	-3.83	-56.6	-55.97	8.17	-45.09
3	7593.75	58.32 PK	74	-15.68	-48.12	-48.13	8.17	-36.94
4	7585.93	47.93 AV	54	-6.07	-58.51	-58.52	8.17	-47.33
5	11385.93	58.73 PK	74	-15.27	-47.05	-48.49	8.17	-36.53
6	11396.87	48.47 AV	54	-5.53	-57.91	-58.03	8.17	-46.79
7	#17099.5	49.84 PK	68.2	-18.36	-56.56	-56.65	8.17	-45.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725	62.7 PK	68.2	-5.5	-43.18	-43.61	7.82	-32.56


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 144

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3812.5	61.58 PK	74	-12.42	-44.05	-45.86	8.17	-33.68
2	3810.93	50.07 AV	54	-3.93	-56.42	-56.32	8.17	-45.19
3	7607.81	58.92 PK	74	-15.08	-48.11	-47	8.17	-36.34
4	7643.75	48 AV	54	-6	-58.53	-58.36	8.17	-47.26
5	11457.81	59.7 PK	74	-14.3	-47.15	-46.36	8.17	-35.56
6	11454.68	48.61 AV	54	-5.39	-57.98	-57.68	8.17	-46.65
7	#17164.18	49.81 PK	68.2	-18.39	-57.92	-55.63	8.17	-45.45

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5859.47	59.21 PK	68.2	-8.99	-48.16	-45.9	7.82	-36.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a – Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3835.93	61.49 PK	74	-12.51	-44.76	-45.15	8.17	-33.77
2	3814.06	50.13 AV	54	-3.87	-56.44	-56.19	8.17	-45.13
3	7660.93	59.21 PK	74	-14.79	-48.51	-46.24	8.17	-36.05
4	7671.87	48.11 AV	54	-5.89	-58.27	-58.4	8.17	-47.15
5	11484.37	59.21 PK	74	-14.79	-47.38	-47.08	8.17	-36.05
6	11485.93	48.69 AV	54	-5.31	-57.9	-57.61	8.17	-46.57
7	#17237.5	50.45 PK	68.2	-17.75	-57.15	-55.08	8.17	-44.81

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1




Bandedge table

Chain 0





Chain 1



802.11a – Channel 157

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3860.93	60.67 PK	74	-13.33	-47.17	-44.72	8.17	-34.59
2	3837.5	49.93 AV	54	-4.07	-56.23	-56.82	8.17	-45.33
3	7723.43	58.65 PK	74	-15.35	-47.4	-48.23	8.17	-36.61
4	7723.43	48.11 AV	54	-5.89	-58.15	-58.51	8.17	-47.15
5	11573.43	59.19 PK	74	-14.81	-47.59	-46.93	8.17	-36.07
6	11570.31	48.42 AV	54	-5.58	-58.19	-57.86	8.17	-46.84
7	#17355.37	49.61 PK	68.2	-18.59	-56.49	-57.2	8.17	-45.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11a – Channel 165
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3879.68	61.35 PK	74	-12.65	-46.22	-44.2	8.17	-33.91
2	3876.56	49.75 AV	54	-4.25	-56.79	-56.6	8.17	-45.51
3	7750	58.77 PK	74	-15.23	-48.29	-47.13	8.17	-36.49
4	11645.31	60.16 PK	74	-13.84	-46.35	-46.21	8.17	-35.10
5	11660.93	48.36 AV	54	-5.64	-58.04	-58.12	8.17	-46.90
6	#17487.62	49.37 PK	68.2	-18.83	-56	-58.49	8.17	-45.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) - Channel 36







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3471.87	57.73 PK	68.2	-10.47	-49.27	-48.21	8.17	-37.53
2	#6890.62	58.67 PK	68.2	-9.53	-49.24	-46.68	8.17	-36.59
3	#10348.43	60.41 PK	68.2	-7.79	-45.96	-46.1	8.17	-34.85
4	15555.62	48.87 PK	74	-25.13	-55.82	-60.54	8.17	-46.39
5	15547	39.17 AV	54	-14.83	-67.14	-67.41	8.17	-56.09

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.8	64.23 PK	74	-9.77	-43.14	-38.74	6.36	-31.03
2	5150	52.07 AV	54	-1.93	-53.89	-51.55	6.36	-43.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 40







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3479.68	57.69 PK	68.2	-10.51	-49.17	-48.36	8.17	-37.57
2	#6920.31	58.88 PK	68.2	-9.32	-46.56	-48.86	8.17	-36.38
3	#10407.81	59.14 PK	68.2	-9.06	-47.96	-46.73	8.17	-36.12
4	15607.37	47.95 PK	74	-26.05	-57.81	-59.3	8.17	-47.31
5	15611.68	39.3 AV	54	-14.7	-67.12	-67.16	8.17	-55.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.32	59.34 PK	74	-14.66	-47.03	-44.05	6.36	-35.92
2	5149.87	48.2 AV	54	-5.8	-56.7	-56.17	6.36	-47.06


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 48







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3501.56	57.51 PK	74	-16.49	-48.44	-49.49	8.17	-37.75
2	3500	47.07 AV	54	-6.93	-59.21	-59.53	8.17	-48.19
3	#7003.12	58.02 PK	68.2	-10.18	-47.45	-49.67	8.17	-37.24
4	#10490.62	58.96 PK	68.2	-9.24	-48.48	-46.66	8.17	-36.30
5	15710.87	49.85 PK	74	-24.15	-57.39	-55.92	8.17	-45.41
6	15715.18	39.08 AV	54	-14.92	-67.39	-67.33	8.17	-56.18

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5099.42	58.75 PK	74	-15.25	-44.62	-47.67	6.36	-36.51
2	5143.07	47.07 AV	54	-6.93	-57.63	-57.5	6.36	-48.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 52

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3512.5	58.54 PK	74	-15.46	-47.9	-47.91	8.17	-36.72
2	3512.5	47.12 AV	54	-6.88	-59.39	-59.25	8.17	-48.14
3	#7001.56	59.36 PK	68.2	-8.84	-47.62	-46.6	8.17	-35.90
4	#10501.56	59 PK	68.2	-9.2	-46.84	-48.14	8.17	-36.26
5	15787.06	47.98 PK	74	-26.02	-57.95	-59.05	8.17	-47.28
6	15779.87	38.94 AV	54	-15.06	-67.29	-67.73	8.17	-56.32

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5362.32	56.89 PK	74	-17.11	-48.43	-47.26	6.43	-38.37
2	5350.4	45.78 AV	54	-8.22	-58.9	-58.94	6.43	-49.48


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 60

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3515.62	57.88 PK	74	-16.12	-49.89	-47.55	8.17	-37.38
2	3540.62	47.45 AV	54	-6.55	-58.93	-59.06	8.17	-47.81
3	#7068.75	58 PK	68.2	-10.2	-47.97	-48.97	8.17	-37.26
4	#10596.87	60.25 PK	68.2	-7.95	-47.29	-45.32	8.17	-35.01
5	10614.06	48.71 AV	54	-5.29	-57.75	-57.72	8.17	-46.55
6	15912.12	48.36 PK	74	-25.64	-57.7	-58.49	8.17	-46.90
7	15886.25	38.75 AV	54	-15.25	-67.68	-67.71	8.17	-56.51

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.85	57.96 PK	74	-16.04	-45.54	-48.4	6.43	-37.30
2	5350.22	47.15 AV	54	-6.85	-57.72	-57.38	6.43	-48.11


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 64

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3553.12	58.28 PK	74	-15.72	-50.36	-46.7	8.17	-36.98
2	3540.62	47.42 AV	54	-6.58	-58.59	-59.5	8.17	-47.84
3	#7079.68	59.2 PK	68.2	-9	-49.4	-45.81	8.17	-36.06
4	10625	59.82 PK	74	-14.18	-48.62	-45.25	8.17	-35.44
5	10637.5	48.68 AV	54	-5.32	-57.71	-57.82	8.17	-46.58
6	15968.18	48.73 PK	74	-25.27	-56.83	-58.82	8.17	-46.53
7	15955.25	38.76 AV	54	-15.24	-67.97	-67.4	8.17	-56.50

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.77	64.88 PK	74	-9.12	-46.3	-37.33	6.43	-30.38
2	5350	52.02 AV	54	-1.98	-55.5	-50.99	6.43	-43.24


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 100

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3682.81	61 PK	74	-13	-46.57	-44.54	8.17	-34.26
2	3685.93	49.3 AV	54	-4.7	-57.02	-57.26	8.17	-45.96
3	7323.43	59.1 PK	74	-14.9	-48	-46.77	8.17	-36.16
4	7315.62	48.12 AV	54	-5.88	-58.1	-58.55	8.17	-47.14
5	11007.81	59.36 PK	74	-14.64	-46.6	-47.62	8.17	-35.90
6	10995.31	48.61 AV	54	-5.39	-57.83	-57.83	8.17	-46.65
7	#16504.37	48.37 PK	68.2	-19.83	-57.73	-58.44	8.17	-46.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5454.81	59.86 PK	74	-14.14	-46.91	-45.65	7.82	-35.40
2	5459.84	49.15 AV	54	-4.85	-57.1	-56.78	7.82	-46.11
3	#5469.37	62.56 PK	68.2	-5.64	-47.11	-41.6	7.82	-32.70


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 116

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3703.12	61 PK	74	-13	-44.73	-46.29	8.17	-34.26
2	3735.93	49.76 AV	54	-4.24	-56.68	-56.69	8.17	-45.50
3	7451.56	58.27 PK	74	-15.73	-49.45	-47.18	8.17	-36.99
4	7425	47.5 AV	54	-6.5	-59.03	-58.86	8.17	-47.76
5	11160.93	58.95 PK	74	-15.05	-47.97	-47.06	8.17	-36.31
6	11142.18	48.43 AV	54	-5.57	-58.05	-57.97	8.17	-46.83
7	#16735.81	48.41 PK	68.2	-19.79	-57.32	-58.88	8.17	-46.85

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5453.53	58.62 PK	74	-15.38	-46.39	-48.92	7.82	-36.64
2	5459.43	47.15 AV	54	-6.85	-58.92	-58.97	7.82	-48.11
3	#5461.75	58.21 PK	68.2	-9.99	-47.49	-48.32	7.82	-37.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 140

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3817.18	60.6 PK	74	-13.4	-45.69	-45.99	8.17	-34.66
2	3785.93	50.14 AV	54	-3.86	-56.05	-56.56	8.17	-45.12
3	7585.93	58.16 PK	74	-15.84	-47.97	-48.62	8.17	-37.10
4	7617.18	48.01 AV	54	-5.99	-58.14	-58.75	8.17	-47.25
5	11404.68	58.92 PK	74	-15.08	-47	-48.11	8.17	-36.34
6	11400	48.46 AV	54	-5.54	-58.06	-57.91	8.17	-46.80
7	#17111	49.6 PK	68.2	-18.6	-56.06	-57.78	8.17	-45.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.35	66.46 PK	68.2	-1.74	-39.8	-39.46	7.82	-28.80


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 144

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3817.18	60.53 PK	74	-13.47	-45.57	-46.28	8.17	-34.73
2	3807.81	50.29 AV	54	-3.71	-56.42	-55.9	8.17	-44.97
3	7617.18	58.92 PK	74	-15.08	-48.28	-46.88	8.17	-36.34
4	7626.56	48.2 AV	54	-5.8	-58.17	-58.31	8.17	-47.06
5	11443.75	59.34 PK	74	-14.66	-47.6	-46.65	8.17	-35.92
6	11420.31	48.52 AV	54	-5.48	-57.73	-58.12	8.17	-46.74
7	#17145.5	49.79 PK	68.2	-18.41	-56.79	-56.51	8.17	-45.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5880.28	59.27 PK	68.2	-8.93	-47.69	-46.09	7.82	-35.99


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) – Channel 149







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3814.06	60.62 PK	74	-13.38	-45.67	-45.98	8.17	-34.64
2	3818.75	50.1 AV	54	-3.9	-56.2	-56.48	8.17	-45.16
3	7678.12	59.87 PK	74	-14.13	-45.33	-48.32	8.17	-35.39
4	7640.62	48.1 AV	54	-5.9	-58.27	-58.41	8.17	-47.16
5	11506.25	59.59 PK	74	-14.41	-46.98	-46.73	8.17	-35.67
6	11493.75	48.74 AV	54	-5.26	-57.69	-57.71	8.17	-46.52
7	#17234.62	49.52 PK	68.2	-18.68	-57.78	-56.21	8.17	-45.74

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) – Channel 157

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3868.75	60.1 PK	74	-13.9	-46.25	-46.43	8.17	-35.16
2	3837.5	49.97 AV	54	-4.03	-56.29	-56.65	8.17	-45.29
3	7710.93	58.83 PK	74	-15.17	-49.49	-46.31	8.17	-36.43
4	7693.75	48.23 AV	54	-5.77	-58.26	-58.17	8.17	-47.03
5	11567.18	59.93 PK	74	-14.07	-45.88	-47.24	8.17	-35.33
6	11575	48.45 AV	54	-5.55	-57.64	-58.38	8.17	-46.81
7	#17371.18	49.01 PK	68.2	-19.19	-57.5	-57.36	8.17	-46.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) – Channel 165

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3864.06	60.52 PK	74	-13.48	-45.8	-46.04	8.17	-34.74
2	3864.06	49.65 AV	54	-4.35	-56.81	-56.78	8.17	-45.61
3	#7767.18	59.83 PK	68.2	-8.37	-46.9	-46.34	8.17	-35.43
4	7750	48.14 AV	54	-5.86	-58.37	-58.23	8.17	-47.12
5	11657.81	59.35 PK	74	-14.65	-49.43	-45.58	8.17	-35.91
6	11645.31	48.32 AV	54	-5.68	-58.21	-58.04	8.17	-46.94
7	#17474.68	49.55 PK	68.2	-18.65	-56.41	-57.42	8.17	-45.71

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT40) - Channel 38







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3450	57.69 PK	68.2	-10.51	-50.93	-47.3	8.17	-37.57
2	#6937.5	58.42 PK	68.2	-9.78	-48.83	-47.34	8.17	-36.84
3	#10360.93	59.51 PK	68.2	-8.69	-47.27	-46.62	8.17	-35.75
4	15581.5	48.82 PK	74	-25.18	-58.01	-57.27	8.17	-46.44
5	15588.68	39.01 AV	54	-14.99	-67.49	-67.37	8.17	-56.25

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5142.32	65.6 PK	74	-8.4	-38.22	-40.03	6.36	-29.66
2	5149.87	53.68 AV	54	-0.32	-51.37	-50.56	6.36	-41.58


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 46







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3496.87	57.85 PK	68.2	-10.35	-48.74	-48.45	8.17	-37.41
2	3503.12	47.04 AV	54	-6.96	-59.39	-59.42	8.17	-48.22
3	#6957.81	59.44 PK	68.2	-8.76	-49.01	-45.63	8.17	-35.82
4	#10445.31	59.25 PK	68.2	-8.95	-46.19	-48.49	8.17	-36.01
5	15682.12	48.44 PK	74	-25.56	-57.22	-58.94	8.17	-46.82
6	15705.12	39.01 AV	54	-14.99	-67.41	-67.45	8.17	-56.25

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.57	64.7 PK	74	-9.3	-45.57	-37.56	6.36	-30.56
2	5149.97	51.09 AV	54	-2.91	-54.93	-52.49	6.36	-44.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 54







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3515.62	57.53 PK	74	-16.47	-48.85	-48.98	8.17	-37.73
2	3521.87	47.11 AV	54	-6.89	-59.16	-59.5	8.17	-48.15
3	#7021.87	58.61 PK	68.2	-9.59	-47.79	-47.87	8.17	-36.65
4	#10543.75	59.58 PK	68.2	-8.62	-47.18	-46.57	8.17	-35.68
5	15820.12	48.51 PK	74	-25.49	-57.56	-58.34	8.17	-46.75
6	15805.75	38.79 AV	54	-15.21	-67.6	-67.7	8.17	-56.47

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.95	60.99 PK	74	-13.01	-47.52	-41.71	6.43	-34.27
2	5350.37	48.9 AV	54	-5.1	-56.91	-54.91	6.43	-46.36


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 62







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3557.81	58.29 PK	74	-15.71	-47.67	-48.68	8.17	-36.97
2	3556.25	47.37 AV	54	-6.63	-59.28	-58.87	8.17	-47.89
3	#7087.5	58.95 PK	68.2	-9.25	-46.69	-48.48	8.17	-36.31
4	10632.81	59.4 PK	74	-14.6	-46.49	-47.66	8.17	-35.86
5	10617.18	48.74 AV	54	-5.26	-57.59	-57.81	8.17	-46.52
6	15926.5	48.27 PK	74	-25.73	-57.37	-59.15	8.17	-46.99
7	15940.87	38.84 AV	54	-15.16	-67.42	-67.78	8.17	-56.42

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.07	66.23 PK	74	-7.77	-44.23	-36.08	6.43	-29.03
2	5350	52.18 AV	54	-1.82	-53.25	-51.9	6.43	-43.08


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 102







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3692.18	60.09 PK	74	-13.91	-45.57	-47.29	8.17	-35.17
2	3682.81	49.34 AV	54	-4.66	-56.72	-57.52	8.17	-45.92
3	7337.5	58.67 PK	74	-15.33	-47.08	-48.58	8.17	-36.59
4	7328.12	48.1 AV	54	-5.9	-58.35	-58.34	8.17	-47.16
5	11026.56	59.26 PK	74	-14.74	-46.56	-47.91	8.17	-36.00
6	11015.62	48.66 AV	54	-5.34	-57.93	-57.64	8.17	-46.60
7	#16533.12	49.95 PK	68.2	-18.25	-56.53	-56.45	8.17	-45.31

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5454.46	64.06 PK	74	-9.94	-42.71	-41.45	7.82	-31.20
2	5459.34	52.23 AV	54	-1.77	-54.39	-53.38	7.82	-43.03
3	#5464.59	64.1 PK	68.2	-4.1	-42.34	-41.66	7.82	-31.16


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 110

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3706.25	60.22 PK	74	-13.78	-45.7	-46.82	8.17	-35.04
2	3718.75	49.58 AV	54	-4.42	-56.93	-56.8	8.17	-45.68
3	7417.18	58.91 PK	74	-15.09	-49.02	-46.42	8.17	-36.35
4	7404.68	47.6 AV	54	-6.4	-58.64	-59.05	8.17	-47.66
5	11114.06	59.13 PK	74	-14.87	-48.65	-46.29	8.17	-36.13
6	11107.81	48.68 AV	54	-5.32	-57.7	-57.83	8.17	-46.58
7	#16630.87	48.25 PK	68.2	-19.95	-56.97	-59.88	8.17	-47.01

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5447.28	60.47 PK	74	-13.53	-45.15	-46.15	7.82	-34.79
2	5459.65	49.45 AV	54	-4.55	-56.88	-56.42	7.82	-45.81
3	#5463.25	61.07 PK	68.2	-7.13	-47.25	-43.55	7.82	-34.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 134

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3782.81	60.92 PK	74	-13.08	-45.16	-45.92	8.17	-34.34
2	3787.5	50.2 AV	54	-3.8	-56.38	-56.11	8.17	-45.06
3	7548.43	58.31 PK	74	-15.69	-47.31	-49.14	8.17	-36.95
4	7578.12	47.83 AV	54	-6.17	-58.44	-58.79	8.17	-47.43
5	11326.56	58.55 PK	74	-15.45	-49.25	-46.85	8.17	-36.71
6	11339.06	48.2 AV	54	-5.8	-58.11	-58.37	8.17	-47.06
7	#16991.68	48.66 PK	68.2	-19.54	-57.89	-57.67	8.17	-46.60

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.