


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7201.62	61.16 PK	88.2	-27.04	-46.39	-44.4	8.17	-34.10
2	#7212.75	48.28 AV	68.2	-19.92	-58.05	-58.27	8.17	-46.98


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT320) - Channel 31







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12218.75	58.64 PK	74	-15.36	-49.89	-46.4	8.17	-36.62
2	12212.5	48.03 AV	54	-5.97	-58.41	-58.42	8.17	-47.23
3	18324.25	49.98 PK	74	-24.02	-55.61	-57.53	8.17	-45.28
4	18314.18	40.25 AV	54	-13.75	-65.96	-66.44	8.17	-55.01

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5908.25	66.98 PK	88.2	-21.22	-37.83	-42.04	8.15	-28.28
2	#5860.37	54.84 AV	68.2	-13.36	-50.84	-52.47	8.15	-40.42


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT320) - Channel 63







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12534.37	58.81 PK	74	-15.19	-47.77	-47.5	8.17	-36.45
2	12521.87	48.16 AV	54	-5.84	-58.29	-58.28	8.17	-47.10
3	18790	51.34 PK	74	-22.66	-56.01	-54.35	8.17	-43.92
4	18797.18	41.04 AV	54	-12.96	-65.55	-65.26	8.17	-54.22

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




802.11be (EHT20) 26-tone RU - Channel 2

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11876.56	49.57 PK	74	-24.43	-57.72	-56.16	8.17	-45.69
2	11865.62	38.76 AV	54	-15.24	-67.55	-67.82	8.17	-56.50
3	17796.68	50.18 PK	74	-23.82	-57.11	-55.55	8.17	-45.08
4	17795.25	39.29 AV	54	-14.71	-67	-67.31	8.17	-55.97







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5925	80.17 PK	88.2	-8.03	-26.61	-25.91	8.15	-15.09
2	#5925	67.76 AV	68.2	-0.44	-38.22	-39.16	8.15	-27.50


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11917.18	58.91 PK	74	-15.09	-46.7	-48.55	8.17	-36.35
2	11915.62	48.32 AV	54	-5.68	-58.26	-57.99	8.17	-46.94
3	17858.5	51.24 PK	74	-22.76	-55.28	-55.12	8.17	-44.02
4	17858.5	39.19 AV	54	-14.81	-67.39	-67.11	8.17	-56.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5897.07	61.12 PK	88.2	-27.08	-45.48	-45.13	8.15	-34.14
2	#5913.32	48.79 AV	68.2	-19.41	-57.69	-57.57	8.15	-46.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1









802.11be (EHT20) 26-tone RU - Channel 45

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12342.18	58.26 PK	74	-15.74	-48.46	-47.91	8.17	-37.00
2	12357.81	48.53 AV	54	-5.47	-57.97	-57.85	8.17	-46.73
3	18515.43	49.81 PK	74	-24.19	-56.72	-56.55	8.17	-45.45
4	18516.87	40.71 AV	54	-13.29	-65.87	-65.6	8.17	-54.55







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12820.31	58.8 PK	88.2	-29.4	-47.47	-47.81	8.17	-36.46
2	#12820.31	47.76 AV	68.2	-20.44	-58.75	-58.62	8.17	-47.50
3	19251.43	51.8 PK	74	-22.2	-55.75	-53.75	8.17	-43.46
4	19245.68	41.17 AV	54	-12.83	-65.42	-65.13	8.17	-54.09

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 117







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13079.68	57.99 PK	88.2	-30.21	-48.74	-48.18	8.17	-37.27
2	#13079.68	47.42 AV	68.2	-20.78	-59.2	-58.84	8.17	-47.84
3	19605.06	51.08 PK	74	-22.92	-54.68	-56.16	8.17	-44.18
4	19602.18	40.71 AV	54	-13.29	-65.53	-65.94	8.17	-54.55

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13387.5	57.88 PK	74	-16.12	-48.63	-48.49	8.17	-37.38
2	13389.06	48.09 AV	54	-5.91	-58.54	-58.16	8.17	-47.17
3	20085.18	51.1 PK	74	-22.9	-56.47	-54.44	8.17	-44.16
4	20076.56	41.06 AV	54	-12.94	-65.37	-65.4	8.17	-54.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 181







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13718.5	49.07 PK	88.2	-39.13	-58.17	-56.7	8.17	-46.19
2	#13709.87	40.13 AV	68.2	-28.07	-67.27	-65.52	8.17	-55.13
3	20573.93	50.96 PK	74	-23.04	-54.33	-57.04	8.17	-44.30
4	20558.12	40.81 AV	54	-13.19	-65.68	-65.58	8.17	-54.45

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7128	60.32 PK	88.2	-27.88	-45.96	-46.21	8.13	-34.94
2	#7214.1	47.99 AV	68.2	-20.21	-58.38	-58.44	8.13	-47.27


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 2

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11868.75	49.36 PK	74	-24.64	-56.33	-58	8.17	-45.90
2	11876.56	38.47 AV	54	-15.53	-67.86	-68.09	8.17	-56.79
3	17805.31	49.01 PK	74	-24.99	-58.6	-56.51	8.17	-46.25
4	17801	39.17 AV	54	-14.83	-67.32	-67.23	8.17	-56.09

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.9	78.58 PK	88.2	-9.62	-27.35	-28.39	8.15	-16.68
2	#5925	67.25 AV	68.2	-0.95	-38.74	-39.64	8.15	-28.01


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11912.5	59.17 PK	74	-14.83	-47.35	-47.19	8.17	-36.09
2	11912.5	48.32 AV	54	-5.68	-58.17	-58.07	8.17	-46.94
3	17872.87	49 PK	74	-25	-57.23	-57.67	8.17	-46.26
4	17859.93	39.31 AV	54	-14.69	-67.01	-67.25	8.17	-55.95

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5896.57	61.63 PK	88.2	-26.57	-43.74	-46.17	8.15	-33.63
2	#5924.47	49.17 AV	68.2	-19.03	-56.92	-57.61	8.15	-46.09

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

//

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 45

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12343.75	59.31 PK	74	-14.69	-47.29	-46.98	8.17	-35.95
2	12350	48.67 AV	54	-5.33	-57.67	-57.87	8.17	-46.59
3	18534.12	50.41 PK	74	-23.59	-55.05	-57.3	8.17	-44.85
4	18522.62	40.58 AV	54	-13.42	-65.92	-65.81	8.17	-54.68

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



802.11be (EHT20) 52-tone RU - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12823.43	58.79 PK	88.2	-29.41	-46.82	-48.69	8.17	-36.47
2	#12839.06	47.67 AV	68.2	-20.53	-58.85	-58.69	8.17	-47.59
3	19238.5	50.9 PK	74	-23.1	-55.88	-55.22	8.17	-44.36
4	19235.62	41.23 AV	54	-12.77	-64.99	-65.45	8.17	-54.03

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 117







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13065.62	58.94 PK	88.2	-29.26	-46.45	-48.9	8.17	-36.32
2	#13068.75	47.42 AV	68.2	-20.78	-58.82	-59.23	8.17	-47.84
3	19613.68	50.29 PK	74	-23.71	-55.8	-56.54	8.17	-44.97
4	19607.93	40.76 AV	54	-13.24	-65.96	-65.41	8.17	-54.50

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11be (EHT20) 52-tone RU - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13400	58.39 PK	74	-15.61	-47.76	-48.37	8.17	-36.87
2	13382.81	47.74 AV	54	-6.26	-58.69	-58.72	8.17	-47.52
3	20075.12	51.2 PK	74	-22.8	-56.42	-54.31	8.17	-44.06
4	20092.37	41.01 AV	54	-12.99	-65.45	-65.41	8.17	-54.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11be (EHT20) 52-tone RU - Channel 181

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13719.93	49.68 PK	88.2	-38.52	-57.13	-56.42	8.17	-45.58
2	#13709.87	40.28 AV	68.2	-27.92	-66.96	-65.48	8.17	-54.98
3	20569.62	50.86 PK	74	-23.14	-54.95	-56.32	8.17	-44.40
4	20559.56	41.25 AV	54	-12.75	-65.24	-65.15	8.17	-54.01

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7154.1	61.44 PK	88.2	-26.76	-44.85	-45.08	8.13	-33.82
2	#7203.6	48.03 AV	68.2	-20.17	-58.39	-58.36	8.13	-47.23


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 2

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11868.75	49.36 PK	74	-24.64	-56.33	-58	8.17	-45.90
2	11876.56	38.47 AV	54	-15.53	-67.86	-68.09	8.17	-56.79
3	17805.31	49.01 PK	74	-24.99	-58.6	-56.51	8.17	-46.25
4	17801	39.17 AV	54	-14.83	-67.32	-67.23	8.17	-56.09

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.87	79.06 PK	88.2	-9.14	-28.43	-26.51	8.15	-16.20
2	#5925	67.76 AV	68.2	-0.44	-38.19	-39.19	8.15	-27.50


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11912.5	59.17 PK	74	-14.83	-47.35	-47.19	8.17	-36.09
2	11912.5	48.32 AV	54	-5.68	-58.17	-58.07	8.17	-46.94
3	17872.87	49 PK	74	-25	-57.23	-57.67	8.17	-46.26
4	17859.93	39.31 AV	54	-14.69	-67.01	-67.25	8.17	-55.95

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5923.07	61.44 PK	88.2	-26.76	-45.06	-44.91	8.15	-33.82
2	#5924.77	49.15 AV	68.2	-19.05	-56.99	-57.57	8.15	-46.11


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 45







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12343.75	59.31 PK	74	-14.69	-47.29	-46.98	8.17	-35.95
2	12350	48.67 AV	54	-5.33	-57.67	-57.87	8.17	-46.59
3	18534.12	50.41 PK	74	-23.59	-55.05	-57.3	8.17	-44.85
4	18522.62	40.58 AV	54	-13.42	-65.92	-65.81	8.17	-54.68

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12823.43	58.79 PK	88.2	-29.41	-46.82	-48.69	8.17	-36.47
2	#12839.06	47.67 AV	68.2	-20.53	-58.85	-58.69	8.17	-47.59
3	19238.5	50.9 PK	74	-23.1	-55.88	-55.22	8.17	-44.36
4	19235.62	41.23 AV	54	-12.77	-64.99	-65.45	8.17	-54.03


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1

802.11be (EHT20) 106-tone RU - Channel 117
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13065.62	58.94 PK	88.2	-29.26	-46.45	-48.9	8.17	-36.32
2	#13068.75	47.42 AV	68.2	-20.78	-58.82	-59.23	8.17	-47.84
3	19613.68	50.29 PK	74	-23.71	-55.8	-56.54	8.17	-44.97
4	19607.93	40.76 AV	54	-13.24	-65.96	-65.41	8.17	-54.50

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13400	58.39 PK	74	-15.61	-47.76	-48.37	8.17	-36.87
2	13382.81	47.74 AV	54	-6.26	-58.69	-58.72	8.17	-47.52
3	20075.12	51.2 PK	74	-22.8	-56.42	-54.31	8.17	-44.06
4	20092.37	41.01 AV	54	-12.99	-65.45	-65.41	8.17	-54.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 181

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13719.93	49.68 PK	88.2	-38.52	-57.13	-56.42	8.17	-45.58
2	#13709.87	40.28 AV	68.2	-27.92	-66.96	-65.48	8.17	-54.98
3	20569.62	50.86 PK	74	-23.14	-54.95	-56.32	8.17	-44.40
4	20559.56	41.25 AV	54	-12.75	-65.24	-65.15	8.17	-54.01

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7141.5	60.86 PK	88.2	-27.34	-45.18	-45.94	8.13	-34.40
2	#7220.25	48.02 AV	68.2	-20.18	-58.35	-58.41	8.13	-47.24


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT) 242-tone RU - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11912.5	59.37 PK	74	-14.63	-46.39	-47.88	8.17	-35.89
2	11910.93	48.55 AV	54	-5.45	-57.98	-57.8	8.17	-46.71
3	17871.43	49.84 PK	74	-24.16	-57.73	-55.7	8.17	-45.42
4	17865.68	39.98 AV	54	-14.02	-67.03	-65.95	8.17	-55.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.87	73.26 PK	88.2	-14.94	-35.91	-31.49	8.15	-22.00
2	#5925	55.39 AV	68.2	-12.81	-52.64	-49.86	8.15	-39.87


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT) 242-tone RU - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13071.87	57.48 PK	88.2	-30.72	-48.88	-49.05	8.17	-37.78
2	#13067.18	47.45 AV	68.2	-20.75	-58.83	-59.16	8.17	-47.81
3	19613.68	50.54 PK	74	-23.46	-56.78	-55.17	8.17	-44.72
4	19609.37	40.8 AV	54	-13.2	-65.97	-65.33	8.17	-54.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT) 484-tone RU - Channel 3

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11926.56	58.61 PK	74	-15.39	-47.74	-47.92	8.17	-36.65
2	11920.31	48.27 AV	54	-5.73	-58.09	-58.25	8.17	-46.99
3	17904.5	49.73 PK	74	-24.27	-58.53	-55.43	8.17	-45.53
4	17894.43	39.47 AV	54	-14.53	-67.02	-66.93	8.17	-55.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.57	77.15 PK	88.2	-11.05	-32.7	-27.38	8.15	-18.11
2	#5925	63.3 AV	68.2	-4.9	-44.05	-42.35	8.15	-31.96


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT) 484-tone RU - Channel 123

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13126.56	58.26 PK	88.2	-29.94	-49.29	-47.3	8.17	-37.00
2	#13137.5	47.71 AV	68.2	-20.49	-58.58	-58.88	8.17	-47.55
3	19694.18	50.91 PK	74	-23.09	-57.18	-54.34	8.17	-44.35
4	19695.62	40.9 AV	54	-13.1	-65.71	-65.38	8.17	-54.36

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT) 996-tone RU - Channel 7

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11967.18	59.38 PK	74	-14.62	-47.93	-46.34	8.17	-35.88
2	11976.56	48.15 AV	54	-5.85	-58.37	-58.21	8.17	-47.11
3	17962	49.32 PK	74	-24.68	-57.04	-57.2	8.17	-45.94
4	17959.12	39.6 AV	54	-14.4	-67.08	-66.61	8.17	-55.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.82	78.92 PK	88.2	-9.28	-35.1	-24.89	8.15	-16.34
2	#5924.97	60.93 AV	68.2	-7.27	-47.97	-43.92	8.15	-34.33


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT) 996-tone RU - Channel 135







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13251.56	58.4 PK	74	-15.6	-48.54	-47.6	8.17	-36.86
2	13256.25	47.68 AV	54	-6.32	-58.71	-58.81	8.17	-47.58
3	19878.18	50.97 PK	74	-23.03	-56.82	-54.45	8.17	-44.29
4	19876.75	41.01 AV	54	-12.99	-65.48	-65.39	8.17	-54.25

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1



802.11be (EHT) 2x996-tone RU - Channel 15

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12053.12	58.12 PK	74	-15.88	-47.76	-48.97	8.17	-37.14
2	12043.75	47.92 AV	54	-6.08	-58.33	-58.72	8.17	-47.34
3	18079.87	50.02 PK	74	-23.98	-56.69	-56.17	8.17	-45.24
4	18082.75	39.84 AV	54	-14.16	-66.58	-66.63	8.17	-55.42

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5888.22	80.18 PK	88.2	-8.02	-26.44	-26.04	8.15	-15.08
2	#5922.85	60.15 AV	68.2	-8.05	-46.78	-45.82	8.15	-35.11


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT) 2x996-tone RU - Channel 143

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13326.56	58.52 PK	74	-15.48	-47.46	-48.43	8.17	-36.74
2	13339.06	47.62 AV	54	-6.38	-58.73	-58.92	8.17	-47.64
3	19996.06	50.79 PK	74	-23.21	-55.07	-56.33	8.17	-44.47
4	19987.43	41.07 AV	54	-12.93	-65.2	-65.54	8.17	-54.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11900	58.93 PK	74	-15.07	-47.17	-47.89	8.17	-36.33
2	11910.93	48.38 AV	54	-5.62	-57.98	-58.15	8.17	-46.88
3	17871.43	49.06 PK	74	-24.94	-57.52	-57.24	8.17	-46.20
4	17857.06	39.28 AV	54	-14.72	-67.11	-67.22	8.17	-55.98

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5918.27	61.58 PK	88.2	-26.62	-44.78	-44.91	8.15	-33.68
2	#5924.92	49.26 AV	68.2	-18.94	-56.85	-57.49	8.15	-46.00


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13079.68	58.1 PK	88.2	-30.1	-49.52	-47.42	8.17	-37.16
2	#13070.31	47.47 AV	68.2	-20.73	-59.05	-58.9	8.17	-47.79
3	19606.5	51.35 PK	74	-22.65	-54.62	-55.61	8.17	-43.91
4	19597.87	40.69 AV	54	-13.31	-65.98	-65.53	8.17	-54.57

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





BUREAU
VERITAS

Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11914.06	58.91 PK	74	-15.09	-48.11	-47.02	8.17	-36.35
2	11900	48.36 AV	54	-5.64	-57.83	-58.34	8.17	-46.90
3	17858.5	49.4 PK	74	-24.6	-55.92	-58.55	8.17	-45.86
4	17859.93	39.56 AV	54	-14.44	-67.25	-66.54	8.17	-55.70







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU
VERITAS







Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5923.42	63.69 PK	88.2	-24.51	-45.98	-40.89	8.15	-31.57
2	#5924.9	49.62 AV	68.2	-18.58	-56.68	-56.92	8.15	-45.64


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13071.87	58.26 PK	88.2	-29.94	-46.82	-50.16	8.17	-37.00
2	#13073.43	47.45 AV	68.2	-20.75	-59.01	-58.97	8.17	-47.81
3	19603.62	51.16 PK	74	-22.84	-55.51	-55.07	8.17	-44.10
4	19610.81	40.8 AV	54	-13.2	-65.65	-65.63	8.17	-54.46







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









BUREAU VERITAS

Chain 0





Chain 1



802.11be (EHT) 484+242-tone RU - Channel 7

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11964.06	58.38 PK	74	-15.62	-47.92	-48.21	8.17	-36.88
2	11960.93	48.22 AV	54	-5.78	-58.12	-58.33	8.17	-47.04
3	17959.12	49.32 PK	74	-24.68	-56.6	-57.72	8.17	-45.94
4	17957.68	39.57 AV	54	-14.43	-66.72	-67.03	8.17	-55.69
5	3984.37	58.87 PK	74	-15.13	-47.24	-47.93	8.17	-36.39
6	3989.06	48.42 AV	54	-5.58	-58.16	-57.89	8.17	-46.84
7	#7987.5	59.28 PK	88.2	-28.92	-46.37	-48.12	8.17	-35.98
8	#7979.68	48.42 AV	68.2	-19.78	-58.08	-57.97	8.17	-46.84

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5920.22	83.28 PK	88.2	-4.92	-24.7	-22	8.15	-11.98
2	#5922.2	67.59 AV	68.2	-0.61	-40.11	-37.84	8.15	-27.67


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT) 484+242-tone RU - Channel 135

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13250	56.58 PK	74	-17.42	-50.44	-49.35	8.17	-38.68
2	13250	47.8 AV	54	-6.2	-58.82	-58.47	8.17	-47.46
3	19869.56	50.89 PK	74	-23.11	-56.97	-54.48	8.17	-44.37
4	19876.75	41.03 AV	54	-12.97	-65.29	-65.54	8.17	-54.23
5	#4418.75	58.95 PK	88.2	-29.25	-46.89	-48.19	8.17	-36.31
6	#4410.93	48.48 AV	68.2	-19.72	-57.98	-57.95	8.17	-46.78
7	#8839.06	58.62 PK	88.2	-29.58	-47.05	-48.75	8.17	-36.64
8	#8832.81	48.3 AV	68.2	-19.9	-58.19	-58.09	8.17	-46.96







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




BUREAU VERITAS

Chain 0





Chain 1



802.11be (EHT) 996+484-tone RU - Channel 15

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12057.81	58.48 PK	74	-15.52	-47.66	-48.29	8.17	-36.78
2	12057.81	47.98 AV	54	-6.02	-58.4	-58.53	8.17	-47.28
3	18068.37	49.71 PK	74	-24.29	-58.38	-55.54	8.17	-45.55
4	18071.25	39.78 AV	54	-14.22	-66.6	-66.72	8.17	-55.48

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5921.32	81.53 PK	88.2	-6.67	-26.05	-23.97	8.15	-13.73
2	#5921.95	66.01 AV	68.2	-2.19	-41.07	-39.83	8.15	-29.25


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




802.11be (EHT) 996+484-tone RU - Channel 143

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13325	58.66 PK	74	-15.34	-48.93	-46.88	8.17	-36.60
2	13329.68	47.86 AV	54	-6.14	-58.89	-58.29	8.17	-47.40
3	19993.18	51.1 PK	74	-22.9	-56.73	-54.29	8.17	-44.16
4	19986	41.01 AV	54	-12.99	-65.42	-65.44	8.17	-54.25







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7209.5	60.25 PK	88.2	-27.95	-45.44	-47.1	8.17	-35.01
2	#7196.62	48.47 AV	68.2	-19.73	-57.86	-58.09	8.17	-46.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT320) 2x996+484-tone MRU - Channel 31

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12210.93	58.4 PK	74	-15.6	-47.52	-48.63	8.17	-36.86
2	12204.68	48.13 AV	54	-5.87	-58.32	-58.31	8.17	-47.13
3	18311.31	50.28 PK	74	-23.72	-56.75	-55.64	8.17	-44.98
4	18318.5	40.35 AV	54	-13.65	-66.15	-66.03	8.17	-54.91

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5921.4	79.03 PK	88.2	-9.17	-26.16	-29.11	8.15	-16.23
2	#5923.37	67.47 AV	68.2	-0.73	-39.27	-38.65	8.15	-27.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT320) 3x996-tone MRU - Channel 31







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12210.93	58.39 PK	74	-15.61	-47.9	-48.2	8.17	-36.87
2	12217.18	48.25 AV	54	-5.75	-58.36	-58.03	8.17	-47.01
3	18312.75	50.47 PK	74	-23.53	-54.76	-57.65	8.17	-44.79
4	18311.31	40.38 AV	54	-13.62	-65.85	-66.28	8.17	-54.88

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.







Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5921.7	81.67 PK	88.2	-6.53	-25.1	-24.42	8.15	-13.59
2	#5921.55	64.41 AV	68.2	-3.79	-42.43	-41.63	8.15	-30.85


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1









802.11be (EHT320) 3x996+484-tone MRU - Channel 31

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12206.25	58.74 PK	74	-15.26	-46.85	-48.76	8.17	-36.52
2	12217.18	48.25 AV	54	-5.75	-57.95	-58.45	8.17	-47.01
3	18307	50.66 PK	74	-23.34	-54.07	-58.65	8.17	-44.60
4	18314.18	40.4 AV	54	-13.6	-66.08	-66	8.17	-54.86

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5830.45	75.98 PK	88.2	-12.22	-30.66	-30.24	8.15	-19.28
2	#5922	65.05 AV	68.2	-3.15	-41.63	-41.13	8.15	-30.21


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) Punctured by 20 MHz - Channel 7

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11975	58.41 PK	74	-15.59	-48.54	-47.57	8.17	-36.85
2	11976.56	48.16 AV	54	-5.84	-58.49	-58.08	8.17	-47.10
3	17946.18	49.7 PK	74	-24.3	-56.37	-57.14	8.17	-45.56
4	17949.06	39.53 AV	54	-14.47	-66.91	-66.91	8.17	-55.73

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5922.65	80.08 PK	88.2	-8.12	-30.15	-24.34	8.15	-15.18
2	#5922.97	65.56 AV	68.2	-2.64	-42.22	-39.82	8.15	-29.70


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) Punctured by 20 MHz - Channel 135

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13253.12	58.17 PK	74	-15.83	-50.15	-46.96	8.17	-37.09
2	13253.12	47.68 AV	54	-6.32	-58.78	-58.74	8.17	-47.58
3	19883.93	52.32 PK	74	-21.68	-53.93	-54.32	8.17	-42.94
4	19865.25	40.93 AV	54	-13.07	-65.66	-65.37	8.17	-54.33


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU
VERITAS

Chain 0





Chain 1



802.11be (EHT160) Punctured by 20 MHz - Channel 15

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12046.87	58.74 PK	74	-15.26	-47.9	-47.5	8.17	-36.52
2	12056.25	47.88 AV	54	-6.12	-58.65	-58.47	8.17	-47.38
3	18065.5	50.33 PK	74	-23.67	-58.4	-54.62	8.17	-44.93
4	18081.31	39.73 AV	54	-14.27	-66.63	-66.8	8.17	-55.53







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU
VERITAS







Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5911.1	78.7 PK	88.2	-9.5	-35.29	-25.11	8.15	-16.56
2	#5923.45	63.43 AV	68.2	-4.77	-43.8	-42.3	8.15	-31.83


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) Punctured by 20 MHz - Channel 143

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13329.68	57.66 PK	74	-16.34	-48.76	-48.8	8.17	-37.60
2	13320.31	47.79 AV	54	-6.21	-58.72	-58.59	8.17	-47.47
3	19996.06	51.93 PK	74	-22.07	-54.15	-54.9	8.17	-43.33
4	19991.75	40.99 AV	54	-13.01	-65.33	-65.57	8.17	-54.27

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





BUREAU VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7191.75	60.21 PK	88.2	-27.99	-44.54	-49.04	8.17	-35.05
2	#7205.12	48.47 AV	68.2	-19.73	-57.87	-58.07	8.17	-46.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) Punctured by 40 MHz - Channel 15

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12045.31	58.26 PK	74	-15.74	-48.41	-47.96	8.17	-37.00
2	12042.18	47.9 AV	54	-6.1	-58.77	-58.33	8.17	-47.36
3	18079.87	49.69 PK	74	-24.31	-58.29	-55.61	8.17	-45.57
4	18077	39.7 AV	54	-14.3	-66.84	-66.64	8.17	-55.56

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 0

