

RU52

Channel 2


Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.97	83.14 PK	88.2	-5.06	-23.96	-22.69	8.15	-12.12
2	#5925	69.35 AV	68.2	! 1.15	-37.72	-36.51	8.15	-25.91


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



RU106

Channel 2


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5925	83.24 PK	88.2	-4.96	-23.08	-23.29	8.15	-12.02
2	#5925	71.51 AV	68.2	! 3.31	-34.59	-35.26	8.15	-23.75


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)

Chain 0



Chain 1




Channel 1 Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.25	91.14 PK	88.2	! 2.94	-24.58	-12.53	8.15	-4.12
2	#5924.95	53.01 AV	68.2	-15.19	-53.83	-53.03	8.15	-42.25


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1




Channel 181 Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7127.55	59.77 PK	88.2	-28.43	-46.93	-46.42	8.17	-35.49
2	#7125	46.1 AV	68.2	-22.1	-60.35	-60.33	8.17	-49.16


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1




RU242
Channel 2
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1731.25	46.82 PK	74	-27.18	-60.21	-59.11	8.17	-48.44
2	1726.56	35.42 AV	54	-18.58	-71.22	-70.82	8.17	-59.84
3	#5479.68	51.37 PK	88.2	-36.83	-55.43	-54.74	8.17	-43.89
4	#5484.37	39.88 AV	68.2	-28.32	-66.59	-66.53	8.17	-55.38
5	#5764.06	51.42 PK	88.2	-36.78	-55.1	-54.95	8.17	-43.84
6	#5759.37	42.07 AV	68.2	-26.13	-62.92	-66.56	8.17	-53.19
7	#7909.37	51.27 PK	88.2	-36.93	-54.29	-56.28	8.17	-43.99
8	#7914.06	41.03 AV	68.2	-27.17	-64.5	-66.56	8.17	-54.23
9	11865.62	52.52 PK	74	-21.48	-53.5	-54.38	8.17	-42.74
10	11870.31	40.81 AV	54	-13.19	-65.54	-65.72	8.17	-54.45
11	17803.87	55.37 PK	74	-18.63	-51.41	-50.75	8.17	-39.89
12	17802.43	44.23 AV	54	-9.77	-62.48	-61.96	8.17	-51.03


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.95	82.18 PK	88.2	-6.02	-26.13	-22.93	8.15	-13.08
2	#5925	70.38 AV	68.2	! 2.18	-36.72	-35.46	8.15	-24.88


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1748.43	55.12 PK	74	-18.88	-51.37	-51.28	8.17	-40.14
2	1751.56	44.24 AV	54	-9.76	-62.27	-62.14	8.17	-51.02
3	#5481.25	59.77 PK	88.2	-28.43	-47.33	-46.09	8.17	-35.49
4	#5485.93	48.41 AV	68.2	-19.79	-57.95	-58.11	8.17	-46.85
5	#5759.37	63.26 PK	88.2	-24.94	-43.49	-42.9	8.17	-32.00
6	#5759.37	58 AV	68.2	-10.2	-49.63	-47.5	8.17	-37.26
7	#7937.5	57.72 PK	88.2	-30.48	-48.88	-48.57	8.17	-37.54
8	#7940.62	46.99 AV	68.2	-21.21	-59.34	-59.56	8.17	-48.27
9	11907.81	58.55 PK	74	-15.45	-49.22	-46.87	8.17	-36.71
10	11909.37	47.49 AV	54	-6.51	-59.03	-58.88	8.17	-47.77
11	17868.56	53.07 PK	74	-20.93	-52.73	-54.13	8.17	-42.19
12	17867.12	42.33 AV	54	-11.67	-63.92	-64.3	8.17	-52.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5923.9	89.67 PK	88.2	! 1.47	-23.54	-14.22	8.15	-5.59
2	#5925	66.19 AV	68.2	-2.01	-45.47	-37.92	8.15	-29.07


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 45


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1965.62	55.52 PK	74	-18.48	-51.66	-50.28	8.17	-39.74
2	1973.43	44.15 AV	54	-9.85	-62.19	-62.39	8.17	-51.11
3	#5487.5	59.28 PK	88.2	-28.92	-46.52	-47.92	8.17	-35.98
4	#5479.68	48.42 AV	68.2	-19.78	-58.02	-58.03	8.17	-46.84
5	#5759.37	64.33 PK	88.2	-23.87	-42.21	-42.02	8.17	-30.93
6	#5759.37	59.6 AV	68.2	-8.6	-47.11	-46.58	8.17	-35.66
7	8229.68	58.28 PK	74	-15.72	-47.05	-49.65	8.17	-36.98
8	8232.81	47.55 AV	54	-6.45	-58.63	-59.17	8.17	-47.71
9	12348.43	58.13 PK	74	-15.87	-47.87	-48.8	8.17	-37.13
10	12348.43	47.79 AV	54	-6.21	-58.59	-58.72	8.17	-47.47
11	18525.5	50.21 PK	74	-23.79	-56.6	-55.89	8.17	-45.05
12	18522.62	39.04 AV	54	-14.96	-67.25	-67.55	8.17	-56.22


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 93


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2209.37	55.32 PK	74	-18.68	-50.95	-51.3	8.17	-39.94
2	2214.06	44.94 AV	54	-9.06	-61.54	-61.46	8.17	-50.32
3	#5487.5	59.53 PK	88.2	-28.67	-47.11	-46.72	8.17	-35.73
4	#5485.93	48.32 AV	68.2	-19.88	-58.11	-58.13	8.17	-46.94
5	#5759.37	62.47 PK	88.2	-25.73	-44.89	-43.21	8.17	-32.79
6	#5759.37	56.42 AV	68.2	-11.78	-52.67	-48.38	8.17	-38.84
7	#8553.12	57.47 PK	88.2	-30.73	-47.91	-50.37	8.17	-37.79
8	#8553.12	48.47 AV	68.2	-19.73	-56.53	-60.15	8.17	-46.79
9	#12828.12	58.48 PK	88.2	-29.72	-49.11	-47.06	8.17	-36.78
10	#12831.25	47.64 AV	68.2	-20.56	-58.94	-58.66	8.17	-47.62
11	19241.37	51.39 PK	74	-22.61	-55.61	-54.55	8.17	-43.87
12	19241.37	40.16 AV	54	-13.84	-66.09	-66.47	8.17	-55.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 117


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2326.56	55.71 PK	74	-18.29	-50.16	-51.39	8.17	-39.55
2	2325	44.76 AV	54	-9.24	-61.77	-61.6	8.17	-50.50
3	#5487.5	58.85 PK	88.2	-29.35	-46.85	-48.48	8.17	-36.41
4	#5484.37	48.16 AV	68.2	-20.04	-58.41	-58.15	8.17	-47.10
5	#5759.37	62.74 PK	88.2	-25.46	-44.63	-42.94	8.17	-32.52
6	#5759.37	57.11 AV	68.2	-11.09	-52.17	-47.63	8.17	-38.15
7	#8714.06	58.47 PK	88.2	-29.73	-46.99	-49.24	8.17	-36.79
8	#8714.06	49.81 AV	68.2	-18.39	-55.04	-59.17	8.17	-45.45
9	#13075	59.6 PK	88.2	-28.6	-47.22	-46.49	8.17	-35.66
10	#13070.31	48.44 AV	68.2	-19.76	-58.33	-57.69	8.17	-46.82
11	19606.5	49.98 PK	74	-24.02	-57.36	-55.72	8.17	-45.28
12	19605.06	39.67 AV	54	-14.33	-67.03	-66.52	8.17	-55.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 149


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2492.18	56.05 PK	74	-17.95	-51.46	-49.53	8.17	-39.21
2	2489.06	45.12 AV	54	-8.88	-61.21	-61.43	8.17	-50.14
3	#5484.37	59.84 PK	88.2	-28.36	-45.71	-47.71	8.17	-35.42
4	#5487.5	48.41 AV	68.2	-19.79	-57.91	-58.16	8.17	-46.85
5	#5759.37	63.14 PK	88.2	-25.06	-44.02	-42.68	8.17	-32.12
6	#5759.37	57.52 AV	68.2	-10.68	-50.68	-47.67	8.17	-37.74
7	#8926.56	59.84 PK	88.2	-28.36	-46.23	-47.01	8.17	-35.42
8	#8926.56	48.92 AV	68.2	-19.28	-56.73	-58.49	8.17	-46.34
9	13389.06	59.21 PK	74	-14.79	-47.38	-47.09	8.17	-36.05
10	13389.06	48.1 AV	54	-5.9	-58.22	-58.47	8.17	-47.16
11	20080.87	53 PK	74	-21	-56.46	-51.68	8.17	-42.26
12	20088.06	40.48 AV	54	-13.52	-66.88	-65.2	8.17	-54.78


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 181


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2646.87	55.73 PK	74	-18.27	-51.79	-49.85	8.17	-39.53
2	2650	45.06 AV	54	-8.94	-61.52	-61.25	8.17	-50.20
3	#5484.37	65.32 PK	88.2	-22.88	-41.9	-40.46	8.17	-29.94
4	#5484.37	59.21 AV	68.2	-8.99	-48.49	-46.26	8.17	-36.05
5	#5759.37	63.08 PK	88.2	-25.12	-43.8	-42.97	8.17	-32.18
6	#5759.37	57.75 AV	68.2	-10.45	-50.66	-47.34	8.17	-37.51
7	9140.62	57.95 PK	74	-16.05	-48.56	-48.42	8.17	-37.31
8	9139.06	47.39 AV	54	-6.61	-58.97	-59.14	8.17	-47.87
9	#13707	49.56 PK	88.2	-38.64	-57.06	-56.7	8.17	-45.70
10	#13709.87	38.96 AV	68.2	-29.24	-67.18	-67.81	8.17	-56.30
11	20561	49.47 PK	74	-24.53	-58.03	-56.12	8.17	-45.79
12	20562.43	39.07 AV	54	-14.93	-67.8	-66.98	8.17	-56.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7127.7	58.8 PK	88.2	-29.4	-47.91	-47.38	8.17	-36.46
2	#7125.07	46.12 AV	68.2	-22.08	-60.36	-60.29	8.17	-49.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



40MHz Preamble

RU26

Channel 3


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1756.25	54.84 PK	74	-19.16	-51.69	-51.52	8.17	-40.42
2	1756.25	44.28 AV	54	-9.72	-62.09	-62.23	8.17	-50.98
3	#5482.81	59.17 PK	88.2	-29.03	-48.06	-46.6	8.17	-36.09
4	#5482.81	48.41 AV	68.2	-19.79	-58.13	-57.94	8.17	-46.85
5	#5759.37	63.54 PK	88.2	-24.66	-43.77	-42.18	8.17	-31.72
6	#5759.37	59.17 AV	68.2	-9.03	-48.98	-46.04	8.17	-36.09
7	#7957.81	58.05 PK	88.2	-30.15	-47.52	-49.49	8.17	-37.21
8	#7956.25	47.29 AV	68.2	-20.91	-59.05	-59.25	8.17	-47.97
9	11932.81	59.11 PK	74	-14.89	-47.32	-47.35	8.17	-36.15
10	11932.81	47.46 AV	54	-6.54	-59.05	-58.91	8.17	-47.80
11	17895.87	53.61 PK	74	-20.39	-52.69	-52.98	8.17	-41.65
12	17895.87	42.28 AV	54	-11.72	-64.13	-64.19	8.17	-52.98


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 43


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1959.37	55.23 PK	74	-18.77	-52.3	-50.34	8.17	-40.03
2	1962.5	44.28 AV	54	-9.72	-61.96	-62.37	8.17	-50.98
3	#5479.68	59.54 PK	88.2	-28.66	-46.27	-47.64	8.17	-35.72
4	#5484.37	48.44 AV	68.2	-19.76	-57.96	-58.05	8.17	-46.82
5	#5759.37	65.04 PK	88.2	-23.16	-41.67	-41.15	8.17	-30.22
6	#5759.37	60.7 AV	68.2	-7.5	-46.57	-45.05	8.17	-34.56
7	8220.31	57.36 PK	74	-16.64	-49.19	-48.98	8.17	-37.90
8	8220.31	47.7 AV	54	-6.3	-58.09	-59.5	8.17	-47.56
9	12325	58.69 PK	74	-15.31	-48.44	-47.15	8.17	-36.57
10	12328.12	47.95 AV	54	-6.05	-58.28	-58.72	8.17	-47.31
11	18496.75	49.24 PK	74	-24.76	-57.61	-56.82	8.17	-46.02
12	18491	38.74 AV	54	-15.26	-67.6	-67.81	8.17	-56.52


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 91


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#2196.12	56.87 PK	88.2	-31.33	-49.06	-50.16	8.17	-38.39
2	#2196.87	44.97 AV	68.2	-23.23	-61.51	-61.44	8.17	-50.29
3	#5482.81	58.99 PK	88.2	-29.21	-47.91	-47.03	8.17	-36.27
4	#5482.81	48.35 AV	68.2	-19.85	-58.3	-57.89	8.17	-46.91
5	#5759.37	63.88 PK	88.2	-24.32	-44.57	-41.19	8.17	-31.38
6	#5759.37	57.83 AV	68.2	-10.37	-52.26	-46.66	8.17	-37.43
7	#8540.62	58.06 PK	88.2	-30.14	-47.07	-50.26	8.17	-37.20
8	#8540.62	49.67 AV	68.2	-18.53	-54.94	-59.98	8.17	-45.59
9	#12806.25	57.87 PK	88.2	-30.33	-48.72	-48.42	8.17	-37.39
10	#12809.37	47.54 AV	68.2	-20.66	-58.74	-59.06	8.17	-47.72
11	19211.18	51.64 PK	74	-22.36	-55	-54.6	8.17	-43.62
12	19212.62	40.14 AV	54	-13.86	-66.27	-66.34	8.17	-55.12


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 123


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2356.25	55.51 PK	74	-18.49	-50.58	-51.32	8.17	-39.75
2	2362.5	44.77 AV	54	-9.23	-61.83	-61.52	8.17	-50.49
3	#5479.68	59.15 PK	88.2	-29.05	-46.51	-48.24	8.17	-36.11
4	#5484.37	48.29 AV	68.2	-19.91	-58.23	-58.08	8.17	-46.97
5	#5759.37	63.98 PK	88.2	-24.22	-44.62	-41.02	8.17	-31.28
6	#5759.37	58.4 AV	68.2	-9.8	-51.25	-46.22	8.17	-36.86
7	#8753.12	58.45 PK	88.2	-29.75	-47.22	-48.93	8.17	-36.81
8	#8753.12	50.79 AV	68.2	-17.41	-53.73	-59.19	8.17	-44.47
9	#13126.56	59.63 PK	88.2	-28.57	-47.02	-46.61	8.17	-35.63
10	#13126.56	48.55 AV	68.2	-19.65	-58.01	-57.78	8.17	-46.71
11	19699.93	51.43 PK	74	-22.57	-53.63	-57.03	8.17	-43.83
12	19694.18	39.73 AV	54	-14.27	-66.55	-66.88	8.17	-55.53


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 155


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2523.43	56.1 PK	74	-17.9	-49.95	-50.77	8.17	-39.16
2	2525	45.39 AV	54	-8.61	-61.1	-61	8.17	-49.87
3	#5487.5	59.86 PK	88.2	-28.34	-45.76	-47.6	8.17	-35.40
4	#5487.5	48.38 AV	68.2	-19.82	-58.24	-57.88	8.17	-46.88
5	#5759.37	63.67 PK	88.2	-24.53	-43.54	-42.11	8.17	-31.59
6	#5759.37	58.83 AV	68.2	-9.37	-49.55	-46.27	8.17	-36.43
7	#8967.18	57.98 PK	88.2	-30.22	-47.2	-50.23	8.17	-37.28
8	#8967.18	49.24 AV	68.2	-18.96	-56.44	-58.13	8.17	-46.02
9	#13448.43	59.5 PK	88.2	-28.7	-46.52	-47.4	8.17	-35.76
10	#13454.68	48.58 AV	68.2	-19.62	-57.87	-57.85	8.17	-46.68
11	20175.75	49.64 PK	74	-24.36	-57.8	-55.99	8.17	-45.62
12	20171.43	39.39 AV	54	-14.61	-66.93	-67.17	8.17	-55.87


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 179


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2635.93	57.85 PK	74	-16.15	-49.19	-48.07	8.17	-37.41
2	2637.5	45.51 AV	54	-8.49	-61.08	-60.79	8.17	-49.75
3	#5484.37	59.28 PK	88.2	-28.92	-46.96	-47.37	8.17	-35.98
4	#5482.81	48.36 AV	68.2	-19.84	-58.08	-58.09	8.17	-46.90
5	#5759.37	64.45 PK	88.2	-23.75	-44.16	-40.55	8.17	-30.81
6	#5759.37	58.96 AV	68.2	-9.24	-49.87	-45.95	8.17	-36.30
7	9125	58.98 PK	74	-15.02	-47.51	-47.41	8.17	-36.28
8	9126.56	48.19 AV	54	-5.81	-58	-58.52	8.17	-47.07
9	#13688.31	48.88 PK	88.2	-39.32	-56.44	-59.07	8.17	-46.38
10	#13691.18	38.7 AV	68.2	-29.5	-67.58	-67.9	8.17	-56.56
11	20539.43	49.25 PK	74	-24.75	-58.15	-56.41	8.17	-46.01
12	20535.12	37.97 AV	54	-16.03	-68.39	-68.55	8.17	-57.29


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



RU242

Channel 3


Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.72	89.92 PK	88.2	! 1.72	-19.71	-14.68	8.15	-5.34
2	#5924.97	53.68 AV	68.2	-14.52	-53.18	-52.34	8.15	-41.58


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.
4. "!": The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1




Channel 179
Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7126.72	61.26 PK	88.2	-26.94	-47.71	-43.59	8.17	-34.00
2	#7125.3	46.15 AV	68.2	-22.05	-60.29	-60.29	8.17	-49.11


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




RU484
Channel 3
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1756.25	55.55 PK	74	-18.45	-50.76	-51.02	8.17	-39.71
2	1762.5	44.14 AV	54	-9.86	-62.34	-62.26	8.17	-51.12
3	#5485.93	59.46 PK	88.2	-28.74	-47.14	-46.82	8.17	-35.80
4	#5479.68	48.31 AV	68.2	-19.89	-58.28	-57.99	8.17	-46.95
5	#5759.37	63.24 PK	88.2	-24.96	-43.7	-42.75	8.17	-32.02
6	#5759.37	58.01 AV	68.2	-10.19	-49.78	-47.4	8.17	-37.25
7	#7956.25	59 PK	88.2	-29.2	-47.46	-47.43	8.17	-36.26
8	#7953.12	47.24 AV	68.2	-20.96	-59.24	-59.16	8.17	-48.02
9	11934.37	58.1 PK	74	-15.9	-47.4	-49.53	8.17	-37.16
10	11928.12	47.49 AV	54	-6.51	-59.02	-58.89	8.17	-47.77
11	17897.31	53.41 PK	74	-20.59	-52.37	-53.8	8.17	-41.85
12	17890.12	42.5 AV	54	-11.5	-63.8	-64.09	8.17	-52.76


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5923.95	90.43 PK	88.2	! 2.23	-19.53	-14.07	8.15	-4.83
2	#5924.8	67.22 AV	68.2	-0.98	-39.24	-39.16	8.15	-28.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 43


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1956.25	55.22 PK	74	-18.78	-51.67	-50.82	8.17	-40.04
2	1959.37	44.18 AV	54	-9.82	-62.28	-62.24	8.17	-51.08
3	#5481.25	59.07 PK	88.2	-29.13	-46.98	-47.8	8.17	-36.19
4	#5481.25	48.47 AV	68.2	-19.73	-58.14	-57.81	8.17	-46.79
5	#5759.37	63.78 PK	88.2	-24.42	-43.02	-42.33	8.17	-31.48
6	#5759.37	59.14 AV	68.2	-9.06	-47.78	-46.86	8.17	-36.12
7	8215.62	58.52 PK	74	-15.48	-48.04	-47.81	8.17	-36.74
8	8220.31	47.37 AV	54	-6.63	-58.73	-59.45	8.17	-47.89
9	12334.37	59.18 PK	74	-14.82	-47.76	-46.82	8.17	-36.08
10	12328.12	47.63 AV	54	-6.37	-58.8	-58.82	8.17	-47.63
11	18491	49.3 PK	74	-24.7	-56.38	-58.06	8.17	-45.96
12	18498.18	39.01 AV	54	-14.99	-67.36	-67.5	8.17	-56.25


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 91


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#2195.31	56.42 PK	88.2	-31.78	-50.63	-49.48	8.17	-38.84
2	#2195.31	45.05 AV	68.2	-23.15	-61.52	-61.26	8.17	-50.21
3	#5482.81	59.57 PK	88.2	-28.63	-46.43	-47.37	8.17	-35.69
4	#5482.81	48.29 AV	68.2	-19.91	-58.23	-58.07	8.17	-46.97
5	#5759.37	62.43 PK	88.2	-25.77	-44.89	-43.28	8.17	-32.83
6	#5759.37	56.01 AV	68.2	-12.19	-53.84	-48.54	8.17	-39.25
7	#8542.18	57.31 PK	88.2	-30.89	-48.95	-49.31	8.17	-37.95
8	#8540.62	48.86 AV	68.2	-19.34	-56.15	-59.73	8.17	-46.40
9	#12814.06	57.99 PK	88.2	-30.21	-48.68	-48.24	8.17	-37.27
10	#12806.25	47.5 AV	68.2	-20.7	-59.14	-58.74	8.17	-47.76
11	19219.81	50.73 PK	74	-23.27	-56.15	-55.31	8.17	-44.53
12	19212.62	40.17 AV	54	-13.83	-66.56	-66	8.17	-55.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 123


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2362.5	56.37 PK	74	-17.63	-49.18	-51.19	8.17	-38.89
2	2364.06	44.75 AV	54	-9.25	-61.89	-61.49	8.17	-50.51
3	#5479.68	59.52 PK	88.2	-28.68	-47.07	-46.78	8.17	-35.74
4	#5487.5	48.4 AV	68.2	-19.8	-57.96	-58.12	8.17	-46.86
5	#5759.37	63.72 PK	88.2	-24.48	-44.22	-41.6	8.17	-31.54
6	#5759.37	56.83 AV	68.2	-11.37	-52.97	-47.74	8.17	-38.43
7	#8748.43	57.74 PK	88.2	-30.46	-48.99	-48.42	8.17	-37.52
8	#8753.12	49.91 AV	68.2	-18.29	-55.05	-58.81	8.17	-45.35
9	#13128.12	59.69 PK	88.2	-28.51	-47.99	-45.78	8.17	-35.57
10	#13129.68	48.43 AV	68.2	-19.77	-58.09	-57.94	8.17	-46.83
11	19698.5	50.78 PK	74	-23.22	-57.03	-54.62	8.17	-44.48
12	19697.06	40.01 AV	54	-13.99	-66.78	-66.1	8.17	-55.25


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 155


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2517.18	57.23 PK	74	-16.77	-48.35	-50.29	8.17	-38.03
2	2525	45.42 AV	54	-8.58	-61.22	-60.82	8.17	-49.84
3	#5479.68	59.04 PK	88.2	-29.16	-48	-46.88	8.17	-36.22
4	#5481.25	48.21 AV	68.2	-19.99	-58.43	-58.03	8.17	-47.05
5	#5759.37	63.59 PK	88.2	-24.61	-44.83	-41.5	8.17	-31.67
6	#5759.37	57.19 AV	68.2	-11.01	-51.76	-47.67	8.17	-38.07
7	#8962.5	57.71 PK	88.2	-30.49	-47.87	-49.8	8.17	-37.55
8	#8967.18	48.67 AV	68.2	-19.53	-56.99	-58.71	8.17	-46.59
9	#13451.56	60.1 PK	88.2	-28.1	-46.8	-45.92	8.17	-35.16
10	#13451.56	48.71 AV	68.2	-19.49	-57.65	-57.81	8.17	-46.55
11	20171.43	50.8 PK	74	-23.2	-55.81	-55.47	8.17	-44.46
12	20177.18	39.86 AV	54	-14.14	-66.84	-66.34	8.17	-55.40


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 179


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2637.5	57.15 PK	74	-16.85	-49.2	-49.38	8.17	-38.11
2	2635.93	45.59 AV	54	-8.41	-60.66	-61.04	8.17	-49.67
3	#5482.81	58.83 PK	88.2	-29.37	-48.16	-47.12	8.17	-36.43
4	#5487.5	48.33 AV	68.2	-19.87	-58.49	-57.76	8.17	-46.93
5	#5759.37	63.9 PK	88.2	-24.3	-42.59	-42.5	8.17	-31.36
6	#5759.37	57 AV	68.2	-11.2	-52.03	-47.83	8.17	-38.26
7	9125	58.8 PK	74	-15.2	-46.61	-49	8.17	-36.46
8	9126.56	48.22 AV	54	-5.78	-57.85	-58.63	8.17	-47.04
9	#13688.31	49.13 PK	88.2	-39.07	-57.24	-57.38	8.17	-46.13
10	#13689.75	38.72 AV	68.2	-29.48	-67.39	-68.08	8.17	-56.54
11	20538	49.97 PK	74	-24.03	-56.27	-56.69	8.17	-45.29
12	20530.81	38.93 AV	54	-15.07	-67.87	-67.18	8.17	-56.33


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7145.85	59.57 PK	88.2	-28.63	-46.53	-47.23	8.17	-35.69
2	#7125.52	46.12 AV	68.2	-22.08	-60.35	-60.29	8.17	-49.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



80MHz Preamble

RU996

Channel 7


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4000	58.79 PK	74	-15.21	-47.71	-47.59	8.17	-36.47
2	4004.68	46.84 AV	54	-7.16	-59.69	-59.52	8.17	-48.42
3	#8000	59.01 PK	88.2	-29.19	-47.81	-47.08	8.17	-36.25
4	#7979.68	48.16 AV	68.2	-20.04	-58.07	-58.5	8.17	-47.10
5	11975	58.91 PK	74	-15.09	-48.09	-47.03	8.17	-36.35
6	11982.81	47.74 AV	54	-6.26	-58.71	-58.69	8.17	-47.52
7	17936.12	50.51 PK	74	-23.49	-55.65	-56.22	8.17	-44.75
8	17937.56	40.13 AV	54	-13.87	-66.33	-66.3	8.17	-55.13


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5923.35	93.62 PK	88.2	! 5.42	-15.36	-11.2	8.15	-1.64
2	#5922.62	70.02 AV	68.2	! 1.82	-36.49	-36.32	8.15	-25.24


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 39


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4093.75	58.57 PK	74	-15.43	-46.79	-49.32	8.17	-36.69
2	4104.68	47.04 AV	54	-6.96	-59.49	-59.31	8.17	-48.22
3	8204.68	58.53 PK	74	-15.47	-46.62	-49.75	8.17	-36.73
4	8193.75	47.53 AV	54	-6.47	-58.52	-59.34	8.17	-47.73
5	12279.68	59.57 PK	74	-14.43	-48.11	-45.9	8.17	-35.69
6	12270.31	47.86 AV	54	-6.14	-58.67	-58.49	8.17	-47.40
7	18419.12	50.67 PK	74	-23.33	-54.92	-56.82	8.17	-44.59
8	18417.68	39.13 AV	54	-14.87	-67.26	-67.36	8.17	-56.13


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 87


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4273.43	58.46 PK	74	-15.54	-47.99	-47.97	8.17	-36.80
2	4265.62	47.45 AV	54	-6.55	-59.12	-58.87	8.17	-47.81
3	#8514.06	57.52 PK	88.2	-30.68	-48.52	-49.36	8.17	-37.74
4	#8514.06	48.7 AV	68.2	-19.5	-56.22	-60.1	8.17	-46.56
5	#12776.56	59.94 PK	88.2	-28.26	-47.65	-45.59	8.17	-35.32
6	#12751.56	47.88 AV	68.2	-20.32	-58.62	-58.5	8.17	-47.38
7	19139.31	50.67 PK	74	-23.33	-57.2	-54.69	8.17	-44.59
8	19152.25	39.46 AV	54	-14.54	-66.89	-67.07	8.17	-55.80


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 135


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4398.43	58.58 PK	74	-15.42	-48.06	-47.67	8.17	-36.68
2	4398.43	47.61 AV	54	-6.39	-58.63	-59.04	8.17	-47.65
3	#8834.37	57.82 PK	88.2	-30.38	-48.43	-48.81	8.17	-37.44
4	#8832.81	48.74 AV	68.2	-19.46	-56.91	-58.66	8.17	-46.52
5	13256.25	59.02 PK	74	-14.98	-46.67	-48.32	8.17	-36.24
6	13256.25	47.91 AV	54	-6.09	-58.67	-58.4	8.17	-47.35
7	19885.37	50.37 PK	74	-23.63	-56.68	-55.53	8.17	-44.89
8	19892.56	40 AV	54	-14	-66.42	-66.47	8.17	-55.26


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 151


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#4451.56	59.49 PK	88.2	-28.71	-46.31	-47.71	8.17	-35.77
2	#4462.5	47.27 AV	68.2	-20.93	-59	-59.34	8.17	-47.99
3	#8934.37	58.92 PK	88.2	-29.28	-47.78	-47.28	8.17	-36.34
4	#8940.62	48.82 AV	68.2	-19.38	-56.9	-58.49	8.17	-46.44
5	#13417.18	59.84 PK	88.2	-28.36	-47.7	-45.73	8.17	-35.42
6	#13418.75	48.23 AV	68.2	-19.97	-58.14	-58.29	8.17	-47.03
7	20113.93	50.67 PK	74	-23.33	-54.99	-56.71	8.17	-44.59
8	20115.37	39.69 AV	54	-14.31	-66.73	-66.78	8.17	-55.57


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 167


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4518.75	58.54 PK	74	-15.46	-48.51	-47.37	8.17	-36.72
2	4506.25	47.09 AV	54	-6.91	-59.49	-59.21	8.17	-48.17
3	9032.81	58.6 PK	74	-15.4	-49.5	-46.64	8.17	-36.66
4	9046.87	48.06 AV	54	-5.94	-57.97	-58.84	8.17	-47.20
5	#13563.25	49.88 PK	88.2	-38.32	-55.52	-57.94	8.17	-45.38
6	#13558.93	38.75 AV	68.2	-29.45	-67.62	-67.77	8.17	-56.51
7	20371.25	50.59 PK	74	-23.41	-57.77	-54.53	8.17	-44.67
8	20342.5	39.38 AV	54	-14.62	-66.99	-67.13	8.17	-55.88


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125.5	63.43 PK	88.2	-24.77	-46.99	-40.97	8.17	-31.83
2	#7125.3	46.72 AV	68.2	-21.48	-59.95	-59.5	8.17	-48.54


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



160MHz Preamble

RU1992

Channel 15


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4035.93	58.63 PK	74	-15.37	-48.53	-47.2	8.17	-36.63
2	4021.87	46.79 AV	54	-7.21	-59.65	-59.65	8.17	-48.47
3	8025	58.71 PK	74	-15.29	-47.14	-48.41	8.17	-36.55
4	8032.81	48.17 AV	54	-5.83	-58.11	-58.44	8.17	-47.09
5	12031.25	59.71 PK	74	-14.29	-46.05	-47.54	8.17	-35.55
6	12048.43	48.41 AV	54	-5.59	-58.14	-57.93	8.17	-46.85
7	18062.62	50.05 PK	74	-23.95	-57.53	-55.49	8.17	-45.21
8	18089.93	39.5 AV	54	-14.5	-66.82	-67.07	8.17	-55.76


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5900.32	90.11 PK	88.2	! 1.91	-20.72	-14.17	8.15	-5.15
2	#5876.5	64.3 AV	68.2	-3.9	-42.56	-41.72	8.15	-30.96


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 47


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4128.12	58.71 PK	74	-15.29	-47.18	-48.35	8.17	-36.55
2	4112.5	47.04 AV	54	-6.96	-59.34	-59.46	8.17	-48.22
3	8262.5	58.59 PK	74	-15.41	-47.03	-48.86	8.17	-36.67
4	8246.87	47.82 AV	54	-6.18	-58.16	-59.13	8.17	-47.44
5	12368.75	58.85 PK	74	-15.15	-46.2	-49.64	8.17	-36.41
6	12357.81	47.66 AV	54	-6.34	-58.75	-58.81	8.17	-47.60
7	18560	51 PK	74	-23	-54.06	-57.47	8.17	-44.26
8	18568.62	39.27 AV	54	-14.73	-67.11	-67.23	8.17	-55.99


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 79


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4214.06	58.78 PK	74	-15.22	-48.39	-47.03	8.17	-36.48
2	4215.62	47.21 AV	54	-6.79	-59.3	-59.17	8.17	-48.05
3	8460.93	58.78 PK	74	-15.22	-48.14	-47.22	8.17	-36.48
4	8459.37	48.62 AV	54	-5.38	-56.45	-59.84	8.17	-46.64
5	12687.5	60.88 PK	74	-13.12	-45.76	-45.37	8.17	-34.38
6	12687.5	48.63 AV	54	-5.37	-57.73	-57.89	8.17	-46.63
7	19053.06	51 PK	74	-23	-53.83	-58.02	8.17	-44.26
8	19028.62	38.94 AV	54	-15.06	-67.46	-67.54	8.17	-56.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 143


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#4445.31	58.87 PK	88.2	-29.33	-46.2	-49.59	8.17	-36.39
2	#4429.68	47.49 AV	68.2	-20.71	-59.07	-58.84	8.17	-47.77
3	#8895.31	58.87 PK	88.2	-29.33	-47.44	-47.71	8.17	-36.39
4	#8885.93	48.52 AV	68.2	-19.68	-57.33	-58.61	8.17	-46.74
5	13310.93	58.76 PK	74	-15.24	-48.59	-46.93	8.17	-36.50
6	13335.93	48.2 AV	54	-5.8	-58.09	-58.4	8.17	-47.06
7	19997.5	50.06 PK	74	-23.94	-56.91	-55.9	8.17	-45.20
8	20003.25	38.93 AV	54	-15.07	-67.46	-67.56	8.17	-56.33


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125.87	63.19 PK	88.2	-25.01	-44.14	-42.51	8.17	-32.07
2	#7125	46.64 AV	68.2	-21.56	-60.19	-59.44	8.17	-48.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Below 1GHz Data (For Standard AP Client):

802.11a – Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain 0	Chain 1		
1	71.83	31.12	40	-8.88	-74.35	-76.58	8.17	-64.14
2	196.59	31.44	43.5	-12.06	-74.39	-75.7	8.17	-63.82
3	300.14	31.96	46	-14.04	-74.56	-74.41	8.17	-63.30
4	586.9	32.63	46	-13.37	-74.73	-73.06	8.17	-62.63
5	634.18	32.86	46	-13.14	-74.03	-73.18	8.17	-62.40


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



4.1.7.2 Test Results (Mode 2)

Above 1GHz Data (For Mode 2: Indoor AP Client):

802.11a - Channel 2


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11867.18	59.59 PK	74	-14.41	-47.08	-46.64	8.17	-35.67
2	11862.5	38.65 AV	54	-15.35	-67.59	-67.99	8.17	-56.61
3	17812.5	52.67 PK	74	-21.33	-52.72	-55.17	8.17	-42.59
4	17813.93	42.21 AV	54	-11.79	-64.23	-64.23	8.17	-53.05







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5925	78.62 PK	88.2	-9.58	-26.75	-29.2	8.15	-16.64
2	#5925	59.62 AV	68.2	-8.58	-47.07	-46.54	8.15	-35.64


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11907.81	60.93 PK	74	-13.07	-45.91	-45.15	8.17	-34.33
2	11910.93	39.03 AV	54	-14.97	-67.33	-67.5	8.17	-56.23
3	17857.06	53.82 PK	74	-20.18	-52.73	-52.52	8.17	-41.44
4	17855.62	43.01 AV	54	-10.99	-63.58	-63.29	8.17	-52.25







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5902.33	52.49 PK	88.2	-35.71	-52.74	-55.58	8.15	-42.77
2	#5924.63	38.48 AV	68.2	-29.72	-67.96	-67.93	8.15	-56.78


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 45







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12345.31	60.6 PK	74	-13.4	-46.45	-45.3	8.17	-34.66
2	12356.25	39.3 AV	54	-14.7	-67.23	-67.06	8.17	-55.96
3	18521.18	53.52 PK	74	-20.48	-53.51	-52.4	8.17	-41.74
4	18526.93	42.2 AV	54	-11.8	-64.19	-64.29	8.17	-53.06


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11a - Channel 93


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12837.5	61.29 PK	88.2	-26.91	-45.69	-44.67	8.17	-33.97
2	#12837.5	39.75 AV	68.2	-28.45	-66.71	-66.67	8.17	-55.51
3	19245.68	54.55 PK	74	-19.45	-50.75	-53.44	8.17	-40.71
4	19242.81	43.97 AV	54	-10.03	-62.58	-62.37	8.17	-51.29







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 97


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12875	60.87 PK	88.2	-27.33	-45.95	-45.22	8.17	-34.39
2	#12873.43	39.94 AV	68.2	-28.26	-66.72	-66.29	8.17	-55.32
3	19314.68	54.34 PK	74	-19.66	-51.99	-52.22	8.17	-40.92
4	19308.93	43.41 AV	54	-10.59	-63.06	-63	8.17	-51.85


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 105


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12956.25	60.9 PK	88.2	-27.3	-45.14	-45.99	8.17	-34.36
2	#12940.62	38.98 AV	68.2	-29.22	-67.47	-67.46	8.17	-56.28
3	19432.56	53.82 PK	74	-20.18	-52.36	-52.9	8.17	-41.44
4	19421.06	42.83 AV	54	-11.17	-63.76	-63.47	8.17	-52.43


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 113


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13032.81	60.66 PK	88.2	-27.54	-44.92	-46.85	8.17	-34.60
2	#13034.37	39.12 AV	68.2	-29.08	-67.33	-67.32	8.17	-56.14
3	19554.75	54.64 PK	74	-19.36	-51.13	-52.6	8.17	-40.62
4	19536.06	43.77 AV	54	-10.23	-62.69	-62.65	8.17	-51.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1

