



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	3000.260	66.61	-15.48	51.13	68.30	-17.17	peak	
2		10462.50	48.49	1.62	50.11	68.30	-18.19	peak	


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	24.75	39.00	63.75	74.00	-10.25	peak	
2		5150.000	12.70	39.00	51.70	54.00	-2.30	AVG	
3	X	5228.200	62.54	39.25	101.79	68.30	33.49	AVG	No Limit
4	*	5228.500	70.47	39.25	109.72	68.30	41.42	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2999.700	61.93	-15.48	46.45	68.30	-21.85	peak	
2	*	10458.69	46.28	1.61	47.89	68.30	-20.41	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5715.000	37.76	40.32	78.08	109.40	-31.32	peak	
2		5725.000	45.39	40.33	85.72	122.20	-36.48	peak	
3	*	5744.200	75.83	40.35	116.18	122.20	-6.02	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.500	68.00	-15.48	52.52	68.30	-15.78	peak	
2		11491.82	58.98	2.00	60.98	74.00	-13.02	peak	
3	*	11488.91	46.66	1.99	48.65	54.00	-5.35	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	39.65	40.32	79.97	109.40	-29.43	peak	
2	5725.000	45.25	40.33	85.58	122.20	-36.62	peak	
3 *	5744.350	74.11	40.35	114.46	122.20	-7.74	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.500	58.28	-15.48	42.80	68.30	-25.50	peak	
2		11488.42	59.63	1.99	61.62	74.00	-12.38	peak	
3	*	11489.00	47.02	1.99	49.01	54.00	-4.99	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	21.31	40.32	61.63	109.40	-47.77	peak	
2		5725.000	27.58	40.33	67.91	122.20	-54.29	peak	
3	*	5784.300	75.50	40.38	115.88	122.20	-6.32	peak	
4		5850.000	22.92	40.44	63.36	122.20	-58.84	peak	
5		5860.000	18.69	40.45	59.14	109.40	-50.26	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3856.000	58.39	-13.60	44.79	54.00	-9.21	AVG	
2		3856.625	60.75	-13.60	47.15	74.00	-26.85	peak	
3		11568.45	59.95	1.92	61.87	74.00	-12.13	peak	
4	*	11574.03	48.22	1.91	50.13	54.00	-3.87	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	23.78	40.32	64.10	109.40	-45.30	peak	
2		5725.000	30.68	40.33	71.01	122.20	-51.19	peak	
3	*	5784.300	78.96	40.38	117.34	122.20	-4.86	peak	
4		5850.000	20.89	40.44	61.33	122.20	-60.87	peak	
5		5860.000	23.46	40.45	63.91	109.40	-45.49	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.500	64.40	-15.48	48.92	68.30	-19.38	peak	
2		11571.60	58.51	1.92	60.43	74.00	-13.57	peak	
3	*	11574.15	46.60	1.91	48.51	54.00	-5.49	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5823.500	81.44	40.42	121.86	122.20	-0.34	peak	
2		5850.000	47.53	40.44	87.97	122.20	-34.23	peak	
3		5860.000	41.42	40.45	81.87	109.40	-27.53	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3881.500	56.84	-13.52	43.32	54.00	-10.68	AVG	
2		3883.390	59.27	-13.51	45.76	74.00	-28.24	peak	
3	*	11650.54	48.24	1.83	50.07	54.00	-3.93	AVG	
4		11653.63	60.16	1.83	61.99	74.00	-12.01	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5826.700	78.44	40.42	118.86	122.20	-3.34	peak	
2		5850.000	46.20	40.44	86.64	122.20	-35.56	peak	
3		5860.000	39.18	40.45	79.63	109.40	-29.77	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2999.830	61.92	-15.48	46.44	68.30	-21.86	peak	
2	*	11650.56	47.75	1.83	49.58	54.00	-4.42	AVG	
3		11651.75	59.33	1.83	61.16	74.00	-12.84	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	42.58	40.32	82.90	109.40	-26.50	peak	
2		5725.000	50.89	40.33	91.22	122.20	-30.98	peak	
3	*	5743.450	81.59	40.35	121.94	122.20	-0.26	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3830.105	59.89	-13.68	46.21	74.00	-27.79	peak	
2		3830.550	57.24	-13.68	43.56	54.00	-10.44	AVG	
3		11487.85	60.46	1.99	62.45	74.00	-11.55	peak	
4	*	11489.36	47.18	1.99	49.17	54.00	-4.83	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	42.66	40.32	82.98	109.40	-26.42	peak	
2		5725.000	50.24	40.33	90.57	122.20	-31.63	peak	
3	*	5746.450	78.42	40.35	118.77	122.20	-3.43	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.530	60.98	-15.48	45.50	68.30	-22.80	peak	
2		11488.07	58.05	1.99	60.04	74.00	-13.96	peak	
3	*	11489.15	44.65	1.99	46.64	54.00	-7.36	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	24.48	40.32	64.80	109.40	-44.60	peak	
2		5725.000	27.63	40.33	67.96	122.20	-54.24	peak	
3	*	5783.800	71.88	40.38	112.26	122.20	-9.94	peak	
4		5850.000	21.50	40.44	61.94	122.20	-60.26	peak	
5		5860.000	21.61	40.45	62.06	109.40	-47.34	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.580	65.78	-15.48	50.30	68.30	-18.00	peak	
2	*	11568.95	48.09	1.92	50.01	54.00	-3.99	AVG	
3		11562.46	63.37	1.91	65.28	74.00	-8.72	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	27.07	40.32	67.39	109.40	-42.01	peak	
2		5725.000	31.64	40.33	71.97	122.20	-50.23	peak	
3	*	5784.300	76.99	40.38	117.37	122.20	-4.83	peak	
4		5850.000	29.40	40.44	69.84	122.20	-52.36	peak	
5		5860.000	21.30	40.45	61.75	109.40	-47.65	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.420	64.62	-15.48	49.14	68.30	-19.16	peak	
2		11569.20	58.10	1.92	60.02	74.00	-13.98	peak	
3	*	11574.35	45.88	1.91	47.79	54.00	-6.21	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5824.350	74.51	40.42	114.93	122.20	-7.27	peak	
2		5850.000	40.99	40.44	81.43	122.20	-40.77	peak	
3		5860.000	37.69	40.45	78.14	109.40	-31.26	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3881.550	60.27	-13.52	46.75	74.00	-27.25	peak	
2	*	11650.45	47.14	1.83	48.97	54.00	-5.03	AVG	
3		11647.95	59.15	1.84	60.99	74.00	-13.01	peak	
4		3883.410	57.89	-13.51	44.38	54.00	-9.62	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5824.350	74.56	40.42	114.98	122.20	-7.22	peak	
2		5850.000	43.30	40.44	83.74	122.20	-38.46	peak	
3		5860.000	36.01	40.45	76.46	109.40	-32.94	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3881.500	54.27	-13.52	40.75	54.00	-13.25	AVG	
2		3883.660	59.89	-13.51	46.38	74.00	-27.62	peak	
3		11649.20	56.75	1.84	58.59	74.00	-15.41	peak	
4	*	11650.50	44.62	1.83	46.45	54.00	-7.55	AVG	
5		17478.37	51.34	9.16	60.50	68.30	-7.80	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	50.52	40.32	90.84	109.40	-18.56	peak	
2		5725.000	54.32	40.33	94.65	122.20	-27.55	peak	
3	*	5752.500	76.97	40.36	117.33	122.20	-4.87	peak	
4		5850.000	29.40	40.44	69.84	122.20	-52.36	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3836.760	60.89	-13.66	47.23	74.00	-26.77	peak	
2		3839.180	56.67	-13.65	43.02	54.00	-10.98	AVG	
3	*	11506.33	44.64	1.97	46.61	54.00	-7.39	AVG	
4		11514.64	56.13	1.98	58.11	74.00	-15.89	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	47.32	40.32	87.64	109.40	-21.76	peak	
2		5725.000	51.38	40.33	91.71	122.20	-30.49	peak	
3	*	5753.400	76.83	40.36	117.19	122.20	-5.01	peak	
4		5850.000	28.06	40.44	68.50	122.20	-53.70	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2997.520	62.57	-15.48	47.09	68.30	-21.21	peak	
2		11511.10	55.09	1.98	57.07	74.00	-16.93	peak	
3	*	11514.68	43.66	1.98	45.64	54.00	-8.36	AVG	
4		17269.15	46.32	7.60	53.92	68.30	-14.38	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	38.88	40.32	79.20	109.40	-30.20	peak	
2		5725.000	40.58	40.33	80.91	122.20	-41.29	peak	
3	*	5792.200	76.44	40.39	116.83	122.20	-5.37	peak	
4		5850.000	43.89	40.44	84.33	122.20	-37.87	peak	
5		5860.000	41.61	40.45	82.06	109.40	-27.34	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3863.463	61.30	-13.57	47.73	74.00	-26.27	peak	
2		3864.520	57.66	-13.57	44.09	54.00	-9.91	AVG	
3	*	11587.65	44.67	1.90	46.57	54.00	-7.43	AVG	
4		11582.64	56.56	1.90	58.46	74.00	-15.54	peak	
5		17386.50	44.60	8.47	53.07	68.30	-15.23	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	35.26	40.32	75.58	109.40	-33.82	peak	
2		5725.000	37.02	40.33	77.35	122.20	-44.85	peak	
3	*	5793.500	75.99	40.39	116.38	122.20	-5.82	peak	
4		5850.000	39.84	40.44	80.28	122.20	-41.92	peak	
5		5860.000	36.92	40.45	77.37	109.40	-32.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2999.940	63.85	-15.48	48.37	68.30	-19.93	peak	
2	*	11591.35	44.57	1.90	46.47	54.00	-7.53	AVG	
3		11592.64	54.68	1.89	56.57	74.00	-17.43	peak	
4		17384.71	48.10	8.45	56.55	68.30	-11.75	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	24.33	39.00	63.33	74.00	-10.67	peak	
2		5150.000	12.94	39.00	51.94	54.00	-2.06	AVG	
3	X	5178.000	64.89	39.09	103.98	68.30	35.68	AVG	No Limit
4	*	5178.550	72.15	39.09	111.24	68.30	42.94	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	3000.060	70.40	-15.48	54.92	68.30	-13.38	peak	
2		4800.159	55.38	-10.82	44.56	74.00	-29.44	peak	
3		4808.000	50.94	-10.79	40.15	54.00	-13.85	AVG	
4		10362.52	47.16	1.52	48.68	68.30	-19.62	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	25.56	39.00	64.56	74.00	-9.44	peak	
2		5150.000	11.96	39.00	50.96	54.00	-3.04	AVG	
3	X	5177.950	62.02	39.09	101.11	68.30	32.81	AVG	No Limit
4	*	5180.800	72.29	39.10	111.39	68.30	43.09	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	3000.035	67.61	-15.48	52.13	68.30	-16.17	peak	
2		4799.960	53.76	-10.82	42.94	74.00	-31.06	peak	
3		4808.000	46.77	-10.79	35.98	54.00	-18.02	AVG	
4		10358.95	44.92	1.52	46.44	68.30	-21.86	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	25.31	39.00	64.31	74.00	-9.69	peak	
2		5150.000	13.80	39.00	52.80	54.00	-1.20	AVG	
3	X	5199.050	66.45	39.16	105.61	68.30	37.31	AVG	No Limit
4	*	5199.100	74.66	39.16	113.82	68.30	45.52	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2999.440	68.39	-15.48	52.91	68.30	-15.39	peak	
2		10401.05	50.51	1.56	52.07	68.30	-16.23	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	24.22	39.00	63.22	74.00	-10.78	peak	
2		5150.000	12.28	39.00	51.28	54.00	-2.72	AVG	
3	X	5198.050	63.81	39.16	102.97	68.30	34.67	AVG	No Limit
4	*	5200.450	73.30	39.16	112.46	68.30	44.16	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2999.760	67.21	-15.48	51.73	68.30	-16.57	peak	
2		10404.50	47.92	1.57	49.49	68.30	-18.81	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5238.700	84.04	39.29	123.33	68.30	55.03	peak	No Limit
2	X	5238.850	73.42	39.29	112.71	68.30	44.41	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10478.60	58.48	1.64	60.12	68.30	-8.18	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5237.850	70.26	39.28	109.54	68.30	41.24	AVG	No Limit
2	*	5241.000	79.84	39.30	119.14	68.30	50.84	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10477.80	53.03	1.63	54.66	68.30	-13.64	peak	


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	24.42	39.00	63.42	74.00	-10.58	peak	
2		5150.000	13.24	39.00	52.24	54.00	-1.76	AVG	
3	X	5193.600	60.36	39.15	99.51	68.30	31.21	AVG	No Limit
4	*	5198.000	68.54	39.16	107.70	68.30	39.40	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2999.900	62.17	-15.48	46.69	68.30	-21.61	peak	
2	*	10377.38	47.19	1.53	48.72	68.30	-19.58	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	24.40	39.00	63.40	74.00	-10.60	peak	
2		5150.000	11.48	39.00	50.48	54.00	-3.52	AVG	
3	X	5187.600	56.29	39.12	95.41	68.30	27.11	AVG	No Limit
4	*	5194.500	67.38	39.15	106.53	68.30	38.23	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	3000.180	62.75	-15.48	47.27	68.30	-21.03	peak	
2		10378.96	44.54	1.54	46.08	68.30	-22.22	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	24.48	39.00	63.48	74.00	-10.52	peak	
2		5150.000	12.82	39.00	51.82	54.00	-2.18	AVG	
3	*	5228.700	72.30	39.25	111.55	68.30	43.25	peak	No Limit
4	X	5233.500	64.17	39.27	103.44	68.30	35.14	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2999.568	64.50	-15.48	49.02	68.30	-19.28	peak	
2	*	10458.91	48.90	1.61	50.51	68.30	-17.79	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	22.95	39.00	61.95	74.00	-12.05	peak	
2		5150.000	11.98	39.00	50.98	54.00	-3.02	AVG	
3	X	5233.000	60.48	39.27	99.75	68.30	31.45	AVG	No Limit
4	*	5234.100	71.44	39.28	110.72	68.30	42.42	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2999.574	65.71	-15.48	50.23	68.30	-18.07	peak	
2		10462.63	45.91	1.62	47.53	68.30	-20.77	peak	


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	25.88	39.00	64.88	74.00	-9.12	peak	
2		5150.000	13.37	39.00	52.37	54.00	-1.63	AVG	
3	*	5203.600	64.35	39.18	103.53	68.30	35.23	peak	No Limit
4	X	5208.200	57.60	39.19	96.79	68.30	28.49	AVG	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3000.140	62.96	-15.48	47.48	68.30	-20.82	peak	
2	*	10418.63	47.71	1.58	49.29	68.30	-19.01	peak	


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	24.77	39.00	63.77	74.00	-10.23	peak	
2		5150.000	11.91	39.00	50.91	54.00	-3.09	AVG	
3	X	5214.200	52.94	39.21	92.15	68.30	23.85	AVG	No Limit
4	*	5214.400	59.40	39.21	98.61	68.30	30.31	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	3000.600	66.58	-15.48	51.10	68.30	-17.20	peak	
2		10422.64	43.68	1.59	45.27	68.30	-23.03	peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5742.150	80.99	40.35	121.34	122.20	-0.86	peak	
2		5725.000	50.07	40.33	90.40	122.20	-31.80	peak	
3		5715.000	42.27	40.32	82.59	109.40	-26.81	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3829.955	60.27	-13.68	46.59	74.00	-27.41	peak	
2		3830.520	56.93	-13.68	43.25	54.00	-10.75	AVG	
3		11487.15	60.38	1.99	62.37	74.00	-11.63	peak	
4	*	11489.08	44.81	1.99	46.80	54.00	-7.20	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	43.68	40.32	84.00	109.40	-25.40	peak	
2		5725.000	49.75	40.33	90.08	122.20	-32.12	peak	
3	*	5746.550	78.90	40.35	119.25	122.20	-2.95	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3000.010	65.34	-15.48	49.86	68.30	-18.44	peak	
2	*	11489.32	47.22	1.99	49.21	54.00	-4.79	AVG	
3		11489.27	57.06	1.99	59.05	74.00	-14.95	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	25.12	40.32	65.44	109.40	-43.96	peak	
2		5725.000	29.44	40.33	69.77	122.20	-52.43	peak	
3	*	5783.400	80.83	40.38	121.21	122.20	-0.99	peak	
4		5850.000	26.15	40.44	66.59	122.20	-55.61	peak	
5		5860.000	24.57	40.45	65.02	109.40	-44.38	peak	