Testing Services™	O	patibility Audio Band Magneti r BlackBerry® Smartphone mo	1(00)
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW

Annex A: Probe sensitivity and reference signal measurement plots







Figure A1: Probe calibration data for coil and probe

Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo	
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW






Figure A3: Reference voice simulated signal and noise

Testing Services™	O	patibility Audio Band Magneti r BlackBerry® Smartphone mo	•(00)
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW

Annex B: TMFS system validation and ambient data/plots

Testing Services™	Annexes to Hearing Aid Con (ABM) T-Coil Test Report for RDF31CW		
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW

Date/Time: 10/14/2011 10:08:30 AM

Test Laboratory: RIM Testing Services

HAC T-Coil TMFS_validation_10_14_11

DUT: TMFS; Type: TMFS-1

Communication System: CW; Frequency: 835 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

• Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/Background Noise/z (axial) noise/ABM [HAC-2007] Noise Spectrum(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Off Output Gain: 0

Measure Window Start: 2000ms Measure Window Length: 5000ms Device Reference Point: 0, 0, -6.3 mm



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Page 6(58)

Author Data

Daoud Attayi

Dates of Test
October 14, 2011

Report No

RTS-2604-1110-22

L6ARDF30CW

Cursor:

ABM = -49.63 dB A/mLocation: 0, 0, 13 mm

T-Coil scan/Background Noise/x (longitudinal) noise/ABM [HAC-2007] Noise Spectrum(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Off Output Gain: 0

Measure Window Start: 2000ms Measure Window Length: 5000ms Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM = -49.60 dB A/mLocation: 0, 0, 13 mm

T-Coil scan/Background Noise/y (transversal) noise/ABM [HAC-2007] Noise Spectrum(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Off Output Gain: 0

Measure Window Start: 2000ms Measure Window Length: 5000ms Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM = -49.67 dB A/mLocation: 0, 0, 13 mm

T-Coil scan/TMFS Validation/z (axial) 8 x 8 step 2/ABM [HAC-2007] Signal(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: 1 kHz Sine Output Gain: 35.05

Measure Window Start: 0ms Measure Window Length: 1000ms

BWC applied: -0.0094 dB



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Page 7(58)

Author Data

Daoud Attayi

Dates of Test
October 14, 2011

Report No

RTS-2604-1110-22

L6ARDF30CW

Cursor:

ABM1 comp = -20.73 dB A/m BWC Factor = -0.0094 dB Location: 0, 0, 3.7 mm

T-Coil scan/TMFS Validation/y (transversal) 16 x 52 step 4/ABM [HAC-2007] Signal(x,y,z) (5x14x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: 1 kHz Sine Output Gain: 35.05

Measure Window Start: 0ms Measure Window Length: 1000ms BWC applied: -0.0094 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1 comp = -26.55 dB A/m BWC Factor = -0.0094 dB Location: 0, 18, 3.7 mm

T-Coil scan/TMFS Validation/x (longitudinal) 52 x 16 step 4/ABM [HAC-2007] Signal(x,y,z) (14x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: 1 kHz Sine Output Gain: 35.05

Measure Window Start: 0ms Measure Window Length: 1000ms

BWC applied: -0.0094 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1 comp = -26.37 dB A/m BWC Factor = -0.0094 dB Location: 18, 0, 3.7 mm

T-Coil scan/TMFS Validation/z (axial) at center 100% gain/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_multisine_50_10k_10s.wav

Output Gain: 87.2

Measure Window Start: 2000ms Measure Window Length: 5000ms

BWC applied: 13.14 dB


Device Reference Point: 0, 0, -6.3 mm

Cursor:


Diff = 1.87 dB

BWC Factor = 13.14 dB Location: 0, 0, 3.7 mm

Testing Services™	C C	ompatibility Audio Band Magi for BlackBerry® Smartphone		Page 8 (58)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6AR	DF30CW



Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo		Page 9(58)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARI	DF30CW



Page 9(58)

Testing Services™	O	patibility Audio Band Magneti r BlackBerry® Smartphone mo	10(00)
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW

Annex C: Audio Band Magnetic measurement data and plots

Testing Services™	· ·	patibility Audio Band Magneti r BlackBerry® Smartphone mo	11(00)
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW

Date/Time: 10/14/2011 11:42:30 AM

Test Laboratory: RIM Testing Services

HAC T-Coil_CDMA850_axial

DUT: BlackBerry; Type: Sample

Communication System: CDMA 850; Frequency: 824.7 MHz, Frequency: 836.52 MHz,

Frequency: 848.52 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/General Scans 2/z (axial) 5.0mm 50 x 50/ABM [HAC-2007] SNR(x,y,z) (11x11x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Sel vices	謝	Testing Services™
-----------	---	----------------------

Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

12(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

Report No **RTS-2604-1110-22**

L6ARDF30CW

T-Coil scan/General Scans 2/z (axial) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 24.74 dB ABM1 comp = 3.63 dB A/m BWC Factor = 0.14 dB Location: -5, 12, 4.4 mm

T-Coil scan/General Scans 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_300-3000_2s.wav

Output Gain: 54.9

Measure Window Start: 300ms Measure Window Length: 2000ms

BWC applied: 10.78 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

Diff = 1.03 dB

BWC Factor = 10.78 dB Location: -5, 10, 3.7 mm

T-Coil scan/General Scans 2 2/z (axial) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Testing Services™

Document

Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Report No

13(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

RTS-2604-1110-22

L6ARDF30CW

Cursor:

ABM1/ABM2 = 24.74 dB ABM1 comp = 1.60 dB A/m BWC Factor = 0.14 dB Location: -7, 10, 4.4 mm

T-Coil scan/General Scans 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_300-3000_2s.wav

Output Gain: 54.9

Measure Window Start: 300ms Measure Window Length: 2000ms

BWC applied: 10.79 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

Diff = 0.24 dB

BWC Factor = 10.79 dB Location: -5, 10, 3.7 mm

T-Coil scan/General Scans 2 2 2/z (axial) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.15 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 25.34 dB ABM1 comp = 5.02 dB A/m BWC Factor = 0.15 dB Location: -3, 12, 4.4 mm

T-Coil scan/General Scans 2 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 300-3000 2s.wav

Output Gain: 54.9

Measure Window Start: 300ms Measure Window Length: 2000ms


BWC applied: 10.79 dB

Testing Services™		mpatibility Audio Band Magnet or BlackBerry® Smartphone m	
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW




Diff = 0.71 dB

BWC Factor = 10.79 dB Location: -5, 10, 3.7 mm




Testing Services™	C	npatibility Audio Band Magnet r BlackBerry® Smartphone mo		Page 15(58)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARI	DF30CW




Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo		Page 16(58)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARI	DF30CW





Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo		Page 17(58)					
Author Data	Dates of Test	es of Test Report No FCC ID							
Daoud Attayi	October 14, 2011 RTS-2604-1110-22 L6ARD								





Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo	
Author Data	Dates of Test	FCC ID	
Daoud Attayi	October 14, 2011	L6ARDF30CW	

Date/Time: 10/14/2011 11:59:25 AM,

Test Laboratory: RIM Testing Services

HAC T-Coil_CDMA850_radial L

DUT: BlackBerry; Type: Sample

Communication System: CDMA 850; Frequency: 824.7 MHz, Frequency: 836.52 MHz,

Frequency: 848.52 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

• Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/General Scans 2/x (longitudinal) 5.0mm 50 x 50/ABM [HAC-2007] SNR(x,y,z) (11x11x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

19(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

Report No **RTS-2604-1110-22**

L6ARDF30CW

T-Coil scan/General Scans 2/x (longitudinal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 33.95 dB ABM1 comp = -4.19 dB A/m BWC Factor = 0.14 dB Location: 5, 14, 4.4 mm

T-Coil scan/General Scans 2 2/x (longitudinal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 35.98 dB ABM1 comp = -2.47 dB A/m BWC Factor = 0.14 dB Location: 5, 12, 4.4 mm

T-Coil scan/General Scans 2 2 2/x (longitudinal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms


BWC applied: 0.15 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 34.38 dB ABM1 comp = -4.11 dB A/m BWC Factor = 0.15 dB Location: 5, 14, 4.4 mm

Testing Services™	l e	d Compatibility Audio Band Ma port for BlackBerry® Smartphor	0	Page 20(58)				
Author Data	Dates of Test							
Daoud Attayi	October 14, 2011	October 14, 2011 RTS-2604-1110-22 L6ARD						



Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo		Page 21(58)			
Author Data	Dates of Test						
Daoud Attayi	October 14, 2011 RTS-2604-1110-22 L6ARD						

Date/Time: 10/14/2011 12:19:47 PM,

Test Laboratory: RIM Testing Services

HAC T-Coil_CDMA850_radial T

DUT: BlackBerry; Type: Sample

Communication System: CDMA 850; Frequency: 824.7 MHz, Frequency: 836.52 MHz,

Frequency: 848.52 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

• Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/General Scans 2/y (transversal) 5.0mm 50 x 50/ABM [HAC-2007] SNR(x,y,z) (11x11x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Testing Services™

Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

22(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

Report No

RTS-2604-1110-22

L6ARDF30CW

T-Coil scan/General Scans 2/y (transversal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 37.63 dB ABM1 comp = -9.82 dB A/m BWC Factor = 0.14 dB Location: -5, 2, 4.4 mm

T-Coil scan/General Scans 2 2/y (transversal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 38.61 dB ABM1 comp = -9.43 dB A/m BWC Factor = 0.14 dB Location: -5, 2, 4.4 mm

T-Coil scan/General Scans 2 2 2/y (transversal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms


BWC applied: 0.15 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 39.46 dB ABM1 comp = -8.44 dB A/m BWC Factor = 0.15 dB Location: -5, 2, 4.4 mm

Testing Services™	S	id Compatibility Audio Band Ma port for BlackBerry® Smartpho	0	Page 23(58)					
Author Data	Dates of Test	es of Test Report No FCC ID							
Daoud Attavi	October 14, 2011 RTS-2604-1110-22 L6ARDI								



Testing Services		mpatibility Audio Band Magnet or BlackBerry® Smartphone m		Page 24(58)		
Author Data	Dates of Test Report No FCC ID					
Daoud Attavi	d Attavi October 14, 2011 RTS-2604-1110-22 L6ARD					

Date/Time: 10/14/2011 3:01:42 PM

Test Laboratory: RIM Testing Services

HAC T-Coil_CDMA1900_axial

DUT: BlackBerry; Type: Sample

Communication System: CDMA 1900; Frequency: 1851.25 MHz, Frequency: 1880 MHz,

Frequency: 1908.5 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

• Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/General Scans 2/z (axial) 5.0mm 50 x 50/ABM [HAC-2007] SNR(x,y,z) (11x11x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.15 dB

Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Report No

Page 25(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

RTS-2604-1110-22

L6ARDF30CW

T-Coil scan/General Scans 2/z (axial) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.15 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 24.22 dB ABM1 comp = 3.66 dB A/m BWC Factor = 0.15 dB Location: -5, 11, 4.4 mm

T-Coil scan/General Scans 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 300-3000 2s.wav

Output Gain: 54.9

Measure Window Start: 300ms Measure Window Length: 2000ms

BWC applied: 10.79 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

Diff = 1.18 dB

BWC Factor = 10.79 dB Location: -5, 15, 3.7 mm

T-Coil scan/General Scans 2 2/z (axial) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Testing Services™

Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Report No

26(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

RTS-2604-1110-22

L6ARDF30CW

Cursor:

ABM1/ABM2 = 25.69 dB ABM1 comp = 3.26 dB A/m BWC Factor = 0.14 dB Location: -5, 11, 4.4 mm

T-Coil scan/General Scans 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_300-3000_2s.wav

Output Gain: 54.9

Measure Window Start: 300ms Measure Window Length: 2000ms

BWC applied: 10.78 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

Diff = 1.45 dB

BWC Factor = 10.78 dB Location: -5, 15, 3.7 mm

T-Coil scan/General Scans 2 2 2/z (axial) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 24.82 dB ABM1 comp = 1.51 dB A/m BWC Factor = 0.14 dB Location: -7, 13, 4.4 mm

T-Coil scan/General Scans 2 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm


Signal Type: Audio File (.wav) 48k voice 300-3000 2s.wav

Output Gain: 54.9

Measure Window Start: 300ms Measure Window Length: 2000ms

BWC applied: 10.79 dB

Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo		Page 27(58)					
Author Data	Dates of Test	es of Test Report No FCC ID							
Daoud Attayi	October 14, 2011 RTS-2604-1110-22 L6ARD								



Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo		Page 28(58)		
Author Data	Dates of Test	FCC ID	FCC ID			
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW			

땅

	General Scans 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f)													
Loc: -5, 15, 3.7 mm Diff: 1.18dB														
_		Freq	uency Resp	onse			L	owe	r Limit		Upper	Limit		
٥ţ		E	1			\top	П	Т			- 1	T	П	\prod
s‡	20-	-	1			十	П	\top					\top	П
F	15-	F					Ц	\perp				$\perp \perp$	$\perp \perp$	Ц
٥ŧ		Ė	-11	•			$ \ $				I			
5 -	10-	<u> </u>	++		4	\pm	Н	+				++	+	Н
Έ	E 5-	E	$\perp \perp$				М	\downarrow					Ш	Ш
ŀ	E 5-	Ė	ート	ightharpoonup			┝┥	+	-	<u> </u>	y			
Ė	ਰ ਹ-	-	_	٠,	1	+	H	+				++	++	Н
; ‡	•	Ė		•			$ \ $							Ш
ţ	-5-	-				\top	П	\top				$\dagger \dagger$	$\dagger \dagger$	П
E	-10-	<u> </u>					Ш	\perp				$\perp \perp$	Щ	Ц
;ŧ		ŧ												
Ę	-15	-		+		+	H	+				++	+	\forall
٦٦	1	10 ²	•	•				1	03					1

Hz

Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo		Page 29(58)					
Author Data	Dates of Test	es of Test Report No FCC ID							
Daoud Attayi	October 14, 2011 RTS-2604-1110-22 L6ARD								

10²

104

General Scans 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) Loc: -5, 15, 3.7 mm Diff: 1.45dB Upper Limit Frequency Response Lower Limit 20 15 | 15 10 10 5 B 0 등 -5 -10 + -15 -15 -20]

103

Hz

Testing Services™	Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW				
Author Data	Dates of Test	Report No	FCC ID		
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6AR	DF30CW	

General Scans 2 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f)										
Loc: -5, 10, 3.7 mm Diff: 0.71dB										
	-					_	_	_	_	
20	Frequenc	y Response	•		L	owe	r Limit	Upper	Limit	
~~		l l						- 1		.
15 = 20 =	-	1			Ш	\perp				
''E 2"	:	1 L								.
15	-	1						I		
10 - 15 +	-	1	_		\sqcap	T		T		
E b	:	1						I		.
5	-	1		7	$\forall \exists$	\top			\Box	+H
aB A/m	-	14]	\rightarrow		 /		.
0 [₹ 5 	-				\forall	_		 _	+++	+H
ᅣᄬ	:			 •	++	+				.
.5‡ 0 [-		4	\vdash	+	+			+++	+
E	:	1								.
o‡ -5‡	-			\vdash	+	+			+	+
F F	:									.
5 -10					Щ	\perp			$\sqcup \sqcup$	$\perp \perp \perp$
"F " [:									
	:									
20 -15 =	nZ					- 1	03			
10)-					1	0-			10

Hz

Testing Services™	Annexes to Hearing Aid Com (ABM) T-Coil Test Report fo RDF31CW	Page 31(58)		
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6AR	DF30CW

Date/Time: 10/14/2011 3:18:39 PM

Test Laboratory: RIM Testing Services

HAC T-Coil_CDMA1900_radial L

DUT: BlackBerry; Type: Sample

Communication System: CDMA 1900; Frequency: 1851.25 MHz, Frequency: 1880 MHz,

Frequency: 1908.5 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

• Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/General Scans 2/x (longitudinal) 5.0mm 50 x 50/ABM [HAC-2007] SNR(x,y,z) (11x11x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.15 dB



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Report No

32(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

RTS-2604-1110-22

L6ARDF30CW

T-Coil scan/General Scans 2/x (longitudinal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.15 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 32.57 dB ABM1 comp = -4.95 dB A/m BWC Factor = 0.15 dB Location: 5, 15, 4.4 mm

T-Coil scan/General Scans 2 2/x (longitudinal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 33.89 dB ABM1 comp = -4.14 dB A/m BWC Factor = 0.14 dB Location: 5, 11, 4.4 mm

T-Coil scan/General Scans 2 2 2/x (longitudinal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms


BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 39.63 dB ABM1 comp = -8.32 dB A/m BWC Factor = 0.14 dB Location: 1, 17, 4.4 mm

Testing Services™		npatibility Audio Band Magnet or BlackBerry® Smartphone m		Page 33(58)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARI	DF30CW



Testing Services™	Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW			
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6AR	DF30CW

Date/Time: 10/14/2011 3:35:39 PM

Test Laboratory: RIM Testing Services

HAC T-Coil_CDMA1900_radial T

DUT: BlackBerry; Type: Sample

Communication System: CDMA 1900; Frequency: 1851.25 MHz, Frequency: 1880 MHz,

Frequency: 1908.5 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

• Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/General Scans 2/y (transversal) 5.0mm 50 x 50/ABM [HAC-2007] SNR(x,y,z) (11x11x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.15 dB

Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Report No

35(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

RTS-2604-1110-22

L6ARDF30CW

T-Coil scan/General Scans 2/y (transversal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.15 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 38.74 dB ABM1 comp = -7.20 dB A/m BWC Factor = 0.15 dB Location: -1, 0, 4.4 mm

T-Coil scan/General Scans 2 2/y (transversal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 38.44 dB ABM1 comp = -8.38 dB A/m BWC Factor = 0.14 dB Location: -5, 0, 4.4 mm

T-Coil scan/General Scans 2 2 2/y (transversal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms


BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 39.99 dB ABM1 comp = -7.62 dB A/m BWC Factor = 0.14 dB Location: -3, 2, 4.4 mm

Testing Services™	Annexes to Hearing Aid Com (ABM) T-Coil Test Report fo RDF31CW		
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW



Testing Services™		npatibility Audio Band Magnet or BlackBerry® Smartphone m		Page 37(58)		
Author Data	Dates of Test	Report No	FCC ID			
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARI	ARDF30CW		

Date/Time: 10/14/2011 1:30:05 PM,

Test Laboratory: RIM Testing Services

HAC T-Coil_CDMA1700_axial

DUT: BlackBerry; Type: Sample

Communication System: CDMA AWS 1700; Frequency: 1711.25 MHz, Frequency: 1732.5

MHz, Frequency: 1753.75 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

• Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/General Scans 2/z (axial) 5.0mm 50 x 50/ABM [HAC-2007] SNR(x,y,z) (11x11x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Annexes to Hearing Aid Compatibility Audio Band Magnetic
(ABM) T-Coil Test Report for BlackBerry® Smartphone model

38(58)

Author Data

Daoud Attayi

Dates of Test
October 14, 2011

RDF31CW

Report No

RTS-2604-1110-22

L6ARDF30CW

T-Coil scan/General Scans 2/z (axial) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 24.25 dB ABM1 comp = 3.58 dB A/m BWC Factor = 0.14 dB Location: -3, 12, 4.4 mm

T-Coil scan/General Scans 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 300-3000 2s.wav

Output Gain: 54.9

Measure Window Start: 300ms Measure Window Length: 2000ms

BWC applied: 10.78 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

Diff = 1.50 dB

BWC Factor = 10.78 dB Location: -5, 10, 3.7 mm

T-Coil scan/General Scans 2 2/z (axial) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Testing Services™

Annexes to Hear

Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Report No

Page 39(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

RTS-2604-1110-22

L6ARDF30CW

Cursor:

ABM1/ABM2 = 25.52 dB ABM1 comp = 3.21 dB A/m BWC Factor = 0.14 dB Location: -5, 10, 4.4 mm

T-Coil scan/General Scans 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_300-3000_2s.wav

Output Gain: 54.9

Measure Window Start: 300ms Measure Window Length: 2000ms

BWC applied: 10.78 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

Diff = 0.50 dB

BWC Factor = 10.78 dB Location: -5, 10, 3.7 mm

T-Coil scan/General Scans 2 2 2/z (axial) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k_voice_1kHz_1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.15 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 24.91 dB ABM1 comp = 1.73 dB A/m BWC Factor = 0.15 dB Location: -7, 12, 4.4 mm

T-Coil scan/General Scans 2 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) (1x1x1):

Measurement grid: dx=10mm, dy=10mm


Signal Type: Audio File (.wav) 48k voice 300-3000 2s.wav

Output Gain: 54.9

Measure Window Start: 300ms Measure Window Length: 2000ms


BWC applied: 10.79 dB

Testing Services™		patibility Audio Band Magnet r BlackBerry® Smartphone mo			
Author Data	Dates of Test	Report No	FCC ID		
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW		



Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo	
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW





Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo		Page 42(58)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30C	

General Scans 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) Loc: -5, 10, 3.7 mm Diff: 0.5dB											
20 ¬	Frequenc	y Response			Lowe	r Limit		Up	per Limi	t .	
Ē.,		1									
- E	Ē							1			
10 = 15		1						7		\prod	\prod
5 - 10)			•	\downarrow			T		$\dag \dag$	++
B 0 { { } 6 } 6	; - -			•			\frown	-		$\dag \dag$	++
-5 = () =	1				1				+	+++
-10 = -5	; E									+	++
-15 -10) =						•			\vdash	$+\!\!+\!\!\!+\!\!\!\!+$
-20 -15	; =				Ш					Ш	Ш
	10 ²				1 H	0 ³ Z					10

Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo	
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW

땅

	Gener	al Scans 2.2	2/z (axia	al) wi	deba	nd a	at be	est S	3/1	V/ABM [HA	.C-2007] Fre	q Re	sp(z	х,у,.	z,f)	
	General Scans 2 2 2/z (axial) wideband at best S/N/ABM [HAC-2007] Freq Resp(x,y,z,f) Loc: -5, 10, 3.7 mm Diff: 1.44dB																
20 ₇	25	Frequenc	cy Respoi	nse I			_	LOW	/er	Limit		Uķ	per L	.imit	_	$\overline{}$	$\overline{}$
	-	E	١.									1					
15	20	-	1			\vdash	+	++	+			- /		\vdash	+	+	H
		E										- 7					
10	15	-	١,	•		\vdash	+	\forall	+			+		Н	+	+	Н
		E	1														
5	- 10	-	1				^	\downarrow	\forall			T		П	\top	十	П
	gB A√m ≥	ļ.	سا	-			J		7	• • •		1					
"	<u> </u>	-						Ħ	4						T		П
5	- o	-								1						\perp	Ш
-37		-		•						1							
-10	- 5	<u> </u>					\perp	Ш	\perp					Щ	\perp	\perp	Ц
		Ė															
-15	-10	<u> </u>					+	\sqcup	4						4	\bot	Ц
1	-	F	l	l				1 1	- 1		`		l	ıl		- 1	1

10³ Hz

Testing Services™		patibility Audio Band Magneti r BlackBerry® Smartphone mo	
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW

Date/Time: 10/14/2011 1:47:02 PM,

Test Laboratory: RIM Testing Services

HAC T-Coil_CDMA1700_radial L

DUT: BlackBerry; Type: Sample

Communication System: CDMA AWS 1700; Frequency: 1711.25 MHz, Frequency: 1732.5

MHz, Frequency: 1753.75 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

• Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/General Scans 2/x (longitudinal) 5.0mm 50 x 50/ABM [HAC-2007] SNR(x,y,z) (11x11x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Report No

45(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

RTS-2604-1110-22

L6ARDF30CW

T-Coil scan/General Scans 2/x (longitudinal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 34.75 dBABM1 comp = -2.88 dB A/mBWC Factor = 0.14 dBLocation: 5, 12, 4.4 mm

T-Coil scan/General Scans 2 2/x (longitudinal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 34.58 dBABM1 comp = -2.74 dB A/mBWC Factor = 0.14 dBLocation: 5, 8, 4.4 mm

T-Coil scan/General Scans 2 2 2/x (longitudinal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms


BWC applied: 0.15 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 34.10 dBABM1 comp = -4.30 dB A/mBWC Factor = 0.15 dBLocation: 5, 14, 4.4 mm

Testing Services™		d Compatibility Audio Band Magort for BlackBerry® Smartphon	_	Page 46(58)		
Author Data	Dates of Test	Report No	FCC ID			
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6AR	RDF30CW		



Testing Services™	O	mpatibility Audio Band Magnet for BlackBerry® Smartphone m		Page 47(58)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6AR	DF30CW

Date/Time: 10/14/2011 2:04:00 PM

Test Laboratory: RIM Testing Services

HAC T-Coil_CDMA1700_radial T

DUT: BlackBerry; Type: Sample

Communication System: CDMA AWS 1700; Frequency: 1711.25 MHz, Frequency: 1732.5

MHz, Frequency: 1753.75 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: TCoil Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

• Probe: AM1DV3 - 3062; ; Calibrated: 4/7/2011

• Sensor-Surface: 0mm (Fix Surface)

• Electronics: DAE3 Sn472; Calibrated: 3/7/2011

• Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA;

• Measurement SW: DASY52, Version 52.6 (2); SEMCAD X Version 14.4.4 (2829)

T-Coil scan/General Scans 2/y (transversal) 5.0mm 50 x 50/ABM [HAC-2007] SNR(x,y,z) (11x11x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

48(58)

Author Data

Dates of Test **Daoud Attayi**

October 14, 2011

Report No RTS-2604-1110-22

L6ARDF30CW

T-Coil scan/General Scans 2/y (transversal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 39.27 dBABM1 comp = -7.76 dB A/mBWC Factor = 0.14 dBLocation: -3, 0, 4.4 mm

T-Coil scan/General Scans 2 2/y (transversal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.14 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 38.35 dBABM1 comp = -8.94 dB A/mBWC Factor = 0.14 dBLocation: -7, 0, 4.4 mm

T-Coil scan/General Scans 2 2 2/y (transversal) 2mm 8 x 8/ABM [HAC-2007] SNR(x,y,z) (5x5x1):

Measurement grid: dx=10mm, dy=10mm

Signal Type: Audio File (.wav) 48k voice 1kHz 1s.wav

Output Gain: 28

Measure Window Start: 300ms Measure Window Length: 1000ms


BWC applied: 0.15 dB

Device Reference Point: 0, 0, -6.3 mm

Cursor:

ABM1/ABM2 = 38.60 dBABM1 comp = -8.21 dB A/mBWC Factor = 0.15 dBLocation: -3, 0, 4.4 mm

Testing Services™		d Compatibility Audio Band Magort for BlackBerry® Smartphon	_	Page 49(58)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6AR	DF30CW



Testing Services™			20(20)
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	October 14, 2011	RTS-2604-1110-22	L6ARDF30CW

Annex D: Probe/TMFS calibration certificate



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Page 51(58)

Author Data

Daoud Attayi

Dates of Test

October 14, 2011

Report No **RTS-2604-1110-22**

L6ARDF30CW

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





s

C

S

Accreditation No.: SCS 108

Schwelzerlecher Katibrierdienst Service sulsse d'étalonnage Servizio svizzero di taratura Swisa Calibration Servica

Accredited by the Swise Accreditation Service (\$AS)

The Swise Accreditation Service is one of the signatorios to the EA Multilateral Agreement for the recognition of calibration certificates Client RTB (RIM Testing Services)

Certificate No: AM1DV3-3082_Apr11

CALIBRATION CERTIFICATE

Object AM1DV3 - SN: 3062

Calibration procedure(s) QA CAL-24,V2

Calibration procedure for AM1D magnetic field probes and TMFS in the

audio range

alibration date: April 7, 2011

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (St). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

 Primary Standards
 ID #
 Cal Date (Certificate No.)
 Scheduled Calibration

 Keliftley Multimeter Type 2001
 SN: 0819278
 28-Sep-10 (No:10376)
 Sep-11

 Reference Probe AM1DV3
 SN: 3000
 6-Sep-10 (No. AM10-3000_Sep10)
 Sep-11

 DAE4
 SN: 781
 20-Oct-10 (No. DAE4-781_Oct10)
 Oct-11

 Secondary Standards
 ID ∉
 Officek Date (in house)
 Scheduled Check

 AMCC
 1060
 15-Oct-09 (in house check Oct-09)
 Oct-11

Calibrated by:

Name Minde (make Eunction

led by:

Ciaudio Leubie

Laboratory Technician

Approved by:

Fin Bombott

R&D Director

Issued: April 8, 2011

This calibration certificate shall not be reproduced except in full without written approval of the lisboratory

Certificate No: AM1D-3062_Apr11

Page 1 of 3



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Report No

52(58)

Author Data

Daoud Attayi

Dates of Test
October 14, 2011

RTS-2604-1110-22

L6ARDF30CW

References

- [1] ANSI C63.19-2007
 - American National Standard for Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids.
- [2] DASY4 manual, Chapter: Hearing Aid Compatibility (HAC) T-Coil Extension

Description of the AM1D probe

The AM1D Audio Magnetic Field Probe is a fully shielded magnetic field probe for the frequency range from 100 Hz to 20 kHz. The pickup coil is compliant with the dimensional requirements of [1]. The probe includes a symmetric low noise amplifier for the signal available at the shielded 3 pin connector at the side. Power is supplied via the same connector (phantom power supply) and monitored via the LED near the connector. The 7 pin connector at the end of the probe does not carry any signals, but determines the angle of the sensor when mounted on the DAE. The probe supports mechanical detection of the surface.

The single sensor in the probe is arranged in a tilt angle allowing measurement of 3 orthogonal field components when rotating the probe by 120° around its axis. It is aligned with the perpendicular component of the field, if the probe axis is tilted nominally 35.3° above the measurement plane, using the connector rotation and sensor angle stated below.

The probe is fully RF shielded when operated with the matching signal cable (shielded) and allows measurement of audio magnetic fields in the close vicinity of RF emitting wireless devices according to [1] without additional shielding.

Handling of the item

The probe is manufactured from stainless steel. In order to maintain the performance and calibration of the probe, it must not be opened. The probe is designed for operation in air and shall not be exposed to humidity or liquids. For proper operation of the surface detection and emergency stop functions in a DASY system, the probe must be operated with the special probe cup provided (larger diameter).

Methods Applied and Interpretation of Parameters

- Coordinate System: The AM1D probe is mounted in the DASY system for operation with a HAC Test
 Arch phantom with AMCC Helmholtz calibration coil according to [2], with the tip pointing to "southwest"
 orientation.
- Functional Test: The functional test preceding calibration includes test of Noise level
 - RF immunity (1kHz AM modulated signal). The shield of the probe cable must be well connected. Frequency response verification from 100 Hz to 10 kHz.
- Connector Rotation: The connector at the end of the probe does not carry any signals and is used for
 fixation to the DAE only. The probe is operated in the center of the AMCC Helmholtz coil using a 1 kHz
 magnetic field signal. Its angle is determined from the two minima at nominally +120° and -120°
 rotation, so the sensor in the tip of the probe is aligned to the vertical plane in z-direction, corresponding
 to the field maximum in the AMCC Helmholtz calibration coil.
- Sensor Angle: The sensor tilting in the vertical plane from the ideal vertical direction is determined from
 the two minima at nominally +120° and -120°. DASY system uses this angle to align the sensor for
 radial measurements to the x and y axis in the horizontal plane.
- Sensitivity: With the probe sensor aligned to the z-field in the AMCC, the output of the probe is
 compared to the magnetic field in the AMCC at 1 kHz. The field in the AMCC Helmholtz coil is given by
 the geometry and the current through the coil, which is monitored on the precision shunt resistor of the
 coil.

Certificate No: AM1D-3062_Apr11	Page 2 of 3



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Page 53(58)

Author Data

Daoud Attayi

Dates of Test
October 14, 2011

Report No

RTS-2604-1110-22

+/- 3.6 ° (k=2)

L6ARDF30CW

AM1D probe identification and configuration data

Item	AM1 DV3 Audio Magnetic 1D Field Probe
Type No	SP AM1 001 BA
Serial No	3062

Overall length	296 mm
Tip diameter	6.0 mm (at the tip)
Sensor offset	3.0 mm (centre of sensor from tip)
Internal Amplifier	20 dB

Manufacturer / Origin	Schmid & Partner Engineering AG, Zürich, Switzerland
Manufacturing date	Oct-2008
Last calibration date	June 8, 2010

Calibration data

Connector rotation angle (in DASY system) 57.8 °

Sensor angle (in DASY system) 0.61 ° +/- 0.5 ° (k=2)

Sensitivity at 1 kHz (in DASY system) 0.00742 V / (A/m) +/- 2.2 % (k=2)

Certificate No: AM1D-3062_Apr11

Page 3 of 3



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

Page 54(58)

Author Data

Daoud Attayi

October 14, 2011

Report No

RTS-2604-1110-22

L6ARDF30CW

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerlan





S Schweizerischer Kalibrierdiene
C Service suisse d'étalonnage
Servizio svizzero di teratura
S Swiss Calibration Service

Issued: January 25, 2010

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: SCS 108

RTS (RIM Testing Services) me No: TMFS_1003_Jan10 CALIBRATION CERTIFICATE Object / Identification Calibration procedure(s) dure for AM1D magnetic field probes and TMFS in th Condition of the calibrated item This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SN) The calibrations have been conducted in the R&D laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%. Calibration Equipment used (M&TE critical for calibration) Cal Date (Calibrated by, Certificate No.) Primary Standards Scheduled Calibration Keithley Multimeter Type 2001 SN: 0810278 1-Oct-09 (No: 9055) Oct-10 Secondary Standards Gal / Check Date Scheduled Calibration Check Oct-11 Jan-11 AMICC 15-Oct-09 on house check Oct-09) Reference Probe AM1DV2 SN: 1006 21-Jan-10 (No. AM1D-1008_Jan10) 14-Jul-09 (in house check Jul-09) 13-Oct-09 (in house check Oct-09) AMMI Audio Measuring Instr. 1062 Jul-11 Agilent WF Generator 33120A MY40005286 Oct-11

Certificate No: TMFS_1003_Jan10

Calibrated by

Approved by:

Page 1 of 5

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Function



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

55(58)

Author Data Daoud Attayi Dates of Test October 14, 2011 Report No

RTS-2604-1110-22

L6ARDF30CW

References

- [1] ANSI-PC63.19-2007 American National Standard for Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids.

 DASY4 manual, Chapter 29: Hearing Aid Compatibility (HAC) T-Coil Extension (April 2008)

Methods Applied and Interpretation of Parameters

- Coordinate System: The TMFS is mounted underneath the HAC Test Arch touching equivalently to a wireless device according to [2] 29.2.2.: In "North" orientation, the TMFS signal connector is directed to the north, with x and y axes of TMFS and Test arch coinciding (see fig. 1). The rotational symmetry axis of the TMFS is aligned to the center of the HAC test Arch. For East, South and West configuration, the TMFS has been rotated clockwise in steps of 90°, so the connector looks into the specified direction. The evaluation of the radial direction is referenced to the device orientation (x equivalent to South direction).
- Measurement coincidence with standard [1], the measurement plane (probe sensor center) is selected to be at a distance of 10 mm above the the surface of the TMFS touching the frame. The 50 x 50 mm scan area is aligned to the center of the unit. The scanning plane is verified to be parallel to the phantom frame before the measurements using the predefined "Geometry and signal check" procedure according to the predefined procedures described in [2].






Fig. 1 TMFS scanning measurement configurations

- Measurement Conditions: Calibration of AM1D probe and AMMI are according to [2]. The 1 kHz sine signal for the level measurement is supplied from an external, independent generator via a BNC cable to TMFS IN and monitored at TMFS OUT with an independent RMS voltmeter or Audio Analyzer. The level is set to 0.5 Vrms and monitored during the scans.
- For the frequency response, a higher suppression of the background ambient magnetic field over the full frequency range was achieved by placing the TMFS in a magnetically shielded box. The AM1D probe was fixed without robot positioner near the axial maximum for this measurement. The background noise suppression was typ. 30 dB at 100 Hz (minimum) and 42 dB at 1 kHz. The predefined multisine signal (48k_multisine_50-10000_10s.wav) was used and evaluated in the third-octave bands from 100 Hz to 10000

Certificate No: TMFS_1003_Jan10

Page 2 of 5



Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW $\,$

Page 56(58)

Author Data

Daoud Attayi

Dates of Test
October 14, 2011

Report No

RTS-2604-1110-22

L6ARDF30CW

1 Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V5.2 B162
DASY PP Version	SEMCAD	V14.0 B59
Phantom	HAC Test Arch	SD HAC P01 BA, #1002
Distance TMFS Top - Probe Centre	10 mm	
Scan resolution	dx, dy = 5 mm	area = 50 x 50 mm
Frequency	for field scans	1 kHz
Signal level to TMFS	for field scans	500 mV RMS
Signal	for frequency response	multisine signal 50-10000 Hz each third-octave band

Table 1: System configuration

2 Axial Maximum Field

Configuration	East	South	West	North	Subset Average	Average
Axial Max	-20.17	-20.17	-20.16	-20.17		-20.17
TMFS Y Axis 1st Max	-25.74	-25.74	-25.70	-25.70		
TMFS Y Axis 2nd Max	-25.92	-25.66	-26.02	-25.7		
Longitudinal Max Avg	-25.83	-25.70	-25.86	-25.70	-25.77	
TMFS X Axis 1st Max	-25.73	-25.71	-25.73	-25.67		
TMFS X Axis 2nd Max	-25.68	-25.91	-25.67	-25.96		
Transversal Max Avg	-25.71	-25.81	-25.70	-25.82	-25.76	
Radial Max			-			-25.77

Table 2: Axial and radial field maxima measured with probe center at 10mm distance in dB A/m

The maximum was calculated as the average from the values measured in the 4 orientations listed in table 2.

Axial Maximum -20.17 dB A/m (+/- 0.33dB, k=2)

3 Radial Maximum Field

In addition, the average from the 16 maxima of the radial field listed in table 2 (measured at 10mm) was calculated:

Radial Maximum -25.77 dB A/m

Certificate No: TMFS_1003_Jan10

Page 3 of 5

 Testing
Services™

Annexes to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

57(58)

Author Data

Daoud Attayi

Dates of Test
October 14, 2011

Report No **RTS-2604-1110-22**

L6ARDF30CW

4 Appendix

4.1 Frequency response

Max. deviation measured, relative to 1 kHz: min. -0.03, max. +0.02 dB

Frequency [Hz]	Response [dB]
100	0.02
125	0.00
160	-0.01
200	0.00
250	0.02
315	-0.01
400	0.00
500	0.00
630	0.00
800	0.00
1000	0.00
1250	-0.01
1600	-0.01
2000	-0.01
2500	-0.01
3150	-0.01
4000	-0.02
5000	-0.02
6300	-0.03
8000	-0.03
10000	-0.03

Table 3: Frequency response




Fig. 2 Frequency response 100 to 10'000 Hz

Certificate No: TMFS_1003_Jan10

Page 4 of 5

 Testing
Services™

Document Annexes to Hearing Aid Compatibility Audio Band Magnetic

(ABM) T-Coil Test Report for BlackBerry® Smartphone model RDF31CW

58(58)

Author Data **Daoud Attayi** Dates of Test October 14, 2011

Report No RTS-2604-1110-22

L6ARDF30CW

4.2 Field plots





Fig. 3: Typical 2D field plots for x (red), y (green) and z (blue) components



Superponed field plots of z (axial), x and y radial magnetic field, 50×50 mm, individual scaling: white = max. field level, black = -4dB below max. The lines show the position of the 2D field plot Fig. 4: of figure 3.

Certificate No: TMFS_1003_Jan10

Page 5 of 5