




802.11ax HEW20_Nss1,(MCS0)_1TX
5825MHz

CSE [PK]

02/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.685G	1M	PK	5.62937G	-52.81	-27.00	-25.81	4.00	0.00	-56.81	-56.81
5.685G	5.725G	1M	PK	5.685G	-52.63	-1.10	-51.53	4.00	0.00	-56.63	-56.63
5.725G	5.85G	1M	PK	5.85G	-62.11	27.00	-89.11	4.00	0.00	-66.11	-66.11
5.85G	5.89G	1M	PK	5.88944G	-49.63	-0.69	-48.94	4.00	0.00	-53.63	-53.63
5.89G	8G	1M	PK	6.02425G	-50.23	-27.00	-23.23	4.00	0.00	-54.23	-54.23


802.11ax HEW20_Nss1,(MCS0)_1TX
5825MHz



CSE [AV]



02/03/2022






F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.685G	1M	AV	5.45016G	-62.69	-41.20	-21.49	4.00	0.00	-66.69	-66.69
5.89G	8G	1M	AV	7.2826G	-68.44	-41.20	-27.24	4.00	0.00	-72.44	-72.44




















802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz

CSE [PK]

02/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.39G	1M	PK	5.2394G	-51.08	-27.00	-24.08	4.00	0.00	-55.08	-55.08
5.39G	5.47G	1M	PK	5.39144G	-52.38	-21.20	-31.18	4.00	0.00	-56.38	-56.38
5.47G	5.85G	1M	PK	5.85G	-48.34	-27.00	-21.34	4.00	0.00	-52.34	-52.34
5.85G	5.93G	1M	PK	5.8692G	-45.53	-27.00	-18.53	4.00	0.00	-49.53	-49.53
5.93G	8G	1M	PK	6.91196G	-49.70	-27.00	-22.70	4.00	0.00	-53.70	-53.70

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz

CSE [AV]

02/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.39G	1M	AV	5.13867G	-62.03	-41.20	-20.83	4.00	0.00	-66.03	-66.03
5.39G	5.47G	1M	AV	5.39608G	-62.61	-41.20	-21.41	4.00	0.00	-66.61	-66.61
5.93G	8G	1M	AV	7.25144G	-67.92	-41.20	-26.72	4.00	0.00	-71.92	-71.92

802.11ax HEW40_Nss1,(MCS0)_1TX
5755MHz

CSE [PK]

02/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.645G	1M	PK	5.64442G	-45.67	-27.00	-18.67	4.00	0.00	-49.67	-49.67
5.645G	5.725G	1M	PK	5.64916G	-42.54	-27.00	-15.54	4.00	0.00	-46.54	-46.54
5.725G	5.85G	1M	PK	5.85G	-69.56	27.00	-96.56	4.00	0.00	-73.56	-73.56
5.85G	5.93G	1M	PK	5.92824G	-47.26	-27.00	-20.26	4.00	0.00	-51.26	-51.26
5.93G	8G	1M	PK	5.9375G	-48.88	-27.00	-21.88	4.00	0.00	-52.88	-52.88

802.11ax HEW40_Nss1,(MCS0)_1TX
5755MHz

CSE [AV]

02/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.645G	1M	AV	5.37153G	-61.19	-41.20	-19.99	4.00	0.00	-65.19	-65.19
5.93G	8G	1M	AV	7.25092G	-67.27	-41.20	-26.07	4.00	0.00	-71.27	-71.27

802.11ax HEW40_Nss1,(MCS0)_1TX
5795MHz

CSE [PK]

02/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.645G	1M	PK	5.627G	-47.87	-27.00	-20.87	4.00	0.00	-51.87	-51.87
5.645G	5.725G	1M	PK	5.64852G	-48.36	-27.00	-21.36	4.00	0.00	-52.36	-52.36
5.725G	5.85G	1M	PK	5.85G	-62.66	27.00	-89.66	4.00	0.00	-66.66	-66.66
5.85G	5.93G	1M	PK	5.92936G	-45.97	-27.00	-18.97	4.00	0.00	-49.97	-49.97
5.93G	8G	1M	PK	5.95251G	-46.78	-27.00	-19.78	4.00	0.00	-50.78	-50.78



802.11ax HEW40_Nss1,(MCS0)_1TX
5795MHz



CSE [AV]


02/03/2022






F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.645G	1M	AV	5.36688G	-61.74	-41.20	-20.54	4.00	0.00	-65.74	-65.74
5.93G	8G	1M	AV	7.25635G	-66.88	-41.20	-25.68	4.00	0.00	-70.88	-70.88












802.11ax HEW80_Nss1,(MCS0)_1TX
5775MHz

CSE [PK]

02/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.565G	1M	PK	5.53245G	-51.95	-27.00	-24.95	4.00	0.00	-55.95	-55.95
5.565G	5.725G	1M	PK	5.653G	-33.07	-24.78	-8.29	4.00	0.00	-37.07	-37.07
5.725G	5.85G	1M	PK	5.85G	-65.00	27.00	-92.00	4.00	0.00	-69.00	-69.00
5.85G	6.01G	1M	PK	5.92712G	-40.55	-27.00	-13.55	4.00	0.00	-44.55	-44.55
6.01G	8G	1M	PK	6.30825G	-51.33	-27.00	-24.33	4.00	0.00	-55.33	-55.33

802.11ax HEW80_Nss1,(MCS0)_1TX
5775MHz

CSE [AV]

02/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	5.565G	1M	AV	5.37384G	-62.58	-41.20	-21.38	4.00	0.00	-66.58	-66.58
6.01G	8G	1M	AV	7.27688G	-67.92	-41.20	-26.72	4.00	0.00	-71.92	-71.92

802.11ax HEW160_Nss1,(MCS0)_1TX
5250MHz Straddle 5.15-5.25GHz

CSE [PK]

02/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	4.83G	1M	PK	4.82521G	-54.99	-21.20	-33.79	4.00	0.00	-58.99	-58.99
4.83G	5.15G	1M	PK	5.0988G	-34.84	-21.20	-13.64	4.00	0.00	-38.84	-38.84
5.15G	5.35G	1M	PK	5.35G	-69.37	-21.20	-48.17	4.00	0.00	-73.37	-73.37
5.35G	5.67G	1M	PK	5.382G	-35.83	-21.20	-14.63	4.00	0.00	-39.83	-39.83
5.67G	8G	1M	PK	5.75971G	-51.62	-27.00	-24.62	4.00	0.00	-55.62	-55.62



802.11ax HEW160_Nss1,(MCS0)_1TX
5250MHz Straddle 5.15-5.25GHz

CSE [AV]

02/03/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	4.83G	1M	AV	4.82952G	-63.75	-41.20	-22.55	4.00	0.00	-67.75	-67.75
4.83G	5.15G	1M	AV	5.102G	-46.82	-41.20	-5.62	4.00	0.00	-50.82	-50.82
5.15G	5.35G	1M	AV	5.35G	-79.29	-41.20	-38.09	4.00	0.00	-83.29	-83.29
5.35G	5.67G	1M	AV	5.37688G	-49.61	-41.20	-8.41	4.00	0.00	-53.61	-53.61
5.67G	8G	1M	AV	7.25149G	-70.69	-41.20	-29.49	4.00	0.00	-74.69	-74.69





Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	12G	40G	AV	39.8075G	5.24	-78.31	-78.31	-73.07	-41.20	-31.87
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.496G	5.24	-78.56	-78.56	-73.32	-41.20	-32.12
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.846G	5.24	-78.83	-78.83	-73.59	-41.20	-32.39
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.496G	5.24	-78.98	-78.98	-73.74	-41.20	-32.54
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	12G	40G	AV	39.4855G	5.46	-78.76	-78.76	-73.30	-41.20	-32.10
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.4925G	5.46	-78.53	-78.53	-73.07	-41.20	-31.87
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.524G	5.46	-78.71	-78.71	-73.25	-41.20	-32.05
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.4855G	5.46	-78.80	-78.80	-73.34	-41.20	-32.14
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	12G	40G	AV	39.531G	4.26	-78.35	-78.35	-74.09	-41.20	-32.89
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.818G	4.26	-78.55	-78.55	-74.29	-41.20	-33.09
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.517G	4.26	-78.41	-78.41	-74.15	-41.20	-32.95
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	38.705G	4.26	-78.70	-78.70	-74.44	-41.20	-33.24
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	12G	40G	AV	39.482G	3.94	-78.40	-78.40	-74.46	-41.20	-33.26
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.8075G	3.94	-78.75	-78.75	-74.81	-41.20	-33.61
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.51G	3.94	-78.75	-78.75	-74.81	-41.20	-33.61
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	12G	40G	AV	39.5065G	3.94	-78.67	-78.67	-74.73	-41.20	-33.53

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8G	12G	AV	11.754G	5.24	-83.49	-83.49	-78.25	-41.20	-37.05
5180MHz	Pass	12G	40G	AV	39.495G	5.24	-78.90	-78.90	-73.66	-41.20	-32.46
5180MHz	Pass	8G	12G	PK	8.0195G	5.24	-75.02	-75.02	-69.78	-27.00	-42.78
5180MHz	Pass	8G	12G	PK	10.367G	5.24	-76.70	-76.70	-71.46	-27.00	-44.46
5180MHz	Pass	12G	40G	PK	38.502G	5.24	-69.80	-69.80	-64.56	-27.00	-37.56
5200MHz	Pass	8G	12G	AV	11.7035G	5.24	-84.00	-84.00	-78.76	-41.20	-37.56
5200MHz	Pass	12G	40G	AV	39.8075G	5.24	-78.31	-78.31	-73.07	-41.20	-31.87
5200MHz	Pass	8G	12G	PK	8.006G	5.24	-74.76	-74.76	-69.52	-27.00	-42.52
5200MHz	Pass	8G	12G	PK	10.395G	5.24	-76.83	-76.83	-71.59	-27.00	-44.59
5200MHz	Pass	12G	40G	PK	38.467G	5.24	-71.49	-71.49	-66.25	-27.00	-39.25
5240MHz	Pass	8G	12G	AV	11.6885G	5.24	-83.87	-83.87	-78.63	-41.20	-37.43
5240MHz	Pass	12G	40G	AV	39.495G	5.24	-78.88	-78.88	-73.64	-41.20	-32.44
5240MHz	Pass	8G	12G	PK	10.484G	5.24	-76.63	-76.63	-71.39	-27.00	-44.39
5240MHz	Pass	8G	12G	PK	10.546G	5.24	-74.65	-74.65	-69.41	-27.00	-42.41
5240MHz	Pass	12G	40G	PK	38.4005G	5.24	-71.50	-71.50	-66.26	-27.00	-39.26
5260MHz	Pass	8G	12G	AV	11.7655G	5.46	-83.96	-83.96	-78.50	-41.20	-37.30
5260MHz	Pass	12G	40G	AV	39.495G	5.46	-79.02	-79.02	-73.56	-41.20	-32.36
5260MHz	Pass	8G	12G	PK	8.018G	5.46	-74.89	-74.89	-69.43	-27.00	-42.43
5260MHz	Pass	8G	12G	PK	10.519G	5.46	-75.75	-75.75	-70.29	-27.00	-43.29
5260MHz	Pass	12G	40G	PK	38.299G	5.46	-71.46	-71.46	-66.00	-27.00	-39.00
5300MHz	Pass	8G	12G	AV	10.606G	5.46	-85.75	-85.75	-80.29	-41.20	-39.09
5300MHz	Pass	8G	12G	AV	11.7G	5.46	-83.95	-83.95	-78.49	-41.20	-37.29
5300MHz	Pass	12G	40G	AV	39.4855G	5.46	-78.76	-78.76	-73.30	-41.20	-32.10
5300MHz	Pass	8G	12G	PK	10.237G	5.46	-74.06	-74.06	-68.60	-27.00	-41.60
5300MHz	Pass	8G	12G	PK	10.595G	5.46	-75.96	-75.96	-70.50	-27.00	-43.50
5300MHz	Pass	12G	40G	PK	38.3935G	5.46	-71.18	-71.18	-65.72	-27.00	-38.72
5320MHz	Pass	8G	12G	AV	10.646G	5.46	-85.15	-85.15	-79.69	-41.20	-38.49
5320MHz	Pass	8G	12G	AV	11.714G	5.46	-83.84	-83.84	-78.38	-41.20	-37.18
5320MHz	Pass	12G	40G	AV	39.8775G	5.46	-78.79	-78.79	-73.33	-41.20	-32.13
5320MHz	Pass	8G	12G	PK	10.589G	5.46	-75.00	-75.00	-69.54	-27.00	-42.54
5320MHz	Pass	8G	12G	PK	10.639G	5.46	-74.09	-74.09	-68.63	-21.20	-47.43
5320MHz	Pass	12G	40G	PK	38.586G	5.46	-71.50	-71.50	-66.04	-27.00	-39.04
5500MHz	Pass	8G	12G	AV	11G	4.26	-86.75	-86.75	-82.49	-41.20	-41.29
5500MHz	Pass	8G	12G	AV	11.7005G	4.26	-84.04	-84.04	-79.78	-41.20	-38.58
5500MHz	Pass	12G	40G	AV	39.51G	4.26	-78.55	-78.55	-74.29	-41.20	-33.09
5500MHz	Pass	8G	12G	PK	10.4455G	4.26	-75.08	-75.08	-70.82	-27.00	-43.82
5500MHz	Pass	8G	12G	PK	11.006G	4.26	-77.77	-77.77	-73.51	-21.20	-52.31
5500MHz	Pass	12G	40G	PK	38.4005G	4.26	-70.78	-70.78	-66.52	-27.00	-39.52
5580MHz	Pass	8G	12G	AV	11.157G	4.26	-86.47	-86.47	-82.21	-41.20	-41.01
5580MHz	Pass	8G	12G	AV	11.704G	4.26	-83.87	-83.87	-79.61	-41.20	-38.41
5580MHz	Pass	12G	40G	AV	39.489G	4.26	-78.76	-78.76	-74.50	-41.20	-33.30
5580MHz	Pass	8G	12G	PK	10.1655G	4.26	-74.25	-74.25	-69.99	-27.00	-42.99
5580MHz	Pass	8G	12G	PK	11.1625G	4.26	-76.92	-76.92	-72.66	-21.20	-51.46
5580MHz	Pass	12G	40G	PK	38.404G	4.26	-71.19	-71.19	-66.93	-27.00	-39.93
5700MHz	Pass	8G	12G	AV	11.398G	4.26	-86.44	-86.44	-82.18	-41.20	-40.98
5700MHz	Pass	8G	12G	AV	11.7005G	4.26	-83.59	-83.59	-79.33	-41.20	-38.13
5700MHz	Pass	12G	40G	AV	39.531G	4.26	-78.35	-78.35	-74.09	-41.20	-32.89
5700MHz	Pass	8G	12G	PK	10.1795G	4.26	-74.90	-74.90	-70.64	-27.00	-43.64
5700MHz	Pass	8G	12G	PK	11.392G	4.26	-77.09	-77.09	-72.83	-21.20	-51.63
5700MHz	Pass	12G	40G	PK	38.355G	4.26	-69.48	-69.48	-65.22	-27.00	-38.22
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4475G	4.26	-86.59	-86.59	-82.33	-41.20	-41.13
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.676G	4.26	-83.93	-83.93	-79.67	-41.20	-38.47
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.517G	4.26	-78.57	-78.57	-74.31	-41.20	-33.11
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	10.092G	4.26	-74.82	-74.82	-70.56	-27.00	-43.56
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.433G	4.26	-77.11	-77.11	-72.85	-21.20	-51.65
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	17.166G	4.26	-70.30	-70.30	-66.04	-27.00	-39.04
5745MHz	Pass	8G	12G	AV	11.4865G	3.94	-86.07	-86.07	-82.13	-41.20	-40.93
5745MHz	Pass	8G	12G	AV	11.701G	3.94	-83.88	-83.88	-79.94	-41.20	-38.74
5745MHz	Pass	12G	40G	AV	39.517G	3.94	-78.71	-78.71	-74.77	-41.20	-33.57
5745MHz	Pass	8G	12G	PK	8.014G	3.94	-75.05	-75.05	-71.11	-27.00	-44.11
5745MHz	Pass	8G	12G	PK	11.4865G	3.94	-75.64	-75.64	-71.70	-21.20	-50.50
5745MHz	Pass	12G	40G	PK	17.2255G	3.94	-67.04	-67.04	-63.10	-27.00	-36.10
5785MHz	Pass	8G	12G	AV	11.577G	3.94	-86.58	-86.58	-82.64	-41.20	-41.44
5785MHz	Pass	8G	12G	AV	11.6955G	3.94	-83.61	-83.61	-79.67	-41.20	-38.47
5785MHz	Pass	12G	40G	AV	39.482G	3.94	-78.40	-78.40	-74.46	-41.20	-33.26
5785MHz	Pass	8G	12G	PK	8.021G	3.94	-74.85	-74.85	-70.91	-27.00	-43.91
5785MHz	Pass	8G	12G	PK	11.5775G	3.94	-76.28	-76.28	-72.34	-21.20	-51.14
5785MHz	Pass	12G	40G	PK	38.3305G	3.94	-70.91	-70.91	-66.97	-27.00	-39.97

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5825MHz	Pass	8G	12G	AV	11.6555G	3.94	-84.65	-84.65	-80.71	-41.20	-39.51
5825MHz	Pass	8G	12G	AV	11.6995G	3.94	-83.95	-83.95	-80.01	-41.20	-38.81
5825MHz	Pass	12G	40G	AV	39.503G	3.94	-78.95	-78.95	-75.01	-41.20	-33.81
5825MHz	Pass	8G	12G	PK	8.97G	3.94	-74.52	-74.52	-70.58	-27.00	-43.58
5825MHz	Pass	8G	12G	PK	11.657G	3.94	-75.82	-75.82	-71.88	-21.20	-50.68
5825MHz	Pass	12G	40G	PK	17.4705G	3.94	-68.35	-68.35	-64.41	-27.00	-37.41
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8G	12G	AV	11.7855G	5.24	-83.99	-83.99	-78.75	-41.20	-37.55
5180MHz	Pass	12G	40G	AV	39.832G	5.24	-78.88	-78.88	-73.64	-41.20	-32.44
5180MHz	Pass	8G	12G	PK	10.3335G	5.24	-74.00	-74.00	-68.76	-27.00	-41.76
5180MHz	Pass	8G	12G	PK	10.354G	5.24	-75.51	-75.51	-70.27	-27.00	-43.27
5180MHz	Pass	12G	40G	PK	38.5475G	5.24	-70.59	-70.59	-65.35	-27.00	-38.35
5200MHz	Pass	8G	12G	AV	11.694G	5.24	-83.72	-83.72	-78.48	-41.20	-37.28
5200MHz	Pass	12G	40G	AV	39.4715G	5.24	-79.11	-79.11	-73.87	-41.20	-32.67
5200MHz	Pass	8G	12G	PK	9.9025G	5.24	-74.50	-74.50	-69.26	-27.00	-42.26
5200MHz	Pass	8G	12G	PK	10.3925G	5.24	-76.16	-76.16	-70.92	-27.00	-43.92
5200MHz	Pass	12G	40G	PK	38.3865G	5.24	-70.79	-70.79	-65.55	-27.00	-38.55
5240MHz	Pass	8G	12G	AV	11.6705G	5.24	-83.82	-83.82	-78.58	-41.20	-37.38
5240MHz	Pass	12G	40G	AV	39.496G	5.24	-78.56	-78.56	-73.32	-41.20	-32.12
5240MHz	Pass	8G	12G	PK	10.4875G	5.24	-75.76	-75.76	-70.52	-27.00	-43.52
5240MHz	Pass	8G	12G	PK	10.5635G	5.24	-75.03	-75.03	-69.79	-27.00	-42.79
5240MHz	Pass	12G	40G	PK	38.5475G	5.24	-71.94	-71.94	-66.70	-27.00	-39.70
5260MHz	Pass	8G	12G	AV	11.7715G	5.46	-84.04	-84.04	-78.58	-41.20	-37.38
5260MHz	Pass	12G	40G	AV	39.531G	5.46	-78.75	-78.75	-73.29	-41.20	-32.09
5260MHz	Pass	8G	12G	PK	10.041G	5.46	-74.48	-74.48	-69.02	-27.00	-42.02
5260MHz	Pass	8G	12G	PK	10.5225G	5.46	-75.66	-75.66	-70.20	-27.00	-43.20
5260MHz	Pass	12G	40G	PK	38.5195G	5.46	-70.94	-70.94	-65.48	-27.00	-38.48
5300MHz	Pass	8G	12G	AV	10.6075G	5.46	-85.63	-85.63	-80.17	-41.20	-38.97
5300MHz	Pass	8G	12G	AV	11.716G	5.46	-83.64	-83.64	-78.18	-41.20	-36.98
5300MHz	Pass	12G	40G	AV	39.4925G	5.46	-78.53	-78.53	-73.07	-41.20	-31.87
5300MHz	Pass	8G	12G	PK	8.0085G	5.46	-74.63	-74.63	-69.17	-27.00	-42.17
5300MHz	Pass	8G	12G	PK	10.5995G	5.46	-74.92	-74.92	-69.46	-27.00	-42.46
5300MHz	Pass	12G	40G	PK	38.4285G	5.46	-70.98	-70.98	-65.52	-27.00	-38.52
5320MHz	Pass	8G	12G	AV	10.6405G	5.46	-84.88	-84.88	-79.42	-41.20	-38.22
5320MHz	Pass	8G	12G	AV	11.6905G	5.46	-83.75	-83.75	-78.29	-41.20	-37.09
5320MHz	Pass	12G	40G	AV	39.524G	5.46	-78.83	-78.83	-73.37	-41.20	-32.17
5320MHz	Pass	8G	12G	PK	10.2125G	5.46	-74.69	-74.69	-69.23	-27.00	-42.23
5320MHz	Pass	8G	12G	PK	10.637G	5.46	-75.74	-75.74	-70.28	-21.20	-49.08
5320MHz	Pass	12G	40G	PK	38.4705G	5.46	-71.17	-71.17	-65.71	-27.00	-38.71
5500MHz	Pass	8G	12G	AV	10.999G	4.26	-87.08	-87.08	-82.82	-41.20	-41.62
5500MHz	Pass	8G	12G	AV	11.71G	4.26	-83.66	-83.66	-79.40	-41.20	-38.20
5500MHz	Pass	12G	40G	AV	39.818G	4.26	-78.55	-78.55	-74.29	-41.20	-33.09
5500MHz	Pass	8G	12G	PK	10.5995G	4.26	-74.74	-74.74	-70.48	-27.00	-43.48
5500MHz	Pass	8G	12G	PK	10.997G	4.26	-77.77	-77.77	-73.51	-21.20	-52.31
5500MHz	Pass	12G	40G	PK	38.3865G	4.26	-70.19	-70.19	-65.93	-27.00	-38.93
5580MHz	Pass	8G	12G	AV	11.16G	4.26	-86.36	-86.36	-82.10	-41.20	-40.90
5580MHz	Pass	8G	12G	AV	11.741G	4.26	-83.60	-83.60	-79.34	-41.20	-38.14
5580MHz	Pass	12G	40G	AV	39.4575G	4.26	-79.00	-79.00	-74.74	-41.20	-33.54
5580MHz	Pass	8G	12G	PK	10.5245G	4.26	-75.11	-75.11	-70.85	-27.00	-43.85
5580MHz	Pass	8G	12G	PK	11.1585G	4.26	-76.38	-76.38	-72.12	-21.20	-50.92
5580MHz	Pass	12G	40G	PK	38.488G	4.26	-70.14	-70.14	-65.88	-27.00	-38.88
5700MHz	Pass	8G	12G	AV	11.4065G	4.26	-86.67	-86.67	-82.41	-41.20	-41.21
5700MHz	Pass	8G	12G	AV	11.6935G	4.26	-83.47	-83.47	-79.21	-41.20	-38.01
5700MHz	Pass	12G	40G	AV	39.5135G	4.26	-78.68	-78.68	-74.42	-41.20	-33.22
5700MHz	Pass	8G	12G	PK	10.372G	4.26	-74.69	-74.69	-70.43	-27.00	-43.43
5700MHz	Pass	8G	12G	PK	11.3975G	4.26	-76.88	-76.88	-72.62	-21.20	-51.42
5700MHz	Pass	12G	40G	PK	38.0855G	4.26	-70.81	-70.81	-66.55	-27.00	-39.55
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4475G	4.26	-86.63	-86.63	-82.37	-41.20	-41.17
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.7515G	4.26	-84.16	-84.16	-79.90	-41.20	-38.70
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.4855G	4.26	-78.80	-78.80	-74.54	-41.20	-33.34
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	10.0155G	4.26	-75.29	-75.29	-71.03	-27.00	-44.03
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.438G	4.26	-76.89	-76.89	-72.63	-21.20	-51.43
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	17.152G	4.26	-68.93	-68.93	-64.67	-27.00	-37.67
5745MHz	Pass	8G	12G	AV	11.4925G	3.94	-86.43	-86.43	-82.49	-41.20	-41.29
5745MHz	Pass	8G	12G	AV	11.6985G	3.94	-83.62	-83.62	-79.68	-41.20	-38.48
5745MHz	Pass	12G	40G	AV	39.8075G	3.94	-78.75	-78.75	-74.81	-41.20	-33.61
5745MHz	Pass	8G	12G	PK	8.012G	3.94	-75.23	-75.23	-71.29	-27.00	-44.29
5745MHz	Pass	8G	12G	PK	11.4895G	3.94	-75.77	-75.77	-71.83	-21.20	-50.63
5745MHz	Pass	12G	40G	PK	17.2465G	3.94	-69.14	-69.14	-65.20	-27.00	-38.20
5785MHz	Pass	8G	12G	AV	11.5755G	3.94	-86.19	-86.19	-82.25	-41.20	-41.05



CSE_Radio 1 (Harmonic 8GHz ~ 40GHz)

Appendix E.9

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5785MHz	Pass	8G	12G	AV	11.695G	3.94	-83.63	-83.63	-79.69	-41.20	-38.49
5785MHz	Pass	12G	40G	AV	39.9405G	3.94	-78.77	-78.77	-74.83	-41.20	-33.63
5785MHz	Pass	8G	12G	PK	10.2535G	3.94	-75.20	-75.20	-71.26	-27.00	-44.26
5785MHz	Pass	8G	12G	PK	11.574G	3.94	-76.96	-76.96	-73.02	-21.20	-51.82
5785MHz	Pass	12G	40G	PK	38.4635G	3.94	-70.87	-70.87	-66.93	-27.00	-39.93
5825MHz	Pass	8G	12G	AV	11.655G	3.94	-84.87	-84.87	-80.93	-41.20	-39.73
5825MHz	Pass	8G	12G	AV	11.7095G	3.94	-83.99	-83.99	-80.05	-41.20	-38.85
5825MHz	Pass	12G	40G	AV	39.496G	3.94	-78.92	-78.92	-74.98	-41.20	-33.78
5825MHz	Pass	8G	12G	PK	8.0215G	3.94	-74.65	-74.65	-70.71	-27.00	-43.71
5825MHz	Pass	8G	12G	PK	11.6515G	3.94	-75.63	-75.63	-71.69	-21.20	-50.49
5825MHz	Pass	12G	40G	PK	17.474G	3.94	-67.15	-67.15	-63.21	-27.00	-36.21
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	8G	12G	AV	11.7035G	5.24	-83.62	-83.62	-78.38	-41.20	-37.18
5190MHz	Pass	12G	40G	AV	39.846G	5.24	-78.83	-78.83	-73.59	-41.20	-32.39
5190MHz	Pass	8G	12G	PK	8.022G	5.24	-74.58	-74.58	-69.34	-27.00	-42.34
5190MHz	Pass	8G	12G	PK	10.383G	5.24	-75.67	-75.67	-70.43	-27.00	-43.43
5190MHz	Pass	12G	40G	PK	37.2665G	5.24	-71.23	-71.23	-65.99	-27.00	-38.99
5230MHz	Pass	8G	12G	AV	11.717G	5.24	-83.72	-83.72	-78.48	-41.20	-37.28
5230MHz	Pass	12G	40G	AV	39.5135G	5.24	-79.02	-79.02	-73.78	-41.20	-32.58
5230MHz	Pass	8G	12G	PK	8.006G	5.24	-73.51	-73.51	-68.27	-27.00	-41.27
5230MHz	Pass	8G	12G	PK	10.4685G	5.24	-76.09	-76.09	-70.85	-27.00	-43.85
5230MHz	Pass	12G	40G	PK	37.438G	5.24	-71.58	-71.58	-66.34	-27.00	-39.34
5270MHz	Pass	8G	12G	AV	11.709G	5.46	-83.27	-83.27	-77.81	-41.20	-36.61
5270MHz	Pass	12G	40G	AV	39.524G	5.46	-78.71	-78.71	-73.25	-41.20	-32.05
5270MHz	Pass	8G	12G	PK	10.278G	5.46	-75.04	-75.04	-69.58	-27.00	-42.58
5270MHz	Pass	8G	12G	PK	10.544G	5.46	-76.12	-76.12	-70.66	-27.00	-43.66
5270MHz	Pass	12G	40G	PK	38.565G	5.46	-71.50	-71.50	-66.04	-27.00	-39.04
5310MHz	Pass	8G	12G	AV	10.6275G	5.46	-85.13	-85.13	-79.67	-41.20	-38.47
5310MHz	Pass	8G	12G	AV	11.769G	5.46	-83.78	-83.78	-78.32	-41.20	-37.12
5310MHz	Pass	12G	40G	AV	39.4575G	5.46	-79.00	-79.00	-73.54	-41.20	-32.34
5310MHz	Pass	8G	12G	PK	8.0135G	5.46	-75.18	-75.18	-69.72	-27.00	-42.72
5310MHz	Pass	8G	12G	PK	10.633G	5.46	-75.44	-75.44	-69.98	-21.20	-48.78
5310MHz	Pass	12G	40G	PK	38.341G	5.46	-70.56	-70.56	-65.10	-27.00	-38.10
5510MHz	Pass	8G	12G	AV	11.02G	4.26	-86.36	-86.36	-82.10	-41.20	-40.90
5510MHz	Pass	8G	12G	AV	11.703G	4.26	-83.75	-83.75	-79.49	-41.20	-38.29
5510MHz	Pass	12G	40G	AV	39.5065G	4.26	-78.94	-78.94	-74.68	-41.20	-33.48
5510MHz	Pass	8G	12G	PK	8.024G	4.26	-74.18	-74.18	-69.92	-27.00	-42.92
5510MHz	Pass	8G	12G	PK	11.019G	4.26	-76.55	-76.55	-72.29	-21.20	-51.09
5510MHz	Pass	12G	40G	PK	38.4005G	4.26	-70.81	-70.81	-66.55	-27.00	-39.55
5550MHz	Pass	8G	12G	AV	11.1095G	4.26	-86.17	-86.17	-81.91	-41.20	-40.71
5550MHz	Pass	8G	12G	AV	11.729G	4.26	-84.07	-84.07	-79.81	-41.20	-38.61
5550MHz	Pass	12G	40G	AV	39.51G	4.26	-78.80	-78.80	-74.54	-41.20	-33.34
5550MHz	Pass	8G	12G	PK	8.0165G	4.26	-74.33	-74.33	-70.07	-27.00	-43.07
5550MHz	Pass	8G	12G	PK	11.0955G	4.26	-76.08	-76.08	-71.82	-21.20	-50.62
5550MHz	Pass	12G	40G	PK	38.4145G	4.26	-71.23	-71.23	-66.97	-27.00	-39.97
5670MHz	Pass	8G	12G	AV	11.352G	4.26	-85.98	-85.98	-81.72	-41.20	-40.52
5670MHz	Pass	8G	12G	AV	11.704G	4.26	-83.92	-83.92	-79.66	-41.20	-38.46
5670MHz	Pass	12G	40G	AV	39.517G	4.26	-78.41	-78.41	-74.15	-41.20	-32.95
5670MHz	Pass	8G	12G	PK	8.014G	4.26	-74.10	-74.10	-69.84	-27.00	-42.84
5670MHz	Pass	8G	12G	PK	11.356G	4.26	-75.78	-75.78	-71.52	-21.20	-50.32
5670MHz	Pass	12G	40G	PK	38.397G	4.26	-69.99	-69.99	-65.73	-27.00	-38.73
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4195G	4.26	-86.75	-86.75	-82.49	-41.20	-41.29
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.807G	4.26	-83.84	-83.84	-79.58	-41.20	-38.38
5710MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.4925G	4.26	-78.62	-78.62	-74.36	-41.20	-33.16
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	10.5685G	4.26	-74.39	-74.39	-70.13	-27.00	-43.13
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.433G	4.26	-76.48	-76.48	-72.22	-21.20	-51.02
5710MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	38.4075G	4.26	-71.27	-71.27	-67.01	-27.00	-40.01
5755MHz	Pass	8G	12G	AV	11.515G	3.94	-86.50	-86.50	-82.56	-41.20	-41.36
5755MHz	Pass	8G	12G	AV	11.6805G	3.94	-84.06	-84.06	-80.12	-41.20	-38.92
5755MHz	Pass	12G	40G	AV	39.4575G	3.94	-78.78	-78.78	-74.84	-41.20	-33.64
5755MHz	Pass	8G	12G	PK	8.986G	3.94	-74.68	-74.68	-70.74	-27.00	-43.74
5755MHz	Pass	8G	12G	PK	11.5G	3.94	-76.45	-76.45	-72.51	-21.20	-51.31
5755MHz	Pass	12G	40G	PK	17.257G	3.94	-70.44	-70.44	-66.50	-27.00	-39.50
5795MHz	Pass	8G	12G	AV	11.5955G	3.94	-86.09	-86.09	-82.15	-41.20	-40.95
5795MHz	Pass	8G	12G	AV	11.699G	3.94	-84.10	-84.10	-80.16	-41.20	-38.96
5795MHz	Pass	12G	40G	AV	39.51G	3.94	-78.75	-78.75	-74.81	-41.20	-33.61
5795MHz	Pass	8G	12G	PK	10.5605G	3.94	-73.96	-73.96	-70.02	-27.00	-43.02
5795MHz	Pass	8G	12G	PK	11.59G	3.94	-76.03	-76.03	-72.09	-21.20	-50.89
5795MHz	Pass	12G	40G	PK	38.516G	3.94	-70.58	-70.58	-66.64	-27.00	-39.64
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-



CSE_Radio 1 (Harmonic 8GHz ~ 40GHz)

Appendix E.9

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5210MHz	Pass	8G	12G	AV	11.6515G	5.24	-83.92	-83.92	-78.68	-41.20	-37.48
5210MHz	Pass	12G	40G	AV	39.496G	5.24	-78.98	-78.98	-73.74	-41.20	-32.54
5210MHz	Pass	8G	12G	PK	10.4245G	5.24	-75.98	-75.98	-70.74	-27.00	-43.74
5210MHz	Pass	8G	12G	PK	10.583G	5.24	-75.48	-75.48	-70.24	-27.00	-43.24
5210MHz	Pass	12G	40G	PK	38.4845G	5.24	-70.22	-70.22	-64.98	-27.00	-37.98
5290MHz	Pass	8G	12G	AV	10.603G	5.46	-85.58	-85.58	-80.12	-41.20	-38.92
5290MHz	Pass	8G	12G	AV	11.683G	5.46	-83.56	-83.56	-78.10	-41.20	-36.90
5290MHz	Pass	12G	40G	AV	39.4855G	5.46	-78.80	-78.80	-73.34	-41.20	-32.14
5290MHz	Pass	8G	12G	PK	8.018G	5.46	-74.97	-74.97	-69.51	-27.00	-42.51
5290MHz	Pass	8G	12G	PK	10.578G	5.46	-75.74	-75.74	-70.28	-27.00	-43.28
5290MHz	Pass	12G	40G	PK	38.4425G	5.46	-71.61	-71.61	-66.15	-27.00	-39.15
530MHz	Pass	8G	12G	AV	11.0655G	4.26	-86.36	-86.36	-82.10	-41.20	-40.90
530MHz	Pass	8G	12G	AV	11.701G	4.26	-83.75	-83.75	-79.49	-41.20	-38.29
530MHz	Pass	12G	40G	AV	39.811G	4.26	-79.11	-79.11	-74.85	-41.20	-33.65
530MHz	Pass	8G	12G	PK	9.598G	4.26	-74.71	-74.71	-70.45	-27.00	-43.45
530MHz	Pass	8G	12G	PK	11.09G	4.26	-76.48	-76.48	-72.22	-21.20	-51.02
530MHz	Pass	12G	40G	PK	38.348G	4.26	-71.44	-71.44	-67.18	-27.00	-40.18
5610MHz	Pass	8G	12G	AV	11.2055G	4.26	-85.89	-85.89	-81.63	-41.20	-40.43
5610MHz	Pass	8G	12G	AV	11.6825G	4.26	-83.97	-83.97	-79.71	-41.20	-38.51
5610MHz	Pass	12G	40G	AV	39.5065G	4.26	-78.85	-78.85	-74.59	-41.20	-33.39
5610MHz	Pass	8G	12G	PK	10.31G	4.26	-75.16	-75.16	-70.90	-27.00	-43.90
5610MHz	Pass	8G	12G	PK	11.2175G	4.26	-75.99	-75.99	-71.73	-21.20	-50.53
5610MHz	Pass	12G	40G	PK	38.3515G	4.26	-71.77	-71.77	-67.51	-27.00	-40.51
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.364G	4.26	-86.28	-86.28	-82.02	-41.20	-40.82
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.7175G	4.26	-83.78	-83.78	-79.52	-41.20	-38.32
5690MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	38.705G	4.26	-78.70	-78.70	-74.44	-41.20	-33.24
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	8.0145G	4.26	-74.91	-74.91	-70.65	-27.00	-43.65
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.3795G	4.26	-75.49	-75.49	-71.23	-21.20	-50.03
5690MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	38.404G	4.26	-70.24	-70.24	-65.98	-27.00	-38.98
5775MHz	Pass	8G	12G	AV	11.5645G	3.94	-86.69	-86.69	-82.75	-41.20	-41.55
5775MHz	Pass	8G	12G	AV	11.703G	3.94	-84.02	-84.02	-80.08	-41.20	-38.88
5775MHz	Pass	12G	40G	AV	39.5065G	3.94	-78.67	-78.67	-74.73	-41.20	-33.53
5775MHz	Pass	8G	12G	PK	10.3845G	3.94	-74.84	-74.84	-70.90	-27.00	-43.90
5775MHz	Pass	8G	12G	PK	11.581G	3.94	-74.79	-74.79	-70.85	-21.20	-49.65
5775MHz	Pass	12G	40G	PK	38.544G	3.94	-70.76	-70.76	-66.82	-27.00	-39.82


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11a_Nss1,(6Mbps)_1TX

5180MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.0195G	-69.78	-27.00	-42.78	5.24	0.00	-75.02	-75.02
8G	12G	1M	PK	10.367G	-71.46	-27.00	-44.46	5.24	0.00	-76.70	-76.70
12G	40G	1M	PK	38.502G	-64.56	-27.00	-37.56	5.24	0.00	-69.80	-69.80

802.11a_Nss1,(6Mbps)_1TX

5180MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.754G	-78.25	-41.20	-37.05	5.24	0.00	-83.49	-83.49
12G	40G	1M	AV	39.4995G	-73.66	-41.20	-32.46	5.24	0.00	-78.90	-78.90

802.11a_Nss1,(6Mbps)_1TX

5200MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.006G	-69.52	-27.00	-42.52	5.24	0.00	-74.76	-74.76
8G	12G	1M	PK	10.395G	-71.59	-27.00	-44.59	5.24	0.00	-76.83	-76.83
12G	40G	1M	PK	38.467G	-66.25	-27.00	-39.25	5.24	0.00	-71.49	-71.49

802.11a_Nss1,(6Mbps)_1TX


5200MHz

CSE [AV]

11/02/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.7035G	-78.76	-41.20	-37.56	5.24	0.00	-84.00	-84.00
12G	40G	1M	AV	39.8075G	-73.07	-41.20	-31.87	5.24	0.00	-78.31	-78.31




802.11a_Nss1,(6Mbps)_1TX

5260MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.018G	-69.43	-27.00	-42.43	5.46	0.00	-74.89	-74.89
8G	12G	1M	PK	10.519G	-70.29	-27.00	-43.29	5.46	0.00	-75.75	-75.75
12G	40G	1M	PK	38.299G	-66.00	-27.00	-39.00	5.46	0.00	-71.46	-71.46

802.11a_Nss1,(6Mbps)_1TX

5260MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.7655G	-78.50	-41.20	-37.30	5.46	0.00	-83.96	-83.96
12G	40G	1M	AV	39.4995G	-73.56	-41.20	-32.36	5.46	0.00	-79.02	-79.02

802.11a_Nss1,(6Mbps)_1TX

5300MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.237G	-68.60	-27.00	-41.60	5.46	0.00	-74.06	-74.06
8G	12G	1M	PK	10.595G	-70.50	-27.00	-43.50	5.46	0.00	-75.96	-75.96
12G	40G	1M	PK	38.3935G	-65.72	-27.00	-38.72	5.46	0.00	-71.18	-71.18

802.11a_Nss1,(6Mbps)_1TX

5300MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	10.606G	-80.29	-41.20	-39.09	5.46	0.00	-85.75	-85.75
8G	12G	1M	AV	11.7G	-78.49	-41.20	-37.29	5.46	0.00	-83.95	-83.95
12G	40G	1M	AV	38.4855G	-73.30	-41.20	-32.10	5.46	0.00	-78.76	-78.76

802.11a_Nss1,(6Mbps)_1TX

5320MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.589G	-69.54	-27.00	-42.54	5.46	0.00	-75.00	-75.00
8G	12G	1M	PK	10.639G	-68.63	-21.20	-47.43	5.46	0.00	-74.09	-74.09
12G	40G	1M	PK	38.586G	-66.04	-27.00	-39.04	5.46	0.00	-71.50	-71.50

802.11a_Nss1,(6Mbps)_1TX

5320MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	10.646G	-79.69	-41.20	-38.49	5.46	0.00	-85.15	-85.15
8G	12G	1M	AV	11.714G	-78.38	-41.20	-37.18	5.46	0.00	-83.84	-83.84
12G	40G	1M	AV	39.8775G	-73.33	-41.20	-32.13	5.46	0.00	-78.79	-78.79

802.11a_Nss1,(6Mbps)_1TX

5500MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.4455G	-70.82	-27.00	-43.82	4.26	0.00	-75.08	-75.08
8G	12G	1M	PK	11.0066G	-73.51	-21.20	-52.31	4.26	0.00	-77.77	-77.77
12G	40G	1M	PK	38.4005G	-66.52	-27.00	-39.52	4.26	0.00	-70.78	-70.78

802.11a_Nss1,(6Mbps)_1TX


5500MHz

CSE [AV]

11/02/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11G	-82.49	-41.20	-41.29	4.26	0.00	-86.75	-86.75
8G	12G	1M	AV	11.7005G	-79.78	-41.20	-38.58	4.26	0.00	-84.04	-84.04
12G	40G	1M	AV	38.51G	-74.29	-41.20	-33.09	4.26	0.00	-78.55	-78.55




802.11a_Nss1,(6Mbps)_1TX

5700MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.1795G	-70.64	-27.00	-43.64	4.26	0.00	-74.90	-74.90
8G	12G	1M	PK	11.392G	-72.83	-21.20	-51.63	4.26	0.00	-77.09	-77.09
12G	40G	1M	PK	38.359G	-65.22	-27.00	-38.22	4.26	0.00	-69.48	-69.48

802.11a_Nss1,(6Mbps)_1TX

5700MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.398G	-82.18	-41.20	-40.98	4.26	0.00	-86.44	-86.44
8G	12G	1M	AV	11.7005G	-79.33	-41.20	-38.13	4.26	0.00	-83.59	-83.59
12G	40G	1M	AV	38.531G	-74.09	-41.20	-32.89	4.26	0.00	-78.35	-78.35

802.11a_Nss1,(6Mbps)_1TX
5720MHz Straddle 5.47-5.725GHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.092G	-70.56	-27.00	-43.56	4.26	0.00	-74.82	-74.82
8G	12G	1M	PK	11.433G	-72.85	-21.20	-51.65	4.26	0.00	-77.11	-77.11
12G	40G	1M	PK	17.166G	-66.04	-27.00	-39.04	4.26	0.00	-70.30	-70.30

802.11a_Nss1,(6Mbps)_1TX
5720MHz Straddle 5.47-5.725GHz

CSE [AV]

11/02/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.4475G	-82.33	-41.20	-41.13	4.26	0.00	-86.59	-86.59
8G	12G	1M	AV	11.676G	-79.67	-41.20	-38.47	4.26	0.00	-83.93	-83.93
12G	40G	1M	AV	39.517G	-74.31	-41.20	-33.11	4.26	0.00	-78.57	-78.57




802.11a_Nss1,(6Mbps)_1TX

5785MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.021G	-70.91	-27.00	-43.91	3.94	0.00	-74.85	-74.85
8G	12G	1M	PK	11.5775G	-72.34	-21.20	-51.14	3.94	0.00	-76.28	-76.28
12G	40G	1M	PK	38.3305G	-66.97	-27.00	-39.97	3.94	0.00	-70.91	-70.91

802.11a_Nss1,(6Mbps)_1TX

5785MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.577G	-82.64	-41.20	-41.44	3.94	0.00	-86.58	-86.58
8G	12G	1M	AV	11.6955G	-79.67	-41.20	-38.47	3.94	0.00	-83.61	-83.61
12G	40G	1M	AV	39.482G	-74.46	-41.20	-33.26	3.94	0.00	-78.40	-78.40

802.11a_Nss1,(6Mbps)_1TX

5825MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.97G	-70.58	-27.00	-43.58	3.94	0.00	-74.52	-74.52
8G	12G	1M	PK	11.657G	-71.88	-21.20	-50.68	3.94	0.00	-75.82	-75.82
12G	40G	1M	PK	17.4705G	-64.41	-27.00	-37.41	3.94	0.00	-68.35	-68.35

802.11a_Nss1,(6Mbps)_1TX


5825MHz


CSE [AV]

11/02/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.6555G	-80.71	-41.20	-39.51	3.94	0.00	-84.65	-84.65
8G	12G	1M	AV	11.6995G	-80.01	-41.20	-38.81	3.94	0.00	-83.95	-83.95
12G	40G	1M	AV	39.503G	-75.01	-41.20	-33.81	3.94	0.00	-78.95	-78.95






802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.4875G	-70.52	-27.00	-43.52	5.24	0.00	-75.76	-75.76
8G	12G	1M	PK	10.5635G	-69.79	-27.00	-42.79	5.24	0.00	-75.03	-75.03
12G	40G	1M	PK	38.5475G	-66.70	-27.00	-39.70	5.24	0.00	-71.94	-71.94

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.6705G	-78.58	-41.20	-37.38	5.24	0.00	-83.82	-83.82
12G	40G	1M	AV	39.496G	-73.32	-41.20	-32.12	5.24	0.00	-78.56	-78.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz

CSE [PK]

11/02/2022





802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz

CSE [AV]

11/02/2022






802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.2125G	-69.23	-27.00	-42.23	5.46	0.00	-74.69	-74.69
8G	12G	1M	PK	10.637G	-70.28	-21.20	-49.08	5.46	0.00	-75.74	-75.74
12G	40G	1M	PK	38.4705G	-65.71	-27.00	-38.71	5.46	0.00	-71.17	-71.17

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz

CSE [AV]

11/02/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	10.6405G	-79.42	-41.20	-38.22	5.46	0.00	-84.88	-84.88
8G	12G	1M	AV	11.6905G	-78.29	-41.20	-37.09	5.46	0.00	-83.75	-83.75
12G	40G	1M	AV	39.524G	-73.37	-41.20	-32.17	5.46	0.00	-78.83	-78.83




802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.5245G	-70.85	-27.00	-43.85	4.26	0.00	-75.11	-75.11
8G	12G	1M	PK	11.1595G	-72.12	-21.20	-50.92	4.26	0.00	-76.38	-76.38
12G	40G	1M	PK	38.488G	-65.88	-27.00	-38.88	4.26	0.00	-70.14	-70.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.16G	-82.10	-41.20	-40.90	4.26	0.00	-86.36	-86.36
8G	12G	1M	AV	11.741G	-79.34	-41.20	-38.14	4.26	0.00	-83.60	-83.60
12G	40G	1M	AV	38.4375G	-74.74	-41.20	-33.54	4.26	0.00	-79.00	-79.00

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.372G	-70.43	-27.00	-43.43	4.26	0.00	-74.69	-74.69
8G	12G	1M	PK	11.3975G	-72.62	-21.20	-51.42	4.26	0.00	-76.88	-76.88
12G	40G	1M	PK	38.0855G	-66.55	-27.00	-39.55	4.26	0.00	-70.81	-70.81

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.4065G	-82.41	-41.20	-41.21	4.26	0.00	-86.67	-86.67
8G	12G	1M	AV	11.6935G	-79.21	-41.20	-38.01	4.26	0.00	-83.47	-83.47
12G	40G	1M	AV	38.5135G	-74.42	-41.20	-33.22	4.26	0.00	-78.68	-78.68

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.0155G	-71.03	-27.00	-44.03	4.26	0.00	-75.29	-75.29
8G	12G	1M	PK	11.438G	-72.63	-21.20	-51.43	4.26	0.00	-76.89	-76.89
12G	40G	1M	PK	17.132G	-64.67	-27.00	-37.67	4.26	0.00	-68.93	-68.93


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz

CSE [AV]

11/02/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.4475G	-82.37	-41.20	-41.17	4.26	0.00	-86.63	-86.63
8G	12G	1M	AV	11.7515G	-79.90	-41.20	-38.70	4.26	0.00	-84.16	-84.16
12G	40G	1M	AV	39.4855G	-74.54	-41.20	-33.34	4.26	0.00	-78.80	-78.80




802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.2335G	-71.26	-27.00	-44.26	3.94	0.00	-75.20	-75.20
8G	12G	1M	PK	11.574G	-73.02	-21.20	-51.82	3.94	0.00	-76.96	-76.96
12G	40G	1M	PK	38.4635G	-66.93	-27.00	-39.93	3.94	0.00	-70.87	-70.87

802.11ax HEW20_Nss1,(MCS0)_1TX



5785MHz

CSE [AV]

11/02/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.5755G	-82.25	-41.20	-41.05	3.94	0.00	-86.19	-86.19
8G	12G	1M	AV	11.695G	-79.69	-41.20	-38.49	3.94	0.00	-83.63	-83.63
12G	40G	1M	AV	39.9405G	-74.83	-41.20	-33.63	3.94	0.00	-78.77	-78.77




802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

5190MHz

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.022G	-69.34	-27.00	-42.34	5.24	0.00	-74.58	-74.58
8G	12G	1M	PK	10.383G	-70.43	-27.00	-43.43	5.24	0.00	-75.67	-75.67
12G	40G	1M	PK	37.2665G	-65.99	-27.00	-38.99	5.24	0.00	-71.23	-71.23

802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [AV]

5190MHz

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.7035G	-78.38	-41.20	-37.18	5.24	0.00	-83.62	-83.62
12G	40G	1M	AV	39.846G	-73.59	-41.20	-32.39	5.24	0.00	-78.83	-78.83

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.006G	-68.27	-27.00	-41.27	5.24	0.00	-73.51	-73.51
8G	12G	1M	PK	10.4695G	-70.85	-27.00	-43.85	5.24	0.00	-76.09	-76.09
12G	40G	1M	PK	37.438G	-66.34	-27.00	-39.34	5.24	0.00	-71.58	-71.58

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.717G	-78.48	-41.20	-37.28	5.24	0.00	-83.72	-83.72
12G	40G	1M	AV	39.5135G	-73.78	-41.20	-32.58	5.24	0.00	-79.02	-79.02

802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

5270MHz

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.279G	-69.58	-27.00	-42.58	5.46	0.00	-75.04	-75.04
8G	12G	1M	PK	10.544G	-70.66	-27.00	-43.66	5.46	0.00	-76.12	-76.12
12G	40G	1M	PK	38.569G	-66.04	-27.00	-39.04	5.46	0.00	-71.50	-71.50

802.11ax HEW40_Nss1,(MCS0)_1TX


CSE [AV]

5270MHz

11/02/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.709G	-77.81	-41.20	-36.61	5.46	0.00	-83.27	-83.27
12G	40G	1M	AV	39.524G	-73.25	-41.20	-32.05	5.46	0.00	-78.71	-78.71




802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

5510MHz

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.024G	-69.92	-27.00	-42.92	4.26	0.00	-74.18	-74.18
8G	12G	1M	PK	11.019G	-72.29	-21.20	-51.09	4.26	0.00	-76.55	-76.55
12G	40G	1M	PK	38.4005G	-66.55	-27.00	-39.55	4.26	0.00	-70.81	-70.81

802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [AV]

5510MHz

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.02G	-82.10	-41.20	-40.90	4.26	0.00	-86.36	-86.36
8G	12G	1M	AV	11.703G	-79.49	-41.20	-38.29	4.26	0.00	-83.75	-83.75
12G	40G	1M	AV	38.5065G	-74.68	-41.20	-33.48	4.26	0.00	-78.94	-78.94

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.0165G	-70.07	-27.00	-43.07	4.26	0.00	-74.33	-74.33
8G	12G	1M	PK	11.0955G	-71.82	-21.20	-50.62	4.26	0.00	-76.08	-76.08
12G	40G	1M	PK	38.4145G	-66.97	-27.00	-39.97	4.26	0.00	-71.23	-71.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.1095G	-81.91	-41.20	-40.71	4.26	0.00	-86.17	-86.17
8G	12G	1M	AV	11.729G	-79.81	-41.20	-38.61	4.26	0.00	-84.07	-84.07
12G	40G	1M	AV	38.51G	-74.54	-41.20	-33.34	4.26	0.00	-78.80	-78.80

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.014G	-69.84	-27.00	-42.84	4.26	0.00	-74.10	-74.10
8G	12G	1M	PK	11.356G	-71.52	-21.20	-50.32	4.26	0.00	-75.78	-75.78
12G	40G	1M	PK	38.397G	-65.73	-27.00	-38.73	4.26	0.00	-69.99	-69.99

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.352G	-81.72	-41.20	-40.52	4.26	0.00	-85.98	-85.98
8G	12G	1M	AV	11.704G	-79.66	-41.20	-38.46	4.26	0.00	-83.92	-83.92
12G	40G	1M	AV	38.517G	-74.15	-41.20	-32.95	4.26	0.00	-78.41	-78.41

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.5685G	-70.13	-27.00	-43.13	4.26	0.00	-74.39	-74.39
8G	12G	1M	PK	11.433G	-72.22	-21.20	-51.02	4.26	0.00	-76.48	-76.48
12G	40G	1M	PK	38.4075G	-67.01	-27.00	-40.01	4.26	0.00	-71.27	-71.27

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.4195G	-82.49	-41.20	-41.29	4.26	0.00	-86.75	-86.75
8G	12G	1M	AV	11.807G	-79.58	-41.20	-38.38	4.26	0.00	-83.84	-83.84
12G	40G	1M	AV	38.4925G	-74.36	-41.20	-33.16	4.26	0.00	-78.62	-78.62

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.986G	-70.74	-27.00	-43.74	3.94	0.00	-74.68	-74.68
8G	12G	1M	PK	11.5G	-72.51	-21.20	-51.31	3.94	0.00	-76.45	-76.45
12G	40G	1M	PK	17.237G	-66.50	-27.00	-39.50	3.94	0.00	-70.44	-70.44

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.515G	-82.56	-41.20	-41.36	3.94	0.00	-86.50	-86.50
8G	12G	1M	AV	11.6805G	-80.12	-41.20	-38.92	3.94	0.00	-84.06	-84.06
12G	40G	1M	AV	39.4375G	-74.84	-41.20	-33.64	3.94	0.00	-78.78	-78.78

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.5605G	-70.02	-27.00	-43.02	3.94	0.00	-73.96	-73.96
8G	12G	1M	PK	11.59G	-72.09	-21.20	-50.89	3.94	0.00	-76.03	-76.03
12G	40G	1M	PK	38.516G	-66.64	-27.00	-39.64	3.94	0.00	-70.58	-70.58

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.5955G	-82.15	-41.20	-40.95	3.94	0.00	-86.09	-86.09
8G	12G	1M	AV	11.699G	-80.16	-41.20	-38.96	3.94	0.00	-84.10	-84.10
12G	40G	1M	AV	38.51G	-74.81	-41.20	-33.61	3.94	0.00	-78.75	-78.75

802.11ax HEW80_Nss1,(MCS0)_1TX
5210MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.4245G	-70.74	-27.00	-43.74	5.24	0.00	-75.98	-75.98
8G	12G	1M	PK	10.583G	-70.24	-27.00	-43.24	5.24	0.00	-75.48	-75.48
12G	40G	1M	PK	38.4845G	-64.98	-27.00	-37.98	5.24	0.00	-70.22	-70.22

802.11ax HEW80_Nss1,(MCS0)_1TX
5210MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.6515G	-78.68	-41.20	-37.48	5.24	0.00	-83.92	-83.92
12G	40G	1M	AV	39.496G	-73.74	-41.20	-32.54	5.24	0.00	-78.98	-78.98

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.018G	-69.51	-27.00	-42.51	5.46	0.00	-74.97	-74.97
8G	12G	1M	PK	10.578G	-70.28	-27.00	-43.28	5.46	0.00	-75.74	-75.74
12G	40G	1M	PK	38.4425G	-66.15	-27.00	-39.15	5.46	0.00	-71.61	-71.61

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	10.603G	-80.12	-41.20	-38.92	5.46	0.00	-85.58	-85.58
8G	12G	1M	AV	11.683G	-78.10	-41.20	-36.90	5.46	0.00	-83.56	-83.56
12G	40G	1M	AV	38.4855G	-73.34	-41.20	-32.14	5.46	0.00	-78.80	-78.80

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	9.598G	-70.45	-27.00	-43.45	4.26	0.00	-74.71	-74.71
8G	12G	1M	PK	11.09G	-72.22	-21.20	-51.02	4.26	0.00	-76.48	-76.48
12G	40G	1M	PK	38.348G	-67.18	-27.00	-40.18	4.26	0.00	-71.44	-71.44

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.0655G	-82.10	-41.20	-40.90	4.26	0.00	-86.36	-86.36
8G	12G	1M	AV	11.701G	-79.49	-41.20	-38.29	4.26	0.00	-83.75	-83.75
12G	40G	1M	AV	39.811G	-74.85	-41.20	-33.65	4.26	0.00	-79.11	-79.11

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.31G	-70.90	-27.00	-43.90	4.26	0.00	-75.16	-75.16
8G	12G	1M	PK	11.2175G	-71.73	-21.20	-50.53	4.26	0.00	-75.99	-75.99
12G	40G	1M	PK	38.3515G	-67.51	-27.00	-40.51	4.26	0.00	-71.77	-71.77

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.2055G	-81.63	-41.20	-40.43	4.26	0.00	-85.89	-85.89
8G	12G	1M	AV	11.6825G	-79.71	-41.20	-38.51	4.26	0.00	-83.97	-83.97
12G	40G	1M	AV	38.5065G	-74.59	-41.20	-33.39	4.26	0.00	-78.85	-78.85

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	8.0145G	-70.65	-27.00	-43.65	4.26	0.00	-74.91	-74.91
8G	12G	1M	PK	11.3795G	-71.23	-21.20	-50.03	4.26	0.00	-75.49	-75.49
12G	40G	1M	PK	38.404G	-65.98	-27.00	-38.98	4.26	0.00	-70.24	-70.24

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz

CSE [AV]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.364G	-82.02	-41.20	-40.82	4.26	0.00	-86.28	-86.28
8G	12G	1M	AV	11.7175G	-79.52	-41.20	-38.32	4.26	0.00	-83.78	-83.78
12G	40G	1M	AV	38.705G	-74.44	-41.20	-33.24	4.26	0.00	-78.70	-78.70

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz

CSE [PK]

11/02/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	PK	10.3845G	-70.90	-27.00	-43.90	3.94	0.00	-74.84	-74.84
8G	12G	1M	PK	11.581G	-70.85	-21.20	-49.65	3.94	0.00	-74.79	-74.79
12G	40G	1M	PK	38.544G	-66.82	-27.00	-39.82	3.94	0.00	-70.76	-70.76

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz

CSE [AV]

11/02/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	12G	1M	AV	11.5645G	-82.75	-41.20	-41.55	3.94	0.00	-86.69	-86.69
8G	12G	1M	AV	11.703G	-80.08	-41.20	-38.88	3.94	0.00	-84.02	-84.02
12G	40G	1M	AV	38.5065G	-74.73	-41.20	-33.53	3.94	0.00	-78.67	-78.67



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	39.594G	5.39	-72.51	-72.77	-69.63	-64.24	-41.20	-23.04
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.8335G	5.39	-72.80	-72.29	-69.53	-64.14	-41.20	-22.94
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.594G	5.39	-72.83	-72.73	-69.77	-64.38	-41.20	-23.18
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.8565G	5.39	-72.89	-72.17	-69.50	-64.11	-41.20	-22.91
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	39.8075G	5.26	-72.88	-72.63	-69.74	-64.48	-41.20	-23.28
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.594G	5.26	-72.16	-72.75	-69.43	-64.17	-41.20	-22.97
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.951G	5.26	-72.97	-72.25	-69.58	-64.32	-41.20	-23.12
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.601G	5.26	-73.25	-72.64	-69.92	-64.66	-41.20	-23.46
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	39.944G	4.69	-72.16	-72.71	-69.42	-64.73	-41.20	-23.53
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.923G	4.69	-72.41	-73.03	-69.70	-65.01	-41.20	-23.81
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.7865G	4.69	-72.87	-72.75	-69.80	-65.11	-41.20	-23.91
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.853G	4.69	-72.06	-73.62	-69.76	-65.07	-41.20	-23.87
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	39.594G	4.16	-72.43	-72.80	-69.60	-65.44	-41.20	-24.24
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.8075G	4.16	-72.95	-72.26	-69.58	-65.42	-41.20	-24.22
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.9405G	4.16	-72.55	-73.08	-69.80	-65.64	-41.20	-24.44
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.839G	4.16	-72.79	-72.98	-69.87	-65.71	-41.20	-24.51

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8G	12G	AV	11.1795G	5.39	-82.25	-80.42	-78.23	-72.84	-41.20	-31.64
5180MHz	Pass	12G	40G	AV	39.594G	5.39	-72.51	-72.77	-69.63	-64.24	-41.20	-23.04
5180MHz	Pass	8G	12G	PK	10.3365G	5.39	-73.10	-71.39	-69.15	-63.76	-27.00	-36.76
5180MHz	Pass	8G	12G	PK	10.356G	5.39	-72.85	-73.86	-70.32	-64.93	-27.00	-37.93
5180MHz	Pass	12G	40G	PK	38.25G	5.39	-66.34	-66.03	-63.17	-57.78	-27.00	-30.78
5200MHz	Pass	8G	12G	AV	11.2485G	5.39	-80.81	-81.53	-78.14	-72.75	-41.20	-31.55
5200MHz	Pass	12G	40G	AV	39.839G	5.39	-72.18	-73.15	-69.63	-64.24	-41.20	-23.04
5200MHz	Pass	8G	12G	PK	10.4055G	5.39	-73.41	-72.49	-69.92	-64.53	-27.00	-37.53
5200MHz	Pass	8G	12G	PK	10.486G	5.39	-70.19	-74.80	-68.90	-63.51	-27.00	-36.51
5200MHz	Pass	12G	40G	PK	38.5125G	5.39	-66.44	-65.52	-62.95	-57.56	-27.00	-30.56
5240MHz	Pass	8G	12G	AV	10.609G	5.39	-81.83	-80.95	-78.36	-72.97	-41.20	-31.77
5240MHz	Pass	12G	40G	AV	39.853G	5.39	-73.01	-72.57	-69.77	-64.38	-41.20	-23.18
5240MHz	Pass	8G	12G	PK	10.347G	5.39	-71.78	-70.03	-67.81	-62.42	-27.00	-35.42
5240MHz	Pass	8G	12G	PK	10.482G	5.39	-74.52	-72.53	-70.40	-65.01	-27.00	-38.01
5240MHz	Pass	12G	40G	PK	38.3445G	5.39	-69.82	-64.16	-63.12	-57.73	-27.00	-30.73
5260MHz	Pass	8G	12G	AV	11.2575G	5.26	-81.31	-81.67	-78.48	-73.22	-41.20	-32.02
5260MHz	Pass	12G	40G	AV	39.8425G	5.26	-72.48	-73.25	-69.84	-64.58	-41.20	-23.38
5260MHz	Pass	8G	12G	PK	10.2525G	5.26	-71.33	-72.74	-68.97	-63.71	-27.00	-36.71
5260MHz	Pass	8G	12G	PK	10.5195G	5.26	-72.46	-74.16	-70.22	-64.96	-27.00	-37.96
5260MHz	Pass	12G	40G	PK	38.4985G	5.26	-66.59	-63.27	-61.61	-56.35	-27.00	-29.35
5300MHz	Pass	8G	12G	AV	10.6055G	5.26	-82.14	-81.50	-78.80	-73.54	-41.20	-32.34
5300MHz	Pass	8G	12G	AV	10.647G	5.26	-80.66	-82.03	-78.28	-73.02	-41.20	-31.82
5300MHz	Pass	12G	40G	AV	39.8075G	5.26	-72.88	-72.63	-69.74	-64.48	-41.20	-23.28
5300MHz	Pass	8G	12G	PK	10.3545G	5.26	-72.97	-71.67	-69.26	-64.00	-27.00	-37.00
5300MHz	Pass	8G	12G	PK	10.5995G	5.26	-73.50	-72.71	-70.08	-64.82	-27.00	-37.82
5300MHz	Pass	12G	40G	PK	38.5055G	5.26	-67.06	-65.84	-63.40	-58.14	-27.00	-31.14
5320MHz	Pass	8G	12G	AV	10.6375G	5.26	-81.19	-81.92	-78.53	-73.27	-41.20	-32.07
5320MHz	Pass	8G	12G	AV	11.249G	5.26	-81.46	-80.49	-77.94	-72.68	-41.20	-31.48
5320MHz	Pass	12G	40G	AV	39.8355G	5.26	-72.96	-72.71	-69.82	-64.56	-41.20	-23.36
5320MHz	Pass	8G	12G	PK	10.4235G	5.26	-71.42	-72.49	-68.91	-63.65	-27.00	-36.65
5320MHz	Pass	8G	12G	PK	10.6335G	5.26	-70.42	-74.13	-68.88	-63.62	-21.20	-42.42
5320MHz	Pass	12G	40G	PK	38.565G	5.26	-66.05	-66.53	-63.27	-58.01	-27.00	-31.01
5500MHz	Pass	8G	12G	AV	10.6515G	4.69	-81.31	-80.91	-78.10	-73.41	-41.20	-32.21
5500MHz	Pass	8G	12G	AV	10.9995G	4.69	-83.00	-82.51	-79.74	-75.05	-41.20	-33.85
5500MHz	Pass	12G	40G	AV	39.944G	4.69	-72.16	-72.71	-69.42	-64.73	-41.20	-23.53
5500MHz	Pass	8G	12G	PK	10.4005G	4.69	-70.49	-73.08	-68.58	-63.89	-27.00	-36.89
5500MHz	Pass	8G	12G	PK	10.997G	4.69	-73.70	-74.29	-70.97	-66.28	-21.20	-45.08
5500MHz	Pass	12G	40G	PK	38.5685G	4.69	-66.13	-65.91	-63.01	-58.32	-27.00	-31.32
5580MHz	Pass	8G	12G	AV	11.153G	4.69	-82.08	-82.38	-79.22	-74.53	-41.20	-33.33
5580MHz	Pass	8G	12G	AV	11.238G	4.69	-81.79	-81.06	-78.40	-73.71	-41.20	-32.51
5580MHz	Pass	12G	40G	AV	39.293G	4.69	-73.24	-72.22	-69.69	-65.00	-41.20	-23.80
5580MHz	Pass	8G	12G	PK	10.332G	4.69	-69.85	-74.36	-68.53	-63.84	-27.00	-36.84
5580MHz	Pass	8G	12G	PK	11.163G	4.69	-74.59	-71.71	-69.91	-65.22	-21.20	-44.02
5580MHz	Pass	12G	40G	PK	38.579G	4.69	-65.82	-67.16	-63.43	-58.74	-27.00	-31.74
5700MHz	Pass	8G	12G	AV	11.2075G	4.69	-81.46	-81.04	-78.23	-73.54	-41.20	-32.34
5700MHz	Pass	8G	12G	AV	11.4045G	4.69	-81.25	-83.31	-79.15	-74.46	-41.20	-33.26
5700MHz	Pass	12G	40G	AV	39.804G	4.69	-73.08	-72.40	-69.72	-65.03	-41.20	-23.83
5700MHz	Pass	8G	12G	PK	10.2815G	4.69	-70.38	-74.11	-68.85	-64.16	-27.00	-37.16
5700MHz	Pass	8G	12G	PK	11.403G	4.69	-73.46	-73.64	-70.54	-65.85	-21.20	-44.65
5700MHz	Pass	12G	40G	PK	37.6375G	4.69	-66.88	-66.01	-63.41	-58.72	-27.00	-31.72
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	10.6435G	4.69	-81.97	-80.43	-78.12	-73.43	-41.20	-32.23
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4445G	4.69	-81.31	-82.71	-78.94	-74.25	-41.20	-33.05
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.8215G	4.69	-73.38	-71.87	-69.55	-64.86	-41.20	-23.66
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	10.327G	4.69	-74.21	-70.93	-69.26	-64.57	-27.00	-37.57
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.437G	4.69	-72.37	-73.39	-69.84	-65.15	-21.20	-43.95
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	37.543G	4.69	-67.35	-63.79	-62.20	-57.51	-27.00	-30.51
5745MHz	Pass	8G	12G	AV	10.6275G	4.16	-80.81	-81.34	-78.06	-73.90	-41.20	-32.70
5745MHz	Pass	8G	12G	AV	11.4915G	4.16	-81.98	-82.72	-79.32	-75.16	-41.20	-33.96
5745MHz	Pass	12G	40G	AV	39.7795G	4.16	-72.84	-72.77	-69.79	-65.63	-41.20	-24.43
5745MHz	Pass	8G	12G	PK	10.595G	4.16	-72.59	-70.18	-68.21	-64.05	-27.00	-37.05
5745MHz	Pass	8G	12G	PK	11.4925G	4.16	-72.21	-74.47	-70.18	-66.02	-21.20	-44.82
5745MHz	Pass	12G	40G	PK	17.2325G	4.16	-62.28	-73.89	-61.99	-57.83	-27.00	-30.83
5785MHz	Pass	8G	12G	AV	10.6225G	4.16	-81.10	-81.23	-78.15	-73.99	-41.20	-32.79
5785MHz	Pass	8G	12G	AV	11.5685G	4.16	-82.12	-82.45	-79.27	-75.11	-41.20	-33.91
5785MHz	Pass	12G	40G	AV	39.8215G	4.16	-73.29	-72.33	-69.77	-65.61	-41.20	-24.41
5785MHz	Pass	8G	12G	PK	10.32G	4.16	-71.27	-72.27	-68.73	-64.57	-27.00	-37.57
5785MHz	Pass	8G	12G	PK	11.577G	4.16	-74.07	-73.88	-70.96	-66.80	-21.20	-45.60
5785MHz	Pass	12G	40G	PK	38.565G	4.16	-64.52	-65.22	-61.85	-57.69	-27.00	-30.69



CSE_Radio 1 (Harmonic 8GHz ~ 40GHz)

Appendix E.10

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5825MHz	Pass	8G	12G	AV	10.639G	4.16	-80.83	-81.38	-78.09	-73.93	-41.20	-32.73
5825MHz	Pass	8G	12G	AV	11.654G	4.16	-82.57	-81.24	-78.84	-74.68	-41.20	-33.48
5825MHz	Pass	12G	40G	AV	39.594G	4.16	-72.43	-72.80	-69.60	-65.44	-41.20	-24.24
5825MHz	Pass	8G	12G	PK	10.3685G	4.16	-70.38	-74.36	-68.92	-64.76	-27.00	-37.76
5825MHz	Pass	8G	12G	PK	11.6535G	4.16	-72.01	-75.20	-70.31	-66.15	-21.20	-44.95
5825MHz	Pass	12G	40G	PK	38.544G	4.16	-66.92	-64.76	-62.70	-58.54	-27.00	-31.54
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8G	12G	AV	11.2165G	5.39	-81.25	-81.20	-78.21	-72.82	-41.20	-31.62
5180MHz	Pass	12G	40G	AV	38.7015G	5.39	-72.98	-72.51	-69.73	-64.34	-41.20	-23.14
5180MHz	Pass	8G	12G	PK	10.3195G	5.39	-70.58	-73.09	-68.65	-63.26	-27.00	-36.26
5180MHz	Pass	8G	12G	PK	10.3555G	5.39	-74.25	-71.16	-69.43	-64.04	-27.00	-37.04
5180MHz	Pass	12G	40G	PK	38.453G	5.39	-63.50	-68.49	-62.30	-56.91	-27.00	-29.91
5200MHz	Pass	8G	12G	AV	11.21G	5.39	-82.09	-80.34	-78.12	-72.73	-41.20	-31.53
5200MHz	Pass	12G	40G	AV	39.8355G	5.39	-72.80	-72.29	-69.53	-64.14	-41.20	-22.94
5200MHz	Pass	8G	12G	PK	10.2505G	5.39	-71.47	-72.70	-69.03	-63.64	-27.00	-36.64
5200MHz	Pass	8G	12G	PK	10.4025G	5.39	-72.07	-75.52	-70.45	-65.06	-27.00	-38.06
5200MHz	Pass	12G	40G	PK	38.4705G	5.39	-66.04	-66.72	-63.36	-57.97	-27.00	-30.97
5240MHz	Pass	8G	12G	AV	11.2105G	5.39	-81.69	-80.09	-77.81	-72.42	-41.20	-31.22
5240MHz	Pass	12G	40G	AV	39.65G	5.39	-72.31	-73.14	-69.69	-64.30	-41.20	-23.10
5240MHz	Pass	8G	12G	PK	10.163G	5.39	-69.07	-74.47	-67.97	-62.58	-27.00	-35.58
5240MHz	Pass	8G	12G	PK	10.487G	5.39	-73.59	-74.30	-70.92	-65.53	-27.00	-38.53
5240MHz	Pass	12G	40G	PK	37.669G	5.39	-68.00	-66.28	-64.05	-58.66	-27.00	-31.66
5260MHz	Pass	8G	12G	AV	10.659G	5.26	-82.12	-80.46	-78.20	-72.94	-41.20	-31.74
5260MHz	Pass	12G	40G	AV	39.594G	5.26	-72.16	-72.75	-69.43	-64.17	-41.20	-22.97
5260MHz	Pass	8G	12G	PK	10.378G	5.26	-70.90	-72.40	-68.58	-63.32	-27.00	-36.32
5260MHz	Pass	8G	12G	PK	10.5205G	5.26	-73.82	-73.53	-70.66	-65.40	-27.00	-38.40
5260MHz	Pass	12G	40G	PK	38.558G	5.26	-64.54	-66.13	-62.25	-56.99	-27.00	-29.99
5300MHz	Pass	8G	12G	AV	10.6025G	5.26	-81.55	-82.36	-78.93	-73.67	-41.20	-32.47
5300MHz	Pass	8G	12G	AV	11.2295G	5.26	-81.37	-81.20	-78.27	-73.01	-41.20	-31.81
5300MHz	Pass	12G	40G	AV	39.8215G	5.26	-72.76	-72.89	-69.81	-64.55	-41.20	-23.35
5300MHz	Pass	8G	12G	PK	10.3265G	5.26	-73.93	-70.21	-68.67	-63.41	-27.00	-36.41
5300MHz	Pass	8G	12G	PK	10.596G	5.26	-71.92	-74.07	-69.85	-64.59	-27.00	-37.59
5300MHz	Pass	12G	40G	PK	37.669G	5.26	-66.12	-66.48	-63.29	-58.03	-27.00	-31.03
5320MHz	Pass	8G	12G	AV	10.6415G	5.26	-82.41	-80.97	-78.62	-73.36	-41.20	-32.16
5320MHz	Pass	8G	12G	AV	11.277G	5.26	-81.29	-81.33	-78.30	-73.04	-41.20	-31.84
5320MHz	Pass	12G	40G	AV	39.8355G	5.26	-73.39	-72.26	-69.78	-64.52	-41.20	-23.32
5320MHz	Pass	8G	12G	PK	10.3595G	5.26	-72.05	-71.33	-68.66	-63.40	-27.00	-36.40
5320MHz	Pass	8G	12G	PK	10.6385G	5.26	-73.26	-71.46	-69.26	-64.00	-21.20	-42.80
5320MHz	Pass	12G	40G	PK	37.2735G	5.26	-65.33	-66.02	-62.65	-57.39	-27.00	-30.39
5500MHz	Pass	8G	12G	AV	11.002G	4.69	-82.83	-82.05	-79.41	-74.72	-41.20	-33.52
5500MHz	Pass	8G	12G	AV	11.2765G	4.69	-80.53	-82.03	-78.21	-73.52	-41.20	-32.32
5500MHz	Pass	12G	40G	AV	39.923G	4.69	-72.41	-73.03	-69.70	-65.01	-41.20	-23.81
5500MHz	Pass	8G	12G	PK	10.3275G	4.69	-70.25	-75.41	-69.09	-64.40	-27.00	-37.40
5500MHz	Pass	8G	12G	PK	11.0025G	4.69	-73.76	-73.68	-70.71	-66.02	-21.20	-44.82
5500MHz	Pass	12G	40G	PK	38.4915G	4.69	-69.61	-63.74	-62.74	-58.05	-27.00	-31.05
5580MHz	Pass	8G	12G	AV	11.162G	4.69	-81.13	-83.08	-78.99	-74.30	-41.20	-33.10
5580MHz	Pass	8G	12G	AV	11.246G	4.69	-79.69	-81.32	-77.42	-72.73	-41.20	-31.53
5580MHz	Pass	12G	40G	AV	39.9755G	4.69	-73.20	-72.42	-69.78	-65.09	-41.20	-23.89
5580MHz	Pass	8G	12G	PK	10.35G	4.69	-71.88	-71.67	-68.76	-64.07	-27.00	-37.07
5580MHz	Pass	8G	12G	PK	11.1655G	4.69	-72.20	-75.57	-70.56	-65.87	-21.20	-44.67
5580MHz	Pass	12G	40G	PK	16.739G	4.69	-64.06	-67.59	-62.47	-57.78	-27.00	-30.78
5700MHz	Pass	8G	12G	AV	10.6215G	4.69	-81.34	-81.36	-78.34	-73.65	-41.20	-32.45
5700MHz	Pass	8G	12G	AV	11.3965G	4.69	-81.89	-81.95	-78.91	-74.22	-41.20	-33.02
5700MHz	Pass	12G	40G	AV	39.8355G	4.69	-72.50	-73.09	-69.77	-65.08	-41.20	-23.88
5700MHz	Pass	8G	12G	PK	10.338G	4.69	-70.06	-74.27	-68.66	-63.97	-27.00	-36.97
5700MHz	Pass	8G	12G	PK	11.395G	4.69	-72.22	-74.38	-70.16	-65.47	-21.20	-44.27
5700MHz	Pass	12G	40G	PK	38.5545G	4.69	-66.53	-65.24	-62.83	-58.14	-27.00	-31.14
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.2065G	4.69	-81.03	-81.64	-78.31	-73.62	-41.20	-32.42
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4365G	4.69	-81.67	-82.12	-78.88	-74.19	-41.20	-32.99
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.7935G	4.69	-72.55	-72.95	-69.74	-65.05	-41.20	-23.85
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	10.588G	4.69	-75.13	-70.29	-69.06	-64.37	-27.00	-37.37
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.445G	4.69	-72.39	-73.31	-69.82	-65.13	-21.20	-43.93
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	38.5545G	4.69	-67.29	-65.16	-63.09	-58.40	-27.00	-31.40
5745MHz	Pass	8G	12G	AV	11.296G	4.16	-81.53	-81.23	-78.37	-74.21	-41.20	-33.01
5745MHz	Pass	8G	12G	AV	11.4915G	4.16	-82.85	-82.48	-79.65	-75.49	-41.20	-34.29
5745MHz	Pass	12G	40G	AV	39.8075G	4.16	-72.95	-72.26	-69.58	-65.42	-41.20	-24.22
5745MHz	Pass	8G	12G	PK	10.385G	4.16	-71.57	-73.07	-69.25	-65.09	-27.00	-38.09
5745MHz	Pass	8G	12G	PK	11.49G	4.16	-73.28	-73.73	-70.49	-66.33	-21.20	-45.13
5745MHz	Pass	12G	40G	PK	38.5895G	4.16	-64.09	-66.83	-62.24	-58.08	-27.00	-31.08
5785MHz	Pass	8G	12G	AV	10.624G	4.16	-81.41	-81.61	-78.50	-74.34	-41.20	-33.14



CSE_Radio 1 (Harmonic 8GHz ~ 40GHz)

Appendix E.10

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5785MHz	Pass	8G	12G	AV	11.5745G	4.16	-82.46	-82.78	-79.61	-75.45	-41.20	-34.25
5785MHz	Pass	12G	40G	AV	39.9825G	4.16	-73.25	-72.53	-69.86	-65.70	-41.20	-24.50
5785MHz	Pass	8G	12G	PK	10.331G	4.16	-70.51	-75.04	-69.20	-65.04	-27.00	-38.04
5785MHz	Pass	8G	12G	PK	11.577G	4.16	-72.76	-73.47	-70.09	-65.93	-21.20	-44.73
5785MHz	Pass	12G	40G	PK	17.355G	4.16	-63.36	-71.56	-62.75	-58.59	-27.00	-31.59
5825MHz	Pass	8G	12G	AV	11.2195G	4.16	-80.67	-81.95	-78.25	-74.09	-41.20	-32.89
5825MHz	Pass	8G	12G	AV	11.6515G	4.16	-82.08	-82.22	-79.14	-74.98	-41.20	-33.78
5825MHz	Pass	12G	40G	AV	39.979G	4.16	-73.15	-72.69	-69.90	-65.74	-41.20	-24.54
5825MHz	Pass	8G	12G	PK	10.352G	4.16	-70.83	-73.32	-68.89	-64.73	-27.00	-37.73
5825MHz	Pass	8G	12G	PK	11.6465G	4.16	-71.42	-72.43	-68.89	-64.73	-21.20	-43.53
5825MHz	Pass	12G	40G	PK	17.481G	4.16	-58.72	-72.44	-58.54	-54.38	-27.00	-27.38
802.11ax HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	8G	12G	AV	11.255G	5.39	-81.76	-80.74	-78.21	-72.82	-41.20	-31.62
5190MHz	Pass	12G	40G	AV	39.622G	5.39	-73.16	-72.49	-69.80	-64.41	-41.20	-23.21
5190MHz	Pass	8G	12G	PK	10.364G	5.39	-70.52	-74.34	-69.01	-63.62	-27.00	-36.62
5190MHz	Pass	12G	40G	PK	38.53G	5.39	-65.88	-67.95	-63.78	-58.39	-27.00	-31.39
5230MHz	Pass	8G	12G	AV	11.246G	5.39	-80.85	-81.57	-78.18	-72.79	-41.20	-31.69
5230MHz	Pass	12G	40G	AV	39.594G	5.39	-72.83	-72.73	-69.77	-64.38	-41.20	-23.18
5230MHz	Pass	8G	12G	PK	10.378G	5.39	-71.80	-71.58	-68.68	-63.29	-27.00	-36.29
5230MHz	Pass	8G	12G	PK	10.4755G	5.39	-70.81	-73.93	-69.09	-63.70	-27.00	-36.70
5230MHz	Pass	12G	40G	PK	37.487G	5.39	-64.66	-68.70	-63.22	-57.83	-27.00	-30.83
5270MHz	Pass	8G	12G	AV	11.239G	5.26	-81.45	-81.24	-78.33	-73.07	-41.20	-31.87
5270MHz	Pass	12G	40G	AV	39.9265G	5.26	-72.13	-73.48	-69.74	-64.48	-41.20	-23.28
5270MHz	Pass	8G	12G	PK	10.3895G	5.26	-71.97	-71.26	-68.59	-63.33	-27.00	-36.33
5270MHz	Pass	8G	12G	PK	10.535G	5.26	-73.90	-72.21	-69.96	-64.70	-27.00	-37.70
5270MHz	Pass	12G	40G	PK	38.558G	5.26	-65.87	-67.03	-63.40	-58.14	-27.00	-31.14
5310MHz	Pass	8G	12G	AV	10.63G	5.26	-82.19	-80.83	-78.45	-73.19	-41.20	-31.99
5310MHz	Pass	8G	12G	AV	11.1965G	5.26	-80.75	-81.43	-78.07	-72.81	-41.20	-31.61
5310MHz	Pass	12G	40G	AV	39.951G	5.26	-72.97	-72.25	-69.58	-64.32	-41.20	-23.12
5310MHz	Pass	8G	12G	PK	10.3835G	5.26	-71.04	-72.90	-68.86	-63.60	-27.00	-36.60
5310MHz	Pass	8G	12G	PK	10.6155G	5.26	-71.70	-73.35	-69.44	-64.18	-21.20	-42.98
5310MHz	Pass	12G	40G	PK	38.432G	5.26	-68.05	-64.84	-63.14	-57.88	-27.00	-30.88
5510MHz	Pass	8G	12G	AV	11.02G	4.69	-81.51	-82.70	-79.05	-74.36	-41.20	-33.16
5510MHz	Pass	8G	12G	AV	11.327G	4.69	-81.24	-81.37	-78.29	-73.60	-41.20	-32.40
5510MHz	Pass	12G	40G	AV	39.8005G	4.69	-73.17	-72.53	-69.83	-65.14	-41.20	-23.94
5510MHz	Pass	8G	12G	PK	10.592G	4.69	-72.66	-71.15	-68.83	-64.14	-27.00	-37.14
5510MHz	Pass	8G	12G	PK	11.025G	4.69	-71.48	-75.75	-70.10	-65.41	-21.20	-44.21
5510MHz	Pass	12G	40G	PK	37.606G	4.69	-66.63	-66.73	-63.67	-58.98	-27.00	-31.98
5550MHz	Pass	8G	12G	AV	11.1G	4.69	-82.08	-82.55	-79.30	-74.61	-41.20	-33.41
5550MHz	Pass	8G	12G	AV	11.2835G	4.69	-81.29	-80.72	-77.99	-73.30	-41.20	-32.10
5550MHz	Pass	12G	40G	AV	39.7865G	4.69	-72.87	-72.75	-69.80	-65.11	-41.20	-23.91
5550MHz	Pass	8G	12G	PK	10.3695G	4.69	-71.30	-72.98	-69.05	-64.36	-27.00	-37.36
5550MHz	Pass	8G	12G	PK	11.098G	4.69	-75.24	-71.26	-69.80	-65.11	-21.20	-43.91
5550MHz	Pass	12G	40G	PK	38.404G	4.69	-66.94	-63.69	-62.01	-57.32	-27.00	-30.32
5670MHz	Pass	8G	12G	AV	10.688G	4.69	-81.40	-81.09	-78.23	-73.54	-41.20	-32.34
5670MHz	Pass	8G	12G	AV	11.331G	4.69	-81.84	-81.94	-78.88	-74.19	-41.20	-32.99
5670MHz	Pass	12G	40G	AV	39.972G	4.69	-72.86	-72.98	-69.91	-65.22	-41.20	-24.02
5670MHz	Pass	8G	12G	PK	10.3815G	4.69	-70.94	-73.01	-68.84	-64.15	-27.00	-37.15
5670MHz	Pass	8G	12G	PK	11.328G	4.69	-73.55	-72.05	-69.73	-65.04	-21.20	-43.84
5670MHz	Pass	12G	40G	PK	37.291G	4.69	-67.11	-65.29	-63.10	-58.41	-27.00	-31.41
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.245G	4.69	-81.49	-80.74	-78.09	-73.40	-41.20	-32.20
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4165G	4.69	-82.27	-81.91	-79.08	-74.39	-41.20	-33.19
5710MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.9965G	4.69	-73.58	-72.29	-69.88	-65.19	-41.20	-23.99
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	10.45G	4.69	-71.54	-71.66	-68.59	-63.90	-27.00	-36.90
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.422G	4.69	-72.07	-73.35	-69.65	-64.96	-21.20	-43.76
5710MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	38.558G	4.69	-67.69	-64.82	-63.01	-58.32	-27.00	-31.32
5755MHz	Pass	8G	12G	AV	11.251G	4.16	-81.10	-81.61	-78.34	-74.18	-41.20	-32.98
5755MHz	Pass	8G	12G	AV	11.494G	4.16	-82.10	-82.40	-79.24	-75.08	-41.20	-33.88
5755MHz	Pass	12G	40G	AV	39.9405G	4.16	-72.55	-73.08	-69.80	-65.64	-41.20	-24.44
5755MHz	Pass	8G	12G	PK	10.307G	4.16	-72.50	-71.90	-69.18	-65.02	-27.00	-38.02
5755MHz	Pass	8G	12G	PK	11.513G	4.16	-74.47	-71.85	-69.96	-65.80	-21.20	-44.60
5755MHz	Pass	12G	40G	PK	38.0855G	4.16	-65.61	-65.69	-62.64	-58.48	-27.00	-31.48
5795MHz	Pass	8G	12G	AV	11.2475G	4.16	-81.91	-80.86	-78.34	-74.18	-41.20	-32.98
5795MHz	Pass	8G	12G	AV	11.606G	4.16	-81.75	-82.77	-79.22	-75.06	-41.20	-33.86
5795MHz	Pass	12G	40G	AV	39.874G	4.16	-72.86	-72.90	-69.87	-65.71	-41.20	-24.51
5795MHz	Pass	8G	12G	PK	10.335G	4.16	-71.29	-72.81	-68.97	-64.81	-27.00	-37.81
5795MHz	Pass	8G	12G	PK	11.5755G	4.16	-74.43	-72.89	-70.58	-66.42	-21.20	-45.22
5795MHz	Pass	12G	40G	PK	38.068G	4.16	-65.77	-66.73	-63.21	-59.05	-27.00	-32.05
802.11ax HEW80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	8G	12G	AV	11.201G	5.39	-80.95	-81.57	-78.24	-72.85	-41.20	-31.65



CSE_Radio 1 (Harmonic 8GHz ~ 40GHz)

Appendix E.10

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5210MHz	Pass	12G	40G	AV	39.8565G	5.39	-72.89	-72.17	-69.50	-64.11	-41.20	-22.91
5210MHz	Pass	8G	12G	PK	10.42G	5.39	-71.43	-73.87	-69.47	-64.08	-27.00	-37.08
5210MHz	Pass	8G	12G	PK	10.562G	5.39	-70.63	-74.73	-69.20	-63.81	-27.00	-36.81
5210MHz	Pass	12G	40G	PK	38.565G	5.39	-63.22	-70.54	-62.48	-57.09	-27.00	-30.09
5290MHz	Pass	8G	12G	AV	10.6105G	5.26	-81.44	-81.25	-78.33	-73.07	-41.20	-31.87
5290MHz	Pass	8G	12G	AV	11.208G	5.26	-80.52	-82.08	-78.22	-72.96	-41.20	-31.76
5290MHz	Pass	12G	40G	AV	39.601G	5.26	-73.25	-72.64	-69.92	-64.66	-41.20	-23.46
5290MHz	Pass	8G	12G	PK	10.3165G	5.26	-74.60	-69.88	-68.62	-63.36	-27.00	-36.36
5290MHz	Pass	8G	12G	PK	10.588G	5.26	-73.84	-71.96	-69.79	-64.53	-27.00	-37.53
5290MHz	Pass	12G	40G	PK	38.5685G	5.26	-67.14	-64.72	-62.75	-57.49	-27.00	-30.49
5530MHz	Pass	8G	12G	AV	11.0425G	4.69	-82.33	-81.90	-79.10	-74.41	-41.20	-33.21
5530MHz	Pass	8G	12G	AV	11.2135G	4.69	-82.34	-80.21	-78.14	-73.45	-41.20	-32.25
5530MHz	Pass	12G	40G	AV	38.712G	4.69	-72.94	-72.84	-69.88	-65.19	-41.20	-23.99
5530MHz	Pass	8G	12G	PK	10.3715G	4.69	-72.04	-72.78	-69.38	-64.69	-27.00	-37.69
5530MHz	Pass	8G	12G	PK	11.0665G	4.69	-73.00	-73.28	-70.13	-65.44	-21.20	-44.24
5530MHz	Pass	12G	40G	PK	37.606G	4.69	-65.76	-67.23	-63.42	-58.73	-27.00	-31.73
5610MHz	Pass	8G	12G	AV	11.234G	4.69	-81.41	-81.24	-78.31	-73.62	-41.20	-32.42
5610MHz	Pass	12G	40G	AV	39.853G	4.69	-72.06	-73.62	-69.76	-65.07	-41.20	-23.87
5610MHz	Pass	8G	12G	PK	10.2775G	4.69	-70.94	-73.31	-68.95	-64.26	-27.00	-37.26
5610MHz	Pass	8G	12G	PK	11.248G	4.69	-70.97	-73.60	-69.08	-64.39	-21.20	-43.19
5610MHz	Pass	12G	40G	PK	38.0365G	4.69	-64.37	-67.33	-62.59	-57.90	-27.00	-30.90
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.194G	4.69	-81.52	-81.21	-78.35	-73.66	-41.20	-32.46
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.35G	4.69	-81.56	-82.05	-78.79	-74.10	-41.20	-32.90
5690MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.839G	4.69	-72.32	-73.42	-69.82	-65.13	-41.20	-23.93
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	10.2275G	4.69	-70.67	-73.80	-68.95	-64.26	-27.00	-37.26
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.36G	4.69	-73.27	-70.41	-68.60	-63.91	-21.20	-42.71
5690MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	38.5335G	4.69	-65.23	-64.68	-61.94	-57.25	-27.00	-30.25
5775MHz	Pass	8G	12G	AV	11.261G	4.16	-81.33	-81.07	-78.19	-74.03	-41.20	-32.83
5775MHz	Pass	8G	12G	AV	11.5525G	4.16	-82.61	-81.98	-79.27	-75.11	-41.20	-33.91
5775MHz	Pass	12G	40G	AV	39.839G	4.16	-72.79	-72.98	-69.87	-65.71	-41.20	-24.51
5775MHz	Pass	8G	12G	PK	10.3165G	4.16	-71.70	-72.13	-68.90	-64.74	-27.00	-37.74
5775MHz	Pass	8G	12G	PK	11.552G	4.16	-72.31	-74.01	-70.07	-65.91	-21.20	-44.71
5775MHz	Pass	12G	40G	PK	38.4705G	4.16	-65.25	-68.15	-63.45	-59.29	-27.00	-32.29


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11a_Nss1,(6Mbps)_2TX

5180MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3365G	-63.76	-27.00	-36.76	5.39	0.00	-69.15	-73.10	-71.39
8G	12G	1M	PK	10.356G	-64.93	-27.00	-37.93	5.39	0.00	-70.32	-72.85	-73.86
12G	40G	1M	PK	38.25G	-57.78	-27.00	-30.78	5.39	0.00	-63.17	-66.34	-66.03

802.11a_Nss1,(6Mbps)_2TX

5180MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.1795G	-72.84	-41.20	-31.64	5.39	0.00	-78.23	-82.25	-80.42
12G	40G	1M	AV	39.594G	-64.24	-41.20	-23.04	5.39	0.00	-69.63	-72.51	-72.77

802.11a_Nss1,(6Mbps)_2TX

5200MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.4055G	-64.53	-27.00	-37.53	5.39	0.00	-69.92	-73.41	-72.49
8G	12G	1M	PK	10.486G	-63.51	-27.00	-36.51	5.39	0.00	-68.90	-70.19	-74.80
12G	40G	1M	PK	38.5125G	-57.56	-27.00	-30.56	5.39	0.00	-62.95	-66.44	-65.52

802.11a_Nss1,(6Mbps)_2TX

5200MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.2485G	-72.75	-41.20	-31.55	5.39	0.00	-78.14	-80.81	-81.53
12G	40G	1M	AV	39.839G	-64.24	-41.20	-23.04	5.39	0.00	-69.63	-72.18	-73.15

802.11a_Nss1,(6Mbps)_2TX

5240MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.347G	-62.42	-27.00	-35.42	5.39	0.00	-67.81	-71.78	-70.03
8G	12G	1M	PK	10.482G	-65.01	-27.00	-38.01	5.39	0.00	-70.40	-74.52	-72.53
12G	40G	1M	PK	38.3445G	-57.73	-27.00	-30.73	5.39	0.00	-63.12	-69.82	-64.16

802.11a_Nss1,(6Mbps)_2TX

5240MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.609G	-72.97	-41.20	-31.77	5.39	0.00	-78.36	-81.83	-80.95
12G	40G	1M	AV	39.853G	-64.38	-41.20	-23.18	5.39	0.00	-69.77	-73.01	-72.57

802.11a_Nss1,(6Mbps)_2TX

5260MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.2525G	-63.71	-27.00	-36.71	5.26	0.00	-68.97	-71.33	-72.74
8G	12G	1M	PK	10.5195G	-64.96	-27.00	-37.96	5.26	0.00	-70.22	-72.46	-74.16
12G	40G	1M	PK	38.4985G	-56.35	-27.00	-29.35	5.26	0.00	-61.61	-66.59	-63.27

802.11a_Nss1,(6Mbps)_2TX

5260MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.2575G	-73.22	-41.20	-32.02	5.26	0.00	-78.48	-81.31	-81.67
12G	40G	1M	AV	39.8425G	-64.58	-41.20	-23.38	5.26	0.00	-69.84	-72.48	-73.25

802.11a_Nss1,(6Mbps)_2TX

5300MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3545G	-64.00	-27.00	-37.00	5.26	0.00	-69.26	-72.97	-71.67
8G	12G	1M	PK	10.5995G	-64.82	-27.00	-37.82	5.26	0.00	-70.08	-73.50	-72.71
12G	40G	1M	PK	38.5055G	-58.14	-27.00	-31.14	5.26	0.00	-63.40	-67.06	-65.84

802.11a_Nss1,(6Mbps)_2TX

5300MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.6055G	-73.54	-41.20	-32.34	5.26	0.00	-78.80	-82.14	-81.50
8G	12G	1M	AV	10.647G	-73.02	-41.20	-31.82	5.26	0.00	-78.28	-80.66	-82.03
12G	40G	1M	AV	39.8075G	-64.48	-41.20	-23.28	5.26	0.00	-69.74	-72.88	-72.63

802.11a_Nss1,(6Mbps)_2TX

5320MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.4235G	-63.65	-27.00	-36.65	5.26	0.00	-68.91	-71.42	-72.49
8G	12G	1M	PK	10.6335G	-63.62	-21.20	-42.42	5.26	0.00	-68.88	-70.42	-74.13
12G	40G	1M	PK	38.569G	-58.01	-27.00	-31.01	5.26	0.00	-63.27	-66.05	-66.53

802.11a_Nss1,(6Mbps)_2TX

5320MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.6375G	-73.27	-41.20	-32.07	5.26	0.00	-78.53	-81.19	-81.92
8G	12G	1M	AV	11.249G	-72.68	-41.20	-31.48	5.26	0.00	-77.94	-81.46	-80.49
12G	40G	1M	AV	39.8355G	-64.56	-41.20	-23.36	5.26	0.00	-69.82	-72.96	-72.71

802.11a_Nss1,(6Mbps)_2TX

5500MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.4005G	-63.89	-27.00	-36.89	4.69	0.00	-66.58	-70.49	-73.08
8G	12G	1M	PK	10.997G	-66.28	-21.20	-45.08	4.69	0.00	-70.97	-73.70	-74.29
12G	40G	1M	PK	38.5685G	-58.32	-27.00	-31.32	4.69	0.00	-63.01	-66.13	-65.91

802.11a_Nss1,(6Mbps)_2TX

5500MHz

CSE [AV]

24/03/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.6515G	-73.41	-41.20	-32.21	4.69	0.00	-78.10	-81.31	-80.91
8G	12G	1M	AV	10.9995G	-75.05	-41.20	-33.85	4.69	0.00	-79.74	-83.00	-82.51
12G	40G	1M	AV	39.944G	-64.73	-41.20	-23.53	4.69	0.00	-69.42	-72.16	-72.71




802.11a_Nss1,(6Mbps)_2TX

5700MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.2815G	-64.16	-27.00	-37.16	4.69	0.00	-68.85	-70.38	-74.11
8G	12G	1M	PK	11.403G	-65.85	-21.20	-44.65	4.69	0.00	-70.54	-73.46	-73.64
12G	40G	1M	PK	37.6375G	-58.72	-27.00	-31.72	4.69	0.00	-63.41	-66.88	-66.01

802.11a_Nss1,(6Mbps)_2TX

5700MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.2075G	-73.54	-41.20	-32.34	4.69	0.00	-78.23	-81.46	-81.04
8G	12G	1M	AV	11.4045G	-74.46	-41.20	-33.26	4.69	0.00	-79.15	-81.25	-83.31
12G	40G	1M	AV	39.804G	-65.03	-41.20	-23.83	4.69	0.00	-69.72	-73.08	-72.40

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz

CSE [PK]

24/03/2022




802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz

CSE [AV]

24/03/2022




802.11a_Nss1,(6Mbps)_2TX

5745MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.595G	-64.05	-27.00	-37.05	4.16	0.00	-66.21	-72.59	-70.18
8G	12G	1M	PK	11.4925G	-66.02	-21.20	-44.82	4.16	0.00	-70.18	-72.21	-74.47
12G	40G	1M	PK	17.2325G	-57.83	-27.00	-30.83	4.16	0.00	-61.99	-62.28	-73.89

802.11a_Nss1,(6Mbps)_2TX


5745MHz

CSE [AV]

24/03/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.6275G	-73.90	-41.20	-32.70	4.16	0.00	-76.06	-80.81	-81.34
8G	12G	1M	AV	11.4915G	-75.16	-41.20	-33.96	4.16	0.00	-79.32	-81.98	-82.72
12G	40G	1M	AV	39.7795G	-65.63	-41.20	-24.43	4.16	0.00	-69.79	-72.84	-72.77




802.11a_Nss1,(6Mbps)_2TX

5825MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3685G	-64.76	-27.00	-37.76	4.16	0.00	-68.92	-70.38	-74.36
8G	12G	1M	PK	11.6535G	-66.15	-21.20	-44.95	4.16	0.00	-70.31	-72.01	-75.20
12G	40G	1M	PK	38.544G	-58.54	-27.00	-31.54	4.16	0.00	-62.70	-66.92	-64.76

802.11a_Nss1,(6Mbps)_2TX

5825MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.639G	-73.93	-41.20	-32.73	4.16	0.00	-78.09	-80.83	-81.38
8G	12G	1M	AV	11.654G	-74.68	-41.20	-33.48	4.16	0.00	-78.84	-82.57	-81.24
12G	40G	1M	AV	38.594G	-65.44	-41.20	-24.24	4.16	0.00	-69.60	-72.43	-72.80

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3195G	-63.26	-27.00	-36.26	5.39	0.00	-66.65	-70.58	-73.09
8G	12G	1M	PK	10.3555G	-64.04	-27.00	-37.04	5.39	0.00	-69.43	-74.25	-71.16
12G	40G	1M	PK	38.453G	-56.91	-27.00	-29.91	5.39	0.00	-62.30	-63.50	-68.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.2165G	-72.82	-41.20	-31.62	5.39	0.00	-78.21	-81.25	-81.20
12G	40G	1M	AV	38.7015G	-64.34	-41.20	-23.14	5.39	0.00	-69.73	-72.98	-72.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.2505G	-63.64	-27.00	-36.64	5.39	0.00	-69.03	-71.47	-72.70
8G	12G	1M	PK	10.4025G	-65.06	-27.00	-38.06	5.39	0.00	-70.45	-72.07	-75.52
12G	40G	1M	PK	38.4705G	-57.97	-27.00	-30.97	5.39	0.00	-63.36	-66.04	-66.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.21G	-72.73	-41.20	-31.53	5.39	0.00	-78.12	-82.09	-80.34
12G	40G	1M	AV	39.8355G	-64.14	-41.20	-22.94	5.39	0.00	-69.53	-72.80	-72.29

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.163G	-62.58	-27.00	-35.58	5.39	0.00	-67.97	-69.07	-74.47
8G	12G	1M	PK	10.487G	-65.53	-27.00	-38.53	5.39	0.00	-70.92	-73.59	-74.30
12G	40G	1M	PK	37.669G	-58.66	-27.00	-31.66	5.39	0.00	-64.05	-68.00	-66.28

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.2105G	-72.42	-41.20	-31.22	5.39	0.00	-77.81	-81.69	-80.09
12G	40G	1M	AV	39.65G	-64.30	-41.20	-23.10	5.39	0.00	-69.69	-72.31	-73.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.379G	-63.32	-27.00	-36.32	5.26	0.00	-66.58	-70.90	-72.40
8G	12G	1M	PK	10.5205G	-65.40	-27.00	-38.40	5.26	0.00	-70.66	-73.82	-73.53
12G	40G	1M	PK	38.538G	-56.99	-27.00	-29.99	5.26	0.00	-62.25	-64.54	-66.13

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.659G	-72.94	-41.20	-31.74	5.26	0.00	-78.20	-82.12	-80.46
12G	40G	1M	AV	39.594G	-64.17	-41.20	-22.97	5.26	0.00	-69.43	-72.16	-72.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3255G	-63.41	-27.00	-36.41	5.26	0.00	-66.67	-73.93	-70.21
8G	12G	1M	PK	10.596G	-64.59	-27.00	-37.59	5.26	0.00	-69.85	-71.92	-74.07
12G	40G	1M	PK	37.669G	-58.03	-27.00	-31.03	5.26	0.00	-63.29	-66.12	-66.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.6025G	-73.67	-41.20	-32.47	5.26	0.00	-78.93	-81.55	-82.36
8G	12G	1M	AV	11.2295G	-73.01	-41.20	-31.81	5.26	0.00	-78.27	-81.37	-81.20
12G	40G	1M	AV	39.8215G	-64.55	-41.20	-23.35	5.26	0.00	-69.81	-72.76	-72.89

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3395G	-63.40	-27.00	-36.40	5.26	0.00	-66.66	-72.05	-71.33
8G	12G	1M	PK	10.6385G	-64.00	-21.20	-42.80	5.26	0.00	-69.26	-73.26	-71.46
12G	40G	1M	PK	37.2735G	-57.39	-27.00	-30.39	5.26	0.00	-62.65	-65.33	-66.02

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.6415G	-73.36	-41.20	-32.16	5.26	0.00	-78.62	-82.41	-80.97
8G	12G	1M	AV	11.277G	-73.04	-41.20	-31.84	5.26	0.00	-78.30	-81.29	-81.33
12G	40G	1M	AV	39.8355G	-64.52	-41.20	-23.32	5.26	0.00	-69.78	-73.39	-72.26

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3275G	-64.40	-27.00	-37.40	4.69	0.00	-69.09	-70.25	-75.41
8G	12G	1M	PK	11.0025G	-66.02	-21.20	-44.82	4.69	0.00	-70.71	-73.76	-73.68
12G	40G	1M	PK	38.4915G	-58.05	-27.00	-31.05	4.69	0.00	-62.74	-69.61	-63.74

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz

CSE [AV]

24/03/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.002G	-74.72	-41.20	-33.52	4.69	0.00	-79.41	-82.83	-82.05
8G	12G	1M	AV	11.2765G	-73.52	-41.20	-32.32	4.69	0.00	-78.21	-80.53	-82.03
12G	40G	1M	AV	39.923G	-65.01	-41.20	-23.81	4.69	0.00	-69.70	-72.41	-73.03




802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.338G	-63.97	-27.00	-36.97	4.69	0.00	-66.66	-70.06	-74.27
8G	12G	1M	PK	11.395G	-65.47	-21.20	-44.27	4.69	0.00	-70.16	-72.22	-74.38
12G	40G	1M	PK	38.5345G	-58.14	-27.00	-31.14	4.69	0.00	-62.83	-66.53	-65.24

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.6215G	-73.65	-41.20	-32.45	4.69	0.00	-78.34	-81.34	-81.36
8G	12G	1M	AV	11.3965G	-74.22	-41.20	-33.02	4.69	0.00	-78.91	-81.89	-81.95
12G	40G	1M	AV	39.8335G	-65.08	-41.20	-23.88	4.69	0.00	-69.77	-72.50	-73.09

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.589G	-64.37	-27.00	-37.37	4.69	0.00	-69.06	-75.13	-70.29
8G	12G	1M	PK	11.445G	-65.13	-21.20	-43.93	4.69	0.00	-69.82	-72.39	-73.31
12G	40G	1M	PK	38.5345G	-58.40	-27.00	-31.40	4.69	0.00	-63.09	-67.29	-65.16

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.2055G	-73.62	-41.20	-32.42	4.69	0.00	-78.31	-81.03	-81.64
8G	12G	1M	AV	11.4365G	-74.19	-41.20	-32.99	4.69	0.00	-78.88	-81.67	-82.12
12G	40G	1M	AV	39.7935G	-65.05	-41.20	-23.85	4.69	0.00	-69.74	-72.55	-72.95

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.385G	-65.09	-27.00	-38.09	4.16	0.00	-69.25	-71.57	-73.07
8G	12G	1M	PK	11.49G	-66.33	-21.20	-45.13	4.16	0.00	-70.49	-73.28	-73.73
12G	40G	1M	PK	38.5895G	-58.08	-27.00	-31.08	4.16	0.00	-62.24	-64.09	-66.83

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz


CSE [AV]

24/03/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.296G	-74.21	-41.20	-33.01	4.16	0.00	-78.37	-81.53	-81.23
8G	12G	1M	AV	11.4915G	-75.49	-41.20	-34.29	4.16	0.00	-79.65	-82.85	-82.48
12G	40G	1M	AV	39.8075G	-65.42	-41.20	-24.22	4.16	0.00	-69.58	-72.95	-72.26






802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]

5190MHz

24/03/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.364G	-63.62	-27.00	-36.62	5.39	0.00	-69.01	-70.52	-74.34
12G	40G	1M	PK	38.53G	-58.39	-27.00	-31.39	5.39	0.00	-63.78	-65.88	-67.95


PX=Port X
Psum=P1+...PX

802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [AV]

5190MHz

24/03/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.259G	-72.82	-41.20	-31.62	5.39	0.00	-78.21	-81.76	-80.74
12G	40G	1M	AV	39.622G	-64.41	-41.20	-23.21	5.39	0.00	-69.80	-73.16	-72.49


PX=Port X
Psum=P1+...PX

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.378G	-63.29	-27.00	-36.29	5.39	0.00	-66.68	-71.80	-71.58
8G	12G	1M	PK	10.4755G	-63.70	-27.00	-36.70	5.39	0.00	-69.09	-70.81	-73.93
12G	40G	1M	PK	37.487G	-57.83	-27.00	-30.83	5.39	0.00	-63.22	-64.66	-68.70

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.246G	-72.79	-41.20	-31.59	5.39	0.00	-78.18	-80.85	-81.57
12G	40G	1M	AV	39.594G	-64.38	-41.20	-23.18	5.39	0.00	-69.77	-72.83	-72.73

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3995G	-63.33	-27.00	-36.33	5.26	0.00	-68.59	-71.97	-71.26
8G	12G	1M	PK	10.5395G	-64.70	-27.00	-37.70	5.26	0.00	-69.96	-73.90	-72.21
12G	40G	1M	PK	38.558G	-58.14	-27.00	-31.14	5.26	0.00	-63.40	-65.87	-67.03

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.239G	-73.07	-41.20	-31.87	5.26	0.00	-78.33	-81.45	-81.24
12G	40G	1M	AV	39.9265G	-64.48	-41.20	-23.28	5.26	0.00	-69.74	-72.13	-73.48

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3835G	-63.60	-27.00	-36.60	5.26	0.00	-68.86	-71.04	-72.90
8G	12G	1M	PK	10.6155G	-64.18	-21.20	-42.98	5.26	0.00	-69.44	-71.70	-73.35
12G	40G	1M	PK	38.432G	-57.88	-27.00	-30.88	5.26	0.00	-63.14	-68.05	-64.84

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.63G	-73.19	-41.20	-31.99	5.26	0.00	-78.45	-82.19	-80.83
8G	12G	1M	AV	11.1965G	-72.81	-41.20	-31.61	5.26	0.00	-78.07	-80.75	-81.43
12G	40G	1M	AV	39.951G	-64.32	-41.20	-23.12	5.26	0.00	-69.58	-72.97	-72.25

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.592G	-64.14	-27.00	-37.14	4.69	0.00	-68.83	-72.66	-71.15
8G	12G	1M	PK	11.025G	-65.41	-21.20	-44.21	4.69	0.00	-70.10	-71.48	-75.75
12G	40G	1M	PK	37.606G	-58.98	-27.00	-31.98	4.69	0.00	-63.67	-66.63	-66.73

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.02G	-74.36	-41.20	-33.16	4.69	0.00	-79.05	-81.51	-82.70
8G	12G	1M	AV	11.327G	-73.60	-41.20	-32.40	4.69	0.00	-78.29	-81.24	-81.37
12G	40G	1M	AV	39.8005G	-65.14	-41.20	-23.94	4.69	0.00	-69.83	-73.17	-72.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz

CSE [PK]

24/03/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz

CSE [AV]

24/03/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3815G	-64.15	-27.00	-37.15	4.69	0.00	-68.84	-70.94	-73.01
8G	12G	1M	PK	11.328G	-65.04	-21.20	-43.84	4.69	0.00	-69.73	-73.55	-72.05
12G	40G	1M	PK	37.291G	-58.41	-27.00	-31.41	4.69	0.00	-63.10	-67.11	-65.29

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.688G	-73.54	-41.20	-32.34	4.69	0.00	-78.23	-81.40	-81.09
8G	12G	1M	AV	11.331G	-74.19	-41.20	-32.99	4.69	0.00	-78.88	-81.84	-81.94
12G	40G	1M	AV	39.972G	-65.22	-41.20	-24.02	4.69	0.00	-69.91	-72.86	-72.98

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.45G	-63.90	-27.00	-36.90	4.69	0.00	-66.59	-71.54	-71.66
8G	12G	1M	PK	11.422G	-64.96	-21.20	-43.76	4.69	0.00	-69.65	-72.07	-73.35
12G	40G	1M	PK	38.538G	-58.32	-27.00	-31.32	4.69	0.00	-63.01	-67.69	-64.62

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.245G	-73.40	-41.20	-32.20	4.69	0.00	-76.09	-81.49	-80.74
8G	12G	1M	AV	11.4165G	-74.39	-41.20	-33.19	4.69	0.00	-79.08	-82.27	-81.91
12G	40G	1M	AV	39.9965G	-65.19	-41.20	-23.99	4.69	0.00	-69.88	-73.58	-72.29

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.307G	-65.02	-27.00	-38.02	4.16	0.00	-69.18	-72.50	-71.90
8G	12G	1M	PK	11.513G	-65.80	-21.20	-44.60	4.16	0.00	-69.96	-74.47	-71.85
12G	40G	1M	PK	38.0855G	-58.48	-27.00	-31.48	4.16	0.00	-62.64	-65.61	-65.69

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.251G	-74.18	-41.20	-32.98	4.16	0.00	-78.34	-81.10	-81.61
8G	12G	1M	AV	11.494G	-75.08	-41.20	-33.88	4.16	0.00	-79.24	-82.10	-82.40
12G	40G	1M	AV	39.9405G	-65.64	-41.20	-24.44	4.16	0.00	-69.80	-72.55	-73.08

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.335G	-64.81	-27.00	-37.81	4.16	0.00	-68.97	-71.29	-72.81
8G	12G	1M	PK	11.5755G	-66.42	-21.20	-45.22	4.16	0.00	-70.58	-74.43	-72.89
12G	40G	1M	PK	38.068G	-59.05	-27.00	-32.05	4.16	0.00	-63.21	-65.77	-66.73

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.2475G	-74.18	-41.20	-32.98	4.16	0.00	-78.34	-81.91	-80.86
8G	12G	1M	AV	11.606G	-75.06	-41.20	-33.86	4.16	0.00	-79.22	-81.75	-82.77
12G	40G	1M	AV	38.874G	-65.71	-41.20	-24.51	4.16	0.00	-69.87	-72.86	-72.90

802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.42G	-64.08	-27.00	-37.08	5.39	0.00	-69.47	-71.43	-73.87
8G	12G	1M	PK	10.562G	-63.81	-27.00	-36.81	5.39	0.00	-69.20	-70.63	-74.73
12G	40G	1M	PK	38.569G	-57.09	-27.00	-30.09	5.39	0.00	-62.48	-63.22	-70.54

802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.201G	-72.85	-41.20	-31.65	5.39	0.00	-78.24	-80.95	-81.57
12G	40G	1M	AV	39.8565G	-64.11	-41.20	-22.91	5.39	0.00	-69.50	-72.89	-72.17

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3165G	-63.36	-27.00	-36.36	5.26	0.00	-66.62	-74.60	-69.88
8G	12G	1M	PK	10.588G	-64.53	-27.00	-37.53	5.26	0.00	-69.79	-73.84	-71.96
12G	40G	1M	PK	38.5685G	-57.49	-27.00	-30.49	5.26	0.00	-62.75	-67.14	-64.72

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.6105G	-73.07	-41.20	-31.87	5.26	0.00	-78.33	-81.44	-81.25
8G	12G	1M	AV	11.208G	-72.96	-41.20	-31.76	5.26	0.00	-78.22	-80.52	-82.08
12G	40G	1M	AV	39.601G	-64.66	-41.20	-23.46	5.26	0.00	-69.92	-73.25	-72.64

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.3715G	-64.69	-27.00	-37.69	4.69	0.00	-69.38	-72.04	-72.78
8G	12G	1M	PK	11.0665G	-65.44	-21.20	-44.24	4.69	0.00	-70.13	-73.00	-73.28
12G	40G	1M	PK	37.606G	-58.73	-27.00	-31.73	4.69	0.00	-63.42	-65.76	-67.23

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz

CSE [AV]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.0425G	-74.41	-41.20	-33.21	4.69	0.00	-79.10	-82.33	-81.90
8G	12G	1M	AV	11.2135G	-73.45	-41.20	-32.25	4.69	0.00	-78.14	-82.34	-80.21
12G	40G	1M	AV	38.712G	-65.19	-41.20	-23.99	4.69	0.00	-69.88	-72.94	-72.84

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz

CSE [PK]

24/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.2775G	-64.26	-27.00	-37.26	4.69	0.00	-68.95	-70.94	-73.31
8G	12G	1M	PK	11.248G	-64.39	-21.20	-43.19	4.69	0.00	-69.08	-70.97	-73.60
12G	40G	1M	PK	38.0365G	-57.90	-27.00	-30.90	4.69	0.00	-62.59	-64.37	-67.33

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz

CSE [AV]

24/03/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.234G	-73.62	-41.20	-32.42	4.69	0.00	-78.31	-81.41	-81.24
12G	40G	1M	AV	39.853G	-65.07	-41.20	-23.87	4.69	0.00	-69.76	-72.06	-73.62