


6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6435MHz

01/03/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	12.884G	-54.01	-7.00	-47.01	5.90	0.00	-59.91	-62.92	-62.92
8G	40G	1M	PK	39.665G	-43.25	-21.20	-22.05	5.90	0.00	-49.15	-51.22	-53.36

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6435MHz

01/03/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	12.875G	-59.83	-27.00	-32.83	5.90	0.00	-65.73	-69.66	-67.99
8G	40G	1M	AV	39.624G	-48.58	-41.20	-7.38	5.90	0.00	-54.48	-57.21	-57.79

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6475MHz

01/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	12.935G	-53.81	-7.00	-46.81	5.90	0.00	-59.71	-62.52	-62.94
8G	40G	1M	PK	39.756G	-43.11	-21.20	-21.91	5.90	0.00	-49.01	-54.06	-50.64

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


CSE [AV]

6475MHz

01/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	12.938G	-59.51	-27.00	-32.51	5.90	0.00	-65.41	-68.19	-68.67
8G	40G	1M	AV	39.861G	-48.35	-41.20	-7.15	5.90	0.00	-54.25	-57.73	-56.84




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6535MHz

01/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.052G	-51.56	-7.00	-44.56	7.65	0.00	-59.21	-64.81	-60.61
8G	40G	1M	PK	39.772G	-41.14	-21.20	-19.94	7.65	0.00	-48.79	-52.53	-51.17

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6535MHz

01/03/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.055G	-56.84	-27.00	-29.84	7.65	0.00	-64.49	-67.36	-67.65
8G	40G	1M	AV	39.83G	-46.44	-41.20	-5.24	7.65	0.00	-54.09	-57.45	-56.78

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6695MHz

01/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.389G	-52.00	-21.20	-30.80	7.65	0.00	-59.65	-65.91	-60.82
8G	40G	1M	PK	39.867G	-41.13	-21.20	-19.93	7.65	0.00	-48.78	-51.09	-52.62

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6695MHz

01/03/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.377G	-56.56	-41.20	-15.36	7.65	0.00	-64.21	-67.01	-67.45
8G	40G	1M	AV	39.839G	-46.80	-41.20	-5.60	7.65	0.00	-54.45	-57.70	-57.23

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6855MHz

01/03/2023



- Limit_LPK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.7G	-51.45	-7.00	-44.45	7.65	0.00	-59.10	-64.09	-60.76
8G	40G	1M	PK	39.854G	-40.95	-21.20	-19.75	7.65	0.00	-48.60	-54.32	-49.96

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6855MHz

01/03/2023



- Limit_AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.7G	-56.97	-27.00	-29.97	7.65	0.00	-64.62	-67.15	-68.18
8G	40G	1M	AV	39.782G	-46.68	-41.20	-5.48	7.65	0.00	-54.33	-57.34	-57.34

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6875MHz Straddle 6.525-6.875GHz

01/03/2023



Legend for CSE [PK]:

- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.763G	-52.09	-7.00	-45.09	7.65	0.00	-59.74	-62.48	-63.03
8G	40G	1M	PK	39.853G	-41.63	-21.20	-20.43	7.65	0.00	-49.28	-53.47	-51.36

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6875MHz Straddle 6.525-6.875GHz

01/03/2023



Legend for CSE [AV]:

- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.745G	-57.60	-27.00	-30.60	7.65	0.00	-65.25	-68.19	-68.34
8G	40G	1M	AV	39.82G	-46.81	-41.20	-5.61	7.65	0.00	-54.46	-58.16	-56.87

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6895MHz

01/03/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.807G	-51.43	-7.00	-44.43	8.32	0.00	-59.75	-62.96	-62.56
8G	40G	1M	PK	39.751G	-40.12	-21.20	-18.92	8.32	0.00	-48.44	-51.48	-51.43

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [AV]

6895MHz

01/03/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.785G	-56.72	-27.00	-29.72	8.32	0.00	-65.04	-67.91	-68.20
8G	40G	1M	AV	39.834G	-46.29	-41.20	-5.09	8.32	0.00	-54.61	-58.05	-57.23

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6995MHz

01/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	14.002G	-51.62	-7.00	-44.62	8.32	0.00	-59.94	-63.33	-62.61
8G	40G	1M	PK	39.832G	-40.05	-21.20	-18.85	8.32	0.00	-48.37	-56.50	-49.10

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE [AV]


6995MHz


01/03/2023





- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.98G	-56.33	-27.00	-29.33	8.32	0.00	-64.65	-68.41	-67.02
8G	40G	1M	AV	39.829G	-46.18	-41.20	-4.98	8.32	0.00	-54.50	-58.56	-56.67










6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6445MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	12.854G	-54.37	-7.00	-47.37	5.90	0.00	-60.27	-65.52	-61.81
8G	40G	1M	PK	39.768G	-42.94	-21.20	-21.74	5.90	0.00	-48.84	-51.43	-52.32

6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6445MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	12.886G	-59.17	-27.00	-32.17	5.90	0.00	-65.07	-67.93	-68.24
8G	40G	1M	AV	39.786G	-48.74	-41.20	-7.54	5.90	0.00	-54.64	-57.77	-57.53

6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6485MHz

01/03/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	12.985G	-53.66	-7.00	-46.66	5.90	0.00	-59.56	-61.92	-63.33
8G	40G	1M	PK	39.188G	-42.63	-21.20	-21.43	5.90	0.00	-48.53	-55.02	-49.63

6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6485MHz

01/03/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	12.986G	-58.63	-27.00	-31.63	5.90	0.00	-64.53	-66.89	-68.30
8G	40G	1M	AV	39.798G	-48.34	-41.20	-7.14	5.90	0.00	-54.24	-57.31	-57.19

6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6525MHz Straddle 6.425-6.525GHz

01/03/2023



Legend for CSE [PK]:

- Limit:PK
- ERP:PK
- Sum:PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.084G	-52.77	-7.00	-45.77	5.90	0.00	-58.67	-60.03	-64.37
8G	40G	1M	PK	39.1G	-43.61	-21.20	-22.41	5.90	0.00	-49.51	-53.38	-51.81

6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6525MHz Straddle 6.425-6.525GHz


01/03/2023



Legend for CSE [AV]:

- Limit:AV
- ERP:AV
- Sum:AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.021G	-58.80	-27.00	-31.80	5.90	0.00	-64.70	-67.29	-68.17
8G	40G	1M	AV	39.818G	-48.57	-41.20	-7.37	5.90	0.00	-54.47	-57.09	-57.91




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6685MHz

01/03/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.36G	-51.86	-21.20	-30.66	7.65	0.00	-59.51	-63.87	-61.49
8G	40G	1M	PK	39.827G	-41.37	-21.20	-20.17	7.65	0.00	-49.02	-56.70	-49.83

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6685MHz

01/03/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.397G	-55.82	-41.20	-14.62	7.65	0.00	-63.47	-66.62	-66.35
8G	40G	1M	AV	39.848G	-46.69	-41.20	-5.49	7.65	0.00	-54.34	-56.09	-59.13

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6845MHz

01/03/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.707G	-51.93	-7.00	-44.93	7.65	0.00	-59.58	-61.10	-64.87
8G	40G	1M	PK	39.99G	-41.23	-21.20	-20.03	7.65	0.00	-48.88	-52.00	-51.79

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6845MHz

01/03/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.699G	-56.90	-27.00	-29.90	7.65	0.00	-64.55	-67.42	-67.71
8G	40G	1M	AV	39.848G	-46.64	-41.20	-5.44	7.65	0.00	-54.29	-57.48	-57.13

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6885MHz Straddle 6.525-6.875GHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.743G	-51.93	-7.00	-44.93	7.65	0.00	-59.58	-65.24	-60.95
8G	40G	1M	PK	39.827G	-41.44	-21.20	-20.24	7.65	0.00	-49.09	-52.77	-51.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [AV]


6885MHz Straddle 6.525-6.875GHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.764G	-57.43	-27.00	-30.43	7.65	0.00	-65.08	-68.16	-68.02
8G	40G	1M	AV	39.787G	-46.74	-41.20	-5.54	7.65	0.00	-54.39	-57.76	-57.07




6.875-7.125GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

7005MHz

01/03/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.999G	-50.84	-7.00	-43.84	8.32	0.00	-59.16	-62.43	-61.93
8G	40G	1M	PK	39.698G	-40.42	-21.20	-19.22	8.32	0.00	-48.74	-51.10	-52.51

6.875-7.125GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]


7005MHz


01/03/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	14.004G	-56.30	-27.00	-29.30	8.32	0.00	-64.62	-67.55	-67.71
8G	40G	1M	AV	39.872G	-46.05	-41.20	-4.85	8.32	0.00	-54.37	-58.10	-56.76






5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6145MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	12.252G	-53.12	-21.20	-31.92	6.49	0.00	-59.61	-61.32	-64.48
8G	40G	1M	PK	39.793G	-42.33	-21.20	-21.13	6.49	0.00	-48.82	-50.71	-53.35

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]


6145MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	12.315G	-57.67	-41.20	-16.47	6.49	0.00	-64.16	-66.81	-67.56
8G	40G	1M	AV	39.8G	-47.55	-41.20	-6.35	6.49	0.00	-54.04	-57.52	-56.63




6.425-6.525GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6465MHz

01/03/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	12.979G	-53.26	-7.00	-46.26	5.90	0.00	-59.16	-63.13	-61.38
8G	40G	1M	PK	39.819G	-43.26	-21.20	-22.06	5.90	0.00	-49.16	-51.22	-53.39

6.425-6.525GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6465MHz

01/03/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	12.986G	-59.06	-27.00	-32.06	5.90	0.00	-64.96	-67.81	-68.13
8G	40G	1M	AV	39.804G	-48.61	-41.20	-7.41	5.90	0.00	-54.51	-57.41	-57.64

6.425-6.525GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6545MHz Straddle 6.425-6.525GHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.115G	-53.35	-7.00	-46.35	5.90	0.00	-59.25	-62.07	-62.45
8G	40G	1M	PK	39.908G	-43.19	-21.20	-21.99	5.90	0.00	-49.09	-52.71	-51.56

6.425-6.525GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6545MHz Straddle 6.425-6.525GHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.041G	-58.82	-27.00	-31.82	5.90	0.00	-64.72	-68.91	-66.80
8G	40G	1M	AV	39.799G	-48.48	-41.20	-7.28	5.90	0.00	-54.38	-56.85	-58.01

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6625MHz

01/03/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.301G	-51.11	-21.20	-29.91	7.65	0.00	-58.76	-60.44	-63.70
8G	40G	1M	PK	39.847G	-41.13	-21.20	-19.93	7.65	0.00	-48.78	-53.95	-50.35

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6625MHz

01/03/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.269G	-56.39	-41.20	-15.19	7.65	0.00	-64.04	-67.56	-66.59
8G	40G	1M	AV	39.827G	-46.51	-41.20	-5.31	7.65	0.00	-54.16	-58.17	-56.36

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6705MHz

01/03/2023



Legend for CSE [PK]:

- Limit.PK (Red line)
- ERP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Black line)
- Port 2 (Black line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.388G	-50.29	-21.20	-29.09	7.65	0.00	-57.94	-60.55	-61.40
8G	40G	1M	PK	39.807G	-41.46	-21.20	-20.26	7.65	0.00	-49.11	-52.94	-51.43

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6705MHz

01/03/2023



Legend for CSE [AV]:

- Limit.AV (Red line)
- ERP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Black line)
- Port 2 (Black line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.346G	-56.65	-41.20	-15.45	7.65	0.00	-64.30	-67.46	-67.17
8G	40G	1M	AV	39.867G	-46.37	-41.20	-5.17	7.65	0.00	-54.02	-57.92	-56.30

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6785MHz

01/03/2023



Legend for CSE [PK]:

- Limit.PK (Red line)
- ERP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.619G	-49.90	-7.00	-42.90	7.65	0.00	-57.55	-60.56	-60.56
8G	40G	1M	PK	39.869G	-41.07	-21.20	-19.87	7.65	0.00	-48.72	-50.05	-54.50

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6785MHz

01/03/2023



Legend for CSE [AV]:

- Limit.AV (Red line)
- ERP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.558G	-56.97	-27.00	-29.97	7.65	0.00	-64.62	-67.23	-68.08
8G	40G	1M	AV	39.813G	-46.70	-41.20	-5.50	7.65	0.00	-54.35	-57.78	-56.97

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6865MHz Straddle 6.525-6.875GHz

01/03/2023



Legend for CSE [PK]:

- Limit-PK (Red line)
- ERP-PK (Green line)
- Sum-PK (Blue line)
- Port 1 (Black line)
- Port 2 (Black line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.671G	-51.98	-7.00	-44.98	7.65	0.00	-59.63	-64.80	-61.21
8G	40G	1M	PK	39.885G	-40.63	-21.20	-19.43	7.65	0.00	-48.28	-49.21	-55.45

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6865MHz Straddle 6.525-6.875GHz

01/03/2023



Legend for CSE [AV]:

- Limit-AV (Red line)
- ERP-AV (Green line)
- Sum-AV (Blue line)
- Port 1 (Black line)
- Port 2 (Black line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.687G	-56.65	-27.00	-29.65	7.65	0.00	-64.30	-66.97	-67.67
8G	40G	1M	AV	39.835G	-46.76	-41.20	-5.56	7.65	0.00	-54.41	-56.68	-58.31

6.875-7.125GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6945MHz

01/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.894G	-50.82	-7.00	-43.82	8.32	0.00	-59.14	-62.48	-61.84
8G	40G	1M	PK	39.838G	-40.36	-21.20	-19.16	8.32	0.00	-48.68	-50.65	-53.06

6.875-7.125GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6945MHz

01/03/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.875G	-56.16	-27.00	-29.16	8.32	0.00	-64.48	-67.49	-67.49
8G	40G	1M	AV	39.849G	-45.92	-41.20	-4.72	8.32	0.00	-54.24	-57.14	-57.36

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

7025MHz

01/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.997G	-51.11	-7.00	-44.11	8.32	0.00	-59.43	-63.32	-61.71
8G	40G	1M	PK	39.137G	-40.99	-21.20	-19.79	8.32	0.00	-49.31	-51.57	-53.24

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]


7025MHz


01/03/2023




- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	14.001G	-55.87	-27.00	-28.87	8.32	0.00	-64.19	-66.40	-68.17
8G	40G	1M	AV	39.856G	-46.10	-41.20	-4.90	8.32	0.00	-54.42	-57.32	-57.55








6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6505MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.039G	-52.72	-7.00	-45.72	5.90	0.00	-58.62	-61.74	-61.52
8G	40G	1M	PK	39.816G	-43.19	-21.20	-21.99	5.90	0.00	-49.09	-51.98	-52.23

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6505MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	12.999G	-58.71	-27.00	-31.71	5.90	0.00	-64.61	-67.78	-67.46
8G	40G	1M	AV	39.854G	-47.98	-41.20	-6.78	5.90	0.00	-53.88	-56.34	-57.53

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6665MHz

01/03/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.368G	-51.02	-21.20	-29.82	7.65	0.00	-58.67	-61.01	-62.47
8G	40G	1M	PK	39.843G	-41.80	-21.20	-20.60	7.65	0.00	-49.45	-52.21	-52.73

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6665MHz

01/03/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.327G	-56.58	-41.20	-15.38	7.65	0.00	-64.23	-67.70	-66.83
8G	40G	1M	AV	39.773G	-46.70	-41.20	-5.50	7.65	0.00	-54.35	-57.77	-56.99

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6825MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.663G	-51.17	-7.00	-44.17	7.65	0.00	-58.82	-61.47	-62.22
8G	40G	1M	PK	39.863G	-41.22	-21.20	-20.02	7.65	0.00	-48.87	-49.88	-55.71

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6825MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.649G	-56.61	-27.00	-29.61	7.65	0.00	-64.26	-67.27	-67.27
8G	40G	1M	AV	39.8G	-46.29	-41.20	-5.09	7.65	0.00	-53.94	-56.63	-57.29

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6985MHz

01/03/2023



Legend for CSE [PK]:

- Limit.PK (Red line)
- ERP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.877G	-50.12	-7.00	-43.12	8.32	0.00	-58.44	-62.34	-60.72
8G	40G	1M	PK	39.701G	-40.19	-21.20	-18.99	8.32	0.00	-48.51	-50.88	-52.26

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6985MHz


01/03/2023



Legend for CSE [AV]:

- Limit.AV (Red line)
- ERP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.902G	-55.94	-27.00	-28.94	8.32	0.00	-64.26	-67.65	-66.92
8G	40G	1M	AV	39.808G	-45.51	-41.20	-4.31	8.32	0.00	-53.83	-56.33	-57.41




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6175MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.357G	-51.11	-21.20	-29.91	6.49	0.00	-57.60	-63.16	-66.92	-67.06	-60.68
8G	40G	1M	PK	39.834G	-40.35	-21.20	-19.15	6.49	0.00	-46.84	-51.89	-53.85	-52.51	-53.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [AV]


6175MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.341G	-55.76	-41.20	-14.56	6.49	0.00	-62.25	-69.15	-67.32	-67.78	-69.15
8G	40G	1M	AV	39.82G	-45.02	-41.20	-3.82	6.49	0.00	-51.51	-58.41	-58.03	-57.79	-56.24





6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6435MHz

01/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.884G	-50.13	-7.00	-43.13	7.31	0.00	-57.44	-63.82	-65.59	-63.54	-61.73
8G	40G	1M	PK	39.826G	-38.95	-21.20	-17.75	7.31	0.00	-46.26	-51.81	-51.34	-54.15	-52.31

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6435MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.886G	-55.35	-27.00	-28.35	7.31	0.00	-62.66	-68.24	-69.07	-69.07	-68.40
8G	40G	1M	AV	39.844G	-44.42	-41.20	-3.22	7.31	0.00	-51.73	-58.19	-57.13	-57.82	-57.95

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6475MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.961G	-50.32	-7.00	-43.32	7.31	0.00	-57.63	-62.95	-62.60	-64.48	-65.02
8G	40G	1M	PK	39.767G	-38.78	-21.20	-17.58	7.31	0.00	-46.09	-49.77	-53.45	-52.64	-53.88

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6475MHz

01/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.962G	-55.24	-27.00	-28.24	7.31	0.00	-62.55	-68.32	-68.83	-68.16	-69.01
8G	40G	1M	AV	39.809G	-44.24	-41.20	-3.04	7.31	0.00	-51.55	-58.14	-56.75	-58.14	-57.42

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6515MHz

01/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.042G	-50.05	-7.00	-43.05	7.31	0.00	-57.36	-61.51	-65.48	-63.01	-64.61
8G	40G	1M	PK	39.772G	-39.66	-21.20	-18.46	7.31	0.00	-46.97	-52.53	-55.38	-53.91	-51.23

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6515MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.032G	-54.81	-27.00	-27.81	7.31	0.00	-62.12	-68.94	-67.53	-67.53	-68.78
8G	40G	1M	AV	39.809G	-44.12	-41.20	-2.92	7.31	0.00	-51.43	-57.77	-56.85	-58.27	-57.07

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6535MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.083G	-49.72	-7.00	-42.72	7.65	0.00	-57.37	-61.74	-62.83	-65.64	-64.36
8G	40G	1M	PK	39.803G	-39.07	-21.20	-17.87	7.65	0.00	-46.72	-52.21	-54.12	-53.58	-51.54

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6535MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.069G	-54.39	-27.00	-27.39	7.65	0.00	-62.04	-68.02	-67.72	-68.33	-68.18
8G	40G	1M	AV	39.838G	-43.95	-41.20	-2.75	7.65	0.00	-51.60	-57.58	-57.23	-58.44	-57.34

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6695MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.372G	-49.02	-21.20	-27.82	7.65	0.00	-56.67	-64.10	-65.64	-60.12	-62.87
8G	40G	1M	PK	39.671G	-38.73	-21.20	-17.53	7.65	0.00	-46.38	-53.07	-53.26	-50.70	-53.14

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6695MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.382G	-53.77	-41.20	-12.57	7.65	0.00	-61.42	-66.84	-67.27	-67.57	-68.21
8G	40G	1M	AV	39.801G	-44.03	-41.20	-2.83	7.65	0.00	-51.68	-58.13	-56.63	-58.38	-57.88

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6855MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.711G	-49.09	-7.00	-42.09	7.65	0.00	-56.74	-61.71	-63.74	-61.08	-66.14
8G	40G	1M	PK	39.797G	-38.02	-21.20	-16.82	7.65	0.00	-45.67	-51.11	-53.17	-53.91	-49.81

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6855MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.71G	-54.34	-27.00	-27.34	7.65	0.00	-61.99	-68.44	-67.68	-68.13	-67.83
8G	40G	1M	AV	39.818G	-43.83	-41.20	-2.63	7.65	0.00	-51.48	-58.03	-58.15	-56.98	-56.98

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6875MHz Straddle 6.525-6.875GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.763G	-49.66	-7.00	-42.66	7.65	0.00	-57.31	-66.47	-61.68	-61.27	-66.84
8G	40G	1M	PK	39.842G	-38.85	-21.20	-17.65	7.65	0.00	-46.50	-51.54	-52.33	-54.26	-52.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6875MHz Straddle 6.525-6.875GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.748G	-54.47	-27.00	-27.47	7.65	0.00	-62.12	-67.93	-67.93	-68.08	-68.68
8G	40G	1M	AV	39.848G	-44.05	-41.20	-2.85	7.65	0.00	-51.70	-57.95	-57.83	-58.33	-56.91

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6895MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.775G	-49.31	-7.00	-42.31	8.32	0.00	-57.63	-64.97	-63.30	-62.81	-63.82
8G	40G	1M	PK	39.905G	-38.09	-21.20	-16.89	8.32	0.00	-46.41	-55.25	-52.75	-51.32	-51.43

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6895MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.808G	-53.65	-27.00	-26.65	8.32	0.00	-61.97	-68.22	-68.38	-67.49	-67.92
8G	40G	1M	AV	39.801G	-43.24	-41.20	-2.04	8.32	0.00	-51.56	-57.64	-57.64	-57.40	-57.64

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6995MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.979G	-48.16	-7.00	-41.16	8.32	0.00	-56.48	-63.40	-65.04	-60.23	-62.77
8G	40G	1M	PK	39.87G	-38.45	-21.20	-17.25	8.32	0.00	-46.77	-53.32	-53.75	-52.40	-51.92

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6995MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.997G	-53.61	-27.00	-26.61	8.32	0.00	-61.93	-68.50	-67.24	-68.68	-67.54
8G	40G	1M	AV	39.807G	-43.10	-41.20	-1.90	8.32	0.00	-51.42	-57.65	-57.41	-56.53	-58.39

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE [PK]

7095MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	14.18G	-49.28	-7.00	-42.28	8.32	0.00	-57.60	-63.09	-63.41	-64.62	-63.49
8G	40G	1M	PK	39.867G	-37.89	-21.20	-16.69	8.32	0.00	-46.21	-49.79	-52.55	-53.57	-54.56

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


CSE [AV]


7095MHz


01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	14.207G	-54.36	-27.00	-27.36	8.32	0.00	-62.68	-68.85	-68.85	-68.40	-68.70
8G	40G	1M	AV	39.861G	-43.12	-41.20	-1.92	8.32	0.00	-51.44	-57.05	-58.09	-57.27	-57.50










6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6485MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.997G	-49.97	-7.00	-42.97	7.31	0.00	-57.28	-61.74	-63.34	-65.94	-63.15
8G	40G	1M	PK	39.841G	-39.19	-21.20	-17.99	7.31	0.00	-46.50	-51.66	-53.94	-51.03	-54.41

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6485MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.983G	-54.76	-27.00	-27.76	7.31	0.00	-62.07	-68.35	-67.69	-68.52	-67.85
8G	40G	1M	AV	39.809G	-44.19	-41.20	-2.99	7.31	0.00	-51.50	-57.89	-57.42	-56.75	-58.14

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6525MHz Straddle 6.425-6.525GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.081G	-49.75	-7.00	-42.75	7.31	0.00	-57.06	-62.34	-61.17	-64.76	-65.40
8G	40G	1M	PK	39.805G	-39.42	-21.20	-18.22	7.31	0.00	-46.73	-53.22	-51.60	-55.21	-51.84

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6525MHz Straddle 6.425-6.525GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.043G	-54.57	-27.00	-27.57	7.31	0.00	-61.88	-68.90	-66.80	-68.57	-67.64
8G	40G	1M	AV	39.803G	-44.21	-41.20	-3.01	7.31	0.00	-51.52	-58.39	-57.41	-57.07	-57.41

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6565MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.099G	-49.28	-7.00	-42.28	7.65	0.00	-56.93	-62.59	-63.43	-65.28	-61.40
8G	40G	1M	PK	39.85G	-38.71	-21.20	-17.51	7.65	0.00	-46.36	-52.22	-52.74	-53.43	-51.38

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6565MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.133G	-54.25	-27.00	-27.25	7.65	0.00	-61.90	-67.51	-67.51	-68.69	-68.08
8G	40G	1M	AV	39.812G	-43.60	-41.20	-2.40	7.65	0.00	-51.25	-58.53	-57.77	-58.02	-55.46

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6685MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.391G	-48.97	-21.20	-27.77	7.65	0.00	-56.62	-61.16	-63.12	-63.79	-62.94
8G	40G	1M	PK	39.817G	-38.68	-21.20	-17.48	7.65	0.00	-46.33	-53.53	-51.74	-51.10	-53.60

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6685MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.395G	-53.90	-41.20	-12.70	7.65	0.00	-61.55	-65.84	-68.64	-68.30	-68.13
8G	40G	1M	AV	39.838G	-43.91	-41.20	-2.71	7.65	0.00	-51.56	-58.44	-56.48	-57.69	-57.94

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6845MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.663G	-49.10	-7.00	-42.10	7.65	0.00	-56.75	-62.30	-62.97	-62.22	-63.78
8G	40G	1M	PK	39.814G	-38.56	-21.20	-17.36	7.65	0.00	-46.21	-50.82	-52.10	-52.16	-54.70

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6845MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.711G	-54.11	-27.00	-27.11	7.65	0.00	-61.76	-68.61	-67.55	-67.00	-68.14
8G	40G	1M	AV	39.853G	-44.02	-41.20	-2.82	7.65	0.00	-51.67	-56.64	-58.24	-57.75	-58.37

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6885MHz Straddle 6.525-6.875GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.791G	-49.35	-7.00	-42.35	7.65	0.00	-57.00	-62.12	-65.64	-61.13	-64.69
8G	40G	1M	PK	39.797G	-39.09	-21.20	-17.89	7.65	0.00	-46.74	-53.60	-53.03	-51.62	-53.03

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6885MHz Straddle 6.525-6.875GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.779G	-54.65	-27.00	-27.65	7.65	0.00	-62.30	-69.18	-67.25	-68.70	-68.39
8G	40G	1M	AV	39.851G	-43.89	-41.20	-2.69	7.65	0.00	-51.54	-57.26	-56.93	-58.47	-57.73

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6925MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.831G	-48.16	-7.00	-41.16	8.32	0.00	-56.48	-63.39	-60.36	-63.85	-63.39
8G	40G	1M	PK	39.83G	-38.17	-21.20	-16.97	8.32	0.00	-46.49	-51.70	-54.08	-53.70	-51.24

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6925MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.824G	-53.68	-27.00	-26.68	8.32	0.00	-62.00	-68.27	-67.11	-68.27	-68.58
8G	40G	1M	AV	39.844G	-43.43	-41.20	-2.23	8.32	0.00	-51.75	-57.02	-58.32	-57.47	-58.45

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [PK]

7005MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	14.017G	-48.51	-7.00	-41.51	8.32	0.00	-56.83	-63.31	-61.19	-64.82	-62.96
8G	40G	1M	PK	39.831G	-37.86	-21.20	-16.66	8.32	0.00	-46.18	-52.06	-51.88	-54.48	-51.07

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [AV]

7005MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	14.021G	-53.59	-27.00	-26.59	8.32	0.00	-61.91	-68.44	-68.27	-66.91	-68.27
8G	40G	1M	AV	39.798G	-43.22	-41.20	-2.02	8.32	0.00	-51.54	-58.14	-56.33	-58.40	-57.66

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE [PK]

7085MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	14.153G	-49.74	-7.00	-42.74	8.32	0.00	-58.06	-64.08	-66.01	-63.17	-63.57
8G	40G	1M	PK	39.869G	-38.31	-21.20	-17.11	8.32	0.00	-46.63	-53.67	-53.89	-51.79	-51.73

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


CSE [AV]

7085MHz

01/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	14.136G	-54.79	-27.00	-27.79	8.32	0.00	-63.11	-68.64	-69.26	-69.59	-69.10
8G	40G	1M	AV	39.794G	-43.50	-41.20	-2.30	8.32	0.00	-51.82	-57.93	-57.46	-58.31	-57.69




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6145MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.334G	-49.84	-21.20	-28.64	6.49	0.00	-56.33	-59.87	-66.35	-65.22	-61.17
8G	40G	1M	PK	39.826G	-40.11	-21.20	-18.91	6.49	0.00	-46.60	-53.84	-53.47	-52.37	-51.29

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [AV]


6145MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.279G	-55.44	-41.20	-14.24	6.49	0.00	-61.93	-67.93	-67.77	-67.17	-69.14
8G	40G	1M	AV	39.848G	-44.94	-41.20	-3.74	6.49	0.00	-51.43	-58.59	-56.81	-57.36	-57.25





6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6465MHz

01/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.996G	-49.65	-7.00	-42.65	7.31	0.00	-56.96	-62.17	-63.65	-61.76	-65.08
8G	40G	1M	PK	39.79G	-39.13	-21.20	-17.93	7.31	0.00	-46.44	-53.09	-52.62	-52.89	-51.45

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6465MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.994G	-54.65	-27.00	-27.65	7.31	0.00	-61.96	-67.85	-68.02	-68.02	-68.02
8G	40G	1M	AV	39.807G	-44.26	-41.20	-3.06	7.31	0.00	-51.57	-58.26	-57.65	-56.53	-58.14

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6545MHz Straddle 6.425-6.525GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.146G	-49.49	-7.00	-42.49	7.31	0.00	-56.80	-64.05	-62.25	-61.95	-63.35
8G	40G	1M	PK	39.614G	-39.17	-21.20	-17.97	7.31	0.00	-46.48	-51.23	-51.03	-55.33	-53.82

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6545MHz Straddle 6.425-6.525GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.144G	-54.80	-27.00	-27.80	7.31	0.00	-62.11	-68.60	-68.44	-67.30	-68.29
8G	40G	1M	AV	39.614G	-44.27	-41.20	-3.07	7.31	0.00	-51.58	-58.15	-56.75	-57.19	-58.53

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6625MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.257G	-49.38	-21.20	-28.18	7.65	0.00	-57.03	-61.46	-63.56	-64.03	-63.65
8G	40G	1M	PK	39.77G	-38.70	-21.20	-17.50	7.65	0.00	-46.35	-52.74	-52.94	-50.71	-53.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6625MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.302G	-54.02	-41.20	-12.82	7.65	0.00	-61.67	-67.79	-68.10	-66.76	-68.27
8G	40G	1M	AV	39.796G	-43.98	-41.20	-2.78	7.65	0.00	-51.63	-58.42	-58.16	-56.25	-58.16

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6705MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.365G	-48.91	-21.20	-27.71	7.65	0.00	-56.56	-64.04	-62.16	-60.96	-63.94
8G	40G	1M	PK	39.823G	-39.02	-21.20	-17.82	7.65	0.00	-46.67	-54.80	-55.42	-52.97	-49.87

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


CSE [AV]

6705MHz

01/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.384G	-53.98	-41.20	-12.78	7.65	0.00	-61.63	-68.70	-67.41	-66.97	-67.72
8G	40G	1M	AV	39.794G	-43.92	-41.20	-2.72	7.65	0.00	-51.57	-57.01	-56.68	-58.31	-58.70




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6865MHz Straddle 6.525-6.875GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.661G	-48.80	-7.00	-41.80	7.65	0.00	-56.45	-62.14	-62.30	-61.61	-64.26
8G	40G	1M	PK	39.076G	-39.19	-21.20	-17.99	7.65	0.00	-46.84	-50.73	-54.79	-54.43	-52.72

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6865MHz Straddle 6.525-6.875GHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.692G	-54.07	-27.00	-27.07	7.65	0.00	-61.72	-68.79	-66.98	-67.54	-67.84
8G	40G	1M	AV	39.828G	-43.94	-41.20	-2.74	7.65	0.00	-51.59	-57.68	-57.56	-58.30	-56.99

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6945MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.956G	-48.13	-7.00	-41.13	8.32	0.00	-56.45	-62.79	-63.60	-60.27	-64.39
8G	40G	1M	PK	39.866G	-38.25	-21.20	-17.05	8.32	0.00	-46.57	-53.70	-51.81	-52.87	-52.23

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6945MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.907G	-53.33	-27.00	-26.33	8.32	0.00	-61.65	-68.80	-68.97	-66.65	-66.79
8G	40G	1M	AV	39.849G	-43.42	-41.20	-2.22	8.32	0.00	-51.74	-57.83	-57.83	-58.46	-57.03

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [PK]

7025MHz

01/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.998G	-48.56	-7.00	-41.56	8.32	0.00	-56.88	-62.86	-63.13	-62.86	-62.77
8G	40G	1M	PK	39.817G	-38.47	-21.20	-17.27	8.32	0.00	-46.79	-56.80	-52.23	-52.69	-51.27

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE [AV]

7025MHz

01/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	14.031G	-53.51	-27.00	-26.51	8.32	0.00	-61.83	-67.39	-68.00	-67.24	-69.00
8G	40G	1M	AV	39.848G	-43.23	-41.20	-2.03	8.32	0.00	-51.55	-57.13	-56.39	-58.72	-58.46

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [PK]

6025MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.092G	-49.51	-21.20	-28.31	6.49	0.00	-56.00	-65.33	-61.89	-60.94	-61.17
8G	40G	1M	PK	39.853G	-40.13	-21.20	-18.93	6.49	0.00	-46.62	-50.39	-54.30	-52.45	-54.88

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


CSE [AV]

6025MHz

01/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.048G	-54.59	-41.20	-13.39	6.49	0.00	-61.08	-68.10	-66.61	-66.61	-67.24
8G	40G	1M	AV	39.837G	-45.04	-41.20	-3.84	6.49	0.00	-51.53	-55.97	-58.44	-57.34	-59.11




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [PK]

6345MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.617G	-50.53	-21.20	-29.33	6.49	0.00	-57.02	-64.04	-63.34	-61.76	-63.34
8G	40G	1M	PK	39.84G	-39.88	-21.20	-18.68	6.49	0.00	-46.37	-54.02	-54.17	-49.66	-53.49

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [AV]

6345MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.647G	-55.66	-41.20	-14.46	6.49	0.00	-62.15	-68.47	-67.80	-68.13	-68.30
8G	40G	1M	AV	39.834G	-44.96	-41.20	-3.76	6.49	0.00	-51.45	-57.23	-57.69	-56.79	-58.30

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [PK]

6505MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.152G	-49.66	-7.00	-42.66	7.31	0.00	-56.97	-62.43	-61.29	-64.75	-64.46
8G	40G	1M	PK	39.178G	-38.76	-21.20	-17.56	7.31	0.00	-46.07	-53.00	-49.10	-53.63	-55.12

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [AV]

6505MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.143G	-54.25	-27.00	-27.25	7.31	0.00	-61.56	-67.03	-68.75	-68.59	-66.41
8G	40G	1M	AV	39.796G	-44.39	-41.20	-3.19	7.31	0.00	-51.70	-57.67	-56.99	-58.04	-58.29

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [PK]

6665MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.258G	-48.60	-21.20	-27.40	7.65	0.00	-56.25	-61.89	-61.74	-64.83	-61.38
8G	40G	1M	PK	39.868G	-38.86	-21.20	-17.66	7.65	0.00	-46.51	-53.30	-50.53	-52.50	-54.98

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [AV]

6665MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.324G	-53.84	-41.20	-12.64	7.65	0.00	-61.49	-67.40	-66.42	-68.01	-68.49
8G	40G	1M	AV	39.805G	-43.86	-41.20	-2.66	7.65	0.00	-51.51	-58.01	-58.39	-57.07	-56.85

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [PK]

6825MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.663G	-48.61	-7.00	-41.61	7.65	0.00	-56.26	-64.36	-64.57	-60.45	-61.25
8G	40G	1M	PK	39.811G	-38.70	-21.20	-17.50	7.65	0.00	-46.35	-51.85	-55.40	-52.68	-50.77

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [AV]

6825MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.666G	-53.98	-27.00	-26.98	7.65	0.00	-61.63	-66.63	-67.76	-68.54	-67.91
8G	40G	1M	AV	39.797G	-43.78	-41.20	-2.58	7.65	0.00	-51.43	-56.45	-57.20	-57.78	-58.67

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [PK]

6985MHz

01/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.879G	-48.04	-7.00	-41.04	8.32	0.00	-56.36	-62.49	-63.18	-61.26	-62.83
8G	40G	1M	PK	39.844G	-38.11	-21.20	-16.91	8.32	0.00	-46.43	-50.30	-51.96	-56.42	-53.21

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

CSE [AV]

6985MHz

01/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	14.031G	-53.45	-27.00	-26.45	8.32	0.00	-61.77	-68.49	-67.84	-67.39	-67.54
8G	40G	1M	AV	39.841G	-43.24	-41.20	-2.04	8.32	0.00	-51.56	-58.84	-58.57	-57.82	-55.79



CSE (High Pass Filter)_Radio 3-1T1S
For other test frequencies (Harmonic 8GHz ~ 40GHz)

Appendix E.5

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-51.71	-58.51	-58.51	-41.20	-10.51	6.80
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-52.06	-58.86	-58.86	-41.20	-10.86	6.80
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-51.60	-58.40	-58.40	-41.20	-10.40	6.80
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-51.68	-58.48	-58.48	-41.20	-10.48	6.80

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE (High Pass Filter)_Radio 3-1T1S
For other test frequencies (Harmonic 8GHz ~ 40GHz)

Appendix E.5

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	8G	40G	AV	11.896G	6.80	-64.50	-64.50	-57.70	-41.20	-16.50
5955MHz	Pass	8G	40G	AV	38.751G	6.80	-58.51	-58.51	-51.71	-41.20	-10.51
5955MHz	Pass	8G	40G	PK	11.892G	6.80	-59.47	-59.47	-52.67	-21.20	-31.47
5955MHz	Pass	8G	40G	PK	39.773G	6.80	-52.58	-52.58	-45.78	-21.20	-24.58
6175MHz	Pass	8G	40G	AV	12.334G	6.80	-66.25	-66.25	-59.45	-41.20	-18.25
6175MHz	Pass	8G	40G	AV	38.748G	6.80	-58.80	-58.80	-52.00	-41.20	-10.80
6175MHz	Pass	8G	40G	PK	12.348G	6.80	-60.64	-60.64	-53.84	-21.20	-32.64
6175MHz	Pass	8G	40G	PK	39.03G	6.80	-53.29	-53.29	-46.49	-21.20	-25.29
6415MHz	Pass	8G	40G	AV	12.835G	6.80	-65.84	-65.84	-59.04	-27.00	-32.04
6415MHz	Pass	8G	40G	AV	39.136G	6.80	-59.28	-59.28	-52.48	-41.20	-11.28
6415MHz	Pass	8G	40G	PK	12.837G	6.80	-60.62	-60.62	-53.82	-7.00	-46.82
6415MHz	Pass	8G	40G	PK	38.755G	6.80	-52.52	-52.52	-45.72	-21.20	-24.52
6435MHz	Pass	8G	40G	AV	12.867G	6.80	-66.93	-66.93	-60.13	-27.00	-33.13
6435MHz	Pass	8G	40G	AV	39.998G	6.80	-58.99	-58.99	-52.19	-41.20	-10.99
6435MHz	Pass	8G	40G	PK	12.882G	6.80	-61.02	-61.02	-54.22	-7.00	-47.22
6435MHz	Pass	8G	40G	PK	38.709G	6.80	-53.88	-53.88	-47.08	-21.20	-25.88
6475MHz	Pass	8G	40G	AV	12.946G	6.80	-66.37	-66.37	-59.57	-27.00	-32.57
6475MHz	Pass	8G	40G	AV	39.099G	6.80	-58.86	-58.86	-52.06	-41.20	-10.86
6475MHz	Pass	8G	40G	PK	12.945G	6.80	-61.79	-61.79	-54.99	-7.00	-47.99
6475MHz	Pass	8G	40G	PK	39.845G	6.80	-53.25	-53.25	-46.45	-21.20	-25.25
6515MHz	Pass	8G	40G	AV	13.021G	6.80	-67.14	-67.14	-60.34	-27.00	-33.34
6515MHz	Pass	8G	40G	AV	39.964G	6.80	-58.97	-58.97	-52.17	-41.20	-10.97
6515MHz	Pass	8G	40G	PK	13.015G	6.80	-61.93	-61.93	-55.13	-7.00	-48.13
6515MHz	Pass	8G	40G	PK	39.895G	6.80	-52.41	-52.41	-45.61	-21.20	-24.41
6535MHz	Pass	8G	40G	AV	13.072G	6.80	-66.98	-66.98	-60.18	-27.00	-33.18
6535MHz	Pass	8G	40G	AV	40G	6.80	-58.40	-58.40	-51.60	-41.20	-10.40
6535MHz	Pass	8G	40G	PK	13.086G	6.80	-62.21	-62.21	-55.41	-7.00	-48.41
6535MHz	Pass	8G	40G	PK	39.974G	6.80	-51.49	-51.49	-44.69	-21.20	-23.49
6695MHz	Pass	8G	40G	AV	13.38G	6.80	-66.17	-66.17	-59.37	-41.20	-18.17
6695MHz	Pass	8G	40G	AV	39.98G	6.80	-59.20	-59.20	-52.40	-41.20	-11.20
6695MHz	Pass	8G	40G	PK	13.396G	6.80	-60.67	-60.67	-53.87	-21.20	-32.67
6695MHz	Pass	8G	40G	PK	38.7G	6.80	-52.49	-52.49	-45.69	-21.20	-24.49
6855MHz	Pass	8G	40G	AV	13.71G	6.80	-65.86	-65.86	-59.06	-27.00	-32.06
6855MHz	Pass	8G	40G	AV	38.722G	6.80	-58.77	-58.77	-51.97	-41.20	-10.77
6855MHz	Pass	8G	40G	PK	13.692G	6.80	-61.36	-61.36	-54.56	-7.00	-47.56
6855MHz	Pass	8G	40G	PK	38.701G	6.80	-53.07	-53.07	-46.27	-21.20	-25.07
6875MHz Straddle 6.525-6.875GHz	Pass	8G	40G	AV	13.736G	6.80	-66.53	-66.53	-59.73	-27.00	-32.73
6875MHz Straddle 6.525-6.875GHz	Pass	8G	40G	AV	39.995G	6.80	-58.53	-58.53	-51.73	-41.20	-10.53
6875MHz Straddle 6.525-6.875GHz	Pass	8G	40G	PK	13.761G	6.80	-61.86	-61.86	-55.06	-7.00	-48.06
6875MHz Straddle 6.525-6.875GHz	Pass	8G	40G	PK	38.738G	6.80	-53.18	-53.18	-46.38	-21.20	-25.18
6875MHz Straddle 6.875-7.125GHz											
6895MHz	Pass	8G	40G	AV	13.808G	6.80	-66.08	-66.08	-59.28	-27.00	-32.28
6895MHz	Pass	8G	40G	AV	39.976G	6.80	-58.53	-58.53	-51.73	-41.20	-10.53
6895MHz	Pass	8G	40G	PK	13.8G	6.80	-61.11	-61.11	-54.31	-7.00	-47.31
6895MHz	Pass	8G	40G	PK	39.905G	6.80	-52.40	-52.40	-45.60	-21.20	-24.40
6995MHz	Pass	8G	40G	AV	13.997G	6.80	-66.19	-66.19	-59.39	-27.00	-32.39
6995MHz	Pass	8G	40G	AV	39.992G	6.80	-58.48	-58.48	-51.68	-41.20	-10.48
6995MHz	Pass	8G	40G	PK	13.975G	6.80	-61.08	-61.08	-54.28	-7.00	-47.28
6995MHz	Pass	8G	40G	PK	39.008G	6.80	-52.88	-52.88	-46.08	-21.20	-24.88
7095MHz	Pass	8G	40G	AV	14.206G	6.80	-64.99	-64.99	-58.19	-27.00	-31.19
7095MHz	Pass	8G	40G	AV	39.997G	6.80	-58.88	-58.88	-52.08	-41.20	-10.88
7095MHz	Pass	8G	40G	PK	14.18G	6.80	-60.55	-60.55	-53.75	-7.00	-46.75
7095MHz	Pass	8G	40G	PK	38.725G	6.80	-52.63	-52.63	-45.83	-21.20	-24.63


DG = Directional Gain ; PX=Port X ; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5955MHz

10/04/2023



Limit.PK
 EIRP.PK
 Port.1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.892G	-52.67	-21.20	-31.47	6.80	0.00	-59.47	-59.47
8G	40G	1M	PK	39.773G	-45.78	-21.20	-24.58	6.80	0.00	-52.58	-52.58

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]


5955MHz

10/04/2023



Limit.AV
 EIRP.AV
 Port.1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.896G	-57.70	-41.20	-16.50	6.80	0.00	-64.50	-64.50
8G	40G	1M	AV	38.751G	-51.71	-41.20	-10.51	6.80	0.00	-58.51	-58.51




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6415MHz

10/04/2023



Limit:PK 
 ERP:PK 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	12.837G	-53.82	-7.00	-46.82	6.80	0.00	-60.62	-60.62
8G	40G	1M	PK	38.755G	-45.72	-21.20	-24.52	6.80	0.00	-52.52	-52.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6415MHz

10/04/2023



Limit:AV 
 ERP:AV 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	12.835G	-59.04	-27.00	-32.04	6.80	0.00	-65.84	-65.84
8G	40G	1M	AV	39.136G	-52.48	-41.20	-11.28	6.80	0.00	-59.28	-59.28

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6435MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	12.882G	-54.22	-7.00	-47.22	6.80	0.00	-61.02	-61.02
8G	40G	1M	PK	38.709G	-47.08	-21.20	-25.88	6.80	0.00	-53.88	-53.88

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6435MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	12.867G	-60.13	-27.00	-33.13	6.80	0.00	-66.93	-66.93
8G	40G	1M	AV	39.998G	-52.19	-41.20	-10.99	6.80	0.00	-58.99	-58.99

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6475MHz

10/04/2023



Limit:PK 
 ERP:PK 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	12.945G	-54.99	-7.00	-47.99	6.80	0.00	-61.79	-61.79
8G	40G	1M	PK	39.845G	-46.45	-21.20	-25.25	6.80	0.00	-53.25	-53.25



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6475MHz

10/04/2023



Limit:AV 
 ERP:AV 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	12.946G	-59.57	-27.00	-32.57	6.80	0.00	-66.37	-66.37
8G	40G	1M	AV	39.099G	-52.06	-41.20	-10.86	6.80	0.00	-58.86	-58.86




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6515MHz

10/04/2023



Limit:PK 
 EIRP:PK 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.015G	-55.13	-7.00	-48.13	6.80	0.00	-61.93	-61.93
8G	40G	1M	PK	39.895G	-45.61	-21.20	-24.41	6.80	0.00	-52.41	-52.41




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6515MHz

10/04/2023



Limit:AV 
 EIRP:AV 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.021G	-60.34	-27.00	-33.34	6.80	0.00	-67.14	-67.14
8G	40G	1M	AV	39.964G	-52.17	-41.20	-10.97	6.80	0.00	-58.97	-58.97




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6535MHz

10/04/2023



Limit PK 
 EIRP PK 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.086G	-55.41	-7.00	-48.41	6.80	0.00	-62.21	-62.21
8G	40G	1M	PK	39.974G	-44.69	-21.20	-23.49	6.80	0.00	-51.49	-51.49




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6535MHz

10/04/2023



Limit AV 
 EIRP AV 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.072G	-60.18	-27.00	-33.18	6.80	0.00	-66.98	-66.98
8G	40G	1M	AV	40G	-51.60	-41.20	-10.40	6.80	0.00	-58.40	-58.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6695MHz

10/04/2023



Limit-PK 
 ERP-PK 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.396G	-53.87	-21.20	-32.67	6.80	0.00	-60.67	-60.67
8G	40G	1M	PK	38.7G	-45.69	-21.20	-24.49	6.80	0.00	-52.49	-52.49

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6695MHz

10/04/2023



Limit-AV 
 ERP-AV 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.38G	-59.37	-41.20	-18.17	6.80	0.00	-66.17	-66.17
8G	40G	1M	AV	39.88G	-52.40	-41.20	-11.20	6.80	0.00	-59.20	-59.20

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6855MHz

10/04/2023



Limit-PK
 ERP-PK
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.692G	-54.56	-7.00	-47.56	6.80	0.00	-61.36	-61.36
8G	40G	1M	PK	38.701G	-46.27	-21.20	-25.07	6.80	0.00	-53.07	-53.07

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6855MHz

10/04/2023



Limit-AV
 ERP-AV
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.71G	-59.06	-27.00	-32.06	6.80	0.00	-65.86	-65.86
8G	40G	1M	AV	38.722G	-51.97	-41.20	-10.77	6.80	0.00	-58.77	-58.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6875MHz Straddle 6.525-6.875GHz

10/04/2023



Limit:PK 
 ERP:PK 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.761G	-55.06	-7.00	-48.06	6.80	0.00	-61.86	-61.86
8G	40G	1M	PK	38.738G	-46.38	-21.20	-25.18	6.80	0.00	-53.18	-53.18

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6875MHz Straddle 6.525-6.875GHz

10/04/2023



Limit:AV 
 ERP:AV 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.736G	-59.73	-27.00	-32.73	6.80	0.00	-66.53	-66.53
8G	40G	1M	AV	39.995G	-51.73	-41.20	-10.53	6.80	0.00	-58.53	-58.53

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6895MHz

10/04/2023



Limit.PK

EIRP.PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.8G	-54.31	-7.00	-47.31	6.80	0.00	-61.11	-61.11
8G	40G	1M	PK	39.905G	-45.60	-21.20	-24.40	6.80	0.00	-52.40	-52.40

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6895MHz

10/04/2023



Limit.AV

EIRP.AV

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.808G	-59.28	-27.00	-32.28	6.80	0.00	-66.08	-66.08
8G	40G	1M	AV	39.976G	-51.73	-41.20	-10.53	6.80	0.00	-58.53	-58.53

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6995MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.975G	-54.28	-7.00	-47.28	6.80	0.00	-61.08	-61.08
8G	40G	1M	PK	39.008G	-46.08	-21.20	-24.88	6.80	0.00	-52.88	-52.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6995MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.997G	-59.39	-27.00	-32.39	6.80	0.00	-66.19	-66.19
8G	40G	1M	AV	39.992G	-51.68	-41.20	-10.48	6.80	0.00	-58.48	-58.48

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

7095MHz

10/04/2023



Limit-PK 
 ERP-PK 
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	14.18G	-53.75	-7.00	-46.75	6.80	0.00	-60.55	-60.55
8G	40G	1M	PK	38.725G	-45.83	-21.20	-24.63	6.80	0.00	-52.63	-52.63

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

7095MHz

10/04/2023



Limit-AV 
 ERP-AV 
 Port 1 

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	14.206G	-58.19	-27.00	-31.19	6.80	0.00	-64.99	-64.99
8G	40G	1M	AV	39.997G	-52.08	-41.20	-10.88	6.80	0.00	-58.88	-58.88



CSE Bandedge (w/o Filter)_Radio 2-1T1S, 2T1S, 4T1S
For other test frequencies

Appendix E.6

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.92468G	6.00	-57.52				-57.52	-51.52	-27	-24.52
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.885G	7.165G	AV	5.90996G	6.51	-58.58	-58.58			-55.57	-49.06	-27	-22.06
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	5.885G	7.165G	AV	5.885G	9.21	-58.95	-58.66	-58.95	-58.66	-52.78	-43.57	-27	-16.57
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.845G	7.205G	AV	5.92456G	6.00	-54.5				-54.5	-48.50	-27	-21.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.845G	7.205G	AV	5.92388G	6.51	-57.09	-56.43			-53.74	-47.23	-27	-20.23
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	5.845G	7.205G	AV	5.85248G	9.21	-58.42	-58.42	-58.42	-58.42	-52.4	-43.19	-27	-16.19
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.765G	7.285G	AV	5.92308G	6.00	-36.84				-36.84	-30.84	-27	-3.84
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.765G	7.285G	AV	7.28424G	6.51	-61.77	-61.77			-58.76	-52.25	-41.2	-11.05
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	5.765G	7.285G	AV	7.285G	9.21	-61.56	-61.77	-61.77	-61.56	-55.64	-46.43	-41.2	-5.23
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	5.605G	7.445G	AV	5.9224G	6.00	-38.98				-38.98	-32.98	-27	-5.98
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	5.605G	7.445G	AV	5.92424G	6.51	-38.69	-40.06			-36.31	-29.80	-27	-2.80
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	5.605G	7.445G	AV	7.31252G	9.21	-61.35	-61.35	-61.77	-61.77	-55.53	-46.32	-41.2	-5.12
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.845G	7.205G	AV	7.12544G	8.32	-57				-57	-48.68	-27	-21.68
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.845G	7.205G	AV	5.85996G	8.38	-58.48	-58.48			-55.47	-47.09	-27	-20.09
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	5.845G	7.205G	AV	5.84636G	10.71	-58.39	-58.39	-58.67	-58.39	-52.44	-41.73	-27	-14.73
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.765G	7.285G	AV	7.27892G	8.32	-61.57				-61.57	-53.25	-41.2	-12.05
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.765G	7.285G	AV	7.28424G	8.38	-61.77	-61.77			-58.76	-50.38	-41.2	-9.18
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	5.765G	7.285G	AV	7.28424G	10.71	-61.77	-61.77	-61.77	-61.77	-55.75	-45.04	-41.2	-3.84
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	5.605G	7.445G	AV	7.2518G	8.32	-55.65				-55.65	-47.33	-41.2	-6.13
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	5.605G	7.445G	AV	7.2518G	8.38	-60.83	-61.21			-58.01	-49.63	-41.2	-8.43
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	5.605G	7.445G	AV	7.30884G	10.71	-61.55	-61.55	-61.55	-61.55	-55.53	-44.82	-41.2	-3.62

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge (w/o Filter)_Radio 2-1T1S, 2T1S, 4T1S
For other test frequencies

Appendix E.6

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	6.00	-57.52				-57.52	-51.52	-27	-24.52
5955MHz	Pass	5.885G	7.165G	AV	7.14836G	6.00	-61.61				-61.61	-55.61	-27	-28.61
5955MHz	Pass	5.885G	7.165G	PK	5.91316G	6.00	-47.13				-47.13	-41.13	-7	-34.13
5955MHz	Pass	5.885G	7.165G	PK	7.13044G	6.00	-50.47				-50.47	-44.47	-7	-37.47
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	6.00	-54.5				-54.5	-48.50	-27	-21.50
5965MHz	Pass	5.845G	7.205G	AV	7.12544G	6.00	-61.27				-61.27	-55.27	-27	-28.27
5965MHz	Pass	5.845G	7.205G	PK	5.91912G	6.00	-40.88				-40.88	-34.88	-7	-27.88
5965MHz	Pass	5.845G	7.205G	PK	7.17712G	6.00	-49.69				-49.69	-43.69	-7	-36.69
7085MHz	Pass	5.845G	7.205G	AV	5.84568G	8.32	-58.35				-58.35	-50.03	-27	-23.03
7085MHz	Pass	5.845G	7.205G	AV	7.12544G	8.32	-57				-57	-48.68	-27	-21.68
7085MHz	Pass	5.845G	7.205G	PK	5.845G	8.32	-46.28				-46.28	-37.96	-7	-30.96
7085MHz	Pass	5.845G	7.205G	PK	7.12952G	8.32	-45.25				-45.25	-36.93	-7	-29.93
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92308G	6.00	-36.84				-36.84	-30.84	-27	-3.84
5985MHz	Pass	5.765G	7.285G	AV	7.27664G	6.00	-61.34				-61.34	-55.34	-41.2	-14.14
5985MHz	Pass	5.765G	7.285G	PK	5.92232G	6.00	-24.1				-24.1	-18.10	-7	-11.10
5985MHz	Pass	5.765G	7.285G	PK	7.25156G	6.00	-50.68				-50.68	-44.68	-21.2	-23.48
7025MHz	Pass	5.765G	7.285G	AV	5.7992G	8.32	-58.27				-58.27	-49.95	-27	-22.95
7025MHz	Pass	5.765G	7.285G	AV	7.13072G	8.32	-56.54				-56.54	-48.22	-27	-21.22
7025MHz	Pass	5.765G	7.285G	AV	7.27892G	8.32	-61.57				-61.57	-53.25	-41.2	-12.05
7025MHz	Pass	5.765G	7.285G	PK	5.79616G	8.32	-47.32				-47.32	-39.00	-7	-32.00
7025MHz	Pass	5.765G	7.285G	PK	7.1254G	8.32	-44.39				-44.39	-36.07	-7	-29.07
7025MHz	Pass	5.765G	7.285G	PK	7.25004G	8.32	-50.32				-50.32	-42.00	-21.2	-20.80
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.9224G	6.00	-38.98				-38.98	-32.98	-27	-5.98
6025MHz	Pass	5.605G	7.445G	AV	7.29964G	6.00	-61.39				-61.39	-55.39	-41.2	-14.19
6025MHz	Pass	5.605G	7.445G	PK	5.9178G	6.00	-26.77				-26.77	-20.77	-7	-13.77
6025MHz	Pass	5.605G	7.445G	PK	7.38796G	6.00	-49.36				-49.36	-43.36	-21.2	-22.16
6985MHz	Pass	5.605G	7.445G	AV	5.80188G	8.32	-58.05				-58.05	-49.73	-27	-22.73
6985MHz	Pass	5.605G	7.445G	AV	7.1276G	8.32	-42.89				-42.89	-34.57	-27	-7.57
6985MHz	Pass	5.605G	7.445G	AV	7.2518G	8.32	-55.65				-55.65	-47.33	-41.2	-6.13
6985MHz	Pass	5.605G	7.445G	PK	5.89664G	8.32	-46.93				-46.93	-38.61	-7	-31.61
6985MHz	Pass	5.605G	7.445G	PK	7.12944G	8.32	-28.47				-28.47	-20.15	-7	-13.15
6985MHz	Pass	5.605G	7.445G	PK	7.2564G	8.32	-42.83				-42.83	-34.51	-21.2	-13.31
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.90996G	6.51	-58.58	-58.58			-55.57	-49.06	-27	-22.06
5955MHz	Pass	5.885G	7.165G	AV	7.133G	6.51	-61.96	-61.96			-58.95	-52.44	-27	-25.44
5955MHz	Pass	5.885G	7.165G	PK	5.91636G	6.51	-47.45	-48.32			-44.85	-38.34	-7	-31.34
5955MHz	Pass	5.885G	7.165G	PK	7.149G	6.51	-50.74	-51.47			-48.08	-41.57	-7	-34.57
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92388G	6.51	-57.09	-56.43			-53.74	-47.23	-27	-20.23
5965MHz	Pass	5.845G	7.205G	AV	7.1336G	6.51	-61.9	-61.69			-58.78	-52.27	-27	-25.27
5965MHz	Pass	5.845G	7.205G	PK	5.92456G	6.51	-48.22	-45.86			-43.87	-37.36	-7	-30.36
5965MHz	Pass	5.845G	7.205G	PK	7.15944G	6.51	-50.79	-51.39			-48.07	-41.56	-7	-34.56
7085MHz	Pass	5.845G	7.205G	AV	5.85996G	8.38	-58.48	-58.48			-55.47	-47.09	-27	-20.09
7085MHz	Pass	5.845G	7.205G	AV	7.1268G	8.38	-59.06	-59.52			-56.27	-47.89	-27	-20.89
7085MHz	Pass	5.845G	7.205G	PK	5.8518G	8.38	-49	-47.45			-45.15	-36.77	-7	-29.77
7085MHz	Pass	5.845G	7.205G	PK	7.12612G	8.38	-49.25	-49.55			-46.39	-38.01	-7	-31.01
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92384G	6.51	-56.64	-56.43			-53.52	-47.01	-27	-20.01
5985MHz	Pass	5.765G	7.285G	AV	7.28424G	6.51	-61.77	-61.77			-58.76	-52.25	-41.2	-11.05
5985MHz	Pass	5.765G	7.285G	PK	5.92308G	6.51	-45.49	-46.99			-43.17	-36.66	-7	-29.66
5985MHz	Pass	5.765G	7.285G	PK	7.25612G	6.51	-51.07	-52.04			-48.52	-42.01	-21.2	-20.81
7025MHz	Pass	5.765G	7.285G	AV	5.79312G	8.38	-58.31	-58.31			-55.3	-46.92	-27	-19.92
7025MHz	Pass	5.765G	7.285G	AV	7.12996G	8.38	-59.68	-60.36			-57	-48.62	-27	-21.62
7025MHz	Pass	5.765G	7.285G	AV	7.28424G	8.38	-61.77	-61.77			-58.76	-50.38	-41.2	-9.18
7025MHz	Pass	5.765G	7.285G	PK	5.79996G	8.38	-48.67	-46.41			-44.38	-36.00	-7	-29.00
7025MHz	Pass	5.765G	7.285G	PK	7.1292G	8.38	-49.54	-49.49			-46.5	-38.12	-7	-31.12
7025MHz	Pass	5.765G	7.285G	PK	7.2774G	8.38	-50.85	-51.67			-48.23	-39.85	-21.2	-18.65
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	6.51	-38.69	-40.06			-36.31	-29.80	-27	-2.80
6025MHz	Pass	5.605G	7.445G	AV	7.30976G	6.51	-61.55	-61.55			-58.54	-52.03	-41.2	-10.83
6025MHz	Pass	5.605G	7.445G	PK	5.9224G	6.51	-29.14	-28.09			-25.57	-19.06	-7	-12.06
6025MHz	Pass	5.605G	7.445G	PK	7.29044G	6.51	-51.98	-50.19			-47.98	-41.47	-21.2	-20.27
6985MHz	Pass	5.605G	7.445G	AV	5.82672G	8.38	-58.34	-58.34			-55.33	-46.95	-27	-19.95
6985MHz	Pass	5.605G	7.445G	AV	7.13036G	8.38	-55.57	-54.7			-52.1	-43.72	-27	-16.72
6985MHz	Pass	5.605G	7.445G	AV	7.2518G	8.38	-60.83	-61.21			-58.01	-49.63	-41.2	-8.43



CSE Bandedge (w/o Filter)_Radio 2-1T1S, 2T1S, 4T1S
For other test frequencies

Appendix E.6


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6985MHz	Pass	5.605G	7.445G	PK	5.85156G	8.38	-47.77	-47.69			-44.72	-36.34	-7	-29.34
6985MHz	Pass	5.605G	7.445G	PK	7.1322G	8.38	-44.12	-44.83			-41.45	-33.07	-7	-26.07
6985MHz	Pass	5.605G	7.445G	PK	7.26836G	8.38	-51.23	-49.9			-47.5	-39.12	-21.2	-17.92
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.885G	9.21	-58.95	-58.66	-58.95	-58.66	-52.78	-43.57	-27	-16.57
5955MHz	Pass	5.885G	7.165G	AV	7.12916G	9.21	-62.12	-62.34	-62.34	-62.12	-56.21	-47.00	-27	-20.00
5955MHz	Pass	5.885G	7.165G	PK	5.90036G	9.21	-49.65	-49.94	-46.84	-48.05	-42.41	-33.20	-7	-26.20
5955MHz	Pass	5.885G	7.165G	PK	7.13236G	9.21	-51.78	-52.05	-51.98	-51.59	-45.83	-36.62	-7	-29.62
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.85248G	9.21	-58.42	-58.42	-58.42	-58.42	-52.4	-43.19	-27	-16.19
5965MHz	Pass	5.845G	7.205G	AV	7.13496G	9.21	-61.89	-62.33	-62.11	-62.11	-56.09	-46.88	-27	-19.88
5965MHz	Pass	5.845G	7.205G	PK	5.86608G	9.21	-46.31	-48.83	-48.13	-48.47	-41.8	-32.59	-7	-25.59
5965MHz	Pass	5.845G	7.205G	PK	7.1778G	9.21	-52.71	-51.24	-52.08	-51.24	-45.75	-36.54	-7	-29.54
7085MHz	Pass	5.845G	7.205G	AV	5.84636G	10.71	-58.39	-58.39	-58.67	-58.39	-52.44	-41.73	-27	-14.73
7085MHz	Pass	5.845G	7.205G	AV	7.12544G	10.71	-61.31	-61.51	-61.51	-61.71	-55.49	-44.78	-27	-17.78
7085MHz	Pass	5.845G	7.205G	PK	5.84704G	10.71	-48.26	-48.17	-47.59	-48.61	-42.12	-31.41	-7	-24.41
7085MHz	Pass	5.845G	7.205G	PK	7.1302G	10.71	-51.92	-49.9	-52.26	-51.22	-45.21	-34.50	-7	-27.50
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92004G	9.21	-58.3	-58.3	-58.04	-58.57	-52.28	-43.07	-27	-16.07
5985MHz	Pass	5.765G	7.285G	AV	7.285G	9.21	-61.56	-61.77	-61.77	-61.56	-55.64	-46.43	-41.2	-5.23
5985MHz	Pass	5.765G	7.285G	PK	5.8182G	9.21	-46.6	-48.81	-46.89	-48.63	-41.6	-32.39	-7	-25.39
5985MHz	Pass	5.765G	7.285G	PK	7.28424G	9.21	-50.31	-52.48	-50.72	-51.99	-45.26	-36.05	-21.2	-14.85
7025MHz	Pass	5.765G	7.285G	AV	5.80528G	10.71	-58.57	-58.28	-58.28	-58.28	-52.33	-41.62	-27	-14.62
7025MHz	Pass	5.765G	7.285G	AV	7.12768G	10.71	-61.7	-61.7	-61.7	-61.7	-55.68	-44.97	-27	-17.97
7025MHz	Pass	5.765G	7.285G	AV	7.28424G	10.71	-61.77	-61.77	-61.77	-61.77	-55.75	-45.04	-41.2	-3.84
7025MHz	Pass	5.765G	7.285G	PK	5.83188G	10.71	-48.48	-48.94	-47.96	-47	-42.01	-31.30	-7	-24.30
7025MHz	Pass	5.765G	7.285G	PK	7.17632G	10.71	-50.42	-50.88	-53.14	-52.14	-45.5	-34.79	-7	-27.79
7025MHz	Pass	5.765G	7.285G	PK	7.28348G	10.71	-51.14	-51.85	-51.08	-52.48	-45.58	-34.87	-21.2	-13.67
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	9.21	-56.64	-56.86	-55.43	-56.01	-50.18	-40.97	-27	-13.97
6025MHz	Pass	5.605G	7.445G	AV	7.31252G	9.21	-61.35	-61.35	-61.77	-61.77	-55.53	-46.32	-41.2	-5.12
6025MHz	Pass	5.605G	7.445G	PK	5.9086G	9.21	-47.3	-46.12	-44.97	-45.5	-39.87	-30.66	-7	-23.66
6025MHz	Pass	5.605G	7.445G	PK	7.3254G	9.21	-51.54	-50.92	-51.41	-50.68	-45.1	-35.89	-21.2	-14.69
6985MHz	Pass	5.605G	7.445G	AV	5.8074G	10.71	-58.29	-58.29	-58.29	-58.29	-52.27	-41.56	-27	-14.56
6985MHz	Pass	5.605G	7.445G	AV	7.13036G	10.71	-59.68	-60.36	-58.74	-60.54	-53.75	-43.04	-27	-16.04
6985MHz	Pass	5.605G	7.445G	AV	7.30884G	10.71	-61.55	-61.55	-61.55	-61.55	-55.53	-44.82	-41.2	-3.62
6985MHz	Pass	5.605G	7.445G	PK	5.85248G	10.71	-48.64	-48.46	-46.21	-48.64	-41.83	-31.12	-7	-24.12
6985MHz	Pass	5.605G	7.445G	PK	7.13864G	10.71	-49.26	-50.15	-48.65	-50.95	-43.65	-32.94	-7	-25.94
6985MHz	Pass	5.605G	7.445G	PK	7.37232G	10.71	-51.36	-50.74	-50	-52.1	-44.96	-34.25	-21.2	-13.05

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5955MHz

25/02/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.91316G	-41.13	-7.00	-34.13	6.00	0.00	-47.13	-47.13
5.885G	7.165G	1M	PK	7.13044G	-44.47	-7.00	-37.47	6.00	0.00	-50.47	-50.47

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


CSE Bandedge [AV]

5955MHz

25/02/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.92468G	-51.52	-27.00	-24.52	6.00	0.00	-57.52	-57.52
5.885G	7.165G	1M	AV	7.14896G	-55.61	-27.00	-28.61	6.00	0.00	-61.61	-61.61




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

7085MHz

25/02/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.845G	7.205G	1M	PK	5.845G	-37.96	-7.00	-30.96	8.32	0.00	-46.28	-46.28
5.845G	7.205G	1M	PK	7.12952G	-36.93	-7.00	-29.93	8.32	0.00	-45.25	-45.25

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


CSE Bandedge [AV]

7085MHz

25/02/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.845G	7.205G	1M	AV	5.84568G	-50.03	-27.00	-23.03	8.32	0.00	-58.35	-58.35
5.845G	7.205G	1M	AV	7.12544G	-48.68	-27.00	-21.68	8.32	0.00	-57.00	-57.00




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

7025MHz

28/02/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.765G	7.285G	1M	PK	5.79616G	-39.00	-7.00	-32.00	8.32	0.00	-47.32	-47.32
5.765G	7.285G	1M	PK	7.1254G	-36.07	-7.00	-29.07	8.32	0.00	-44.39	-44.39
5.765G	7.285G	1M	PK	7.25004G	-42.00	-21.20	-20.80	8.32	0.00	-50.32	-50.32

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


CSE Bandedge [AV]

7025MHz

28/02/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.765G	7.285G	1M	AV	5.7992G	-49.95	-27.00	-22.95	8.32	0.00	-58.27	-58.27
5.765G	7.285G	1M	AV	7.13072G	-48.22	-27.00	-21.22	8.32	0.00	-56.54	-56.54
5.765G	7.285G	1M	AV	7.27892G	-53.25	-41.20	-12.05	8.32	0.00	-61.57	-61.57




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6985MHz

27/02/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.605G	7.445G	1M	PK	5.89664G	-38.61	-7.00	-31.61	8.32	0.00	-46.93	-46.93
5.605G	7.445G	1M	PK	7.12944G	-20.15	-7.00	-13.15	8.32	0.00	-28.47	-28.47
5.605G	7.445G	1M	PK	7.2564G	-34.51	-21.20	-13.31	8.32	0.00	-42.83	-42.83

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


CSE Bandedge [AV]

6985MHz

27/02/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.605G	7.445G	1M	AV	5.80188G	-49.73	-27.00	-22.73	8.32	0.00	-58.05	-58.05
5.605G	7.445G	1M	AV	7.1276G	-34.57	-27.00	-7.57	8.32	0.00	-42.89	-42.89
5.605G	7.445G	1M	AV	7.2516G	-47.33	-41.20	-6.13	8.32	0.00	-55.65	-55.65




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5965MHz

28/02/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.845G	7.205G	1M	PK	5.92456G	-37.36	-7.00	-30.36	6.51	0.00	-43.87	-48.22	-45.86
5.845G	7.205G	1M	PK	7.15944G	-41.56	-7.00	-34.56	6.51	0.00	-48.07	-50.79	-51.39

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5965MHz

28/02/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.845G	7.205G	1M	AV	5.92388G	-47.23	-27.00	-20.23	6.51	0.00	-53.74	-57.09	-56.43
5.845G	7.205G	1M	AV	7.1336G	-52.27	-27.00	-25.27	6.51	0.00	-58.78	-61.90	-61.69

6.875-7.125GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

7085MHz

28/02/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.845G	7.205G	1M	PK	5.8518G	-36.77	-7.00	-29.77	8.38	0.00	-45.15	-49.00	-47.45
5.845G	7.205G	1M	PK	7.12612G	-38.01	-7.00	-31.01	8.38	0.00	-46.39	-49.25	-49.55

6.875-7.125GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

7085MHz

28/02/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.845G	7.205G	1M	AV	5.85996G	-47.09	-27.00	-20.09	8.38	0.00	-55.47	-58.48	-58.48
5.845G	7.205G	1M	AV	7.1268G	-47.89	-27.00	-20.89	8.38	0.00	-56.27	-59.06	-59.52




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

7025MHz

28/02/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.765G	7.285G	1M	PK	5.79996G	-36.00	-7.00	-29.00	8.38	0.00	-44.38	-48.67	-46.41
5.765G	7.285G	1M	PK	7.1292G	-38.12	-7.00	-31.12	8.38	0.00	-46.50	-49.54	-49.49
5.765G	7.285G	1M	PK	7.2774G	-39.85	-21.20	-18.65	8.38	0.00	-48.23	-50.85	-51.67

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


CSE Bandedge [AV]

7025MHz

28/02/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.765G	7.285G	1M	AV	5.79912G	-46.92	-27.00	-19.92	8.38	0.00	-55.30	-58.31	-58.31
5.765G	7.285G	1M	AV	7.12996G	-48.62	-27.00	-21.62	8.38	0.00	-57.00	-59.66	-60.36
5.765G	7.285G	1M	AV	7.28424G	-50.38	-41.20	-8.18	8.38	0.00	-58.76	-61.77	-61.77




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

6985MHz

28/02/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.605G	7.445G	1M	PK	5.85156G	-36.34	-7.00	-29.34	8.38	0.00	-44.72	-47.77	-47.69
5.605G	7.445G	1M	PK	7.1322G	-33.07	-7.00	-26.07	8.38	0.00	-41.45	-44.12	-44.83
5.605G	7.445G	1M	PK	7.26836G	-39.12	-21.20	-17.92	8.38	0.00	-47.50	-51.23	-49.90

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

6985MHz

28/02/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.605G	7.445G	1M	AV	5.82672G	-46.95	-27.00	-19.95	8.38	0.00	-55.33	-58.34	-58.34
5.605G	7.445G	1M	AV	7.13036G	-43.72	-27.00	-16.72	8.38	0.00	-52.10	-55.57	-54.70
5.605G	7.445G	1M	AV	7.2518G	-49.63	-41.20	-8.43	8.38	0.00	-58.01	-60.83	-61.21

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5955MHz

28/02/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.90036G	-33.20	-7.00	-26.20	9.21	0.00	-42.41	-49.65	-49.94	-46.84	-48.05
5.885G	7.165G	1M	PK	7.13236G	-36.62	-7.00	-29.62	9.21	0.00	-45.83	-51.78	-52.05	-51.98	-51.59

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5955MHz

28/02/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.885G	-43.57	-27.00	-16.57	9.21	0.00	-52.78	-58.95	-58.66	-58.95	-58.66
5.885G	7.165G	1M	AV	7.12916G	-47.00	-27.00	-20.00	9.21	0.00	-56.21	-62.12	-62.34	-62.34	-62.12