



Summary

| Mode | Result | F-Start (Hz) | F-Stop (Hz) | Type | Freq (Hz) | DG (dBi) | P1 (dBm) | P2 (dBm) | P3 (dBm) | P4 (dBm) | Psum (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------------|--------|--------------|-------------|------|-----------|----------|----------|----------|----------|----------|------------|------------|-------------|-------------|
| 5.925-6.425GHz | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.91444G | 7.45 | -56.23 | -56.27 | -56.22 | -56.28 | -50.23 | -42.78 | -27.00 | -15.78 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.92364G | 7.45 | -56.19 | -56.01 | -55.97 | -56.20 | -50.07 | -42.62 | -27.00 | -15.62 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.92496G | 7.45 | -55.54 | -55.42 | -54.70 | -55.60 | -49.28 | -41.83 | -27.00 | -14.83 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.92496G | 7.45 | -52.82 | -53.61 | -51.39 | -53.22 | -46.65 | -39.20 | -27.00 | -12.20 |
| 6.425-6.525GHz | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.91838G | 6.03 | -56.07 | -56.03 | -56.30 | -56.54 | -50.21 | -44.18 | -27.00 | -17.18 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.91444G | 6.03 | -56.06 | -56.22 | -56.23 | -56.43 | -50.21 | -44.18 | -27.00 | -17.18 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.92101G | 6.03 | -56.25 | -56.12 | -56.18 | -56.15 | -50.15 | -44.12 | -27.00 | -17.12 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.92364G | 6.03 | -56.04 | -56.04 | -56.28 | -56.23 | -50.13 | -44.10 | -27.00 | -17.10 |
| 6.525-6.875GHz | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.91181G | 6.05 | -56.23 | -56.41 | -56.23 | -56.21 | -50.25 | -44.20 | -27.00 | -17.20 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.9197G | 6.05 | -56.29 | -56.26 | -56.15 | -56.26 | -50.22 | -44.17 | -27.00 | -17.17 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.9197G | 6.05 | -56.33 | -56.04 | -56.06 | -56.16 | -50.13 | -44.08 | -27.00 | -17.08 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.92101G | 6.05 | -56.19 | -56.18 | -56.10 | -56.13 | -50.13 | -44.08 | -27.00 | -17.08 |
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.92496G | 4.51 | -56.10 | -56.10 | -56.31 | -56.23 | -50.16 | -45.65 | -27.00 | -18.65 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.90786G | 4.51 | -56.23 | -56.15 | -56.22 | -56.03 | -50.14 | -45.63 | -27.00 | -18.63 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 5.9197G | 4.51 | -56.21 | -55.93 | -56.01 | -56.39 | -50.11 | -45.60 | -27.00 | -18.60 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | Pass | 5.85G | 7.165G | AV | 7.12687G | 4.51 | -52.28 | -52.04 | -51.11 | -52.79 | -45.99 | -41.48 | -27.00 | -14.48 |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX





Result



| Mode | Result | F-Start (Hz) | F-Stop (Hz) | Type | Freq (Hz) | DG (dB) | P1 (dBm) | P2 (dBm) | P3 (dBm) | P4 (dBm) | Psum (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------------|--------|--------------|-------------|------|-----------|---------|----------|----------|----------|----------|------------|------------|-------------|-------------|
| 802.11ax HEW20_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5955MHz | Pass | 5.85G | 7.165G | AV | 5.91444G | 7.45 | -56.23 | -56.27 | -56.22 | -56.28 | -50.23 | -42.78 | -27.00 | -15.78 |
| 5955MHz | Pass | 5.85G | 7.165G | PK | 5.9197G | 7.45 | -47.13 | -46.49 | -45.64 | -48.16 | -40.74 | -33.29 | -7.00 | -26.29 |
| 6175MHz | Pass | 5.85G | 7.165G | AV | 5.91707G | 7.45 | -56.38 | -56.24 | -56.38 | -56.22 | -50.28 | -42.83 | -27.00 | -15.83 |
| 6175MHz | Pass | 5.85G | 7.165G | PK | 5.89438G | 7.45 | -47.35 | -47.67 | -46.97 | -45.86 | -40.89 | -33.44 | -7.00 | -26.44 |
| 6415MHz | Pass | 5.85G | 7.165G | AV | 5.90918G | 7.45 | -56.47 | -56.22 | -56.24 | -56.20 | -50.26 | -42.81 | -27.00 | -15.81 |
| 6415MHz | Pass | 5.85G | 7.165G | PK | 5.90605G | 7.45 | -47.05 | -47.59 | -45.76 | -48.26 | -41.04 | -33.59 | -7.00 | -26.59 |
| 6435MHz | Pass | 5.85G | 7.165G | AV | 5.92364G | 6.03 | -56.23 | -56.28 | -56.37 | -56.21 | -50.25 | -44.22 | -27.00 | -17.22 |
| 6435MHz | Pass | 5.85G | 7.165G | PK | 5.85608G | 6.03 | -46.87 | -46.21 | -46.11 | -50.00 | -41.02 | -34.99 | -7.00 | -27.99 |
| 6475MHz | Pass | 5.85G | 7.165G | AV | 5.91838G | 6.03 | -56.07 | -56.03 | -56.30 | -56.54 | -50.21 | -44.18 | -27.00 | -17.18 |
| 6475MHz | Pass | 5.85G | 7.165G | PK | 5.88255G | 6.03 | -47.02 | -45.28 | -47.03 | -47.57 | -40.61 | -34.58 | -7.00 | -27.58 |
| 6515MHz | Pass | 5.85G | 7.165G | AV | 5.91707G | 6.03 | -56.19 | -56.19 | -56.43 | -56.16 | -50.22 | -44.19 | -27.00 | -17.19 |
| 6515MHz | Pass | 5.85G | 7.165G | PK | 5.92315G | 6.03 | -49.33 | -48.81 | -45.28 | -45.77 | -40.92 | -34.89 | -7.00 | -27.89 |
| 6535MHz | Pass | 5.85G | 7.165G | AV | 5.91838G | 6.05 | -56.46 | -56.11 | -56.26 | -56.54 | -50.32 | -44.27 | -27.00 | -17.27 |
| 6535MHz | Pass | 5.85G | 7.165G | PK | 5.90687G | 6.05 | -46.73 | -46.26 | -47.33 | -47.30 | -40.86 | -34.81 | -7.00 | -27.81 |
| 6695MHz | Pass | 5.85G | 7.165G | AV | 5.8934G | 6.05 | -56.27 | -56.46 | -56.14 | -56.30 | -50.27 | -44.22 | -27.00 | -17.22 |
| 6695MHz | Pass | 5.85G | 7.165G | PK | 5.9225G | 6.05 | -44.94 | -47.84 | -48.83 | -47.00 | -40.89 | -34.84 | -7.00 | -27.84 |
| 6855MHz | Pass | 5.85G | 7.165G | AV | 5.9026G | 6.05 | -56.21 | -56.52 | -56.26 | -56.30 | -50.30 | -44.25 | -27.00 | -17.25 |
| 6855MHz | Pass | 5.85G | 7.165G | PK | 5.91953G | 6.05 | -47.81 | -44.49 | -48.46 | -47.34 | -40.71 | -34.66 | -7.00 | -27.66 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 5.85G | 7.165G | AV | 5.91181G | 6.05 | -56.23 | -56.41 | -56.23 | -56.21 | -50.25 | -44.20 | -27.00 | -17.20 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 5.85G | 7.165G | PK | 5.90704G | 6.05 | -46.38 | -45.93 | -48.67 | -46.70 | -40.78 | -34.73 | -7.00 | -27.73 |
| 6875MHz Straddle 6.875-7.125GHz | | | | | | | | | | | | | | |
| 6895MHz | Pass | 5.85G | 7.165G | AV | 5.90392G | 4.51 | -56.25 | -56.26 | -56.39 | -56.16 | -50.24 | -45.73 | -27.00 | -18.73 |
| 6895MHz | Pass | 5.85G | 7.165G | PK | 5.88879G | 4.51 | -48.22 | -46.04 | -46.12 | -46.89 | -40.71 | -36.20 | -7.00 | -29.20 |
| 6995MHz | Pass | 5.85G | 7.165G | AV | 5.92101G | 4.51 | -56.33 | -56.02 | -56.24 | -56.32 | -50.21 | -45.70 | -27.00 | -18.70 |
| 6995MHz | Pass | 5.85G | 7.165G | PK | 5.89405G | 4.51 | -46.07 | -46.37 | -48.26 | -47.55 | -40.95 | -36.44 | -7.00 | -29.44 |
| 7095MHz | Pass | 5.85G | 7.165G | AV | 5.92496G | 4.51 | -56.10 | -56.10 | -56.31 | -56.23 | -50.16 | -45.65 | -27.00 | -18.65 |
| 7095MHz | Pass | 5.85G | 7.165G | PK | 5.87696G | 4.51 | -46.62 | -46.00 | -47.00 | -48.81 | -40.97 | -36.46 | -7.00 | -29.46 |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5965MHz | Pass | 5.85G | 7.165G | AV | 5.92364G | 7.45 | -56.19 | -56.01 | -55.97 | -56.20 | -50.07 | -42.62 | -27.00 | -15.62 |
| 5965MHz | Pass | 5.85G | 7.165G | PK | 5.9077G | 7.45 | -47.26 | -48.16 | -45.74 | -46.38 | -40.77 | -33.32 | -7.00 | -26.32 |
| 6165MHz | Pass | 5.85G | 7.165G | AV | 5.90655G | 7.45 | -56.29 | -56.17 | -56.18 | -56.29 | -50.21 | -42.76 | -27.00 | -15.76 |
| 6165MHz | Pass | 5.85G | 7.165G | PK | 5.92265G | 7.45 | -45.69 | -47.82 | -45.43 | -47.98 | -40.55 | -33.10 | -7.00 | -26.10 |
| 6405MHz | Pass | 5.85G | 7.165G | AV | 5.92233G | 7.45 | -56.28 | -56.29 | -56.11 | -56.40 | -50.25 | -42.80 | -27.00 | -15.80 |
| 6405MHz | Pass | 5.85G | 7.165G | PK | 5.89126G | 7.45 | -47.35 | -47.16 | -47.39 | -45.00 | -40.58 | -33.13 | -7.00 | -26.13 |
| 6445MHz | Pass | 5.85G | 7.165G | AV | 5.92233G | 6.03 | -56.31 | -56.25 | -56.29 | -56.10 | -50.22 | -44.19 | -27.00 | -17.19 |
| 6445MHz | Pass | 5.85G | 7.165G | PK | 5.9026G | 6.03 | -47.55 | -47.38 | -46.68 | -46.44 | -40.97 | -34.94 | -7.00 | -27.94 |
| 6485MHz | Pass | 5.85G | 7.165G | AV | 5.92233G | 6.03 | -56.12 | -56.19 | -56.50 | -56.28 | -50.25 | -44.22 | -27.00 | -17.22 |
| 6485MHz | Pass | 5.85G | 7.165G | PK | 5.91723G | 6.03 | -46.62 | -47.43 | -47.20 | -47.47 | -41.15 | -35.12 | -7.00 | -28.12 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 5.85G | 7.165G | AV | 5.91444G | 6.03 | -56.06 | -56.22 | -56.23 | -56.43 | -50.21 | -44.18 | -27.00 | -17.18 |
| 6525MHz Straddle 6.425-6.525GHz | Pass | 5.85G | 7.165G | PK | 5.88929G | 6.03 | -47.43 | -47.26 | -47.40 | -44.88 | -40.58 | -34.55 | -7.00 | -27.55 |
| 6525MHz Straddle 6.525-6.875GHz | | | | | | | | | | | | | | |
| 6565MHz | Pass | 5.85G | 7.165G | AV | 5.9197G | 6.05 | -56.29 | -56.26 | -56.15 | -56.26 | -50.22 | -44.17 | -27.00 | -17.17 |
| 6565MHz | Pass | 5.85G | 7.165G | PK | 5.91641G | 6.05 | -47.63 | -46.79 | -45.05 | -47.95 | -40.68 | -34.63 | -7.00 | -27.63 |
| 6685MHz | Pass | 5.85G | 7.165G | AV | 5.91838G | 6.05 | -56.21 | -56.30 | -56.22 | -56.42 | -50.27 | -44.22 | -27.00 | -17.22 |
| 6685MHz | Pass | 5.85G | 7.165G | PK | 5.9169G | 6.05 | -48.45 | -44.49 | -48.24 | -47.84 | -40.90 | -34.85 | -7.00 | -27.85 |
| 6845MHz | Pass | 5.85G | 7.165G | AV | 5.91049G | 6.05 | -56.15 | -56.33 | -56.29 | -56.33 | -50.25 | -44.20 | -27.00 | -17.20 |
| 6845MHz | Pass | 5.85G | 7.165G | PK | 5.92167G | 6.05 | -47.02 | -45.54 | -48.46 | -46.07 | -40.62 | -34.57 | -7.00 | -27.57 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 5.85G | 7.165G | AV | 5.92364G | 6.05 | -56.36 | -56.19 | -56.36 | -56.25 | -50.27 | -44.22 | -27.00 | -17.22 |
| 6885MHz Straddle 6.525-6.875GHz | Pass | 5.85G | 7.165G | PK | 5.89849G | 6.05 | -46.36 | -47.30 | -46.73 | -47.86 | -41.00 | -34.95 | -7.00 | -27.95 |
| 6885MHz Straddle 6.875-7.125GHz | | | | | | | | | | | | | | |
| 6925MHz | Pass | 5.85G | 7.165G | AV | 5.91575G | 4.51 | -56.20 | -56.24 | -56.12 | -56.14 | -50.15 | -45.64 | -27.00 | -18.64 |
| 6925MHz | Pass | 5.85G | 7.165G | PK | 5.88353G | 4.51 | -46.12 | -49.31 | -44.72 | -47.96 | -40.66 | -36.15 | -7.00 | -29.15 |
| 7005MHz | Pass | 5.85G | 7.165G | AV | 5.91312G | 4.51 | -56.28 | -56.14 | -56.19 | -56.24 | -50.19 | -45.68 | -27.00 | -18.68 |
| 7005MHz | Pass | 5.85G | 7.165G | PK | 5.89537G | 4.51 | -44.24 | -47.94 | -47.38 | -47.69 | -40.50 | -35.99 | -7.00 | -28.99 |
| 7085MHz | Pass | 5.85G | 7.165G | AV | 5.90786G | 4.51 | -56.23 | -56.15 | -56.22 | -56.03 | -50.14 | -45.63 | -27.00 | -18.63 |
| 7085MHz | Pass | 5.85G | 7.165G | PK | 5.90539G | 4.51 | -47.60 | -46.89 | -45.80 | -46.85 | -40.72 | -36.21 | -7.00 | -29.21 |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5985MHz | Pass | 5.85G | 7.165G | AV | 5.92496G | 7.45 | -55.54 | -55.42 | -54.70 | -55.60 | -49.28 | -41.83 | -27.00 | -14.83 |
| 5985MHz | Pass | 5.85G | 7.165G | PK | 5.92364G | 7.45 | -45.64 | -46.84 | -46.14 | -46.65 | -40.27 | -32.82 | -7.00 | -25.82 |
| 6145MHz | Pass | 5.85G | 7.165G | AV | 5.92496G | 7.45 | -55.94 | -56.27 | -56.25 | -56.22 | -50.15 | -42.70 | -27.00 | -15.70 |
| 6145MHz | Pass | 5.85G | 7.165G | PK | 5.9072G | 7.45 | -48.54 | -44.70 | -47.53 | -47.96 | -40.89 | -33.44 | -7.00 | -26.44 |
| 6385MHz | Pass | 5.85G | 7.165G | AV | 5.92496G | 7.45 | -56.21 | -56.19 | -56.30 | -56.28 | -50.22 | -42.77 | -27.00 | -15.77 |
| 6385MHz | Pass | 5.85G | 7.165G | PK | 5.91082G | 7.45 | -45.46 | -47.26 | -47.21 | -46.41 | -40.50 | -33.05 | -7.00 | -26.05 |
| 6465MHz | Pass | 5.85G | 7.165G | AV | 5.92101G | 6.03 | -56.25 | -56.12 | -56.18 | -56.15 | -50.15 | -44.12 | -27.00 | -17.12 |
| 6465MHz | Pass | 5.85G | 7.165G | PK | 5.90852G | 6.03 | -47.21 | -45.87 | -46.61 | -46.88 | -40.59 | -34.56 | -7.00 | -27.56 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 5.85G | 7.165G | AV | 5.92364G | 6.03 | -56.40 | -56.21 | -56.10 | -56.22 | -50.21 | -44.18 | -27.00 | -17.18 |
| 6545MHz Straddle 6.425-6.525GHz | Pass | 5.85G | 7.165G | PK | 5.89093G | 6.03 | -48.20 | -44.89 | -46.97 | -46.96 | -40.57 | -34.54 | -7.00 | -27.54 |
| 6545MHz Straddle 6.525-6.875GHz | | | | | | | | | | | | | | |







| Mode | Result | F-Start (Hz) | F-Stop (Hz) | Type | Freq (Hz) | DG (dBi) | P1 (dBm) | P2 (dBm) | P3 (dBm) | P4 (dBm) | Psum (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------------|--------|--------------|-------------|------|-----------|----------|----------|----------|----------|----------|------------|------------|-------------|-------------|
| 6625MHz | Pass | 5.85G | 7.165G | AV | 5.9197G | 6.05 | -56.33 | -56.04 | -56.06 | -56.16 | -50.13 | -44.08 | -27.00 | -17.08 |
| 6625MHz | Pass | 5.85G | 7.165G | PK | 5.91641G | 6.05 | -46.97 | -47.92 | -44.63 | -47.51 | -40.53 | -34.48 | -7.00 | -27.48 |
| 6705MHz | Pass | 5.85G | 7.165G | AV | 5.91312G | 6.05 | -56.22 | -56.23 | -56.23 | -56.26 | -50.21 | -44.16 | -27.00 | -17.16 |
| 6705MHz | Pass | 5.85G | 7.165G | PK | 5.86003G | 6.05 | -46.11 | -49.64 | -45.64 | -47.23 | -40.88 | -34.83 | -7.00 | -27.83 |
| 6785MHz | Pass | 5.85G | 7.165G | AV | 5.92364G | 6.05 | -56.40 | -56.01 | -56.08 | -56.24 | -50.16 | -44.11 | -27.00 | -17.11 |
| 6785MHz | Pass | 5.85G | 7.165G | PK | 5.91213G | 6.05 | -47.78 | -47.18 | -45.86 | -47.03 | -40.88 | -34.83 | -7.00 | -27.83 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 5.85G | 7.165G | AV | 5.91444G | 6.05 | -56.39 | -56.02 | -56.40 | -56.25 | -50.24 | -44.19 | -27.00 | -17.19 |
| 6865MHz Straddle 6.525-6.875GHz | Pass | 5.85G | 7.165G | PK | 5.92035G | 6.05 | -47.11 | -47.78 | -47.29 | -45.51 | -40.81 | -34.76 | -7.00 | -27.76 |
| 6865MHz Straddle 6.875-7.125GHz | | | | | | | | | | | | | | |
| 6945MHz | Pass | 5.85G | 7.165G | AV | 5.9197G | 4.51 | -56.21 | -55.93 | -56.01 | -56.39 | -50.11 | -45.60 | -27.00 | -18.60 |
| 6945MHz | Pass | 5.85G | 7.165G | PK | 5.87614G | 4.51 | -48.39 | -47.51 | -44.02 | -47.41 | -40.46 | -35.95 | -7.00 | -28.95 |
| 7025MHz | Pass | 5.85G | 7.165G | AV | 5.91838G | 4.51 | -56.11 | -56.11 | -56.18 | -56.22 | -50.13 | -45.62 | -27.00 | -18.62 |
| 7025MHz | Pass | 5.85G | 7.165G | PK | 5.91871G | 4.51 | -46.67 | -47.21 | -47.28 | -46.28 | -40.82 | -36.31 | -7.00 | -29.31 |
| 802.11ax HEW160_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6025MHz | Pass | 5.85G | 7.165G | AV | 5.92496G | 7.45 | -52.82 | -53.61 | -51.39 | -53.22 | -46.65 | -39.20 | -27.00 | -12.20 |
| 6025MHz | Pass | 5.85G | 7.165G | PK | 5.90704G | 7.45 | -43.81 | -45.23 | -40.62 | -45.88 | -37.35 | -29.90 | -7.00 | -22.90 |
| 6185MHz | Pass | 5.85G | 7.165G | AV | 5.91838G | 7.45 | -56.24 | -56.03 | -55.99 | -55.95 | -50.03 | -42.58 | -27.00 | -15.58 |
| 6185MHz | Pass | 5.85G | 7.165G | PK | 5.92233G | 7.45 | -47.79 | -44.64 | -47.31 | -46.80 | -40.44 | -32.99 | -7.00 | -25.99 |
| 6345MHz | Pass | 5.85G | 7.165G | AV | 5.92496G | 7.45 | -56.11 | -56.23 | -56.33 | -56.15 | -50.18 | -42.73 | -27.00 | -15.73 |
| 6345MHz | Pass | 5.85G | 7.165G | PK | 5.90293G | 7.45 | -47.89 | -46.89 | -46.55 | -45.29 | -40.53 | -33.08 | -7.00 | -26.08 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 5.85G | 7.165G | AV | 5.92364G | 6.03 | -56.04 | -56.04 | -56.28 | -56.23 | -50.13 | -44.10 | -27.00 | -17.10 |
| 6505MHz Straddle 6.425-6.525GHz | Pass | 5.85G | 7.165G | PK | 5.92068G | 6.03 | -44.73 | -45.25 | -47.49 | -49.16 | -40.29 | -34.26 | -7.00 | -27.26 |
| 6505MHz Straddle 6.525-6.875GHz | | | | | | | | | | | | | | |
| 6665MHz | Pass | 5.85G | 7.165G | AV | 5.92101G | 6.05 | -56.19 | -56.18 | -56.10 | -56.13 | -50.13 | -44.08 | -27.00 | -17.08 |
| 6665MHz | Pass | 5.85G | 7.165G | PK | 5.91542G | 6.05 | -47.18 | -47.32 | -45.59 | -48.27 | -40.96 | -34.91 | -7.00 | -27.91 |
| 6825MHz Straddle 6.525-6.875GHz | Pass | 5.85G | 7.165G | AV | 5.9197G | 6.05 | -56.14 | -56.11 | -56.32 | -56.07 | -50.14 | -44.09 | -27.00 | -17.09 |
| 6825MHz Straddle 6.525-6.875GHz | Pass | 5.85G | 7.165G | PK | 5.86414G | 6.05 | -47.59 | -45.89 | -48.18 | -47.04 | -41.07 | -35.02 | -7.00 | -28.02 |
| 6825MHz Straddle 6.875-7.125GHz | | | | | | | | | | | | | | |
| 6985MHz | Pass | 5.85G | 7.165G | AV | 7.12687G | 4.51 | -52.28 | -52.04 | -51.11 | -52.79 | -45.99 | -41.48 | -27.00 | -14.48 |
| 6985MHz | Pass | 5.85G | 7.165G | PK | 7.12933G | 4.51 | -43.66 | -44.72 | -38.74 | -43.35 | -35.91 | -31.40 | -7.00 | -24.40 |



DG = Directional Gain ; PX=Port X ; Psum=P1+P2+...PX





































































































































































Summary

| Mode | Result | F-Start (Hz) | F-Stop (Hz) | Type | Freq (Hz) | DG (dBi) | P1 (dBm) | Psum (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|--------------------------------|--------|--------------|-------------|------|-----------|----------|----------|------------|------------|-------------|-------------|
| 5.925-6.425GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | 5.885G | 7.165G | AV | 5.9234G | 5.30 | -57.08 | -57.08 | -51.78 | -27.00 | -24.78 |
| 6.425-6.525GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | 5.885G | 7.165G | AV | 5.8978G | 5.30 | -57.83 | -57.83 | -52.53 | -27.00 | -25.53 |
| 6.525-6.875GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | 5.885G | 7.165G | AV | 5.89844G | 5.30 | -57.83 | -57.83 | -52.53 | -27.00 | -25.53 |
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | 5.885G | 7.165G | AV | 5.9042G | 5.30 | -57.84 | -57.84 | -52.54 | -27.00 | -25.54 |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

| Mode | Result | F-Start (Hz) | F-Stop (Hz) | Type | Freq (Hz) | DG (dBi) | P1 (dBm) | Psum (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------------|--------|--------------|-------------|------|-----------|----------|----------|------------|------------|-------------|-------------|
| 802.11ax HEW20_Nss1,(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5955MHz | Pass | 5.885G | 7.165G | AV | 5.9234G | 5.30 | -57.08 | -57.08 | -51.78 | -27.00 | -24.78 |
| 5955MHz | Pass | 5.885G | 7.165G | AV | 5.92404G | 5.30 | -57.08 | -57.08 | -51.78 | -27.00 | -24.78 |
| 5955MHz | Pass | 5.885G | 7.165G | AV | 7.1298G | 5.30 | -60.63 | -60.63 | -55.33 | -27.00 | -28.33 |
| 5955MHz | Pass | 5.885G | 7.165G | PK | 5.90036G | 5.30 | -46.17 | -46.17 | -40.87 | -7.00 | -33.87 |
| 5955MHz | Pass | 5.885G | 7.165G | PK | 7.13428G | 5.30 | -50.09 | -50.09 | -44.79 | -7.00 | -37.79 |
| 6175MHz | Pass | 5.885G | 7.165G | AV | 5.89908G | 5.30 | -58.10 | -58.10 | -52.80 | -27.00 | -25.80 |
| 6175MHz | Pass | 5.885G | 7.165G | AV | 5.90036G | 5.30 | -58.10 | -58.10 | -52.80 | -27.00 | -25.80 |
| 6175MHz | Pass | 5.885G | 7.165G | AV | 7.12596G | 5.30 | -60.59 | -60.59 | -55.29 | -27.00 | -28.29 |
| 6175MHz | Pass | 5.885G | 7.165G | PK | 5.90932G | 5.30 | -46.93 | -46.93 | -41.63 | -7.00 | -34.63 |
| 6175MHz | Pass | 5.885G | 7.165G | PK | 7.12596G | 5.30 | -49.33 | -49.33 | -44.03 | -7.00 | -37.03 |
| 6415MHz | Pass | 5.885G | 7.165G | AV | 5.90292G | 5.30 | -57.83 | -57.83 | -52.53 | -27.00 | -25.53 |
| 6415MHz | Pass | 5.885G | 7.165G | AV | 7.12532G | 5.30 | -60.59 | -60.59 | -55.29 | -27.00 | -28.29 |
| 6415MHz | Pass | 5.885G | 7.165G | PK | 5.90612G | 5.30 | -46.62 | -46.62 | -41.32 | -7.00 | -34.32 |
| 6415MHz | Pass | 5.885G | 7.165G | PK | 7.12852G | 5.30 | -50.16 | -50.16 | -44.86 | -7.00 | -37.86 |
| 6435MHz | Pass | 5.885G | 7.165G | AV | 5.90356G | 5.30 | -57.84 | -57.84 | -52.54 | -27.00 | -25.54 |
| 6435MHz | Pass | 5.885G | 7.165G | AV | 7.12852G | 5.30 | -60.81 | -60.81 | -55.51 | -27.00 | -28.51 |
| 6435MHz | Pass | 5.885G | 7.165G | PK | 5.90996G | 5.30 | -47.16 | -47.16 | -41.86 | -7.00 | -34.86 |
| 6435MHz | Pass | 5.885G | 7.165G | PK | 7.13556G | 5.30 | -50.16 | -50.16 | -44.86 | -7.00 | -37.86 |
| 6475MHz | Pass | 5.885G | 7.165G | AV | 5.8978G | 5.30 | -57.83 | -57.83 | -52.53 | -27.00 | -25.53 |
| 6475MHz | Pass | 5.885G | 7.165G | AV | 7.1266G | 5.30 | -60.60 | -60.60 | -55.30 | -27.00 | -28.30 |
| 6475MHz | Pass | 5.885G | 7.165G | PK | 5.92276G | 5.30 | -47.01 | -47.01 | -41.71 | -7.00 | -34.71 |
| 6475MHz | Pass | 5.885G | 7.165G | PK | 7.13556G | 5.30 | -49.41 | -49.41 | -44.11 | -7.00 | -37.11 |
| 6515MHz | Pass | 5.885G | 7.165G | AV | 5.90036G | 5.30 | -57.83 | -57.83 | -52.53 | -27.00 | -25.53 |
| 6515MHz | Pass | 5.885G | 7.165G | AV | 7.12532G | 5.30 | -60.78 | -60.78 | -55.48 | -27.00 | -28.48 |
| 6515MHz | Pass | 5.885G | 7.165G | PK | 5.9138G | 5.30 | -47.08 | -47.08 | -41.78 | -7.00 | -34.78 |
| 6515MHz | Pass | 5.885G | 7.165G | PK | 7.13236G | 5.30 | -49.91 | -49.91 | -44.61 | -7.00 | -37.61 |
| 6535MHz | Pass | 5.885G | 7.165G | AV | 5.88564G | 5.30 | -57.89 | -57.89 | -52.59 | -27.00 | -25.59 |
| 6535MHz | Pass | 5.885G | 7.165G | AV | 7.12788G | 5.30 | -60.80 | -60.80 | -55.50 | -27.00 | -28.50 |
| 6535MHz | Pass | 5.885G | 7.165G | PK | 5.91252G | 5.30 | -47.73 | -47.73 | -42.43 | -7.00 | -35.43 |
| 6535MHz | Pass | 5.885G | 7.165G | PK | 7.12532G | 5.30 | -48.73 | -48.73 | -43.43 | -7.00 | -36.43 |
| 6695MHz | Pass | 5.885G | 7.165G | AV | 5.89844G | 5.30 | -57.83 | -57.83 | -52.53 | -27.00 | -25.53 |
| 6695MHz | Pass | 5.885G | 7.165G | AV | 5.89972G | 5.30 | -57.83 | -57.83 | -52.53 | -27.00 | -25.53 |
| 6695MHz | Pass | 5.885G | 7.165G | AV | 7.12788G | 5.30 | -60.61 | -60.61 | -55.31 | -27.00 | -28.31 |
| 6695MHz | Pass | 5.885G | 7.165G | PK | 5.90932G | 5.30 | -46.77 | -46.77 | -41.47 | -7.00 | -34.47 |
| 6695MHz | Pass | 5.885G | 7.165G | PK | 7.13108G | 5.30 | -50.12 | -50.12 | -44.82 | -7.00 | -37.82 |
| 6855MHz | Pass | 5.885G | 7.165G | AV | 5.89908G | 5.30 | -58.10 | -58.10 | -52.80 | -27.00 | -25.80 |
| 6855MHz | Pass | 5.885G | 7.165G | AV | 5.90036G | 5.30 | -58.10 | -58.10 | -52.80 | -27.00 | -25.80 |
| 6855MHz | Pass | 5.885G | 7.165G | AV | 7.12596G | 5.30 | -60.59 | -60.59 | -55.29 | -27.00 | -28.29 |
| 6855MHz | Pass | 5.885G | 7.165G | PK | 5.92148G | 5.30 | -47.33 | -47.33 | -42.03 | -7.00 | -35.03 |
| 6855MHz | Pass | 5.885G | 7.165G | PK | 7.12788G | 5.30 | -49.93 | -49.93 | -44.63 | -7.00 | -37.63 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 5.885G | 7.165G | AV | 5.92212G | 5.30 | -57.86 | -57.86 | -52.56 | -27.00 | -25.56 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 5.885G | 7.165G | AV | 7.12532G | 5.30 | -60.78 | -60.78 | -55.48 | -27.00 | -28.48 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 5.885G | 7.165G | PK | 5.90228G | 5.30 | -46.03 | -46.03 | -40.73 | -7.00 | -33.73 |
| 6875MHz Straddle 6.525-6.875GHz | Pass | 5.885G | 7.165G | PK | 7.1362G | 5.30 | -50.11 | -50.11 | -44.81 | -7.00 | -37.81 |
| 6895MHz | Pass | 5.885G | 7.165G | AV | 5.92148G | 5.30 | -57.86 | -57.86 | -52.56 | -27.00 | -25.56 |
| 6895MHz | Pass | 5.885G | 7.165G | AV | 7.12532G | 5.30 | -60.78 | -60.78 | -55.48 | -27.00 | -28.48 |
| 6895MHz | Pass | 5.885G | 7.165G | PK | 5.89908G | 5.30 | -46.83 | -46.83 | -41.53 | -7.00 | -34.53 |
| 6895MHz | Pass | 5.885G | 7.165G | PK | 7.14324G | 5.30 | -49.79 | -49.79 | -44.49 | -7.00 | -37.49 |
| 6995MHz | Pass | 5.885G | 7.165G | AV | 5.89908G | 5.30 | -58.10 | -58.10 | -52.80 | -27.00 | -25.80 |
| 6995MHz | Pass | 5.885G | 7.165G | AV | 5.90036G | 5.30 | -58.10 | -58.10 | -52.80 | -27.00 | -25.80 |
| 6995MHz | Pass | 5.885G | 7.165G | AV | 7.12596G | 5.30 | -60.78 | -60.78 | -55.48 | -27.00 | -28.48 |
| 6995MHz | Pass | 5.885G | 7.165G | PK | 5.90932G | 5.30 | -46.77 | -46.77 | -41.47 | -7.00 | -34.47 |
| 6995MHz | Pass | 5.885G | 7.165G | PK | 7.1266G | 5.30 | -50.49 | -50.49 | -45.19 | -7.00 | -38.19 |
| 7095MHz | Pass | 5.885G | 7.165G | AV | 5.9042G | 5.30 | -57.84 | -57.84 | -52.54 | -27.00 | -25.54 |
| 7095MHz | Pass | 5.885G | 7.165G | AV | 7.12596G | 5.30 | -59.04 | -59.04 | -53.74 | -27.00 | -26.74 |
| 7095MHz | Pass | 5.885G | 7.165G | PK | 5.917G | 5.30 | -46.86 | -46.86 | -41.56 | -7.00 | -34.56 |
| 7095MHz | Pass | 5.885G | 7.165G | PK | 7.13236G | 5.30 | -48.50 | -48.50 | -43.20 | -7.00 | -36.20 |


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5955MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.90036G | -40.87 | -7.00 | -33.87 | 5.30 | 0.00 | -46.17 | -46.17 |
| 5.885G | 7.165G | 1M | PK | 7.13428G | -44.79 | -7.00 | -37.79 | 5.30 | 0.00 | -50.09 | -50.09 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5955MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.9234G | -51.78 | -27.00 | -24.78 | 5.30 | 0.00 | -57.08 | -57.08 |
| 5.885G | 7.165G | 1M | AV | 5.92404G | -51.78 | -27.00 | -24.78 | 5.30 | 0.00 | -57.08 | -57.08 |
| 5.885G | 7.165G | 1M | AV | 7.1298G | -55.33 | -27.00 | -28.33 | 5.30 | 0.00 | -60.63 | -60.63 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6175MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.90932G | -41.63 | -7.00 | -34.63 | 5.30 | 0.00 | -46.93 | -46.93 |
| 5.885G | 7.165G | 1M | PK | 7.12596G | -44.03 | -7.00 | -37.03 | 5.30 | 0.00 | -49.33 | -49.33 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6175MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.89908G | -52.80 | -27.00 | -25.80 | 5.30 | 0.00 | -58.10 | -58.10 |
| 5.885G | 7.165G | 1M | AV | 5.90036G | -52.80 | -27.00 | -25.80 | 5.30 | 0.00 | -58.10 | -58.10 |
| 5.885G | 7.165G | 1M | AV | 7.12596G | -55.29 | -27.00 | -28.29 | 5.30 | 0.00 | -60.59 | -60.59 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6415MHz

CSE Bandedge [PK]

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.90612G | -41.32 | -7.00 | -34.32 | 5.30 | 0.00 | -46.62 | -46.62 |
| 5.885G | 7.165G | 1M | PK | 7.12852G | -44.86 | -7.00 | -37.86 | 5.30 | 0.00 | -50.16 | -50.16 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6415MHz

CSE Bandedge [AV]

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.90292G | -52.53 | -27.00 | -25.53 | 5.30 | 0.00 | -57.83 | -57.83 |
| 5.885G | 7.165G | 1M | AV | 7.12532G | -55.29 | -27.00 | -28.29 | 5.30 | 0.00 | -60.59 | -60.59 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6435MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.90996G | -41.86 | -7.00 | -34.86 | 5.30 | 0.00 | -47.16 | -47.16 |
| 5.885G | 7.165G | 1M | PK | 7.13556G | -44.86 | -7.00 | -37.86 | 5.30 | 0.00 | -50.16 | -50.16 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6435MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.90356G | -52.54 | -27.00 | -25.54 | 5.30 | 0.00 | -57.84 | -57.84 |
| 5.885G | 7.165G | 1M | AV | 7.12852G | -55.51 | -27.00 | -28.51 | 5.30 | 0.00 | -60.81 | -60.81 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6475MHz

CSE Bandedge [PK]

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.92276G | -41.71 | -7.00 | -34.71 | 5.30 | 0.00 | -47.01 | -47.01 |
| 5.885G | 7.165G | 1M | PK | 7.13556G | -44.11 | -7.00 | -37.11 | 5.30 | 0.00 | -49.41 | -49.41 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6475MHz

CSE Bandedge [AV]

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.8978G | -52.53 | -27.00 | -25.53 | 5.30 | 0.00 | -57.83 | -57.83 |
| 5.885G | 7.165G | 1M | AV | 7.1266G | -55.30 | -27.00 | -28.30 | 5.30 | 0.00 | -60.60 | -60.60 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6515MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.9138G | -41.78 | -7.00 | -34.78 | 5.30 | 0.00 | -47.08 | -47.08 |
| 5.885G | 7.165G | 1M | PK | 7.13236G | -44.61 | -7.00 | -37.61 | 5.30 | 0.00 | -49.91 | -49.91 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6515MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.90036G | -52.53 | -27.00 | -25.53 | 5.30 | 0.00 | -57.83 | -57.83 |
| 5.885G | 7.165G | 1M | AV | 7.12532G | -55.48 | -27.00 | -28.48 | 5.30 | 0.00 | -60.78 | -60.78 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6535MHz

CSE Bandedge [PK]

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.91252G | -42.43 | -7.00 | -35.43 | 5.30 | 0.00 | -47.73 | -47.73 |
| 5.885G | 7.165G | 1M | PK | 7.12532G | -43.43 | -7.00 | -36.43 | 5.30 | 0.00 | -48.73 | -48.73 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6535MHz

CSE Bandedge [AV]

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.88564G | -52.59 | -27.00 | -25.59 | 5.30 | 0.00 | -57.89 | -57.89 |
| 5.885G | 7.165G | 1M | AV | 7.12788G | -55.50 | -27.00 | -28.50 | 5.30 | 0.00 | -60.80 | -60.80 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6695MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.90932G | -41.47 | -7.00 | -34.47 | 5.30 | 0.00 | -46.77 | -46.77 |
| 5.885G | 7.165G | 1M | PK | 7.13108G | -44.82 | -7.00 | -37.82 | 5.30 | 0.00 | -50.12 | -50.12 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6695MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.89844G | -52.53 | -27.00 | -25.53 | 5.30 | 0.00 | -57.83 | -57.83 |
| 5.885G | 7.165G | 1M | AV | 5.89972G | -52.53 | -27.00 | -25.53 | 5.30 | 0.00 | -57.83 | -57.83 |
| 5.885G | 7.165G | 1M | AV | 7.12788G | -55.31 | -27.00 | -28.31 | 5.30 | 0.00 | -60.61 | -60.61 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6855MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.92148G | -42.03 | -7.00 | -35.03 | 5.30 | 0.00 | -47.33 | -47.33 |
| 5.885G | 7.165G | 1M | PK | 7.12788G | -44.63 | -7.00 | -37.63 | 5.30 | 0.00 | -49.93 | -49.93 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6855MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.89908G | -52.80 | -27.00 | -25.80 | 5.30 | 0.00 | -58.10 | -58.10 |
| 5.885G | 7.165G | 1M | AV | 5.90036G | -52.80 | -27.00 | -25.80 | 5.30 | 0.00 | -58.10 | -58.10 |
| 5.885G | 7.165G | 1M | AV | 7.12596G | -55.29 | -27.00 | -28.29 | 5.30 | 0.00 | -60.59 | -60.59 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz

CSE Bandedge [PK]

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.90228G | -40.73 | -7.00 | -33.73 | 5.30 | 0.00 | -46.03 | -46.03 |
| 5.885G | 7.165G | 1M | PK | 7.1362G | -44.81 | -7.00 | -37.81 | 5.30 | 0.00 | -50.11 | -50.11 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz

CSE Bandedge [AV]

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.92212G | -52.56 | -27.00 | -25.56 | 5.30 | 0.00 | -57.86 | -57.86 |
| 5.885G | 7.165G | 1M | AV | 7.12532G | -55.48 | -27.00 | -28.48 | 5.30 | 0.00 | -60.78 | -60.78 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6895MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.89908G | -41.53 | -7.00 | -34.53 | 5.30 | 0.00 | -46.83 | -46.83 |
| 5.885G | 7.165G | 1M | PK | 7.14324G | -44.49 | -7.00 | -37.49 | 5.30 | 0.00 | -49.79 | -49.79 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6895MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.92148G | -52.56 | -27.00 | -25.56 | 5.30 | 0.00 | -57.86 | -57.86 |
| 5.885G | 7.165G | 1M | AV | 7.12532G | -55.48 | -27.00 | -28.48 | 5.30 | 0.00 | -60.78 | -60.78 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6995MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.90932G | -41.47 | -7.00 | -34.47 | 5.30 | 0.00 | -46.77 | -46.77 |
| 5.885G | 7.165G | 1M | PK | 7.1266G | -45.19 | -7.00 | -38.19 | 5.30 | 0.00 | -50.49 | -50.49 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6995MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.89908G | -52.80 | -27.00 | -25.80 | 5.30 | 0.00 | -58.10 | -58.10 |
| 5.885G | 7.165G | 1M | AV | 5.90036G | -52.80 | -27.00 | -25.80 | 5.30 | 0.00 | -58.10 | -58.10 |
| 5.885G | 7.165G | 1M | AV | 7.12596G | -55.48 | -27.00 | -28.48 | 5.30 | 0.00 | -60.78 | -60.78 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

7095MHz

21/04/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | PK | 5.917G | -41.56 | -7.00 | -34.56 | 5.30 | 0.00 | -46.86 | -46.86 |
| 5.885G | 7.165G | 1M | PK | 7.13236G | -43.20 | -7.00 | -36.20 | 5.30 | 0.00 | -48.50 | -48.50 |

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

7095MHz

21/04/2022



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dBi) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|---------|---------|-----------|---------|
| 5.885G | 7.165G | 1M | AV | 5.9042G | -52.54 | -27.00 | -25.54 | 5.30 | 0.00 | -57.84 | -57.84 |
| 5.885G | 7.165G | 1M | AV | 7.12596G | -53.74 | -27.00 | -26.74 | 5.30 | 0.00 | -59.04 | -59.04 |




Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | RMS | 7.1255G | 67.71 | 68.20 | -0.49 | 3 | Horizontal | 53 | 2.33 | - |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
Setting 12.5
04-L-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 7.10875G | 91.97 | Inf | -Inf | 82.67 | 3 | Vertical | 192 | 2.16 | - | 36.77 | 5.95 | 33.42 |
| RMS | 7.10733G | 81.27 | Inf | -Inf | 71.98 | 3 | Vertical | 192 | 2.16 | - | 36.76 | 5.95 | 33.42 |
| PK | 7.1255G | 74.74 | 88.20 | -13.46 | 65.32 | 3 | Vertical | 192 | 2.16 | - | 36.90 | 5.96 | 33.44 |
| RMS | 7.1255G | 64.05 | 68.20 | -4.15 | 54.63 | 3 | Vertical | 192 | 2.16 | - | 36.90 | 5.96 | 33.44 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
 Setting 12.5
 04-L-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 7.11G | 95.45 | Inf | -Inf | 86.13 | 3 | Horizontal | 53 | 2.33 | - | 36.78 | 5.96 | 33.42 |
| RMS | 7.1073G | 85.06 | Inf | -Inf | 75.77 | 3 | Horizontal | 53 | 2.33 | - | 36.76 | 5.95 | 33.42 |
| PK | 7.1255G | 78.48 | 88.20 | -9.72 | 69.06 | 3 | Horizontal | 53 | 2.33 | - | 36.90 | 5.96 | 33.44 |
| RMS | 7.1255G | 67.71 | 68.20 | -0.49 | 58.29 | 3 | Horizontal | 53 | 2.33 | - | 36.90 | 5.96 | 33.44 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
Setting 12.5
04-D-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.21728G | 57.59 | 88.20 | -30.61 | 43.06 | 3 | Vertical | 117 | 1.26 | - | 40.77 | 8.65 | 34.89 |
| RMS | 14.2162G | 44.86 | 68.20 | -23.34 | 30.33 | 3 | Vertical | 117 | 1.26 | - | 40.77 | 8.65 | 34.89 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
Setting 12.5
04-D-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.22142G | 57.38 | 88.20 | -30.82 | 42.85 | 3 | Horizontal | 21 | 1.67 | - | 40.76 | 8.66 | 34.89 |
| RMS | 14.2219G | 45.71 | 68.20 | -22.49 | 31.18 | 3 | Horizontal | 21 | 1.67 | - | 40.76 | 8.66 | 34.89 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
Setting 12.5
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 21.3445G | 47.67 | 83.54 | -35.87 | 43.48 | 1 | Vertical | 232 | 1.57 | - | 37.71 | 16.11 | 49.63 |
| AV | 21.3453G | 34.48 | 63.54 | -29.06 | 30.29 | 1 | Vertical | 232 | 1.57 | - | 37.71 | 16.11 | 49.63 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom



EUT_Z_1TX
Setting 12.5
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 21.34476G | 48.12 | 83.54 | -35.42 | 43.93 | 1 | Horizontal | 318 | 1.54 | - | 37.71 | 16.11 | 49.63 |
| AV | 21.34554G | 34.56 | 63.54 | -28.98 | 30.37 | 1 | Horizontal | 318 | 1.54 | - | 37.71 | 16.11 | 49.63 |




<Non-Beamforming Mode>

Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | RMS | 7.1255G | 68.06 | 68.20 | -0.14 | 3 | Horizontal | 49 | 2.32 | - |

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-L-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 7.12G | 93.31 | Inf | -Inf | 83.92 | 3 | Vertical | 88 | 2.05 | - | 36.86 | 5.96 | 33.43 |
| RMS | 7.10625G | 83.08 | Inf | -Inf | 73.80 | 3 | Vertical | 88 | 2.05 | - | 36.75 | 5.95 | 33.42 |
| PK | 7.1255G | 75.60 | 88.20 | -12.60 | 66.18 | 3 | Vertical | 88 | 2.05 | - | 36.90 | 5.96 | 33.44 |
| RMS | 7.1255G | 65.25 | 68.20 | -2.95 | 55.83 | 3 | Vertical | 88 | 2.05 | - | 36.90 | 5.96 | 33.44 |

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-L-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 7.11G | 95.56 | Inf | -Inf | 86.24 | 3 | Horizontal | 49 | 2.32 | - | 36.78 | 5.96 | 33.42 |
| RMS | 7.12413G | 85.37 | Inf | -Inf | 75.96 | 3 | Horizontal | 49 | 2.32 | - | 36.89 | 5.96 | 33.44 |
| PK | 7.1255G | 79.22 | 88.20 | -8.98 | 69.80 | 3 | Horizontal | 49 | 2.32 | - | 36.90 | 5.96 | 33.44 |
| RMS | 7.1255G | 68.06 | 68.20 | -0.14 | 58.64 | 3 | Horizontal | 49 | 2.32 | - | 36.90 | 5.96 | 33.44 |

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.2288G | 57.72 | 88.20 | -30.48 | 43.21 | 3 | Vertical | 109 | 1.20 | - | 40.74 | 8.66 | 34.89 |
| RMS | 14.22622G | 45.63 | 68.20 | -22.57 | 31.11 | 3 | Vertical | 109 | 1.20 | - | 40.75 | 8.66 | 34.89 |

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.22638G | 57.58 | 88.20 | -30.62 | 43.06 | 3 | Horizontal | 205 | 2.82 | - | 40.75 | 8.66 | 34.89 |
| RMS | 14.23012G | 45.63 | 68.20 | -22.57 | 31.12 | 3 | Horizontal | 205 | 2.82 | - | 40.74 | 8.66 | 34.89 |

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 21.34806G | 48.24 | 83.54 | -35.30 | 44.04 | 1 | Vertical | 73 | 1.50 | - | 37.72 | 16.11 | 49.63 |
| AV | 21.34742G | 34.79 | 63.54 | -28.75 | 30.59 | 1 | Vertical | 73 | 1.50 | - | 37.72 | 16.11 | 49.63 |

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT_Z_2TX
Setting 8.5
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 21.34704G | 48.64 | 83.54 | -34.90 | 44.44 | 1 | Horizontal | 153 | 1.54 | - | 37.72 | 16.11 | 49.63 |
| AV | 21.34732G | 34.73 | 63.54 | -28.81 | 30.53 | 1 | Horizontal | 153 | 1.54 | - | 37.72 | 16.11 | 49.63 |




<Beamforming Mode>

Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass | RMS | 7.1255G | 67.99 | 68.20 | -0.21 | 3 | Vertical | 92 | 2.07 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUTZ_2TX
Setting 7.5
03-C-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 7.12125G | 95.00 | Inf | -Inf | 86.39 | 3 | Vertical | 92 | 2.07 | - | 35.93 | 8.20 | 35.52 |
| RMS | 7.10608G | 85.64 | Inf | -Inf | 77.12 | 3 | Vertical | 92 | 2.07 | - | 35.84 | 8.20 | 35.52 |
| PK | 7.1255G | 78.91 | 88.20 | -9.29 | 70.28 | 3 | Vertical | 92 | 2.07 | - | 35.95 | 8.20 | 35.52 |
| RMS | 7.1255G | 67.99 | 68.20 | -0.21 | 59.36 | 3 | Vertical | 92 | 2.07 | - | 35.95 | 8.20 | 35.52 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUTZ_2TX
Setting 7.5
03-C-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 7.10753G | 94.55 | Inf | -Inf | 86.02 | 3 | Horizontal | 230 | 2.04 | - | 35.85 | 8.20 | 35.52 |
| RMS | 7.10755G | 85.49 | Inf | -Inf | 76.96 | 3 | Horizontal | 230 | 2.04 | - | 35.85 | 8.20 | 35.52 |
| PK | 7.1255G | 73.97 | 88.20 | -14.23 | 65.34 | 3 | Horizontal | 230 | 2.04 | - | 35.95 | 8.20 | 35.52 |
| RMS | 7.1255G | 63.26 | 68.20 | -4.94 | 54.63 | 3 | Horizontal | 230 | 2.04 | - | 35.95 | 8.20 | 35.52 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 7.5
03-C-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.23666G | 62.25 | 88.20 | -25.95 | 42.08 | 3 | Vertical | 197 | 1.18 | - | 41.60 | 12.52 | 33.95 |
| RMS | 14.22958G | 49.11 | 68.20 | -19.09 | 28.94 | 3 | Vertical | 197 | 1.18 | - | 41.60 | 12.51 | 33.94 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 7.5
03-C-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.22946G | 62.01 | 88.20 | -26.19 | 41.84 | 3 | Horizontal | 312 | 1.15 | - | 41.60 | 12.51 | 33.94 |
| RMS | 14.23642G | 49.09 | 68.20 | -19.11 | 28.92 | 3 | Horizontal | 312 | 1.15 | - | 41.60 | 12.52 | 33.95 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 7.5
03-C-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 21.34836G | 48.91 | 83.54 | -34.63 | 44.71 | 1 | Vertical | 20 | 1.80 | - | 37.72 | 16.11 | 49.63 |
| AV | 21.3348G | 35.81 | 63.54 | -27.73 | 31.64 | 1 | Vertical | 20 | 1.80 | - | 37.70 | 16.10 | 49.63 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT_Z_2TX
Setting 7.5
03-C-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 21.35376G | 48.53 | 83.54 | -35.01 | 44.33 | 1 | Horizontal | 178 | 2.68 | - | 37.72 | 16.11 | 49.63 |
| AV | 21.33132G | 35.82 | 63.54 | -27.72 | 31.65 | 1 | Horizontal | 178 | 2.68 | - | 37.70 | 16.10 | 49.63 |




<Non-Beamforming Mode>

Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | RMS | 7.1255G | 68.14 | 68.20 | -0.06 | 3 | Horizontal | 277 | 1.60 | - |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-L-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 7.1075G | 97.23 | Inf | -Inf | 87.94 | 3 | Vertical | 286 | 1.44 | - | 36.76 | 5.95 | 33.42 |
| RMS | 7.10725G | 86.50 | Inf | -Inf | 77.21 | 3 | Vertical | 286 | 1.44 | - | 36.76 | 5.95 | 33.42 |
| PK | 7.1255G | 75.85 | 88.20 | -12.35 | 66.43 | 3 | Vertical | 286 | 1.44 | - | 36.90 | 5.96 | 33.44 |
| RMS | 7.1255G | 64.98 | 68.20 | -3.22 | 55.56 | 3 | Vertical | 286 | 1.44 | - | 36.90 | 5.96 | 33.44 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-L-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 7.10755G | 97.88 | Inf | -Inf | 88.59 | 3 | Horizontal | 277 | 1.60 | - | 36.76 | 5.95 | 33.42 |
| RMS | 7.10758G | 87.51 | Inf | -Inf | 78.22 | 3 | Horizontal | 277 | 1.60 | - | 36.76 | 5.95 | 33.42 |
| PK | 7.1255G | 78.92 | 88.20 | -9.28 | 69.50 | 3 | Horizontal | 277 | 1.60 | - | 36.90 | 5.96 | 33.44 |
| RMS | 7.1255G | 68.14 | 68.20 | -0.06 | 58.72 | 3 | Horizontal | 277 | 1.60 | - | 36.90 | 5.96 | 33.44 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 14.23456G | 58.75 | 88.20 | -29.45 | 44.25 | 3 | Vertical | 280 | 1.80 | - | 40.73 | 8.66 | 34.89 |
| RMS | 14.2292G | 45.77 | 68.20 | -22.43 | 31.26 | 3 | Vertical | 280 | 1.80 | - | 40.74 | 8.66 | 34.89 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.22714G | 58.45 | 88.20 | -29.75 | 43.93 | 3 | Horizontal | 220 | 2.74 | - | 40.75 | 8.66 | 34.89 |
| RMS | 14.23008G | 45.70 | 68.20 | -22.50 | 31.19 | 3 | Horizontal | 220 | 2.74 | - | 40.74 | 8.66 | 34.89 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 21.34976G | 49.23 | 83.54 | -34.31 | 45.03 | 1 | Vertical | 7 | 1.54 | - | 37.72 | 16.11 | 49.63 |
| AV | 21.3477G | 35.71 | 63.54 | -27.83 | 31.51 | 1 | Vertical | 7 | 1.54 | - | 37.72 | 16.11 | 49.63 |

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom



EUTY_4TX
Setting 8
04-D-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 21.34138G | 49.25 | 83.54 | -34.29 | 45.07 | 1 | Horizontal | 49 | 1.50 | - | 37.71 | 16.10 | 49.63 |
| AV | 21.34162G | 35.60 | 63.54 | -27.94 | 31.42 | 1 | Horizontal | 49 | 1.50 | - | 37.71 | 16.10 | 49.63 |




<Beamforming Mode>

Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | Pass | RMS | 7.1255G | 67.63 | 68.20 | -0.57 | 3 | Vertical | 274 | 2.06 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTZ_2TX
Setting 6.5
03-C-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 7.1075G | 99.01 | Inf | -Inf | 90.49 | 3 | Vertical | 274 | 2.06 | - | 35.84 | 8.20 | 35.52 |
| RMS | 7.10728G | 88.77 | Inf | -Inf | 80.25 | 3 | Vertical | 274 | 2.06 | - | 35.84 | 8.20 | 35.52 |
| PK | 7.1255G | 79.30 | 88.20 | -8.90 | 70.67 | 3 | Vertical | 274 | 2.06 | - | 35.95 | 8.20 | 35.52 |
| RMS | 7.1255G | 67.63 | 68.20 | -0.57 | 59.00 | 3 | Vertical | 274 | 2.06 | - | 35.95 | 8.20 | 35.52 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 6.5
03-C-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 7.11125G | 95.79 | Inf | -Inf | 87.24 | 3 | Horizontal | 157 | 2.06 | - | 35.87 | 8.20 | 35.52 |
| RMS | 7.1113G | 85.57 | Inf | -Inf | 77.02 | 3 | Horizontal | 157 | 2.06 | - | 35.87 | 8.20 | 35.52 |
| PK | 7.1255G | 75.81 | 88.20 | -12.39 | 67.18 | 3 | Horizontal | 157 | 2.06 | - | 35.95 | 8.20 | 35.52 |
| RMS | 7.1255G | 64.47 | 68.20 | -3.73 | 55.84 | 3 | Horizontal | 157 | 2.06 | - | 35.95 | 8.20 | 35.52 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 6.5
03-C-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.2357G | 62.22 | 88.20 | -25.98 | 42.05 | 3 | Vertical | 186 | 2.71 | - | 41.60 | 12.52 | 33.95 |
| RMS | 14.23456G | 49.26 | 68.20 | -18.94 | 29.09 | 3 | Vertical | 186 | 2.71 | - | 41.60 | 12.52 | 33.95 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 6.5
03-C-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 14.22868G | 61.90 | 88.20 | -26.30 | 41.73 | 3 | Horizontal | 335 | 2.47 | - | 41.60 | 12.51 | 33.94 |
| RMS | 14.23594G | 49.27 | 88.20 | -38.93 | 29.10 | 3 | Horizontal | 335 | 2.47 | - | 41.60 | 12.52 | 33.95 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 6.5
03-C-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 21.3465G | 49.17 | 83.54 | -34.37 | 44.97 | 1 | Vertical | 22 | 2.74 | - | 37.72 | 16.11 | 49.63 |
| AV | 21.33162G | 36.04 | 63.54 | -27.50 | 31.87 | 1 | Vertical | 22 | 2.74 | - | 37.70 | 16.10 | 49.63 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom



EUT_Z_2TX
Setting 6.5
03-C-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 21.34398G | 48.34 | 83.54 | -35.20 | 44.16 | 1 | Horizontal | 230 | 2.42 | - | 37.71 | 16.10 | 49.63 |
| AV | 21.33132G | 36.04 | 63.54 | -27.50 | 31.87 | 1 | Horizontal | 230 | 2.42 | - | 37.70 | 16.10 | 49.63 |




Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | RMS | 7.1255G | 67.87 | 68.20 | -0.33 | 3 | Horizontal | 280 | 1.80 | - |

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_X_1TX
Setting 10
01-I-G-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 7.1088G | 91.68 | Inf | -Inf | 81.01 | 3 | Vertical | 318 | 1.85 | - | 36.57 | 7.25 | 33.15 |
| RMS | 7.10663G | 82.63 | Inf | -Inf | 71.98 | 3 | Vertical | 318 | 1.85 | - | 36.55 | 7.25 | 33.15 |
| PK | 7.1255G | 75.72 | 88.20 | -12.48 | 64.92 | 3 | Vertical | 318 | 1.85 | - | 36.70 | 7.24 | 33.14 |
| RMS | 7.1255G | 64.18 | 68.20 | -4.02 | 53.38 | 3 | Vertical | 318 | 1.85 | - | 36.70 | 7.24 | 33.14 |

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_X_1TX
Setting 10
01-I-G-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 7.10873G | 95.72 | Inf | -Inf | 85.05 | 3 | Horizontal | 280 | 1.80 | - | 36.57 | 7.25 | 33.15 |
| RMS | 7.10605G | 85.80 | Inf | -Inf | 75.15 | 3 | Horizontal | 280 | 1.80 | - | 36.55 | 7.25 | 33.15 |
| PK | 7.1255G | 78.83 | 88.20 | -9.37 | 68.03 | 3 | Horizontal | 280 | 1.80 | - | 36.70 | 7.24 | 33.14 |
| RMS | 7.1255G | 67.87 | 68.20 | -0.33 | 57.07 | 3 | Horizontal | 280 | 1.80 | - | 36.70 | 7.24 | 33.14 |

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 10
01-I-G-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.22994G | 60.06 | 88.20 | -28.14 | 40.91 | 3 | Vertical | 61 | 2.77 | - | 40.74 | 9.97 | 31.56 |
| RMS | 14.22524G | 47.68 | 68.20 | -20.52 | 28.51 | 3 | Vertical | 61 | 2.77 | - | 40.75 | 9.97 | 31.55 |

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 10
01-I-G-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 14.22818G | 60.20 | 88.20 | -28.00 | 41.04 | 3 | Horizontal | 307 | 1.54 | - | 40.74 | 9.97 | 31.55 |
| RMS | 14.22558G | 47.67 | 68.20 | -20.53 | 28.50 | 3 | Horizontal | 307 | 1.54 | - | 40.75 | 9.97 | 31.55 |

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 10
01-I-G-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 21.34655G | 47.09 | 83.54 | -36.45 | 43.99 | 1 | Vertical | 174 | 1.41 | - | 37.72 | 15.01 | 49.63 |
| AV | 21.3428G | 34.64 | 63.54 | -28.90 | 31.55 | 1 | Vertical | 174 | 1.41 | - | 37.71 | 15.01 | 49.63 |

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT X_1TX
Setting 10
01-I-G-2


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 21.34518G | 48.51 | 83.54 | -35.03 | 45.42 | 1 | Horizontal | 102 | 1.22 | - | 37.71 | 15.01 | 49.63 |
| AV | 21.34281G | 34.58 | 63.54 | -28.96 | 31.49 | 1 | Horizontal | 102 | 1.22 | - | 37.71 | 15.01 | 49.63 |

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6175MHz_TnomVnom

15/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6415MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.415GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.42329G | -2.52 | 6.448G | -57.02 | -42.52 | -14.50 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6435MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.435GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.42721G | -2.30 | 6.4685G | -56.67 | -42.30 | -14.37 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6475MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.475GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.48349G | -1.23 | 6.4417G | -56.38 | -41.23 | -15.15 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6515MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.515GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.50631G | -1.59 | 6.482G | -56.42 | -41.59 | -14.83 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6535MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.535GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.52641G | -0.51 | 6.5014G | -55.50 | -40.51 | -14.99 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6695MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.68691G | -0.73 | 6.7278G | -55.18 | -40.73 | -14.45 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6855MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.84761G | -0.56 | 6.8221G | -54.76 | -40.56 | -14.20 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom

MASK

15/02/2022

CF Freq
6.875GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.86591G | -0.66 | 6.8422G | -54.90 | -40.65 | -14.25 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6895MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.88591G | -0.89 | 6.9278G | -54.96 | -40.89 | -14.07 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX
6995MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.98621G | -0.36 | 6.9621G | -54.11 | -40.36 | -13.75 | 1 |

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7115MHz_TnomVnom

28/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6165MHz_TnomVnom


15/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6405MHz_TnomVnom

MASK


15/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6445MHz_TnomVnom

MASK

15/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6485MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.485GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.486G | -1.24 | 6.424G | -53.18 | -41.24 | -11.94 | 1 |

802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom

MASK

15/02/2022

CF Freq
6.525GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.524G | -1.45 | 6.4626G | -53.83 | -41.45 | -12.38 | 1 |

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TnomVnom

15/02/2022

CF Freq
6.565GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.5684G | -1.43 | 6.5044G | -53.61 | -41.43 | -12.18 | 1 |

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TnomVnom

15/02/2022

CF Freq
6.685GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.67981G | -1.62 | 6.7466G | -53.37 | -41.62 | -11.75 | 1 |

802.11ax HEW40_Nss1,(MCS0)_1TX
6845MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.845GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.8426G | -1.08 | 6.9056G | -52.32 | -40.99 | -11.33 | 1 |

802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom

MASK

15/02/2022

CF Freq
6.885GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.8818G | -1.57 | 6.824G | -52.91 | -41.57 | -11.34 | 1 |

802.11ax HEW40_Nss1,(MCS0)_1TX
6925MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.925GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.9238G | -1.66 | 6.9864G | -52.99 | -41.66 | -11.33 | 1 |

802.11ax HEW40_Nss1,(MCS0)_1TX
7005MHz_TnomVnom

MASK

15/02/2022

CF Freq
7.005GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 7.0066G | -1.04 | 6.9426G | -51.79 | -41.04 | -10.75 | 1 |

802.11ax HEW40_Nss1,(MCS0)_1TX
7085MHz_TnomVnom

MASK


15/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
5985MHz_TnomVnom

MASK


15/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6145MHz_TnomVnom

MASK


15/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6385MHz_TnomVnom

MASK

15/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6465MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.465GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom

MASK

15/02/2022

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



802.11ax HEW80_Nss1,(MCS0)_1TX
6625MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.63299G | -1.72 | 6.749G | -50.67 | -41.72 | -8.95 | 1 |

802.11ax HEW80_Nss1,(MCS0)_1TX
6705MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.69861G | -1.68 | 6.8278G | -50.27 | -41.48 | -8.79 | 1 |

802.11ax HEW80_Nss1,(MCS0)_1TX
6785MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.785GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.7818G | -1.43 | 6.6614G | -50.28 | -41.43 | -8.85 | 1 |

802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom

MASK

15/02/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.8626G | -1.58 | 6.7422G | -50.02 | -41.58 | -8.44 | 1 |

802.11ax HEW80_Nss1,(MCS0)_1TX
6945MHz_TnomVnom

MASK

15/02/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.93301G | -1.77 | 6.8194G | -50.52 | -41.77 | -8.75 | 1 |

802.11ax HEW80_Nss1,(MCS0)_1TX
7025MHz_TnomVnom

MASK

15/02/2022

CF Freq
7.025GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.03219G | -1.61 | 6.9006G | -49.76 | -41.61 | -8.15 | 1 |

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

15/02/2022



802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TnomVnom

15/02/2022

CF Freq
6.665GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.64022G | -1.55 | 6.913G | -48.47 | -41.55 | -6.92 | 1 |

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

15/02/2022

CF Freq
6.825GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.84578G | -1.05 | 6.5762G | -48.22 | -41.05 | -7.17 | 1 |

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TnomVnom

15/02/2022

CF Freq
6.985GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.96502G | -1.05 | 6.7394G | -47.49 | -41.01 | -6.48 | 1 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TnomVnom

14/02/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 5.96379G | -5.49 | 5.967G | -41.30 | -24.99 | -16.31 | 1 |
| 5.96429G | -5.90 | 5.9669G | -40.99 | -25.92 | -15.07 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6175MHz_TnomVnom

14/02/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.18409G | -5.82 | 6.1871G | -41.81 | -25.88 | -15.93 | 1 |
| 6.16631G | -6.04 | 6.1629G | -42.33 | -26.04 | -16.29 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

14/02/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

14/02/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.48389G | -4.34 | 6.4871G | -40.17 | -24.40 | -15.77 | 1 |
| 6.46651G | -4.87 | 6.463G | -40.83 | -24.37 | -16.46 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

14/02/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.50671G | -5.01 | 6.5029G | -40.93 | -25.06 | -15.87 | 1 |
| 6.50621G | -5.22 | 6.503G | -41.22 | -25.24 | -15.98 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

14/02/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.52581G | -4.77 | 6.5231G | -39.72 | -24.79 | -14.93 | 1 |
| 6.52691G | -5.15 | 6.5229G | -41.46 | -25.21 | -16.25 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

14/02/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.70389G | -4.90 | 6.6828G | -41.86 | -24.91 | -16.95 | 1 |
| 6.70379G | -5.14 | 6.683G | -40.89 | -24.64 | -16.25 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

14/02/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.84611G | -4.76 | 6.843G | -40.39 | -24.80 | -15.59 | 1 |
| 6.84661G | -4.73 | 6.843G | -40.13 | -24.53 | -15.60 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

14/02/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.86701G | -5.13 | 6.8629G | -41.27 | -25.18 | -16.09 | 1 |
| 6.88429G | -4.97 | 6.8871G | -40.90 | -25.04 | -15.86 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

14/02/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.90349G | -2.71 | 6.883G | -39.03 | -22.51 | -16.52 | 1 |
| 6.90399G | -3.19 | 6.883G | -39.19 | -23.19 | -16.00 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

14/02/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.98591G | -2.36 | 6.9831G | -38.01 | -21.96 | -16.05 | 1 |
| 6.98651G | -3.18 | 6.9831G | -38.85 | -23.08 | -15.77 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

15/02/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.08581G | -2.99 | 7.0829G | -38.88 | -23.05 | -15.83 | 1 |
| 7.08621G | -2.92 | 7.083G | -37.78 | -23.01 | -14.77 | 2 |

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TnomVnom

28/02/2022

CF Freq
7.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.10661G | -8.39 | 7.0777G | -61.35 | -48.39 | -12.96 | 1 |
| 7.10611G | -8.42 | 7.079G | -61.45 | -48.42 | -13.03 | 2 |

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

15/02/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9664G | -4.01 | 6.0266G | -61.71 | -44.01 | -17.70 | 1 |
| 5.9608G | -4.13 | 6.0258G | -61.41 | -44.13 | -17.28 | 2 |

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

15/02/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.1636G | -3.83 | 6.1034G | -62.44 | -43.83 | -18.61 | 1 |
| 6.1614G | -3.80 | 6.1044G | -62.09 | -43.80 | -18.29 | 2 |

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

15/02/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

15/02/2022

