


802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.81	-1.81	-5.90	-3.64

802.11a_Nss1,(6Mbps)_2TX



PSD

5720MHz Straddle 5.725-5.85GHz

24/08/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.98	-3.98	-8.47	-5.37




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5320MHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.09	-2.09	-7.26	-3.59

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5500MHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.00	-2.00	-7.10	-3.44

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5580MHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.74	-1.74	-6.63	-3.03

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5700MHz

24/08/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.98	-1.98	-5.89	-3.85

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz

PSD

24/08/2022

CF
5.71GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.96	-1.96	-6.50	-3.49

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.725-5.85GHz

PSD

24/08/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.71	-3.71	-8.28	-5.47

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5270MHz

24/08/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5310MHz

24/08/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5510MHz

24/08/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5550MHz

24/08/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5670MHz

24/08/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

24/08/2022







802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.725-5.85GHz

PSD

24/08/2022

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
 Port 1 
 Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.31	-7.31	-11.78	-9.04




802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz

PSD

24/08/2022

CF
5.29GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum 
 Port 1 
 Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.40	-11.40	-16.21	-13.13

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5530MHz

24/08/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5610MHz

24/08/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.55	-7.55	-11.83	-9.37

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.03	-11.03	-15.65	-12.82

802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.58	-8.58	-17.20	-13.54	-12.93	-15.21

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.82	-8.82	-17.32	-13.76	-13.09	-14.98

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.76	-8.76	-17.57	-14.00	-12.75	-14.98

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.57	-8.57	-18.07	-14.58	-12.34	-14.30

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.08	-9.08	-17.11	-14.12	-12.96	-15.89

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.22	-8.22	-17.06	-13.86	-11.80	-14.48

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.83	-7.83	-15.74	-13.85	-11.73	-13.91

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.13	-10.13	-18.31	-16.15	-14.56	-15.74

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.39	-9.39	-17.81	-14.70	-13.41	-16.10

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.77	-9.77	-18.14	-15.05	-14.02	-15.87

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.67	-9.67	-18.87	-14.83	-13.96	-15.78

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.41	-9.41	-18.06	-15.10	-13.15	-15.31

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.93	-9.93	-18.14	-14.63	-13.92	-16.62

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.14	-9.14	-17.31	-15.30	-13.13	-15.10

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.61	-8.61	-16.89	-14.33	-12.50	-14.61

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.27	-10.27	-18.74	-15.72	-14.83	-16.67

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.41	-12.41	-20.81	-17.68	-16.65	-18.64

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.29	-12.29	-21.07	-17.51	-16.39	-18.54

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.04	-12.04	-21.03	-17.80	-15.82	-17.65

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.85	-11.85	-20.44	-17.29	-15.69	-17.69

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.95	-10.95	-18.71	-16.18	-15.07	-17.36

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.17	-11.17	-18.62	-17.29	-15.10	-16.99

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.87	-13.87	-21.60	-20.39	-17.81	-20.13

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-15.22	-15.22	-23.88	-20.49	-19.46	-21.58

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-14.80	-14.80	-23.38	-20.58	-18.77	-20.47

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-14.53	-14.53	-22.52	-19.55	-18.81	-20.44

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

22/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-14.74	-14.74	-22.86	-20.33	-18.73	-20.88

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

22/08/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-18.26	-18.26	-26.67	-24.45	-22.08	-24.68



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss1,(MCS0)_1TX	-11.05
802.11ax HEW160_Nss1,(MCS0)_2TX	-7.45
802.11ax HEW160_Nss1,(MCS0)_4TX	-7.01
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	0.16
802.11ax HEW20_Nss1,(MCS0)_1TX	0.01
802.11ax HEW40_Nss1,(MCS0)_1TX	-2.95
802.11ax HEW80_Nss1,(MCS0)_1TX	-8.01
802.11ax HEW160_Nss1,(MCS0)_1TX	-11.06
802.11a_Nss1,(6Mbps)_2TX	4.86
802.11ax HEW20_Nss1,(MCS0)_2TX	4.58
802.11ax HEW40_Nss1,(MCS0)_2TX	2.09
802.11ax HEW80_Nss1,(MCS0)_2TX	-4.53
802.11ax HEW160_Nss1,(MCS0)_2TX	-7.51
802.11a_Nss1,(6Mbps)_4TX	7.59
802.11ax HEW20_Nss1,(MCS0)_4TX	7.94
802.11ax HEW40_Nss1,(MCS0)_4TX	5.18
802.11ax HEW80_Nss1,(MCS0)_4TX	-2.19
802.11ax HEW160_Nss1,(MCS0)_4TX	-7.02
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	0.02
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.08
802.11ax HEW40_Nss1,(MCS0)_1TX	-2.96
802.11ax HEW80_Nss1,(MCS0)_1TX	-5.86
802.11ax HEW160_Nss1,(MCS0)_1TX	-9.86
802.11a_Nss1,(6Mbps)_2TX	4.62
802.11ax HEW20_Nss1,(MCS0)_2TX	4.49
802.11ax HEW40_Nss1,(MCS0)_2TX	1.39
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.13
802.11ax HEW160_Nss1,(MCS0)_2TX	-7.17
802.11a_Nss1,(6Mbps)_4TX	7.66
802.11ax HEW20_Nss1,(MCS0)_4TX	7.61
802.11ax HEW40_Nss1,(MCS0)_4TX	5.92
802.11ax HEW80_Nss1,(MCS0)_4TX	3.14
802.11ax HEW160_Nss1,(MCS0)_4TX	-6.86
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	-1.57
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.82
802.11ax HEW40_Nss1,(MCS0)_1TX	-5.99
802.11ax HEW80_Nss1,(MCS0)_1TX	-9.69
802.11a_Nss1,(6Mbps)_2TX	3.26
802.11ax HEW20_Nss1,(MCS0)_2TX	3.04
802.11ax HEW40_Nss1,(MCS0)_2TX	-1.47
802.11ax HEW80_Nss1,(MCS0)_2TX	-5.12
802.11a_Nss1,(6Mbps)_4TX	7.64
802.11ax HEW20_Nss1,(MCS0)_4TX	6.34
802.11ax HEW40_Nss1,(MCS0)_4TX	2.96
802.11ax HEW80_Nss1,(MCS0)_4TX	-0.48

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	3.00	0.16				0.16	11.00
5300MHz	Pass	3.00	-0.16				-0.16	11.00
5320MHz	Pass	3.00	-0.52				-0.52	11.00
5500MHz	Pass	3.00	0.02				0.02	11.00
5580MHz	Pass	3.00	-0.08				-0.08	11.00
5700MHz	Pass	3.00	-0.16				-0.16	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.00	-0.15				-0.15	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	3.00	-1.57				-1.57	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	3.00	0.01				0.01	11.00
5300MHz	Pass	3.00	-0.27				-0.27	11.00
5320MHz	Pass	3.00	-0.65				-0.65	11.00
5500MHz	Pass	3.00	-0.08				-0.08	11.00
5580MHz	Pass	3.00	-0.17				-0.17	11.00
5700MHz	Pass	3.00	-0.33				-0.33	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.00	-0.46				-0.46	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	3.00	-1.82				-1.82	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5270MHz	Pass	3.00	-2.95				-2.95	11.00
5310MHz	Pass	3.00	-4.51				-4.51	11.00
5510MHz	Pass	3.00	-3.35				-3.35	11.00
5550MHz	Pass	3.00	-3.01				-3.01	11.00
5670MHz	Pass	3.00	-2.96				-2.96	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	3.00	-3.16				-3.16	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	3.00	-5.99				-5.99	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5290MHz	Pass	3.00	-8.01				-8.01	11.00
5530MHz	Pass	3.00	-6.65				-6.65	11.00
5610MHz	Pass	3.00	-5.86				-5.86	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	3.00	-6.38				-6.38	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	3.00	-9.69				-9.69	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.00	-11.05				-11.05	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.00	-11.06				-11.06	11.00
5570MHz	Pass	3.00	-9.86				-9.86	11.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.01	0.30	3.07			4.86	10.99
5300MHz	Pass	6.01	-0.03	2.77			4.57	10.99
5320MHz	Pass	6.01	-0.82	2.64			4.23	10.99
5500MHz	Pass	6.01	-0.64	2.21			3.97	10.99
5580MHz	Pass	6.01	0.08	2.80			4.62	10.99
5700MHz	Pass	6.01	-0.87	2.08			3.79	10.99
5720MHz Straddle 5.47-5.725GHz	Pass	6.01	-0.08	2.85			4.61	10.99
5720MHz Straddle 5.725-5.85GHz	Pass	6.01	-1.48	1.51			3.26	29.99
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.01	-0.00	2.79			4.58	10.99
5300MHz	Pass	6.01	-0.22	2.64			4.39	10.99
5320MHz	Pass	6.01	-2.58	2.16			3.35	10.99
5500MHz	Pass	6.01	-1.11	1.44			3.30	10.99
5580MHz	Pass	6.01	-0.20	2.71			4.49	10.99
5700MHz	Pass	6.01	-1.86	1.31			2.99	10.99
5720MHz Straddle 5.47-5.725GHz	Pass	6.01	-0.41	2.69			4.41	10.99
5720MHz Straddle 5.725-5.85GHz	Pass	6.01	-1.72	1.28			3.04	29.99
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5270MHz	Pass	6.01	-3.51	0.80			2.09	10.99
5310MHz	Pass	6.01	-5.82	-1.40			-0.15	10.99
5510MHz	Pass	6.01	-5.02	-1.80			-0.17	10.99
5550MHz	Pass	6.01	-3.20	-0.58			1.23	10.99
5670MHz	Pass	6.01	-3.67	-0.90			0.91	10.99
5710MHz Straddle 5.47-5.725GHz	Pass	6.01	-3.23	-0.30			1.39	10.99
5710MHz Straddle 5.725-5.85GHz	Pass	6.01	-6.12	-3.25			-1.47	29.99
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.01	-9.03	-6.28			-4.53	10.99
5530MHz	Pass	6.01	-8.08	-5.42			-3.60	10.99
5610MHz	Pass	6.01	-5.79	-2.92			-1.13	10.99
5690MHz Straddle 5.47-5.725GHz	Pass	6.01	-6.36	-3.30			-1.62	10.99
5690MHz Straddle 5.725-5.85GHz	Pass	6.01	-9.72	-6.88			-5.12	29.99
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.01	-13.25	-8.68			-7.45	16.99
5250MHz Straddle 5.25-5.35GHz	Pass	6.01	-13.32	-8.76			-7.51	10.99
5570MHz	Pass	6.01	-12.93	-8.42			-7.17	10.99
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	9.02	-1.13	1.59	2.58	2.44	7.59	7.98
5300MHz	Pass	9.02	-1.43	1.31	2.83	2.59	7.57	7.98
5320MHz	Pass	9.02	-1.83	0.91	2.63	2.25	7.27	7.98
5500MHz	Pass	9.02	-1.34	1.25	2.47	1.78	7.16	7.98
5580MHz	Pass	9.02	-1.45	1.48	2.98	2.66	7.66	7.98
5700MHz	Pass	9.02	-1.89	1.02	2.18	2.07	7.08	7.98
5720MHz Straddle 5.47-5.725GHz	Pass	9.02	-1.78	1.55	3.03	2.43	7.62	7.98
5720MHz Straddle 5.725-5.85GHz	Pass	9.02	-1.33	1.53	3.00	2.37	7.64	26.98
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	9.02	-0.96	2.13	2.72	2.91	7.87	7.98
5300MHz	Pass	9.02	-1.19	1.87	3.02	2.96	7.94	7.98
5320MHz	Pass	9.02	-2.54	0.38	1.77	1.62	6.49	7.98
5500MHz	Pass	9.02	-1.99	0.77	1.71	1.24	6.55	7.98
5580MHz	Pass	9.02	-1.64	1.40	2.99	2.57	7.61	7.98
5700MHz	Pass	9.02	-3.22	-0.03	1.06	0.91	5.96	7.98
5720MHz Straddle 5.47-5.725GHz	Pass	9.02	-1.75	1.44	2.79	2.42	7.49	7.98
5720MHz Straddle 5.725-5.85GHz	Pass	9.02	-3.60	1.15	1.45	0.86	6.34	26.98
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	9.02	-4.43	0.28	-0.09	0.01	5.18	7.98
5310MHz	Pass	9.02	-7.62	-5.19	-3.40	-3.82	1.19	7.98
5510MHz	Pass	9.02	-7.19	-4.39	-3.42	-3.71	1.45	7.98
5550MHz	Pass	9.02	-3.21	-0.44	0.95	0.37	5.57	7.98
5670MHz	Pass	9.02	-6.52	-2.00	-1.82	-2.03	3.23	7.98
5710MHz Straddle 5.47-5.725GHz	Pass	9.02	-3.33	-0.26	1.14	1.08	5.92	7.98
5710MHz Straddle 5.725-5.85GHz	Pass	9.02	-6.06	-3.18	-1.86	-2.19	2.96	26.98
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	9.02	-10.83	-8.27	-6.99	-7.17	-2.19	7.98
5530MHz	Pass	9.02	-12.64	-8.22	-8.19	-8.63	-3.18	7.98
5610MHz	Pass	9.02	-7.45	-4.34	-2.91	-3.37	1.71	7.98
5690MHz Straddle 5.47-5.725GHz	Pass	9.02	-6.04	-2.95	-1.69	-1.71	3.14	7.98
5690MHz Straddle 5.725-5.85GHz	Pass	9.02	-9.33	-6.61	-5.27	-5.53	-0.48	26.98
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	9.02	-16.06	-12.14	-12.44	-12.26	-7.01	13.98
5250MHz Straddle 5.25-5.35GHz	Pass	9.02	-16.16	-12.16	-12.46	-12.23	-7.02	7.98
5570MHz	Pass	9.02	-16.41	-12.35	-11.44	-12.15	-6.86	7.98


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

18/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.16	0.16	0.16

802.11a_Nss1,(6Mbps)_1TX



PSD



5300MHz

18/08/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.16	-0.16	-0.16






802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

18/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.15	-0.15	-0.15

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

18/08/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.57	-1.57	-1.57


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5260MHz

18/08/2022

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.01	0.01	0.01


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5300MHz

18/08/2022

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.27	-0.27	-0.27


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5320MHz

18/08/2022

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.65	-0.65	-0.65


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5500MHz

18/08/2022

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.08	-0.08	-0.08


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5580MHz

18/08/2022

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.17	-0.17	-0.17


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5700MHz



18/08/2022

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.33	-0.33	-0.33




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5270MHz

18/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.95	-2.95	-2.95

802.11ax HEW40_Nss1,(MCS0)_1TX



PSD



5310MHz

19/08/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.51	-4.51	-4.51






802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

18/08/2022






802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5290MHz

19/08/2022






802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

18/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.38	-6.38	-6.38

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

18/08/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.69	-9.69	-9.69


802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

19/08/2022

CF
5.17GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.05	-11.05	-11.05


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

5250MHz Straddle 5.25-5.35GHz



19/08/2022

CF
5.33GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.06	-11.06	-11.06




802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

18/08/2022

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.57	4.57	-0.03	2.77


802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

23/08/2022

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.23	4.23	-0.82	2.64


802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

23/08/2022

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.97	3.97	-0.64	2.21


802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz



18/08/2022

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.62	4.62	0.08	2.80




802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

18/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.26	3.26	-1.48	1.51

802.11ax HEW20_Nss1,(MCS0)_2TX



PSD



5260MHz



18/08/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.58	4.58	-0.00	2.79








802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

18/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.04	3.04	-1.72	1.28

802.11ax HEW40_Nss1,(MCS0)_2TX



PSD

5270MHz

19/08/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.09	2.09	-3.51	0.80




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5550MHz

18/08/2022

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.23	1.23	-3.20	-0.58


802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5670MHz



19/08/2022



CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.91	0.91	-3.67	-0.90






802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5610MHz

18/08/2022

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.13	-1.13	-5.79	-2.92


802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

18/08/2022

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.62	-1.62	-6.36	-3.30

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

18/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.12	-5.12	-9.72	-6.88

802.11ax HEW160_Nss1,(MCS0)_2TX



PSD

5250MHz Straddle 5.15-5.25GHz

19/08/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.45	-7.45	-13.25	-8.68




802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

18/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.59	7.59	-1.13	1.59	2.58	2.44

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

18/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.57	7.57	-1.43	1.31	2.83	2.59

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.27	7.27	-1.83	0.91	2.63	2.25

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.16	7.16	-1.34	1.25	2.47	1.78

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

18/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.66	7.66	-1.45	1.48	2.98	2.66

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.08	7.08	-1.89	1.02	2.18	2.07

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz

18/08/2022

PSD




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.62	7.62	-1.78	1.55	3.03	2.43

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.725-5.85GHz

18/08/2022

PSD




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.64	7.64	-1.33	1.53	3.00	2.37

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

18/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.87	7.87	-0.96	2.13	2.72	2.91

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

18/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.94	7.94	-1.19	1.87	3.02	2.96

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.49	6.49	-2.54	0.38	1.77	1.62

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.55	6.55	-1.99	0.77	1.71	1.24

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

18/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.61	7.61	-1.64	1.40	2.99	2.57

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.96	5.96	-3.22	-0.03	1.06	0.91

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

18/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.49	7.49	-1.75	1.44	2.79	2.42

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.34	6.34	-3.60	1.15	1.45	0.86

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.18	5.18	-4.43	0.28	-0.09	0.01

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.19	1.19	-7.62	-5.19	-3.40	-3.82

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.45	1.45	-7.19	-4.39	-3.42	-3.71

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

18/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.57	5.57	-3.21	-0.44	0.95	0.37

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.23	3.23	-6.52	-2.00	-1.82	-2.03

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.92	5.92	-3.33	-0.26	1.14	1.08

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.96	2.96	-6.06	-3.18	-1.86	-2.19

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.19	-2.19	-10.83	-8.27	-6.99	-7.17

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.18	-3.18	-12.64	-8.22	-8.19	-8.63

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

23/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.71	1.71	-7.45	-4.34	-2.91	-3.37

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.14	3.14	-6.04	-2.95	-1.69	-1.71

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.48	-0.48	-9.33	-6.61	-5.27	-5.53

802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

19/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.01	-7.01	-16.06	-12.14	-12.44	-12.26

802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

19/08/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.02	-7.02	-16.16	-12.16	-12.46	-12.23

802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

5570MHz

19/08/2022

CF
5.57GHz


Span
240MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.86	-6.86	-16.41	-12.35	-11.44	-12.15



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss1,(MCS0)_1TX	-13.72
802.11ax HEW160_Nss1,(MCS0)_2TX	-12.63
802.11ax HEW160_Nss1,(MCS0)_4TX	-13.19
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	-1.57
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.89
802.11ax HEW40_Nss1,(MCS0)_1TX	-4.61
802.11ax HEW80_Nss1,(MCS0)_1TX	-10.67
802.11ax HEW160_Nss1,(MCS0)_1TX	-13.68
802.11a_Nss1,(6Mbps)_2TX	-1.71
802.11ax HEW20_Nss1,(MCS0)_2TX	-1.64
802.11ax HEW40_Nss1,(MCS0)_2TX	-6.62
802.11ax HEW80_Nss1,(MCS0)_2TX	-7.94
802.11ax HEW160_Nss1,(MCS0)_2TX	-12.62
802.11a_Nss1,(6Mbps)_4TX	-5.30
802.11ax HEW20_Nss1,(MCS0)_4TX	-5.23
802.11ax HEW40_Nss1,(MCS0)_4TX	-5.27
802.11ax HEW80_Nss1,(MCS0)_4TX	-8.95
802.11ax HEW160_Nss1,(MCS0)_4TX	-13.20
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	-1.54
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.59
802.11ax HEW40_Nss1,(MCS0)_1TX	-4.37
802.11ax HEW80_Nss1,(MCS0)_1TX	-7.59
802.11ax HEW160_Nss1,(MCS0)_1TX	-11.25
802.11a_Nss1,(6Mbps)_2TX	-1.54
802.11ax HEW20_Nss1,(MCS0)_2TX	-1.89
802.11ax HEW40_Nss1,(MCS0)_2TX	-4.46
802.11ax HEW80_Nss1,(MCS0)_2TX	-7.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-11.32
802.11a_Nss1,(6Mbps)_4TX	-4.58
802.11ax HEW20_Nss1,(MCS0)_4TX	-4.77
802.11ax HEW40_Nss1,(MCS0)_4TX	-4.97
802.11ax HEW80_Nss1,(MCS0)_4TX	-7.45
802.11ax HEW160_Nss1,(MCS0)_4TX	-12.26
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	-3.26
802.11ax HEW20_Nss1,(MCS0)_1TX	-2.92
802.11ax HEW40_Nss1,(MCS0)_1TX	-7.27
802.11ax HEW80_Nss1,(MCS0)_1TX	-10.96
802.11a_Nss1,(6Mbps)_2TX	-3.06
802.11ax HEW20_Nss1,(MCS0)_2TX	-3.06
802.11ax HEW40_Nss1,(MCS0)_2TX	-7.39
802.11ax HEW80_Nss1,(MCS0)_2TX	-11.16
802.11a_Nss1,(6Mbps)_4TX	-7.37
802.11ax HEW20_Nss1,(MCS0)_4TX	-7.30
802.11ax HEW40_Nss1,(MCS0)_4TX	-7.99
802.11ax HEW80_Nss1,(MCS0)_4TX	-11.67

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	18.53	-1.68				-1.68	-1.53
5300MHz	Pass	18.53	-1.95				-1.95	-1.53
5320MHz	Pass	18.53	-1.57				-1.57	-1.53
5500MHz	Pass	18.53	-1.54				-1.54	-1.53
5580MHz	Pass	18.53	-1.65				-1.65	-1.53
5700MHz	Pass	18.53	-1.70				-1.70	-1.53
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-1.83				-1.83	-1.53
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-3.26				-3.26	17.47
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	18.53	-2.21				-2.21	-1.53
5300MHz	Pass	18.53	-1.89				-1.89	-1.53
5320MHz	Pass	18.53	-1.94				-1.94	-1.53
5500MHz	Pass	18.53	-1.83				-1.83	-1.53
5580MHz	Pass	18.53	-1.98				-1.98	-1.53
5700MHz	Pass	18.53	-2.26				-2.26	-1.53
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-1.59				-1.59	-1.53
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-2.92				-2.92	17.47
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5270MHz	Pass	18.53	-4.61				-4.61	-1.53
5310MHz	Pass	18.53	-9.82				-9.82	-1.53
5510MHz	Pass	18.53	-5.34				-5.34	-1.53
5550MHz	Pass	18.53	-4.71				-4.71	-1.53
5670MHz	Pass	18.53	-4.76				-4.76	-1.53
5710MHz Straddle 5.47-5.725GHz	Pass	18.53	-4.37				-4.37	-1.53
5710MHz Straddle 5.725-5.85GHz	Pass	18.53	-7.27				-7.27	17.47
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5290MHz	Pass	18.53	-10.67				-10.67	-1.53
5530MHz	Pass	18.53	-9.48				-9.48	-1.53
5610MHz	Pass	18.53	-7.59				-7.59	-1.53
5690MHz Straddle 5.47-5.725GHz	Pass	18.53	-7.90				-7.90	-1.53
5690MHz Straddle 5.725-5.85GHz	Pass	18.53	-10.96				-10.96	17.47
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	18.53	-13.72				-13.72	4.47
5250MHz Straddle 5.25-5.35GHz	Pass	18.53	-13.68				-13.68	-1.53
5570MHz	Pass	18.53	-11.25				-11.25	-1.53
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	18.53	-7.10	-3.41			-1.94	-1.53
5300MHz	Pass	18.53	-7.27	-3.46			-1.97	-1.53
5320MHz	Pass	18.53	-7.01	-3.17			-1.71	-1.53
5500MHz	Pass	18.53	-6.84	-3.69			-2.03	-1.53
5580MHz	Pass	18.53	-7.08	-3.44			-1.93	-1.53
5700MHz	Pass	18.53	-6.53	-3.15			-1.54	-1.53
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-6.78	-3.27			-1.70	-1.53
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-8.11	-4.59			-3.06	17.47
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	18.53	-7.52	-3.67			-2.19	-1.53
5300MHz	Pass	18.53	-7.04	-3.06			-1.64	-1.53
5320MHz	Pass	18.53	-8.12	-4.03			-2.68	-1.53
5500MHz	Pass	18.53	-7.20	-4.01			-2.37	-1.53
5580MHz	Pass	18.53	-7.31	-3.75			-2.17	-1.53
5700MHz	Pass	18.53	-7.49	-3.63			-2.21	-1.53
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-7.01	-3.45			-1.89	-1.53
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-8.05	-4.61			-3.06	17.47
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5270MHz	Pass	18.53	-11.96	-8.05			-6.62	-1.53
5310MHz	Pass	18.53	-13.10	-8.74			-7.51	-1.53
5510MHz	Pass	18.53	-9.56	-6.19			-4.60	-1.53
5550MHz	Pass	18.53	-9.58	-6.16			-4.64	-1.53
5670MHz	Pass	18.53	-9.66	-5.83			-4.46	-1.53
5710MHz Straddle 5.47-5.725GHz	Pass	18.53	-9.74	-5.97			-4.50	-1.53
5710MHz Straddle 5.725-5.85GHz	Pass	18.53	-12.51	-8.93			-7.39	17.47
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	18.53	-13.48	-9.12			-7.94	-1.53
5530MHz	Pass	18.53	-13.75	-9.74			-8.34	-1.53
5610MHz	Pass	18.53	-12.34	-8.49			-7.00	-1.53
5690MHz Straddle 5.47-5.725GHz	Pass	18.53	-12.91	-9.43			-7.86	-1.53
5690MHz Straddle 5.725-5.85GHz	Pass	18.53	-16.12	-12.75			-11.16	17.47
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	18.53	-17.98	-13.95			-12.63	4.47
5250MHz Straddle 5.25-5.35GHz	Pass	18.53	-18.02	-13.95			-12.62	-1.53
5570MHz	Pass	18.53	-16.73	-12.60			-11.32	-1.53
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	21.54	-15.24	-10.77	-10.42	-10.12	-5.30	-4.54
5300MHz	Pass	21.54	-15.49	-10.97	-10.40	-10.15	-5.41	-4.54
5320MHz	Pass	21.54	-15.52	-11.13	-10.54	-10.23	-5.53	-4.54
5500MHz	Pass	21.54	-14.21	-10.24	-10.58	-10.23	-5.14	-4.54
5580MHz	Pass	21.54	-14.81	-10.59	-10.12	-9.77	-5.00	-4.54
5700MHz	Pass	21.54	-15.10	-9.99	-9.12	-9.91	-4.58	-4.54
5720MHz Straddle 5.47-5.725GHz	Pass	21.54	-16.07	-11.39	-10.60	-10.77	-5.72	-4.54
5720MHz Straddle 5.725-5.85GHz	Pass	21.54	-17.55	-13.07	-12.21	-12.19	-7.37	14.46
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	21.54	-15.14	-10.59	-10.30	-10.05	-5.23	-4.54
5300MHz	Pass	21.54	-15.44	-10.82	-10.37	-9.85	-5.23	-4.54
5320MHz	Pass	21.54	-15.35	-10.76	-10.47	-9.98	-5.45	-4.54
5500MHz	Pass	21.54	-14.64	-10.56	-10.27	-9.77	-5.09	-4.54
5580MHz	Pass	21.54	-15.26	-10.80	-10.56	-10.12	-5.42	-4.54
5700MHz	Pass	21.54	-15.09	-10.13	-9.18	-10.11	-4.77	-4.54
5720MHz Straddle 5.47-5.725GHz	Pass	21.54	-16.15	-11.37	-10.62	-10.60	-5.81	-4.54
5720MHz Straddle 5.725-5.85GHz	Pass	21.54	-17.60	-12.91	-12.08	-12.07	-7.30	14.46
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	21.54	-15.12	-10.61	-10.16	-10.29	-5.27	-4.54
5310MHz	Pass	21.54	-16.10	-11.96	-10.74	-11.57	-6.35	-4.54
5510MHz	Pass	21.54	-14.13	-10.32	-9.77	-10.06	-4.97	-4.54
5550MHz	Pass	21.54	-14.68	-10.42	-9.89	-10.83	-5.26	-4.54
5670MHz	Pass	21.54	-14.74	-11.01	-9.67	-9.75	-4.98	-4.54
5710MHz Straddle 5.47-5.725GHz	Pass	21.54	-14.61	-10.74	-9.57	-10.42	-5.04	-4.54
5710MHz Straddle 5.725-5.85GHz	Pass	21.54	-17.47	-13.68	-12.42	-13.35	-7.99	14.46
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	21.54	-18.88	-14.18	-13.95	-13.96	-8.95	-4.54
5530MHz	Pass	21.54	-17.78	-13.60	-13.33	-14.04	-8.46	-4.54
5610MHz	Pass	21.54	-17.48	-12.79	-12.29	-12.50	-7.45	-4.54
5690MHz Straddle 5.47-5.725GHz	Pass	21.54	-17.94	-13.63	-12.45	-13.48	-8.11	-4.54
5690MHz Straddle 5.725-5.85GHz	Pass	21.54	-21.14	-17.27	-16.19	-17.16	-11.67	14.46
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	21.54	-23.28	-18.44	-18.14	-17.95	-13.19	1.46
5250MHz Straddle 5.25-5.35GHz	Pass	21.54	-23.14	-18.60	-18.26	-18.08	-13.20	-4.54
5570MHz	Pass	21.54	-22.55	-17.53	-17.04	-17.49	-12.26	-4.54

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;



802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

07/09/2022

CF
5.32GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.57	-1.57	-1.57

802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

07/09/2022

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz



Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.54	-1.54	-1.54




802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

07/09/2022

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.83	-1.83	-1.83


802.11a_Nss1,(6Mbps)_1TX


PSD

5720MHz Straddle 5.725-5.85GHz

07/09/2022

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.26	-3.26	-3.26


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5260MHz

07/09/2022

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.21	-2.21	-2.21


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5300MHz

07/09/2022

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.89	-1.89	-1.89


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5320MHz

07/09/2022

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.94	-1.94	-1.94


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5500MHz

07/09/2022

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.83	-1.83	-1.83


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5580MHz

25/08/2022

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.98	-1.98	-1.98


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5700MHz

25/08/2022

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.26	-2.26	-2.26


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5720MHz Straddle 5.47-5.725GHz

07/09/2022

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.59	-1.59	-1.59


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5720MHz Straddle 5.725-5.85GHz



07/09/2022

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.92	-2.92	-2.92




802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5510MHz

07/09/2022

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.34	-5.34	-5.34


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5550MHz



24/08/2022

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.71	-4.71	-4.71




802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5710MHz Straddle 5.725-5.85GHz

07/09/2022

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.27	-7.27	-7.27


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5290MHz

07/09/2022

CF
5.29GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.67	-10.67	-10.67


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5530MHz

25/08/2022

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.48	-9.48	-9.48


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5610MHz

24/08/2022

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.59	-7.59	-7.59

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

25/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.90	-7.90	-7.90

802.11ax HEW80_Nss1,(MCS0)_1TX



PSD



5690MHz Straddle 5.725-5.85GHz

25/08/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.96	-10.96	-10.96






802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

07/09/2022

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.97	-1.97	-7.27	-3.46


802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz



07/09/2022



CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.71	-1.71	-7.01	-3.17






802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

07/09/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.06	-3.06	-8.11	-4.59

802.11ax HEW20_Nss1,(MCS0)_2TX



PSD



5260MHz

07/09/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.19	-2.19	-7.52	-3.67






802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5700MHz

24/08/2022

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.21	-2.21	-7.49	-3.63


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

07/09/2022

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.89	-1.89	-7.01	-3.45

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

07/09/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.06	-3.06	-8.05	-4.61

802.11ax HEW40_Nss1,(MCS0)_2TX



PSD

5270MHz

07/09/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.62	-6.62	-11.96	-8.05




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5550MHz

24/08/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5670MHz

24/08/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

07/09/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.50	-4.50	-9.74	-5.97

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

07/09/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.39	-7.39	-12.51	-8.93

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5290MHz

24/08/2022






802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5530MHz

24/08/2022






802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

07/09/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.16	-11.16	-16.12	-12.75

802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.63	-12.63	-17.98	-13.95

802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.62	-12.62	-18.02	-13.95

802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5570MHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.32	-11.32	-16.73	-12.60

802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.30	-5.30	-15.24	-10.77	-10.42	-10.12

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.41	-5.41	-15.49	-10.97	-10.40	-10.15

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.53	-5.53	-15.52	-11.13	-10.54	-10.23

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

07/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.14	-5.14	-14.21	-10.24	-10.58	-10.23

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.00	-5.00	-14.81	-10.59	-10.12	-9.77

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

25/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.58	-4.58	-15.10	-9.99	-9.12	-9.91

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.72	-5.72	-16.07	-11.39	-10.60	-10.77

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.37	-7.37	-17.55	-13.07	-12.21	-12.19

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.23	-5.23	-15.14	-10.59	-10.30	-10.05

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.23	-5.23	-15.44	-10.82	-10.37	-9.85

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.45	-5.45	-15.35	-10.76	-10.47	-9.98

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.09	-5.09	-14.64	-10.56	-10.27	-9.77

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.42	-5.42	-15.26	-10.80	-10.56	-10.12

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

25/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.77	-4.77	-15.09	-10.13	-9.18	-10.11

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.81	-5.81	-16.15	-11.37	-10.62	-10.60

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.30	-7.30	-17.60	-12.91	-12.08	-12.07

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.27	-5.27	-15.12	-10.61	-10.16	-10.29

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.35	-6.35	-16.10	-11.96	-10.74	-11.57

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.97	-4.97	-14.13	-10.32	-9.77	-10.06

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.26	-5.26	-14.68	-10.42	-9.89	-10.83

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

25/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.98	-4.98	-14.74	-11.01	-9.67	-9.75

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.04	-5.04	-14.61	-10.74	-9.57	-10.42

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.99	-7.99	-17.47	-13.68	-12.42	-13.35

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.95	-8.95	-18.88	-14.18	-13.95	-13.96

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.46	-8.46	-17.78	-13.60	-13.33	-14.04

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.45	-7.45	-17.48	-12.79	-12.29	-12.50

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.11	-8.11	-17.94	-13.63	-12.45	-13.48

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.67	-11.67	-21.14	-17.27	-16.19	-17.16

802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.19	-13.19	-23.28	-18.44	-18.14	-17.95

802.11ax HEW160_Nss1,(MCS0)_4TX


PSD

5250MHz Straddle 5.25-5.35GHz

24/08/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.20	-13.20	-23.14	-18.60	-18.26	-18.08





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss1,(MCS0)_1TX	-13.72
802.11ax HEW160_Nss1,(MCS0)_2TX	-12.63
802.11ax HEW160_Nss1,(MCS0)_4TX	-13.19
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	-1.57
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.89
802.11ax HEW40_Nss1,(MCS0)_1TX	-4.61
802.11ax HEW80_Nss1,(MCS0)_1TX	-10.67
802.11ax HEW160_Nss1,(MCS0)_1TX	-13.68
802.11a_Nss1,(6Mbps)_2TX	-1.71
802.11ax HEW20_Nss1,(MCS0)_2TX	-1.64
802.11ax HEW40_Nss1,(MCS0)_2TX	-6.62
802.11ax HEW80_Nss1,(MCS0)_2TX	-7.94
802.11ax HEW160_Nss1,(MCS0)_2TX	-12.62
802.11a_Nss1,(6Mbps)_4TX	-5.30
802.11ax HEW20_Nss1,(MCS0)_4TX	-5.23
802.11ax HEW40_Nss1,(MCS0)_4TX	-5.27
802.11ax HEW80_Nss1,(MCS0)_4TX	-8.95
802.11ax HEW160_Nss1,(MCS0)_4TX	-13.20
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	-1.54
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.59
802.11ax HEW40_Nss1,(MCS0)_1TX	-4.37
802.11ax HEW80_Nss1,(MCS0)_1TX	-7.59
802.11ax HEW160_Nss1,(MCS0)_1TX	-11.25
802.11a_Nss1,(6Mbps)_2TX	-1.54
802.11ax HEW20_Nss1,(MCS0)_2TX	-1.89
802.11ax HEW40_Nss1,(MCS0)_2TX	-4.46
802.11ax HEW80_Nss1,(MCS0)_2TX	-7.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-11.32
802.11a_Nss1,(6Mbps)_4TX	-4.58
802.11ax HEW20_Nss1,(MCS0)_4TX	-4.77
802.11ax HEW40_Nss1,(MCS0)_4TX	-4.97
802.11ax HEW80_Nss1,(MCS0)_4TX	-7.45
802.11ax HEW160_Nss1,(MCS0)_4TX	-12.26
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	-3.26
802.11ax HEW20_Nss1,(MCS0)_1TX	-2.92
802.11ax HEW40_Nss1,(MCS0)_1TX	-7.27
802.11ax HEW80_Nss1,(MCS0)_1TX	-10.96
802.11a_Nss1,(6Mbps)_2TX	-3.06
802.11ax HEW20_Nss1,(MCS0)_2TX	-3.06
802.11ax HEW40_Nss1,(MCS0)_2TX	-7.39
802.11ax HEW80_Nss1,(MCS0)_2TX	-11.16
802.11a_Nss1,(6Mbps)_4TX	-7.37
802.11ax HEW20_Nss1,(MCS0)_4TX	-7.30
802.11ax HEW40_Nss1,(MCS0)_4TX	-7.99
802.11ax HEW80_Nss1,(MCS0)_4TX	-11.67

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	18.53	-1.68				-1.68	-1.53	16.85	17.00
5300MHz	Pass	18.53	-1.95				-1.95	-1.53	16.58	17.00
5320MHz	Pass	18.53	-1.57				-1.57	-1.53	16.96	17.00
5500MHz	Pass	18.53	-1.54				-1.54	-1.53	16.99	17.00
5580MHz	Pass	18.53	-1.65				-1.65	-1.53	16.88	17.00
5700MHz	Pass	18.53	-1.70				-1.70	-1.53	16.83	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-1.83				-1.83	-1.53	16.70	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-3.26				-3.26	30.00	15.27	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	18.53	-2.21				-2.21	-1.53	16.32	17.00
5300MHz	Pass	18.53	-1.89				-1.89	-1.53	16.64	17.00
5320MHz	Pass	18.53	-1.94				-1.94	-1.53	16.59	17.00
5500MHz	Pass	18.53	-1.83				-1.83	-1.53	16.70	17.00
5580MHz	Pass	18.53	-1.98				-1.98	-1.53	16.55	17.00
5700MHz	Pass	18.53	-2.26				-2.26	-1.53	16.27	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-1.59				-1.59	-1.53	16.94	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-2.92				-2.92	30.00	15.61	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	18.53	-4.61				-4.61	-1.53	13.92	17.00
5310MHz	Pass	18.53	-9.82				-9.82	-1.53	8.71	17.00
5510MHz	Pass	18.53	-5.34				-5.34	-1.53	13.19	17.00
5550MHz	Pass	18.53	-4.71				-4.71	-1.53	13.82	17.00
5670MHz	Pass	18.53	-4.76				-4.76	-1.53	13.77	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	18.53	-4.37				-4.37	-1.53	14.16	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	18.53	-7.27				-7.27	30.00	11.26	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	18.53	-10.67				-10.67	-1.53	7.86	17.00
5530MHz	Pass	18.53	-9.48				-9.48	-1.53	9.05	17.00
5610MHz	Pass	18.53	-7.59				-7.59	-1.53	10.94	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	18.53	-7.90				-7.90	-1.53	10.63	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	18.53	-10.96				-10.96	30.00	7.57	36.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	18.53	-13.72				-13.72	17.00	4.81	Inf
5250MHz Straddle 5.25-5.35GHz	Pass	18.53	-13.68				-13.68	-1.53	4.85	17.00
5570MHz	Pass	18.53	-11.25				-11.25	-1.53	7.28	17.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	18.53	-7.10	-3.41			-1.94	-1.53	16.59	17.00
5300MHz	Pass	18.53	-7.27	-3.46			-1.97	-1.53	16.56	17.00
5320MHz	Pass	18.53	-7.01	-3.17			-1.71	-1.53	16.82	17.00
5500MHz	Pass	18.53	-6.84	-3.69			-2.03	-1.53	16.50	17.00
5580MHz	Pass	18.53	-7.08	-3.44			-1.93	-1.53	16.60	17.00
5700MHz	Pass	18.53	-6.53	-3.15			-1.54	-1.53	16.99	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-6.78	-3.27			-1.70	-1.53	16.83	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-8.11	-4.59			-3.06	30.00	15.47	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	18.53	-7.52	-3.67			-2.19	-1.53	16.34	17.00
5300MHz	Pass	18.53	-7.04	-3.06			-1.64	-1.53	16.89	17.00
5320MHz	Pass	18.53	-8.12	-4.03			-2.68	-1.53	15.85	17.00
5500MHz	Pass	18.53	-7.20	-4.01			-2.37	-1.53	16.16	17.00
5580MHz	Pass	18.53	-7.31	-3.75			-2.17	-1.53	16.36	17.00
5700MHz	Pass	18.53	-7.49	-3.63			-2.21	-1.53	16.32	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-7.01	-3.45			-1.89	-1.53	16.64	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-8.05	-4.61			-3.06	30.00	15.47	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5270MHz	Pass	18.53	-11.96	-8.05			-6.62	-1.53	11.91	17.00
5310MHz	Pass	18.53	-13.10	-8.74			-7.51	-1.53	11.02	17.00
5510MHz	Pass	18.53	-9.56	-6.19			-4.60	-1.53	13.93	17.00
5550MHz	Pass	18.53	-9.58	-6.16			-4.64	-1.53	13.89	17.00
5670MHz	Pass	18.53	-9.66	-5.83			-4.46	-1.53	14.07	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	18.53	-9.74	-5.97			-4.50	-1.53	14.03	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	18.53	-12.51	-8.93			-7.39	30.00	11.14	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	18.53	-13.48	-9.12			-7.94	-1.53	10.59	17.00
5530MHz	Pass	18.53	-13.75	-9.74			-8.34	-1.53	10.19	17.00
5610MHz	Pass	18.53	-12.34	-8.49			-7.00	-1.53	11.53	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	18.53	-12.91	-9.43			-7.86	-1.53	10.67	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	18.53	-16.12	-12.75			-11.16	30.00	7.37	36.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	18.53	-17.98	-13.95			-12.63	17.00	5.90	Inf
5250MHz Straddle 5.25-5.35GHz	Pass	18.53	-18.02	-13.95			-12.62	-1.53	5.91	17.00
5570MHz	Pass	18.53	-16.73	-12.60			-11.32	-1.53	7.21	17.00
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	21.54	-15.24	-10.77	-10.42	-10.12	-5.30	-4.54	16.24	17.00
5300MHz	Pass	21.54	-15.49	-10.97	-10.40	-10.15	-5.41	-4.54	16.13	17.00
5320MHz	Pass	21.54	-15.52	-11.13	-10.54	-10.23	-5.53	-4.54	16.01	17.00
5500MHz	Pass	21.54	-14.21	-10.24	-10.58	-10.23	-5.14	-4.54	16.40	17.00
5580MHz	Pass	21.54	-14.81	-10.59	-10.12	-9.77	-5.00	-4.54	16.54	17.00
5700MHz	Pass	21.54	-15.10	-9.99	-9.12	-9.91	-4.58	-4.54	16.96	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	21.54	-16.07	-11.39	-10.60	-10.77	-5.72	-4.54	15.82	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	21.54	-17.55	-13.07	-12.21	-12.19	-7.37	30.00	14.17	36.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	21.54	-15.14	-10.59	-10.30	-10.05	-5.23	-4.54	16.31	17.00
5300MHz	Pass	21.54	-15.44	-10.82	-10.37	-9.85	-5.23	-4.54	16.31	17.00
5320MHz	Pass	21.54	-15.35	-10.76	-10.47	-9.98	-5.45	-4.54	16.09	17.00
5500MHz	Pass	21.54	-14.64	-10.56	-10.27	-9.77	-5.09	-4.54	16.45	17.00
5580MHz	Pass	21.54	-15.26	-10.80	-10.56	-10.12	-5.42	-4.54	16.12	17.00
5700MHz	Pass	21.54	-15.09	-10.13	-9.18	-10.11	-4.77	-4.54	16.77	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	21.54	-16.15	-11.37	-10.62	-10.60	-5.81	-4.54	15.73	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	21.54	-17.60	-12.91	-12.08	-12.07	-7.30	30.00	14.24	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	21.54	-15.12	-10.61	-10.16	-10.29	-5.27	-4.54	16.27	17.00
5310MHz	Pass	21.54	-16.10	-11.96	-10.74	-11.57	-6.35	-4.54	15.19	17.00
5510MHz	Pass	21.54	-14.13	-10.32	-9.77	-10.06	-4.97	-4.54	16.57	17.00
5550MHz	Pass	21.54	-14.68	-10.42	-9.89	-10.83	-5.26	-4.54	16.28	17.00
5670MHz	Pass	21.54	-14.74	-11.01	-9.67	-9.75	-4.98	-4.54	16.56	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	21.54	-14.61	-10.74	-9.57	-10.42	-5.04	-4.54	16.50	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	21.54	-17.47	-13.68	-12.42	-13.35	-7.99	30.00	13.55	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	21.54	-18.88	-14.18	-13.95	-13.96	-8.95	-4.54	12.59	17.00
5530MHz	Pass	21.54	-17.78	-13.60	-13.33	-14.04	-8.46	-4.54	13.08	17.00
5610MHz	Pass	21.54	-17.48	-12.79	-12.29	-12.50	-7.45	-4.54	14.09	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	21.54	-17.94	-13.63	-12.45	-13.48	-8.11	-4.54	13.43	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	21.54	-21.14	-17.27	-16.19	-17.16	-11.67	30.00	9.87	36.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	21.54	-23.28	-18.44	-18.14	-17.95	-13.19	17.00	8.35	Inf
5250MHz Straddle 5.25-5.35GHz	Pass	21.54	-23.14	-18.60	-18.26	-18.08	-13.20	-4.54	8.34	17.00
5570MHz	Pass	21.54	-22.55	-17.53	-17.04	-17.49	-12.26	-4.54	9.28	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band; PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

07/09/2022

CF
5.26GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.68	-1.68	-1.68

802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

07/09/2022

CF
5.3GHz


Span
30MHz


RBW
1MHz

VBW
3MHz



Sweep Time
20ms



Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.95	-1.95	-1.95






802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

07/09/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.83	-1.83	-1.83

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

07/09/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.26	-3.26	-3.26


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5260MHz

07/09/2022

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.21	-2.21	-2.21


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5300MHz



07/09/2022

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.89	-1.89	-1.89




802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5580MHz

25/08/2022

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.98	-1.98	-1.98


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5700MHz

25/08/2022

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.26	-2.26	-2.26


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5720MHz Straddle 5.47-5.725GHz

07/09/2022

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.59	-1.59	-1.59


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5720MHz Straddle 5.725-5.85GHz



07/09/2022



CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS





Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.92	-2.92	-2.92








802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

07/09/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.27	-7.27	-7.27

802.11ax HEW80_Nss1,(MCS0)_1TX



PSD



5290MHz

07/09/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.67	-10.67	-10.67






802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.72	-13.72	-13.72

802.11ax HEW160_Nss1,(MCS0)_1TX



PSD

5250MHz Straddle 5.25-5.35GHz

24/08/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.68	-13.68	-13.68




802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

07/09/2022

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.97	-1.97	-7.27	-3.46


802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz



07/09/2022

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.71	-1.71	-7.01	-3.17




802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

07/09/2022

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.54	-1.54	-6.53	-3.15


802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

07/09/2022

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.70	-1.70	-6.78	-3.27

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.725-5.85GHz

07/09/2022

PSD




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.06	-3.06	-8.11	-4.59

802.11ax HEW20_Nss1,(MCS0)_2TX



5260MHz



07/09/2022



PSD



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.19	-2.19	-7.52	-3.67








802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

07/09/2022






802.11ax HEW40_Nss1,(MCS0)_2TX



PSD



5270MHz

07/09/2022










802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5290MHz

24/08/2022






802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5530MHz

24/08/2022






802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

07/09/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.16	-11.16	-16.12	-12.75

802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.63	-12.63	-17.98	-13.95

802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.62	-12.62	-18.02	-13.95

802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5570MHz

24/08/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.32	-11.32	-16.73	-12.60

802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.30	-5.30	-15.24	-10.77	-10.42	-10.12

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.41	-5.41	-15.49	-10.97	-10.40	-10.15

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.53	-5.53	-15.52	-11.13	-10.54	-10.23

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

07/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.14	-5.14	-14.21	-10.24	-10.58	-10.23

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.00	-5.00	-14.81	-10.59	-10.12	-9.77

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

25/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.58	-4.58	-15.10	-9.99	-9.12	-9.91

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.72	-5.72	-16.07	-11.39	-10.60	-10.77

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.37	-7.37	-17.55	-13.07	-12.21	-12.19

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.23	-5.23	-15.14	-10.59	-10.30	-10.05

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.23	-5.23	-15.44	-10.82	-10.37	-9.85

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.45	-5.45	-15.35	-10.76	-10.47	-9.98

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.09	-5.09	-14.64	-10.56	-10.27	-9.77

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.42	-5.42	-15.26	-10.80	-10.56	-10.12

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

25/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.77	-4.77	-15.09	-10.13	-9.18	-10.11

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.81	-5.81	-16.15	-11.37	-10.62	-10.60

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.30	-7.30	-17.60	-12.91	-12.08	-12.07

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.27	-5.27	-15.12	-10.61	-10.16	-10.29

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.35	-6.35	-16.10	-11.96	-10.74	-11.57

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.97	-4.97	-14.13	-10.32	-9.77	-10.06

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.26	-5.26	-14.68	-10.42	-9.89	-10.83

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

25/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.98	-4.98	-14.74	-11.01	-9.67	-9.75

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.04	-5.04	-14.61	-10.74	-9.57	-10.42

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.99	-7.99	-17.47	-13.68	-12.42	-13.35

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.95	-8.95	-18.88	-14.18	-13.95	-13.96

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.46	-8.46	-17.78	-13.60	-13.33	-14.04

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.45	-7.45	-17.48	-12.79	-12.29	-12.50

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.11	-8.11	-17.94	-13.63	-12.45	-13.48

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.67	-11.67	-21.14	-17.27	-16.19	-17.16

802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/08/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.19	-13.19	-23.28	-18.44	-18.14	-17.95

802.11ax HEW160_Nss1,(MCS0)_4TX


PSD

5250MHz Straddle 5.25-5.35GHz

24/08/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.20	-13.20	-23.14	-18.60	-18.26	-18.08





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss1,(MCS0)_1TX	-6.02
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	3.37
802.11ax HEW20_Nss1,(MCS0)_1TX	3.15
802.11ax HEW40_Nss1,(MCS0)_1TX	-0.19
802.11ax HEW80_Nss1,(MCS0)_1TX	-3.87
802.11ax HEW160_Nss1,(MCS0)_1TX	-6.16
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	3.79
802.11ax HEW20_Nss1,(MCS0)_1TX	3.92
802.11ax HEW40_Nss1,(MCS0)_1TX	0.71
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.27
802.11ax HEW160_Nss1,(MCS0)_1TX	-5.55
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	2.20
802.11ax HEW20_Nss1,(MCS0)_1TX	2.05
802.11ax HEW40_Nss1,(MCS0)_1TX	-2.77
802.11ax HEW80_Nss1,(MCS0)_1TX	-6.22

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5260MHz	Pass	3.00	3.37	3.37	11.00
5300MHz	Pass	3.00	2.89	2.89	11.00
5320MHz	Pass	3.00	2.48	2.48	11.00
5500MHz	Pass	3.00	2.96	2.96	11.00
5580MHz	Pass	3.00	3.79	3.79	11.00
5700MHz	Pass	3.00	3.52	3.52	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.00	3.77	3.77	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	3.00	2.20	2.20	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5260MHz	Pass	3.00	3.15	3.15	11.00
5300MHz	Pass	3.00	2.69	2.69	11.00
5320MHz	Pass	3.00	2.34	2.34	11.00
5500MHz	Pass	3.00	2.90	2.90	11.00
5580MHz	Pass	3.00	3.55	3.55	11.00
5700MHz	Pass	3.00	3.92	3.92	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.00	3.64	3.64	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	3.00	2.05	2.05	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5270MHz	Pass	3.00	-0.19	-0.19	11.00
5310MHz	Pass	3.00	-0.47	-0.47	11.00
5510MHz	Pass	3.00	-0.45	-0.45	11.00
5550MHz	Pass	3.00	-0.23	-0.23	11.00
5670MHz	Pass	3.00	0.71	0.71	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	3.00	0.17	0.17	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	3.00	-2.77	-2.77	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5290MHz	Pass	3.00	-3.87	-3.87	11.00
5530MHz	Pass	3.00	-3.04	-3.04	11.00
5610MHz	Pass	3.00	-2.27	-2.27	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	3.00	-2.75	-2.75	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	3.00	-6.22	-6.22	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.00	-6.02	-6.02	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.00	-6.16	-6.16	11.00
5570MHz	Pass	3.00	-5.55	-5.55	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

18/08/2022

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.37	3.37	3.37

802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

18/08/2022

CF
5.3GHz


Span
30MHz


RBW
1MHz

VBW
3MHz



Sweep Time
20ms



Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.89	2.89	2.89





802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

18/08/2022

CF
5.71GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.77	3.77	3.77

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

18/08/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz



Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.20	2.20	2.20




802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5320MHz

18/08/2022

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.34	2.34	2.34


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5500MHz



18/08/2022



CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.90	2.90	2.90






802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5270MHz

18/08/2022

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.19	-0.19	-0.19


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5310MHz



18/08/2022

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.47	-0.47	-0.47




802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5670MHz

18/08/2022

CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.71	0.71	0.71


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5710MHz Straddle 5.47-5.725GHz

18/08/2022

CF
5.69GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.17	0.17	0.17

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

18/08/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.77	-2.77	-2.77

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5290MHz

23/08/2022

CF
5.29GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.87	-3.87	-3.87


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5530MHz

18/08/2022

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.04	-3.04	-3.04


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5610MHz

18/08/2022

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.27	-2.27	-2.27


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5690MHz Straddle 5.47-5.725GHz

18/08/2022

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.75	-2.75	-2.75


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5690MHz Straddle 5.725-5.85GHz

18/08/2022

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.22	-6.22	-6.22

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

18/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.02	-6.02	-6.02

802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

5250MHz Straddle 5.25-5.35GHz

18/08/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.16	-6.16	-6.16





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss1,(MCS0)_1TX	-13.55
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	-1.56
802.11ax HEW20_Nss1,(MCS0)_1TX	-2.18
802.11ax HEW40_Nss1,(MCS0)_1TX	-5.27
802.11ax HEW80_Nss1,(MCS0)_1TX	-8.61
802.11ax HEW160_Nss1,(MCS0)_1TX	-13.66
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	-1.55
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.55
802.11ax HEW40_Nss1,(MCS0)_1TX	-4.32
802.11ax HEW80_Nss1,(MCS0)_1TX	-7.53
802.11ax HEW160_Nss1,(MCS0)_1TX	-15.63
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	-3.44
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.61
802.11ax HEW40_Nss1,(MCS0)_1TX	-7.32
802.11ax HEW80_Nss1,(MCS0)_1TX	-11.46

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5260MHz	Pass	18.53	-2.14	-2.14	-1.53
5300MHz	Pass	18.53	-2.01	-2.01	-1.53
5320MHz	Pass	18.53	-1.56	-1.56	-1.53
5500MHz	Pass	18.53	-1.82	-1.82	-1.53
5580MHz	Pass	18.53	-1.57	-1.57	-1.53
5700MHz	Pass	18.53	-1.55	-1.55	-1.53
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-1.85	-1.85	-1.53
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-3.44	-3.44	17.47
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5260MHz	Pass	18.53	-2.18	-2.18	-1.53
5300MHz	Pass	18.53	-2.26	-2.26	-1.53
5320MHz	Pass	18.53	-2.38	-2.38	-1.53
5500MHz	Pass	18.53	-2.41	-2.41	-1.53
5580MHz	Pass	18.53	-1.74	-1.74	-1.53
5700MHz	Pass	18.53	-1.74	-1.74	-1.53
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-1.55	-1.55	-1.53
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-1.61	-1.61	17.47
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5270MHz	Pass	18.53	-5.68	-5.68	-1.53
5310MHz	Pass	18.53	-5.27	-5.27	-1.53
5510MHz	Pass	18.53	-6.34	-6.34	-1.53
5550MHz	Pass	18.53	-4.90	-4.90	-1.53
5670MHz	Pass	18.53	-4.69	-4.69	-1.53
5710MHz Straddle 5.47-5.725GHz	Pass	18.53	-4.32	-4.32	-1.53
5710MHz Straddle 5.725-5.85GHz	Pass	18.53	-7.32	-7.32	17.47
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5290MHz	Pass	18.53	-8.61	-8.61	-1.53
5530MHz	Pass	18.53	-11.32	-11.32	-1.53
5610MHz	Pass	18.53	-7.53	-7.53	-1.53
5690MHz Straddle 5.47-5.725GHz	Pass	18.53	-7.80	-7.80	-1.53
5690MHz Straddle 5.725-5.85GHz	Pass	18.53	-11.46	-11.46	17.47
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	18.53	-13.55	-13.55	4.47
5250MHz Straddle 5.25-5.35GHz	Pass	18.53	-13.66	-13.66	-1.53
5570MHz	Pass	18.53	-15.63	-15.63	-1.53

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

07/09/2022

CF
5.26GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.14	-2.14	-2.14

802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

07/09/2022

CF
5.3GHz


Span
30MHz


RBW
1MHz

VBW
3MHz



Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.01	-2.01	-2.01



802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

25/08/2022

CF
5.58GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.57	-1.57	-1.57

802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

25/08/2022

CF
5.7GHz


Span
30MHz


RBW
1MHz

VBW
3MHz



Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.55	-1.55	-1.55




802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5260MHz

07/09/2022

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.18	-2.18	-2.18


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5300MHz

07/09/2022

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.26	-2.26	-2.26


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5320MHz

07/09/2022

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.38	-2.38	-2.38


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5500MHz

07/09/2022

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.41	-2.41	-2.41


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5580MHz

25/08/2022

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.74	-1.74	-1.74


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5700MHz

25/08/2022

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.74	-1.74	-1.74

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

07/09/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.55	-1.55	-1.55

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

07/09/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.61	-1.61	-1.61

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5270MHz

07/09/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.68	-5.68	-5.68

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5310MHz

25/08/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.27	-5.27	-5.27


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5510MHz

25/08/2022

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.34	-6.34	-6.34


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5550MHz

25/08/2022

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.90	-4.90	-4.90

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5670MHz

25/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.69	-4.69	-4.69

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

25/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.32	-4.32	-4.32


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.725-5.85GHz

PSD

25/08/2022

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.32	-7.32	-7.32

802.11ax HEW80_Nss1,(MCS0)_1TX
5290MHz

PSD



25/08/2022



CF
5.29GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS






Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.61	-8.61	-8.61











Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss1,(MCS0)_1TX	-13.55
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	-1.56
802.11ax HEW20_Nss1,(MCS0)_1TX	-2.18
802.11ax HEW40_Nss1,(MCS0)_1TX	-5.27
802.11ax HEW80_Nss1,(MCS0)_1TX	-8.61
802.11ax HEW160_Nss1,(MCS0)_1TX	-13.66
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	-1.55
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.55
802.11ax HEW40_Nss1,(MCS0)_1TX	-4.32
802.11ax HEW80_Nss1,(MCS0)_1TX	-7.53
802.11ax HEW160_Nss1,(MCS0)_1TX	-15.63
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	-3.44
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.61
802.11ax HEW40_Nss1,(MCS0)_1TX	-7.32
802.11ax HEW80_Nss1,(MCS0)_1TX	-11.46

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5260MHz	Pass	18.53	-2.14	-2.14	-1.53
5300MHz	Pass	18.53	-2.01	-2.01	-1.53
5320MHz	Pass	18.53	-1.56	-1.56	-1.53
5500MHz	Pass	18.53	-1.82	-1.82	-1.53
5580MHz	Pass	18.53	-1.57	-1.57	-1.53
5700MHz	Pass	18.53	-1.55	-1.55	-1.53
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-1.85	-1.85	-1.53
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-3.44	-3.44	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5260MHz	Pass	18.53	-2.18	-2.18	-1.53
5300MHz	Pass	18.53	-2.26	-2.26	-1.53
5320MHz	Pass	18.53	-2.38	-2.38	-1.53
5500MHz	Pass	18.53	-2.41	-2.41	-1.53
5580MHz	Pass	18.53	-1.74	-1.74	-1.53
5700MHz	Pass	18.53	-1.74	-1.74	-1.53
5720MHz Straddle 5.47-5.725GHz	Pass	18.53	-1.55	-1.55	-1.53
5720MHz Straddle 5.725-5.85GHz	Pass	18.53	-1.61	-1.61	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5270MHz	Pass	18.53	-5.68	-5.68	-1.53
5310MHz	Pass	18.53	-5.27	-5.27	-1.53
5510MHz	Pass	18.53	-6.34	-6.34	-1.53
5550MHz	Pass	18.53	-4.90	-4.90	-1.53
5670MHz	Pass	18.53	-4.69	-4.69	-1.53
5710MHz Straddle 5.47-5.725GHz	Pass	18.53	-4.32	-4.32	-1.53
5710MHz Straddle 5.725-5.85GHz	Pass	18.53	-7.32	-7.32	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5290MHz	Pass	18.53	-8.61	-8.61	-1.53
5530MHz	Pass	18.53	-11.32	-11.32	-1.53
5610MHz	Pass	18.53	-7.53	-7.53	-1.53
5690MHz Straddle 5.47-5.725GHz	Pass	18.53	-7.80	-7.80	-1.53
5690MHz Straddle 5.725-5.85GHz	Pass	18.53	-11.46	-11.46	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	18.53	-13.55	-13.55	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	18.53	-13.66	-13.66	-1.53
5570MHz	Pass	18.53	-15.63	-15.63	-1.53

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmit port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

07/09/2022

CF
5.26GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.14	-2.14	-2.14

802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

07/09/2022

CF
5.3GHz


Span
30MHz


RBW
1MHz

VBW
3MHz



Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.01	-2.01	-2.01



802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

25/08/2022

CF
5.58GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.57	-1.57	-1.57

802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

25/08/2022

CF
5.7GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.55	-1.55	-1.55

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

25/08/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.85	-1.85	-1.85

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

25/08/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.44	-3.44	-3.44


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5260MHz

07/09/2022

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.18	-2.18	-2.18


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5300MHz

07/09/2022

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.26	-2.26	-2.26


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5320MHz

07/09/2022

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.38	-2.38	-2.38


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5500MHz

07/09/2022

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.41	-2.41	-2.41


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5580MHz

25/08/2022

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.74	-1.74	-1.74


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5700MHz

25/08/2022

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.74	-1.74	-1.74


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5720MHz Straddle 5.47-5.725GHz

07/09/2022

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.55	-1.55	-1.55


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5720MHz Straddle 5.725-5.85GHz



07/09/2022

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.61	-1.61	-1.61




802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5510MHz

25/08/2022

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.34	-6.34	-6.34


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

5550MHz

25/08/2022

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.90	-4.90	-4.90